



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 21

21 May 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	ADMIRALTY Publications
105	INT 1238	NP 131
515	INT 1239	
811	INT 1453	
820	INT 1655	
1007	INT 5709	
1187	INT 7333	
1336	INT 7411	
1609	INT 9109	
1729	INT 9165	
1859		
1962		
2100		
2139		
2502		
2503		
2711		
2773		
3026		
3206		
3462		
3837		
DE 46		
AUS 53		
IN 2051		
IN 3012		

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 21 May 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙105	England - East Coast, Cromer Knoll and the Outer Banks. On publication of this New Edition former Notice 208(P)/26 is cancelled. This chart remains affected by Notice 1702(T)/26. This chart is to be deleted from the list of charts affected by Notice 1742(P)/26.	1:75,000	7	26
⊙811 INT 1239	International Chart Series, Sweden - East Coast, Stockholms Skärgård, Port of Stockholm. This chart remains affected by Notices 2269(T)/25, 1621(T)/26 and 2031(T)/26.	1:12,500	10	36
⊙1609	England - East Coast, Thames Estuary, Knock John Channel to Sea Reach.	1:25,000	8	24
⊙1729	South Pacific Ocean, Islands in American Samoa. Tutuila Island. Swains Island. Manua Islands. Rose Atoll. Pago Pago Harbour.	1:60,000 1:50,000 1:100,000 1:100,000 1:25,000	70	104, 106
	On publication of this New Edition former Notice 1030(P)/26 is cancelled.			
⊙1859 INT 1655	International Chart Series, England - West Coast, Port of Bristol. Ⓐ King Road. Ⓑ River Avon. Ⓒ City docks. Ⓓ City Docks to Saint Ann's Bridge.	1:10,000 1:10,000 1:5,000 1:25,000	2	20
	This chart is to be deleted from the list of charts affected by Notices 125(P)/26 and 327(P)/26.			
⊙2502	Scotland - West Coast, Eddrachillis Bay. Continuation to Lochs Glendhu and Glencoul.	1:25,000 1:25,000	6	28
	This chart is to be deleted from the list of charts affected by Notice 1064(P)/25.			
⊙2503	Scotland - West Coast, Kinlochbervie and Approaches. Kinlochbervie.	1:25,000 1:10,000	6	28
	This chart is to be deleted from the list of charts affected by Notice 1064(P)/25.			
⊙3206 INT 9165	International Chart Series, Antarctica - Graham Land, Gerlache Strait to Orléans Strait.	1:50,000	97	136

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 21 May 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙3462 INT 9109	International Chart Series, Antarctica - Graham Land, Marguerite Bay, British Antarctic Survey Base Rothera. Rothera Wharf.	1:25,000 1:4,000	97	136
⊙DE46 INT 1453	International Chart Series, North Sea, Germany, River Elbe, Belum to Krautsand. Brunsbüttel.	1:30,000 1:12,500	9	32

Publication dates of these charts reflect the dates shown on the Indian Government Charts.

<i>Chart</i>	<i>Published</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙IN2051 INT 7333	30/11/2025	International Chart Series, India - West Coast, Salāya Harbour. On publication of this New Edition former Notice 1756(P)/26 is cancelled.	1:25,000	41	58

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 04 JUNE 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
515	Croatia, Zadar to Luka Mali Lošinj.	1:100,000	⊙515	27	44
820	International Chart Series, Sweden - East Coast, Stockholms Skärgård,	1:25,000	⊙820	10	36
INT 1238	Västra Saxarfjärden to Stockholm.		INT 1238		
	Ⓐ Edsviken.	1:50,000			
	Ⓑ Stegesundet.	1:10,000			
	Ⓒ Farstasundet.	1:10,000			
	Ⓓ Baggens-Stäket.	1:10,000			
	Ⓔ Gustavsberg.	1:5,000			
1007	Korea - West Coast, Mokpo.	1:15,000	⊙1007	52	82
	Mokpo Hang Myoji.	1:10,000			
1187	North Sea, Outer Silver Pit.	1:150,000	⊙1187	7	26, 32
1336	South China Sea, Borneo - North West Coast, Pulau - Pulau Subi Besar to Bintulu.	1:500,000	⊙1336	47	70, 72
1962	South China Sea, Hong Kong to Shantou.	1:300,000	⊙1962	50	78, 80
2100	Malaysia – Sarawak, Approaches to Bintulu Port.	1:75,000	⊙2100	48	70, 72
2139	Malaysia and Indonesia, Malacca Strait, Approaches to Pelabuhan Klang.	1:80,000	⊙2139	45	66
2711	Croatia, Rogoznica to Zadar.	1:100,000	⊙2711	27	44
	Zadar.	1:20,000			
2773	Croatia, Šibenik, Pašmanski Kanal, Luka Telašćica, Sedmovraće, Rijeka Krka.		⊙2773	27	44
	Ⓐ Šibenik and Approaches.	1:30,000			
	Ⓑ Rijeka Krka.	1:50,000			
	Ⓒ Luka Telašćica.	1:40,000			
	Ⓓ Pašmanski Kanal and Southern Approaches.	1:40,000			
	Ⓔ Sedmovraće.	1:40,000			
3026	South China Sea, Outer Approaches to Hong Kong.	1:160,000	⊙3026	50	78, 80
3837	International Chart Series, Malaysia – Sarawak, Kuala Mukah to Kuala	1:200,000	⊙3837	48	70, 72
INT 5709	Niah.		INT 5709		

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

CHARTS TO BE AVAILABLE 04 JUNE 2026

New Editions

Reproductions of Australian Government Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
AUS53	Australia - North West Coast, Western Australia, Approaches to Port Hedland.	1:50,000	⊙AUS53	63	92
	Hunt Point.	1:15,000			

Reproductions of Indian Government Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
IN3012 INT 7411	International Chart Series, India - East Coast, Visākhatnam Harbour.	1:12,500	⊙IN3012 INT 7411	43	64

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
105	England - East Coast, Cromer Knoll and the Outer Banks.	⊙105
811 INT 1239	International Chart Series, Sweden - East Coast, Stockholms Skärgård, Port of Stockholm.	⊙811 INT 1239
1609	England - East Coast, Thames Estuary, Knock John Channel to Sea Reach.	⊙1609
1729	South Pacific Ocean, Islands in American Samoa.	⊙1729
1859 INT 1655	International Chart Series, England - West Coast, Port of Bristol.	⊙1859 INT 1655
2502	Scotland - West Coast, Eddrachillis Bay.	⊙2502
2503	Scotland - West Coast, Kinlochbervie and Approaches.	⊙2503
3206 INT 9165	International Chart Series, Antarctica - Graham Land, Gerlache Strait to Orléans Strait.	⊙3206 INT 9165

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts (continued)

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
3462 INT 9109	International Chart Series, Antarctica - Graham Land, British Antarctic Survey Base Rothera.	⊙3462 INT 9109
DE46 INT 1453	International Chart Series, North Sea, Germany, River Elbe, Belum to Krautsand.	⊙DE46 INT 1453
IN2051 INT 7333	International Chart Series, India - West Coast, Salāya Harbour.	⊙IN2051 INT 7333

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 1, Authorised AMIRALTY Distributors, Italy

Amend:

SIRM ITALIA SRL		
Via 5 Maggio, 81 16147 Genova		
T: +39 010 2540 710		
F: +39 010 2540 7740		
digital.chart@sirmspa.it		
www.sirmspa.it		
DIGITAL		

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2	2360T	1256	2457
20	2477	1259	2408T, 2412
73	2452	1281	2460
83	2472T	1289	2457
90	2341T, 2343, 2384	1303	2442
108	2328	1304	2404
110	2486T	1312	2406
116	2486T	1369	2394
122	2486T	1402	2363T
124	2458, 2486T	1405	2356T, 2487
125	2486T	1406	2344, 2441
127	2408T	1408	2441, 2475
130	2486T	1410	2471T
211	2339	1419	2489
219	2360T	1427	2329T, 2410P, 2488
224	2397	1460	2382T, 2454
235	2368	1470	2326
245	2360T	1495	2373T
266	2415, 2486T	1498	2476
272	2356T	1504	2344, 2441
274	2356T, 2488	1543	2344, 2441
278	2356T	1557	2346
291	2488	1585	2379T
292	2329T, 2410P, 2487	1591	2375T
294	2329T, 2410P, 2487	1602	2442
343	2349	1604	2347
348	2349	1605	2340P
497	2397	1610	2344, 2372T, 2441
510	2385	1624	2465
519	2367P	1630	2372T, 2441, 2486T
527	2367P	1631	2486T
529	2448T	1632	2475, 2486T
537	2367P	1633	2475, 2486T
608	2393T	1636	2364
695	2407	1644	2417
696	2407	1664	2393T
798	2483	1694	2359
801	2330T	1701	2357T, 2382T
817	2464	1719	2396
818	2464	1827	2351
830	2423	1828	2351
831	2484	1853	2365P
898	2336	1911	2392
900	2482T	1917	2388P
903	2434	1965	2446T
938	2438P	1966	2451
953	2345P	1994	2350T
979	2333	1999	2392
1004	2398	2014	2353T, 2358T, 2390P
1005	2485	2015	2353T
1006	2395	2018	2353T, 2358T, 2490
1015	2391, 2485	2026	2449
1049	2443	2036	2331
1065	2408T, 2421, 2445T	2037	2331
1081	2478	2038	2376
1104	2477	2040	2353T, 2358T, 2390P
1121	2471T	2041	2376
1123	2471T	2048	2354, 2481
1143	2402, 2442	2049	2471T
1183	2372T	2052	2344, 2372T
1190	2328	2054	2490
1191	2415	2082	2455T
1198	2467	2092	2426
1227	2430	2106	2438P
1233	2360T	2115	2374
1239	2360T	2120	2435
1250	2468	2126	2480
1254	2457	2170	2435
1255	2457	2172	2440

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2175	2440	3282	2360T
2182C	2329T, 2360T, 2410P, 2488	3323	2463
2182D	2360T, 2488	3451	2325
2192	2451	3455	2450
2193	2451	3456	2431
2199	2480	3457	2361
2202	2420P	3480	2386, 2408T, 2462
2231	2481	3497	2369, 2413
2250	2447T	3568	2401T
2276	2354	3569	2401T
2288	2353T, 2481	3577	2389
2289	2481	3658	2348
2347	2408T, 2474T	3666	2408T, 2421
2376	2387	3720	2406
2403	2380T	3721	2406
2409	2416	3739	2338T
2412	2386, 2474T	3754	2422
2424	2426	3830	2455T
2472	2403	3831	2380T
2537	2339	3864	2432
2538	2339	3882	2405T
2562	2447T	3900	2423
2594	2374	3928	2399
2596	2438P	3933	2428
2603	2453	3941	2423
2625	2331	3947	2428
2634	2379T	3972	2448T
2640	2335	3973	2429T
2645	2409P	3984	2469T
2663	2477	4010	2360T
2670	2381	4011	2360T
2679	2353T	4014	2360T
2683	2479	4052	2403, 2474T
2688	2353T	4060	2403
2695	2344	4070	2474T
2698	2437	4073	2474T
2700	2332	4074	2474T
2724	2480	4100	2360T
2774	2334	4101	2360T
2780	2370	4112	2360T
2781	2370	4113	2360T
2837	2456T	4119	2352T
2851	2456T	4122	2352T, 2400
2858	2456T	4123	2400
2870	2406	4140	2360T, 2488
2888	2456T	4155	2337
2897	2360T, 2366	4156	2337
2899	2366	4405	2368
2900	2360T	4410	2387
2901	2360T	4494	2424
2908	2403	4507	2403, 2474T
2909	2403	4509	2386, 2462, 2474T
2911	2403	4510	2474T
2922	2453	4603	2403
2965	2370	4705	2456T
2966	2419, 2461	4706	2423
2974	2389	4707	2423
3103	2444P	4708	2474T
3172	2456T	4710	2474T
3176	2338T	4714	2474T
3220	2459T	4722	2436T
3221	2324	4723	2436T
3222	2324	4736	2327
3227	2433T	4746	2381
3230	2387	4747	2381
3231	2414	4748	2371
3232	2387	4763	2371
3233	2466	4764	2371
3237	2474T	4765	2371

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Indian Chart No.	Notices
4782 4783 4937 4938 4952 5600_10 5600_13 5600_17 5601_9 5605_15 5606_10 5607_8 5610_14 5610_15 5610_16 5610_17 5610_19 5610_3 5613_6 5614_1 5614_13 5614_19 5614_8 5614_9 5621_14 5622_1 5622_2 5622_7 5623_15	2425 2425 2342 2342 2427 2376 2331 2331 2440 2351 2351 2344 2480 2480 2480 2480 2480 2350T 2411 2344 2328 2369, 2413 2328 2328 2471T 2471T 2471T 2426 2426	IN 216 IN 351 IN 2013 IN 2068	2418 2341T 2470P 2326
		Japanese Chart No.	Notices
		JP 1032 JP 1108 JP 1221	2473T 2322, 2323 2474T
		Soloman Islands Chart No.	Notices
		SLB 101	2439T
		International Chart No.	Notices
		INT 10 INT 11 INT 14 INT 52 INT 60 INT 70 INT 73 INT 74 INT 100 INT 101 INT 112 INT 113 INT 140 INT 160 INT 405 INT 507 INT 509 INT 510 INT 603 INT 705 INT 706 INT 707 INT 708 INT 710 INT 714 INT 722 INT 723 INT 750 INT 756 INT 1010 INT 1040 INT 1041 INT 1045 INT 1060 INT 1062 INT 1100 INT 1101 INT 1105 INT 1133 INT 1150 INT 1165 INT 1201 INT 1202 INT 1203 INT 1206 INT 1217 INT 1218	2360T 2360T 2360T 2403, 2474T 2403 2474T 2474T 2474T 2360T 2360T 2360T 2360T 2360T, 2488 2360T 2368 2403, 2474T 2386, 2462, 2474T 2474T 2403 2456T 2423 2423 2474T 2474T 2474T 2436T 2436T 2456T 2384 2360T, 2366 2360T, 2488 2329T, 2360T, 2410P, 2488 2486T 2360T 2471T 2360T 2360T 2366 2455T 2432 2481 2353T 2353T, 2358T, 2490 2490 2455T 2354, 2481 2353T, 2358T, 2390P
Australian Chart No.	Notices		
Aus 55 Aus 326	2436T 2436T		
Bangladeshi Chart No.	Notices		
BD 2508 BD 3004 BD 5001	2341T, 2362 2341T 2341T		
Belgian Chart No.	Notices		
BE 101 BE 106	2486T 2355		
German Chart No.	Notices		
DE 4 DE 7 DE 20 DE 44 DE 50 DE 90 DE 91	2383 2383 2383 2378 2486T 2486T 2377		
Indian Chart No.	Notices		
IN 31 IN 203 IN 215	2384 2326 2418		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	International Chart No.	Notices
INT 1219	2353T, 2358T, 2390P	INT 7220	2338T
INT 1220	2483	INT 7319	2326
INT 1277	2481	INT 7324	2470P
INT 1288	2353T	INT 7325	2326
INT 1300	2363T	INT 7372	2463
INT 1303	2438P	INT 7419	2341T
INT 1331	2374	INT 7426	2341T
INT 1333	2434	INT 7430	2464
INT 1369	2438P	INT 7433	2464
INT 1370	2438P	INT 7451	2341T, 2362
INT 1376	2482T	INT 7452	2341T
INT 1400	2356T, 2487	INT 7520	2337
INT 1401	2329T, 2410P, 2488	INT 7530	2337
INT 1416	2372T, 2441, 2486T	INT 7722	2407
INT 1417	2475, 2486T	INT 7723	2407
INT 1418	2486T	INT 7736	2373T
INT 1420	2475, 2486T	INT 9163	2389
INT 1422	2486T		
INT 1423	2486T		
INT 1424	2383		
INT 1452	2378		
INT 1457	2383		
INT 1460	2383		
INT 1461	2486T		
INT 1462	2377		
INT 1471	2458, 2486T		
INT 1472	2486T		
INT 1473	2486T		
INT 1474	2486T		
INT 1477	2486T		
INT 1478	2355		
INT 1500	2360T		
INT 1507	2415		
INT 1508	2328		
INT 1510	2344, 2441		
INT 1511	2344, 2372T, 2441		
INT 1554	2369, 2413		
INT 1560	2344, 2372T		
INT 1561	2372T		
INT 1563	2351		
INT 1606	2480		
INT 1609	2471T		
INT 1612	2471T		
INT 1613	2426		
INT 1636	2350T		
INT 1730	2331		
INT 1731	2331		
INT 1733	2376		
INT 1754	2332		
INT 1769	2484		
INT 1803	2477		
INT 1872	2433T		
INT 1875	2459T		
INT 1876	2324		
INT 1877	2324		
INT 1901	2452		
INT 1954	2393T		
INT 1996	2393T		
INT 2873	2444P		
INT 3198	2435		
INT 3680	2379T		
INT 3681	2375T		
INT 3754	2391, 2485		
INT 3784	2465		
INT 5251	2408T, 2421		
INT 7017	2456T		
INT 7143	2330T		
INT 7199	2456T		
INT 7216	2338T		

II

2389 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
2974 INT 9163	1562/25	Effective from 21/05/26 Insert magenta limit and chart number, 3462, as follows: North: 67° 31'·09S. East: 67° 57'·60W. South: 67° 39'·70S. West: 68° 33'·50W. Delete former magenta limit and chart number, 3462, in the following positions: 67° 31'·28S., 67° 47'·83W. 67° 39'·58S., 68° 19'·43W. Replace existing note with accompanying note, CHART 3577: POSITIONS, centred on 67° 41'·56S., 68° 47'·86W.
3577	1562/25	Effective from 21/05/26 Insert magenta limit and chart reference, 3462 (see Note – POSITIONS), as follows: North: 67° 31'·09S. East: - South: 67° 39'·70S. West: - Delete former magenta limit and chart reference, 3462 (see Note – Positions), in position 67° 39'·72S., 68° 22'·26W. Replace existing note with accompanying note, CHARTS 2974 AND 3462: POSITIONS, centred on 67° 53'·36S., 68° 18'·87W.

II

2490 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
2018 INT 1202	1833/26	Effective from 28/05/26 Amend chart number to read, SE713, in position 56° 11'·75N., 15° 55'·88E.
2054 INT 1203	529/26	Effective from 28/05/26 Amend chart number to read, SE713, in position 56° 11'·73N., 16° 28'·53E.

II

2328* ENGLAND - East Coast - Wreck.

Source: Spectrum Offshore

Chart 108 [*previous update 2171/26*] ETRS89 DATUM

Insert



53° 07'·77N., 0° 27'·75E.

Chart 1190 (INT 1508) [*previous update 2075/26*] ETRS89 DATUM

Insert



53° 07'·77N., 0° 27'·75E.

Chart 5614_9 [*previous update 2171/26*] ETRS89 DATUM

Insert



53° 07'·77N., 0° 27'·75E.

Chart 5614_13 [*previous update 4069/24*] ETRS89 DATUM

Insert



53° 07'·77N., 0° 27'·75E.

Chart 5614_8 [*previous update 1464/26*] ETRS89 DATUM

Insert



53° 07'·77N., 0° 27'·75E.

II

2331* ENGLAND - South Coast - Beacon. Outfall.

Source: King's Harbour Master Portsmouth

Chart 2036 (INT 1730) [*previous update 318/26*] ETRS89 DATUM

Insert



outfall, , joining:

50° 46'·72N., 1° 04'·34W.

50° 46'·77N., 1° 04'·36W.

50° 46'·72N., 1° 04'·35W.

Chart 2037 (INT 1731) [*previous update 2094/26*] ETRS89 DATUM

Insert



outfall, , joining:

50° 46'·72N., 1° 04'·34W.

50° 46'·77N., 1° 04'·37W.

50° 46'·72N., 1° 04'·35W.

Chart 2625 [*previous update 2094/26*] ETRS89 DATUM

Insert



outfall, , joining:

50° 46'·720N., 1° 04'·343W.

50° 46'·771N., 1° 04'·355W.

50° 46'·723N., 1° 04'·344W.

Chart 5600_13 [*previous update 3346/25*] ETRS89 DATUM

Insert



outfall, , joining:

50° 46'·72N., 1° 04'·34W.

50° 46'·77N., 1° 04'·36W.

50° 46'·72N., 1° 04'·35W.

Chart 5600_17 [*previous update 1771/26*] ETRS89 DATUM

Insert



outfall, , joining:

50° 46'·72N., 1° 04'·34W.

50° 46'·77N., 1° 04'·36W.

50° 46'·72N., 1° 04'·35W.

II

2344* ENGLAND - East Coast - Landmark.

Source: UKHO

Chart 1406 [*previous update 2111/26*] WGS84 DATUM

Delete  LtHo (disused) 52° 05'·04N., 1° 34'·45E.

Chart 1504 (INT 1510) [*previous update 1178/26*] ETRS89 DATUM

Delete  LtHo (disused) 52° 05'·04N., 1° 34'·45E.

Chart 1543 [*previous update 1951/26*] ETRS89 DATUM

Delete  LIGHTHOUSE, height of top of structure above ground level, (30), (disused) 52° 05'·04N., 1° 34'·45E.

Chart 1610 (INT 1511) [*previous update 1099/26*] ETRS89 DATUM

Delete  LtHo (disused) 52° 05'·04N., 1° 34'·45E.

Chart 2052 (INT 1560) [*previous update 1710/26*] ETRS89 DATUM

Delete  LIGHTHOUSE (disused) 52° 05'·04N., 1° 34'·45E.

Chart 2695 (Panel C, Rivers Ore and Alde) [*previous update New Edition 29/08/2024*] ETRS89 DATUM

Delete  LIGHTHOUSE (disused) 52° 05'·04N., 1° 34'·45E.

Chart 5607_8 (Panel A, Rivers Ore and Alde) [*previous update New Edition 07/11/2024*] ETRS89 DATUM

Delete  LIGHTHOUSE (disused) 52° 05'·04N., 1° 34'·45E.

Chart 5614_1 (Panel B, Orford Ness) [*previous update 1710/26*] ETRS89 DATUM

Delete  LIGHTHOUSE (disused) 52° 05'·04N., 1° 34'·45E.

Chart 5614_1 (Panel A, Orford Ness to Benacre Ness) [*previous update 1710/26*] ETRS89 DATUM

Delete  LIGHTHOUSE, height of top of structure above ground level, (30), (disused) 52° 05'·04N., 1° 34'·45E.

II

2351* ENGLAND - South East Coast - Depths.

Source: Thanet District Council

Chart 1827 (Panel C, Ramsgate) [*previous update 361/26*] ETRS89 DATUM

Insert	depth, 18, and extend 2m contour SW to enclose	(a)	51° 19'·711N., 1° 25'·284E.
Delete	depth, 21, close SW of:	(a)	above
Insert	depth, 16, and extend 2m contour SE to enclose	(b)	51° 19'·684N., 1° 25'·294E.
Delete	depth, 22, close SE of:	(b)	above
Insert	depth, 12	(c)	51° 19'·609N., 1° 25'·281E.
Delete	depth, 15, close S of:	(c)	above
Insert	depth, 27	(d)	51° 19'·586N., 1° 24'·909E.
Delete	depth, 32, close SE of:	(d)	above
Insert	depth, 13	(e)	51° 19'·549N., 1° 24'·905E.
Delete	depth, 18, close N of:	(e)	above
Insert	depth, 2, and extend 2m contour N to enclose	(f)	51° 19'·493N., 1° 25'·151E.
Delete	depth, 29, close NW of:	(f)	above
Insert	depth, 19, enclosed by 2m contour	(g)	51° 19'·489N., 1° 25'·387E.
Delete	depth, 22, close SW of:	(g)	above
Insert	depth, 26	(h)	51° 19'·492N., 1° 25'·421E.
Delete	depth, 29, close NW of:	(h)	above

Chart 1828 (INT 1563) (Panel, Ramsgate) [*previous update 526/26*] ETRS89 DATUM

Insert	depth, 18, and extend 2m contour SW to enclose	(a)	51° 19'·711N., 1° 25'·284E.
Delete	depth, 21, close SW of:	(a)	above
Insert	depth, 16, and extend 2m contour SE to enclose	(b)	51° 19'·684N., 1° 25'·294E.
Delete	depth, 22, close SE of:	(b)	above
Insert	depth, 12	(c)	51° 19'·609N., 1° 25'·281E.
Delete	depth, 15, close S of:	(c)	above
Insert	depth, 27	(d)	51° 19'·586N., 1° 24'·909E.
Delete	depth, 32, close SE of:	(d)	above
Insert	depth, 13	(e)	51° 19'·549N., 1° 24'·905E.
Delete	depth, 18, close N of:	(e)	above
Insert	depth, 2, and extend 2m contour N to enclose	(f)	51° 19'·493N., 1° 25'·151E.
Delete	depth, 29, close NW of:	(f)	above
Insert	depth, 19, enclosed by 2m contour	(g)	51° 19'·489N., 1° 25'·387E.
Delete	depth, 22, close SW of:	(g)	above
Insert	depth, 26	(h)	51° 19'·492N., 1° 25'·421E.
Delete	depth, 29, close NW of:	(h)	above

II

2351* ENGLAND - South East Coast - Depths. (continued)

Chart 5605_15 (Panel B, Ramsgate) [*previous update 361/26*] ETRS89 DATUM

Insert	depth, 18, and extend 2m contour SW to enclose	(a)	51° 19'·711N., 1° 25'·284E.
Delete	depth, 21, close SW of:	(a)	above
Insert	depth, 16, and extend 2m contour SE to enclose	(b)	51° 19'·684N., 1° 25'·294E.
Delete	depth, 22, close SE of:	(b)	above
Insert	depth, 12	(c)	51° 19'·609N., 1° 25'·281E.
Delete	depth, 15, close S of:	(c)	above
Insert	depth, 27	(d)	51° 19'·586N., 1° 24'·909E.
Delete	depth, 32, close SE of:	(d)	above
Insert	depth, 13	(e)	51° 19'·549N., 1° 24'·905E.
Delete	depth, 18, close NW of:	(e)	above
Insert	depth, 2, and extend 2m contour N to enclose	(f)	51° 19'·493N., 1° 25'·151E.
Delete	depth, 29, close NW of:	(f)	above
Insert	depth, 19, enclosed by 2m contour	(g)	51° 19'·489N., 1° 25'·387E.
Delete	depth, 22, close SW of:	(g)	above
Insert	depth, 26	(h)	51° 19'·492N., 1° 25'·421E.
Delete	depth, 29, close NW of:	(h)	above

Chart 5606_10 (Panel C, Ramsgate) [*previous update 361/26*] ETRS89 DATUM

Insert	depth, 18, and extend 2m contour SW to enclose	(a)	51° 19'·711N., 1° 25'·284E.
Delete	depth, 21, close SW of:	(a)	above
Insert	depth, 16, and extend 2m contour SE to enclose	(b)	51° 19'·684N., 1° 25'·294E.
Delete	depth, 22, close SE of:	(b)	above
Insert	depth, 12	(c)	51° 19'·609N., 1° 25'·281E.
Delete	depth, 15, close S of:	(c)	above
Insert	depth, 27	(d)	51° 19'·586N., 1° 24'·909E.
Delete	depth, 32, close SE of:	(d)	above
Insert	depth, 13	(e)	51° 19'·549N., 1° 24'·905E.
Delete	depth, 18, close NW of:	(e)	above
Insert	depth, 2, and extend 2m contour N to enclose	(f)	51° 19'·493N., 1° 25'·151E.
Delete	depth, 29, close NW of:	(f)	above
Insert	depth, 19, enclosed by 2m contour	(g)	51° 19'·489N., 1° 25'·387E.
Delete	depth, 22, close SW of:	(g)	above
Insert	depth, 26	(h)	51° 19'·492N., 1° 25'·421E.
Delete	depth, 29, close NW of:	(h)	above

II

2369* ENGLAND - East Coast - Drying heights. Depths.

Source: APB Humber

Chart 3497 (INT 1554) [*previous update 2054/26*] ETRS89 DATUM

Insert	drying height, 03, and extend 0m low water line S to enclose	(a)	53° 42'·70N., 0° 26'·56W.
Delete	depth, 05, close W of:	(a)	above
Insert	depth, 36	(b)	53° 42'·37N., 0° 25'·87W.
Delete	depth, 44, close N of:	(b)	above
Insert	depth, 2, enclosed by 2m contour	(c)	53° 42'·44N., 0° 24'·49W.
Delete	depth, 3, close SE of:	(c)	above
Insert	depth, 06	(d)	53° 42'·55N., 0° 24'·19W.
Delete	depth, 17, close E of:	(d)	above
Insert	drying height, 02, enclosed by 0m low water line		53° 42'·60N., 0° 23'·98W.
	drying height, 01, enclosed by 0m low water line	(e)	53° 42'·59N., 0° 23'·74W.
Delete	depth, 15, close SE of:	(e)	above
Insert	drying height, 11, enclosed by 0m low water line	(f)	53° 42'·66N., 0° 23'·56W.
Delete	depth, 12, close SW of:	(f)	above
Insert	depth, 49, and extend 5m contour SE to enclose	(g)	53° 42'·58N., 0° 22'·54W.
Delete	depth, 53, close E of:	(g)	above
Insert	depth, 47, and extend 5m contour SE to enclose	(h)	53° 42'·67N., 0° 22'·21W.
Delete	depth, 48, close NW of:	(h)	above
	depth, 53, close NE of:	(h)	above
Insert	depth, 27	(i)	53° 42'·79N., 0° 22'·04W.
Delete	depth, 41, close NE of:	(i)	above
Insert	drying height, 01, enclosed by 0m low water line		53° 43'·31N., 0° 22'·35W.
	drying height, 1, and extend 0m low water line N to enclose	(j)	53° 43'·31N., 0° 22'·11W.
Delete	depth, 01, close N of:	(j)	above
Insert	drying height, 05, and extend 0m low water line W to enclose	(k)	53° 43'·39N., 0° 21'·79W.
Delete	depth, 02, close N of:	(k)	above
Insert	depth, 65, enclosed by 7m contour		53° 43'·64N., 0° 21'·95W.
	depth, 51	(l)	53° 43'·60N., 0° 22'·17W.
Delete	depth, 59, close N of:	(l)	above
	depth, 73, close SE of:	(l)	above

II

2369* ENGLAND - East Coast - Drying heights. Depths. (continued)

Chart 5614_19 (Panel A, Kingston Upon Hull to Humber Bridge) [*previous update 2054/26*] ETRS89 DATUM

Insert	drying height, 03, and extend 0m low water line S to enclose	(a)	53° 42'·70N., 0° 26'·56W.
Delete	depth, 05, close SW of:	(a)	above
Insert	depth, 36	(b)	53° 42'·37N., 0° 25'·87W.
Delete	depth, 44, close N of:	(b)	above
Insert	depth, 2, enclosed by 2m contour	(c)	53° 42'·44N., 0° 24'·49W.
Delete	depth, 3, close SE of:	(c)	above
Insert	depth, 06	(d)	53° 42'·55N., 0° 24'·19W.
Delete	depth, 17, close E of:	(d)	above
Insert	drying height, 02, enclosed by 0m low water line		53° 42'·60N., 0° 23'·98W.
	drying height, 01, enclosed by 0m low water line	(e)	53° 42'·59N., 0° 23'·74W.
Delete	depth, 15, close SE of:	(e)	above
Insert	drying height, 11, enclosed by 0m low water line	(f)	53° 42'·66N., 0° 23'·56W.
Delete	depth, 12, close SW of:	(f)	above
Insert	depth, 49, and extend 5m contour SE to enclose	(g)	53° 42'·58N., 0° 22'·54W.
Delete	depth, 53, close SE of:	(g)	above
Insert	depth, 47, and extend 5m contour SE to enclose	(h)	53° 42'·67N., 0° 22'·21W.
Delete	depth, 48, close NW of:	(h)	above
	depth, 53, close NE of:	(h)	above
Insert	depth, 27	(i)	53° 42'·79N., 0° 22'·04W.
Delete	depth, 41, close NE of:	(i)	above
Insert	drying height, 01, enclosed by 0m low water line		53° 43'·31N., 0° 22'·35W.
	drying height, 1, and extend 0m low water line N to enclose	(j)	53° 43'·31N., 0° 22'·11W.
Delete	depth, 01, close N of:	(j)	above
Insert	drying height, 05, and extend 0m low water line W to enclose	(k)	53° 43'·39N., 0° 21'·79W.
Delete	depth, 02, close N of:	(k)	above
Insert	depth, 65, enclosed by 7m contour		53° 43'·64N., 0° 21'·95W.
	depth, 51	(l)	53° 43'·60N., 0° 22'·17W.
Delete	depth, 59, close N of:	(l)	above
	depth, 73, close SE of:	(l)	above

II

2376* ENGLAND - South Coast - Maritime limits. Legends. Lights. Pontoons. Light-beacon.

Source: ABP Southampton

Chart 2038 [previous update 1140/26] ETRS89 DATUM

Insert	maritime limit, pecked line, joining:	50° 52'·489N., 1° 23'·601W. 50° 53'·034N., 1° 22'·756W.
	legend, <i>Speed Limit (see Note)</i> , centred on:	50° 52'·8N., 1° 23'·1W.
Delete	 Fl.G.3s '1'	50° 49'·435N., 1° 18'·943W.

Chart 2041 (INT 1733) [previous update 1926/26] ETRS89 DATUM

Insert	maritime limit, pecked line, joining:	50° 52'·489N., 1° 23'·601W. 50° 53'·034N., 1° 22'·756W. 50° 53'·194N., 1° 22'·508W.
	legend, <i>Speed Limit (see Note)</i> , centred on:	50° 52'·9N., 1° 23'·0W.
Delete	former maritime limit, pecked line, and associated legend, <i>Speed Limit (see Note)</i> , joining:	50° 53'·171N., 1° 22'·439W. 50° 52'·698N., 1° 23'·214W. 50° 52'·395N., 1° 23'·715W. 50° 52'·312N., 1° 23'·852W. 50° 52'·266N., 1° 23'·922W.
		50° 52'·559N., 1° 23'·942W.
	(a) pontoon, single firm line, joining:	(a) 50° 53'·917N., 1° 23'·012W. (a) above
		(b) 50° 53'·941N., 1° 23'·013W. 50° 53'·949N., 1° 23'·013W. and (b) above 50° 53'·942N., 1° 22'·965W.

Chart 5600_10 (Panel A, River Itchen) [previous update 1926/26] ETRS89 DATUM

Insert	maritime limit, pecked line, joining:	50° 52'·489N., 1° 23'·601W. 50° 53'·034N., 1° 22'·756W. 50° 53'·194N., 1° 22'·508W.
	legend, <i>Speed Limit (see Note)</i> , centred on:	50° 52'·9N., 1° 23'·0W.
Delete	former maritime limit, pecked line, and associated legend, <i>Speed Limit (see Note)</i> , joining:	50° 53'·171N., 1° 22'·439W. 50° 52'·698N., 1° 23'·214W. 50° 52'·395N., 1° 23'·715W. 50° 52'·312N., 1° 23'·852W. 50° 52'·266N., 1° 23'·922W.
		50° 52'·559N., 1° 23'·942W.
	(a) pontoon, single firm line, joining:	(a) 50° 53'·917N., 1° 23'·012W. (a) above
		(b) 50° 53'·941N., 1° 23'·013W. 50° 53'·949N., 1° 23'·013W. and (b) above 50° 53'·942N., 1° 22'·965W.

II

2411* **ENGLAND - West Coast - Depth.**
Source: Mersey Docks and Harbour Company

Chart 5613_6 [*previous update 2156/26*] ETRS89 DATUM

Insert depth, 68

53° 20'·409N., 2° 57'·525W.

II

2413* ENGLAND - East Coast - Buoy.

Source: ABP Humber Notice 50/26

Chart 3497 (INT 1554) [*previous update 2369/26*] ETRS89 DATUM

Move

 *Q.G Hull Middle*, from:

53° 43'·56N., 0° 18'·24W.

to:

53° 43'·61N., 0° 18'·19W.

Chart 5614_19 (Panel A, Kingston Upon Hull to Humber Bridge) [*previous update 2369/26*] ETRS89 DATUM

Move

 *Q.G Hull Middle*, from:

53° 43'·56N., 0° 18'·24W.

to:

53° 43'·61N., 0° 18'·19W.

II

2426* IRELAND - South Coast - Depths.

Source: McMahon Design and Management Ltd

Chart 2092 [*previous update 345/25*] ETRS89 DATUM

Insert	depth, 28 ₂ , enclosed by 30m contour	51° 30'·67N., 9° 00'·33W.
	depth, 21 ₂ , enclosed by 30m contour	51° 30'·55N., 8° 59'·86W.
	depth, 30, enclosed by 30m contour	51° 30'·31N., 9° 00'·72W.
	depth, 29 ₈ , enclosed by 30m contour	(a) 51° 30'·15N., 9° 00'·25W.
Delete	depth, 37, close W of:	(a) above
Insert	depth, 28 ₁ , enclosed by 30m contour	51° 30'·02N., 9° 00'·37W.
	depth, 28, enclosed by 30m contour	(b) 51° 29'·87N., 9° 00'·64W.
Delete	depth, 35, close N of:	(b) above
Insert	depth, 35	(c) 51° 29'·57N., 9° 01'·13W.
Delete	depth, 46, close NE of:	(c) above
Insert	depth, 42, enclosed by 50m contour	51° 29'·11N., 9° 01'·99W.
	depth, 45, enclosed by 50m contour	51° 28'·63N., 9° 02'·41W.
		51° 28'·56N., 9° 03'·08W.
	sounding out of position, 48, enclosed by 50m contour	51° 28'·38N., 9° 03'·21W.

Chart 2424 (INT 1613) [*previous update 4638/25*] ETRS89 DATUM

Insert	depth, 45, enclosed by 50m contour	51° 28'·56N., 9° 03'·08W.
		51° 28'·63N., 9° 02'·41W.
	depth, 35	51° 29'·57N., 9° 01'·13W.
	depth, 28, enclosed by 30m contour	(a) 51° 29'·87N., 9° 00'·64W.
Delete	depth, 35, close N of:	(a) above

Chart 5622_7 [*previous update 1229/24*] ETRS89 DATUM

Insert	depth, 45, enclosed by 50m contour	51° 28'·56N., 9° 03'·08W.
		51° 28'·63N., 9° 02'·41W.
	depth, 35	51° 29'·57N., 9° 01'·13W.
	depth, 28, enclosed by 30m contour	(a) 51° 29'·87N., 9° 00'·64W.
Delete	depth, 35, close N of:	(a) above

Chart 5623_15 [*previous update New Chart 04/11/2021*] ETRS89 DATUM

Insert	depth, 28 ₂ , enclosed by 30m contour	51° 30'·67N., 9° 00'·33W.
	depth, 21 ₂ , enclosed by 30m contour	51° 30'·55N., 8° 59'·86W.
	depth, 30, enclosed by 30m contour	51° 30'·31N., 9° 00'·72W.
	depth, 29 ₈ , enclosed by 30m contour	(a) 51° 30'·15N., 9° 00'·25W.
Delete	depth, 37, close W of:	(a) above
Insert	depth, 28 ₁ , enclosed by 30m contour	51° 30'·02N., 9° 00'·37W.
	depth, 28, enclosed by 30m contour	(b) 51° 29'·87N., 9° 00'·64W.
Delete	depth, 35, close N of:	(b) above
Insert	depth, 35	(c) 51° 29'·57N., 9° 01'·13W.
Delete	depth, 46, close NE of:	(c) above
Insert	depth, 42, enclosed by 50m contour	51° 29'·11N., 9° 01'·99W.
	depth, 45, enclosed by 50m contour	51° 28'·63N., 9° 02'·41W.
		51° 28'·56N., 9° 03'·08W.
	depth, 48, enclosed by 50m contour	51° 28'·38N., 9° 03'·21W.

II

2440* ENGLAND - South Coast - NM Blocks.

Source: Ocean Conservation Trust

Chart 2172 (Panel A, Swanage and Studland Bays) [*previous update 1574/26*] ETRS89 DATUM

Insert the accompanying block, centred on: 50° 36'·2N., 1° 58'·8W.

Chart 2175 [*previous update 1574/26*] ETRS89 DATUM

Insert the accompanying block, centred on: 50° 39'·4N., 1° 57'·5W.

Chart 5601_9 [*previous update 1574/26*] ETRS89 DATUM

Insert the accompanying block, centred on: 50° 38'·6N., 1° 57'·9W.

II

2441* ENGLAND - East Coast - Obstructions.

Source: HiDef

Chart 1406 [previous update 2344/26] WGS84 DATUM

Insert	 <i>Obstn</i>	52° 13'·75N., 2° 12'·00E.
	 <i>Obstn</i>	52° 10'·32N., 2° 09'·47E.
	obstruction out of position,  <i>Obstn</i>	52° 04'·95N., 2° 09'·41E.
	 <i>Obstn</i>	52° 04'·70N., 2° 17'·36E.

Chart 1408 [previous update New Edition 23/04/2026] WGS84 DATUM

Insert	 <i>Obstn</i>	52° 13'·8N., 2° 12'·0E.
	 <i>Obstn</i>	52° 04'·9N., 2° 09'·4E.
	 <i>Obstn</i>	52° 04'·7N., 2° 17'·4E.

Chart 1504 (INT 1510) [previous update 2344/26] ETRS89 DATUM

Insert	 <i>Obstn</i>	52° 13'·75N., 2° 12'·00E.
	 <i>Obstn</i>	52° 10'·32N., 2° 09'·47E.
	 <i>Obstn</i>	52° 07'·31N., 2° 12'·78E.
	obstruction out of position,  <i>Obstn</i>	52° 04'·95N., 2° 09'·41E.

Chart 1543 [previous update 2344/26] ETRS89 DATUM

Insert	 <i>Obstn</i>	52° 10'·32N., 2° 09'·47E.
	 <i>Obstn</i>	52° 13'·75N., 2° 12'·00E.

Chart 1610 (INT 1511) [previous update 2344/26] ETRS89 DATUM

Insert	 <i>Obstn</i>	52° 13'·75N., 2° 12'·00E.
	obstruction out of position,  <i>Obstn</i>	52° 10'·32N., 2° 09'·47E.
	 <i>Obstn</i>	52° 07'·31N., 2° 12'·78E.
	 <i>Obstn</i>	52° 04'·95N., 2° 09'·41E.
	 <i>Obstn</i>	52° 04'·70N., 2° 17'·36E.

II

2441* ENGLAND - East Coast - Obstructions. (continued)

Chart 1630 (INT 1416) [*previous update 2164/26*] WGS84 DATUM

Insert



Obstn

52° 13'·75N., 2° 12'·00E.



Obstn

52° 10'·32N., 2° 09'·47E.



Obstn

52° 07'·31N., 2° 12'·78E.



Obstn

52° 04'·95N., 2° 09'·41E.



Obstn

52° 04'·70N., 2° 17'·36E.

II

2480* SCOTLAND - West Coast - Depths. Wrecks.

Source: British Government Survey

Note: Former Notice 5534(P)/25 is cancelled.

Chart 2126 [previous update 747/26] ETRS89 DATUM

Insert	depth, 266, and extend 30m contour SW to enclose	(a)	55° 16'·12N., 4° 55'·74W.
Delete	depth, 29, close NE of:	(a)	above
Insert	depth, 37	(b)	55° 15'·92N., 4° 58'·86W.
Delete	depth, 39, close W of:	(b)	above
Insert	depth, 02, enclosed by 2m contour	(c)	55° 15'·11N., 5° 06'·36W.
Delete	depth, 23, close NW of:	(c)	above
Insert	depth, 175, and extend 20m contour SE to enclose	(d)	55° 14'·74N., 5° 06'·81W.
Delete	depth, 29, close SW of:	(d)	above
Insert	depth, 33	(e)	55° 14'·64N., 5° 08'·66W.
Delete	depth, 35, close SE of:	(e)	above
Insert	depth, 40	(f)	55° 15'·32N., 5° 08'·76W.
Delete	depth, 43, close NE of:	(f)	above
Insert	depth, 47	(g)	55° 17'·57N., 5° 07'·34W.
Delete	depth, 50, close SE of:	(g)	above
Replace	 Wk with:  Wk		55° 14'·62N., 5° 09'·30W.

Chart 2199 [previous update 5005/25] ETRS89 DATUM

Insert	depth, 266, and extend 30m contour SW to enclose	(a)	55° 16'·12N., 4° 55'·74W.
Delete	depth, 29, close NE of:	(a)	above
Insert	depth, 37	(b)	55° 15'·92N., 4° 58'·86W.
Delete	depth, 39, close W of:	(b)	above
Insert	depth, 34	(c)	55° 13'·81N., 4° 59'·20W.
Delete	depth, 36, close E of:	(c)	above
Insert	depth, 27, enclosed by 30m contour	(d)	55° 12'·26N., 5° 06'·13W.
Delete	depth, 40, close NE of:	(d)	above
Insert	depth, 175, and extend 20m contour SE to enclose	(e)	55° 14'·74N., 5° 06'·81W.
Delete	depth, 29, close SW of:	(e)	above
Insert	depth, 02, enclosed by 2m contour	(f)	55° 15'·11N., 5° 06'·36W.
Delete	depth, 23, close NW of:	(f)	above
Insert	depth, 33	(g)	55° 14'·64N., 5° 08'·66W.
Delete	depth, 35, close SE of:	(g)	above
Insert	depth, 40	(h)	55° 15'·32N., 5° 08'·76W.
Delete	depth, 43, close NE of:	(h)	above
Insert	depth, 47	(i)	55° 17'·57N., 5° 07'·34W.
Delete	depth, 50, close SE of:	(i)	above
Replace	 Wk with:  Wk		55° 14'·62N., 5° 09'·30W.
	 Wk with:  Wk		55° 13'·04N., 5° 15'·01W.

II

2480* SCOTLAND - West Coast - Depths. Wrecks. (continued)

Chart 2724 (INT 1606) [*previous update 5681/25*] ETRS89 DATUM

Insert	depth, 266	(a)	55° 16'·12N., 4° 55'·74W.
Delete	depth, 29, close NE of:	(a)	above
Insert	depth, 37	(b)	55° 15'·92N., 4° 58'·86W.
Delete	depth, 41, close NE of:	(b)	above
Replace	 Wk with:  Wk		55° 14'·62N., 5° 09'·30W.
	 Wk with:  Wk		55° 13'·04N., 5° 15'·01W.

Chart 5610_14 (Panel A, Kildonald Point to Ailsa Craig) [*previous update 5005/25*] ETRS89 DATUM

Insert	depth, 02, enclosed by 2m contour	(a)	55° 15'·11N., 5° 06'·35W.
Delete	depth, 23, close NW of:	(a)	above
Insert	depth, 175, and extend 20m contour SE to enclose	(b)	55° 14'·74N., 5° 06'·81W.
Delete	depth, 29, close SW of:	(b)	above
Insert	depth, 33	(c)	55° 14'·64N., 5° 08'·66W.
Delete	depth, 35, close SE of:	(c)	above
Insert	depth, 40	(d)	55° 15'·32N., 5° 08'·76W.
Delete	depth, 43, close NE of:	(d)	above
Insert	depth, 47	(e)	55° 17'·57N., 5° 07'·34W.
Delete	depth, 50, close SE of:	(e)	above
Replace	 Wk with:  Wk		55° 14'·62N., 5° 09'·30W.

Chart 5610_15 (Panel A, Pladda to Ailsa Craig and Ayr to Girvan) [*previous update 5005/25*] ETRS89 DATUM

Insert	depth, 266, and extend 30m contour SW to enclose	(a)	55° 16'·12N., 4° 55'·74W.
Delete	depth, 29, close NE of:	(a)	above
Insert	depth, 37	(b)	55° 15'·92N., 4° 58'·86W.
Delete	depth, 39, close W of:	(b)	above
Insert	depth, 02, enclosed by 2m contour	(c)	55° 15'·11N., 5° 06'·35W.
Delete	depth, 23, close NW of:	(c)	above
Insert	depth, 175, and extend 20m contour SE to enclose	(d)	55° 14'·74N., 5° 06'·81W.
Delete	depth, 29, close SW of:	(d)	above
Insert	depth, 33	(e)	55° 14'·64N., 5° 08'·66W.
Delete	depth, 35, close SE of:	(e)	above
Insert	depth, 40	(f)	55° 15'·32N., 5° 08'·76W.
Delete	depth, 43, close NE of:	(f)	above
Insert	depth, 47	(g)	55° 17'·57N., 5° 07'·34W.
Delete	depth, 50, close SE of:	(g)	above
Replace	 Wk with:  Wk		55° 14'·62N., 5° 09'·30W.

II

2480* SCOTLAND - West Coast - Depths. Wrecks. (continued)

Chart 5610_16 [previous update 5005/25] ETRS89 DATUM

Insert	depth, 266, and extend 30m contour SW to enclose	(a)	55° 16'·12N., 4° 55'·74W.
Delete	depth, 29, close NE of:	(a)	above
Insert	depth, 37	(b)	55° 15'·92N., 4° 58'·86W.
Delete	depth, 39, close W of:	(b)	above
Insert	depth, 34	(c)	55° 13'·81N., 4° 59'·20W.
Delete	depth, 36, close E of:	(c)	above
Insert	depth, 27, enclosed by 30m contour	(d)	55° 12'·26N., 5° 06'·13W.
Delete	depth, 40, close NE of:	(d)	above
Insert	depth, 175, and extend 20m contour SE to enclose	(e)	55° 14'·74N., 5° 06'·81W.
Delete	depth, 29, close SW of:	(e)	above
Insert	depth, 02, enclosed by 2m contour	(f)	55° 15'·11N., 5° 06'·36W.
Delete	depth, 23, close NW of:	(f)	above
Insert	depth, 33	(g)	55° 14'·64N., 5° 08'·66W.
Delete	depth, 35, close SE of:	(g)	above
Insert	depth, 40	(h)	55° 15'·32N., 5° 08'·76W.
Delete	depth, 43, close NE of:	(h)	above
Insert	depth, 47	(i)	55° 17'·57N., 5° 07'·34W.
Delete	depth, 50, close SE of:	(i)	above
Replace	 Wk with  Wk		55° 14'·62N., 5° 09'·30W.
	 Wk with  Wk		55° 13'·04N., 5° 15'·01W.

Chart 5610_17 [previous update 5681/25] ETRS89 DATUM

Insert	depth, 266	(a)	55° 16'·12N., 4° 55'·74W.
Delete	depth, 29, close NE of:	(a)	above
Insert	depth, 37	(b)	55° 15'·92N., 4° 58'·86W.
Delete	depth, 41, close NE of:	(b)	above
Replace	 Wk with  Wk		55° 14'·62N., 5° 09'·30W.
	 Wk with  Wk		55° 13'·04N., 5° 15'·01W.

Chart 5610_19 [previous update 5005/25] ETRS89 DATUM

Insert	depth, 266	(a)	55° 16'·12N., 4° 55'·74W.
Delete	depth, 29, close NE of:	(a)	above
Insert	depth, 37	(b)	55° 15'·92N., 4° 58'·86W.
Delete	depth, 41, close NE of:	(b)	above
Replace	 Wk with  Wk		55° 14'·62N., 5° 09'·30W.

II

2366 ICELAND - Depth.

Source: British Antarctic Survey

Chart 2897 (INT 1010) [*previous update 1933/26*] WGS84 DATUM

Insert depth, 368, and extend 400m and 500m contour N to enclose 67° 11'·6N., 17° 40'·4W.

Chart 2899 (INT 1105) [*previous update 593/26*] WGS84 DATUM

Insert depth, 368, enclosed by 400m contour and extend 500m
contour N to enclose 67° 11'·6N., 17° 40'·4W.

II

2419 RUSSIA - Barents Sea Coast - Harbour limit. Legend.

Source: Russian Notice 13/1138/26

Chart 2966 (Panel, Murmansk) [*previous update 5721/25*] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a)	68° 55′·55N., 33° 00′·95E.
		(b)	68° 55′·78N., 33° 01′·89E.
	legend, <i>Marine Port of Murmansk Harbour Limit</i> , along NW side of:	(a)-(b)	above

II

2461 RUSSIA - Barents Sea Coast - Legend.

Source: Russian Notice 13/1137(T)/26

Chart 2966 [*previous update 2419/26*] WGS84 DATUM

Insert legend, Works in progress (2026), centred on:

69° 05′ · 19N., 33° 15′ · 38E.

II

2479 **RUSSIA - Barents Sea Coast - Submarine cable.**

Source: Russian Notice 14/1220/26

Chart 2683 [*previous update 1775/26*] WGS84 DATUM

Insert submarine cable, , joining:

74° 22'·9N., 48° 54'·0E.

75° 09'·1N., 45° 15'·1E.

II

2354 LITHUANIA - Depths. Spoil grounds. Legends.

Source: Lithuanian Chart 465020

Chart 2048 (INT 1217) [*previous update 3469/25*] WGS84 DATUM

Insert	depth, 06	(a)	55° 41'·34N., 21° 05'·73E.
Delete	depth, 38, close S of:	(a)	above
Insert	limit of spoil ground, pecked line, joining:	(b)	55° 46'·00N., 20° 55'·00E.
		(c)	55° 48'·00N., 20° 55'·00E.
		(d)	55° 48'·00N., 20° 57'·00E.
		(e)	55° 46'·00N., 20° 57'·00E.
	legend, <i>Spoil Ground</i> , within:	(b)-(e)	above
	limit of spoil ground, pecked line, joining:	(f)	55° 43'·91N., 20° 47'·77E.
		(g)	55° 43'·92N., 20° 49'·87E.
		(h)	55° 42'·70N., 20° 49'·87E.
		(i)	55° 42'·70N., 20° 47'·77E.
	legend, <i>Spoil Ground</i> , within:	(f)-(i)	above

Chart 2276 [*previous update New Edition 01/01/2026*] WGS84 DATUM

Insert	depth, 06	55° 41'·33N., 21° 05'·78E.
--------	-----------	----------------------------

II

2374 SWEDEN - West Coast - Wreck. Depths. Obstruction.

Source: Swedish Chart 922

Chart 2115 [*previous update 1797/26*] WGS84 DATUM

Replace	depth, 75, with depth, 71	55° 54'·81N., 12° 46'·30E.
---------	---------------------------	----------------------------

Chart 2594 (INT 1331) [*previous update 1797/26*] WGS84 DATUM

Insert	 18 Wk	55° 48'·79N., 12° 49'·95E.
--------	---	----------------------------

Replace	depth, 125, with  9 Obstn	55° 53'·11N., 12° 46'·92E.
	depth, 77, with depth, 71	55° 54'·81N., 12° 46'·30E.

II

2432 FINLAND - West Coast - Legends.

Source: Finnish Notice 8/82/26

Chart 3864 (INT 1150) (Panel A, Ajos) [*previous update 496/25*] WGS84 DATUM

Amend	legend to, KANNONNOKKA LFl.6s Q, centred on:	65° 41'·49N., 24° 35'·34E.
	legend to, MURHANIEMENKALLIO LFl.6s Q, centred on:	65° 40'·07N., 24° 34'·77E.
	legend to, KALLIO LFl.6s Q, centred on:	65° 38'·97N., 24° 32'·45E.
	legend to, RUUMISKARI LFl.Y.6s Q.Y, centred on:	65° 39'·22N., 24° 39'·30E.

Chart 3864 (INT 1150) [*previous update 496/25*] WGS84 DATUM

Amend	legend to, KANNONNOKKA LFl.6s Q, centred on:	65° 41'·48N., 24° 35'·01E.
	legend to, MURHANIEMENKALLIO LFl.6s Q, centred on:	65° 40'·02N., 24° 34'·93E.
	legend to, KALLIO LFl.6s Q, centred on:	65° 39'·13N., 24° 33'·13E.
	legend to, RUUMISKARI LFl.Y.6s Q.Y, centred on:	65° 39'·14N., 24° 39'·08E.

II

2434 DENMARK - Islands - Restricted area. Buoy.

Source: Danish Chart Correction 12/93/26

Chart 903 (INT 1333) [*previous update 1877/26*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	55° 43'·50N., 12° 36'·12E. 55° 43'·50N., 12° 36'·05E. 55° 43'·59N., 12° 36'·07E. 55° 43'·57N., 12° 36'·28E. 55° 43'·49N., 12° 36'·25E.
Delete		55° 43'·57N., 12° 36'·05E.

II

2437 RUSSIA - Baltic Sea Coast - NM Block. Buoy. Light.
Source: Russian Notices 7/596-600/26 and 8/700/26

Chart 2698 [*previous update 884/26*] WGS84 DATUM

Insert the accompanying block, centred on:

59° 40′·9N., 28° 25′·4E.

Delete

 *Fl.R3s*

59° 44′·059N., 28° 25′·487E.

★ Oc.Y.4s3M

50° 44′·061N., 28° 26′·087E.

II

2481 LATVIA - Buoy.

Source: Latvian Notice 4/90/26

Chart 2048 (INT 1217) [*previous update 2354/26*] WGS84 DATUM

Delete



Mo(A)10s 'A'

56° 30'·39N., 20° 49'·78E.

Chart 2231 (INT 1277) [*previous update 531/26*] WGS84 DATUM

Delete



Mo(A)10s 'A'

56° 30'·39N., 20° 49'·78E.

Chart 2288 [*previous update 920/26*] WGS84 DATUM

Delete



Mo(A)10s 'A'

56° 30'·4N., 20° 49'·8E.

Chart 2289 (INT 1165) [*previous update 672/26*] WGS84 DATUM

Delete



Mo(A)10s 'A'

56° 30'·39N., 20° 49'·78E.

II

2483 SWEDEN - East Coast - Buoy.

Source: Swedish Notice 1116/20022/26

Chart 798 (INT 1220) (Panel C, Kappelshamnsviken) [*previous update 906/26*] WGS84 DATUM

Insert

 *Fl Y 3s*

57° 50′·53N., 18° 48′·00E.

II

2484 SWEDEN - East Coast - Buoy.

Source: Swedish Notice 1116/20012/26

Chart 831 (INT 1769) [*previous update 4980/25*] WGS84 DATUM

Insert



59° 17'·25N., 18° 18'·83E.

II

2355 BELGIUM - Wreck. Buoyage.

Source: Belgian Notice 9/104/26

Chart BE 106 (INT 1478) (Panel B, Antwerpen to Hoboken) [*previous update 1472/26*] WGS84 DATUM

Insert	symbol, blue and yellow emergency wreck marking spar buoy, <i>VQ G1</i>	51° 14'·19N., 4° 23'·94E.
	 <i>Q.R 116A</i>	51° 14'·17N., 4° 23'·95E.
		51° 14'·16N., 4° 23'·98E.
	symbol, blue and yellow emergency wreck marking spar buoy, <i>VQ G2</i>	51° 14'·14N., 4° 23'·99E.

Chart BE 106 (INT 1478) (Panel A, Baalhoek to Antwerpen) [*previous update 1472/26*] WGS84 DATUM

Insert	symbol, blue and yellow emergency wreck marking spar buoy, <i>VQ G1</i>	51° 14'·19N., 4° 23'·94E.
	 <i>Q.R 116A</i>	51° 14'·16N., 4° 23'·91E.
		51° 14'·16N., 4° 23'·98E.
	symbol, blue and yellow emergency wreck marking spar buoy, <i>VQ G2</i>	51° 14'·13N., 4° 23'·99E.

II

2377* NETHERLANDS - Buoyage.

Source: NL BaZ 17/P- und T-Liste/26

Chart DE 91 (INT 1462) [*previous update 1559/26*] WGS84 DATUM

Move

 <i>D 1A</i> , from:	53° 19′·05N., 7° 03′·15E.
to:	53° 18′·90N., 7° 03′·17E.
 <i>D 3</i> , from:	53° 19′·08N., 7° 04′·68E.
to:	53° 18′·87N., 7° 04′·65E.
 <i>D 5</i> , from:	53° 19′·03N., 7° 05′·86E.
to:	53° 18′·92N., 7° 05′·79E.

II

2378* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP30610/26

Chart DE 44 (INT 1452) [*previous update 2307/26*] WGS84 DATUM

Insert depth, *4*, and extend 5m contour SW to enclose

(a) 53° 54'·69N., 8° 41'·61E.

Delete depth, *8*, close NW of:

(a) above

II

2383* GERMANY - North Sea Coast - Buoy. Restricted areas.

Source: WSA Weser-Jade-Nordsee 58, 59/26

Chart DE 4 (INT 1457) [*previous update 1680/26*] WGS84 DATUM

Delete



53° 38'·18N., 8° 25'·46E.

Chart DE 7 (INT 1460) [*previous update 1624/26*] WGS84 DATUM

Insert

limit of restricted area, entry prohibited, pecked line, joining:

53° 38'·90N., 8° 07'·92E.

53° 38'·45N., 8° 08'·42E.

53° 38'·40N., 8° 08'·29E.

53° 38'·85N., 8° 07'·79E.

and

53° 38'·19N., 8° 09'·20E.

53° 38'·06N., 8° 09'·40E.

53° 37'·91N., 8° 09'·51E.

53° 37'·89N., 8° 09'·48E.

53° 37'·99N., 8° 09'·17E.

53° 38'·12N., 8° 09'·13E.

53° 38'·19N., 8° 09'·19E.

Chart DE 20 (INT 1424) [*previous update 1624/26*] WGS84 DATUM

Insert

limit of restricted area, entry prohibited, pecked line, joining:

53° 38'·90N., 8° 07'·92E.

53° 38'·45N., 8° 08'·42E.

53° 38'·40N., 8° 08'·29E.

53° 38'·85N., 8° 07'·79E.

and

53° 38'·19N., 8° 09'·20E.

53° 38'·06N., 8° 09'·40E.

53° 37'·91N., 8° 09'·51E.

53° 37'·89N., 8° 09'·48E.

53° 37'·99N., 8° 09'·17E.

53° 38'·12N., 8° 09'·13E.

53° 38'·19N., 8° 09'·19E.

Delete



53° 38'·18N., 8° 25'·46E.

II

2415* NORTH SEA - United Kingdom Sector - Legend.

Source: Offshore Petroleum Regulator for Environment and Decommissioning

Note: This update is included in New Edition 1187, published mid 2026.

Chart 266 [*previous update 1288/26*] WGS84 DATUM

Insert	legend, <i>Gas Field Decommissioning (2026-2029) (see Note)</i> , centred on:	54° 18′·02N., 1° 20′·11E.
--------	--	---------------------------

Chart 1191 (INT 1507) [*previous update 1139/26*] ETRS89 DATUM

Insert	legend, <i>Gas Field Decommissioning (2026-2029) (see Note)</i> , centred on:	54° 16′·86N., 1° 20′·72E.
--------	--	---------------------------

II

2458 NETHERLANDS - Lights. Buoyage. Berth.

Source: Netherlands Notice 18/88/26

Chart 124 (INT 1471) (Part B, Continuation Noordzeekanaal) [*previous update 2166/26*] WGS84 DATUM

Insert	★ F.Y	52° 22′·75N., 4° 56′·32E.
	★ F.R	52° 22′·70N., 4° 54′·71E.
	★ F.G	52° 22′·70N., 4° 54′·66E.
Delete	symbol, mooring buoy	52° 23′·98N., 4° 53′·37E.
		52° 23′·92N., 4° 52′·46E.
		52° 23′·76N., 4° 48′·78E.
		52° 25′·23N., 4° 47′·95E.
		52° 25′·24N., 4° 47′·91E.
		52° 25′·24N., 4° 47′·88E.
		52° 25′·26N., 4° 47′·88E.
	symbol, dangerous cargo berth	52° 25′·28N., 4° 47′·89E.
		52° 25′·32N., 4° 47′·99E.

II

2475 NORTH SEA - Netherlands Sector - Buoyage. Fouls.

Source: Netherlands Notices 18/91-92/26

Note: Former Notice 4421(T)/24 is cancelled.

Chart 1408 [*previous update 2441/26*] WGS84 DATUM

Insert



Fl.Y.5s L7-A

53° 32'·3N., 4° 11'·5E.



Fl(4)Y.10s L7-B

53° 32'·2N., 4° 12'·8E.

Chart 1632 (INT 1420) [*previous update 1773/26*] WGS84 DATUM

Insert



Fl.Y.5s L7-A

53° 32'·33N., 4° 11'·46E.



Fl(4)Y.10s L7-B

53° 32'·19N., 4° 12'·78E.

#

53° 19'·31N., 4° 02'·54E.

53° 18'·79N., 4° 02'·20E.

Chart 1633 (INT 1417) [*previous update 1773/26*] WGS84 DATUM

Insert



Fl(4)Y.10s L7-B

53° 32'·19N., 4° 12'·78E.

II

2487 NORTH SEA - Norwegian Sector - Submarine pipelines. Legends.

Source: ENC's NO3B0804 and NO3B0400

Note: Former Notices 2516(P)/25 and 2710(P)/25 are cancelled.

Chart 292 [previous update 1167/26] WGS84 DATUM

Insert	submarine pipeline, , joining:	59° 52'·51N., 2° 34'·23E. 59° 52'·92N., 2° 34'·98E. 59° 52'·81N., 2° 36'·00E. 59° 52'·25N., 2° 36'·57E. (a) 59° 49'·25N., 2° 42'·61E. (b) 59° 43'·50N., 2° 53'·12E. and (c) 59° 39'·19N., 3° 01'·00E. (d) 59° 35'·50N., 3° 07'·70E. (a)-(b) above (c)-(d) above
	legend, <i>Oil</i> (see Note), along:	

Chart 294 [previous update 1423/26] WGS84 DATUM

Insert	submarine pipeline, , joining:	60° 07'·11N., 2° 35'·71E. 60° 07'·82N., 2° 36'·62E. 60° 08'·60N., 2° 40'·36E. 60° 09'·32N., 2° 41'·93E. (a) 60° 11'·21N., 2° 44'·64E. (b) 60° 24'·35N., 3° 07'·79E. and (c) 59° 40'·00N., 2° 59'·49E. (d) 59° 48'·90N., 2° 43'·25E. 59° 52'·25N., 2° 36'·57E. 59° 52'·81N., 2° 36'·00E. 59° 52'·92N., 2° 34'·98E. 59° 52'·51N., 2° 34'·23E. (a)-(b) above (c)-(d) above
	legend, <i>Gas</i> (see Note), along:	
	legend, <i>Oil</i> (see Note), along:	

Chart 1405 (INT 1400) [previous update New Edition 19/02/2026] WGS84 DATUM

Insert	submarine pipeline, , joining:	(a) 58° 34'·6N., 1° 41'·7E. (b) 58° 36'·9N., 1° 40'·0E.
	legend, <i>Gas</i> , along:	(a)-(b) above

II

2488 NORTH SEA - Norwegian Sector - Submarine pipelines.

Source: ENC NO3B0804 and NO3B0400.

Note: Former Notices 2516(P)/25, 2635(P)/25 and 2710(P)/25 are cancelled.

Chart 274 [previous update 749/26] WGS84 DATUM

Insert submarine pipeline, , joining:

(a) 58° 34'·59N., 1° 41'·74E.
(b) 58° 38'·74N., 1° 38'·47E.
(a) - (b) above

legend, *Gas* (see Note), along:

Chart 291 [previous update 5793/25] WGS84 DATUM

Insert submarine pipeline, , joining:

(a) 58° 34'·59N., 1° 41'·74E.
(b) 58° 38'·74N., 1° 38'·47E.
(a)-(b) above

legend, *Gas* (see Note), along:

Chart 1427 (INT 1401) [previous update 1423/26] WGS84 DATUM

Insert submarine pipeline, , joining:

60° 24'·3N., 3° 07'·8E.
60° 14'·3N., 2° 50'·0E.
60° 09'·7N., 2° 42'·5E.
60° 07'·1N., 2° 35'·8E.
and
59° 35'·5N., 3° 07'·7E.
59° 49'·3N., 2° 42'·6E.
59° 52'·2N., 2° 36'·6E.
59° 52'·8N., 2° 36'·0E.
59° 52'·9N., 2° 35'·0E.
59° 52'·5N., 2° 34'·2E.

Chart 2182C (INT 1041) [previous update 1423/26] WGS84 DATUM

Insert submarine pipeline, , joining:

(a) 60° 24'·3N., 3° 07'·8E.
60° 14'·3N., 2° 50'·0E.
60° 09'·7N., 2° 42'·5E.
(b) 60° 07'·1N., 2° 35'·8E.
and
(c) 59° 35'·5N., 3° 07'·7E.
59° 49'·3N., 2° 42'·6E.
59° 52'·2N., 2° 36'·6E.
59° 52'·8N., 2° 36'·0E.
59° 52'·9N., 2° 35'·0E.
(d) 59° 52'·5N., 2° 34'·2E.
and
(e) 58° 34'·6N., 1° 41'·7E.
(f) 58° 38'·7N., 1° 38'·5E.
(a)-(b) above
(e)-(f) above
(c)-(d) above

legend, *Gas*, along:

legend, *Oil*, along:

II

2488 NORTH SEA - Norwegian Sector - Submarine pipelines. (continued)

Chart 2182D (INT 1040) [*previous update 1465/26*] WGS84 DATUM

Insert	submarine pipeline,  , joining:	(a) 60° 24'·5N., 3° 08'·2E.
		(b) 60° 20'·1N., 3° 00'·4E.
	legend, <i>Gas</i> , along:	(a)-(b) above

Chart 4140 (INT 140) [*previous update 1576/26*] WGS84 DATUM

Insert	submarine pipeline,  , joining:	(a) 60° 24'·3N., 3° 07'·8E. 60° 09'·3N., 2° 41'·9E.
		(b) 60° 07'·1N., 2° 35'·8E. and
		(c) 59° 35'·5N., 3° 07'·7E.
		(d) 59° 52'·9N., 2° 35'·5E. and
		(e) 58° 34'·6N., 1° 41'·7E.
		(f) 58° 38'·7N., 1° 38'·5E.
	legend, <i>Gas</i> , along:	(a)-(b) above (e)-(f) above
	legend, <i>Oil</i> , along:	(c)-(d) above

II

2324 PORTUGAL - West Coast - NM Blocks.

Source: Portuguese Notice 1/103/26

Note: Former Notice 3920(P)/23 is cancelled.

Chart 3221 (INT 1876) [*previous update 254/26*] WGS84 DATUM

Insert the accompanying block, centred on:

38° 42'·1N., 9° 10'·0W.

Chart 3222 (INT 1877) [*previous update 4398/25*] WGS84 DATUM

Insert the accompanying block, centred on:

38° 42'·1N., 9° 10'·0W.

II

2332 FRANCE - North Coast - Drying height. Depth.

Source: French Notice 14/43/26

Chart 2700 (INT 1754) [*previous update 993/26*] WGS84 DATUM

Replace	drying height, 35, with drying height, 11	48° 38'·520N., 2° 02'·343W.
	depth, 34, with depth, 19, enclosed by 3m contour	48° 38'·251N., 2° 02'·634W.

II

2449 FRANCE - North Coast - Beacon.

Source: French Notice 16/37/26

Chart 2026 [*previous update 1248/26*] WGS84 DATUM

Replace

⊙ G Bn with ⊙ W Bn

48° 41′·33N., 3° 38′·90W.

II

2452 SPAIN - South West Coast - Buoy.

Source: Spanish Notice 15/85/26

Note: Former Notice 1011(T)/26 is cancelled.

Chart 73 (INT 1901) [*previous update 1153/26*] WGS84 DATUM

Insert

 *Q.G*

37° 07'·95N., 6° 50'·23W.

II

2477 FRANCE - West Coast - Wrecks.

Source: French Notice 15/47/26

Chart 20 [*previous update 767/26*] WGS84 DATUM

Insert

 Wk

46° 09'·2N., 2° 49'·4W.

 Wk

46° 18'·1N., 2° 55'·0W.

Chart 1104 [*previous update New Edition 30/04/2026*] WGS84 DATUM

Insert

 Wk

46° 09'·2N., 2° 49'·4W.

 Wk

46° 18'·1N., 2° 55'·0W.

Chart 2663 (INT 1803) [*previous update 2107/26*] WGS84 DATUM

Insert

 Wk

46° 09'·20N., 2° 49'·41W.

 Wk

46° 18'·13N., 2° 55'·00W.

Delete

 Wk(PD)

46° 16'·97N., 2° 55'·05W.

II

2334 CROATIA - Reported anchorage.

Source: Croatian Notice 3/12/26

Chart 2774 [*previous update 2281/26*] WGS84 DATUM

Delete



43° 02'·21N., 16° 05'·16E.

II

2339 MALTA - Foul.

Source: Transport Malta Notice 29/26

Chart 211 (Panel A, Channels between Malta and Ghawdex) [*previous update 5730/25*] WGS84 DATUM

Insert	circular limit of foul ground area, radius 500m, pecked line, centred on:	35° 57'·23N., 14° 19'·09E.
--------	--	----------------------------

Chart 2537 [*previous update 5100/25*] WGS84 DATUM

Insert	circular limit of foul ground area, radius 500m, pecked line, centred on:	35° 57'·23N., 14° 19'·09E.
--------	--	----------------------------

Chart 2538 [*previous update 5100/25*] WGS84 DATUM

Insert	circular limit of foul ground area, radius 500m, pecked line, centred on:	35° 57'·23N., 14° 19'·09E.
--------	--	----------------------------

II

2364 GREECE - Aegean Sea Coast - Firing practice area.

Source: Greek Notice 2/33/26

Chart 1636 (Panel, Nísos Limnos) [*previous update 5686/24*] ED50 DATUM

Insert limit of firing practice area, pecked line, joining:

39° 48'·90N., 25° 22'·48E.

39° 51'·03N., 25° 29'·31E.

39° 48'·82N., 25° 29'·94E.

39° 46'·95N., 25° 29'·49E.

39° 44'·23N., 25° 27'·88E.

39° 43'·00N., 25° 26'·30E.

and

39° 43'·00N., 25° 17'·24E.

39° 47'·24N., 25° 19'·88E.

II

2391 TÜRKiYE - Marmara Denizi - Submarine power cable.

Source: Turkish Notice 10/64/26

Chart 1015 (INT 3754) [*previous update 1457/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

40° 55'·80N., 29° 06'·80E.

40° 53'·05N., 29° 04'·18E.

II

2392 ITALY - West Coast - NM Blocks.

Source: Italian Notice 8.14/26

Note: This update is included in New Edition 953, published mid 2026.

Chart 1911 [*previous update 1245/26*] WGS84 DATUM

Insert the accompanying block, centred on:

42° 06′·0N., 11° 45′·1E.

Chart 1999 [*previous update 2106/26*] WGS84 DATUM

Insert the accompanying block, centred on:

42° 06′·0N., 11° 44′·6E.

II

2395 TÜRKIYE - Marmara Denizi - Light.

Source: Turkish Notice 10/65/26

Chart 1006 (Panel C, Ambarli Limani) [*previous update 1883/26*] WGS84 DATUM

Move

★ Fl(4)Y.15s from:

40° 58′·191N., 28° 42′·024E.

to:

40° 58′·205N., 28° 42′·019E.

II

2397 TÜRKIYE - Marmara Denizi - Light.

Source: Turkish Notice 8/55/26

Chart 224 (Continuation to İzmit) [*previous update 2237/26*] WGS84 DATUM

Delete

★ Fl.8M

40° 43'·8N., 29° 48'·8E.

Chart 497 (Panel B, Yarimca to İzmit) [*previous update 2237/26*] WGS84 DATUM

Amend

light to, Fl.G.5s8m3M

40° 43'·82N., 29° 48'·77E.

II

2398 TÜRKiYE - Marmara Denizi - Light.

Source: Turkish Notice 10/66/26

Chart 1004 [*previous update 1739/26*] WGS84 DATUM

Amend range of light to, 3M

40° 35′·09N., 27° 33′·30E.

II

2417 TÜRKIYE - South Coast - Buoy.
Source: Turkish Notice 10/70/26

Chart 1644 (Panel C, Marmaris) [*previous update 1897/26*] WGS84 DATUM

Delete



Fl.Y.3s

36° 50′·55N., 28° 17′·05E.

II

2435 FRANCE - South Coast - NM Block. Obstructions. Depths. Wreck.

Source: French Notice 11/90/26

Chart 2120 [*previous update 2012/26*] WGS84 DATUM

Insert




43° 05'·17N., 5° 57'·65E.

Chart 2170 (INT 3198) [*previous update 1394/26*] WGS84 DATUM


Insert

the accompanying block, centred on:

43° 04'·3N., 5° 57'·3E.



43° 06'·923N., 5° 53'·283E.



43° 06'·715N., 5° 53'·350E.

depth, 66


(a) 43° 06'·562N., 5° 53'·696E.

Delete

depth, 72, close E of:

(a) above

Insert



43° 06'·654N., 5° 54'·300E.

depth, 115


(b) 43° 06'·609N., 5° 54'·632E.

Delete


depth, 125, close NW of:

(b) above

Insert



43° 06'·696N., 5° 54'·870E.



43° 06'·765N., 5° 54'·996E.



43° 05'·171N., 5° 57'·649E.

II

2454 SPAIN - Mediterranean Sea Coast - Buoy.

Source: Spanish Notice 15/89/26

Note: Former Notice 1536(T)/26 is cancelled.

Chart 1460 [*previous update 5703/25*] WGS84 DATUM

Insert



39° 38'·812N., 0° 12'·653W.

II

2465 TÜRKIYE - West Coast - Buoy.

Source: Turkish Notice 4/25/26

Chart 1624 (INT 3784) [*previous update New Edition 12/03/2026*] WGS84 DATUM

Move



VQ(9)10s5M from:

38° 26′ · 63N., 26° 53′ · 42E.

to:

38° 26′ · 42N., 26° 53′ · 55E.

II

2467 TÜRKiYE - İstanbul Boğazi - Light.
Source: Turkish Notice 13/87/26

Chart 1198 (Panel B, Haydarpaşa Limanı) [*previous update 2082/26*] WGS84 DATUM

Insert

★ Fl(3)Y.8s6m3M

40° 59′·483N., 29° 01′·227E.

II

2485 TÜRKIYE - Marmara Denizi - Outfall.

Source: Turkish Notice 50/246/25

Chart 1005 [*previous update 2052/26*] WGS84 DATUM

Insert outfall, , joining:

40° 52' · 10N., 29° 04' · 69E.

40° 51' · 67N., 29° 05' · 00E.

Chart 1015 (INT 3754) [*previous update 2391/26*] WGS84 DATUM

Insert outfall, , joining:

40° 52' · 10N., 29° 04' · 69E.

40° 51' · 67N., 29° 05' · 00E.

II

2337 SOUTH AFRICA - South Coast - Wreck.

Source: South African Notice 2/55/26

Chart 4155 (INT 7520) [*previous update 1161/23*] CAPE DATUM

Insert ++ *PA*

34° 09'·9S., 24° 52'·9E.

Chart 4156 (INT 7530) [*previous update 3879/23*] CAPE DATUM

Insert ++ *PA*

34° 09'·9S., 24° 52'·9E.

II

2407 MADAGASCAR - East Coast - Buoyage.

Source: French Notice 14/180/26

Chart 695 (INT 7722) [*previous update 1776/26*] WGS84 DATUM

Insert



(a) 18° 06′·38S., 49° 27′·05E.

Delete



Q, close SW of:

(a) above

Chart 696 (INT 7723) [*previous update 1776/26*] WGS84 DATUM

Insert



(a) 18° 06′·379S., 49° 27′·047E.

Delete



Q, close SW of:

(a) above

II

2326 INDIA - West Coast - Buoyage. Depths. Lights.

Source: ENC IN52051A and Indian Notice 5/58/26

Chart IN 203 (INT 7319) [*previous update 1298/26*] WGS84 DATUM

Amend	light to, Q.R.10m17M	22° 27'·78N., 69° 40'·33E.
	light to, Q.G.10m17M	22° 27'·55N., 69° 39'·81E.
	light to, Fl(2)R.5·5s	22° 25'·91N., 69° 40'·17E.
	light to, Fl(2)G.5·5s	22° 25'·51N., 69° 40'·23E.
Replace	depth, 98 , with depth, 92	22° 27'·95N., 69° 39'·58E.

Chart 1470 (INT 7325) [*previous update 1298/26*] WGS84 DATUM

Amend	light to, Q.R.10m17M	22° 27'·8N., 69° 40'·3E.
	light to, Q.G.10m17M	22° 27'·6N., 69° 39'·8E.
	light to, Fl(2)G.5·5s	22° 25'·5N., 69° 40'·2E.

Chart IN 2068 [*previous update 2215/26*] WGS84 DATUM

Amend	light-buoy to, <i>Q.R No 2</i>	22° 29'·00N., 69° 31'·91E.
	light-buoy to, <i>Q.G No 1</i>	22° 28'·94N., 69° 31'·74E.

II

2343 BANGLADESH - Notes. Legend.

Source: BNHOC Notice 05/26

Chart 90 [*previous update 3311/25*] WGS84 DATUM

Insert	the accompanying note, ANCHOR BERTH AND ANCHORING, centred on:	21° 26'·6N., 92° 06'·8E.
Amend	legend to, <i>ANCHOR BERTH AND ANCHORING (see Note)</i> , centred on:	21° 22'·5N., 89° 37'·0E.
Delete	note, ANCHORING, centred on:	21° 41'·7N., 92° 06'·7E.

II

2362 BANGLADESH - Buoy.

Source: BNHOC Notice 09/26

Chart BD 2508 (INT 7451) (Panel A, Monkey Point to Joyman Reach) [*previous update New Chart 02/04/2026*]
WGS84 DATUM

Insert



Fl(3)G.15s J-5

22° 23'·85N., 89° 37'·00E.

Chart BD 2508 (INT 7451) (Panel B, Joyman Reach to Mongla Port) [*previous update New Chart 02/04/2026*] WGS84
DATUM

Insert



Fl(3)G.15s J-5

22° 23'·85N., 89° 37'·00E.

II

2384 BANGLADESH - Wreck.

Source: BNHOC Notice 08/26

Chart IN 31 (INT 756) [*previous update 3311/25*] WGS84 DATUM

Insert



22° 11'·2N., 91° 23'·6E.

Chart 90 [*previous update 2343/26*] WGS84 DATUM

Insert



22° 11'·2N., 91° 23'·6E.

II

2418 INDIA - West Coast - Legends. Harbour limits.

Source: Indian Notice 5/57/26

Chart IN 215 [*previous update 2326/21*] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	14° 42'·29N., 74° 15'·20E. (a) 14° 41'·50N., 74° 11'·62E. (b) 14° 40'·89N., 74° 09'·26E. 14° 38'·09N., 74° 06'·60E. (c) 14° 36'·63N., 74° 05'·21E. (d) 14° 36'·80N., 74° 05'·00E. and (e) 14° 37'·57N., 74° 16'·25E. (f) 14° 33'·11N., 74° 08'·34E. (c) above (a) - (b) above (e) - (f) above
Delete	legend, <i>Limit of Port Keni</i> , along SE side of: legend, <i>Limit of Port Keni</i> , along NW side of: former harbour limit, pecked line, and associated legend, <i>Limit of Port of Belekeri</i> , joining:	14° 37'·57N., 74° 16'·24E. 14° 33'·93N., 74° 08'·00E. (d) above

Chart IN 216 [*previous update 2264/20*] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	14° 42'·29N., 74° 15'·20E. (a) 14° 41'·50N., 74° 11'·62E. (b) 14° 40'·89N., 74° 09'·26E. 14° 38'·09N., 74° 06'·60E. (c) 14° 36'·63N., 74° 05'·21E. (d) 14° 36'·80N., 74° 05'·00E. and (e) 14° 37'·57N., 74° 16'·25E. (f) 14° 33'·11N., 74° 08'·34E. (c) above (a) - (b) above (e) - (f) above
Delete	legend, <i>Limit of Port Keni</i> , along SE side of: legend, <i>Limit of Port Keni</i> , along NW side of: former harbour limit, pecked line, and associated legend, <i>Limit of Port of Belekeri</i> , joining:	14° 37'·57N., 74° 16'·24E. 14° 33'·93N., 74° 08'·00E. (d) above

II

2463 INDIAN OCEAN - Maldives - NM Blocks.

Source: MV Queen Anne and UKHO

Chart 3323 (INT 7372) [*previous update 1625/24*] WGS84 DATUM

Insert the accompanying block A, centred on: 4° 10'·5N., 73° 28'·6E.

Chart 3323 (INT 7372) (Panel, Male' Anchorage and Approaches) [*previous update 1625/24*] WGS84 DATUM

Insert the accompanying block B, centred on: 4° 10'·2N., 73° 29'·4E.

II

2464 MYANMAR (BURMA) - NM Blocks.

Source: ENC IN44702A

Chart 817 (INT 7430) [*previous update 3311/25*] WGS84 DATUM

Insert the accompanying block, centred on:

18° 31'·6N., 93° 53'·3E.

Chart 818 (INT 7433) [*previous update 211/22*] WGS84 DATUM

Insert the accompanying block, centred on:

18° 26'·2N., 94° 03'·7E.

II

2489 INDIAN OCEAN - Andaman Islands - Depths.

Source: ENC IN54001H

Chart 1419 (Panel, Northern Approaches to Port Blair) [*previous update 1566/25*] UNDETERMINED DATUM

Insert	depth, 19, and extend 20m contour E to enclose	12° 21'·03N., 92° 56'·38E.
	depth, 184, enclosed by 20m contour	12° 21'·03N., 92° 56'·85E.
	depth, 127, and extend 20m contour E to enclose	(a) 12° 18'·69N., 92° 56'·26E.
Delete	depth, 146, close NW of:	(a) above
	depth, 35, close NE of:	(a) above
Insert	depth, 202, and extend 30m contour NE to enclose	(b) 12° 16'·79N., 92° 57'·85E.
Delete	depth, 35, close N of:	(b) above
Insert	depth, 195, enclosed by 20m contour	12° 15'·42N., 93° 01'·31E.

II

2370 INDONESIA - Sumatera - Wrecks. Depths. Well.

Source: ENC ID300243

Chart 2780 [*previous update 2059/24*] UNDETERMINED DATUM

Insert	depth, 7	(a)	4° 00'·3S., 100° 56'·8E.
		(b)	3° 58'·9S., 101° 01'·1E.
Delete	depth, 8, close SW of:	(a)	above
	depth, 8, close NW of:	(b)	above
Insert	 Well		3° 32'·6S., 101° 11'·6E.
	depth, 3¾, enclosed by 6fm contour, and extend 10fm contour W to enclose	(c)	3° 44'·9S., 102° 08'·7E.
Delete	depth, 12, close SW of:	(c)	above

Chart 2781 [*previous update 2059/24*] UNDETERMINED DATUM

Insert	depth, 7	(a)	4° 00'·3S., 100° 56'·8E.
		(b)	3° 58'·9S., 101° 01'·1E.
Delete	depth, 8, close SW of:	(a)	above
	depth, 8, close NW of:	(b)	above
Insert	depth, 3¾, enclosed by 6fm contour, and extend 10fm contour W to enclose	(c)	3° 44'·9S., 102° 08'·7E.
Delete	depth, 12, close SW of:	(c)	above

Chart 2965 (Panel C, Pulaubaai and Approaches) [*previous update 1304/26*] WGS84 DATUM

Insert			3° 53'·91S., 102° 16'·48E.
			3° 53'·92S., 102° 17'·22E.
			3° 53'·82S., 102° 17'·65E.

II

2428 INDONESIA - Sumatera - Wreck. Depths. Rock. Light.

Source: ENC ID400018

Chart 3933 (Panel A, Dumai) [*previous update 2143/26*] WGS84 DATUM

Insert	wreck out of position, 	1° 40′·01N., 101° 31′·01E.
--------	--	----------------------------

Chart 3933 [*previous update 2143/26*] WGS84 DATUM

Insert	depth, 195, enclosed by 20m contour	1° 53′·20N., 101° 50′·57E.
--------	-------------------------------------	----------------------------



1° 43′·93N., 101° 50′·97E.

★ FL.R.11s

1° 39′·13N., 101° 38′·04E.

depth, 11

(a) 1° 39′·43N., 101° 37′·54E.

Delete	depth, 122, close NW of:	(a) above
--------	--------------------------	-----------

Insert	wreck out of position, 	1° 40′·01N., 101° 31′·01E.
--------	--	----------------------------

depth, 201

(b) 1° 32′·03N., 101° 58′·58E.

Delete	depth, 225, close NW of:	(b) above
--------	--------------------------	-----------

Chart 3947 [*previous update 2319/26*] WGS84 DATUM

Insert	depth, 195, and extend 20m contour E to enclose	1° 53′·20N., 101° 50′·57E.
--------	---	----------------------------



1° 43′·93N., 101° 50′·97E.

II

2346 CHINA - South Coast - NM Block.

Source: UKHO

Chart 1557 [*previous update New Edition 28/08/2025*] CGCS 2000 DATUM

Insert the accompanying block, centred on:

21° 57′·4N., 113° 12′·5E.

II

2347 CHINA - East Coast - Depths.

Source: Chinese Notice 8/194/26

Chart 1604 (Panel A, Baoshan to Dongfengxi Sha) [*previous update 1300/26*] CGCS 2000 DATUM

Insert	depth, <i>46</i> , enclosed by 5m contour	(a) 31° 30′·68N., 121° 39′·53E.
Delete	depth, 5 , close SE of:	(a) above


II

2348 TAIWAN - Obstruction.

Source: UKHO

Chart 3658 (Panel, Taipei Port) [*previous update 2251/26*] WGS84 DATUM

Insert



25° 09'·00N., 121° 20'·06E.

II

2349 CHINA - South Coast - Depths.

Source: UKHO

Chart 343 [*previous update 2190/26*] CGCS 2000 DATUM

Insert	depth, 91	(a) 22° 32'·44N., 113° 48'·76E.
Delete	depth, 116, and associated 10m contour, close SW of:	(a) above

Chart 348 [*previous update 5574/25*] CGCS 2000 DATUM

Insert	depth, 81	(a) 22° 33'·050N., 113° 48'·026E.
Delete	depth, 86, close N of:	(a) above
Insert	depth, 87	(b) 22° 32'·957N., 113° 48'·065E.
Delete	depth, 92, close SW of:	(b) above
Insert	depth, 96, and extend 10m contour E to enclose depth, 91, enclosed by 10m contour	22° 32'·758N., 113° 48'·195E.
		(c) 22° 32'·441N., 113° 48'·757E.
Delete	depth, 116, close SW of:	(c) above
Insert	depth, 56	22° 32'·215N., 113° 48'·758E.
	depth, 94, and extend 10m contour S to enclose	(d) 22° 32'·144N., 113° 48'·759E.
Delete	depth, 115, close NW of:	(d) above
Insert	depth, 52, and extend 10m contour S to enclose depth, 51	22° 32'·115N., 113° 48'·845E.
		(e) 22° 32'·041N., 113° 48'·915E.
Delete	depth, 57, close SE of:	(e) above

II

2386 CHINA - East Coast - Wreck.

Source: Chinese Notice 15/368/26

Note: This update is included in New Edition 1199, published mid 2026.

Chart 2412 [*previous update 2229/26*] WGS84 DATUM

Insert

 *Rep(2026) PA*

31° 07′·6N., 123° 25′·9E.

Chart 3480 [*previous update 2154/26*] WGS84 DATUM

Insert

 *Rep(2026) PA*

31° 07′·6N., 123° 25′·9E.

Chart 4509 (INT 509) [*previous update 2229/26*] WGS84 DATUM

Insert



31° 07′·6N., 123° 25′·9E.

II

2387 TAIWAN - Foul. Obstruction.

Source: UKHO

Chart 2376 [*previous update New Edition 22/01/2026*] WGS84 DATUM

Replace # with  *Obstn* 22° 32'·37N., 120° 14'·99E.

Chart 3230 [*previous update 2217/26*] WGS84 DATUM

Replace # with  *Obstn* 22° 32'·37N., 120° 14'·99E.

Chart 3232 [*previous update 1629/26*] WGS84 DATUM

Replace # with  *Obstn* 22° 32'·37N., 120° 14'·99E.

Chart 4410 [*previous update 4070/25*] WGS84 DATUM

Insert  *Obstn* 22° 32'·4N., 120° 15'·0E.

II

2394 CHINA - South Coast - Depths. Rocks. Virtual aid to navigation.
Source: Chinese Chart 15311

Chart 1369 [*previous update 1452/26*] CGCS 2000 DATUM

Insert	depth, <i>94</i> , enclosed by 10m contour	22° 43'·30N., 115° 38'·08E.
	symbol, Virtual aid to navigation, special topmark, V-AIS	22° 42'·77N., 115° 39'·38E.
	 with seabed type, <i>R</i>	22° 41'·68N., 115° 34'·29E.
	 with seabed type, <i>R</i>	22° 39'·57N., 115° 34'·80E.
	depth, <i>159</i>	22° 38'·80N., 115° 31'·85E.
Replace	depth, <i>8</i> , with seabed type, <i>R</i> with depth, <i>73</i> , with seabed type, <i>R</i>	22° 40'·10N., 115° 34'·97E.

II

2396 CHINA - East Coast - Depths.

Source: Chinese Chart 14351

Note: This update is included in New Edition 1720, published mid 2026.

Chart 1719 [previous update 1732/26] CGCS 2000 DATUM

Insert	depth, 113	(a)	24° 11'·60N., 118° 06'·10E.
Delete	depth, 125 , close NW of:	(a)	above
Insert	depth, 157	(b)	24° 10'·67N., 118° 03'·23E.
Delete	depth, 183 , close E of:	(b)	above
Insert	depth, 93 , and extend 10m contour S to enclose		24° 09'·75N., 118° 02'·10E.
	depth, 9	(c)	24° 09'·17N., 118° 00'·15E.
Delete	depth, 10 , close S of:	(c)	above
Insert	depth, 13, with seabed type, St	(d)	24° 09'·19N., 118° 04'·89E.
Delete	depth, 143 , close NW of:	(d)	above
Insert	depth 85	(e)	24° 08'·53N., 118° 01'·77E.
Delete	depth, 91 , close N of:	(e)	above
Replace	depth, 77 , with depth 59		24° 09'·91N., 118° 02'·29E.

II

2400 CHINA - South Coast - Depth. Obstructions.

Source: Hong Kong Notices 6/18-19/26

Chart 4122 [*previous update 2210/26*] WGS84 DATUM

Delete

 *Obstn*

22° 19'·066N., 113° 57'·769E.

Chart 4123 [*previous update 2210/26*] WGS84 DATUM

Insert

depth, *19l*

22° 21'·781N., 113° 54'·822E.

Delete

 *Obstn*

22° 19'·066N., 113° 57'·769E.

22° 18'·397N., 113° 56'·848E.

II

2402 CHINA - East Coast - Buoyage.

Source: Chinese Notice 10/234/26

Chart 1143 [*previous update 434/26*] CGCS 2000 DATUM

Amend	<i>No 1</i> light-buoy to, <i>Mo(C)Y.12s</i>	30° 40'·24N., 121° 31'·23E.
	<i>No 4</i> light-buoy to, <i>Mo(C)Y.12s</i>	30° 36'·46N., 121° 35'·42E.
	<i>No 3</i> light-buoy to, <i>Mo(C)Y.12s</i>	30° 35'·59N., 121° 33'·35E.
	<i>No 2</i> light-buoy to, <i>Mo(C)Y.12s</i>	30° 34'·70N., 121° 31'·28E.

II

2404 CHINA - East Coast - Buoyage.

Source: Chinese Notice 10/236/26

Chart 1304 [*previous update 1491/26*] CGCS 2000 DATUM

Insert



Q(9)15s

30° 12′·05N., 121° 56′·09E.



Q

30° 11′·17N., 121° 56′·06E.

II

2414 TAIWAN - Superbuoy.

Source: UKHO

Note: This update is included in New Edition 1760, published mid 2026.

Chart 3231 [*previous update 2282/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s ODAS*

24° 15′·00N., 120° 00′·00E.

II

2416 TAIWAN - Submarine cables.

Source: Taiwanese Notice 39/26

Chart 2409 [*previous update 2213/26*] WGS84 DATUM

Insert submarine cable, , joining:

23° 30'·82N., 119° 31'·31E.

23° 30'·73N., 119° 31'·55E.

23° 30'·63N., 119° 31'·64E.

23° 30'·51N., 119° 31'·61E.

23° 29'·77N., 119° 31'·12E.

23° 29'·56N., 119° 31'·10E.

23° 29'·38N., 119° 31'·20E.

and

23° 21'·63N., 119° 31'·30E.

23° 21'·59N., 119° 31'·30E.

23° 21'·51N., 119° 31'·21E.

23° 21'·48N., 119° 31'·02E.

23° 21'·50N., 119° 30'·53E.

II

2423 THAILAND - West Coast - Wreck.

Source: Thai Notice 1/2569 (2026)

Chart 830 [*previous update 1851/26*] WGS84 DATUM

Insert



7° 43'·9N., 98° 16'·6E.

Chart 3900 [*previous update New Edition 02/04/2026*] WGS84 DATUM

Insert



7° 43'·9N., 98° 16'·6E.

Chart 3941 [*previous update 3021/25*] WGS84 DATUM

Insert



7° 43'·88N., 98° 16'·62E.

Chart 4706 (INT 706) [*previous update 1123/26*] WGS84 DATUM

Insert



7° 43'·9N., 98° 16'·6E.

Chart 4707 (INT 707) [*previous update 4615/25*] WGS84 DATUM

Insert



7° 43'·9N., 98° 16'·6E.

II

2442 CHINA - East Coast - Obstructions.

Source: Chinese Notice 16/397/26

Chart 1143 [*previous update 2402/26*] CGCS 2000 DATUM

Insert	 <i>Obstn</i>	30° 49'·62N., 121° 49'·97E.
Delete	 <i>Obstn</i>	30° 44'·92N., 121° 28'·96E.
	 <i>Obstn</i>	30° 44'·13N., 121° 29'·62E.

Chart 1303 [*previous update 1741/26*] CGCS 2000 DATUM

Insert	 <i>Obstn</i>	30° 49'·62N., 121° 49'·97E.
--------	--	-----------------------------

Chart 1602 [*previous update 1959/26*] CGCS 2000 DATUM

Insert	 <i>Obstn</i>	30° 49'·62N., 121° 49'·97E.
--------	--	-----------------------------

II

2457 CHINA - Yellow Sea Coast - Wrecks.

Source: Chinese Notice 16/396/26

Chart 1254 [*previous update 2265/26*] CGCS 2000 DATUM

Replace  with  Rep (2025)

37° 26′·1N., 122° 45′·5E.

Chart 1255 [*previous update 2265/26*] CGCS 2000 DATUM

Replace  with  Rep (2025)

37° 26′·1N., 122° 45′·5E.

Chart 1256 [*previous update 2214/26*] WGS84 DATUM

Replace  with  Rep (2025)

37° 26′·1N., 122° 45′·5E.

Chart 1289 [*previous update 2265/26*] CGCS 2000 DATUM

Replace  with  Rep (2025)

37° 26′·11N., 122° 45′·49E.

II

2460 CHINA - East Coast - Light-beacons. NM Block.

Source: Chinese Notices 10/229-233/26

Chart 1281 [*previous update 1631/26*] CGCS 2000 DATUM

Insert



Mo(C)Y.12s11m5M No 4

32° 45'·66N., 121° 25'·10E.



Mo(C)Y.12s11m5M No 5

32° 43'·87N., 121° 25'·10E.



Mo(C)Y.12s11m5M No 7

32° 42'·61N., 121° 22'·66E.



Mo(C)Y.12s11m5M No 1

32° 42'·61N., 121° 19'·19E.

the accompanying block, centred on:

32° 44'·7N., 121° 44'·8E.

II

2462 CHINA - East Coast - Wreck.

Source: Chinese Notice 11/262/26

Chart 3480 [*previous update 2386/26*] WGS84 DATUM

Insert



33° 35′·2N., 122° 57′·7E.

Chart 4509 (INT 509) [*previous update 2386/26*] WGS84 DATUM

Insert



33° 35′·2N., 122° 57′·7E.

II

2466 TAIWAN - Submarine cable.

Source: UKHO

Chart 3233 [*previous update 1402/26*] WGS84 DATUM

Insert submarine cable, , joining:

22° 22'·10N., 120° 54'·66E.

22° 21'·92N., 120° 55'·40E.

22° 21'·33N., 120° 55'·95E.

22° 20'·48N., 120° 57'·21E.

II

2468 CHINA - Bo Hai - Harbour limits. Legends.

Source: Chinese Notices 5/118-119/26

Chart 1250 [*previous update 2152/26*] CGCS 2000 DATUM

Insert	harbour limit, pecked line, joining:		38° 23'·4N., 117° 42'·2E.
		(a)	38° 27'·8N., 117° 48'·8E.
		(b)	38° 40'·8N., 118° 23'·7E.
		(c)	38° 29'·2N., 118° 31'·1E.
			and
			38° 15'·8N., 117° 51'·0E.
		(d)	38° 18'·7N., 117° 53'·9E.
		(e)	38° 23'·4N., 118° 10'·7E.
			(a) - (b) above
			(b) - (c) above
Delete	former harbour limit, pecked line, and associated legends, <i>Harbour Limit</i> , joining:		38° 22'·3N., 117° 55'·2E.
			38° 25'·4N., 117° 55'·2E.
			38° 35'·6N., 118° 13'·3E.
			38° 30'·4N., 118° 19'·6E.
			38° 25'·2N., 118° 09'·3E.
			38° 21'·3N., 117° 57'·9E.

II

2322 JAPAN - Seto Naikai - Fish haven.

Source: Japanese Notice 17/220/26

Chart JP 1108 [*previous update 863/26*] WGS84 DATUM

Insert



34° 03′·67N., 132° 52′·97E.

II

2323 JAPAN - Seto Naikai - Buoy.

Source: Japanese Notice 17/221/26

Chart JP 1108 [*previous update 2322/26*] WGS84 DATUM

Amend *No 3 light-buoy to, Iso 4s*

34° 03′·37N., 132° 48′·22E.

II

2336 KOREA - East Coast - Buoyage. Light.

Source: Korean Notices 9/102/26 & 10/119/26

Chart 898 (Panel B, Pohang and Approaches) [*previous update 2233/26*] WGS84 DATUM

Insert	 Fl(3)Y.7s D	36° 04'·98N., 129° 26'·75E.
	 Fl(3)Y.7s E	36° 04'·86N., 129° 27'·00E.
	 Fl(3)Y.7s C	36° 04'·64N., 129° 26'·47E.
	 Fl(3)Y.7s F	36° 04'·58N., 129° 26'·87E.
	 Fl(3)Y.7s B	36° 04'·21N., 129° 26'·25E.
	 Fl(3)Y.7s A	36° 04'·10N., 129° 26'·51E.
Delete	★ Fl.R.4s16m8M	36° 04'·85N., 129° 26'·84E.

II

2399 KOREA - West Coast - Light-beacon.

Source: Korean Notice 9/105/26

Chart 3928 [*previous update 2173/26*] WGS84 DATUM

Insert



Al.WR.4s5m7M

34° 35′·45N., 126° 11′·28E.

II

2412 KOREA - South Coast - Works. Legend. Maritime limit.

Source: Korean Notice 12/155/26

Chart 1259 (Panel B, Busan) [*previous update 1698/26*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a)	35° 06′·52N., 129° 02′·87E.
		(b)	35° 06′·41N., 129° 02′·88E.
		(c)	35° 06′·41N., 129° 02′·89E.
		(d)	35° 06′·52N., 129° 02′·89E.
	legend, Under Construction (2026), close E of:	(a) - (d) above	

II

2421 KOREA - South Coast - Light.

Source: Korean Notice 9/103/26

Chart 1065 [*previous update New Edition 26/03/2026*] WGS84 DATUM

Amend range of light to, 9M 35° 02'·94N., 129° 00'·89E.

Chart 3666 (INT 5251) [*previous update New Edition 26/03/2026*] WGS84 DATUM

Amend range of light to, 9M 35° 02'·93N., 129° 00'·92E.

II

2333 INDONESIA - Jawa - NM Block.

Source: ENC ID400096

Chart 979 [*previous update 1864/26*] WGS84 DATUM

Insert the accompanying block, centred on:

7° 02'·8S., 112° 40'·7E.

II

2335 INDONESIA - Sulawesi - Depths.

Source: ENC ID5152R1

Chart 2640 (Panel D, Teluk Mekongga) [*previous update 3960/25*] UNDETERMINED DATUM

Insert	depth, 32	(a)	4° 02'·79S., 121° 31'·91E.
Delete	depth, 43, close W of:	(a)	above
Insert	depth, 33	(b)	4° 02'·93S., 121° 33'·28E.
Delete	depth, 36, close SE of:	(b)	above
Insert	depth, 265	(c)	4° 03'·83S., 121° 34'·71E.
Delete	depth, 29, close SE of:	(c)	above
Insert	depth, 17	(d)	4° 04'·61S., 121° 32'·87E.
Delete	depth, 52, close SE of:	(d)	above

II

2403 INDONESIA - Banda Sea - Depths. Danger line.

Source: ENC's ID300490 and ID300496

Chart 2472 [*previous update 1876/26*] WGS84 DATUM

Insert	depth, 582, and extend 1000m contour NW to enclose	(a)	4° 01'·1S., 127° 17'·0E.
Delete	depth, 1326, close NW of:	(a)	above
Insert	depth, 290, enclosed by 1000m contour		6° 23'·5S., 125° 16'·5E.
	depth, 323, enclosed by 1000m contour	(b)	6° 25'·1S., 125° 13'·4E.
Delete	depth, 739, and associated 1000m contour, close SW of:	(b)	above
Insert	depth, 286, enclosed by 1000m contour	(c)	7° 12'·1S., 125° 51'·5E.
Delete	depth, 863, and associated 1000m contour, close NW of:	(c)	above

Chart 2908 [*previous update 99/26*] WGS84 DATUM

Insert	depth, 290, enclosed by 1000m contour		6° 23'·5S., 125° 16'·5E.
	depth, 323, enclosed by 1000m contour	(a)	6° 25'·1S., 125° 13'·4E.
Delete	depth, 739, and associated 1000m approximate contour, close SW of:	(a)	above

Chart 2909 [*previous update 4803/25*] WGS84 DATUM

Insert	depth, 290, enclosed by 1000m contour		6° 23'·5S., 125° 16'·5E.
	depth, 323, enclosed by 1000m contour	(a)	6° 25'·1S., 125° 13'·4E.
Delete	depth, 739, and associated 1000m approximate contour, close SW of:	(a)	above
Insert	depth, 286, enclosed by 1000m contour, and extend 2000m approximate contour E to enclose		7° 12'·1S., 125° 51'·5E.

Chart 2911 [*previous update 1051/26*] WGS84 DATUM

Insert	depth, 775, enclosed by 1000m contour	(a)	4° 01'·1S., 127° 14'·4E.
Delete	depth, 1326, close NW of:	(a)	above
Insert	depth, 582, and extend 1000m contour NW to enclose	(b)	4° 01'·1S., 127° 17'·0E.
Delete	depth, 674, close SE of:	(b)	above

Chart 4052 (INT 52) [*previous update 1555/26*] WGS84 DATUM

Insert	depth, 290, enclosed by 1000m contour	(a)	6° 23'·5S., 125° 16'·5E.
Delete	depth, 1658, and associated 2000m contour, close SW of:	(a)	above
Insert	depth, 286, enclosed by 1000m contour	(b)	7° 12'·1S., 125° 51'·5E.
Delete	depth, 2341, close NE of:	(b)	above

Chart 4060 (INT 60) [*previous update 2035/26*] WGS84 DATUM

Insert	depth, 290, enclosed by 1000m contour	(a)	6° 23'·5S., 125° 16'·5E.
Delete	depth, 1658, close SW of:	(a)	above
Insert	depth, 286, enclosed by 1000m contour		7° 12'·1S., 125° 51'·5E.

Chart 4507 (INT 507) [*previous update 1876/26*] WGS84 DATUM

Insert	depth, 582	(a)	4° 01'·1S., 127° 17'·0E.
Delete	depth, 625, close S of:	(a)	above

II

2403 INDONESIA - Banda Sea - Depths. Danger line. (continued)

Chart 4603 (INT 603) [*previous update 2119/26*] WGS84 DATUM

Insert	depth, 582, and extend danger line N to enclose	(a)	4° 01'·1S., 127° 17'·0E.
Delete	depth, 625, close S of:	(a)	above
Insert	depth, 290, enclosed by 1000m contour	(b)	6° 23'·5S., 125° 16'·5E.
Delete	depth, 739, and associated 1000m approximate contour, close SW of:	(b)	above
Insert	depth, 286, enclosed by 1000m contour	(c)	7° 12'·1S., 125° 51'·5E.
Delete	depth, 863, and associated 1000m approximate contour, close NW of:	(c)	above

II

2406 INDONESIA - Kalimantan - Submarine cables. NM Block.

Source: ENC ID300284

Chart 1312 [*previous update New Edition 26/03/2026*] WGS84 DATUM

Insert	submarine cable,  , joining:	(a) 0° 02'·9S., 109° 09'·7E. 0° 03'·0S., 108° 28'·9E. (b) 0° 01'·1S., 108° 20'·4E.
Delete	former submarine cable,  , joining:	(a) above (b) above

Chart 2870 [*previous update 167/26*] WGS84 DATUM

Insert	submarine cable,  , joining:	0° 02'·9S., 109° 09'·8E. 0° 03'·0S., 109° 06'·0E. 0° 03'·0S., 108° 28'·9E. (a) 0° 01'·2S., 108° 21'·0E.
Delete	former submarine cable,  , joining:	0° 03'·0S., 109° 08'·7E. 0° 02'·5S., 108° 55'·4E. 0° 02'·0S., 108° 39'·7E. (a) above

Chart 3720 [*previous update 206/26*] WGS84 DATUM

Insert	submarine cable,  , joining:	0° 02'·88S., 109° 09'·73E. 0° 02'·88S., 109° 05'·91E. 0° 02'·91S., 108° 28'·57E. 0° 02'·04S., 108° 25'·17E. (a) 0° 01'·09S., 108° 20'·37E.
Delete	former submarine cable,  , joining:	(a) above 0° 01'·70S., 108° 33'·24E. 0° 02'·19S., 108° 47'·44E. 0° 02'·59S., 108° 58'·62E. 0° 02'·87S., 109° 09'·21E. 0° 02'·95S., 109° 09'·56E. 0° 02'·92S., 109° 09'·82E.

Chart 3721 [*previous update 551/25*] WGS84 DATUM

Insert	the accompanying block, centred on: submarine cable,  , joining:	0° 40'·6S., 109° 21'·9E. (a) 0° 02'·88S., 109° 09'·73E. 0° 03'·00S., 109° 05'·88E. 0° 02'·99S., 108° 28'·94E. 0° 02'·04S., 108° 25'·17E. (b) 0° 01'·09S., 108° 20'·37E.
Delete	former submarine cable,  , joining:	(a) above 0° 02'·66S., 109° 00'·21E. 0° 02'·11S., 108° 46'·30E. 0° 01'·57S., 108° 29'·27E. (b) above

II

2424 PHILIPPINE ISLANDS - Mindanao - Buoyage. Submarine cable.

Source: Philippines Notice 2/3/26

Note: Former Notice 790(P)/26 is cancelled.

Chart 4494 (Panel B, Pakiputan Strait) [*previous update 221/26*] WGS84 DATUM

Insert

 *Mo(C)Y.10s*

7° 06'·85N., 125° 39'·52E.

7° 06'·57N., 125° 39'·83E.

submarine cable, , joining:

7° 06'·86N., 125° 39'·47E.

7° 06'·53N., 125° 39'·86E.

Chart 4494 [*previous update 221/26*] WGS84 DATUM

Insert

submarine cable, , joining:

7° 06'·85N., 125° 39'·48E.

7° 06'·54N., 125° 39'·85E.

II

2342 CANADA - British Columbia - NM Blocks.

Source: Canadian Notices 2/3955/26 and 2/3958/26

Chart 4937 [*previous update New Edition 19/02/2026*] NAD83 DATUM

Insert the accompanying block, centred on: 54° 14' 09.5"N., 130° 18' 47.7"W.

Chart 4938 (Panel, Porpoise Harbour, Ridley Island and Approaches / Et Les Approches) [*previous update 1150/26*] NAD83 DATUM

Insert the accompanying block, centred on: 54° 14' 07.0"N., 130° 18' 49.9"W.

II

2422 UNITED STATES OF AMERICA - Alaska - Depths.
Source: ENC US3AK1DX

Chart 3754 [*previous update 855/26*] NAD27 DATUM

Insert depth, 194, and extend 200m contour E to enclose
Delete depth, 232, close SW of:

(a) 54° 43'·23N., 132° 33'·21W.
(a) above

II

2427 CANADA - British Columbia - Harbour limit. Legend.

Source: Canadian Notice 2/3463/26

Chart 4952 [*previous update 940/26*] NAD83 DATUM

Delete harbour limit, pecked line, and associated legend,
VANCOUVER, joining:

49° 00'·14N., 122° 45'·51W.

49° 00'·14N., 123° 02'·12W.

II

2478 UNITED STATES OF AMERICA - West Coast - Obstructions. Depth. Wreck.

Source: ENC's US5LGBDE and US5LGBCE

Chart 1081 [*previous update New Edition 26/03/2026*] NAD83 DATUM

Insert	 <i>Obstn</i>	(a) 33° 45'·307N., 118° 11'·046W.
Delete	depth, <i>11</i> ₂ , close SE of:	(a) above
Insert	 <i>Wk</i>	33° 45'·103N., 118° 10'·943W.
	 <i>Obstn</i>	33° 44'·655N., 118° 10'·788W.
Delete	 <i>Obstn</i>	33° 43'·445N., 118° 10'·801W.

II

2359 CHILE - Estrecho de Magallanes - Dolphin.

Source: Chilean Notice 3/22/26

Chart 1694 (Panel A, Punta Arenas) [*previous update 5493/25*] SAD69 DATUM

Insert

☐ Dn

53° 10'·33S., 70° 54'·20W.

II

2385 ECUADOR - Depths. Buoyage.

Source: ENC's EC61072A and EC510721

Chart 510 [*previous update New Edition 22/05/2025*] WGS84 DATUM

Insert	depth, 58	(a)	2° 16'·172S., 79° 54'·809W.
Delete	depth, 86, close NE of:	(a)	above
Amend	28PM light-buoy to, <i>Fl.R.4s</i>		2° 15'·504S., 79° 55'·832W.
	26PM light-buoy to, <i>Fl.R.4s</i>		2° 15'·074S., 79° 55'·736W.
	24PM light-buoy to, <i>Fl.R.4s</i>		2° 14'·614S., 79° 55'·929W.
	Banana Puerto Norte light-buoy to, <i>Fl.Y.12s</i>		2° 14'·076S., 79° 56'·949W.
Move	 <i>Fl.R.4s 84</i> , from:		2° 17'·241S., 79° 54'·250W.
	to:		2° 17'·320S., 79° 54'·264W.

II

2443 MEXICO - Pacific Ocean Coast - Rock. Leading lines. Legends. Depths.

Source: ENC's MX511210 and MX411200

Chart 1049 [*previous update 660/26*] WGS84 DATUM

Insert			31° 58'·8N., 116° 51'·7W.
	leading line, firm line for 3M, extending in direction 330°, from:	(a)	31° 59'·2N., 116° 51'·1W.
	legend, 330°, seaward end of:	(a)	above
	depth, 21/5	(b)	31° 53'·2N., 116° 45'·4W.
Delete	depth, 34, close E of:	(b)	above
	former leading line, firm line, and associated legend, 334°, extending in direction 334°, from:	(a)	above

II

2451 VENEZUELA - Light.

Source: ENC VE300200

Chart 1966 [*previous update 1679/26*] WGS84 DATUM

Amend light to, Fl(2)WR.11M

11° 20′·9N., 68° 40′·7W.

Chart 2192 [*previous update 5770/25*] WGS84 DATUM

Amend light to, Fl(2)WR.15s50m11M

11° 20′·9N., 68° 41′·0W.

Chart 2193 [*previous update 2020/26*] WGS84 DATUM

Amend light to, Fl(2)WR.15s50m11M

11° 20′·9N., 68° 41′·0W.

II

2476 VENEZUELA - Depths.

Source: ENC VE500404

Chart 1498 [*previous update 5239/25*] WGS84 DATUM

Insert	depth, 111	(a)	10° 14'·79N., 64° 35'·80W.
Delete	depth, 108, close SW of:	(a)	above
	depth, 103, close NW of:	(a)	above
Insert	depth, 12	(b)	10° 14'·76N., 64° 35'·71W.
Delete	depth, 107, close NW of:	(b)	above
Insert	depth, 12	(c)	10° 14'·73N., 64° 35'·57W.
Delete	depth, 113, close W of:	(c)	above
Insert	depth, 11	(d)	10° 14'·71N., 64° 35'·51W.
Delete	depth, 103, close E of:	(d)	above
Insert	depth, 91	(e)	10° 14'·66N., 64° 35'·43W.
Delete	depth, 87, close NW of:	(e)	above

II

2325 **UNITED STATES OF AMERICA - East Coast - Dredged depth.**
Source: ENC US5NYCFI

Chart 3451 [*previous update 1891/26*] NAD83 DATUM

Amend dredged depth to, *3 feet (2025)*, centred on: 40° 48′·480N., 73° 50′·539W.

II

2327 CANADA - Newfoundland and Labrador - Buoy.
Source: Canadian Notice 3/4846/26

Chart 4736 [*previous update 5809/25*] NAD83 DATUM

Insert



VQ(9)10s CWB

47° 43'·44N., 52° 50'·13W.

II

2361 UNITED STATES OF AMERICA - East Coast - Depth. Dredged depths.

Source: ENC US5NYCDE

Chart 3457 [*previous update 1820/26*] NAD83 DATUM

Insert	depth, 2, enclosed by 6ft contour	40° 41'·197N., 74° 07'·788W.
Amend	dredged depth to, 32 <i>ft</i> (2026), centred on:	40° 40'·244N., 74° 08'·447W.
	dredged depth to, 44 <i>ft</i> (2026), centred on:	40° 39'·786N., 74° 08'·767W.

II

2368 GREENLAND - West Coast - Depth.

Source: Danish Chart Correction 9/79/26

Chart 235 [*previous update 1849/26*] UNDETERMINED DATUM

Insert depth, 6, *PA*, *ED*, enclosed by 10fm contour 61° 08'·1N., 48° 53'·0W.

Chart 4405 (INT 405) [*previous update 1849/26*] WGS84 DATUM

Insert depth, 12g, *PA*, *ED*, and extend 30m contour SW to enclose 61° 08'·1N., 48° 53'·0W.

II

2371 CANADA - Nova Scotia - Buoy. Light.

Source: Canadian Notices 3/4013/26, 3/4015/26, 3/4022-4023/26

Chart 4748 [*previous update 1786/26*] NAD83 DATUM

Amend light to, Fl 10s64ft13M 46° 02'·1N., 59° 40'·8W.

Replace  QR C2 with  QR C2 46° 02'·6N., 63° 06'·9W.

Chart 4763 [*previous update 2100/26*] NAD83 DATUM

Amend light to, Fl 10s64ft13M 46° 02'·1N., 59° 40'·7W.

Chart 4764 [*previous update 2100/26*] NAD83 DATUM

Amend light to, Fl 10s64ft13M 46° 02'·1N., 59° 40'·8W.

Chart 4765 [*previous update 776/26*] NAD83 DATUM

Replace  QR C2 with  QR C2 46° 02'·6N., 63° 06'·8W.

II

2381 CANADA - Nova Scotia - Light. Fog signal.

Source: Canadian Notices 3/4011-4012/26

Chart 2670 [*previous update 1786/26*] WGS84 DATUM

Amend	range of light to, 15M	44° 05'·1N., 66° 12'·4W.
-------	------------------------	--------------------------

Chart 4746 [*previous update 943/26*] NAD83 DATUM

Amend	range of light to, 15M	(a) 44° 05'·1N., 66° 12'·5W.
Delete	fog signal, <i>Fog Sig</i> , at light	(a) above

Chart 4747 [*previous update 1952/26*] NAD83 DATUM

Amend	range of light to, 15M	(a) 44° 05'·1N., 66° 12'·5W.
Delete	fog signal, <i>Fog Sig</i> , at light	(a) above

II

2425 CANADA - Saint Lawrence River - Light.

Source: Canadian Notices 3/1234/26 and 3/1320/26

Chart 4782 [*previous update 770/26*] NAD83 DATUM

Amend light to, Fl 6s63m15M

47° 54'·69N., 69° 48'·40W.

Chart 4783 [*previous update 269/26*] NAD83 DATUM

Amend light to, Fl 6s63m15M

47° 54'·69N., 69° 48'·40W.

II

2430 **UNITED STATES OF AMERICA - East Coast - Buoy.**
Source: ENC US5MA1UJ

Chart 1227 [*previous update 1189/26*] NAD83 DATUM

Insert

 *Fl.Y.2.5s*

42° 42'·46N., 70° 42'·32W.

II

2431 UNITED STATES OF AMERICA - East Coast - Depths.
Source: ENC US5NYCDF

Chart 3456 [*previous update 3749/25*] NAD83 DATUM

Insert depth, 34, enclosed by 36ft contour

(a) 40° 40'·383N., 74° 05'·175W.

Delete depth, 37, close SE of:

(a) above

II

2450 **UNITED STATES OF AMERICA - East Coast - Obstructions.**
Source: ENC US5NYCDG

Chart 3455 [*previous update 5346/25*] NAD83 DATUM

Insert

 *Obstn*

40° 42'·565N., 73° 59'·052W.

 *Obstn*

40° 41'·425N., 74° 00'·110W.

 *Obstn*

40° 40'·886N., 74° 00'·805W.

II

2453 UNITED STATES OF AMERICA - East Coast - Legends, Lights, Leading lines.

Source: ENC's US5ILGDE, US5DE1LC, US5DE13M, US5ILGBE

Chart 2603 (Panel 4, Entrance to the Chesapeake and Delaware Canal) [*previous update 1892/26*] NAD83 DATUM

Amend legend to, 355°, centred on: 39° 33'·18N., 75° 32'·37W.

Chart 2603 (Panel 1) [*previous update 1892/26*] NAD83 DATUM

Insert ★ F.G.92ft & 2F1.4s20ft4M (a) 39° 38' .25N., 75° 35' .54W.

★ Iso.G.2s37ft 39° 37'·65N., 75° 35'·17W.

★ Iso.6s127ft & 2Fl.4s22ft4M (c) 39° 28'·57N., 75° 35'·06W.

Amend legend to, 355°, centred on: 39° 33'·82N., 75° 32'·74W.

light-beacon to, Fl.WR.2·5s40ft & 2Fl.4s20ft4M 39° 27'·84N., 75° 34'·20W.

legend to, 319° , centred on: $39^\circ 21' \cdot 10\text{N.}, 75^\circ 26' \cdot 31\text{W.}$

Delete ★ F.G.110ft (b) 39° 38' .89N., 75° 35' .94W.

★ Iso.G.2s56ft 39° 38'·55N., 75° 35'·73W.

★ F.176ft (d) 39° 31'·43N., 75° 38'·39W.

leading line, pecked line, joining: (a) above

(b) above

and

(c) above

(d) above

Chart 2922 (Panel 1) [*previous update 666/26*] NAD83 DATUM

Amend legend to, 355°, centred on: 39° 33'·18N., 75° 32'·37W.

II

2350(T)/26 SCOTLAND - West Coast - Buoyage.

Source: Peel Ports Clydeport Notice 19/26

1. *Due to dredging works in the approaches to Clydeport Greenock Ocean Terminal, the following light-buoy has been temporarily moved to position:

<i>Characteristic</i>	<i>Designation</i>	<i>New Position</i>
<i>Fl.R.2s</i>	<i>No 12</i>	55° 57'·008N., 4° 44'·935W.

2. The light-buoy, *Fl.G.5s*, in position 55° 57'·065N., 4° 45'·242W. has been moved to 55° 57'·085N., 4° 45'·270W.
3. *Former Notice 1108(T)/22 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1994 (INT 1636) - 5610_3

II

2360(T)/26 SCOTLAND - Shetland Islands - General information.

Source: SaxaVord Spaceport

1. A rocket is due to be launched from SaxaVord Spaceport, Unst in position $60^{\circ} 49' \cdot 13N.$, $0^{\circ} 46' \cdot 46W.$ between 1st July and 5th August 2026 from 1500-1900 UTC.
2. A temporary space launch hazard area will be established around the launch site, bounded by the following positions:
 $61^{\circ} 05' \cdot 04N.$, $0^{\circ} 35' \cdot 61W.$
 $60^{\circ} 50' \cdot 59N.$, $0^{\circ} 31' \cdot 77W.$
 $60^{\circ} 47' \cdot 34N.$, $0^{\circ} 45' \cdot 30W.$
 $60^{\circ} 48' \cdot 56N.$, $0^{\circ} 56' \cdot 99W.$
 $61^{\circ} 00' \cdot 91N.$, $1^{\circ} 06' \cdot 83W.$
3. A temporary space launch hazard area will be established, bounded by the following positions:
 $60^{\circ} 46' \cdot 82N.$, $0^{\circ} 45' \cdot 15W.$
 $60^{\circ} 47' \cdot 87N.$, $1^{\circ} 11' \cdot 84W.$
 $60^{\circ} 52' \cdot 76N.$, $1^{\circ} 30' \cdot 90W.$
 $62^{\circ} 12' \cdot 18N.$, $3^{\circ} 51' \cdot 71W.$
 $68^{\circ} 57' \cdot 59N.$, $14^{\circ} 46' \cdot 23W.$
 $70^{\circ} 29' \cdot 00N.$, $9^{\circ} 09' \cdot 90W.$
 $70^{\circ} 46' \cdot 33N.$, $2^{\circ} 44' \cdot 55W.$
 $68^{\circ} 46' \cdot 28N.$, $1^{\circ} 57' \cdot 14W.$
 $68^{\circ} 00' \cdot 10N.$, $1^{\circ} 41' \cdot 24W.$
 $66^{\circ} 45' \cdot 02N.$, $1^{\circ} 17' \cdot 55W.$
 $64^{\circ} 45' \cdot 59N.$, $0^{\circ} 43' \cdot 93W.$
 $64^{\circ} 10' \cdot 17N.$, $0^{\circ} 34' \cdot 98W.$
 $62^{\circ} 45' \cdot 02N.$, $0^{\circ} 14' \cdot 96W.$
 $61^{\circ} 04' \cdot 47N.$, $0^{\circ} 14' \cdot 58W.$
 $60^{\circ} 53' \cdot 30N.$, $0^{\circ} 21' \cdot 62W.$
4. The rockets first stage, and fairing are expected to splash down on the following positions respectively, and there may be free falling debris:
 $67^{\circ} 15' \cdot 3N.$, $6^{\circ} 08' \cdot 4W.$
 $67^{\circ} 52' \cdot 9N.$, $6^{\circ} 38' \cdot 8W.$
5. The nominal splashdown area for this debris is bounded by the following positions:
 $64^{\circ} 27' \cdot 2N.$, $6^{\circ} 46' \cdot 3W.$
 $68^{\circ} 57' \cdot 6N.$, $14^{\circ} 46' \cdot 2W.$
 $70^{\circ} 29' \cdot 0N.$, $9^{\circ} 09' \cdot 9W.$
 $70^{\circ} 46' \cdot 3N.$, $2^{\circ} 44' \cdot 6W.$
 $68^{\circ} 46' \cdot 3N.$, $1^{\circ} 57' \cdot 1W.$
 $68^{\circ} 00' \cdot 1N.$, $1^{\circ} 41' \cdot 2W.$
 $66^{\circ} 45' \cdot 0N.$, $1^{\circ} 17' \cdot 6W.$
 $65^{\circ} 34' \cdot 3N.$, $0^{\circ} 56' \cdot 9W.$
6. The area around the launch site, hazard areas and the splash down areas are extremely hazardous and all mariners are advised to avoid these areas during the launch period.
7. More precise dates and details of the launch will be promulgated through the MSI service, and UK Coastguard VHF and MF MSI Broadcast from 5 days before the launch.
8. Contact SaxaVord Spaceport Range Control at rangeops@shetlandspacecentre.com or telephone +44 01479 782 040 for further details.
(ETRS89 DATUM)

Charts affected - 2 (INT 160) - 219 (INT 1060) - 245 - 1233 (INT 1500) - 1239 - 2182C (INT 1041) - 2182D (INT 1040) - 2897 (INT 1010) - 2900 (INT 1100) - 2901 (INT 1101) - 3282 - 4010 (INT 10) - 4011 (INT 11) - 4014 (INT 14) - 4100 (INT 100) - 4101 (INT 101) - 4112 (INT 112) - 4113 (INT 113) - 4140 (INT 140)

II

2372(T)/26 ENGLAND - East Coast - Obstruction.

Source: SSE Renewables

1. An obstruction with a safe clearance depth of 21·1m has been reported in approximate position 51° 55'·23N., 1° 58'·24E.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 1183 (INT 1561) - 1610 (INT 1511) - 1630 (INT 1416) - 2052 (INT 1560)

II

2447(T)/26 SCOTLAND - Orkney Islands - Lights.

Source: Northern Lighthouse Board NM 10/26

1. Light, Fl(3)WRG.10s6m8/6M, in position 59° 14'·21N., 2° 45'·82W. has been temporarily extinguished.
2. Light, Fl(3)12s9m8M, has been temporarily established in position 59° 14'·22N., 2° 45'·84W.
3. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 2250 - 2562

II

2471(T)/26 IRELAND - South Coast - Buoyage.

Source: Department of Transport, Ireland Notices 15/26, 41/25 and EirGrid

1. *The following yellow light-buoys, *Fl(5)Y.20s*, have been established:

<i>Designation</i>	<i>Position</i>
* <i>ETN-MB001</i>	51° 56'·89N., 7° 23'·91W.
* <i>ETN-MB002</i>	52° 00'·55N., 7° 04'·72W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 4643(T)/25 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1121 (INT 1062) - 1123 - 1410 (INT 1609) - 2049 (INT 1612) - 5621_14 - 5622_1 - 5622_2

II

2401(T)/26 FØROYAR - Submarine cable. Works. Buoyage.

Source: Faroese Maritime Authority Notice 08/26 (T)

1. Cable works are taking place at the entrance to Tvoroyi, east of Suouroy Island.
2. A spar light-buoy *Fl.Y* and two red buoys have been deployed in the vicinity of position, 61° 31'·83N., 6° 43'·07W.
3. Vessels are advised to keep a safe distance of at least 200m from the buoys.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 3568 - 3569

II

2353(T)/26 POLAND - Measuring instruments.

Source: Polish Notice 7/64(T)/26

1. Measuring instruments have been established on the seabed in the following positions:

54° 40'·20N., 18° 54'·25E.

*54° 31'·27N., 18° 45'·45E.

54° 48'·67N., 17° 42'·69E.

54° 53'·70N., 17° 33'·00E.

54° 46'·23N., 16° 20'·70E.

53° 59'·00N., 14° 16'·68E.

2. *Former Notice 2673(T)/24 is cancelled.

*Indicates new or revised entry

(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2015 (INT 1201) - 2018 (INT 1202) - 2040 (INT 1218) - 2288 - 2679 - 2688 (INT 1288)

II

2358(T)/26 POLAND - Works.

Source: Polish Notice 11/127(T)/26

1. Explosive ordnance disposal may take place at any time within an area bounded by the following positions:

54° 48'·40N., 17° 45'·18E.
54° 51'·26N., 17° 42'·77E.
54° 54'·28N., 17° 48'·95E.
54° 48'·78N., 17° 50'·33E.
2. Mariners are advised to navigate with caution in the area and maintain a safe distance of at least 500m from works vessels.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2040 (INT 1218)

II

2388(P)/26 RUSSIA - Baltic Sea Coast - Depths. Buoy. Waiting areas.

Source: ENC's RU5NEK08 and RU5NEK09

1. Extensive changes to charted detail have taken place in the approaches to Kaliningrad. The most significant changes are as follows:
2. Numerous depths less than charted have been identified. The most significant are as follows:

<i>Depth</i>	<i>Position</i>	<i>Remark</i>
9·3m	54° 41'·490N., 20° 10'·972E.	Alongside
9·3m	54° 41'·490N., 20° 11'·096E.	Alongside
3·4m	54° 41'·185N., 20° 15'·130E.	Alongside
9·6m	54° 41'·341N., 20° 10'·891E.	
9·5m	54° 41'·387N., 20° 11'·014E.	
4·8m	54° 41'·347N., 20° 11'·519E.	
3·1m	54° 41'·189N., 20° 14'·839E.	
1·7m	54° 41'·177N., 20° 15'·199E.	

3. The West Cardinal light-buoy, *Q(9)15s*, in position 54° 41'·366N., 20° 11'·403E. has moved to position 54° 41'·320N., 20° 11'·479E.
4. Circular Waiting Areas, radius 175m, anchoring prohibited, have been established centred on the following positions:

<i>Position</i>	<i>Remark</i>
54° 41'·263N., 20° 11'·762E.	For vessels of draught less than 8m and up to 130m in length
54° 41'·262N., 20° 12'·054E.	

These areas replace the charted Turning Areas but do not encroach into the dredged channel to the South.

5. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
6. These and other changes will be included in a New Edition of Chart 1917 to be published late 2026.
(WGS84 DATUM)

Chart affected - 1917

II

2390(P)/26 POLAND - Wind farm. Works. Piles. Restricted area.

Source: Polish Notice 10/104/26

1. Wind farm construction works are taking place, within an area bounded by the following positions:

Designation
BALTIC II

Position
55° 03'·45N., 16° 33'·24E.
55° 03'·65N., 16° 35'·05E.
55° 03'·61N., 16° 36'·66E.
55° 04'·23N., 16° 39'·48E.
55° 04'·54N., 16° 40'·02E.
55° 05'·55N., 16° 40'·69E.
55° 06'·85N., 16° 43'·72E.
55° 07'·87N., 16° 42'·26E.
55° 06'·52N., 16° 36'·33E.

2. and

Designation
BALTYK II

Position
55° 07'·11N., 16° 44'·62E.
55° 06'·19N., 16° 46'·33E.
55° 02'·14N., 16° 50'·88E.
55° 02'·12N., 16° 51'·48E.
55° 00'·84N., 16° 58'·50E.
55° 08'·21N., 16° 56'·99E.
55° 08'·31N., 16° 55'·35E.
55° 08'·09N., 16° 53'·56E.
55° 07'·90N., 16° 50'·44E.
55° 07'·57N., 16° 48'·20E.

3. and

Designation
BALTICA 2

Position
55° 07'·13N., 16° 57'·21E.
55° 00'·56N., 16° 58'·56E.
54° 59'·39N., 17° 04'·91E.
55° 04'·01N., 17° 06'·78E.
55° 03'·51N., 17° 07'·33E.
55° 02'·32N., 17° 11'·05E.
55° 02'·25N., 17° 12'·51E.
55° 02'·60N., 17° 14'·00E.
55° 03'·21N., 17° 15'·76E.
55° 03'·49N., 17° 16'·93E.
55° 06'·81N., 17° 16'·63E.
55° 06'·26N., 17° 13'·49E.
55° 07'·14N., 17° 01'·94E.

4. and

Designation
BALTYK III

Position
55° 02'·60N., 17° 14'·00E.
54° 56'·70N., 17° 16'·96E.
54° 57'·16N., 17° 22'·72E.
54° 57'·40N., 17° 24'·79E.
54° 59'·93N., 17° 31'·61E.
55° 00'·15N., 17° 30'·37E.
55° 01'·32N., 17° 23'·64E.
55° 02'·87N., 17° 14'·77E.

II

2390(P)/26 POLAND - Wind farm. Works. Piles. Restricted area. (continued)

5. and

Designation
BALTICA 3

Position
55° 02'·87N., 17° 14'·77E.
55° 01'·32N., 17° 23'·64E.
55° 00'·15N., 17° 30'·37E.
54° 59'·93N., 17° 31'·61E.
54° 59'·74N., 17° 32'·63E.
55° 02'·23N., 17° 32'·15E.
55° 02'·60N., 17° 32'·49E.
55° 06'·44N., 17° 33'·73E.
55° 06'·12N., 17° 22'·82E.
55° 03'·56N., 17° 23'·03E.
55° 03'·45N., 17° 19'·32E.
55° 03'·49N., 17° 16'·93E.
55° 03'·21N., 17° 15'·76E.

6. and

Designation
BALTIC POWER

Position
54° 58'·66N., 17° 33'·85E.
54° 58'·93N., 17° 35'·40E.
54° 59'·37N., 17° 37'·37E.
55° 00'·29N., 17° 43'·09E.
55° 05'·12N., 17° 43'·07E.
55° 04'·95N., 17° 46'·66E.
55° 06'·65N., 17° 46'·25E.
55° 06'·65N., 17° 37'·31E.
55° 02'·07N., 17° 33'·09E.

7. and

Designation
BC-WIND

Position
55° 04'·79N., 17° 49'·82E.
55° 04'·32N., 18° 00'·00E.
55° 02'·10N., 18° 00'·01E.
55° 02'·25N., 18° 03'·94E.
55° 02'·68N., 18° 08'·84E.
55° 03'·83N., 18° 08'·75E.
55° 04'·38N., 18° 06'·97E.
55° 04'·63N., 18° 06'·41E.
55° 04'·99N., 18° 05'·72E.
55° 05'·57N., 18° 04'·92E.
55° 06'·40N., 18° 03'·30E.
55° 06'·19N., 17° 55'·95E.
55° 05'·71N., 17° 50'·50E.

8. Numerous piles have been established within the area.

9. There is an entry prohibited area, radius 500 metres, around each pile.

10. Mariners are advised to navigate with caution in the area.

11. Further information regarding safety zones and restrictions, to be issued by order of the Directors of Maritime Offices.

12. These changes will be included in New Editions of Charts 2014 and 2040 to be published mid 2026.

13. Charts 2288 and 2816 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2040 (INT 1218)

II

2438(P)/26 DENMARK - Islands - Buoyage. Restricted areas.

Source: Danish Notice 12/225(P)/26

1. Restricted areas, entry prohibited, marked by buoys, have been established bounded by the following positions:

<i>Buoy Type</i>	<i>Characteristic</i>	<i>Position</i>
*Yellow spar buoy with cross topmark		55° 20'·60N., 11° 00'·50E.
*Yellow spar buoy with cross topmark		55° 20'·63N., 11° 00'·73E.
*Yellow can buoy with cross topmark	<i>Fl.Y.3s</i>	55° 20'·66N., 11° 00'·97E.
*Yellow spar buoy with cross topmark		55° 20'·54N., 11° 01'·01E.
*Yellow spar buoy with cross topmark		55° 20'·41N., 11° 01'·05E.
*Yellow spar buoy with cross topmark		55° 20'·28N., 11° 01'·09E.
*Yellow can buoy with cross topmark	<i>Fl.Y.3s</i>	55° 20'·15N., 11° 01'·14E.
*Yellow spar buoy with cross topmark		55° 20'·13N., 11° 00'·90E.
Yellow spar buoy with cross topmark		55° 20'·22N., 11° 00'·63E.
Yellow spar buoy with cross topmark		55° 20'·35N., 11° 00'·59E.
Yellow spar buoy with cross topmark		55° 20'·47N., 11° 00'·54E.
*Yellow spar buoy with cross topmark		55° 20'·10N., 11° 00'·67E.

2. and

Yellow can buoy with cross topmark	<i>Fl(4)Y.10s</i>	55° 20'·91N., 11° 03'·17E.
*Yellow spar buoy with cross topmark		55° 20'·93N., 11° 03'·40E.
Yellow spar buoy with cross topmark		55° 20'·96N., 11° 03'·64E.
Yellow spar buoy with cross topmark		55° 20'·83N., 11° 03'·69E.
Yellow spar buoy with cross topmark		55° 20'·70N., 11° 03'·73E.
Yellow spar buoy with cross topmark		55° 20'·57N., 11° 03'·78E.
Yellow spar buoy with cross topmark		55° 20'·44N., 11° 03'·82E.
*Yellow spar buoy with cross topmark		55° 20'·41N., 11° 03'·57E.
Yellow can buoy with cross topmark	<i>Fl(4)Y.10s</i>	55° 20'·38N., 11° 03'·32E.
Yellow spar buoy with cross topmark		55° 20'·51N., 11° 03'·28E.
Yellow spar buoy with cross topmark		55° 20'·65N., 11° 03'·24E.
Yellow spar buoy with cross topmark		55° 20'·78N., 11° 03'·21E.

3. Mariners are advised to navigate with caution in the area.

4. *Former Notice 1805(P)/26 is cancelled.

*Indicates new or revised entry.

(WGS84 DATUM)

Charts affected - 938 (INT 1369) - 2106 (INT 1303) - 2596 (INT 1370)

II

2455(T)/26 FINLAND - West Coast - Measuring instrument.

Source: Finnish Notice 9/91(T)/26

1. A measuring instrument, with safety zone 100m radius, has been established on the seabed in position 61° 32'·94N., 21° 22'·00E.
2. Mariners are advised to avoid anchoring or trawling in the vicinity.
(WGS84 DATUM)

Charts affected - 2082 (INT 1206) - 3830 (INT 1133)

II

2482(T)/26 DENMARK - East Coast - Works.

Source: Danish Notice 16/285(T)/26

1. Construction works are taking place within an area bounded by the following positions:

55° 33'·322N., 9° 46'·107E.

55° 33'·350N., 9° 46'·078E.

55° 33'·358N., 9° 46'·086E.

55° 33'·351N., 9° 46'·121E.

55° 33'·333N., 9° 46'·141E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 900 (INT 1376)

II

2329(T)/26 NORTH SEA - Norwegian Sector - Buoyage.

Source: Norwegian Notices 7/81251(T) - 81252(T)/26

1. Yellow spherical ODAS buoys, *Fl(5)Y.20s*, have been deployed in the following positions:

59° 57'·74N., 2° 23'·58E.

59° 46'·51N., 2° 31'·80E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 292 - 294 - 1427 (INT 1401) - 2182C (INT 1041)

II

2356(T)/26 NORTH SEA - United Kingdom Sector - Scientific instrument.

Source: NEO NEXT+

1. An acoustic monitoring device has been established on the seabed in the following position: 57° 11'·25N., 1° 52'·45E.
2. The mooring extends upwards from the seabed by up to 25 metres and has no surface marker.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 272 - 274 - 278 - 1405 (INT 1400)

II

2363(T)/26 DENMARK - North Sea Coast - Works.

Source: Danish Notice 14/262(T)/26

1. Construction works are taking place in areas bounded by the following positions:

57° 35'·674N., 9° 57'·633E.

57° 35'·690N., 9° 57'·745E.

57° 35'·684N., 9° 57'·747E.

57° 35'·667N., 9° 57'·634E.

2. and

57° 35'·549N., 9° 57'·326E.

57° 35'·515N., 9° 57'·356E.

57° 35'·493N., 9° 57'·239E.

3. and

57° 35'·602N., 9° 57'·598E.

57° 35'·600N., 9° 57'·621E.

57° 35'·584N., 9° 57'·618E.

57° 35'·583N., 9° 57'·598E.

4. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1402 (INT 1300)

II

2410(P)/26 NORTH SEA - Norwegian Sector - Offshore installation. Precautionary area.

Source: Norwegian Notice 5/80900(P)/26

1. Marine installation activities are taking place in the Vale field.
2. *A precautionary area has been established, radius 1000m, centred on 59° 42'·34N., 2° 18'·52E.
3. Fishing and trawling within the precautionary area are prohibited.
4. Mariners are advised to navigate with caution in the area and keep a safe distance from the ongoing operations.
5. *Former Notice 410(P)/26 is cancelled.
 *Indicates new or revised entry
 (WGS84 DATUM)

Charts affected - 292 - 294 - 1427 (INT 1401) - 2182C (INT 1041)

II

2486(T)/26 NORTH SEA - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 59'·87N., 3° 16'·20E.	110
51° 25'·43N., 3° 22'·07E.	116
51° 25'·49N., 3° 23'·04E.	116
51° 25'·49N., 3° 23'·90E.	116
* 51° 25'·60N., 3° 23'·85E.	116
51° 25'·62N., 3° 25'·14E.	116
51° 25'·63N., 3° 25'·83E.	116
* 51° 25'·65N., 3° 23'·85E.	116
51° 55'·70N., 3° 39'·80E.	122
52° 10'·42N., 3° 56'·38E.	122
52° 10'·82N., 3° 59'·56E.	122
52° 10'·99N., 3° 59'·78E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·30N., 4° 35'·53E.	124

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
52° 23'·83N., 4° 02'·95E.	125
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
52° 46'·14N., 3° 49'·49E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50

II

2486(T)/26 NORTH SEA - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
* 51° 26'·13N., 3° 20'·07E.	BE101
* 51° 26'·18N., 3° 20'·07E.	BE101
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 2275(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

2433(T)/26 PORTUGAL - West Coast - Buoy.

Source: Portuguese Notice 2/129(T)/2026

1. *The starboard lateral buoy, *Fl(3)G.7s Boia Aveiro*, in position 40° 37'·86N., 8° 46'·98W., has been removed.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 1530(T)/24 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 3227 (INT 1872)

II

2459(T)/26 PORTUGAL - West Coast - Obstruction. Restricted area.

Source: Portuguese Notice 3/159(T)/26

1. An obstruction has been reported in position 38° 39'·53N., 9° 24'·56W.
2. A circular safety zone, radius 500 yards, has been established, centred on the obstruction.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3220 (INT 1875)

II

2472(T)/26 PORTUGAL - South Coast - Buoy.

Source: Portuguese Notice 3/161(T)/26

1. *The *No 2* lateral light-buoy, *Fl.R. 4s*, in position $37^{\circ} 06' \cdot 96N.$, $8^{\circ} 31' \cdot 54W.$ is temporarily extinguished.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 246(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 83

II

2345(P)/26 ITALY - West Coast - Anchorage areas. Traffic separation scheme. Fairways. Pilot boarding places.

Source: Italian Notices 5.3/26, 5.18(P)/26 and 8.13-8.14/26

- Changes are being made in the approaches to Civitavecchia harbour. These amendments come into effect on 29 April 2026.
- The details of the new Traffic Separation Scheme, along with pilot boarding places and amendments to the positions of the existing anchorage areas are shown in the accompanying diagram. The numbered positions on the diagram relate to the positions below.
- Traffic separation lanes will be amended. The new shipping fairways will be bounded by the following positions and separated by Separation Zones:

Fairway Direction

Position

(1) Inbound north lane

42° 06'·65N., 11° 40'·53E.

42° 05'·90N., 11° 40'·82E.

42° 06'·68N., 11° 43'·30E.

42° 06'·96N., 11° 43'·20E.

(2) Outbound lane

42° 06'·63N., 11° 43'·33E.

42° 05'·85N., 11° 40'·85E.

42° 05'·20N., 11° 41'·37E.

42° 06'·399N., 11° 43'·511E.

(3) Inbound south lane

42° 05'·16N., 11° 41'·41E.

42° 04'·78N., 11° 41'·88E.

42° 06'·217N., 11° 43'·726E.

42° 06'·356N., 11° 43'·554E.

- Pilot boarding places will be established in the following positions:

42° 06'·79N., 11° 43'·20E.

42° 06'·291N., 11° 43'·627E.

- The limits of the anchorage areas south of Civitavecchia harbour will be bounded by the following positions:

Designation

Position

A

42° 05'·375N., 11° 44'·015E.

42° 04'·42N., 11° 45'·00E.

42° 04'·91N., 11° 45'·86E.

42° 05'·526N., 11° 45'·186E.

B

42° 03'·57N., 11° 45'·87E.

42° 04'·42N., 11° 46'·39E.

42° 04'·91N., 11° 45'·86E.

42° 04'·42N., 11° 45'·00E.

- Mariners should follow the appropriate traffic lane and navigate in the general direction of traffic flow for that lane. They should, as far as reasonably practicable, keep clear of the separation zones.
- *These changes will be included in a New Edition of Chart 953 to be published mid 2026.
- *Charts 1911 and 1999 will be updated by Notice to Mariners.
- *Former Notice 1785(P)/26 is cancelled.
*Indicates a new or revised entry.
(WGS84 DATUM)

Chart affected - 953

II

2357(T)/26 SPAIN - Mediterranean Sea Coast - Works. Buoyage.

Source: Spanish Notice 14/79(T)/26

1. Environmental monitoring works are underway south of Valencia.
2. Yellow special buoys, *Fl(5)Y.20s*, have been established marking submerged equipment as follows:

<i>Buoy type</i>	<i>Position</i>	<i>Remark</i>
Spherical	39° 15'·2N., 0° 08'·2W.	
Spherical	39° 17'·5N., 0° 05'·6W.	
Spherical	39° 17'·5N., 0° 09'·4W.	
Spherical	39° 20'·9N., 0° 10'·7W.	
Pillar	39° 12'·1N., 0° 11'·3W.	<i>ODAS</i>
Pillar	39° 17'·5N., 0° 11'·4W.	<i>ODAS</i>
Pillar	39° 16'·8N., 0° 13'·6W.	<i>ODAS</i>
Pillar	39° 20'·1N., 0° 13'·9W.	<i>ODAS</i>

3. Buoyage and equipment are subject to change as the works progress.
4. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1701

II

2375(T)/26 ISRAEL - Mediterranean Sea Coast - Buoyage.

Source: Israeli Notice 25/26

1. The yellow pillar light-buoy, *Fl.5s*, in position 32° 28'·66N., 34° 51'·94E. is reported off station.
2. A 200m floating rope which connects to the LNG mooring buoy has been reported in the same position.
3. Mariners are advised that navigating in the vicinity of the LNG mooring buoy is prohibited without the permission of the local port authorities.
(WGS84 DATUM)

Chart affected - 1591 (INT 3681)

II

2379(T)/26 ISRAEL - Mediterranean Sea Coast - Buoy.

Source: Israeli Notice 27/26

1. A submerged metal buoy has been deployed at a depth of 8m below the surface, in position 32° 42'·13N., 34° 50'·50E., until further notice.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1585 (INT 3680) - 2634

II

2382(T)/26 SPAIN - Mediterranean Sea Coast - Buoyage. Submarine pipeline.

Source: Spanish Notice 14/80(T)/26

1. The following light-buoys have been established:

<i>Characteristic</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl(5)Y.20s1M</i>	Yellow spherical buoy with X shape topmark	39° 40'·2N., 0° 11'·7W.
<i>Fl(5)Y.20s1M</i>	Yellow spherical buoy with X shape topmark	39° 41'·7N., 0° 11'·0W.
<i>Fl(5)Y.20s1M</i>	Yellow spherical buoy with X shape topmark	39° 43'·2N., 0° 10'·6W.
<i>Fl(5)Y.20s1M</i>	Yellow ODAS pillar buoy with X shape topmark	39° 42'·4N., 0° 11'·0W.

2. In the areas near beaches, special yellow coloured mark buoys will be positioned indicating the area where sections of submerged and floating pipelines are located.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1460 - 1701

II

2420(P)/26 UKRAINE - Obstructions. Depths. Alongside depths.

Source: Ukrainian Notice 9/132/26

1. Numerous changes to charted detail have taken place within the port of Pivdennyi. The most significant changes are as follows:
2. Obstructions exist in the following positions:

<i>Depth</i>	<i>Position</i>
15.5m	46° 36'·072N., 31° 00'·996E.
3.1m	46° 36'·137N., 31° 00'·750E.

3. Obstruction areas exist bounded by the following positions:

<i>Least depth</i>	<i>Position</i>
12.5m	46° 37'·222N., 31° 00'·837E.
	46° 37'·221N., 31° 00'·913E.
	46° 37'·203N., 31° 01'·021E.
	46° 37'·187N., 31° 01'·025E.
	46° 37'·178N., 31° 00'·950E.
	46° 37'·197N., 31° 00'·842E.

4. and

<i>Least depth</i>	<i>Position</i>
12.2m	46° 37'·265N., 31° 01'·125E.
	46° 37'·426N., 31° 01'·066E.
	46° 37'·413N., 31° 01'·013E.
	46° 37'·409N., 31° 00'·950E.
	46° 37'·421N., 31° 00'·935E.
	46° 37'·436N., 31° 01'·062E.
	46° 37'·562N., 31° 01'·015E.
	46° 37'·562N., 31° 01'·031E.
	46° 37'·497N., 31° 01'·068E.
	46° 37'·402N., 31° 01'·110E.
	46° 37'·272N., 31° 01'·146E.

5. and

<i>Least depth</i>	<i>Position</i>
14.7m	46° 38'·584N., 31° 00'·715E.
	46° 38'·577N., 31° 00'·659E.
	46° 38'·620N., 31° 00'·636E.
	46° 38'·644N., 31° 00'·654E.
	46° 38'·755N., 31° 00'·594E.
	46° 38'·751N., 31° 00'·569E.
	46° 38'·788N., 31° 00'·555E.
	46° 38'·813N., 31° 00'·550E.
	46° 38'·835N., 31° 00'·663E.
	46° 38'·720N., 31° 00'·708E.
	46° 38'·716N., 31° 00'·682E.

6. and

<i>Least depth</i>	<i>Position</i>
14.3m	46° 38'·915N., 31° 00'·536E.
	46° 38'·927N., 31° 00'·588E.
	46° 38'·960N., 31° 00'·582E.
	46° 38'·967N., 31° 00'·632E.
	46° 39'·011N., 31° 00'·627E.
	46° 39'·039N., 31° 00'·582E.
	46° 39'·048N., 31° 00'·521E.

II

2420(P)/26 UKRAINE - Obstructions. Depths. Alongside depths. (continued)

7. and

Least depth

14·5m

Position

46° 39'·309N., 31° 00'·733E.

46° 39'·284N., 31° 00'·796E.

46° 39'·295N., 31° 00'·804E.

46° 39'·277N., 31° 00'·880E.

46° 39'·288N., 31° 00'·891E.

46° 39'·312N., 31° 00'·837E.

46° 39'·322N., 31° 00'·739E.

8. Depths and alongside depths less than charted exist. The most significant are as follows:

Depth

10·9m

16·6m

11·8m

11·6m

14·3m

14m

Position

46° 36'·695N., 31° 00'·827E.

46° 36'·894N., 31° 01'·581E.

46° 37'·120N., 31° 00'·830E.

46° 37'·298N., 31° 00'·798E.

46° 37'·565N., 31° 01'·479E.

46° 38'·969N., 31° 01'·045E.

9. Mariners are advised to navigate with caution in the area and consult the local port authority for the latest information.

10. These and other changes will be included in the next New Edition of Chart 2202.

(WGS84 DATUM)

Chart affected - 2202

II

2393(T)/26 GAMBIA - Buoyage.

Source: Gambia Ports Authority

1. The red lateral light-buoy, *Fl(2)R.8s*, in position 13° 29'·09N., 16° 33'·34W. is reported unlit.
2. *The *No 3* light-buoy, *Fl.7·5s*, in position 13° 34'·34N., 16° 44'·40W. is reported unlit.
3. *The red lateral light-buoy, *Q.R.*, in position 13° 26'·90N., 16° 32'·70W. is reported off station.
4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 1708(T)/26 is cancelled.
 *Indicates new or revised entry
 (WGS84 DATUM)

Charts affected - 608 (INT 1996) - 1664 (INT 1954)

II

2444(P)/26 IVORY COAST - Dredged area.

Source: French Notice 15/6(T)/26

1. Dredging has taken place within the Port of Abidjan.
2. *The Canal de Vridi, 5° 15'·465N., 4° 00'·764W., has been dredged to 16·5m.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. Chart 3103 will be updated when full details are available.
5. *Former Notice 124(P)/22 is cancelled.
 *Indicates new or revised entry
 (WGS84 DATUM)

Chart affected - 3103 (INT 2873)

II

2330(T)/26 ISRAEL - Red Sea Coast - Buoyage.

Source: Israeli Notice 24/26

1. The following light-buoys in the port of Eliat have been replaced:

<i>Former Characteristic</i>	<i>Former Buoy Type</i>	<i>New Characteristic</i>	<i>New Buoy Type</i>	<i>Position</i>
<i>Q.R</i>	Red pillar buoy	<i>Fl(2)</i>	Orange buoy, shape unknown	29° 32'·14N., 34° 56'· 73E.
<i>Fl.R.4s</i>	Red pillar buoy	<i>Fl</i>	Orange buoy, shape unknown	29° 31'·47N., 34° 56'· 32E.

(WGS84 DATUM)

Chart affected - 801 (INT 7143)

II

2338(T)/26 UNITED ARAB EMIRATES - Buoyage.

Source: Ports, Customs and Free Zone Corporation Dubai

1. Special purpose light-buoys, *Fl.Y*, have been established in the following positions:

<i>Designation</i>	<i>Position</i>
<i>PJS01</i>	25° 02'·63N., 54° 59'·30E.
<i>PJS02</i>	25° 02'·61N., 54° 59'·43E.
<i>PJS03</i>	25° 03'·34N., 54° 59'·43E.
<i>PJS04</i>	25° 03'·32N., 54° 59'·55E.
<i>PJS05</i>	25° 04'·05N., 54° 59'·55E.
<i>PJS06</i>	25° 03'·95N., 54° 59'·66E.
(WGS84 DATUM)	

Charts affected - 3176 (INT 7216) - 3739 (INT 7220)

II

2456(T)/26 OMAN - Wreck.

Source: NAVAREA IX Warning 117/26

1. A dangerous wreck has been reported in position 26° 20'·8N., 56° 14'·3E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2837 (INT 7017) - 2851 - 2858 (INT 750) - 2888 (INT 7199) - 3172 - 4705 (INT 705)

II

2341(T)/26 BANGLADESH - Buoyage.

Source: BNHOC Notices 06(T)/25, 09(T)/25, 19(T)/25, 24(T)/25, 35(T)/25 and 06(T)/26

1. Changes to buoyage have taken place within Pussur River including the following:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Status</i>	<i>Position</i>
<i>Fl(2)G.12s</i>	<i>B-7</i>	Starboard lateral	Unlit	21° 33'·88N., 89° 28'·70E.
<i>Fl(2)R.12s</i>	<i>B-8</i>	Port lateral	Missing	21° 33'·88N., 89° 27'·00E.
<i>Fl(3)G.15s</i>	<i>B-9</i>	Starboard lateral	Unlit	21° 35'·93N., 89° 28'·03E.
<i>Fl(3)R.15s</i>	<i>B-10</i>	Port lateral	Missing	21° 35'·93N., 89° 26'·93E.
<i>Fl(2)G.12s</i>	<i>B-11</i>	Starboard lateral	Unlit	21° 38'·42N., 89° 28'·04E.
<i>Fl(2)R.12s</i>	<i>B-12</i>	Port lateral	Unlit	21° 38'·42N., 89° 26'·96E.
<i>Fl.G.8s</i>	<i>B-13</i>	Starboard lateral	Unlit	21° 40'·05N., 89° 28'·63E.
<i>Fl. R.8s</i>	<i>B-14</i>	Port lateral	Missing	21° 40'·05N., 89° 27'·56E.
<i>Fl(4)G.15s</i>	<i>B-15</i>	Starboard lateral	Unlit	21° 42'·09N., 89° 29'·08E.
<i>Fl(4)R.15s</i>	<i>B-16</i>	Port lateral	Unlit	21° 42'·09N., 89° 28'·14E.
<i>Fl(2)R.10s</i>	<i>B-18</i>	Port lateral	Unlit	21° 44'·12N., 89° 28'·12E.
<i>Fl.R.6s</i>	<i>B-20</i>	Port lateral	Unlit	21° 46'·15N., 89° 28'·27E.
<i>Fl(4)R.20s</i>	<i>B-34</i>	Port lateral	Missing	21° 56'·17N., 89° 30'·95E.
<i>Fl(3)G.15s</i>	<i>K-3</i>	Starboard lateral	Missing	22° 02'·77N., 89° 34'·01E.
<i>Fl(2)R.12s</i>	<i>S-2</i>	Port lateral	Unlit	22° 06'·69N., 89° 35'·60E.
<i>Fl(4)R.20s</i>	<i>S-4</i>	Port lateral	Unlit	22° 07'·61N., 89° 35'·74E.
<i>Fl(2)R.12s</i>	<i>S-6</i>	Port lateral	Unlit	22° 09'·45N., 89° 34'·28E.
<i>Fl.G.10s</i>	<i>S-9</i>	Starboard lateral	Missing	22° 10'·78N., 89° 33'·44E.
<i>Fl(2)R.12s</i>	<i>M-8</i>	Port lateral	Unlit	22° 13'·89N., 89° 35'·02E.
* <i>Fl(2)R.10s</i>	<i>H-2</i>	Port lateral	Removed	22° 18'·73N., 89° 36'·84E.
* <i>Fl(4)R.20s</i>	<i>H-4</i>	Port lateral	Removed	22° 19'·94N., 89° 37'·69E.
* <i>Fl(4)R.10s</i>	<i>J-4</i>	Port lateral	Missing	22° 22'·70N., 89° 37'·20E.
* <i>Fl.R.10s</i>	<i>J-8</i>	Port lateral	Removed	22° 26'·66N., 89° 35'·15E.
* <i>Fl(2)R.12s</i>	<i>B-32</i>	Port lateral	Removed	21° 54'·19N., 89° 30'·83E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

3. *Former Notice 1694(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 90 - BD 2508 (INT 7451) - BD 3004 (INT 7452) - BD 5001 (INT 7426) - IN 351 (INT 7419)

II

2373(T)/26 INDIAN OCEAN - La Réunion - Buoyage. Scientific instruments.

Source: French Notice 11/14(T)/26

1. Mooring buoys with scientific instruments, have been established in positions:

<i>Designation</i>	<i>Position</i>
<i>LC01</i>	20° 52'·92S., 55° 33'·83E.
<i>LC02</i>	21° 00'·85S., 55° 43'·08E.
<i>LC07</i>	20° 59'·42S., 55° 15'·96E.
<i>LC11</i>	21° 10'·86S., 55° 17'·17E.
<i>LC12</i>	21° 04'·92S., 55° 13'·28E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1495 (INT 7736)

II

2470(P)/26 INDIA - West Coast - Depths. Drying height. Bridge. Vertical clearance.

Source: Indian Chart 2013 and UKHO

1. The Sudarshutan Setu bridge exists between the following positions. The vertical clearance of the bridge is unknown:

22° 26'·824N., 69° 05'·607E.

22° 27'·454N., 69° 04'·434E.

2. Numerous depths and drying heights less than charted exist in the approaches to Okha Harbour. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
1·3m drying height	22° 29'·678N., 69° 05'·261E.
17·7m	22° 30'·739N., 69° 04'·107E.
11·0m	22° 30'·457N., 69° 04'·594E.
9·2m	22° 30'·448N., 69° 05'·031E.
9·9m	22° 29'·913N., 69° 05'·813E.
6·7m	22° 29'·731N., 69° 05'·680E.
8·6m	22° 29'·487N., 69° 05'·576E.
6·3m	22° 29'·234N., 69° 05'·470E.
4·3m	22° 29'·113N., 69° 05'·493E.
4·0m	22° 28'·940N., 69° 05'·211E.
6·9m	22° 28'·591N., 69° 05'·316E.
5·0m	22° 28'·430N., 69° 05'·417E.
2·9m	22° 28'·204N., 69° 05'·512E.
4·8m	22° 28'·267N., 69° 05'·276E.
2·2m	22° 28'·221N., 69° 05'·230E.
3·1m	22° 28'·214N., 69° 05'·134E.
1·9m	22° 28'·274N., 69° 04'·972E.
2·0m	22° 28'·067N., 69° 05'·459E.
1·1m	22° 27'·837N., 69° 04'·990E.
2·0m	22° 27'·372N., 69° 05'·329E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. These changes will be included in a New Edition of Chart IN2013 to be published mid 2026.
(WGS84 DATUM)

Chart affected - IN 2013 (INT 7324)

II

2340(P)/26 CHINA - East Coast - Traffic separation scheme. Buoyage. Depths. Alongside depths. Pier.

Source: Chinese Chart 13126

1. The Traffic Separation Scheme within Tongzhousha Shuidao and Nantong Shuidao has been extended along a centreline joining the following positions:

31° 59'·83N., 120° 39'·17E.
31° 59'·84N., 120° 39'·33E.
32° 00'·04N., 120° 40'·99E.
32° 00'·70N., 120° 45'·83E.
32° 00'·62N., 120° 47'·26E.
32° 00'·27N., 120° 48'·53E.
31° 59'·70N., 120° 49'·39E.
31° 58'·95N., 120° 50'·29E.
31° 57'·83N., 120° 51'·30E.
31° 54'·63N., 120° 52'·78E.
31° 54'·37N., 120° 52'·87E.

2. The associated buoyage positions and designations have been amended accordingly.
3. There have been numerous changes to depths, and alongside depths between Tongzhousha Shuidao and Nantong Shuidao. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
19m	31° 55'·20N., 120° 53'·22E.
15·5m	31° 57'·52N., 120° 51'·11E.
13·7m	31° 58'·08N., 120° 50'·80E.
10·7m	31° 59'·99N., 120° 48'·04E.
11·3m	31° 59'·98N., 120° 47'·15E.
7·2m	32° 00'·15N., 120° 46'·41E.
14·4m	32° 00'·55N., 120° 47'·50E.
17·2m	32° 00'·70N., 120° 46'·76E.
14·8m	32° 00'·90N., 120° 45'·52E.
12·8m	31° 58'·29N., 120° 50'·54E.
10·3m	31° 59'·94N., 120° 48'·41E.

4. A depth of 4·1m exists in position 32° 02'·25N., 120° 43'·29E.
5. A pier has been established joining the following positions:
32° 01'·82N., 120° 46'·02E.
32° 01'·07N., 120° 45'·92E.
6. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
7. These and other changes will be included in the next New Edition of Chart 1605.
(CGCS 2000 DATUM)

Chart affected - 1605

II

2352(T)/26 CHINA - South Coast - Dredging area. Works.

Source: Hong Kong Notice 7/24(T)/26

1. Dredging works are taking place within an area bounded by the following positions:

22° 20′·853N., 114° 06′·966E.

22° 20′·919N., 114° 07′·190E.

22° 20′·608N., 114° 07′·295E.

22° 20′·600N., 114° 07′·267E.

22° 20′·884N., 114° 07′·169E.

22° 20′·832N., 114° 06′·975E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 4119 - 4122

II

2380(T)/26 MALAYSIA - Peninsular Malaysia, East Coast - Buoy.

Source: Marine Department, Malaysia Notice 62(T)/26

1. The isolated danger light-buoy, *Fl(2)5s*, in position 1° 17'·91N., 104° 22'·97E. is reported off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2403 - 3831

II

2405(T)/26 VIETNAM - Buoyage.

Source: VMS-North Notice 23(T)/26

1. The following light-buoys have been moved:

<i>Characteristic</i>	<i>Designation</i>	<i>Former Position</i>	<i>New Position</i>
<i>Fl.G.3s</i>	<i>HP55</i>	20° 50'·00N., 106° 47'·30E.	20° 50'·02N., 106° 47'·32E.
<i>Fl.G.3s</i>	<i>HP55A</i>	20° 49'·94N., 106° 47'·45E.	20° 49'·96N., 106° 47'·46E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3882

II

2409(P)/26 CHINA - Bo Hai - Depths.

Source: mv Amali, UKHO and Chinese Chart 11763

1. A depth of 12·1m has been reported to exist in the vicinity of position 38° 45′·58N., 117° 42′·46E., at Tianjin Nangang LNG Terminal.
2. Mariners are advised to consult the local port authority for the latest information.
3. *Former Notice 647(P)/26 is cancelled.
*Indicates new or revised entry
(CGCS 2000 DATUM)

Chart affected - 2645

II

2446(T)/26 VIETNAM - Wreck.

Source: Vietnam Maritime Safety Corporation Notice 30(T)/26

1. A dangerous wreck exists in position 19° 59'·37N., 106° 13'·25E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1965

II

2473(T)/26 JAPAN - Hokkaidō - Wreck.

Source: Japanese Notice 18/5184(T)/26

1. A wreck, approximately 11·8m in length, exists in position 43° 00′·6N., 144° 49′·2E.
(WGS84 DATUM)

Chart affected - JP 1032

II

2408(T)/26 KOREA - South Coast - Light.

Source: Korean Notice 13/183(T)/2026

1. The range of the light at Oryukdo, in position 35° 05'·48N., 129° 07'·61E. has been temporarily reduced to 11 miles.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 127 - 1065 - 1259 - 2347 - 3480 - 3666 (INT 5251)

II

2445(T)/26 KOREA - South Coast - Buoyage.

Source: Korean Notice 15/214(T)/26

1. Special purpose light-buoys, *Fl(4)Y.8s*, have been established in the following positions:

<i>Designation</i>	<i>Position</i>
<i>A</i>	34° 59'·71N., 129° 04'·47E.
<i>B</i>	35° 00'·02N., 129° 04'·72E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1065

II

2436(T)/26 AUSTRALIA - Western Australia - Buoy.

Source: Australian Notice 9/396(T)/26

1. The east cardinal light-buoy, *Q(3)10s Cl*, in position $20^{\circ} 23' \cdot 22\text{S}$., $117^{\circ} 25' \cdot 59\text{E}$., is off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4722 (INT 722) - 4723 (INT 723) - Aus 55 - Aus 326

II

2439(T)/26 SOUTH PACIFIC OCEAN - Solomon Islands - Leading light.

Source: Australian Notice 9/408(T)/26

1. The leading light, Fl.G.5s 6M, in position 9° 25′·807S., 159° 57′·312E., is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - SLB 101

II

2474(T)/26 NORTH PACIFIC OCEAN - General information.

Source: Japanese Notice 18/5192(T)/26

1. A rocket launch is due to take place from the Tanegashima Space Center between 9 June 2026 to 30 June 2026.
2. A sea warning area will be established, bounded by the coastline and the following positions:

30° 22'·33N., 130° 57'·68E.
30° 21'·95N., 130° 57'·82E.
30° 11'·40N., 130° 57'·82E.
30° 11'·40N., 131° 22'·20E.
30° 27'·60N., 131° 22'·20E.
30° 27'·60N., 131° 00'·33E.
30° 26'·80N., 130° 59'·88E.
30° 25'·67N., 130° 58'·35E.

3. Between 10 June 2026 and 30 June 2026, rocket debris is predicted to fall within areas bounded by the following positions:

20° 17'·0N., 133° 09'·0E.
17° 35'·0N., 135° 13'·0E.
18° 49'·7N., 136° 49'·5E.
19° 09'·4N., 136° 49'·5E.
21° 13'·7N., 135° 14'·4E.
21° 29'·0N., 134° 42'·0E.

4. and

16° 20'·0N., 135° 14'·0E.
15° 12'·0N., 132° 05'·0E.
12° 48'·0N., 132° 57'·0E.
13° 55'·0N., 136° 05'·0E.

5. and

36° 00'·0S., 94° 00'·0E.
49° 00'·0S., 91° 00'·0E.
51° 00'·0S., 97° 00'·0E.
38° 00'·0S., 100° 00'·0E.

6. Mariners are advised to navigate with caution within these areas.
(WGS84 DATUM)

Charts affected - 2347 - 2412 - 3237 - 4052 (INT 52) - 4070 (INT 70) - 4073 (INT 73) - 4074 (INT 74) - 4507 (INT 507) - 4509 (INT 509) - 4510 (INT 510) - 4708 (INT 708) - 4710 (INT 710) - 4714 (INT 714) - JP 1221

II

2365(P)/26 PERU - Depths, Wreck.

Source: ENC PE602236

1. Depths less than charted exist within Bahia Del Callao. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
4·1m	12° 02'·329S., 77° 09'·652W.
3·8m	12° 02'·133S., 77° 09'·509W.
14·2m	12° 02'·722S., 77° 10'·042W.
14·5m	12° 02'·860S., 77° 09'·357W.
9·7m	12° 03'·050S., 77° 08'·765W.
0·9m	12° 02'·530S., 77° 08'·483W.
2·2m	12° 02'·518S., 77° 09'·543W.
10·7m	12° 02'·581S., 77° 08'·988W.
8·8m	12° 02'·988S., 77° 08'·667W.
9·9m	12° 02'·908S., 77° 08'·795W.
14·7m	12° 02'·820S., 77° 09'·618W.
3·3m	12° 02'·123S., 77° 09'·798W.

2. A dangerous wreck exists in position 12° 03'·116S., 77° 09'·597W.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. These changes will be included in a New Edition of Chart 1853 to be published mid 2026.
(WGS84 DATUM)

Chart affected - 1853

II

2429(T)/26 BRAZIL - East Coast - Buoy.

Source: HYDROLANT 810/26

1. An unlit yellow ODAS buoy has been established in position 17° 58'·12S., 38° 41'·48W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3973

II

2448(T)/26 BRAZIL - East Coast - Buoy.

Source: HYDROLANT 746/26

1. An ODAS buoy has been established in position 21° 34'·2S., 40° 43'·6W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 529 - 3972

II

2469(T)/26 BRAZIL - South Coast - Buoy.

Source: HYDROLANT 809/26

1. *An ODAS buoy has been established in position 32° 32'·5S., 52° 06'·0W.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 5676(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 3984

II

2367(P)/26 GUYANA - Light-beacons. Leading lights. Buoyage.

Source: Guyana Maritime Administration Department

1. *Navigational lit beacons have been constructed in the following positions:

<i>Designation</i>	<i>Position</i>	<i>Light Characteristics</i>
Navigational Marker 7	6° 40'·33N., 58° 11'·24W.	Fl.12m6M
Navigational Marker 8	6° 38'·04N., 58° 12'·51W.	Fl.11m6M
Navigational Marker 10	6° 36'·64N., 58° 12'·89W.	Fl.10m6M
Navigational Marker 11	6° 32'·46N., 58° 14'·41W.	Fl.11m6M
Navigational Marker 13	6° 29'·49N., 58° 17'·40W.	Fl.11m6M
Navigational Marker 15	6° 28'·79N., 58° 18'·44W.	Fl.11m6M
Navigational Marker 16	6° 28'·69N., 58° 18'·82W.	Fl.R.4s11m4M
Navigational Marker 18	6° 27'·43N., 58° 18'·92W.	Fl.R.4s10m4M
Navigational Marker 21	6° 24'·19N., 58° 17'·48W.	Fl.G.4s11m4M
Navigational Marker 24	6° 22'·38N., 58° 18'·90W.	Fl.R.4s10m4M
Navigational Marker 25	6° 20'·63N., 58° 18'·64W.	Fl.11m6M
Navigational Marker 31	6° 17'·68N., 58° 16'·07W.	Fl.G.11m4M
Navigational Marker 32	6° 16'·99N., 58° 16'·10W.	Fl.R.10m4M
Navigational Marker 35	6° 15'·46N., 58° 16'·37W.	Fl.G.11m4M
Navigational Marker 38	6° 12'·62N., 58° 18'·06W.	Fl.R.11m4M
Navigational Marker 39	6° 12'·60N., 58° 17'·96W.	Fl.G.11m4M
Navigational Marker 40	6° 12'·51N., 58° 18'·05W.	Fl.R.4s11m4M
Navigational Marker 49	6° 08'·37N., 58° 15'·50W.	Fl.R.4s10m4M
Navigational Marker 50	6° 08'·59N., 58° 15'·62W.	Fl.G.4s10m4M
Navigational Marker 51	6° 06'·66N., 58° 16'·10W.	Fl.G.4s10m4M
Navigational Marker 52	6° 05'·84N., 58° 17'·05W.	Fl.R.4s11m4M
Navigational Marker 54	6° 05'·28N., 58° 17'·75W.	Fl.R.4s11m4M
Navigational Marker 60	6° 03'·87N., 58° 18'·14W.	Fl.11m4M

2. and

<i>Designation</i>	<i>Position</i>	<i>Light Characteristics</i>
Navigational Marker 62	6° 02'·97N., 58° 17'·83W.	Fl.R.4s11m4M
Navigational Marker 63	6° 02'·32N., 58° 17'·35W.	Fl.G.4s11m4M
Navigational Marker 65	6° 01'·88N., 58° 17'·44W.	Fl.11m6M
Navigational Marker 66	6° 01'·50N., 58° 17'·91W.	Fl.1m6M

3. *Navigational lit beacons with leading lights have been established in the following positions:

<i>Designation</i>	<i>Position</i>	<i>Light Characteristics</i>	<i>Bearing</i>	<i>Remarks</i>
No. D Rear La Penitence	6° 48'·100N., 58° 10'·100W.	Fl.W.17·4m	24·3°	Unreliable
No. C Front Ruimveldt	6° 47'·707N., 58° 10'·215W.	Fl.W.5·4m	24·3°	Unreliable
No.1 Peter Hall Front	6° 46'·40N., 58° 10'·60W.	Fl.W.6·4m	189°	Unreliable
No.1 Peters Hall Rear	6° 46'·10N., 58° 10'·70W.	Fl.W.15·2m	189°	Unreliable
No. 2 Rear Nismes	6° 45'·30N., 58° 12'·20W.	Fl.1·5s15·6m	347·8°	Unreliable
No. 2 Front Toevlugt	6° 45'·30N., 58° 12'·00W.	Fl.W.6·4m	347·8°	Unreliable
No. 4 Rear Sisters	6° 44'·90N., 58° 12'·00W.	Fl.W.1·5s19·5m	204·3°	Unreliable
No. 4 Front Bell e Vue	6° 42'·60N., 58° 12'·50W.	Fl.W.8·3m	204·3°	Unreliable

II

2367(P)/26 GUYANA - Light-beacons. Leading lights. Buoyage. (continued)

4. *Light-Buoys have been established and amended in the following positions:

<i>Designation</i>	<i>Position</i>	<i>Buoy Type</i>	<i>Light Characteristics</i>	<i>Remarks</i>
<i>No 14 G/T</i>	6° 50'·141N., 58° 10'·109W.	Starboard Lateral	<i>Fl.R.6s</i>	Reported missing
<i>VEHSI Outer</i>	6° 49'·687N., 58° 10'·241W.	Starboard Lateral	<i>Fl.R.4s</i>	Inserted
<i>VEHSI 2</i>	6° 49'·216N., 58° 10'·443W.	Starboard Lateral	<i>Fl.R.4s</i>	Light description change
<i>VEHSI 3</i>	6° 49'·044N., 58° 10'·428W.	Port Lateral	<i>Fl.G.4s</i>	Light description change
<i>VEHSI 4</i>	6° 49'·119N., 58° 10'·519W.	Starboard Lateral	<i>Fl.R.4s</i>	Light description change
<i>VEHSI 5</i>	6° 48'·892N., 58° 10'·566W.	Port Lateral	<i>Fl.G.4s</i>	Light description change

5. Mariners are advised to navigate with caution in the area.

6. *These and other changes will be included in the next New Edition of Chart 519.

7. *Former Notice 307(P)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 519 - 527 - 537