



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 22

28 May 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
31	3985	INT 1044	NP 76
663	4970	INT 1223	
802	5506	INT 1224	
853	5507	INT 1311	
869	5523	INT 1314	
873	5605_10	INT 1315	
889	5606_3	INT 1721	
1199	IN 2013	INT 1751	
1422		INT 1761	
1603		INT 1772	
1720		INT 1777	
1754		INT 7239	
1759		INT 7243	
1968		INT 7249	
2425		INT 7250	
2426		INT 7324	
2444		INT 7698	
2523			
2842			
2843			
2844			
2886			
2990			
3452			
3453			
3772			

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 28 May 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙663 INT 7698	International Chart Series, Africa - East Coast, Tanzania, Approaches to Tanga. Tanga.	1:37,500 1:15,000	36	56
On publication of this New Edition former Notices 729(P)/26 and 853(P)/26 are cancelled. This chart is to be deleted from the list of charts affected by Notice 705(P)/26.				
⊙869 INT 1311	International Chart Series, Sweden - West Coast, Hunnebostrand to Uddevalla and Gullholmen, Ⓐ Malö Strömmar. Ⓑ Smögen and Kungshamn. Ⓒ Strandanäs. Ⓓ Uddevalla. Ⓔ Lysekil. Ⓕ Strömmarna.	1:50,000 1:25,000 1:25,000 1:25,000 1:15,000 1:15,000 1:10,000	10	32
On publication of this New Edition former Notice 5379(P)25 is cancelled. This chart remains affected by Notice 4699(T)/25.				
⊙873 INT 1315	International Chart Series, Sweden - West Coast, Marstrand. Ⓐ Marstrand. Ⓑ Kyrkesund.	1:25,000 1:12,500 1:12,500	10	32, 34
⊙1199	China - East Coast, Ningbo Gang to Changjiang Kou. Luhuashan Anchorage.	1:300,000 1:60,000	50	80
This chart remains affected by Notices 3109(T)/19, 3935(P)/22, 3389(T)/23, 2444(T)/24, 3089(P)/24, 5982(T)/24, 1583(T)/25, 3678(T)/25, 4412(T)/25, and 5583(T)/25. This chart is to be deleted from the list of charts affected by Notice 2285(P)/26.				
⊙1422 INT 1044	International Chart Series, North Sea, Esbjerg to Hanstholm including Offshore Oil and Gas Fields. Ⓐ Hanstholm.	1:375,000 1:15,000	9	26, 28, 32
On publication of this New Edition former Notice 1467(P)/26 is cancelled. This chart remains affected by Notices 2973(P)/24, 1271(T)/25, 4250(T)/25, 149(P)/26 and 1635(T)/26.				
⊙1603	China - Chang Jiang, Inner Approaches to Shanghai.	1:60,000	50	80
This chart remains affected by Notice 4742(T)/24.				
⊙1754	China - East China Sea, Mazu Liedao to Dongtou Liedao.	1:300,000	50	80
This chart remains affected by Notice 942(P)/24.				

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 28 May 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1759	China - Dong Hai, Wenzhou Wan to Ningbo Gang. This chart remains affected by Notices 1288(T)/22, 1451(T)/24, 3377(T)/24, 5982(T)/24, 1439(T)/25, 1600(T)/25 and 2250(T)/26. This chart is to be deleted from the list of charts affected by Notice 2285(P)/26.	1:300,000	50	80
⊙1968	Taiwan Strait. This chart remains affected by Notices 4508(T)/20, 751(T)/21 and 571(T)/26.	1:750,000	50	76, 78, 80
⊙2444 INT 7239	International Chart Series, United Arab Emirates, Qatar and Iran, Eastern Approaches to Jazīrat Dās and Jazīrat Ḥālūl. This chart remains affected by Notices 4449(T)/23, 2528(P)/24, 3475(P)/24, 632(T)/25, 4998(T)/25, 1743(P)/26 and 2153(P)/26. This chart is to be deleted from the list of charts affected by Notices 1789(P)/26 and 1810(P)/26.	1:125,000	40	62
⊙2523 INT 7250	International Chart Series, Iran and Qatar, Cable Bank To Ra's Rakan. On publication of this New Edition former Notice 1692(P)/26 is cancelled. This chart remains affected by Notices 5236(T)/14, 2822(T)/17, 2208(T)/19, 4751(P)/22, 555(T)/24, 5665(P)/24, 3394(T)/25, 1633(T)/26, 1743(P)/26 and 2153(P)/26. This chart is to be deleted from the list of charts affected by Notice 1789(P)/26.	1:150,000	40	62
⊙2886 INT 7243	International Chart Series, Bahrain, Iran, Saudi Arabia, Qatar and United Arab Emirates, Jazīreh-Ye Lavan and Jazīrat Dās to Ra's Tannūrah. On publication of this New Edition former Notice 1692(P)/26 is cancelled. This chart remains affected by Notices 5236(T)/14, 2208(T)/19, 4751(P)/22, 555(T)/24, 905(T)/24, 3475(P)/24, 5665(P)/24, 2867(P)/25, 3394(T)/25, 4385(T)/25, 4998(T)/25, 1743(P)/26 and 2153(P)/26. This chart is to be deleted from the list of charts affected by Notices 1789(P)/26 and 1810(P)/26.	1:350,000	40	62
⊙3772 INT 7249	International Chart Series, Qatar, Approaches to Ra's Laffan. On publication of this New Edition former Notice 1692(P)/26 is cancelled. This chart remains affected by Notices 2208(T)/19, 4751(P)/22 and 5665(P)/24.	1:35,000	40	62

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 28 May 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
5506	Mariners' Routeing Guide, Turkish Straits, İstanbul Boğazı (The Bosphorus) and Approaches.	1:85,000	-	142
5507	Mariners' Routeing Guide, Turkish Straits, Çanakkale Boğazı (The Dardanelles) and Approaches.	1:175,000	-	142
5523	Mariners' Routeing Guide, Adriatic Sea and Stretto di Messina.		-	142
	Ⓐ Adriatic Sea.	1:1,100,000		
	Ⓑ Stretto di Messina.	1:200,000		

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP76	ADMIRALTY List of Lights and Fog Signals Volume C 7 th Edition (2026) Baltic Sea Including Kattegat, Belts and Sound ISBN Number: 978-0-70-772-5147	28/05/2026	Updated to Week 17/26 (23/04/26) First Updates in NM Week 22/26 (28/05/26) Volume C 6 th Edition (2025) is cancelled.

Ⓢ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 11 JUNE 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
31 INT 1721	International Chart Series, England - South Coast, Harbours on the South Coast of Cornwall. Ⓐ Charlestown Harbour. Ⓑ Par Harbour. Ⓒ Fowey Harbour. Ⓓ River Fowey Mixtow to Saint Winnow. Ⓔ River Fowey Saint Winnow to Lostwithiel.	1:5,000 1:7,500 1:6,250 1:15,000 1:15,000	⊙31 INT 1721	1	22
1720	China - Taiwan Strait, Dongding Dao to Gulei Tou.	1:100,000	⊙1720	50	80
2426	Gulf of Thailand, South China Sea, Malaysia, Thailand and Vietnam, Pulau Redang to Hon Khoai.	1:500,000	⊙2426	47	68
2990 INT 1751	International Chart Series, France - North Coast, Le Havre and Entrance to Chenal de Rouen.	1:15,000	⊙2990 INT 1751	16	24
3452	China - Taiwan Strait, Gulang Yu to Xinglin.	1:15,000	⊙3452	50	80
3453	China- Taiwan Strait, Jiulongjiang Kou.	1:25,000	⊙3453	50	80
3985	Gulf of Thailand, Ko Kut to Hon Khoai.	1:500,000	⊙3985	47	68
4970	Canada, British Columbia/Colombie-Britannique, Burrard Inlet, Vancouver Harbour Central Portion/Partie Centrale.	1:6,000	⊙4970	90	110

New Editions of ADMIRALTY Small Craft Charts

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>NP109A Catalogue page</i>
5605_10	Dover Strait, Dover to Ramsgate including Sandettié Bank.	1:75,000	5605_10	13
5606_3	Dover to Ramsgate including Sandettié Bank.	1:75,000	5606_3	15

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

CHARTS TO BE AVAILABLE 11 JUNE 2026

New Editions

Reproductions of Indian Government Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
IN2013 INT 7324	International Chart Series, India - West Coast, Gulf of Kachchh, Port of Okha.	1:12,500	⊙IN2013 INT 7324	41	58

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
663 INT 7698	International Chart Series, Africa - East Coast, Tanzania, Approaches to Tanga.	⊙663 INT 7698
869 INT 1311	International Chart Series, Sweden - West Coast, Hunnebostrand to Uddevalla and Gullholmen.	⊙869 INT 1311
873 INT 1315	International Chart Series, Sweden - West Coast, Marstrand.	⊙873 INT 1315
1199	China - East Coast, Ningbo Gang to Changjiang Kou.	⊙1199
1422 INT 1044	International Chart Series, North Sea, Esbjerg to Hanstholm including Offshore Oil and Gas Fields.	⊙1422 INT 1044
1603	China - Chang Jiang, Inner Approaches to Shanghai.	⊙1603
1754	China - East China Sea, Mazu Liedai to Dongtou Liedao.	⊙1754
1759	China - Dong Hai, Wenzhou Wan to Ningbo Gang.	⊙1759
1968	Taiwan Strait.	⊙1968
2444 INT 7239	International Chart Series, United Arab Emirates, Qatar and Iran, Eastern Approaches to Jazirat Das and Jazirat Halul.	⊙2444 INT 7239
2523 INT 7250	International Chart Series, Iran and Qatar, Cable Bank To Ra's Rakan.	⊙2523 INT 7250
2886 INT 7243	International Chart Series, Bahrain, Iran, Saudi Arabia, Qatar and United Arab Emirates, Jazīreh-Ye Lavan and Jazīrat Dās to Ra's Tannūrah.	⊙2886 INT 7243

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts (continued)

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
3772 INT 7249	International Chart Series, Qatar, Approaches to Ra's Laffan.	⊙3772 INT 7249
4970	Canada, British Columbia/Colombie-Britannique, Burrard Inlet, Vancouver Harbour Central Portion/Partie Centrale .	⊙4970
5506	Mariners' Routeing Guide, Turkish Straits, İstanbul Boğazı (The Bosphorus) and Approaches.	5506
5507	Mariners' Routeing Guide, Turkish Straits, Çanakkale Boğazı (The Dardanelles) and Approaches.	5507
5523	Mariners' Routeing Guide, Adriatic Sea and Stretto di Messina.	5523

ADMIRALTY CHARTS INDEPENDENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>Date of withdrawal</i>
⊙802 INT 1772	International Chart Series, Sweden – East Coast, Mälaren, Western Part.	28 th May 2026
⊙853 INT 1314	International Chart Series, Sweden - West Coast, Approaches to Brofjorden. On withdrawal of this chart former Notice 5379(P)/25 is cancelled.	28 th May 2026
⊙889 INT 1777	International Chart Series, Sweden – East Coast, Vaddö to Öregrund. On withdrawal of this chart former Notice 1291(T)/25 is cancelled. This chart is to be deleted from the list of charts affected by Notices 4265(P)/25 and 989(T)/26.	28 th May 2026
⊙2425	Central America - East Coast, River Hueson to False Cape, Including Morrison and Mosquito Cays.	28 th May 2026
⊙2842 INT 1223	International Chart Series, Baltic Sea, Sweden – East Coast, Kalmarsund, Southern Part.	28 th May 2026

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS INDEPENDENTLY WITHDRAWN

ADMIRALTY Charts (continued)

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>Date of withdrawal</i>
⊙2843 INT 1224	International Chart Series, Baltic Sea, Sweden – East Coast, Kalmarsund - Middle Part.	28 th May 2026
	On withdrawal of this chart former Notice 1780(T)/26 is cancelled.	
⊙2844 INT 1761	International Chart Series, Baltic Sea, Sweden – East Coast, Kalmarsund - Northern Part.	28 th May 2026

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
39	2613T	1308	2521
47	2514	1309	2521
110	2623T	1398	2587
116	2623T	1406	2598
119	2544T	1409	2582
122	2623T	1419	2587
124	2553, 2623T	1425	2497
125	2623T	1470	2613T
127	2520	1483	2537
130	2623T	1502	2621T
191	2622	1505	2575
219	2582	1537	2536, 2588
236	2591	1546	2552
237	2591	1555	2536, 2588
242	2591	1561	2505
266	2623T	1604	2616
269	2556	1605	2616
317	2587	1630	2623T
329	2507P	1631	2623T
341	2617T	1632	2623T
346	2597	1633	2623T
347	2597	1681	2605T
369	2586	1721	2585
396	2500	1730	2499
472	2551T	1748	2550
497	2563	1795	2545
520	2507P	1826	2566
527	2498	1916	2618
537	2498	1917	2618
551	2592	1918	2565
572	2498	1942	2582
579	2568	1978	2566
588	2504	1981	2566
689	2503	2054	2581, 2612
709	2606T	2055	2531, 2612
721	2606T	2059	2531
730	2561	2073	2503
780	2564	2098	2614
782	2564	2139	2559P
798	2531	2158	2559P
810	2510	2182B	2582
830	2494, 2559P, 2587	2182C	2582
842	2494	2182D	2538
846	2573	2192	2576
849	2547P	2193	2576
850	2547P	2245	2548
858	2492	2246	2548
870	2502	2347	2599T
876	2570P	2405	2560
882	2584	2412	2555
898	2604	2449	2598
913	2590T	2580	2567
937	2617T	2594	2570P
968	2534	2596	2501
1008	2580T	2600	2551T
1013	2606T	2638	2558
1046	2508P	2639	2523P
1058	2569	2687	2498
1061	2569	2720	2495
1063	2546	2721	2495
1065	2578T	2760	2606T
1163	2578T	2779	2606T
1186	2539	2780	2606T
1239	2582	2782	2498
1249	2596	2832	2524
1252	2596	2834	2493
1255	2519	2889	2533T
1256	2590T	2893	2523P
1259	2611	2943	2500

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
3001	2551T	4959	2579
3034	2524	5605_1	2598
3035	2524	5605_11	2598
3166	2548	5605_12	2609
3179	2533T	5606_1	2598
3231	2555	5607_1	2598
3236	2555	5613_1	2566
3290	2620	5613_7	2566
3323	2606T	5613_8	2566
3348	2588	5616_11	2545
3365	2583T		
3408	2551T	Australian Chart No.	Notices
3480	2583T, 2590T, 2599T		
3593	2554P	Aus 57	2542T
3724	2508P	Aus 143	2535, 2540T
3727	2508P	Aus 327	2526T, 2542T
3833	2559P	Aus 357	2532T
3863	2614	Aus 743	2522T, 2529T, 2541T, 2543T
3892	2536	Aus 801	2549
3900	2559P	Aus 802	2532T
3901	2559P	Aus 807	2574
3902	2559P	Aus 818	2562P
3904	2559P	Aus 823	2530T
3919	2559P	Aus 824	2530T
3920	2559P	Aus 828	2527T
3921	2559P		
3933	2603	Belgian Chart No.	Notices
3940	2559P		
3944	2559P	BE 11	2589
3945	2559P	BE 101	2623T
3946	2559P	BE 102	2589, 2595
3951	2533T	BE 106	2594
3959	2507P		
3980	2622	German Chart No.	Notices
4038	2559P		
4039	2559P	DE 4	2607
4040	2559P	DE 20	2608
4070	2516	DE 47	2601
4073	2516	DE 50	2615, 2623T
4121	2619	DE 87	2615
4123	2577T	DE 90	2600, 2623T
4127	2617T	DE 91	2600
4235	2513	DE 103	2615
4238	2512	DE 1671	2610
4267	2506		
4419	2602	Indian Chart No.	Notices
4494	2602		
4495	2602	IN 22	2593T, 2606T
4509	2519	IN 31	2606T
4600	2517	IN 32	2587, 2593T
4702	2606T	IN 33	2494, 2559P, 2587, 2606T
4703	2606T	IN 202	2613T
4706	2559P, 2587, 2606T	IN 203	2613T
4707	2559P, 2606T	IN 221	2593T
4714	2606T	IN 251	2613T
4722	2526T	IN 260	2593T
4723	2525T, 2526T, 2528T	IN 308	2606T
4754	2511	IN 313	2587
4755	2511	IN 357	2587
4920	2571	IN 472	2494, 2559P
4922	2571	IN 473	2587
4942	2509	IN 2031	2613T
4944	2571	IN 2060	2613T
4950	2496		
4951	2572		
4952	2572		
4954	2572		
4955	2572		
4958	2557		

II

INDEX OF CHARTS AFFECTED

Indian Chart No.	Notices	International Chart No.	Notices
IN 2068	2613T	INT 1477	2623T
IN 2079	2613T	INT 1478	2594
IN 3001	2587	INT 1480	2589, 2595
IN 3039	2515P	INT 1502	2582
IN 4006	2587	INT 1504	2582
New Zealand Chart No.	Notices	INT 1602	2495
		INT 1603	2495
		INT 1607	2566
		INT 1626	2545
NZ 54	2491P	INT 1771	2510
NZ 5612	2518	INT 2931	2620
		INT 3191	2548
International Chart No.	Notices	INT 3199	2548
		INT 3671	2505
		INT 4633	2511
		INT 4634	2511
INT 70	2516	INT 5252	2583T
INT 73	2516	INT 5254	2590T
INT 509	2519	INT 5508	2617T
INT 600	2517	INT 7031	2587
INT 702	2606T	INT 7032	2494, 2559P
INT 703	2606T	INT 7211	2533T
INT 706	2559P, 2587, 2606T	INT 7229	2533T
INT 707	2559P, 2606T	INT 7241	2533T
INT 714	2606T	INT 7318	2613T
INT 722	2526T	INT 7319	2613T
INT 723	2525T, 2526T, 2528T	INT 7325	2613T
INT 752	2593T, 2606T	INT 7326	2613T
INT 754	2587, 2593T	INT 7329	2613T
INT 755	2494, 2559P, 2587, 2606T	INT 7332	2613T
INT 756	2606T	INT 7362	2593T
INT 1040	2538	INT 7371	2606T
INT 1041	2582	INT 7372	2606T
INT 1042	2582	INT 7397	2587
INT 1045	2615, 2623T	INT 7400	2587
INT 1060	2582	INT 7402	2587
INT 1148	2614	INT 7409	2606T
INT 1203	2581, 2612	INT 7449	2587
INT 1204	2531, 2612		
INT 1205	2503		
INT 1209	2614		
INT 1216	2531		
INT 1220	2531		
INT 1229	2573		
INT 1240	2503		
INT 1310	2502		
INT 1316	2492		
INT 1331	2570P		
INT 1354	2610		
INT 1370	2501		
INT 1412	2615		
INT 1413	2615		
INT 1416	2623T		
INT 1417	2623T		
INT 1418	2623T		
INT 1420	2623T		
INT 1422	2623T		
INT 1423	2623T		
INT 1424	2608		
INT 1426	2539		
INT 1454	2601		
INT 1457	2607		
INT 1461	2600, 2623T		
INT 1462	2600		
INT 1470	2552		
INT 1471	2553, 2623T		
INT 1472	2623T		
INT 1473	2623T		
INT 1474	2623T		

II

2502 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
870 INT 1310	532/26	Effective from 28/05/26 Amend chart number to read, SE9331, in position 58° 10'·16N., 11° 12'·71E. Insert accompanying note, USE OF LARGER SCALE CHARTS, centred on 57° 57'·40N., 11° 49'·44E.

II

2612 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
2054 INT 1203	2581/26	Effective from 28/05/2026 Amend chart number to read, SE711, in the following positions: 57° 17'·85N., 16° 23'·94E. 56° 51'·42N., 16° 47'·42E.
2055 INT 1204	2531/26	Effective from 28/05/2026 Amend chart number to read, SE711, in position 57° 17'·94N., 16° 23'·82E.

II

2581 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
2054 INT 1203	2490/26	Effective from 28/05/2026 Amend chart number to read, SE712, in position 56° 37'·63N., 16° 37'·77E.

II

2505 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
1561 INT 3671	4114/25	Effective immediately Delete panel A, TRÂBLOUS (TRIPOLI) Delete panel B, SEL'ATA Delete panel A, within Source Diagram Delete panel B, within Source Diagram Delete legends A and B from Chart Scheme Diagram

II

2510 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
810 INT 1771	614/26	Effective from 28/05/26 Delete reference, Adjoining Chart 802, in W border at latitude 59° 27'·37N.and in N border at longitude 17° 06'·29E.

II

2500 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update</i>	<i>Details</i>
396	641/26	Effective from 28/05/2026 Delete magenta limit and chart reference, 2425 (see Note - POSITIONS), in position 14° 04'·9N., 82° 33'·0W.
2943	4340/25	Effective from 28/05/2026 Delete magenta limit and chart reference, 2425 (see Note - POSITIONS), in position 15° 16'·8N., 82° 52'·7W. Delete note, CHART 2425: POSITIONS, centred on 14° 33'·2N., 74° 57'·8W.

II

2503 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update</i>	<i>Details</i>
689 INT 1240	382/26	Effective from 28/05/26 Amend chart number to read, SE536, in position 60° 21'·80N., 19° 03'·74E.
2073 INT 1205	382/26	Effective from 28/05/26 Amend chart number to read, SE536, in the following positions: 60° 21'·70N., 19° 03'·35E. 59° 54'·22N., 18° 26'·24E.

II

2495* SCOTLAND - North Coast - Superbuoy. Automatic Identification System.

Source: Spiorad na Mara Offshore Wind Farm

Chart 2720 (INT 1602) [*previous update New Edition 26/02/2026*] ETRS89 DATUM

Delete  *Fl(5)Y.20s* and associated Automatic Identification
System, *AIS* 58° 24'·54N., 6° 47'·10W.

Chart 2721 (INT 1603) [*previous update 732/26*] ETRS89 DATUM

Delete  *Fl(5)Y.20s* and associated Automatic Identification
System, *AIS* 58° 24'·54N., 6° 47'·10W.

II

2539* ENGLAND - East Coast - Buoyage. Depth. Pontoons.

Source: Port of London Authority

Chart 1186 (INT 1426) (Panel B, Coalhouse Point to Tilbury) [*previous update 1709/26*] ETRS89 DATUM

Insert



51° 26′·743N., 0° 23′·357E.

51° 26′·742N., 0° 23′·401E.

Replace

depth, 48, with

51° 26′·781N., 0° 23′·358E.

Delete

pontoon, single firm line, joining:

51° 26′·746N., 0° 23′·364E.

51° 26′·746N., 0° 23′·397E.

51° 26′·740N., 0° 23′·397E.

51° 26′·740N., 0° 23′·364E.

and

51° 26′·684N., 0° 23′·492E.

51° 26′·684N., 0° 23′·509E.

51° 26′·682N., 0° 23′·509E.

51° 26′·682N., 0° 23′·492E.

II

2545* SCOTLAND - West Coast - Depths.

Source: UKHO

Chart 1795 (INT 1626) [*previous update 4523/25*] ETRS89 DATUM

Insert	depth, 118	(a)	57° 13'·19N., 7° 03'·41W.
Delete	depth, 125, close NE of:	(a)	above
	depth, 133, close SE of:	(a)	above

Chart 5616_11 [*previous update 1977/24*] ETRS89 DATUM

Insert	depth, 118	(a)	57° 13'·19N., 7° 03'·41W.
Delete	depth, 125, close NE of:	(a)	above
	depth, 133, close SE of:	(a)	above

II

2566* ENGLAND - West Coast - Depths.

Source: Njord Survey

Chart 1826 (INT 1607) [*previous update 2276/26*] ETRS89 DATUM

Insert	depth, 3	(a)	53° 37'·91N., 3° 07'·59W.
Delete	depth, 3 ₂ , close NE of:	(a)	above

Chart 1978 [*previous update 2115/26*] ETRS89 DATUM

Insert	depth, 3, and extend 5m contour SW to enclose	(a)	53° 37'·91N., 3° 07'·59W.
Delete	depth, 3 ₆ , close NE of:	(a)	above

Chart 1981 [*previous update 2115/26*] ETRS89 DATUM

Insert	depth, 3, and extend 5m contour SW to enclose	(a)	53° 37'·91N., 3° 07'·59W.
Delete	depth, 3 ₆ , close NE of:	(a)	above

Chart 5613_7 [*previous update 5431/25*] ETRS89 DATUM

Insert	depth, 3, and extend 5m contour SW to enclose	(a)	53° 37'·91N., 3° 07'·59W.
Delete	depth, 3 ₆ , close NE of:	(a)	above

Chart 5613_8 (Panel A, River Ribble) [*previous update 5254/25*] ETRS89 DATUM

Insert	depth, 3, and extend 5m contour SW to enclose	(a)	53° 37'·91N., 3° 07'·59W.
Delete	depth, 3 ₆ , close NE of:	(a)	above

Chart 5613_1 [*previous update 2276/26*] ETRS89 DATUM

Insert	depth, 3, and extend 5m contour SW to enclose	(a)	53° 37'·91N., 3° 07'·59W.
Delete	depth, 3 ₆ , close NE of:	(a)	above

II

2582 SCOTLAND - East Coast - Superbuoys. Automatic Identification Systems.

Source: Thistle Wind Partners Ltd

Chart 219 (INT 1060) [*previous update 1802/26*] ETRS89 DATUM

Delete  Fl(5)Y.20s and associated Automatic Identification
System, AIS 58° 56'·6N., 2° 07'·6W.

Chart 1239 [*previous update 1802/26*] ETRS89 DATUM

Delete  Fl(5)Y.20s and associated Automatic Identification
System, AIS 58° 56'·6N., 2° 07'·6W.

Chart 1409 (INT 1504) [*previous update 1802/26*] ETRS89 DATUM

Delete  Fl(5)Y.20s and associated Automatic Identification
System, AIS 56° 58'·92N., 1° 15'·12W.

Chart 1942 (INT 1502) [*previous update 4237/25*] ETRS89 DATUM

Delete  Fl(5)Y.20s and associated Automatic Identification
System, AIS 58° 56'·62N., 2° 07'·60W.

Chart 2182B (INT 1042) [*previous update 2070/26*] WGS84 DATUM

Delete  Fl(5)Y.20s and associated Automatic Identification
System, AIS 56° 58'·9N., 1° 15'·1W.

Chart 2182C (INT 1041) [*previous update 2488/26*] WGS84 DATUM

Delete  Fl(5)Y.20s and associated Automatic Identification
System, AIS 58° 56'·6N., 2° 07'·6W.

II

2492 SWEDEN - West Coast - Light-beacons. Poles.

Source: Swedish Notice 1116/19607/26

Chart 858 (INT 1316) [*previous update 59/26*] WGS84 DATUM

Replace



with

57° 37'·84N., 11° 52'·31E.



with

57° 37'·83N., 11° 52'·28E.

II

2501 DENMARK - Islands - Legend.

Source: Danish Chart Correction 14/96/26

Chart 2596 (INT 1370) [*previous update New Edition 16/04/2026*] WGS84 DATUM

Amend legend to, *Kalundborg Raffinaderihavn 15m*, centred on: 55° 39' · 90N., 11° 06' · 49E.

II

2531 SWEDEN - East Coast - Buoy.

Source: Swedish Notice 1116/20021/26

Chart 798 (INT 1220) [*previous update 2483/26*] WGS84 DATUM

Insert



57° 41'·57N., 18° 56'·34E.

Chart 2055 (INT 1204) [*previous update 906/26*] WGS84 DATUM

Insert



57° 41'·57N., 18° 56'·46E.

Chart 2059 (INT 1216) [*previous update 2198/26*] WGS84 DATUM

Insert



57° 41'·57N., 18° 56'·47E.

II

2565 RUSSIA - Baltic Sea Coast - Depths. Light-beacon.

Source: ENC RU5NEK09

Note: This update is included in New Edition 1917, published late 2026.

Chart 1918 (Panel A, Km 25·0 to Km 32·2) [*previous update 4753/25*] WGS84 DATUM

Insert	depth, 17		54° 41' · 177N., 20° 15' · 199E.
	depth, 24		54° 41' · 150N., 20° 15' · 229E.
	5m contour, joining:	(a)	54° 41' · 164N., 20° 15' · 240E.
			54° 41' · 151N., 20° 15' · 238E.
			54° 41' · 136N., 20° 15' · 250E.
		54° 41' · 130N., 20° 15' · 242E.	
Delete	former 5m contour, joining:		54° 41' · 134N., 20° 15' · 180E.
			54° 41' · 197N., 20° 15' · 201E.
			54° 41' · 192N., 20° 15' · 214E.
			54° 41' · 169N., 20° 15' · 214E.
		(a) above	
Move	 F.R No 20, from:		54° 41' · 142N., 20° 15' · 375E.
	to:		54° 41' · 129N., 20° 15' · 373E.

II

2573 SWEDEN - East Coast - Legend.

Source: Swedish Notice 1117/19756/26

Chart 846 (INT 1229) (Panel C, Ettersundet) [*previous update 177/26*] WGS84 DATUM

Insert legend, 5 *kn*, centred on: 58° 25'·90N., 16° 39'·93E.

Chart 846 (INT 1229) [*previous update 177/26*] WGS84 DATUM

Insert legend, 5 *kn*, centred on: 58° 25'·89N., 16° 39'·93E.

II

2610* GERMANY - Baltic Coast - Foul. Buoy.

Source: WSA Ostsee 127, 132/26

Chart DE 1671 (INT 1354) [*previous update 2021/26*] WGS84 DATUM

Insert

Rep

54° 12′·94N., 11° 59′·78E.

 *Fl(5)Y.20s ODAS 126*

54° 10′·57N., 11° 59′·44E.

II

2614 FINLAND - West Coast - NM Block. Causeways. Bridges. Vertical clearances.

Source: Finnish Notice 9/92/26

Chart 2098 (INT 1209) [*previous update 4537/25*] WGS84 DATUM

Insert	causeway, double firm line, width 200m, joining:	65° 02'·45N., 25° 03'·44E. 65° 02'·39N., 25° 04'·04E. 65° 02'·32N., 25° 04'·81E. (a) 65° 02'·29N., 25° 05'·26E. and (b) 65° 02'·23N., 25° 06'·13E. 65° 02'·14N., 25° 07'·10E. 65° 01'·95N., 25° 07'·83E. 65° 01'·67N., 25° 08'·57E. 65° 01'·41N., 25° 09'·35E. 65° 01'·18N., 25° 10'·36E. 65° 00'·98N., 25° 10'·91E. (c) 65° 00'·86N., 25° 11'·15E.
	fixed bridge, double firm line, width 200m, joining:	(d) (a) above (e) (b) above (d)-(e) above
	symbol, vertical clearance, 18m, close NW of:	(f) (c) above
	fixed bridge, double firm line, width 200m, joining:	(g) 65° 00'·56N., 25° 11'·77E.
	symbol, vertical clearance, 5m, close W of:	(f)-(g) above

Chart 3863 (INT 1148) [*previous update 278/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	65° 01'·4N., 25° 07'·9E.
--------	-------------------------------------	--------------------------

II

2618 RUSSIA - Baltic Sea Coast - Legends. NM Block. Alongside depths.

Source: ENC RU5NDK08

Chart 1916 (Panel B, Km 5·0 to Km 12·0) [*previous update 1873/26*] WGS84 DATUM

Delete legend, Under construction (2006), centred on: 54° 39'·105N., 20° 05'·388E.

Chart 1917 (Panel B, Km 17·0 to Km 25·0) [*previous update 778/26*] WGS84 DATUM

Replace alongside depth, (66) , with alongside depth, (44) 54° 40'·511N., 20° 08'·678E.

Chart 1917 (Panel A, Km 12·0 to Km 17·0) [*previous update 778/26*] WGS84 DATUM

Insert the accompanying block, centred on: 54° 39'·6N., 20° 07'·2E.

Amend legend to, 044·8°-224·8°, centred on: 54° 40'·427N., 20° 08'·861E.

Delete legend, Under construction (2006), centred on: 54° 39'·103N., 20° 05'·388E.

II

2538 NORTH SEA - Norwegian Sector - Danger lines. Legends.

Source: Norwegian Chart 307

Chart 2182D (INT 1040) [*previous update 2488/26*] WGS84 DATUM

Delete	circular limit of danger line, radius 3000m (1·62M), dotted line, and associated legend, <i>Obstn</i> , centred on:	61° 33′·7N., 2° 02′·1E.
	circular limit of danger line, radius 2800m (1·51M), dotted line, and associated legend, <i>Obstns</i> , centred on:	61° 31′·8N., 1° 59′·1E.

II

2552 NETHERLANDS - Buoyage.

Source: Netherlands Notice 19/99/26

Chart 1546 (INT 1470) [*previous update 716/26*] WGS84 DATUM

Insert



VQ.G T 23

53° 03'·68N., 4° 55'·83E.



T 19-B 2

(a) 53° 02'·38N., 4° 53'·56E.

Delete



Iso.G.4s T 19, close SW of:

(a) above



T 19A-B 2

53° 02'·79N., 4° 54'·37E.

II

2553 NETHERLANDS - Light.
Source: Netherlands Notice 19/95/26

Chart 124 (INT 1471) (Part B, Continuation Noordzeekanaal) [*previous update 2458/26*] WGS84 DATUM

Delete

★ F.Y

52° 22′·99N., 4° 55′·66E.

II

2589 BELGIUM - Fouls.

Source: Belgium Notice 10/107/26

Chart BE 11 [*previous update 2298/26*] WGS84 DATUM

Insert #

(a) 51° 25'·09N., 2° 35'·25E.

Delete former #, close SW of:

(a) above

former #

51° 25'·11N., 2° 34'·30E.

51° 25'·04N., 2° 33'·70E.

51° 24'·80N., 2° 34'·00E.

51° 24'·65N., 2° 34'·20E.

51° 24'·70N., 2° 34'·61E.

51° 24'·23N., 2° 36'·35E.

51° 24'·60N., 2° 38'·71E.

51° 24'·70N., 2° 40'·00E.

51° 20'·29N., 2° 34'·37E.

Chart BE 102 (INT 1480) [*previous update 2108/26*] WGS84 DATUM

Insert #

(a) 51° 25'·09N., 2° 35'·25E.

Delete former #, close SW of:

(a) above

former #

51° 25'·11N., 2° 34'·30E.

51° 25'·04N., 2° 33'·70E.

51° 24'·80N., 2° 34'·00E.

51° 24'·65N., 2° 34'·20E.

51° 24'·70N., 2° 34'·60E.

51° 24'·23N., 2° 36'·35E.

51° 24'·60N., 2° 38'·71E.

51° 24'·70N., 2° 40'·00E.

51° 20'·29N., 2° 34'·38E.

II

2594 BELGIUM - Buoyage. Wreck.

Source: Belgian Notice 10/109/26

Chart BE 106 (INT 1478) (Panel B, Antwerpen to Hoboken) [*previous update 2355/26*] WGS84 DATUM

Delete	symbol, blue and yellow emergency wreck marking spar buoy, <i>VQ G1</i>	51° 14'·19N., 4° 23'·94E.
	 <i>Q.R 116A</i>	51° 14'·17N., 4° 23'·95E.
		51° 14'·16N., 4° 23'·98E.
	symbol, blue and yellow emergency wreck marking spar buoy, <i>VQ G2</i>	51° 14'·14N., 4° 23'·99E.

Chart BE 106 (INT 1478) (Panel A, Baalhoek to Antwerpen) [*previous update 2355/26*] WGS84 DATUM

Delete	symbol, blue and yellow emergency wreck marking spar buoy, <i>VQ G1</i>	51° 14'·19N., 4° 23'·94E.
	 <i>Q.R 116A</i>	51° 14'·16N., 4° 23'·91E.
		51° 14'·16N., 4° 23'·98E.
	symbol, blue and yellow emergency wreck marking spar buoy, <i>VQ G2</i>	51° 14'·13N., 4° 23'·99E.

II

2595 BELGIUM - Pontoons.
Source: Belgium Notice 10/108/26

Chart BE 102 (INT 1480) (Panel B, Oostende) [*previous update 2589/26*] WGS84 DATUM

Insert	pontoon, single firm line, joining:	51° 13'·71N., 2° 55'·64E.
		51° 13'·72N., 2° 55'·67E.
		and
		51° 13'·70N., 2° 55'·65E.
		51° 13'·71N., 2° 55'·68E.

II

2598 BELGIUM - Fouls.

Source: Belgium Notice 10/107/26

Chart 1406 [*previous update 2441/26*] WGS84 DATUM

Insert	#	51° 25'·09N., 2° 35'·25E.
Delete	former #, close SW of:	(a) above
	former #	51° 24'·69N., 2° 40'·02E. 51° 20'·29N., 2° 34'·37E.

Chart 2449 [*previous update 2111/26*] WGS84 DATUM

Insert	#	(a) 51° 25'·09N., 2° 35'·25E.
Delete	former #, SW of:	(a) above
	former #, W of:	(a) above
	former #	51° 25'·04N., 2° 33'·70E. 51° 24'·80N., 2° 34'·00E. 51° 24'·65N., 2° 34'·20E. 51° 24'·70N., 2° 34'·60E. 51° 24'·23N., 2° 36'·35E. 51° 24'·60N., 2° 38'·71E. 51° 24'·70N., 2° 40'·00E. 51° 20'·29N., 2° 34'·37E.

Chart 5605_11 [*previous update 2111/26*] WGS84 DATUM

Delete	#	51° 20'·29N., 2° 34'·38E.
--------	---	---------------------------

Chart 5605_1 (Panel B, Northern Approaches to Dover Strait) [*previous update 2111/26*] WGS84 DATUM

Insert	#	(a) 51° 25'·09N., 2° 35'·25E.
Delete	former #, close SW of:	(a) above
	former #	51° 24'·69N., 2° 40'·00E. 51° 20'·29N., 2° 34'·37E.

Chart 5606_1 [*previous update 2111/26*] WGS84 DATUM

Insert	#	51° 25'·09N., 2° 35'·25E.
Delete	former #, close SW of:	(a) above
	former #	51° 24'·69N., 2° 40'·02E. 51° 20'·29N., 2° 34'·37E.

II

2598 BELGIUM - Fouls. (continued)

Chart 5607_1 [*previous update 2111/26*] WGS84 DATUM

Insert	#	51° 25′·09N., 2° 35′·25E.
Delete	former #, close SW of:	(a) above
	former #	51° 24′·69N., 2° 40′·01E. 51° 20′·29N., 2° 34′·37E.

II

2600* GERMANY - North Sea Coast - NM Blocks.

Source: WSA Ems-Nordsee 95/26

Chart DE 90 (INT 1461) [*previous update New Edition 16/04/2026*] WGS84 DATUM

Insert the accompanying block, centred on: 53° 28'·2N., 6° 51'·7E.

Chart DE 91 (INT 1462) [*previous update 2377/26*] WGS84 DATUM

Insert the accompanying block, centred on: 53° 28'·2N., 6° 51'·8E.

II

2601* GERMANY - North Sea Coast - Drying height. Depth.

Source: WSA Elbe-Nordsee, Survey LP30621/26

Chart DE 47 (INT 1454) [*previous update 2169/26*] WGS84 DATUM

Insert	drying height, 0_I , and extend 0m low water line E to enclose	(a)	53° 41'·97N., 9° 27'·95E.
Delete	depth, 0_4 , close SE of:	(a)	above

II

2607* GERMANY - North Sea Coast - Buoy. Restricted areas.

Source: WSA Weser-Jade-Nordsee 64/26

Chart DE 4 (INT 1457) (Panel B, Bremerhaven) [*previous update 2383/26*] WGS84 DATUM

Insert	 <i>Q(9)15s</i>	53° 32'·269N., 8° 34'·382E.
	limit of restricted area, entry prohibited, pecked line, joining:	(a) 53° 32'·150N., 8° 34'·461E.
		53° 32'·265N., 8° 34'·407E.
		(b) 53° 32'·179N., 8° 34'·650E.
Delete	former limit of restricted area, entry prohibited, pecked line, joining:	(a) above
		53° 32'·156N., 8° 34'·463E.
		53° 32'·190N., 8° 34'·600E.
		(b) above

II

2608* GERMANY - North Sea Coast - Depths.

Source: WSA Weser-Jade-Nordsee, Survey LP30519/26

Chart DE 20 (INT 1424) [*previous update 2383/26*] WGS84 DATUM

Insert	depth, <i>144</i>	(a)	53° 43′·07N., 8° 03′·19E.
Delete	depth, <i>155</i> , close SW of:	(a)	above
Insert	depth, <i>139</i>	(b)	53° 42′·88N., 8° 02′·94E.
Delete	depth, <i>149</i> , close E of:	(b)	above

II

2609 BELGIUM - Pontoons.

Source: Belgian Notice 10/108/26

Chart 5605_12 (Panel E, Oostende) [*previous update 2282/25*] WGS84 DATUM

Insert	pontoon, single firm line, joining:	51° 13'·71N., 2° 55'·64E.
		51° 13'·72N., 2° 55'·67E.
		and
		51° 13'·70N., 2° 55'·65E.
		51° 13'·71N., 2° 55'·68E.

II

2615* GERMANY - North Sea Coast - Buoy.

Source: WSA Ems-Nordsee 99/26

Chart DE 50 (INT 1045) [*previous update 1946/26*] WGS84 DATUM

Move



Iso.8s Accumer Ee, from:
to:

53° 46′·8N., 7° 27′·4E.

53° 46′·7N., 7° 24′·8E.

Chart DE 87 (INT 1413) [*previous update 2306/26*] WGS84 DATUM

Move



Iso.8s Accumer Ee, from:
to:

53° 47′·02N., 7° 27′·61E.

53° 46′·72N., 7° 24′·75E.

Chart DE 103 (INT 1412) [*previous update 1726/26*] WGS84 DATUM

Move



Iso.8s Accumer Ee, from:
to:

53° 47′·02N., 7° 27′·61E.

53° 46′·72N., 7° 24′·75E.

II

2499 SPAIN - West Coast - Legend.

Source: Spanish Notice 13/65/26

Chart 1730 [*previous update 2072/26*] WGS84 DATUM

Amend legend to, Oc & Iso $\neq$ 069°3'-249°3', centred on:

42° 09'·19N., 8° 55'·71W.

II

2493 SPAIN - Islas Baleares - Buoyage.

Source: Spanish Notice 14/81/26

Chart 2834 (Panel B, San Antonio Abad) [*previous update 4903/25*] WGS84 DATUM

Insert	 <i>Fl(2)G.6s</i>	(a) 38° 58′·45N., 1° 18′·08E.
Delete	 , close NW of:	(a) above
	 , close NE of:	(a) above
		38° 58′·38N., 1° 17′·95E.
		38° 58′·54N., 1° 18′·20E.
		38° 58′·58N., 1° 18′·27E.
		38° 58′·60N., 1° 18′·30E.
		38° 58′·62N., 1° 18′·35E.

II

2497 FRANCE - Corse - Buoy.

Source: French Notice 14/94/26

Chart 1425 (Panel E, Porto-Vecchio) [*previous update 92/26*] WGS84 DATUM

Insert



Q(6)+LFl.15s

41° 35′·67N., 9° 17′·40E.

II

2524 SPAIN - Islas Baleares - Buoyage.

Source: Spanish Notice 16/93/26

Chart 2832 [*previous update 5834/25*] WGS84 DATUM

Amend light-buoy to, *Fl.Y.5s* 39° 32'·44N., 2° 41'·70E.

Chart 3034 [*previous update New Edition 25/12/2025*] WGS84 DATUM

Amend light-buoy to, *Fl.Y.5s3M* 39° 32'·44N., 2° 41'·73E.

Chart 3035 [*previous update 3618/23*] WGS84 DATUM

Amend light-buoy to, *Fl.Y.5s3M* 39° 32'·44N., 2° 41'·73E.

II

2537 ITALY - East Coast - Platforms. Restricted areas. Legends.

Source: Italian Notice 9.20/26

Chart 1483 [*previous update 2150/26*] WGS84 DATUM

Insert

 Mo(U)15s 8M Horn Mo(U)30s (a) 45° 18'·86N., 12° 30'·50E.

circular limit of restricted area, radius 210m, , centred

on:

(a) above

legend, *Anchoring, Fishing and Mooring Prohibited*, close W

of:

(a) above

Delete

former  Mo(U)15s 8M Horn Mo(U)30s and associated

 circular limit of restricted area, *Anchoring, Fishing and Mooring Prohibited*, close SE of:

(a) above

II

2548 FRANCE - South Coast - Pontoons.

Source: French Notice 15/92/26

Chart 2245 (INT 3191) [*previous update 1736/26*] WGS84 DATUM

Insert pontoon, single firm line, joining:

43° 42'·41N., 7° 20'·23E.
(a) 43° 42'·38N., 7° 20'·27E.
and
43° 42'·41N., 7° 20'·31E.
(a) above
43° 42'·37N., 7° 20'·24E.

Chart 2246 (INT 3199) [*previous update 1736/26*] WGS84 DATUM

Insert pontoon, single firm line, joining:

43° 42'·41N., 7° 20'·23E.
(a) 43° 42'·38N., 7° 20'·27E.
and
43° 42'·41N., 7° 20'·30E.
(a) above
43° 42'·37N., 7° 20'·24E.

Chart 3166 [*previous update 5656/25*] WGS84 DATUM

Insert pontoon, single firm line, joining:

43° 42'·41N., 7° 20'·23E.
43° 42'·38N., 7° 20'·27E.

II

2556 CROATIA - Alongside depths. Depths.

Source: ENC HR50047E

Chart 269 (Panel E, Split) [*previous update New Edition 16/04/2026*] WGS84 DATUM

Insert	alongside depth, (82)	43° 31'·702N., 16° 28'·332E. 43° 31'·691N., 16° 28'·011E.
	alongside depth, (92)	43° 31'·657N., 16° 28'·296E.
	alongside depth, (94)	43° 31'·677N., 16° 28'·126E.
	alongside depth, (91)	43° 31'·700N., 16° 27'·936E.
	depth, 136	(a) 43° 32'·071N., 16° 27'·464E.
Delete	depth, 17, close SW of:	(a) above
Insert	depth, 187	43° 31'·918N., 16° 27'·032E.
	depth, 16	(b) 43° 31'·802N., 16° 27'·014E.
Delete	depth, 178, close SE of:	(b) above
Insert	depth, 275, enclosed by 30m contour	43° 31'·624N., 16° 24'·704E.
	depth, 23	43° 31'·420N., 16° 24'·387E.

II

2560 GREECE - Korinthiakós Kólpos - Seaplane operating area.

Source: Greek Notice 3/46/26

Chart 2405 (Panel E, Krissaíos Kólpos) [*previous update 1801/26*] WGS84 DATUM

Insert symbol, seaplane operating area, centred on: 38° 25′·32N., 22° 25′·52E.

II

2563 TÜRKIYE - Marmara Denizi - Lights.

Source: Turkish Notice 9/62/26

Chart 497 (Panel B, Yarimca to İzmit) [*previous update 2397/26*] WGS84 DATUM

Amend	light to, Fl(4)Y.10s9m5M	40° 43'·90N., 29° 51'·35E.
-------	--------------------------	----------------------------

Chart 497 (Panel C, Diliskelesi) [*previous update 2397/26*] WGS84 DATUM

Amend	light to, Fl.Y.8s2M	40° 45'·85N., 29° 31'·38E.
	light to, Fl.Y.4s2M	40° 45'·85N., 29° 31'·60E.

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 2397/26*] WGS84 DATUM

Amend	light to, Fl.Y.8s2M	40° 45'·85N., 29° 31'·37E.
	light to, Fl.Y.4s2M	40° 45'·84N., 29° 31'·60E.

II

2569 GREECE - Aegean Sea Coast - Firing practice area. Legend.

Source: Greek Notice 3/49/26

Chart 1058 [*previous update New Edition 05/03/2026*] WGS84 DATUM

Insert	limit of firing practice area, pecked line, joining:	38° 58'·44N., 26° 07'·05E. 38° 57'·79N., 26° 06'·99E. 38° 58'·44N., 26° 05'·94E.
--------	--	--

Chart 1061 [*previous update 1439/26*] WGS84 DATUM

Insert	limit of firing practice area, pecked line, joining:	(a) 39° 04'·15N., 26° 06'·19E. (b) 39° 02'·79N., 26° 07'·38E. (c) 38° 57'·78N., 26° 07'·00E. (d) 39° 01'·94N., 26° 00'·25E.
	legend, <i>Firing Practice and Exercise Area</i> , within:	(a)-(d) above

II

2591 TÜRKIYE - South Coast - NM Blocks. Submarine cable.

Source: Turkish Notice 12/83/26

Chart 236 [*previous update New Edition 09/04/2026*] WGS84 DATUM

Insert the accompanying block, centred on: 36° 43'·8N., 30° 38'·8E.

Chart 237 [*previous update 2139/26*] WGS84 DATUM

Insert the accompanying block, centred on: 36° 44'·0N., 30° 38'·6E.

Chart 242 (Panel A, Approaches to Antalya) [*previous update 2139/26*] WGS84 DATUM

Insert submarine cable, ~~~, joining:

36° 52'·44N., 30° 39'·55E.
36° 51'·96N., 30° 40'·10E.
36° 51'·53N., 30° 40'·48E.
36° 51'·18N., 30° 40'·66E.
36° 50'·29N., 30° 40'·66E.
36° 49'·45N., 30° 41'·02E.
36° 47'·94N., 30° 41'·05E.

II

2620 CONGO - NM Blocks.

Source: French Notice 15/173/26

Chart 3290 (INT 2931) (Panel, Pointe-Noire) [*previous update 1533/25*] WGS84 DATUM

Insert the accompanying block A, centred on: 4° 46′·9S., 11° 49′·7E.

Chart 3290 (INT 2931) [*previous update 1533/25*] WGS84 DATUM

Insert the accompanying block B, centred on: 4° 46′·9S., 11° 49′·7E.

II

2494 INDIAN OCEAN - Nicobar Islands - Submarine cable.

Source: Indian Notice 24/167/25

Chart IN 33 (INT 755) [*previous update 2292/26*] WGS84 DATUM

Insert submarine cable, , joining:

9° 10'·5N., 92° 49'·7E.

9° 11'·5N., 92° 53'·5E.

and

7° 59'·4N., 93° 27'·8E.

7° 59'·4N., 93° 29'·8E.

Chart IN 472 (INT 7032) [*previous update 1851/26*] WGS84 DATUM

Insert submarine cable, , joining:

9° 10'·5N., 92° 49'·7E.

9° 11'·5N., 92° 53'·5E.

and

7° 59'·4N., 93° 27'·9E.

7° 59'·6N., 93° 28'·8E.

7° 59'·3N., 93° 29'·5E.

7° 59'·4N., 93° 29'·9E.

and

8° 00'·0N., 93° 30'·4E.

8° 00'·8N., 93° 31'·3E.

8° 01'·4N., 93° 31'·3E.

8° 02'·2N., 93° 32'·3E.

Chart 830 [*previous update 2423/26*] WGS84 DATUM

Insert submarine cable, , joining:

9° 10'·4N., 92° 49'·1E.

9° 11'·6N., 92° 53'·5E.

Chart 842 [*previous update 3490/25*] UNDETERMINED DATUM

Insert submarine cable, , joining:

7° 59'·44N., 93° 27'·95E.

7° 59'·56N., 93° 28'·77E.

7° 59'·33N., 93° 29'·50E.

7° 59'·37N., 93° 29'·86E.

7° 59'·52N., 93° 30'·01E.

and

7° 59'·94N., 93° 30'·43E.

8° 00'·80N., 93° 31'·29E.

8° 01'·28N., 93° 31'·27E.

8° 01'·37N., 93° 31'·38E.

and

8° 01'·48N., 93° 31'·49E.

8° 02'·19N., 93° 32'·29E.

II

2516 INDIAN OCEAN - Depths.

Source: ENC AU130060

Chart 4070 (INT 70) [*previous update 2035/26*] WGS84 DATUM

Insert depth, 792, and extend 1000m contour N to enclose

(a) 29° 50'·0S., 87° 14'·8E.

Delete depth, 847, close S of:

(a) above

Chart 4073 (INT 73) [*previous update 2035/26*] WGS84 DATUM

Insert depth, 792, and extend 1000m contour N to enclose

(a) 29° 50'·0S., 87° 14'·8E.

Delete depth, 847, close S of:

(a) above

II

2587 INDIA - East Coast - Submarine power cable.

Source: Indian Notice 20/135/25

Chart IN 32 (INT 754) [*previous update 2050/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

13° 01'·5N., 80° 16'·7E.
13° 00'·2N., 80° 37'·7E.

Chart IN 33 (INT 755) [*previous update 2494/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

13° 01'·5N., 80° 16'·7E.
13° 00'·2N., 80° 37'·7E.
and
11° 38'·7N., 92° 44'·9E.
11° 35'·6N., 92° 47'·3E.
11° 21'·8N., 92° 47'·5E.
11° 20'·3N., 92° 41'·3E.
11° 12'·3N., 92° 37'·1E.
11° 10'·3N., 92° 27'·6E.

Chart IN 313 [*previous update 1268/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

13° 01'·51N., 80° 16'·73E.
13° 00'·85N., 80° 19'·77E.
13° 00'·96N., 80° 21'·88E.
13° 00'·37N., 80° 25'·04E.
12° 59'·60N., 80° 26'·52E.
13° 00'·15N., 80° 27'·96E.
13° 00'·04N., 80° 34'·40E.
13° 00'·76N., 80° 37'·16E.

Chart 317 (INT 7400) [*previous update 1268/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

13° 01'·5N., 80° 16'·7E.
13° 00'·8N., 80° 19'·8E.
13° 01'·0N., 80° 21'·9E.
13° 00'·4N., 80° 25'·0E.
12° 59'·6N., 80° 26'·5E.
13° 00'·2N., 80° 28'·0E.
13° 00'·0N., 80° 34'·4E.
13° 00'·8N., 80° 37'·2E.

Chart IN 357 (INT 7397) [*previous update 1375/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

13° 01'·5N., 80° 16'·7E.
13° 00'·8N., 80° 19'·8E.
13° 01'·00N., 80° 21'·9E.
13° 00'·4N., 80° 25'·0E.
12° 59'·6N., 80° 26'·5E.
13° 00'·2N., 80° 28'·0E.
13° 00'·0N., 80° 34'·4E.
13° 00'·8N., 80° 37'·2E.

II

2587 INDIA - East Coast - Submarine power cable. (continued)

Chart IN 473 (INT 7031) [*previous update 2292/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

11° 38'·6N., 92° 45'·1E.
 11° 37'·2N., 92° 45'·8E.
 11° 35'·9N., 92° 47'·2E.
 11° 30'·1N., 92° 47'·9E.
 11° 22'·2N., 92° 47'·4E.
 11° 21'·3N., 92° 46'·4E.
 11° 21'·4N., 92° 45'·0E.
 11° 20'·7N., 92° 42'·0E.
 11° 19'·5N., 92° 40'·4E.
 11° 13'·3N., 92° 38'·0E.
 11° 11'·8N., 92° 35'·8E.
 11° 10'·5N., 92° 28'·7E.

Chart 830 [*previous update 2494/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

11° 38'·7N., 92° 44'·9E.
 11° 35'·6N., 92° 47'·3E.
 11° 21'·8N., 92° 47'·5E.
 11° 20'·3N., 92° 41'·3E.
 11° 12'·3N., 92° 37'·1E.
 11° 10'·3N., 92° 27'·6E.

Chart 1398 [*previous update 1851/26*] UNDETERMINED DATUM

Insert submarine power cable,   , joining:

11° 38'·60N., 92° 44'·99E.
 11° 36'·82N., 92° 45'·98E.
 11° 35'·64N., 92° 47'·45E.
 11° 30'·00N., 92° 47'·97E.
 11° 22'·05N., 92° 47'·50E.
 11° 21'·18N., 92° 46'·46E.
 11° 21'·33N., 92° 45'·08E.
 11° 20'·62N., 92° 42'·06E.
 11° 19'·35N., 92° 40'·51E.
 11° 13'·22N., 92° 38'·05E.
 11° 11'·69N., 92° 35'·87E.
 11° 10'·41N., 92° 28'·77E.

Chart 1419 (Panel, Northern Approaches to Port Blair) [*previous update 2489/26*] UNDETERMINED DATUM

Insert submarine power cable,   , joining:

11° 38'·61N., 92° 45'·01E.
 11° 37'·94N., 92° 45'·37E.

II

2587 INDIA - East Coast - Submarine power cable. (continued)

Chart IN 3001 (INT 7402) [*previous update 1268/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

13° 01'·51N., 80° 16'·74E.
13° 00'·79N., 80° 20'·02E.
13° 00'·96N., 80° 21'·88E.
13° 00'·34N., 80° 25'·20E.
12° 59'·60N., 80° 26'·52E.
13° 00'·15N., 80° 27'·96E.
12° 59'·99N., 80° 29'·74E.
13° 00'·21N., 80° 32'·19E.
13° 00'·19N., 80° 32'·80E.

Chart IN 4006 (INT 7449) [*previous update 1851/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

11° 38'·69N., 92° 44'·92E.
11° 38'·00N., 92° 45'·22E.

Chart 4706 (INT 706) [*previous update 2423/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

13° 01'·0N., 80° 17'·0E.
13° 00'·4N., 80° 41'·3E.
and
11° 37'·0N., 92° 45'·9E.
11° 35'·7N., 92° 47'·3E.
11° 21'·5N., 92° 47'·4E.
11° 20'·2N., 92° 40'·9E.
11° 12'·3N., 92° 37'·2E.
11° 10'·3N., 92° 28'·2E.

II

2603 INDONESIA - Sumatera - NM Blocks.

Source: ENC ID400018

Chart 3933 [*previous update 2428/26*] WGS84 DATUM

Insert the accompanying block A, centred on:
 the accompanying block B, centred on:

1° 36'·7N., 101° 53'·8E.

1° 54'·5N., 102° 03'·4E.

II

2519 CHINA - Yellow Sea Coast - Wreck.

Source: Chinese Notice 2/35/26

Note: This update is included in New Edition 1256, published mid 2026.

Chart 1255 [*previous update 2457/26*] CGCS 2000 DATUM

Insert



Rep (2025) PA

38° 22′·0N., 122° 03′·0E.

Chart 4509 (INT 509) [*previous update 2462/26*] WGS84 DATUM

Insert



38° 22′·0N., 122° 03′·0E.

II

2536 CHINA - South Coast - Virtual aids to navigation. Submarine power cable. NM Blocks.

Source: Chinese Notices 5/126-128/26

Chart 1537 [*previous update 1594/26*] CGCS 2000 DATUM

Insert	submarine power cable,   , joining:	21° 22'·72N., 111° 41'·08E. 21° 07'·80N., 111° 41'·08E. 21° 07'·39N., 111° 40'·49E. 21° 07'·00N., 111° 40'·49E.
	symbol, Virtual aid to navigation, special topmark, V-AIS No 6, out of position	21° 18'·00N., 111° 41'·08E.
	symbol, Virtual aid to navigation, special topmark, V-AIS No 5	21° 12'·66N., 111° 41'·07E.
	symbol, Virtual aid to navigation, special topmark, V-AIS No 4	21° 07'·85N., 111° 41'·07E.
	the accompanying block, centred on:	21° 27'·4N., 111° 40'·4E.

Chart 1555 [*previous update 1594/26*] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	21° 06'·3N., 111° 36'·2E.
--------	-------------------------------------	---------------------------

Chart 3892 [*previous update 1594/26*] CGCS 2000 DATUM

Insert	submarine power cable,   , joining:	21° 31'·8N., 111° 39'·3E. 21° 30'·6N., 111° 41'·4E. 21° 27'·3N., 111° 39'·8E. 21° 24'·2N., 111° 39'·7E. 21° 23'·4N., 111° 41'·1E. 21° 19'·5N., 111° 41'·1E.
	the accompanying block, centred on:	21° 06'·3N., 111° 36'·5E.

II

2555 TAIWAN - Wreck.

Source: UKHO

Note: This update is included in New Edition 1968, published mid 2026.

Chart 2412 [*previous update 2386/26*] WGS84 DATUM

Insert



Wk

24° 38'·6N., 120° 30'·0E.

Chart 3231 [*previous update 2414/26*] WGS84 DATUM

Insert



Wk

24° 38'·59N., 120° 29'·97E.

Chart 3236 [*previous update 1813/26*] WGS84 DATUM

Insert



Wk

24° 38'·6N., 120° 30'·0E.

II

2575 CHINA - Yellow Sea Coast - Buoyage.

Source: Chinese Notice 11/261/26

Chart 1505 [*previous update 1557/26*] CGCS 2000 DATUM

Insert



Mo(O)Y.12s No 2

36° 08′·07N., 120° 17′·93E.



Mo(O)Y.12s No 3

36° 07′·63N., 120° 18′·94E.



Mo(O)Y.12s No 1

36° 07′·47N., 120° 11′·70E.

II

2585 CHINA - East Coast - Buoyage.

Source: Chinese Notice 12/292/26

Chart 1721 [*previous update 2088/26*] CGCS 2000 DATUM

Insert

 *Mo(O)Y.12s No 5*

28° 13'·92N., 121° 40'·67E.

 *Mo(O)Y.12s No 4*

28° 13'·42N., 121° 40'·32E.

II

2588 CHINA - South Coast - Depths.

Source: Chinese Notices 16/404-405/26

Chart 1537 [*previous update 2536/26*] CGCS 2000 DATUM

Insert	depth, 52	(a)	21° 29'·26N., 111° 24'·68E.
Delete	depth, 74 , close NE of:	(a)	above
Insert	depth, 13 , enclosed by 2m contour		21° 28'·51N., 111° 24'·64E.
	depth, 79 , enclosed by 10m contour		21° 27'·88N., 111° 24'·69E.
	depth, 99 , and extend 10m contour E to enclose	(b)	21° 24'·41N., 111° 17'·91E.
Delete	depth, 113 , close N of:	(b)	above
Insert	depth, 10 , and extend 10m contour E to enclose	(c)	21° 24'·12N., 111° 17'·99E.
Delete	depth, 151 , close NE of:	(c)	above
	depth, 9 , and associated 10m contour		21° 25'·04N., 111° 18'·16E.

Chart 1555 [*previous update 2536/26*] CGCS 2000 DATUM

Insert	depth, 13 , and extend 5m contour NE to enclose	(a)	21° 28'·5N., 111° 24'·6E.
Delete	depth, 24 , close SW of:	(a)	above

Chart 3348 [*previous update 819/26*] CGCS 2000 DATUM

Insert	depth, 52		21° 29'·26N., 111° 24'·68E.
	depth, 13 , enclosed by 2m contour		21° 28'·51N., 111° 24'·64E.
	depth, 99 , and extend 10m contour E to enclose	(a)	21° 24'·41N., 111° 17'·91E.
Delete	depth, 113 , close N of:	(a)	above
Insert	depth, 10 , and extend 10m contour E to enclose	(b)	21° 24'·12N., 111° 17'·99E.
Delete	depth, 151 , close NE of:	(b)	above
	depth, 9 , and associated 10m contour		21° 25'·04N., 111° 18'·16E.

II

2596 CHINA - Bo Hai - Breakwater. Depths.

Source: Chinese Chart 11573

Chart 1249 [*previous update 2305/26*] CGCS 2000 DATUM

Insert	breakwater, single firm line, joining:	40° 03'·1N., 120° 07'·4E.
		40° 03'·4N., 120° 06'·6E.
		40° 03'·9N., 120° 06'·4E.
	depth, 95 , and extend 10m contour SE to enclose	40° 03'·4N., 120° 07'·2E.
	depth, 98 , and extend 10m contour SE to enclose	40° 02'·9N., 120° 06'·8E.

Chart 1252 [*previous update 2305/26*] CGCS 2000 DATUM

Insert	depth, 92 , enclosed by 10m contour	(a) 40° 03'·95N., 120° 08'·84E.
Delete	depth, 114 , close E of:	(a) above
Insert	depth, 95 , and extend 10m contour SE to enclose	40° 03'·44N., 120° 07'·20E.
	depth, 98 , and extend 10m contour SE to enclose	40° 02'·88N., 120° 06'·77E.
Replace	depth, 68 , with depth, 46 , enclosed by 5m contour	40° 04'·56N., 120° 06'·68E.

II

2597 CHINA - South Coast - Buoy. Depths.

Source: Chinese Chart 15457

Chart 346 [*previous update 2309/26*] CGCS 2000 DATUM

Insert	depth, 78	(a)	23° 05′·66N., 113° 26′·12E.
Delete	depth, 65 , close SW of:	(a)	above
Insert	depth, 88	(b)	23° 05′·65N., 113° 26′·70E.
Delete	depth, 82 , close SE of:	(b)	above
Insert	depth, 82	(c)	23° 05′·52N., 113° 27′·27E.
Delete	depth, 57 , close E of:	(c)	above
Insert	depth, 52	(d)	23° 05′·35N., 113° 27′·84E.
Delete	depth, 7, close S of:	(d)	above
Insert	depth, 3	(e)	23° 05′·14N., 113° 28′·12E.
Delete	depth, 39 , close E of:	(e)	above
Insert	depth, 86	(f)	23° 03′·89N., 113° 29′·04E.
Delete	depth, 91 , close NW of:	(f)	above
Replace	depth, 04 with depth, 17		23° 05′·76N., 113° 25′·41E.

Chart 347 [*previous update 1434/26*] CGCS 2000 DATUM

Insert	depth, 21	(a)	23° 05′·79N., 113° 24′·29E.
Delete	depth, 32 , close SW of:	(a)	above
Insert	depth, 78	(b)	23° 05′·66N., 113° 26′·12E.
Delete	depth, 65 , close SW of:	(b)	above
Insert	depth, 77	(c)	23° 05′·34N., 113° 24′·60E.
Delete	depth, 58 , close E of:	(c)	above
	depth, 83 , close SW of:	(c)	above
Insert	depth, 79	(d)	23° 05′·10N., 113° 24′·19E.
Delete	depth, 10, close W of:	(d)	above
Insert	depth, 58	(e)	23° 03′·04N., 113° 24′·73E.
Delete	depth, 69 , close SW of:	(e)	above
Amend	No 8a light-buoy to, Fl(2)R.6s		23° 05′·49N., 113° 24′·73E.

II

2616 CHINA - East Coast - Buoyage. NM Block. Note.

Source: Chinese Chart 13126

Chart 1604 (Panel B, Dongfengxi Sha to Changshu Port) [*previous update 2347/26*] CGCS 2000 DATUM

Insert	 <i>Fl(2)G No 4</i>	31° 47'·55N., 120° 53'·21E.
	 <i>Fl(2)G No 2</i>	31° 46'·99N., 120° 55'·19E.
Amend	<i>No 5 light-buoy to, Fl.G</i>	31° 48'·16N., 120° 52'·41E.
	<i>Y3 light-buoy to, Fl.G</i>	31° 48'·12N., 120° 57'·37E.
	<i>Y2 light-buoy to, Fl(2)G</i>	31° 47'·72N., 120° 58'·02E.
	<i>No 3 light-buoy to, Fl.G</i>	31° 47'·23N., 120° 54'·12E.
	<i>No 1 light-buoy to, Fl.G</i>	31° 46'·78N., 120° 56'·06E.
	<i>C16 light-buoy to, Fl.G</i>	31° 46'·24N., 120° 56'·23E.

Chart 1605 (Panel A, Changshu Port to Minzhu Sha) [*previous update New Edition 21/08/2025*] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	31° 47'·2N., 120° 55'·2E.
	the accompanying note, AUTOMATIC IDENTIFICATION SYSTEMS, centred on:	31° 45'·68N., 120° 46'·92E.
Amend	<i>Tian No 1 light-buoy to, Fl.G</i>	32° 00'·65N., 120° 48'·64E.
	<i>No 9 light-buoy to, Fl.G</i>	31° 50'·86N., 120° 50'·31E.
	<i>No 8 light-buoy to, Fl(2)G</i>	31° 50'·21N., 120° 50'·76E.
	<i>No 7 light-buoy to, Fl.G</i>	31° 49'·51N., 120° 51'·16E.
	<i>No 6 light-buoy to, Fl(2)G</i>	31° 48'·84N., 120° 51'·73E.

II

2619 CHINA - South Coast - NM Block.

Source: Hong Kong Notice 7/23/26

Chart 4121 [*previous update 1649/26*] WGS84 DATUM

Insert the accompanying block, centred on:

22° 14'·5N., 114° 09'·2E.

II

2520 KOREA - South Coast - Virtual aid to navigation.

Source: Korean Notice 13/175/26

Chart 127 [*previous update 1698/26*] WGS84 DATUM

Insert symbol, Virtual aid to navigation, isolated danger topmark, V-AIS

34° 36′·4N., 128° 19′·6E.

II

2584 KOREA - East Coast - Buoy.

Source: Korean Notice 13/171/26

Chart 882 (Panel, Donghae) [*previous update 1960/26*] WGS84 DATUM

Move

 *Fl(4)Y.8s*, from:

37° 28′·960N., 129° 09′·606E.

to:

37° 28′·900N., 129° 09′·605E.

II

2604 KOREA - East Coast - Breakwater. Legend.

Source: Korean Notice 11/132/26

Chart 898 (Panel B, Pohang and Approaches) [*previous update 2336/26*] WGS84 DATUM

Insert	breakwater, single pecked line, joining:	36° 04'·85N., 129° 26'·83E. 36° 04'·22N., 129° 26'·43E.
	legend, Works in progress (2026), orientated SW/NE, centred on:	36° 04'·61N., 129° 26'·61E.

II

2611 KOREA - South Coast - Light-beacon.

Source: Korean Notice 13/174/26

Chart 1259 (Panel A, Masan) [*previous update 2412/26*] WGS84 DATUM

Insert



Q(9)15s.12m7M

35° 10′·30N., 128° 35′·66E.

II

2550 MALAYSIA - Sarawak - Lights.

Source: Marine Department, Sarawak Notice 46/26

Chart 1748 [*previous update 2135/26*] WGS84 DATUM

Amend light to, Iso.G.4s

3° 16′·10N., 113° 03′·68E.

3° 16′·08N., 113° 03′·66E.

II

2558 INDONESIA - Sulawesi - Depths. Buoyage. Beacon.

Source: ENC ID5173R1

Chart 2638 (Panel C, Teluk Parepare) [*previous update 1955/26*] WGS84 DATUM

Insert	depth, <i>64</i>	(a)	4° 00'·59S., 119° 37'·14E.
Delete	depth, <i>72</i> , close SW of:	(a)	above
Insert	 <i>Fl.G.5s</i>	(b)	4° 01'·19S., 119° 36'·76E.
Delete	 <i>Fl.G.5s</i> , close NE of:	(b)	above
	 , close E of:	(b)	above
Insert	depth, <i>158</i> , and extend 20m contour SE to enclose		4° 01'·08S., 119° 36'·50E.
	depth, <i>118</i> , and extend 20m contour S to enclose		4° 01'·54S., 119° 36'·15E.
	depth, <i>08</i> , enclosed by 5m contour	(c)	4° 01'·70S., 119° 35'·65E.
Delete	depth, <i>93</i> , close SW of:	(c)	above
Insert	depth, <i>104</i> , and extend 20m contour SW to enclose		4° 02'·74S., 119° 34'·63E.
	depth, <i>139</i> , and extend 20m contour W to enclose		4° 03'·26S., 119° 36'·54E.
	depth, <i>07</i> , enclosed by 5m contour		4° 03'·32S., 119° 36'·72E.

II

2602 PHILIPPINE ISLANDS - Mindanao - NM Blocks. Marine Reserves. Legends. Restricted areas.

Source: Philippine chart 5017

Note: This update is included in New Edition 4420, published mid 2026.

Chart 4419 [previous update 5089/25] WGS84 DATUM

Insert	the accompanying block, centred on:	7° 00'·7N., 124° 19'·4E.
	limit of marine reserve, $\text{TTTT}MR\text{TTTT}$, joining:	(a) 6° 48'·0N., 126° 19'·6E. (b) 6° 44'·0N., 126° 16'·4E. (c) 6° 45'·1N., 126° 15'·6E.
Delete	legend, <i>Pujada Bay Protected Landscape and Seascape</i> , within:	(a)-(c) above
	former limit of restricted area, $\text{TTTT}\text{⊗}\text{⊗}\text{TTTT}$, and associated legend, <i>Pujada Bay Protected Landscape and Seascape</i> , joining:	(a) above (b) above (c) above

Chart 4494 [previous update 2424/26] WGS84 DATUM

Insert	the accompanying block, centred on:	6° 04'·7N., 125° 27'·5E.
	limit of marine reserve, $\text{TTTT}MR\text{TTTT}$, joining:	(a) 6° 47'·94N., 126° 19'·57E. (b) 6° 43'·96N., 126° 16'·40E. (c) 6° 45'·03N., 126° 15'·63E.
Delete	legend, <i>Pujada Bay Protected Landscape and Seascape</i> , within:	(a)-(c) above
	former limit of restricted area, $\text{TTTT}\text{⊗}\text{⊗}\text{TTTT}$, and associated legend, <i>Pujada Bay Protected Landscape and Seascape</i> , joining:	6° 47'·95N., 126° 19'·56E. (b) above 6° 45'·09N., 126° 15'·62E.

Chart 4495 [previous update 382/25] WGS84 DATUM

Insert	the accompanying block, centred on:	7° 23'·6N., 126° 17'·6E.
	limit of marine reserve, $\text{TTTT}MR\text{TTTT}$, joining:	(a) 6° 47'·96N., 126° 19'·58E. (b) 6° 43'·96N., 126° 16'·40E. (c) 6° 45'·05N., 126° 15'·61E.
Delete	legend, <i>Pujada Bay Protected Landscape and Seascape</i> , within:	(a)-(c) above
	former limit of restricted area, $\text{TTTT}\text{⊗}\text{⊗}\text{TTTT}$, and associated legend, <i>Pujada Bay Protected Landscape and Seascape</i> , joining:	6° 47'·97N., 126° 19'·59E. (b) above 6° 45'·09N., 126° 15'·62E.

II

2535 AUSTRALIA - Victoria - Buoyage.

Source: Australian Notice 9/367/26

Chart Aus 143 [*previous update 2262/26*] WGS84 DATUM

Delete



Fl.Y.4s V2

38° 02'·37S., 144° 47'·47E.



Fl.Y.4s V3

38° 03'·37S., 144° 47'·70E.



Fl.Y.4s V4

38° 02'·63S., 144° 49'·55E.

II

2549 AUSTRALIA - Victoria - Light.

Source: Australian Notice 9/365/26

Chart Aus 801 [*previous update 3480/25*] WGS84 DATUM

Amend light to, Fl.15s18m10M

38° 38'·4S., 145° 43'·1E.

II

2574 AUSTRALIA - New South Wales - NM Blocks.

Source: Australian Notice 9/356/26

Chart Aus 807 [*previous update 1551/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	35° 06'·6S., 150° 42'·2E.
	the accompanying block B, centred on:	35° 02'·1S., 150° 58'·2E.
	the accompanying block C, centred on:	35° 11'·5S., 150° 58'·2E.
	the accompanying block D, centred on:	35° 18'·8S., 150° 14'·9E.

II

2518 NEW ZEALAND - North Island - Lights. Buoyage.

Source: New Zealand Notice 9/36/26

Note: AIS remains unchanged.

Chart NZ 5612 [previous update 768/26] WGS84 DATUM

Amend	light-buoy to, <i>Fl(2)R.4s</i>	39° 28'·01S., 176° 55'·58E.
Replace	 <i>Fl.G.4s Fairway 1</i> with  <i>Fl(2+1)G.6s Fairway 1</i>	39° 27'·15S., 176° 54'·85E.
	 <i>Fl(2+1)G.10s</i> with  <i>Fl(2)G.4s</i>	39° 27'·78S., 176° 55'·39E.
Delete	 <i>Fl.4s</i>	39° 28'·54S., 176° 53'·81E.
	 <i>Fl.4s</i>	39° 28'·64S., 176° 53'·98E.
		39° 28'·61S., 176° 54'·22E.
		39° 28'·54S., 176° 54'·45E.

Chart NZ 5612 (Panel, Napier Harbour) [previous update 768/26] WGS84 DATUM

Insert	★ F.Bu.34m8M(Strip lights)	(a) 39° 28'·497S., 176° 54'·936E.
Delete	★ F.Bu(neon)34m1M, close SE of:	(a) above
Replace	 <i>Fl(2+1)G.10s Mid Channel</i> with  <i>Fl(2)G.4s S1</i>	39° 27'·782S., 176° 55'·392E.
	 <i>Fl(2)R.5s Saphto</i> with  <i>Fl(2)R.4s S2</i>	39° 28'·012S., 176° 55'·576E.
Delete	 <i>Fl(5)Y.20s</i>	39° 27'·804S., 176° 54'·462E.
	 <i>Fl.4s</i>	39° 28'·542S., 176° 53'·810E.
	 <i>Fl.4s</i>	39° 28'·640S., 176° 53'·980E.
		39° 28'·612S., 176° 54'·217E.
		39° 28'·544S., 176° 54'·451E.

II

2517 SOUTH PACIFIC OCEAN - Depths.

Source: UKHO

Chart 4600 (INT 600) [*previous update 493/26*] WGS84 DATUM

Insert	 (2009)	31° 32'·4S., 167° 48'·9E.
	 (2009)	32° 19'·0S., 169° 05'·0E.
	 (2009)	31° 01'·5S., 173° 22'·9E.
	 (2009)	31° 49'·2S., 173° 44'·8E.
	 (2009), and extend 1000m contour S to enclose	(a) 31° 51'·0S., 179° 21'·0E.
Delete	depth, 778, close N of:	(a) above
Replace	depth, 411, with  (2009)	28° 10'·3S., 175° 24'·3E.

II

2521 NORTH PACIFIC OCEAN - Hawaiian Islands - Wreck. Depths.

Source: ENC US4HI1MK

Chart 1308 [*previous update 3830/25*] WGS84 DATUM

Insert



depth, 20, and extend 20m contour S to enclose

21° 17'·1N., 157° 54'·5W.

(a) 21° 17'·6N., 157° 55'·9W.


Delete

depth, 44, close W of:

(a) above

Chart 1309 [*previous update 4984/25*] WGS84 DATUM

Insert



depth, 20, and extend 20m contour S to enclose

21° 17'·1N., 157° 54'·5W.

(a) 21° 17'·6N., 157° 55'·9W.

Delete

depth, 44, close W of:

(a) above

II

2534 SOUTH PACIFIC OCEAN - Pilot boarding place. NM Block.

Source: French Notice 11/221/26

Chart 968 (Panel, Île Futuna and Île Alofi) [*previous update 1446/26*] WGS84 DATUM

Insert

①

14° 18'·40S., 178° 10'·00W.

Chart 968 (Panel, Ava Leava) [*previous update 1446/26*] WGS84 DATUM

Insert

the accompanying block, centred on:

14° 17'·7S., 178° 09'·6W.

II

2561 NORTH PACIFIC OCEAN - Note, Submarine cable.

Source: MICT Kiribati

Note: Former Notice 4759(P)/25 is cancelled.

Chart 730 [*previous update 4767/25*] WGS84 DATUM

Insert	the accompanying note, SUBMARINE CABLES, centred on:	1° 56'·22N., 172° 39'·41E.
	submarine cable,  , joining:	1° 19'·77N., 172° 59'·66E.
		1° 18'·94N., 172° 59'·77E.
		1° 18'·55N., 172° 59'·71E.
		1° 17'·97N., 172° 59'·44E.
		1° 16'·98N., 172° 58'·49E.
		1° 15'·57N., 172° 56'·97E.

II

2496 UNITED STATES OF AMERICA - West Coast - Legend.

Source: Canadian Notice 3/3461/26

Chart 4950 [*previous update 4997/25*] NAD83 DATUM

Delete legend, *Chart/Carte USA/É-UA 18434*, centred on: 48° 25'·84N., 122° 56'·62W.

II

2504 UNITED STATES OF AMERICA - West Coast - Buoy.
Source: ENC US5OAKFG

Chart 588 [*previous update 5640/25*] NAD83 DATUM

Amend	designation of buoy to, 'I'	37° 51'·08N., 122° 28'·37W.
-------	-----------------------------	-----------------------------

II

2509 CANADA - British Columbia - NM Block.

Source: Canadian Notice 2/3605/26

Chart 4942 [*previous update 1292/24*] NAD83 DATUM

Insert the accompanying block, centred on:

50° 24'·7N., 127° 40'·3W.

II

2514 UNITED STATES OF AMERICA - West Coast - Buoyage.
Source: ENC US5SEAHH

Chart 47 [*previous update 2073/26*] NAD83 DATUM

Insert	symbol, orange and white can light-buoy, <i>Fl.4s</i>	47° 43'·28N., 122° 38'·39W.
	symbol, orange and white pillar light-buoy, <i>Fl.4s</i>	(a) 47° 43'·41N., 122° 38'·74W.
Delete	 <i>Fl.4s</i> , close SW of:	(a) above

II

2546 **UNITED STATES OF AMERICA - West Coast - Buoy.**
Source: ENC US5CA1JM

Chart 1063 [*previous update 1449/26*] NAD83 DATUM

Insert



33° 21′·05N., 118° 19′·36W.

II

2557 CANADA - British Columbia - NM Blocks.

Source: Canadian Notice 2/3447/26

Chart 4958 [*previous update 5759/25*] NAD83 DATUM

Insert	the accompanying block A, centred on:	49° 10' 53.7"N., 123° 56' 47.2"W.
	the accompanying block B, centred on:	49° 09' 55.2"N., 123° 55' 51.6"W.

Chart 4958 (Panel, Newcastle Island Passage) [*previous update 5759/25*] NAD83 DATUM

Insert	the accompanying block C, centred on:	49° 10' 55.3"N., 123° 56' 37.9"W.
--------	---------------------------------------	-----------------------------------

II

2571 CANADA - British Columbia - Obstructions. Radiobeacon.

Source: Canadian Notices 3/3000/26, 3/3011/26, 3/3603/26

Chart 4920 [*previous update 5631/25*] NAD27 DATUM

Delete	symbol, radio beacon, RC	49° 03'·0N., 125° 42'·5W.
--------	--------------------------	---------------------------

Chart 4922 [*previous update New Edition 11/12/2025*] NAD27 DATUM

Delete	symbol, radio beacon, RC	49° 02'·9N., 125° 42'·3W.
--------	--------------------------	---------------------------

Chart 4944 [*previous update 220/26*] NAD27 DATUM

Insert	depth, 1399, enclosed by danger line, dotted line, <i>ODAS/SADO</i>	48° 43'·43N., 126° 51'·24W. 48° 43'·15N., 126° 49'·30W.
Delete	symbol, radio beacon, RC	49° 02'·93N., 125° 42'·27W.

II

2572 CANADA - British Columbia - Wreck. Legends. Radiobeacon.

Source: Canadian Notices 3/3441-3442/26 and 3/3462-3463/26

Chart 4951 [*previous update 2120/26*] NAD83 DATUM

Replace	 Wk with  Wk	48° 40'·09N., 123° 17'·25W.
Delete	symbol, radiobeacon, RC	48° 52'·43N., 123° 17'·40W.
	legend, <i>Chart/Carte USA/É-UA 18431</i> , centred on:	48° 49'·79N., 122° 51'·13W.
	legend, <i>Chart/Carte USA/É-UA 18434</i> , centred on:	48° 32'·29N., 122° 57'·68W.

Chart 4952 [*previous update 2427/26*] NAD83 DATUM

Delete	symbol, radiobeacon, RC	48° 52'·43N., 123° 17'·40W.
--------	-------------------------	-----------------------------

Chart 4954 [*previous update 2120/26*] NAD83 DATUM

Replace	 Wk with  Wk	48° 40'·09N., 123° 17'·25W.
Delete	legend, <i>Chart/Carte 18432 USA/É-UA</i> , centred on:	48° 43'·73N., 123° 05'·74W.
	legend, <i>Chart/Carte 18433 USA/É-UA</i> , centred on:	48° 38'·00N., 123° 10'·69W.
		48° 34'·53N., 123° 11'·45W.

Chart 4955 [*previous update New Edition 20/11/2025*] NAD83 DATUM

Delete	symbol, radiobeacon, RC	48° 52'·43N., 123° 17'·40W.
	symbol, radar reflector, at light	48° 51'·72N., 123° 18'·82W.

II

2579 CANADA - British Columbia - NM Blocks. Buoy.
Source: Canadian Notice 3/3412/26

Chart 4959 [*previous update 1516/26*] NAD83 DATUM

Insert the accompanying block A, centred on:
 the accompanying block B, centred on:

 VL

48° 24' 56.3"N., 123° 24' 06.8"W.

48° 24' 28.0"N., 123° 24' 06.8"W.

48° 25' 09.9"N., 123° 23' 18.9"W.

II

2506 CHILE - Estrecho de Magallanes - Buoy.

Source: Chilean Notice 4/41/26

Chart 4267 [*previous update 5493/25*] SAD69 DATUM

Insert

 *Fl(4)Y.20s2M*

53° 16′·87S., 70° 50′·25W.

II

2512 CHILE - Northern Coasts - Buoy.

Source: Chilean Notice 4/36/26

Chart 4238 [*previous update 2852/25*] WGS84 DATUM

Insert

 *Fl(4)Y.20s*

32° 51'·83S., 71° 39'·53W.

II

2513 CHILE - Northern Coasts - Superbuoy.

Source: Chilean Notice 4/35/26

Chart 4235 [*previous update 3742/23*] PSAD56 DATUM

Move

 *Fl.Y.5s ODAS 'DART 4G'*, from:

32° 07'·4S., 73° 46'·9W.

to:

32° 07'·8S., 73° 47'·6W.

II

2568 BRAZIL - South Coast - Depths.

Source: ENC BR501821

Chart 579 [*previous update 994/26*] WGS84 DATUM

Insert	depth, <i>134</i>	(a)	25° 31'·78S., 48° 22'·42W.
Delete	depth, <i>144</i> , close NW of:	(a)	above
Insert	depth, <i>119</i>	(b)	25° 33'·01S., 48° 21'·15W.
Delete	depth, <i>133</i> , close E of:	(b)	above
Insert	depth, <i>118</i>	(c)	25° 33'·88S., 48° 20'·23W.
Delete	depth, <i>129</i> , close SE of:	(c)	above
Insert	depth, <i>163</i>	(d)	25° 36'·23S., 48° 17'·56W.
Delete	depth, <i>176</i> , close SW of:	(d)	above
Insert	depth, <i>111</i>	(e)	25° 36'·26S., 48° 17'·40W.
Delete	depth, <i>163</i> , close SW of:	(e)	above
Insert	depth, <i>14</i>	(f)	25° 37'·28S., 48° 16'·42W.
Delete	depth, <i>157</i> , close SE of:	(f)	above

II

2592 BRAZIL - East Coast - NM Block.

Source: ENC BR501211

Chart 551 (Panel D, Ilhéus) [*previous update 5052/25*] WGS84 DATUM

Insert the accompanying block, centred on:

14° 46'·5S., 39° 01'·7W.

II

2622 BRAZIL - South Coast - Spoil grounds.

Source: Brazilian Notice 7/S 29(P)/26

Chart 191 [*previous update 656/26*] WGS84 DATUM

Insert	semi circular limit of spoil ground, radius 2M, pecked line, centred on:	24° 08'·22S., 46° 20'·73W.
Delete	former limit of spoil ground, pecked line, joining:	24° 08'·19S., 46° 22'·92W. 24° 08'·23S., 46° 18'·54W.

Chart 3980 [*previous update 656/26*] WGS84 DATUM

Insert	semi circular limit of spoil ground, radius 2M, pecked line, centred on:	24° 08'·2S., 46° 20'·7W.
Delete	former limit of spoil ground, pecked line, joining:	24° 08'·2S., 46° 22'·9W. 24° 08'·2S., 46° 18'·5W.

II

2498 GUYANA - Legend. Buoy. Wreck.

Source: Maritime Administration Department, Guyana, List of lights

Chart 527 [*previous update 1745/26*] WGS84 DATUM

Insert



6° 48'·22N., 57° 52'·29W.

Chart 537 [*previous update 4019/25*] WGS84 DATUM

Insert

legend, *Buoyed Channel*, along:

6° 54'·43N., 58° 05'·82W.

6° 54'·80N., 58° 05'·45W.

Chart 572 [*previous update 1745/26*] UNDETERMINED DATUM

Insert



6° 48'·5N., 57° 52'·3W.

Chart 2687 [*previous update 1745/26*] UNDETERMINED DATUM

Insert



6° 48'·22N., 57° 52'·29W.

Chart 2782 [*previous update 5833/24*] UNDETERMINED DATUM

Amend

light-buoy to, *Fl.G.4s Naamryck*

6° 52'·48N., 58° 25'·97W.

II

2564 CARIBBEAN SEA - Buoyage.

Source: Netherlands Notice 19/94/26

Chart 780 [*previous update 767/22*] WGS84 DATUM

Insert



12° 15'·58N., 68° 27'·20W.

Chart 782 [*previous update 5688/25*] WGS84 DATUM

Insert



12° 24'·07N., 69° 03'·68W.

12° 23'·23N., 69° 12'·47W.

12° 21'·35N., 69° 10'·97W.

12° 19'·88N., 69° 10'·29W.

12° 17'·98N., 69° 10'·81W.

12° 10'·82N., 69° 04'·79W.

12° 12'·85N., 68° 53'·25W.

12° 12'·75N., 68° 49'·37W.

12° 10'·24N., 68° 39'·84W.

12° 08'·42N., 68° 43'·68W.

12° 01'·48N., 68° 39'·83W.

II

2576 CARIBBEAN SEA - Buoyage.

Source: Netherlands Notice 19/94/26

Chart 2192 [*previous update 2451/26*] WGS84 DATUM

Insert



12° 08'·4N., 68° 44'·0W.

12° 01'·5N., 68° 39'·8W.

Chart 2193 [*previous update 2451/26*] WGS84 DATUM

Insert



12° 24'·1N., 69° 03'·9W.

12° 23'·2N., 69° 12'·5W.

12° 21'·4N., 69° 11'·0W.

12° 19'·9N., 69° 10'·3W.

12° 18'·0N., 69° 10'·8W.

12° 10'·8N., 69° 04'·8W.

12° 12'·9N., 68° 53'·3W.

12° 12'·8N., 68° 49'·4W.

12° 08'·4N., 68° 44'·0W.

12° 01'·5N., 68° 39'·8W.

12° 10'·2N., 68° 39'·8W.

12° 15'·6N., 68° 27'·2W.

II

2586 WEST INDIES - Windward Islands - NM Block.

Source: French Notice 13/263/26

Chart 369 [*previous update 1418/26*] WGS84 DATUM

Insert the accompanying block, centred on:

14° 45'·5N., 60° 52'·9W.

II

2511 CANADA - Nova Scotia - Buoy. Obstruction. Submarine cable. Light.

Source: Canadian Notices 3/4201-4202/26

Chart 4754 (INT 4633) [*previous update 1717/26*] NAD83 DATUM

Insert	 Fl Y ODAS/SADO (Priv)	44° 40' 12.8"N., 63° 35' 26.8"W.
	 ODAS/SADO	(a) 44° 38' 09.5"N., 63° 33' 42.2"W.
	submarine cable,  , joining:	44° 38' 08.4"N., 63° 33' 47.5"W.
		(a) above

Chart 4754 (INT 4633) (Panel, Ocean Terminals) [*previous update 1717/26*] NAD83 DATUM

Insert	 ODAS/SADO	(a) 44° 38' 09.5"N., 63° 33' 42.2"W.
	submarine cable,  , joining:	44° 38' 08.4"N., 63° 33' 47.5"W.
		(a) above

Chart 4755 (INT 4634) [*previous update New Edition 30/04/2026*] NAD83 DATUM

Insert	 Fl Y ODAS/SADO (Priv)	44° 40' 12.8"N., 63° 35' 26.8"W.
Amend	light to, 2 Lts Fl Y(Priv)	44° 41' 04.2"N., 63° 39' 10.2"W.

II

2567 UNITED STATES OF AMERICA - East Coast - Buoy.

Source: ENC US5NY1FG

Chart 2580 (Panel, Execution Rocks to Tallman Island) [*previous update 5161/25*] NAD83 DATUM

Insert

 *Fl.Y.4s 'A'*

40° 52'·94N., 73° 43'·61W.

Chart 2580 [*previous update 5161/25*] NAD83 DATUM

Move

 *Fl.Y.4s 'A'*, from:

40° 53'·10N., 73° 43'·61W.

to:

40° 52'·93N., 73° 43'·60W.

II

2570(P)/26 SWEDEN - West Coast - Works.

Source: Swedish Notice 1117/20079(P)/26

1. Works associated with the construction of a new lighthouse are taking place in the vicinity of 55° 52'·012N., 12° 49'·325E.
2. Mariners are advised to navigate with caution in the area and pass at low speed to avoid swell.
3. Charts will be updated when works are complete
(WGS84 DATUM)

Charts affected - 876 - 2594 (INT 1331)

II

2623(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 59'·87N., 3° 16'·20E.	110
51° 25'·43N., 3° 22'·07E.	116
51° 25'·49N., 3° 23'·04E.	116
51° 25'·49N., 3° 23'·90E.	116
51° 25'·60N., 3° 23'·85E.	116
51° 25'·62N., 3° 25'·14E.	116
51° 25'·63N., 3° 25'·83E.	116
51° 25'·65N., 3° 23'·85E.	116
51° 55'·70N., 3° 39'·80E.	122
52° 10'·42N., 3° 56'·38E.	122
52° 10'·82N., 3° 59'·56E.	122
52° 10'·99N., 3° 59'·78E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·30N., 4° 35'·53E.	124

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
52° 23'·83N., 4° 02'·95E.	125
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
52° 46'·14N., 3° 49'·49E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50

II

2623(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
51° 26'·13N., 3° 20'·07E.	BE101
51° 26'·18N., 3° 20'·07E.	BE101
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 2486(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

2544(T)/26 ITALY - West Coast - Obstructions. Restricted area.

Source: Italian Notice 4.19(T)/26

1. Sedimentation traps have been stationed in the following positions:

43° 35'·07N., 10° 16'·70E.

43° 34'·32N., 10° 15'·97E.

43° 33'·37N., 10° 14'·68E.

43° 32'·75N., 10° 15'·30E.

43° 31'·28N., 10° 17'·42E.

43° 30'·38N., 10° 18'·42E.

2. Navigation is prohibited within a radius of 20m from the sedimentation traps.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 119

II

2547(P)/26 CYPRUS - Works. Marine farm.

Source: Cyprus Department of Lands and Surveys

1. Works are taking place to establish a new marine farm, in an area bounded by the following positions:

34° 41'·65N., 33° 11'·91E.

34° 41'·65N., 33° 12'·17E.

34° 41'·57N., 33° 12'·17E.

34° 41'·57N., 33° 11'·91E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 849 - 850

II

2533(T)/26 UNITED ARAB EMIRATES - Buoyage.

Source: AD Ports

1. Lit yellow Metocean buoys have been established in the following positions:

<i>Characteristic</i>	<i>Position</i>
<i>Fl(4)Y.20s</i>	24° 38'·68N., 52° 35'·37E.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 366(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2889 (INT 7211) - 3179 (INT 7229) - 3951 (INT 7241)

II

2515(P)/26 INDIA - East Coast - Berth. Works.

Source: Indian Notice 6/67(P)/2026

1. Berth extension works are taking place, in an area bounded by the following positions:

13° 18'·77N., 80° 21'·20E.

13° 18'·81N., 80° 21'·04E.

13° 18'·83N., 80° 21'·05E.

13° 18'·77N., 80° 21'·27E.

13° 18'·72N., 80° 21'·26E.

13° 18'·74N., 80° 21'·19E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when works are complete.
(WGS84 DATUM)

Chart affected - IN 3039

II

2593(T)/26 INDIA - West Coast - Wreck.

Source: Indian Nav Warning 358/26

1. A dangerous wreck has been reported in approximate position 8°58'N., 76°28'E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - IN 22 (INT 752) - IN 32 (INT 754) - IN 221 - IN 260 (INT 7362)

II

2606(T)/26 INDIAN OCEAN - Buoyage.

Source: NOAA

1. White and orange RAMA data light-buoys, with radar reflectors and mast carrying sensors, are laid in the following positions:

<i>Designation</i>	<i>Position</i>
<i>RA184A</i>	0° 00'·0N., 89° 57'·6E.
<i>RA186A</i>	0° 10'·9N., 80° 24'·2E.
<i>RA187A</i>	1° 30'·5S., 80° 33'·4E.
<i>RA188A</i>	1° 34'·7S., 66° 59'·4E.
<i>RA190A</i>	1° 42'·3N., 66° 42'·9E.
<i>RA191A</i>	3° 59'·1N., 66° 58'·9E.
<i>RA192A</i>	4° 44'·04N., 73° 29'·48E.
<i>RA193A</i>	15° 02'·9N., 88° 59'·9E.
<i>RT028</i>	11° 50'·5S., 80° 18'·8E.
* <i>RT043</i>	14° 23'·7S., 66° 59'·4E.
* <i>RT044</i>	17° 45'·30N., 83° 45'·70E.
<i>RT045</i>	7° 59'·0S., 80° 28'·9E.
<i>RT046</i>	4° 03'·7S., 80° 31'·9E.
<i>RT047</i>	3° 55'·2S., 64° 58'·5E.
* <i>RT048</i>	3° 56'·5S., 100° 54'·9E.
<i>RT049</i>	12° 00'·7S., 64° 57'·7E.
* <i>RA177A</i>	5° 49'·2S., 55° 22'·3E.

2. The positions of the buoys are subject to frequent change, they may be off station for extended periods of time and additional buoyage may be deployed.
3. The latest information can be found on the Indian National Centre for Ocean Information Services (INCOIS) website, <https://incois.gov.in/site/datainfo/jointportal.jsp> and on the NOAA website, <https://www.pmel.noaa.gov/gtmba/mooring-status-summary>.
4. *Former Notice 1205(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 709 - 721 - 1013 (INT 7371) - 2760 - 2779 - 2780 - 3323 (INT 7372) - 4702 (INT 702) - 4703 (INT 703) - 4706 (INT 706) - 4707 (INT 707) - 4714 (INT 714) - IN 22 (INT 752) - IN 31 (INT 756) - IN 33 (INT 755) - IN 308 (INT 7409)

II

2613(T)/26 INDIA - West Coast - Buoyage.

Source: Indian Notices 5/63(T)/26 and 7/72(T)/26

1. The following light-buoys are unlit:

<i>Designation</i>	<i>Characteristic</i>	<i>Position</i>
<i>Mithapur Buoy No 2</i>	<i>Fl.G.5s</i>	22° 24'·73N., 68° 51'·80E.
<i>Tilburn</i>	<i>Q.G</i>	22° 37'·20N., 69° 32'·00E.
<i>*Dhani Buoy</i>	<i>VQ</i>	22° 36'·80N., 69° 27'·50E.

2. The following cardinal light-buoys have been temporarily removed:

<i>Designation</i>	<i>Characteristic</i>	<i>Position</i>
<i>Gurur Buoy</i>	<i>VQ(9)10s</i>	22° 35'·40N., 68° 57'·98E.
<i>Chandri Buoy</i>	<i>VQ</i>	22° 37'·15N., 69° 07'·50E.

3. The following light-buoys are missing:

<i>Designation</i>	<i>Characteristic</i>	<i>Position</i>
<i>Kachchh Buoy</i>	<i>VQ(9)10s</i>	22° 38'·02N., 69° 12'·94E.
	<i>Q</i>	22° 34'·10N., 69° 18'·35E.

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 2040(T)/26 is cancelled.

*Indicates new or revised entry

(WGS84 DATUM)

Charts affected - 39 - 1470 (INT 7325) - IN 202 - IN 203 (INT 7319) - IN 251 (INT 7318) - IN 2031 (INT 7326) - IN 2060 (INT 7332) - IN 2068 - IN 2079 (INT 7329)

II

2559(P)/26 MALACCA STRAIT - Submarine cable. Works.

Source: Marine Department, Malaysia Notices 245(T)/25, 250(T)/25 and Maritime and Port Authority of Singapore

1. Submarine cable laying operations are taking place in connection with the SEA-ME-WE6 cable, joining the following positions:

- a. Segment S1.0

2° 45'·05N., 101° 26'·51E.
2° 43'·47N., 101° 24'·70E.
2° 41'·32N., 101° 23'·29E.
2° 41'·11N., 101° 22'·37E.

2. b. Segment S1A

1° 20'·19N., 103° 37'·93E.
1° 20'·13N., 103° 37'·73E.
1° 19'·26N., 103° 37'·11E.
1° 15'·66N., 103° 36'·170E.
1° 12'·75N., 103° 36'·13E.
1° 12'·48N., 103° 35'·88E.

3. c. Segment S1B

2° 41'·11N., 101° 22'·37E.
2° 42'·73N., 101° 17'·30E.
2° 47'·38N., 101° 09'·92E.
2° 50'·13N., 101° 04'·66E.
2° 56'·70N., 100° 58'·19E.
3° 00'·08N., 100° 56'·22E.
3° 01'·88N., 100° 53'·61E.
3° 03'·40N., 100° 47'·95E.
3° 11'·31N., 100° 38'·00E.
3° 43'·92N., 100° 01'·62E.
3° 44'·06N., 100° 00'·09E.
4° 35'·44N., 99° 05'·32E.
5° 24'·9N., 98° 26'·1E.
5° 36'·88N., 98° 17'·80E.
6° 37'·4N., 97° 47'·7E.
7° 48'·2N., 95° 30'·1E.
6° 23'·0N., 94° 22'·1E.
6° 02'·9N., 93° 46'·6E.
5° 44'·3N., 92° 30'·7E.
5° 58'·1N., 91° 38'·1E.
5° 52'·4N., 89° 01'·1E.
6° 10'·2N., 88° 22'·8E.

4. Charts will be updated when works are complete.
5. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
6. *Former Notice 854(P)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 830 - 2139 - 2158 - 3833 - 3900 - 3901 - 3902 - 3904 - 3919 - 3920 - 3921 - 3940 - 3944 - 3945 - 3946 - 4038 - 4039 - 4040 - 4706 (INT 706) - 4707 (INT 707) - IN 33 (INT 755) - IN 472 (INT 7032)

II

2508(P)/26 THAILAND - Gulf of Thailand Coast - Light.

Source: Thai Notice 2/2569 (2026)

1. A directional light, DirWRG.61m3M, is reported to exist in position $12^{\circ} 37' \cdot 424N.$, $100^{\circ} 54' \cdot 852E.$ The sectors are as follows:

F R	$014 \cdot 6^{\circ} - 015 \cdot 3^{\circ} (0 \cdot 7^{\circ})$
Al WR	$015 \cdot 3^{\circ} - 015 \cdot 5^{\circ} (0 \cdot 2^{\circ})$
F W	$015 \cdot 5^{\circ} - 018 \cdot 5^{\circ} (3 \cdot 0^{\circ})$
Al WG	$018 \cdot 5^{\circ} - 018 \cdot 7^{\circ} (0 \cdot 2^{\circ})$
F G	$018 \cdot 7^{\circ} - 018 \cdot 9^{\circ} (0 \cdot 2^{\circ})$

2. Mariners are advised to navigate with caution in the area.
3. Charts 1046, 3724 and 3727 will be updated when full details are available.
(WGS84 DATUM)

Charts affected - 1046 - 3724 - 3727

II

2577(T)/26 CHINA - South Coast - Works.

Source: Hong Kong Notice 8/25(T)/26

1. Marine works are taking place in areas bounded by the following positions:

22° 17'·638N., 113° 56'·253E.

22° 17'·594N., 113° 56'·202E.

22° 17'·576N., 113° 56'·209E.

22° 17'·557N., 113° 56'·235E.

22° 17'·603N., 113° 56'·278E.

and

22° 17'·588N., 113° 56'·290E.

22° 17'·546N., 113° 56'·243E.

22° 17'·535N., 113° 56'·270E.

22° 17'·521N., 113° 56'·285E.

22° 17'·553N., 113° 56'·321E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 4123

II

2617(T)/26 CHINA - South Coast - Submarine cable.

Source: Hong Kong Notice 9/29(T)/26

1. A submarine cable is being laid joining the following positions:

22° 12'·77N., 114° 12'·26E.
22° 12'·10N., 114° 12'·00E.
22° 10'·50N., 114° 12'·73E.
22° 09'·46N., 114° 14'·01E.
22° 09'·07N., 114° 15'·23E.
22° 10'·03N., 114° 20'·61E.
22° 09'·95N., 114° 21'·16E.
22° 09'·31N., 114° 21'·46E.
22° 09'·71N., 114° 29'·97E.
22° 09'·51N., 114° 30'·15E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 341 - 937 (INT 5508) - 4127

II

2621(T)/26 CHINA - Yellow Sea Coast - Buoy.

Source: Chinese Notice 16/421(T)/26

1. The south cardinal light-buoy, *Q(6)+LFL15s*, in position $35^{\circ} 54' \cdot 11\text{N.}$, $120^{\circ} 13' \cdot 73\text{E.}$, is reported missing.
2. Mariners are advised to navigate with caution in the area.
(CGCS 2000 DATUM)

Chart affected - 1502

II

2578(T)/26 KOREA - South Coast - Buoyage.

Source: Korean Notices 38/594(T)/25 and 15/206/26

1. The following light-buoys have been established:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl(3)Y.7s</i>	<i>A</i>	Yellow pillar buoy, x-shape topmark	35° 04'·193N., 128° 44'·618E.
<i>Fl(3)Y.7s</i>	<i>B</i>	Yellow pillar buoy, x-shape topmark	35° 04'·162N., 128° 44'·408E.
<i>Fl(3)Y.7s</i>	<i>C</i>	Yellow pillar buoy, x-shape topmark	35° 04'·160N., 128° 44'·062E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 93(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 1065 - 1163

II

2580(T)/26 KOREA - West Coast - Buoy.

Source: Korean Notice 16/239(T)/26

1. An unlit yellow spherical ODAS buoy, has been deployed, until further notice, in position 35° 59′·14N., 126° 30′·58E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1008

II

2583(T)/26 KOREA - South Coast - Buoy.

Source: Korean Notice 16/235(T)/26

1. The ODAS light-buoy, *Fl(5)Y.20s*, in position 33° 42'·01N., 126° 35'·43E., has been temporarily extinguished.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3365 (INT 5252) - 3480

II

2590(T)/26 KOREA - West Coast - Buoyage.

Source: Korean Notices 16/238(T), 240(T)-242(T)/26

1. Unlit yellow spherical *ODAS* buoys have been deployed, until further notice, in the following positions:

35° 58'·60N., 126° 13'·00E.

36° 06'·61N., 126° 04'·37E.

36° 12'·50N., 126° 05'·14E.

36° 15'·27N., 126° 15'·50E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 913 (INT 5254) - 1256 - 3480

II

2599(T)/26 KOREA - East Coast - Buoy.

Source: Korean Notice 16/233(T)/26

1. The *ODAS* buoy, *Fl(5)Y.20s* in approximate position 37° 27'·1N., 131° 06'·7E. has been extinguished.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 2347 - 3480

II

2523(P)/26 INDONESIA - Kalimantan - Submarine pipeline. Platform. Works.

Source: Indonesian Notice 17/107(P)/26

1. Pipeline laying operations are taking place, joining the following positions:

 $1^{\circ} 29' \cdot 43\text{S.}, 117^{\circ} 00' \cdot 22\text{E.}$
 $1^{\circ} 29' \cdot 16\text{S.}, 117^{\circ} 01' \cdot 26\text{E.}$
2. A platform, MP-1, is being established in position $1^{\circ} 29' \cdot 19\text{S.}, 117^{\circ} 01' \cdot 28\text{E.}$
3. Mariners are advised to navigate with caution in the area.
4. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 2639 - 2893

II

2605(T)/26 MALAYSIA - Sabah - Buoy.

Source: Malaysian Notice 3/100(T)/26

1. The safe water light-buoy, *Fl. 10s*, in position $4^{\circ} 23' \cdot 46\text{N}$., $118^{\circ} 36' \cdot 43\text{E}$. is reported missing.
2. Mariners are advised to navigate with caution in the area.
(UNDETERMINED DATUM)

Chart affected - 1681

II

2522(T)/26 AUSTRALIA - Western Australia - Buoyage.

Source: Australian Notice 9/394(T)/26

1. Special light buoys, *Fl.Y.4s*, exist in the following positions:

20° 49'·62S., 115° 51'·31E.

20° 49'·86S., 115° 52'·72E.

20° 50'·34S., 115° 50'·32E.

20° 50'·39S., 115° 51'·44E.

20° 50'·57S., 115° 50'·67E.

20° 50'·89S., 115° 50'·00E.

20° 51'·07S., 115° 48'·72E.

20° 51'·45S., 115° 49'·94E.

20° 58'·14S., 115° 58'·94E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 743

II

2525(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 9/378(T)/26

1. On or about 6 May 2026, vessel *Skandi Hercules* and an ROV will begin conducting subsea operations in the vicinity of position 19° 52'·7S., 114° 36'·5E.
2. Mariners are advised to navigate with caution in the area. 5M clearance requested.
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

2526(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 9/386(T)/26

1. On or about 12 May 2026, vessel *VE Constructor* and an ROV will begin conducting subsea operations associated with the decommissioning of the Mutineer, Exeter, Finucane and Fletcher fields in an area bounded by the following positions:

19° 19'·9S., 116° 30'·1E.

19° 09'·9S., 116° 30'·1E.

19° 09'·9S., 116° 50'·1E.

19° 19'·9S., 116° 50'·1E.

2. Mariners are advised to navigate with caution in the area. 500m clearance requested.
(WGS84 DATUM)

Charts affected - 4722 (INT 722) - 4723 (INT 723) - Aus 327

II

2527(T)/26 AUSTRALIA - Queensland - Wreck. Buoy.

Source: Australian Notice 9/370(T)/26

1. A stranded wreck marked by a special light buoy, *Fl.Y.4s*, exists in position 18° 11'·95S., 146° 01'·08E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 828

II

2528(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 9/389(T)/26

1. On or about 13 May 2026, drill rig *Transocean Endurance* and support vessels will begin conducting well plug and abandonment works in the vicinity of the following positions:

20° 06'·4S., 115° 05'·1E.

20° 03'·3S., 115° 10'·4E.

20° 00'·3S., 115° 11'·1E.

2. Mariners are advised to navigate with caution in the area. 500m clearance requested.
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

2529(T)/26 AUSTRALIA - Western Australia - Dredging area. Works.

Source: Australian Notice 9/393(T)/26

1. Dredging operations have commenced at the Port of Cape Preston West for the transshipment channel to the BCI minerals Mardie Salt and Potash jetty in the vicinity of 21° 01'·48S., 115° 56'·40E. Dredge materials will be disposed in the vicinity of 20° 50'·54S., 115° 51'·20E.
2. Mariners should navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 743

II

2530(T)/26 AUSTRALIA - Queensland - Buoy.

Source: Australian Notice 9/371(T)/26

1. The isolated danger light buoy, *Fl(2)6s*, in position 21° 05'·15S., 149° 14'·36E., is off station.
2. Mariners are advised to navigated with caution in the area.
(WGS84 DATUM)

Charts affected - Aus 823 - Aus 824

II

2532(T)/26 AUSTRALIA - Victoria - Scientific instruments.

Source: Australian Notice 3/160(T)/26

1. Subsurface scientific instruments, 1·5m above the seabed, exist in the following positions:

39° 04'·6S., 147° 59'·5E.

39° 07'·26S., 147° 16'·15E.

39° 16'·4S., 147° 31'·8E.

39° 21'·68S., 147° 04'·50E.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 2280(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - Aus 357 - Aus 802

II

2540(T)/26 AUSTRALIA - Victoria - Buoy.

Source: Australian Notice 9/402(T)/26

1. A special light-buoy, *Fl.Y.4s*, exists in position 38° 02'·84S., 144° 38'·73E.
(WGS84 DATUM)

Chart affected - Aus 143

II

2541(T)/26 AUSTRALIA - Western Australia - Buoyage.

Source: Australian Notice 9/392(T)/26

1. The starboard lateral light-buoy, *Iso.G.2s*, in position 21° 38'·11S., 115° 07'·96E., is off station. A special light-buoy *Fl.Y.2s* exists in situ.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 743

II

2542(T)/26 AUSTRALIA - Western Australia - Buoy.

Source: Australian Notice 9/383(T)/26

1. The special light-buoy, *Fl. Y. 5s FAD (Apr-Nov)*, in position $20^{\circ} 30' \cdot 05\text{S}$., $116^{\circ} 17' \cdot 64\text{E}$., is off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - Aus 57 - Aus 327

II

2543(T)/26 AUSTRALIA - Western Australia - Buoy.

Source: Australian Notice 9/397(T)/26

1. The isolated danger light-buoy, *Fl(2)6s8M* (21° 33'·91S., 114° 57'·70E.) is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 743

II

2562(P)/26 AUSTRALIA - Queensland - Depths.

Source: Australian Chart Aus 818

1. Depths less than charted exist as follows:

<i>Depth</i>	<i>Position</i>
39m	23° 59'·01S., 152° 32'·43E.
65m	23° 59'·04S., 152° 40'·84E.
29·6m	24° 06'·18S., 152° 09'·41E.
27·5m	24° 08'·05S., 152° 20'·45E.
19·9m	24° 15'·91S., 152° 38'·03E.
29·4m	24° 19'·03S., 153° 06'·76E.

2. Mariners are advised to navigate with caution in the area.
3. These changes will be included in a New Edition of Chart Aus 818 to be published mid 2026.
(WGS84 DATUM)

Chart affected - Aus 818

II

2491(P)/26 NEW ZEALAND - North Island - Marine farm. Buoyage.

Source: New Zealand Notice 9/37(P)/26

1. Mariners are advised of a marine farm under construction in the area bounded by the following positions:

37° 55'·6S., 177° 12'·9E.

37° 55'·6S., 177° 19'·4E.

37° 56'·1S., 177° 19'·4E.

37° 56'·1S., 177° 12'·9E.

2. The extent of the marine farm is marked by lit buoys.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - NZ 54

II

2554(P)/26 SOUTHERN OCEAN - Depths.

Source: British Antarctic Survey

1. Survey information has shown that there are numerous changes to depths around the South Sandwich Islands.
2. Depths less than charted exist, the most significant are as follows:

<i>Depth</i>	<i>Position</i>
208m	59° 43'·9S., 27° 49'·5W.
113m	59° 43'·0S., 27° 58'·4W.
163m	59° 41'·4S., 27° 52'·5W.
708m	59° 34'·4S., 28° 34'·9W.
171m	59° 04'·0S., 26° 25'·2W.
124m	58° 55'·5S., 26° 35'·3W.
514m	58° 26'·3S., 26° 41'·2W.
245m	57° 59'·0S., 26° 46'·2W.
68m	57° 39'·2S., 27° 05'·1W.
344m	57° 36'·2S., 26° 54'·4W.
330m	57° 27'·6S., 26° 37'·2W.

3. Mariners are advised to navigate with caution in the area.
4. These changes will be included in a New Edition of Chart 3593 to be published mid 2026.
5. Charts 3200, 4020, 4024 and 4213 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - 3593

II

2507(P)/26 BRAZIL - North Coast - Wreck.

Source: Brazilian Notice 8/I 32(P)/26

1. A dangerous wreck exists in the vicinity of position $0^{\circ} 28' \cdot 60S.$, $47^{\circ} 58' \cdot 58W.$
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when full details are available.
(WGS84 DATUM)

Charts affected - 329 - 520 - 3959

II

2551(T)/26 CARIBBEAN SEA - Lights.

Source: ENC US4PR1CC

1. The light, Isla de Mona North, in position $18^{\circ} 06' \cdot 58N.$, $67^{\circ} 54' \cdot 52W.$ has been reported as Fl.2·5s 4·6m 11M, and the sector is reported as follows: $294^{\circ} - 138 \cdot 5^{\circ}$. The light is partially obscured.
2. The light, Punta Este in position $18^{\circ} 05' \cdot 17N.$, $67^{\circ} 50' \cdot 84W.$ has been reported as Fl.5s 98·5m 14M. The light is partially obscured.
3. Mariners are advised to navigate with caution in the area.
4. Mariners are advised to consult NOAA electronic charts for full details.
(WGS84 DATUM)

Charts affected - 472 - 2600 - 3001 - 3408