



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 23

04 June 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
515	5614_3	INT 551	NP 131
820	5614_4	INT 653	NP 202
1007	5614_5	INT 657	NP 286(2)
1187	5614_20	INT 1238	
1261	AUS 53	INT 5709	
1336	AUS 377	INT 7411	Erratum
1785	AUS 818		
1962	IN 3012		4970
2100			
2139			
2645			
2711			
2773			
3026			
3089			
3483			
3837			
3986			
3987			
3988			
3989			
4490			
4653			
4657			

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 04 June 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙515	Croatia, Zadar to Luka Mali Lošinj. Continuation to Karinsko More.	1:100,000 1:100,000	27	44
	This chart remains affected by Notice 5756(T)/24.			
⊙820 INT 1238	International Chart Series, Sweden - East Coast, Stockholms Skärgård, Västra Saxarfjärden to Stockholm. Ⓐ Edsviken. Ⓑ Stegesundet. Ⓒ Farstasundet. Ⓓ Baggens-Stäket. Ⓔ Gustavsberg.	1:25,000 1:50,000 1:10,000 1:10,000 1:10,000 1:5,000	10	36
	This chart remains affected by Notices 743(T)/26 and 1621(T)/26.			
⊙1007	Korea - West Coast, Mokpo. Mokpo Hang Myoji.	1:15,000 1:10,000	52	82
	This chart remains affected by Notice 285(T)/26. This chart is to be deleted from the list of charts affected by Notice 464(P)/26.			
⊙1187	North Sea, Outer Silver Pit.	1:150,000	7	26, 32
	This chart remains affected by Notices 256(T)/25, 4348(T)/25 and 369(T)/26. This chart is to be deleted from the list of charts affected by Notice 1742(P)/26.			
⊙1336	South China Sea, Borneo - North West Coast, Pulau - Pulau Subi Besar to Bintulu.	1:500,000	47	70, 72
	On publication of this New Edition former Notice 1663(P)/26 is cancelled. This chart remains affected by Notice 377(P)/26.			
⊙1962	South China Sea, Hong Kong to Shantou.	1:300,000	50	78, 80
	This chart remains affected by Notice 4905(P)/25.			
⊙2100	Malaysia – Sarawak, Approaches to Bintulu Port.	1:75,000	48	70, 72
	On publication of this New Edition former Notice 1663(P)/26 is cancelled. This chart remains affected by Notice 377(P)/26.			
⊙2139	Malaysia and Indonesia, Malacca Strait, Approaches to Pelabuhan Klang.	1:80,000	45	66
	This chart remains affected by Notices 3799(T)/24, 1407(T)/25 and 2559(P)/26.			

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 04 June 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙2711	Croatia, Rogoznica to Zadar. Zadar.	1:100,000 1:20,000	27	44
⊙2773	Croatia, Šibenik, Pašmanski Kanal, Luka Telašćica, Sedmovraće, Rijeka Krka. Ⓐ Šibenik and Approaches. Ⓑ Rijeka Krka. Ⓒ Luka Telašćica. Ⓓ Pašmanski Kanal and Southern Approaches. Ⓔ Sedmovraće.	1:30,000 1:50,000 1:40,000 1:40,000 1:40,000	27	44
This chart remains affected by Notices 4652(T)/23 and 2028(T)/25.				
⊙3026	South China Sea, Outer Approaches to Hong Kong.	1:160,000	50	78, 80
This chart remains affected by Notices 1435(T)/21 and 34(T)/26.				
⊙3837 INT 5709	International Chart Series, Malaysia – Sarawak, Kuala Mukah to Kuala Niah. On publication of this New Edition former Notice 1663(P)/26 is cancelled. This chart remains affected by Notices 4712(T)/25 and 377(P)/26.	1:200,000	48	70, 72

Publication dates of these charts reflect the dates shown on the Australian Government Charts.

<i>Chart</i>	<i>Published</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙AUS53	17/04/2026	Australia - North West Coast, Western Australia, Approaches to Port Hedland. Hunt Point.	1:50,000 1:15,000	63	92
On publication of this New Edition former Notice 2227(P)/26 is cancelled.					

Publication dates of these charts reflect the dates shown on the Indian Government Charts.

<i>Chart</i>	<i>Published</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙IN3012 INT 7411	31/01/2026	International Chart Series, India - East Coast, Visākhapatnam Harbour.	1:12,500	43	64
On publication of this New Edition former Notice 1672(P)/26 is cancelled.					

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP202	ADMIRALTY Tide Tables North Atlantic Ocean and Arctic Regions Volume 2, 2027 Edition. ISBN No: 978-0-70-772-2849	04/06/2026	New Edition.
NP286(2)	ADMIRALTY List of Radio Signals. Pilot Services, Vessel Traffic Services and Port Operations Europe, Arctic and Baltic Coasts, Including Iceland and Faroe Islands Volume 6 7 th Edition (2026). ISBN No: 978-0-70-774-8412	04/06/2026	Updated to Week 16/26 (16/04/26) First updates in NM Week 23/26 (04/06/26) The 6 th Edition 2025 of NP286(2) is cancelled.

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 18 JUNE 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
1261	Vietnam, Approaches to Song Sai Gon.	1:200,000	⊙1261	47	76
1785	Scotland - West Coast, North Minch Northern Part.	1:100,000	⊙1785	6	28
2645	China - Bo Hai - Tianjin Gang, Dagang Gangqu and Approaches.	1:50,000	⊙2645	52	82
3089	South America - West Coast, Ports on the Coast of Peru. Ⓐ Talara. Ⓑ Punta Pariñas to Punta Malacas. Ⓒ Paita. Ⓓ Caleta Lobitos. Ⓔ Salaverry.	1:15,000 1:75,000 1:30,000 1:50,000 1:15,000	⊙3089	98	114
3483 INT 551	International Chart Series, South China, Sulu and Celebes Seas, Mindoro Strait to Luconia Shoals and Selat Makasar.	1:1,500,000	⊙3483 INT 551	48	70, 72, 74, 76, 78
3986	South China Sea - Vietnam - South Coast, Hon Khoai to Mui Ke Ga.	1:500,000	⊙3986	47	68, 76

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 18 JUNE 2026

New Editions of ADMIRALTY Charts (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
3987	South China Sea, Vietnam - South East Coast, Mui Ke Ga to Quy Nhon.	1:500,000	⊙3987	47	76
3988	South China Sea, Vietnam - East Coast, Quy Nhon to Song Huong.	1:500,000	⊙3988	47	76
3989	South China Sea, Gulf of Tonkin (Southern Part)	1:500,000	⊙3989	47	76
4490	Philippine Islands, Verde Island Passage.	1:150,000	⊙4490	48	78
4653 INT 653	International Chart Series, South Pacific Ocean, Malden Island to Îles de la Société.	1:1,500,000	⊙4653 INT 653	73	104
4657 INT 657	International Chart Series, South Pacific Ocean, Southern Cook Islands to Îles de la Société and Îles Australes.	1:1,500,000	⊙4657	73	104

New Editions of ADMIRALTY Small Craft Charts

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>NP109A Catalogue page</i>
5614_3	Approaches to Lowestoft.	1:25,000	5614_3	31
5614_4	Approaches to Great Yarmouth.		5614_4	31
	Ⓐ Approaches to Great Yarmouth.	1:25,000		
	Ⓑ Great Yarmouth Outer Harbour.	1:7,500		
5614_5	Ⓐ Northern Approaches to Great Yarmouth.	1:25,000	5614_5	31
	Ⓑ Great Yarmouth Haven.	1:7,500		
5614_20	Whitton Ness to Goole and Keadby and Lowestoft Harbour.	1:6,250	5614_20	
	Ⓐ Lowestoft Harbour.	1:6,250		
	Ⓑ Whitton Ness to Goole and Mere Dyke.	1:50,000		
	Ⓒ Continuation to Keadby.	1:50,000		

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

CHARTS TO BE AVAILABLE 18 JUNE 2026

New Editions

Reproductions of Australian Government Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
AUS377	Australia - Papua New Guinea, Torres Strait, Bligh Entrance to Eastern Fields.	1:300,000	⊙AUS377	66	92, 100
AUS818	Australia - East Coast, Queensland, Sandy Cape to Bustard Head.	1:150,000	⊙AUS818	66	90

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
515	Zadar to Luka Mali Lošinj.	⊙515
820 INT 1238	International Chart Series, Sweden - East Coast, Stockholms Skärgård, Västra Saxarfjärden to Stockholm.	⊙820 INT 1238
1007	Korea - West Coast, Mokpo.	⊙1007
1187	North Sea, Outer Silver Pit.	⊙1187
1336	South China Sea, Borneo - North West Coast, Pulau - Pulau Subi Besar to Bintulu.	⊙1336
1962	South China Sea, Hong Kong to Shantou.	⊙1962
2100	Malaysia – Sarawak, Approaches to Bintulu Port.	⊙2100
2139	Malaysia and Indonesia, Malacca Strait, Approaches to Pelabuhan Klang.	⊙2139
2711	Croatia, Rogoznica to Zadar.	⊙2711
2773	Croatia, Šibenik, Pašmanski Kanal, Luka Telašćica, Sedmovraće, Rijeka Krka.	⊙2773
3026	South China Sea, Outer Approaches to Hong Kong.	⊙3026
3837 INT 5709	International Chart Series, Malaysia – Sarawak, Kuala Mukah to Kuala Niah.	⊙3837 INT 5709

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts (continued)

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
AUS53	Australia - North West Coast, Western Australia, Approaches to Port Hedland.	⊙AUS53
IN3012 INT 7411	International Chart Series, India - East Coast, Visākhatnam Harbour.	⊙IN3012 INT 7411

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 3, Sub-Distributor Section, China

Insert:

Etone Marine Technology Co., Ltd	
SUB DISTRIBUTOR OF: Elcome International LLC	
1-304, Building No 1	
Yuntongjiayuan Estate	
Hangzhoudao Street	
Binhai New Area	
Tianjin	
T: + 86-13611319244	
F: + 86-22-65161686	
service@etonemarine.com	
www.etonemarine.com	
DIGITAL	PUBLICATIONS

ERRATUM

Section 1, NM Weekly 22 dated 28 May 2026,

Page 1.13, within **ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN**,

Chart 4970 is listed in error. A New Edition of Chart 4970 is still scheduled to be published on 11th June 2026.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
29	2661	1949	2631P
110	2710	1976	2650
119	2652	1999	2643
124	2707	2000	2647
134	2630	2013	2690
142	2682	2014	2632T, 2701, 2706T
152	2630	2018	2632T, 2701, 2704T, 2706T
156	2630, 2693P	2040	2701, 2704T, 2706T
187	2654	2093	2639P
220	2672	2094	2639P
235	2664	2104	2694
292	2638	2114	2649
343	2656	2182D	2653T
344	2678	2192	2700
349	2678	2198	2639P
454	2634	2219	2629
456	2634	2227	2712
495	2695	2241	2712
590	2713	2248	2629, 2712
598	2711P	2276	2655
599	2711P	2409	2716
813	2686P	2422	2648
850	2625	2452	2705T
857	2703T	2456	2651
858	2703T	2492	2651
903	2714	2529	2637
908	2674	2530	2708
914	2683	2567	2630
916	2683	2595	2714
1004	2692	2637	2645T
1005	2659	2653	2676
1006	2659	2688	2645T
1055	2673	2724	2639P
1056	2673	2743	2697
1065	2628	2816	2701
1100	2688	2837	2696
1161	2665	2847	2696
1165	2665	2860	2651
1174	2666	2883	2696
1179	2665	2887	2696
1191	2630	2889	2696
1192	2630	2890	2651
1202	2679	2898	2698
1223	2669	2965	2702
1250	2676	2966	2684T
1253	2675	3230	2716
1292	2666	3232	2716
1387	2689	3310	2699
1406	2709	3317	2627
1411	2639P	3323	2686P
1415	2633	3361	2699
1427	2638, 2653T	3445	2648
1430	2635	3451	2640
1443	2685T	3496	2687
1462	2677	3497	2687
1467	2672	3548	2644
1468	2633	3684	2626
1531	2715	3700	2686P
1627	2693P	3773	2669
1629	2700	3781	2636
1630	2710	3817	2629
1757	2637	3818	2629
1794	2637	3838	2631P
1826	2639P	3874	2688
1856	2642	3884	2663P
1861	2642	3889	2681
1862	2642	3950	2696
1908	2674	4034	2658
1935	2630	4050	2708

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	International Chart No.	Notices
4051	2708	INT 50	2708
4101	2635	INT 51	2708
4122	2624T	INT 101	2635
4123	2624T	INT 754	2686P
4240	2641	INT 801	2708
4245	2641	INT 802	2708
4246	2641	INT 1040	2653T
4777	2646T	INT 1104	2698
4779	2646T	INT 1160	2629
4782	2646T	INT 1202	2632T, 2701, 2704T, 2706T
4801	2708	INT 1218	2701, 2704T, 2706T
4802	2708	INT 1219	2632T, 2701, 2706T
4912	2708	INT 1249	2629
4913	2708	INT 1250	2629
4914	2717	INT 1288	2645T
4918	2671	INT 1316	2703T
4937	2668	INT 1317	2703T
4956	2660	INT 1332	2714
5608_3	2665	INT 1333	2714
5608_7	2665	INT 1401	2638, 2653T
5610_17	2639P	INT 1404	2635
5612_1	2639P	INT 1416	2710
5612_11	2639P	INT 1452	2662
5613_19	2639P	INT 1456	2662
5613_2	2639P	INT 1471	2707
5613_8	2690	INT 1473	2710
5614_18	2687	INT 1474	2691
5614_19	2687	INT 1506	2630
5615_1	2630	INT 1507	2630
5615_20	2693P	INT 1549	2630
5615_4	2630	INT 1551	2693P
5615_5	2630	INT 1554	2687
5615_6	2630, 2693P	INT 1565	2687
5615_7	2693P	INT 1606	2639P
5617_17	2677	INT 1607	2639P
5621_12	2633	INT 1608	2639P
5621_5	2633	INT 1610	2665
5621_7	2633	INT 1625	2637
		INT 1630	2637
		INT 1652	2665
		INT 1663	2633
		INT 1805	2666
		INT 1844	2697
		INT 1926	2642
		INT 1939	2642
		INT 2810	2689
		INT 3188	2649
		INT 3661	2694
		INT 5708	2631P
		INT 5777	2631P
		INT 7017	2696
		INT 7018	2696
		INT 7021	2667T
		INT 7211	2696
		INT 7232	2696
		INT 7244	2696
		INT 7248	2636
		INT 7260	2696
		INT 7334	2667T
		INT 7372	2686P
		INT 7383	2686P
		INT 7386	2686P
		INT 7690	2699
		INT 7700	2699
		INT 12902	2645T
		INT 12991	2705T
Australian Chart No.	Notices		
Aus 377	2657P, 2680P		
Belgian Chart No.	Notices		
BE 11	2691		
BE 101	2691		
German Chart No.	Notices		
DE 2	2662		
DE 44	2662		
Indian Chart No.	Notices		
IN 32	2686P		
IN 211	2667T		
IN 255	2667T		
IN 263	2686P		
IN 292	2667T		
IN 2068	2670		

II

2689 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update</i>	<i>Details</i>
1387 INT 2810	2122/26	Effective immediately Delete magenta limit and chart number, 1321, in position: 3° 49'·1N., 8° 46'·8E.

II

2630* ENGLAND - East Coast - Obstruction. Wrecks. Depths.

Source: British Government Survey

Note: Former Notice 804(P)/26 is cancelled.

Chart 134 [previous update 2241/26] ETRS89 DATUM

Insert depth, 34 54° 42'·05N., 0° 59'·25W.

Chart 152 (INT 1549) [previous update 2241/26] ETRS89 DATUM

Insert  Obstn 55° 02'·04N., 1° 14'·49W.

 Wk (a) 54° 53'·41N., 1° 08'·69W.

Delete  Wk, close E of: (a) above

Insert  Wk (b) 54° 48'·87N., 1° 13'·77W.

Delete  Wk, close SW of: (b) above

Insert depth, 189, and extend 20m contour NE to enclose 54° 45'·42N., 1° 12'·51W.

depth, 34 54° 42'·05N., 0° 59'·25W.

Replace depth, 205, with depth, 195, and extend 20m contour NE to enclose 54° 43'·73N., 1° 09'·77W.

 Wk with:  Wk 54° 53'·87N., 1° 08'·23W.

 Wk with:  Wk 54° 56'·25N., 1° 10'·88W.

 Wk with:  Wk 55° 00'·84N., 1° 14'·07W.

Chart 156 [previous update 792/26] ETRS89 DATUM

Insert  Obstn 55° 02'·04N., 1° 14'·49W.

Replace  Wk with:  Wk 55° 00'·84N., 1° 14'·07W.

Chart 1191 (INT 1507) [previous update 2415/26] ETRS89 DATUM

Insert depth, 40 54° 56'·25N., 1° 10'·88W.

depth, 43 54° 53'·41N., 1° 08'·69W.

Replace  Wk with:  Wk 54° 48'·87N., 1° 13'·77W.

Chart 1192 (INT 1506) [previous update 5606/25] ETRS89 DATUM

Insert  Wk 54° 56'·25N., 1° 10'·88W.

Replace  Wk with:  Wk 54° 53'·87N., 1° 08'·23W.

 Wk with:  Wk 54° 53'·41N., 1° 08'·69W.

 Wk with:  Wk 54° 48'·87N., 1° 13'·77W.

Chart 1935 [previous update 2241/26] ETRS89 DATUM

Insert obstruction out of position,  Obstn 55° 02'·04N., 1° 14'·49W.

Replace  Wk with:  Wk 55° 00'·84N., 1° 14'·07W.

II

2630* ENGLAND - East Coast - Obstruction. Wrecks. Depths. (continued)

Chart 2567 [previous update 2241/26] ETRS89 DATUM

Insert	depth, 189, and extend 20m contour NE to enclose	(a)	54° 45'·42N., 1° 12'·51W.
Delete	depth, 198, close SW of:	(a)	above
Insert	depth, 195, enclosed by 20m contour	(b)	54° 43'·73N., 1° 09'·77W.
Delete	depth, 205, close N of:	(b)	above
Insert	depth, 34		54° 42'·05N., 0° 59'·25W.

Chart 5615_4 (Panel A, Whitby to Hartlepool) [previous update 1139/26] ETRS89 DATUM

Insert	depth, 34		54° 42'·05N., 0° 59'·25W.
--------	-----------	--	---------------------------

Chart 5615_5 (Panel A, Hartlepool to Tynemouth) [previous update 2241/26] ETRS89 DATUM

Insert	depth, 189, and extend 20m contour NE to enclose		54° 45'·42N., 1° 12'·51W.
	 Wk	(a)	54° 48'·87N., 1° 13'·77W.
Delete	 Wk, close SW of:	(a)	above
Insert	 Wk	(b)	54° 53'·41N., 1° 08'·69W.
Delete	 Wk, close E of:	(b)	above
Replace	depth, 205, with depth, 195, and extend 20m contour NE to enclose		54° 43'·73N., 1° 09'·77W.
	 Wk with  Wk		54° 53'·87N., 1° 08'·23W.
	 Wk with  Wk		54° 56'·25N., 1° 10'·88W.
	 Wk with  Wk		55° 00'·84N., 1° 14'·07W.

Chart 5615_6 [previous update 5824/25] ETRS89 DATUM

Insert	 Obstn		55° 02'·04N., 1° 14'·49W.
Replace	 Wk with  Wk		55° 00'·84N., 1° 14'·07W.

Chart 5615_1 [previous update 5606/25] ETRS89 DATUM

Insert	depth, 40		54° 56'·25N., 1° 10'·88W.
	depth, 43		54° 53'·41N., 1° 08'·69W.
Replace	 Wk with  Wk		54° 48'·87N., 1° 13'·77W.

II

2633* IRELAND - East Coast - Wreck.

Source: Dublin Port Company Notice 41/26

Chart 1415 (INT 1663) [*previous update 5830/25*] ETRS89 DATUM

Insert



53° 17'·85N., 6° 04'·11W.

Chart 1468 [*previous update New Edition 08/05/2025*] ETRS89 DATUM

Insert



53° 17'·85N., 6° 04'·11W.

Chart 5621_12 (Panel A, Dublin Bay Southern Part) [*previous update 5830/25*] ETRS89 DATUM

Insert



53° 17'·85N., 6° 04'·11W.

Chart 5621_5 [*previous update 124/26*] ETRS89 DATUM

Insert



53° 17'·85N., 6° 04'·11W.

Chart 5621_7 [*previous update New Edition 04/09/2025*] ETRS89 DATUM

Insert



53° 17'·85N., 6° 04'·11W.

II


2637* SCOTLAND - West Coast - Obstructions. Buoyage. Legends.

Source: Whale and Dolphin Conservation

Note: This update is included in New Edition 1785, published mid 2026.

Chart 1757 (INT 1630) [*previous update 5227/24*] ETRS89 DATUM

Delete




symbol, pink spherical buoy, and associated legend, (*seasonal*)

58° 15'·85N., 6° 08'·94W.
58° 11'·89N., 6° 11'·56W.
58° 11'·06N., 6° 15'·90W.
58° 15'·85N., 6° 08'·64W.
58° 11'·79N., 6° 11'·31W.
58° 11'·06N., 6° 16'·22W.

Chart 1794 (INT 1625) [*previous update 3385/25*] ETRS89 DATUM

Delete




symbol, pink spherical buoy, and associated legend, (*seasonal*)

58° 15'·85N., 6° 08'·94W.
58° 11'·89N., 6° 11'·56W.
58° 11'·06N., 6° 15'·90W.
58° 15'·85N., 6° 08'·65W.
58° 11'·80N., 6° 11'·30W.
58° 11'·06N., 6° 16'·21W.

Chart 2529 [*previous update 4345/25*] ETRS89 DATUM

Delete



symbol, pink spherical buoy, and associated legend, (*seasonal*)

58° 11'·06N., 6° 15'·90W.
58° 11'·06N., 6° 15'·99W.

II

2647* SCOTLAND - West Coast - Landmarks. Legends.

Source: King's Harbour Master, Clyde

Chart 2000 (Panel B, Faslane Base) [*previous update 1499/26*] ETRS89 DATUM

Delete	symbol, travelling crane	56° 03'·853N., 4° 49'·225W.
	symbol, travelling crane and associated legend, TRAVELLING CRANE	56° 03'·916N., 4° 49'·088W.

Chart 2000 [*previous update 1499/26*] ETRS89 DATUM

Delete	symbol, container crane and associated legend, TRAVELLING CRANE	56° 03'·916N., 4° 49'·088W.
--------	--	-----------------------------

II

2665* WALES - South Coast - Radar beacon. Automatic Identification System.

Source: ABP South Wales Notice 28/26

Chart 1161 (INT 1652) [*previous update 783/26*] ETRS89 DATUM

Replace	radar beacon, <i>Racon(C)</i> , with Automatic Identification System, <i>AIS</i> , at <i>Cabenda</i> light-buoy	51° 33'·35N., 3° 52'·23W.
---------	---	---------------------------

Chart 1165 [*previous update 783/26*] ETRS89 DATUM

Replace	radar beacon, <i>Racon(C)</i> , with Automatic Identification System, <i>AIS</i> , at <i>Cabenda</i> light-buoy	51° 33'·35N., 3° 52'·23W.
---------	---	---------------------------

Chart 1179 (INT 1610) [*previous update 689/26*] ETRS89 DATUM

Replace	radar beacon, <i>Racon(C)</i> , with Automatic Identification System, <i>AIS</i> , at light-buoy	51° 33'·36N., 3° 52'·23W.
---------	--	---------------------------

Chart 5608_7 [*previous update 132/26*] ETRS89 DATUM

Replace	radar beacon, <i>Racon(C)</i> , with Automatic Identification System, <i>AIS</i> , at <i>Cabenda</i> light-buoy	51° 33'·35N., 3° 52'·23W.
---------	---	---------------------------

Chart 5608_3 [*previous update 689/26*] ETRS89 DATUM

Replace	radar beacon, <i>Racon(C)</i> , with Automatic Identification System, <i>AIS</i> , at light-buoy	51° 33'·36N., 3° 52'·23W.
---------	--	---------------------------

II

2677* SCOTLAND - East Coast - Depths.

Source: Fraserburgh Harbour Authority

Chart 1462 (Panel J, Fraserburgh) [*previous update New Edition 27/11/2025*] ETRS89 DATUM

Insert	depth, 5, enclosed by 5m contour	(a)	57° 41' ·497N., 1° 59' ·598W.
Delete	depth, 72, close NE of:	(a)	above
Insert	depth, 26	(b)	57° 41' ·474N., 1° 59' ·769W.
Delete	depth, 44, close SE of:	(b)	above
Insert	depth, 52	(c)	57° 41' ·455N., 1° 59' ·698W.
Delete	depth, 68, close W of:	(c)	above
Insert	depth, 61	(d)	57° 41' ·420N., 1° 59' ·606W.
Delete	depth, 79, close NW of:	(d)	above
Insert	depth, 82	(e)	57° 41' ·426N., 1° 59' ·534W.
Delete	depth, 96, close SW of:	(e)	above
Insert	depth, 71		57° 41' ·395N., 1° 59' ·549W.
Replace	depth, 6, with depth, 48, and extend 5m contour SE to enclose		57° 41' ·507N., 1° 59' ·652W.

Chart 1462 (Panel K, Fraserburgh Approaches) [*previous update New Edition 27/11/2025*] ETRS89 DATUM

Insert	depth, 71	(a)	57° 41' ·40N., 1° 59' ·55W.
Delete	depth, 81, close S of:	(a)	above

Chart 5617_17 (Panel C, Fraserburgh) [*previous update 1244/26*] ETRS89 DATUM

Insert	depth, 5, enclosed by 5m contour	(a)	57° 41' ·497N., 1° 59' ·598W.
Delete	depth, 72, close NE of:	(a)	above
Insert	depth, 26	(b)	57° 41' ·475N., 1° 59' ·769W.
Delete	depth, 44, close SE of:	(b)	above
Insert	depth, 52	(c)	57° 41' ·455N., 1° 59' ·698W.
Delete	depth, 68, close W of:	(c)	above
Insert	depth, 61	(d)	57° 41' ·420N., 1° 59' ·606W.
Delete	depth, 79, close NW of:	(d)	above
Insert	depth, 82	(e)	57° 41' ·426N., 1° 59' ·534W.
Delete	depth, 96, close SW of:	(e)	above
Insert	depth, 71		57° 41' ·395N., 1° 59' ·549W.
Replace	depth, 6, with depth, 48, and extend 5m contour SE to enclose		57° 41' ·507N., 1° 59' ·652W.

II

2687* ENGLAND - East Coast - Depths. Drying heights.

Source: ABP Humber

Chart 3496 (INT 1565) (Panel A, Hull Docks Eastern Part) [previous update 2054/26] ETRS89 DATUM

Insert	depth, 18, enclosed by 2m contour	53° 43'·822N., 0° 16'·818W.
	depth, 25	(a) 53° 43'·719N., 0° 16'·439W.
Delete	depth, 37, close NE of:	(a) above
Insert	depth, 28	(b) 53° 43'·654N., 0° 16'·350W.
Delete	depth, 43, close SW of:	(b) above
Insert	depth, 29	(c) 53° 43'·541N., 0° 16'·306W.
Delete	depth, 42, close NE of:	(c) above
Insert	depth, 26	(d) 53° 43'·472N., 0° 16'·125W.
Delete	depth, 41, close NE of:	(d) above
Insert	depth, 27	(e) 53° 43'·452N., 0° 15'·902W.
Delete	depth, 37, close SW of:	(e) above
Insert	depth, 19, enclosed by 2m contour	(f) 53° 43'·340N., 0° 15'·890W.
Delete	depth, 31, close NE of:	(f) above
Insert	depth, 16, enclosed by 2m contour	(g) 53° 43'·339N., 0° 16'·004W.
Delete	depth, 28, close NE of:	(g) above
Insert	drying height, 03, enclosed by 0m low water line	(h) 53° 43'·296N., 0° 16'·303W.
Delete	depth, 05, close NE of:	(h) above
Insert	drying height, 04, enclosed by 0m low water line	(i) 53° 43'·227N., 0° 16'·127W.
Delete	depth, 03, close SE of:	(i) above
Insert	depth, 09, and extend 2m contour NE to enclose	(j) 53° 43'·278N., 0° 15'·972W.
Delete	depth, 19, close SW of:	(j) above
Insert	depth, 14, and extend 2m contour NE to enclose	(k) 53° 43'·281N., 0° 15'·821W.
Delete	depth, 25, close NE of:	(k) above
Insert	depth, 1	(l) 53° 43'·224N., 0° 15'·780W.
Delete	depth, 2, close NE of:	(l) above

II

2687* ENGLAND - East Coast - Depths. Drying heights. (continued)

Chart 3497 (INT 1554) [previous update 2413/26] ETRS89 DATUM

Insert	depth, 45, and extend 5m contour SE to enclose	(a)	53° 42'·77N., 0° 21'·89W.
Delete	depth, 52, close SE of:	(a)	above
Insert	depth, 38, and extend 5m contour SE to enclose	(b)	53° 42'·85N., 0° 21'·70W.
Delete	depth, 4, close NW of:	(b)	above
Insert	depth, 34	(c)	53° 43'·19N., 0° 19'·72W.
Delete	depth, 37, close NW of:	(c)	above
	depth, 44, close SW of:	(c)	above
Insert	depth, 32	(d)	53° 43'·30N., 0° 19'·31W.
Delete	depth, 51, and associated 5m contour, close SE of:	(d)	above
Insert	depth, 28	(e)	53° 43'·45N., 0° 18'·93W.
Delete	depth, 56, and associated 5m contour, close NE of:	(e)	above
	depth, 36, close NW of:	(e)	above
Insert	depth, 18, and extend 2m contour SE to enclose	(f)	53° 43'·56N., 0° 18'·87W.
Delete	depth, 25, close NW of:	(f)	above
Insert	depth, 33, and extend 5m contour SE to enclose		53° 43'·49N., 0° 18'·71W.
	depth, 43	(g)	53° 43'·56N., 0° 18'·39W.
Delete	depth, 52, and associated 5m contour, close SE of:	(g)	above
Insert	depth, 18, enclosed by 2m contour		53° 43'·82N., 0° 16'·82W.
	depth, 28	(h)	53° 43'·65N., 0° 16'·35W.
Delete	depth, 43, close S of:	(h)	above
Insert	depth, 29	(i)	53° 43'·54N., 0° 16'·31W.
Delete	depth, 42, close NE of:	(i)	above
Insert	depth, 26	(j)	53° 43'·47N., 0° 16'·13W.
Delete	depth, 35, close SE of:	(j)	above
Insert	depth, 27	(k)	53° 43'·45N., 0° 15'·90W.
Delete	depth, 42, close NW of:	(k)	above
Insert	depth, 19, enclosed by 2m contour	(l)	53° 43'·34N., 0° 15'·89W.
Delete	depth, 31, close NE of:	(l)	above
Insert	depth, 09, and extend 2m contour NE to enclose	(m)	53° 43'·28N., 0° 15'·97W.
Delete	depth, 19, close SW of:	(m)	above

Chart 5614_18 (Panel A, Immingham to Saltend) [previous update 2054/26] ETRS89 DATUM

Insert	depth, 29	(a)	53° 43'·54N., 0° 16'·31W.
Delete	depth, 42, close NE of:	(a)	above
Insert	depth, 26	(b)	53° 43'·47N., 0° 16'·13W.
Delete	depth, 35, close SE of:	(b)	above
Insert	depth, 27	(c)	53° 43'·45N., 0° 15'·90W.
Delete	depth, 42, close NW of:	(c)	above
Insert	depth, 19, enclosed by 2m contour	(d)	53° 43'·34N., 0° 15'·89W.
Delete	depth, 31, close NE of:	(d)	above
Insert	depth, 09, and extend 2m contour NE to enclose	(e)	53° 43'·28N., 0° 15'·97W.
Delete	depth, 19, close SW of:	(e)	above

II

2687* ENGLAND - East Coast - Depths. Drying heights. (continued)

Chart 5614_19 (Panel A, Kingston Upon Hull to Humber Bridge) [*previous update 2413/26*] ETRS89 DATUM

Insert	depth, 45, and extend 5m contour SE to enclose	(a)	53° 42'·77N., 0° 21'·89W.
Delete	depth, 52, close SE of:	(a)	above
Insert	depth, 38, and extend 5m contour SE to enclose	(b)	53° 42'·85N., 0° 21'·70W.
Delete	depth, 4, close NW of:	(b)	above
Insert	depth, 34	(c)	53° 43'·19N., 0° 19'·72W.
Delete	depth, 37, close NW of:	(c)	above
	depth, 44, close SW of:	(c)	above
Insert	depth, 32	(d)	53° 43'·30N., 0° 19'·31W.
Delete	depth, 51, and associated 5m contour, close SE of:	(d)	above
Insert	depth, 28	(e)	53° 43'·45N., 0° 18'·93W.
Delete	depth, 56, and associated 5m contour, close NE of:	(e)	above
	depth, 36, close NW of:	(e)	above
Insert	depth, 18, and extend 2m contour SE to enclose	(f)	53° 43'·56N., 0° 18'·87W.
Delete	depth, 25, close NW of:	(f)	above
Insert	depth, 33, and extend 5m contour SE to enclose		53° 43'·49N., 0° 18'·71W.
	depth, 43	(g)	53° 43'·56N., 0° 18'·39W.
Delete	depth, 52, and associated 5m contour, close SE of:	(g)	above
Insert	depth, 18, enclosed by 2m contour		53° 43'·82N., 0° 16'·82W.
	depth, 28	(h)	53° 43'·65N., 0° 16'·35W.
Delete	depth, 43, close S of:	(h)	above
Insert	depth, 29	(i)	53° 43'·54N., 0° 16'·31W.
Delete	depth, 42, close NE of:	(i)	above
Insert	depth, 26	(j)	53° 43'·47N., 0° 16'·13W.
Delete	depth, 35, close SE of:	(j)	above
Insert	depth, 27	(k)	53° 43'·45N., 0° 15'·90W.
Delete	depth, 42, close NW of:	(k)	above
Insert	depth, 19, enclosed by 2m contour	(l)	53° 43'·34N., 0° 15'·89W.
Delete	depth, 31, close NE of:	(l)	above
Insert	depth, 09, and extend 2m contour NE to enclose	(m)	53° 43'·28N., 0° 15'·97W.
Delete	depth, 19, close SW of:	(m)	above

II

2690* ENGLAND - West Coast - Drying heights.

Source: Associated British Ports

Chart 2013 (Panel A, Silloth Docks and Approaches) [*previous update 5254/25*] ETRS89 DATUM

Insert	drying height, 23, enclosed by 0m low water line	54° 52'·233N., 3° 23'·846W.
	drying height, 48	(a) 54° 52'·157N., 3° 23'·911W.
Delete	drying height, 26, close NW of:	(a) above

Chart 5613_8 (Panel D, Silloth Docks and Approaches) [*previous update 2566/26*] ETRS89 DATUM

Insert	drying height, 23, enclosed by 0m low water line	54° 52'·233N., 3° 23'·846W.
	drying height, 48	(a) 54° 52'·157N., 3° 23'·911W.
Delete	drying height, 26, close NW of:	(a) above

II

2635 NORWAY - West Coast - Submarine pipeline. Submarine cable. Danger line.

Source: Norwegian Notice 6/81121/26

Note: Former Notice 2339(P)/25 is cancelled.

Chart 1430 (INT 1404) [*previous update 2015/26*] WGS84 DATUM

Insert	submarine pipeline,  , joining:	67° 05'·2N., 6° 51'·7E. 67° 02'·3N., 6° 33'·2E.
	submarine cable,  , joining:	67° 05'·0N., 6° 51'·8E. 67° 02'·1N., 6° 33'·2E.

Chart 4101 (INT 101) [*previous update 1465/26*] WGS84 DATUM

Insert	 <i>Irpa</i>	67° 01'·6N., 5° 18'·3E.
	submarine pipeline,  , joining:	67° 05'·4N., 6° 51'·5E. 67° 02'·5N., 6° 33'·0E. 67° 00'·9N., 6° 09'·2E. 67° 01'·9N., 5° 18'·3E.
	submarine cable,  , joining:	67° 04'·8N., 6° 52'·1E. 67° 01'·9N., 6° 33'·5E. 67° 00'·3N., 6° 09'·3E. 67° 01'·3N., 5° 18'·2E.

II

2698 ICELAND - NM Block.

Source: Icelandic Notice 4/23/26

Chart 2898 (INT 1104) [*previous update 588/26*] WGS84 DATUM

Insert the accompanying block, centred on:

65° 42'·6N., 23° 31'·3W.

II

2629 FINLAND - South Coast - NM Blocks. Legends. Beacons. Light-beacons. Maximum authorised draughts.

Source: Finnish Notice 3/23/26

Chart 2219 (INT 1160) [*previous update 4460/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	60° 11'·8N., 25° 11'·2E.
Amend	legend to, <i>10,4m</i>	60° 10'·05N., 25° 12'·97E.
	legend to, <i>8,2m</i>	60° 10'·56N., 25° 11'·64E.
Replace	 with 	60° 09'·94N., 25° 09'·53E. 60° 09'·52N., 25° 09'·05E.

Chart 2248 [*previous update 977/26*] WGS84 DATUM

Amend	maximum authorised draught to, <6·7m>	60° 10'·66N., 25° 11'·67E.
-------	---------------------------------------	----------------------------

Chart 3817 (INT 1249) [*previous update 1102/26*] WGS84 DATUM

Amend	maximum authorised draught to, <6,7>	60° 09'·92N., 25° 12'·95E.
-------	--------------------------------------	----------------------------

Chart 3818 (INT 1250) [*previous update 2130/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	60° 11'·1N., 25° 11'·2E.
--------	-------------------------------------	--------------------------

II

2655 LITHUANIA - Light.

Source: Lithuanian Navigational Warning 35/26

Chart 2276 (Panel A, Klaipėda) [*previous update 2354/26*] WGS84 DATUM

Delete

★ Fl.G.4s19m3M

55° 42′·587N., 21° 07′·181E.

II

2701 POLAND - Buoy. Automatic Identification System.

Source: Polish Notice 11/120/26

Note: Former Notice 743(T)/25 is cancelled.

Chart 2014 (INT 1219) [*previous update 1833/26*] WGS84 DATUM

Insert



Q(6)+LFl.15s BLP-S2

Automatic Identification System, *AIS*, at light-buoy

(a) 54° 58'·88N., 17° 36'·04E.

(a) above

Chart 2018 (INT 1202) [*previous update 2490/26*] WGS84 DATUM

Insert



Q(6)+LFl.15s BLP-S2

Automatic Identification System, *AIS*, at light-buoy

(a) 54° 58'·88N., 17° 36'·04E.

(a) above

Chart 2040 (INT 1218) [*previous update 1156/26*] WGS84 DATUM

Insert



Q(6)+LFl.15s BLP-S2

Automatic Identification System, *AIS*, at light-buoy

(a) 54° 58'·88N., 17° 36'·04E.

(a) above

Chart 2816 [*previous update 1712/26*] WGS84 DATUM

Insert



Q(6)+LFl.15s BLP-S2

54° 58'·9N., 17° 36'·0E.

II

2712 ESTONIA - Foul.

Source: Estonian Notice 4/72/26

Note: Former Notice 1442(T)/24 is cancelled.

Chart 2227 [*previous update 2016/26*] WGS84 DATUM

Insert

#

59° 29′·5N., 24° 35′·2E.

Chart 2241 [*previous update 977/26*] WGS84 DATUM

Insert

#

59° 29′·5N., 24° 35′·2E.

Chart 2248 [*previous update 2629/26*] WGS84 DATUM

Insert

#

59° 29′·5N., 24° 35′·2E.

II

2714 SWEDEN - West Coast - Submarine power cable.

Source: Swedish Notice 1118/20023/26

Chart 903 (INT 1333) [*previous update 2434/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

55° 35′·84N., 12° 55′·78E.

55° 35′·78N., 12° 55′·96E.

Chart 2595 (INT 1332) [*previous update 1859/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

55° 35′·84N., 12° 55′·77E.

55° 35′·78N., 12° 55′·96E.

II

2638 NORTH SEA - Norwegian Sector - Danger line. Legend.

Source: Norwegian HO

Chart 292 [*previous update 2487/26*] WGS84 DATUM

Insert	circular limit of danger line, radius 1500m (0.81M), dotted line, centred on:	(a) 59° 35'·03N., 2° 38'·38E.
	legend, <i>Obstn</i> , within:	(a) above

Chart 1427 (INT 1401) [*previous update 2488/26*] WGS84 DATUM

Insert	circular limit of danger line, radius 1500m (0.81M), dotted line, centred on:	(a) 59° 35'·0N., 2° 38'·4E.
	legend, <i>Obstn</i> , within:	(a) above

II

2662* GERMANY - North Sea Coast - Buoy. Beacon. Notice board.
Source: WSA Elbe-Nordsee 153, 154/26

Chart DE 2 (INT 1456) [*previous update 937/26*] WGS84 DATUM

Move



Robbenloch, from:

53° 57′·83N., 8° 18′·67E.

to:

53° 57′·83N., 8° 18′·83E.

Chart DE 44 (INT 1452) [*previous update 2378/26*] WGS84 DATUM

Move



Robbenloch, from:

53° 57′·83N., 8° 18′·67E.

to:

53° 57′·83N., 8° 18′·83E.



Ref 6, from:

53° 52′·62N., 8° 34′·13E.

to:

53° 52′·93N., 8° 34′·45E.

symbol, black notice board, Neuwerkwegweiser, from:

53° 53′·30N., 8° 36′·70E.

to:

53° 53′·37N., 8° 37′·24E.

II

2691 NETHERLANDS - NM Blocks.

Source: Belgian Notice 10/110/26

Chart BE 11 [*previous update 2589/26*] WGS84 DATUM

Insert the accompanying block, centred on:

51° 26′·4N., 3° 34′·3E.

Chart BE 101 (INT 1474) [*previous update 2298/26*] WGS84 DATUM

Insert the accompanying block, centred on:

51° 26′·4N., 3° 34′·2E.

II

2707 NETHERLANDS - Lights.
Source: Netherlands Notice 20/103/26

Chart 124 (INT 1471) (Part B, Continuation Noordzeekanaal) [*previous update 2553/26*] WGS84 DATUM

Insert

★ F.Y

52° 22′·06N., 4° 57′·38E.

52° 22′·03N., 4° 57′·45E.

II

2709 NETHERLANDS - Wreck.

Source: Netherlands Notice 20/104/26

Chart 1406 [*previous update 2598/26*] WGS84 DATUM

Replace

 *Wk* with  *Wks*

51° 42'·28N., 3° 14'·44E.

II

2710 NORTH SEA - Netherlands Sector - Wrecks. Fouls.

Source: Netherlands Notices 20/102/26 and 20/104/26

Chart 110 (INT 1473) [*previous update 1291/26*] WGS84 DATUM

Insert		51° 32'·31N., 3° 09'·39E.
		51° 42'·25N., 3° 14'·68E.
Replace	 <i>Wk</i> with  <i>Wks</i>	51° 42'·28N., 3° 14'·44E.

Chart 1630 (INT 1416) [*previous update 2441/26*] WGS84 DATUM

Insert		51° 32'·31N., 3° 09'·39E.
		51° 42'·25N., 3° 14'·68E.
	#	51° 25'·09N., 2° 35'·25E.
Replace	 <i>Wk</i> with  <i>Wks</i>	51° 42'·28N., 3° 14'·44E.
Delete	former #	51° 24'·70N., 2° 40'·00E. 51° 24'·60N., 2° 38'·71E. 51° 24'·23N., 2° 36'·35E. 51° 24'·90N., 2° 34'·99E. 51° 24'·70N., 2° 34'·60E. 51° 24'·65N., 2° 34'·20E. 51° 24'·80N., 2° 34'·00E. 51° 25'·04N., 2° 33'·70E. 51° 25'·11N., 2° 34'·30E.

II

2666 **SPAIN - North Coast - Buoy.**

Source: Spanish Notice 17/99/26

Chart 1174 [*previous update 2095/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s1M*

43° 27'·61N., 2° 54'·66W.

Chart 1292 (INT 1805) [*previous update 1471/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s*

43° 27'·61N., 2° 54'·66W.

II

2682 SPAIN - South West Coast - Buoyage.

Source: Spanish Notice 18/107/26

Chart 142 [*previous update New Edition 30/04/2026*] WGS84 DATUM

Amend	light-buoy to, <i>VQ(9)10s (Feb-Jul)</i>	36° 07' · 14N., 5° 51' · 10W.
		36° 06' · 32N., 5° 51' · 72W.
	light-buoy to, <i>VQ(6)+LFl.10s (Feb-Jul)</i>	36° 06' · 03N., 5° 50' · 09W.

II

2697 **FRANCE - West Coast - NM Block.**

Source: French Notice 17/55/26

Chart 2743 (INT 1844) [*previous update 3326/25*] WGS84 DATUM

Insert the accompanying block, centred on:

46° 09'·9N., 1° 13'·9W.

II

2642 NORTH ATLANTIC OCEAN - Islas Canarias - NM Blocks.

Source: Spanish Notice 16/92/26

Chart 1856 [*previous update 4760/25*] WGS84 DATUM

Insert the accompanying block, centred on: 27° 59'·4N., 15° 21'·5W.

Chart 1861 (INT 1926) [*previous update 5097/25*] WGS84 DATUM

Insert the accompanying block, centred on: 27° 59'·1N., 15° 22'·1W.

Chart 1862 (INT 1939) [*previous update 411/26*] WGS84 DATUM

Insert the accompanying block, centred on: 27° 59'·2N., 15° 22'·1W.

II

2625* CYPRUS - Light.

Source: Cyprus Department of Lands and Surveys

Chart 850 [*previous update 917/26*] WGS84 DATUM

Amend light to, Fl.G.4s3M & Fl(2)R.10s3M

34° 43' ·62N., 33° 20' ·46E.

II

2627 GEORGIA - NM Block.

Source: ENC GE610405 and Georgian Circular Notice 8/26

Chart 3317 (Panel D, Kulevi) [*previous update 1413/26*] WGS84 DATUM

Insert the accompanying block, centred on:

42° 16'·6N., 41° 37'·9E.

II

2643 ITALY - West Coast - Depth.

Source: Italian Notice 4.5/26

Chart 1999 [*previous update 2392/26*] WGS84 DATUM

Replace depth, 92, with depth, 81

42° 19'·5N., 10° 08'·5E.

II

2649 FRANCE - South Coast - Restricted areas. Maritime limit. Anchorage areas.

Source: French Notice 14/84/26

Chart 2114 (INT 3188) (Panel C, Port-Vendres and Collioure) [*previous update 1212/26*] WGS84 DATUM

Insert	limit of restricted area,  , joining:	42° 30'·871N., 3° 08'·448E.
		42° 30'·871N., 3° 08'·342E.
Replace	symbol, diving prohibited	42° 30'·916N., 3° 08'·326E.
		42° 30'·884N., 3° 08'·365E.
	maritime limit, pecked line, with limit of restricted area,  ,	
		joining:
	limit of anchorage area, pecked line, with limit of restricted area,  , joining:	42° 31'·456N., 3° 05'·599E.
		42° 31'·615N., 3° 05'·701E.
		(a) 42° 31'·948N., 3° 04'·817E.
		(b) 42° 31'·956N., 3° 04'·836E.
		and
		(c) 42° 31'·959N., 3° 04'·841E.
		(d) 42° 32'·020N., 3° 04'·977E.
		(e) 42° 31'·851N., 3° 05'·204E.
		(f) 42° 31'·774N., 3° 05'·068E.
Insert	 , within:	(a)-(f) above

II

2650 ITALY - Sicilia - Depths.

Source: Italian Notice 7.7/26

Chart 1976 [*previous update 2212/26*] WGS84 DATUM

Insert depth, 266

(a) 38° 38'·5N., 14° 00'·0E.

Delete depth, 319, close SW of:

(a) above


II

2652 ITALY - West Coast - Obstruction. Depth.

Source: Italian Notice 4.4/26

Chart 119 [*previous update 3337/25*] WGS84 DATUM

Insert



(a) 43° 35'·40N., 10° 08'·17E.

Delete

depth, 98, and associated 10m contour, close SE of:

(a) above

II

2654 ITALY - East Coast - Wreck.

Source: Italian Notice 4.14/26

Chart 187 [*previous update 1751/26*] WGS84 DATUM

Replace



with



Wk

40° 10'·5N., 17° 54'·4E.

II

2659 TÜRKIYE - Marmara Denizi - Lights.

Source: Turkish Notice 8/56/26

Chart 1005 [*previous update 2485/26*] WGS84 DATUM

Amend	light to, Fl(2)R & Fl(2)G	40° 21'·69N., 27° 58'·36E.
-------	---------------------------	----------------------------

Chart 1006 (Panel E, Bandirma) [*previous update 2395/26*] WGS84 DATUM

Amend	light to, Fl(2)R.4s3M	40° 21'·695N., 27° 58'·350E.
	light to, Fl(2)G.4s3M	40° 21'·649N., 27° 58'·408E.

II

2672 ITALY - East Coast - Light-beacon.

Source: Italian Notice 4.17/26

Chart 220 [*previous update 2267/26*] WGS84 DATUM

Insert



Fl(5)Y.20s5M ODAS

44° 01'·4N., 12° 42'·6E.

Chart 1467 [*previous update 2267/26*] WGS84 DATUM

Insert



Fl(5)Y.20s7·5m5M ODAS

44° 01'·40N., 12° 42'·58E.

II

2673 TÜRKIYE - West Coast - NM Blocks. Submarine cable.
Source: Turkish Notice 12/81/26

Chart 1055 [*previous update 2244/26*] WGS84 DATUM

Insert submarine cable, , joining:

37° 00'·50N., 27° 15'·29E.
37° 00'·10N., 27° 14'·50E.
37° 00'·14N., 27° 14'·07E.
37° 00'·85N., 27° 13'·81E.
37° 01'·87N., 27° 12'·55E.
37° 02'·86N., 27° 12'·98E.
37° 03'·94N., 27° 12'·80E.

Chart 1056 [*previous update 2138/26*] WGS84 DATUM

Insert the accompanying block A, centred on:
the accompanying block B, centred on:

37° 15'·4N., 27° 18'·7E.
37° 03'·8N., 27° 13'·8E.

II

2674 ITALY - West Coast - Wreck.

Source: Italian Notice 4.8/26

Chart 908 [*previous update 2212/26*] WGS84 DATUM

Delete



40° 23'·55N., 14° 51'·80E.

Chart 1908 [*previous update 2212/26*] WGS84 DATUM

Delete



40° 23'·6N., 14° 51'·8E.

II

2679 ITALY - Sardegna - Light.
Source: Italian Notice 4.6/26

Chart 1202 (Panel A, Porto Torres) [*previous update 5604/25*] WGS84 DATUM

Insert

★ Fl.Y.3s

40° 50′·497N., 8° 24′·214E.


II

2683 ITALY - West Coast - Obstruction.

Source: Italian Notice 7.4/26

Chart 914 [*previous update 1267/26*] WGS84 DATUM


Delete



40° 48'·72N., 14° 09'·73E.

Chart 916 (Panel C, Bagnoli) [*previous update 1420/26*] WGS84 DATUM

Delete



40° 48'·724N., 14° 09'·732E.

II

2692 TÜRKIYE - Marmara Denizi - Legend.

Source: Turkish Notice 14/98/26

Chart 1004 [*previous update 2398/26*] WGS84 DATUM

Insert legend, *Shellfish Beds (see Note)*, centred on:

40° 18'·94N., 27° 41'·12E.

II

2694 TÜRKIYE - South Coast - Buoyage.

Source: Turkish Notice 18/113/26

Chart 2104 (INT 3661) [*previous update 1610/26*] WGS84 DATUM

Insert

 *Fl.Y.4s*

36° 36'·81N., 36° 11'·31E.

Amend

light-buoy to, *Fl.Y.4s*

36° 36'·81N., 36° 11'·55E.

II

2715 GREECE - Dhodhekánisos - Note. Legend.

Source: Greek Notice 3/52/26

Chart 1531 (Panel F, Órmos Gyalí) [*previous update 2138/26*] WGS84 DATUM

Insert	the accompanying note, PROHIBITED AREA, centred on:	36° 39'·96N., 27° 14'·14E.
	legend, <i>Prohibited Area (see Note)</i> , centred on:	36° 37'·02N., 27° 09'·39E.

II

2699* TANZANIA - Buoyage. Automatic Identification Systems. Legend.

Source: Tanzania Port Authority

Chart 3310 (INT 7690) [previous update 951/26] WGS84 DATUM

Insert



Q.G TA7

Automatic Identification System, *AIS*, at light-buoy



Q.R TA6

Automatic Identification System, *AIS*, at light-buoy
legend, *Buoyed Channel*, along:

(a) 4° 51'·2S., 39° 19'·7E.

(a) above

(b) 4° 51'·4S., 39° 19'·9E.

(b) above

4° 55'·3S., 39° 14'·7E.

4° 51'·4S., 39° 17'·7E.

Chart 3361 (INT 7700) [previous update 951/26] WGS84 DATUM

Insert



Q.G TA7

Automatic Identification System, *AIS*, at light-buoy



Q.R TA6

Automatic Identification System, *AIS*, at light-buoy
legend, *Buoyed Channel*, along:

(a) 4° 51'·2S., 39° 19'·7E.

(a) above

(b) 4° 51'·4S., 39° 19'·9E.

(b) above

4° 55'·1S., 39° 14'·9E.

4° 51'·3S., 39° 17'·5E.

II

2636* QATAR - Restricted areas.

Source: QatarEnergy and UKHO

Chart 3781 (INT 7248) [*previous update 1832/26*] WGS84 DATUM

Insert	limit of restricted area, TTTT X TTTT, joining:	25° 57'·393N., 51° 36'·446E. 25° 56'·003N., 51° 43'·001E. 25° 55'·684N., 51° 44'·278E.
Delete	former limit of restricted area, TTTT X TTTT, joining:	25° 57'·394N., 51° 36'·292E. 25° 55'·609N., 51° 44'·277E.

II

2669* KUWAIT - Light-beacons.

Source: MENAS Notice 105/2026

Chart 1223 (Panel C, Mīnā' Az Zawr (Mīnā' Sa'ūd)) [*previous update 604/26*] WGS84 DATUM

Insert		Q(3)10s S8	28° 48'·74N., 48° 25'·91E.
--------	---	------------	----------------------------

Chart 3773 [*previous update 1144/26*] WGS84 DATUM

Insert		Q(3)10s S8	28° 48'·74N., 48° 25'·91E.
		Q M41	28° 54'·27N., 48° 16'·22E.

II

2696* QATAR - Wells. Depth.

Source: QatarEnergy

Note: This update is included in New Editions 2444, 2523, 2886 and 3179, published mid 2026.

Chart 2837 (INT 7017) [previous update 1832/26] WGS84 DATUM

Replace	 , with  Well	26° 31'·9N., 51° 52'·3E.
Delete	 Wells	26° 30'·6N., 51° 49'·7E.
	 Well	26° 38'·8N., 51° 37'·7E.
		26° 32'·6N., 51° 46'·1E.
		26° 25'·5N., 51° 44'·6E.
		26° 24'·2N., 51° 54'·3E.
		26° 22'·8N., 51° 53'·3E.
		26° 21'·9N., 51° 57'·7E.
		26° 19'·4N., 52° 00'·5E.
		26° 18'·0N., 51° 55'·9E.

Chart 2847 (INT 7018) [previous update 1832/26] WGS84 DATUM

Replace	 , with  Well	26° 31'·9N., 51° 52'·3E.
Delete	 Wells	26° 30'·6N., 51° 49'·7E.
	 Well	26° 38'·8N., 51° 37'·7E.
		26° 32'·6N., 51° 46'·1E.
		26° 25'·5N., 51° 44'·6E.
		26° 24'·2N., 51° 54'·3E.
		26° 22'·8N., 51° 53'·3E.
		26° 21'·9N., 51° 57'·7E.
		26° 19'·4N., 52° 00'·5E.
		26° 18'·0N., 51° 55'·9E.

Chart 2883 (INT 7260) [previous update 1654/26] WGS84 DATUM

Insert	 Well	26° 37'·3N., 51° 32'·7E.
		26° 35'·1N., 51° 49'·0E.
Delete	former  Well	26° 38'·8N., 51° 37'·7E.
		26° 38'·0N., 51° 51'·4E.

Chart 2887 (INT 7232) [previous update 2258/26] WGS84 DATUM

Insert	 Well	26° 07'·0N., 52° 38'·5E.
		25° 49'·8N., 52° 42'·0E.
	 Well	25° 32'·7N., 52° 44'·7E.
Replace	depth, 40, with  Well	25° 38'·9N., 52° 34'·7E.

II

2696* QATAR - Wells. Depth. (continued)

Chart 2889 (INT 7211) [*previous update 2258/26*] WGS84 DATUM


Insert	 Well	25° 06'·7N., 52° 25'·6E. 25° 49'·8N., 52° 42'·0E.
	 Well	25° 32'·7N., 52° 44'·7E.
Replace	depth, 40, with:  Well	25° 38'·9N., 52° 34'·7E.

Chart 3950 (INT 7244) [*previous update 1832/26*] WGS84 DATUM

Insert	 Well	25° 06'·69N., 52° 25'·63E.
--------	--	----------------------------

II

2670 INDIA - West Coast - Depths.

Source: ENC IN52060A

Chart IN 2068 [*previous update 2326/26*] WGS84 DATUM

Insert depth, 265 , and extend 30m contour NW to enclose

(a) 22° 36'·20N., 69° 26'·43E.

Delete depth, 38, and associated 30m contour, close SE of:

(a) above

II

2658* SINGAPORE - NM Block.

Source: Maritime and Port Authority of Singapore

Chart 4034 [*previous update 2027/26*] WGS84 DATUM

Insert the accompanying block, centred on:

1° 17'·9N., 103° 44'·5E.

II

2702 INDONESIA - Sumatera - Buoyage. Obstruction. Depths. Light-beacons.

Source: ENC's ID4279R1 and ID5279R6

Chart 2965 (Panel E, Teluk Bayur) [previous update 2370/26] WGS84 DATUM

Insert	 <i>Fl.G.5s</i>	0° 59'·854S., 100° 23'·002E.
	 <i>Obstn</i>	(a) 1° 00'·158S., 100° 22'·295E.
Delete	depth, 2 I, close SE of:	(a) above
Move	 <i>Fl.G.9s</i> , from:	1° 00'·874S., 100° 22'·972E.
	to:	1° 00'·700S., 100° 22'·948E.
	 <i>Fl.R.5s</i> , from:	1° 00'·828S., 100° 22'·606E.
	to:	1° 00'·885S., 100° 22'·689E.

Chart 2965 (Panel D, Approaches to Teluk Bayur) [previous update 2370/26] WGS84 DATUM

Insert	depth, 2, and extend 5m contour W to enclose	1° 05'·70S., 100° 19'·00E.
	 <i>Fl.G.5s14m11M</i>	1° 04'·16S., 100° 24'·28E.
	 <i>Fl.3s12m11M</i>	1° 03'·74S., 100° 24'·66E.
Move	 <i>Fl.G.</i> , from:	1° 00'·86S., 100° 22'·98E.
	to:	1° 00'·70S., 100° 22'·95E.
Delete	 <i>Fl.R.6s</i>	1° 01'·53S., 100° 22'·23E.

II

2648 MALAYSIA - Peninsular Malaysia, East Coast - Wreck.

Source: Malaysian Notice 3/94/26

Chart 2422 [*previous update 1754/26*] WGS84 DATUM

Delete



3° 17′·3N., 103° 43′·7E.

Chart 3445 [*previous update 1871/26*] WGS84 DATUM

Delete



3° 17′·31N., 103° 43′·66E.

II

2656 CHINA - South Coast - Buoy. Light.

Source: Chinese Notice 12/298/26

Chart 343 [*previous update 2349/26*] CGCS 2000 DATUM

Delete

 *Fl(3)G.10s No 2*

22° 23'·24N., 113° 35'·89E.

★ Iso.R.4s

22° 23'·13N., 113° 36'·10E.

II

2675 CHINA - Yellow Sea Coast - Explosive dumping ground.

Source: Chinese Notice 12/288/26

Chart 1253 [*previous update 2316/26*] CGCS 2000 DATUM

Insert symbol, explosives dumping ground, *PA*, out of position 35° 18'·1N., 120° 22'·2E.

II

2676 CHINA - Bo Hai - Obstruction.

Source: Chinese Notice 18/465/26

Chart 1250 [*previous update 2468/26*] CGCS 2000 DATUM

Insert

 *Obstn Rep(2026) PA*

38° 49′·9N., 118° 13′·5E.

Chart 2653 [*previous update 2152/26*] CGCS 2000 DATUM

Insert

 *Obstn Rep(2026) PA*

38° 49′·93N., 118° 13′·53E.

II

2678 CHINA - South Coast - Depths. Obstruction.

Source: UKHO

Chart 344 [previous update 2309/26] CGCS 2000 DATUM

Insert	 <i>Obstn</i>	
	depth, 10 , enclosed by 10m contour	22° 45'·61N., 113° 38'·16E. 22° 43'·66N., 113° 38'·87E. 22° 43'·56N., 113° 38'·24E. 22° 43'·44N., 113° 38'·18E.
	depth, 99 , and extend 10m contour NE to enclose	(a) 22° 48'·63N., 113° 35'·09E.
Delete	depth, 134 , close E of:	(a) above
Insert	depth, 72	(b) 22° 43'·73N., 113° 38'·53E.
Delete	depth, 87 , close NE of:	(b) above
Insert	depth, 73	(c) 22° 43'·54N., 113° 37'·92E.
Delete	depth, 75 , close NW of:	(c) above
	depth, 86 , close SE of:	(c) above
Insert	depth, 92	(d) 22° 43'·44N., 113° 38'·07E.
Delete	depth, 83 , close NW of:	(d) above
Insert	depth, 66	(e) 22° 42'·56N., 113° 39'·09E.
Delete	depth, 87 , close NE of:	(e) above
Replace	depth, 75 , with depth, 72	22° 43'·48N., 113° 38'·01E.

Chart 349 [previous update 2190/26] CGCS 2000 DATUM

Insert	depth, 66	(a) 22° 42'·557N., 113° 39'·089E.
Delete	depth, 89 , close NW of:	(a) above

II

2681 VIETNAM - Depths.

Source: Vietnam Maritime Safety Corporation Notice 43/26

Chart 3889 [*previous update 2144/26*] WGS84 DATUM

Insert	depth, <i>96</i> , and extend 10m contour SE to enclose	20° 57'·87N., 107° 03'·81E.
	depth, <i>103</i>	(a) 20° 57'·78N., 107° 03'·85E.
Delete	depth, <i>11</i> , close N of:	(a) above

II

2688 VIETNAM - Rock. Depths.

Source: ENC's VN320048 and VN320059

Chart 1100 [*previous update 2144/26*] WGS84 DATUM

Insert	depth, 54, with seabed type, R	(a)	10° 20'·66N., 107° 15'·90E.
Delete	depth, 64, close SE of:	(a)	above

Chart 3874 [*previous update 170/26*] WGS84 DATUM

Insert	depth, 148, and extend 18.2m contour NE to enclose	(a)	13° 38'·00N., 109° 19'·66E.
Delete	depth, 188, close NW of:	(a)	above
Insert	depth, 63	(b)	13° 36'·29N., 109° 19'·15E.
Delete	depth, 91, close SE of:	(b)	above
	depth, 85, close NW of:	(b)	above
Insert	sounding out of position, 25		13° 31'·01N., 109° 20'·66E.
	depth, 123	(c)	13° 24'·35N., 109° 16'·80E.
Delete	depth, 14, close NW of:	(c)	above
Insert	depth, 194	(d)	13° 20'·95N., 109° 19'·08E.
Delete	depth, 235, close SW of:	(d)	above
Insert	depth, 26	(e)	13° 16'·99N., 109° 21'·25E.
Delete	depth, 31, close N of:	(e)	above

II

2716 TAIWAN - Legends. Obstructions. Wreck.

Source: UKHO

Note: This update is included in New Edition 2376, published mid 2026.

Chart 2409 [previous update 2416/26] WGS84 DATUM

Insert  *Obstn* 22° 38'·39N., 120° 13'·80E.

Chart 3230 [previous update 2387/26] WGS84 DATUM

Insert  *Obstn* 22° 38'·39N., 120° 13'·80E.

 *Obstn* 22° 31'·27N., 120° 17'·00E.

legend, *Numerous Obstructions*, along: 22° 36'·27N., 120° 12'·61E.

22° 35'·09N., 120° 13'·35E.
and

22° 34'·79N., 120° 13'·60E.

22° 33'·17N., 120° 14'·21E.

and

22° 31'·72N., 120° 15'·09E.

22° 30'·95N., 120° 15'·71E.

Delete  *Wk* 22° 31'·47N., 120° 16'·37E.

Chart 3232 [previous update 2387/26] WGS84 DATUM

Insert  *Obstn* 22° 38'·39N., 120° 13'·80E.

 *Obstn* 22° 31'·27N., 120° 17'·00E.

legend, *Numerous Obstructions*, centred on: 22° 35'·81N., 120° 13'·50E.

22° 33'·78N., 120° 13'·94E.

22° 31'·32N., 120° 15'·53E.

Delete  *Wk* 22° 31'·47N., 120° 16'·37E.

II

2628 KOREA - South Coast - Buoyage.

Source: Korean Notice 15/206/26

Chart 1065 [*previous update 2421/26*] WGS84 DATUM

Insert

 *Fl(3)Y.7s E*

35° 04'·16N., 128° 43'·19E.

 *Fl(3)Y.7s D*

35° 04'·16N., 128° 43'·54E.

II

2660 CANADA - British Columbia - Superbuoy.
Source: Canadian Notice 4/3443/26

Chart 4956 [*previous update 986/26*] NAD83 DATUM

Delete



Fl (5) Y *ODAS/SADO*

49° 06′·72N., 123° 47′·42W.

II

2668 CANADA - British Columbia - Superbuoy.

Source: Canadian Notice 4/3958/26

Chart 4937 [*previous update 2342/26*] NAD83 DATUM

Move



Fl (5) Y *ODAS/SADO (Priv)*, from:

54° 16' 41.9"N., 130° 22' 08.4"W.

to:

54° 16' 32.1"N., 130° 22' 11.0"W.

II

2671 **UNITED STATES OF AMERICA - West Coast - Fog signal.**
Source: ENC US3OR1ED

Chart 4918 [*previous update 1095/26*] NAD83 DATUM

Delete fog signal, Horn(1)15s, at light

44° 36′·56N., 124° 04′·76W.

II

2708 UNITED STATES OF AMERICA - West Coast - Superbuoys.

Source: ENC US2WC05M

Chart 2530 [*previous update 520/26*] NAD83 DATUM

Insert	 ODAS	33° 45'·8N., 121° 53'·6W.
Delete	former  ODAS	35° 44'·5N., 121° 53'·1W.

Chart 4050 (INT 50) [*previous update New Edition 07/08/2025*] WGS84 DATUM

Insert	 Fl(4)Y.20s ODAS 46028 PA	33° 45'·8N., 121° 53'·6W.
Delete	 Fl(4)Y.20s ODAS 46028 PA	35° 44'·1N., 121° 52'·3W.

Chart 4051 (INT 51) [*previous update 300/26*] WGS84 DATUM

Insert	 Fl(4)Y.20s ODAS 46028	33° 45'·8N., 121° 53'·6W.
--------	---	---------------------------

Chart 4801 (INT 801) [*previous update 5631/25*] WGS84 DATUM

Insert	 Fl(4)Y.20s ODAS 46028	33° 45'·8N., 121° 53'·6W.
Delete	 Fl(4)Y.20s ODAS '46028'	35° 44'·6N., 121° 53'·1W.

Chart 4802 (INT 802) [*previous update New Edition 07/08/2025*] WGS84 DATUM

Insert	 Fl(4)Y.20s ODAS 46028	33° 45'·8N., 121° 53'·6W.
Delete	former  Fl(4)Y.20s ODAS 46028	35° 43'·9N., 121° 52'·7W.

Chart 4912 [*previous update New Edition 11/09/2025*] NAD83 DATUM

Delete	 Fl(4)Y.20s ODAS '46028' PA	35° 46'·24N., 121° 54'·04W.
--------	--	-----------------------------

Chart 4913 [*previous update 3639/25*] NAD83 DATUM

Delete	 Fl(4)Y.20s ODAS '46028' PA	35° 46'·24N., 121° 54'·04W.
--------	--	-----------------------------

II

2713 **UNITED STATES OF AMERICA - West Coast - Buoy.**
Source: ENC US5OAKIM

Chart 590 [*previous update 2126/26*] NAD83 DATUM

Insert



38° 03'·75N., 122° 00'·84W.

II

2717 **UNITED STATES OF AMERICA - West Coast - Buoy.**
Source: ENC US4CA11M

Chart 4914 [*previous update 3062/25*] NAD83 DATUM

Amend designation of buoy to, '*DB*'

38° 00'·30N., 122° 58'·01W.

II

2641 CHILE - Northern Coasts - Buoy.

Source: Chilean Notice 4/39/26

Chart 4240 [*previous update 642/26*] PSAD56 DATUM

Move

 *Fl.Y.3s4M ODAS*, from:

36° 33'·8S., 73° 20'·2W.

to:

36° 33'·1S., 73° 19'·2W.

Chart 4245 [*previous update 642/26*] PSAD56 DATUM

Move

 *Fl.Y.3s4M ODAS*, from:

36° 33'·8S., 73° 20'·2W.

to:

36° 33'·1S., 73° 19'·2W.

Chart 4246 [*previous update 642/26*] SAD69 DATUM

Move

 *Fl.Y.3s4M ODAS*, from:

36° 33'·98S., 73° 20'·29W.

to:

36° 33'·31S., 73° 19'·99W.

II

2644 URUGUAY - Legends. Note. Buoyage.

Source: Uruguayan Notice 3/26/26 and Uruguayan Chart 703

Chart 3548 [*previous update 1628/26*] WGS84 DATUM

Insert	legend, <i>DREDGED DEPTHS</i> (<i>see Note</i>), centred on:	33° 28'·41S., 58° 27'·93W. 33° 35'·84S., 58° 31'·14W.
	the accompanying note, DREDGED DEPTHS, centred on:	33° 59'·77S., 58° 02'·60W.
Move	 <i>Fl(4)R.16s Km 64.3</i> , from:	33° 21'·95S., 58° 25'·92W.
	to:	33° 22'·08S., 58° 25'·88W.
Delete	 <i>Fl(3)R.12s Km 51.4</i>	33° 28'·88S., 58° 26'·20W.
	 <i>Fl(4)R.16s Km 46.4</i>	33° 32'·30S., 58° 26'·65W.

II

2661 BRAZIL - South Coast - Submarine pipeline.

Source: Brazilian Notice 8/S 34/26

Chart 29 [*previous update 205/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

23° 59′·27S., 46° 17′·33W.

23° 59′·24S., 46° 17′·37W.

23° 59′·21S., 46° 17′·40W.

23° 59′·11S., 46° 17′·58W.

II

2695 BRAZIL - East Coast - Buoyage.

Source: Brazilian Notice 6/E 21/26

Chart 495 [*previous update 1647/26*] WGS84 DATUM

Move

 *Fl(2)R.6s '13'*, from:

21° 51'·19S., 41° 01'·11W.

to:

21° 51'·17S., 41° 01'·04W.

 *Fl(2)R.6s '15'*, from:

21° 51'·41S., 41° 01'·21W.

to:

21° 51'·32S., 41° 01'·28W.

II

2634* WEST INDIES - Jamaica - Pilot boarding place.

Source: Port Authority of Jamaica

Chart 454 [*previous update 6101/20*] WGS84 DATUM

Insert



17° 54'·85N., 76° 46'·95W.

Chart 456 [*previous update 2150/23*] WGS84 DATUM

Insert



17° 54'·81N., 76° 46'·93W.

II

2700 VENEZUELA - NM Block. Submarine cables.

Source: ENC VE400320

Chart 1629 (Panel A, Puerto Chichiriviche) [*previous update 1679/26*] WGS84 DATUM

Insert the accompanying block, centred on: $10^{\circ} 57' \cdot 8N., 68^{\circ} 15' \cdot 3W.$

Chart 2192 [*previous update 2576/26*] WGS84 DATUM

Insert submarine cable, , joining:

(a) $10^{\circ} 57' \cdot 7N., 68^{\circ} 16' \cdot 9W.$
 $10^{\circ} 58' \cdot 2N., 68^{\circ} 16' \cdot 2W.$
 $10^{\circ} 58' \cdot 4N., 68^{\circ} 16' \cdot 3W.$
(b) $10^{\circ} 58' \cdot 7N., 68^{\circ} 16' \cdot 9W.$

Delete former submarine cable, , joining:

(a) above
 $10^{\circ} 58' \cdot 3N., 68^{\circ} 16' \cdot 9W.$
(b) above

II

2626 UNITED STATES OF AMERICA - East Coast - NM Block.

Source: ENC US5PABBA

Chart 3684 (Panel, Port of Palm Beach) [*previous update 171/26*] NAD83 DATUM

Insert the accompanying block, centred on: 26° 46'·1N., 80° 03'·0W.

II

2640 UNITED STATES OF AMERICA - East Coast - Depths. Dredged depths. Dredging area. Legend. Fairway.

Source: ENC US5NY1DF

Chart 3451 [*previous update 2325/26*] NAD83 DATUM

Insert	depth, 4	(a) 40° 45'·593N., 73° 51'·091W.
Delete	depth, 8, close W of:	(a) above
Amend	dredged depth to, 1 feet (2025), centred on:	40° 45'·737N., 73° 50'·976W.
	dredged depth to, 8 feet (2025), centred on:	40° 45'·853N., 73° 50'·960W.
	dredged depth to, 14 feet (2025), centred on:	40° 45'·897N., 73° 50'·624W.
	dredged depth to, 16 feet (2025), centred on:	40° 46'·326N., 73° 51'·181W.
Delete	limit of dredged area, pecked line, and associated legend, 6 feet (2023), joining:	40° 47'·105N., 73° 51'·636W.
		40° 45'·612N., 73° 50'·970W.
		40° 45'·589N., 73° 51'·000W.
		40° 45'·575N., 73° 51'·036W.
		40° 45'·572N., 73° 51'·099W.
	limit of fairway, pecked line, joining:	40° 45'·622N., 73° 51'·133W.
		40° 45'·606N., 73° 51'·173W.
		40° 45'·572N., 73° 51'·108W.
		40° 45'·570N., 73° 51'·099W.
		40° 45'·572N., 73° 51'·097W.

II

2651 UNITED STATES OF AMERICA - East Coast - Buoyage.

Source: ENC's US5MA1DG and US2EC04M

Chart 2456 [*previous update 738/26*] NAD83 DATUM

Insert	 <i>Fl.Y.2·5s 'CTR'</i>	41° 24'·20N., 70° 56'·38W.
	 <i>Fl.Y.20s 'SP3'</i>	41° 01'·36N., 70° 53'·75W.
	 <i>Fl.Y.20s 'SP4'</i>	40° 58'·85N., 70° 54'·30W.
Delete	 <i>Fl.Y.20s 'A'</i>	41° 06'·84N., 70° 28'·01W.

Chart 2492 [*previous update 943/26*] NAD83 DATUM

Insert	 <i>Fl.Y.20s 'SP2'</i>	41° 00'·5N., 71° 13'·3W.
	 <i>Fl.Y.20s 'SP1'</i>	40° 59'·0N., 71° 13'·3W.
	 <i>Fl.Y.20s 'SP5'</i>	40° 59'·3N., 71° 02'·4W.
	 <i>Fl.Y.20s 'SP3'</i>	41° 01'·4N., 70° 53'·8W.
	 <i>Fl.Y.20s 'SP4'</i>	40° 58'·9N., 70° 54'·3W.

Chart 2860 [*previous update 1920/26*] NAD83 DATUM

Insert	 <i>Fl.Y.20s 'SP2'</i>	41° 00'·5N., 71° 13'·3W.
	 <i>Fl.Y.20s 'SP1'</i>	40° 59'·0N., 71° 13'·3W.
	 <i>Fl.Y.20s 'SP5'</i>	40° 59'·3N., 71° 02'·4W.
	 <i>Fl.Y.20s 'SP3'</i>	41° 01'·4N., 70° 53'·8W.
	 <i>Fl.Y.20s 'SP4'</i>	40° 58'·9N., 70° 54'·3W.

Chart 2890 [*previous update 738/26*] NAD83 DATUM

Insert	 <i>Fl.Y.2·5s 'CTR'</i>	41° 24'·20N., 70° 56'·38W.
	 <i>Fl.Y.20s 'SP2'</i>	41° 00'·54N., 71° 13'·29W.
	 <i>Fl.Y.20s 'SP1'</i>	40° 58'·99N., 71° 13'·27W.
	 <i>Fl.Y.20s 'SP5'</i>	40° 59'·32N., 71° 02'·43W.
	 <i>Fl.Y.20s 'SP3'</i>	41° 01'·36N., 70° 53'·75W.
	 <i>Fl.Y.20s 'SP4'</i>	40° 58'·85N., 70° 54'·30W.


II

2664 CANADA - Newfoundland and Labrador - Obstruction.

Source: Canadian Notice 4/8046/26

Chart 235 [*previous update 2368/26*] UNDETERMINED DATUM

Delete



60° 28′·5N., 61° 16′·1W.

II

2639(P)/26 SCOTLAND - South West Coast - Depths. Wreck. Obstructions.

Source: mv Northern Gale

- Recent survey information has shown that numerous depths less than charted exist within Luce Bay and Beaufort's Dyke, and between Cairns Money Head and The Mull of Galloway. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
4·2m	54° 48'·03N., 5° 02'·64W.
11·3m	54° 47'·90N., 5° 03'·18W.
8·7m	54° 46'·80N., 5° 01'·06W.
12·9m	54° 46'·50N., 5° 00'·82W.
13·5m	54° 46'·43N., 5° 01'·21W.
25·9m	54° 46'·34N., 5° 04'·81W.
12·8m	54° 45'·94N., 5° 00'·85W.
17·8m	54° 45'·03N., 5° 00'·92W.
26·1m	54° 44'·72N., 5° 01'·79W.
21·3m	54° 44'·17N., 5° 01'·10W.
18·3m	54° 43'·54N., 4° 59'·35W.
26·3m	54° 42'·97N., 5° 00'·22W.
13·9m	54° 41'·91N., 4° 57'·76W.
26·6m	54° 38'·42N., 4° 57'·35W.
24·9m	54° 37'·65N., 4° 55'·30W.
26·4m	54° 37'·16N., 4° 52'·23W.
27·5m	54° 37'·06N., 4° 54'·12W.
14·2m	54° 38'·23N., 4° 53'·65W.
17·1m	54° 37'·89N., 4° 53'·68W.
26·7m	54° 37'·99N., 4° 50'·22W.
18·4m	54° 38'·73N., 4° 51'·27W.
8·4m	54° 39'·29N., 4° 49'·61W.
13·6m	54° 40'·36N., 4° 50'·69W.
5·4m	54° 40'·58N., 4° 51'·39W.

2.

17·4m	54° 41'·08N., 4° 46'·33W.
18·4m	54° 40'·44N., 4° 46'·28W.
30·3m	54° 35'·54N., 4° 43'·77W.
* 7·2m	54° 40'·56N., 4° 57'·98W.

- A non-dangerous wreck, depth 56m exists in position 54° 44'·22N., 5° 04'·16W.

- Obstructions exist in the following positions:

5·4m	54° 46'·14N., 5° 00'·36W.
7·0m	54° 41'·21N., 4° 51'·19W.

- Mariners are advised to navigate with caution in the area.

- Charts will be updated when full details are available.

- *Former Notice 1122(P)/26 is cancelled.

*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1411 (INT 1608) - 1826 (INT 1607) - 2093 - 2094 - 2198 - 2724 (INT 1606) - 5610_17 - 5612_1 - 5612_11 - 5613_19 - 5613_2

II

2693(P)/26 ENGLAND - East Coast - Depths.

Source: m/v Northern Storm, m/v Lode and m/v Northern Breeze

- Recent survey information has shown that depths less than charted exist within Beadnell Bay. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
13·7m	55° 32'·61N., 1° 35'·99W.
3·7m	55° 31'·98N., 1° 36'·31W.
7·4m	55° 32'·02N., 1° 35'·85W.
* 9·3m	55° 32'·94N., 1° 36'·74W.
* 4·9m	55° 31'·39N., 1° 36'·23W.

- Recent survey information has shown that depths less than charted exist within Warkworth Harbour. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
10·5m	55° 21'·244N., 1° 33'·515W.
21·3m	55° 21'·338N., 1° 31'·998W.
9·8m	55° 20'·398N., 1° 31'·907W.
14·8m	55° 20'·552N., 1° 32'·084W.
17·0m	55° 18'·618N., 1° 31'·383W.
25·8m	55° 19'·492N., 1° 31'·074W.
2·7m	55° 20'·135N., 1° 33'·468W.
9·0m	55° 20'·399N., 1° 31'·936W.
9·4m	55° 18'·528N., 1° 31'·686W.
6·6m	55° 18'·346N., 1° 31'·898W.
* 1·6m	55° 21'·153N., 1° 35'·308W.
* Drying 0·3m	55° 20'·363N., 1° 34'·266W.
* 2m	55° 19'·971N., 1° 32'·697W.
* 9·4m	55° 18'·855N., 1° 31'·428W.
* 3·6m	55° 18'·727N., 1° 31'·743W.
* 1·8m	55° 18'·661N., 1° 31'·816W.
* 9·8m	55° 18'·519N., 1° 31'·670W.
* 8·2m	55° 18'·20N., 1° 31'·78W.
* 0·8m	55° 18'·416N., 1° 32'·782W.
* 4·3m	55° 18'·02N., 1° 31'·83W.
* Drying 0·1m	55° 18'·971N., 1° 32'·389W.

- Recent survey information has shown that depths less than charted exist within Cambois Bay. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
10·9m	55° 09'·44N., 1° 29'·53W.
1·0m	55° 10'·40N., 1° 30'·67W.

- Recent survey information has shown that depths less than charted exist within Hauxley Haven. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
1·3m	55° 19'·234N., 1° 32'·060W.
1·3m	55° 19'·119N., 1° 32'·026W.

- Recent survey information has shown that depths less than charted exist within Druridge Bay. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
6·3m	55° 17'·84N., 1° 31'·65W.
8·0m	55° 17'·56N., 1° 31'·48W.
3·4m	55° 13'·87N., 1° 31'·13W.

II

2693(P)/26 ENGLAND - East Coast - Depths. (continued)

6. Recent survey information has shown that depths less than charted exist between Castle Point and Marden Rocks. The most significant is as follows:

<i>Depth</i>	<i>Position</i>
6·6m	55° 25'·88N., 1° 34'·03W.
*Drying 0·3m	55° 23'·45N., 1° 35'·50W.
*1·8m	55° 23'·30N., 1° 35'·79W.

7. Mariners are advised to navigate with caution in the area.
8. Charts will be updated when surveying activities are complete.
9. *Former Notice 450(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 156 - 1627 (INT 1551) - 5615_20 - 5615_6 - 5615_7

II

2653(T)/26 NORWAY - West Coast - Offshore installation. Restricted area.

Source: Norwegian Notice 8/81332(T)/26

1. An unmarked subsea structure 'CAN-Ductor' has been established in position 61° 15'·5N., 3° 00'·8E.
2. A fishing prohibited area, has been established, radius 1000m.
3. Mariners are advised to navigate with caution in the area and keep a safe distance from the ongoing operations.
(WGS84 DATUM)

Charts affected - 1427 (INT 1401) - 2182D (INT 1040)

II

2684(T)/26 RUSSIA - Barents Sea Coast - Buoyage.

Source: Russian Notice 19/1739(T)/26

1. Mooring buoys have been established in the following positions:

68° 55'·98N., 33° 01'·59E.

68° 55'·85N., 33° 01'·86E.

68° 55'·85N., 33° 01'·90E.

68° 55'·86N., 33° 01'·98E.

68° 56'·01N., 33° 01'·77E.

68° 55'·85N., 33° 01'·88E.

(WGS84 DATUM)

Chart affected - 2966

II

2632(T)/26 POLAND - Buoy.

Source: Polish Notice 17/201(T)/26

1. A yellow special light-buoy, *Fl(5)Y.20s, SWM-VOI*, has been established in position 55° 05′·13N., 17° 05′·76E.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202)

II

2645(T)/26 POLAND - Buoyage.

Source: Polish Notice 31/347(T)/25

1. The following special light-buoys, *Fl. Y.2s*, have been established:

<i>Designation</i>	<i>Position</i>
<i>FS6</i>	54° 23'·27N., 18° 46'·18E.
<i>FS7</i>	54° 22'·91N., 18° 46'·19E.
<i>FS8</i>	54° 22'·62N., 18° 46'·20E.
<i>FS9</i>	54° 22'·61N., 18° 46'·00E.
<i>FS10</i>	54° 23'·03N., 18° 45'·95E.
<i>FS11</i>	54° 23'·46N., 18° 45'·89E.
<i>FS12</i>	54° 23'·537N., 18° 45'·448E.
<i>WK1</i>	54° 22'·63N., 18° 46'·08E.
<i>WK2</i>	54° 22'·63N., 18° 46'·17E.
<i>WK3</i>	54° 22'·58N., 18° 46'·17E.
<i>WK4</i>	54° 22'·58N., 18° 46'·08E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 403(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2637 (INT 12902) - 2688 (INT 1288)

II

2703(T)/26 SWEDEN - West Coast - Works. Buoyage.

Source: Swedish Notice 1118/20096(T)/26

1. Survey and drilling works are taking place in approximate areas between the following buoys:
2. buoys No 9 and No 17

57° 40'·16N., 11° 41'·84E.

57° 40'·33N., 11° 42'·25E.

57° 40'·52N., 11° 43'·00E.

57° 40'·53N., 11° 43'·71E.

57° 40'·47N., 11° 44'·14E.

3. buoys No 16 and No 20

57° 40'·69N., 11° 44'·23E.

57° 40'·66N., 11° 44'·72E.

57° 40'·73N., 11° 45'·70E.

4. buoys No 24 and No 27

57° 40'·86N., 11° 47'·71E.

5. Mariners are asked to pass with caution and reduced speed.
(WGS84 DATUM)

Charts affected - 857 (INT 1317) - 858 (INT 1316)

II

2704(T)/26 POLAND - Measuring instruments.

Source: Polish Notice 13/156(T)/26

1. Measuring instruments have been established on the seabed in the following positions:

54° 48′·98N., 17° 45′·80E.

54° 49′·05N., 17° 47′·01E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2018 (INT 1202) - 2040 (INT 1218)

II

2705(T)/26 POLAND - Works. Buoyage.

Source: Polish Notices 13/157(T)/26 and 13/161(T)/26

1. Harbour works are taking place within an area, marked by navigational buoys, bounded by the following positions:

53° 26′·292N., 14° 35′·390E.

53° 26′·299N., 14° 35′·348E.

53° 26′·419N., 14° 35′·401E.

53° 26′·448N., 14° 35′·485E.

53° 26′·447N., 14° 35′·583E.

53° 26′·423N., 14° 35′·583E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 2452 (INT 12991)

II

2706(T)/26 POLAND - Measuring instruments.

Source: Polish Notice 12/137(T)/26

1. Measuring instruments have been established on the seabed in the following positions:

54° 50′·47N., 17° 41′·71E.

54° 50′·97N., 17° 44′·57E.

54° 51′·26N., 17° 47′·72E.

54° 49′·64N., 17° 47′·80E.

54° 49′·35N., 17° 45′·47E.

54° 42′·98N., 17° 04′·26E.

54° 42′·02N., 17° 05′·09E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2040 (INT 1218)

II

2685(T)/26 ITALY - East Coast - Buoyage. Marine farm.

Source: Italian Notice 8.46(T)/26

1. The buoys marking the marine farm centred on position $41^{\circ} 27' \cdot 04\text{N.}$, $16^{\circ} 05' \cdot 35\text{E.}$ have been temporarily removed.
(WGS84 DATUM)

Chart affected - 1443

II

2667(T)/26 INDIA - West Coast - Wreck.

Source: Indian Nav Warning 272/26

1. A wreck has been reported in approximate position 19° 04'·90N., 72° 44'·90E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - IN 211 - IN 255 (INT 7334) - IN 292 (INT 7021)

II

2686(P)/26 SRI LANKA - West Coast - Submarine cables.

Source: Sri Lankan Port Authority and UKHO

1. A submarine cable has been laid between Hulhumalé, Maldives and Mount Lavinia Beach, Sri Lanka, joining the following positions:

4° 13'·21N., 73° 32'·80E.

4° 12'·83N., 73° 33'·04E.

2. and

6° 49'·88N., 79° 51'·75E.

6° 47'·83N., 79° 45'·24E.

6° 44'·58N., 79° 40'·14E.

6° 42'·79N., 79° 39'·21E.

3. Mariners are advised to navigate with caution in the area.
4. Charts will be updated when full details are available.
(WGS84 DATUM)

Charts affected - 813 (INT 7386) - 3323 (INT 7372) - 3700 - IN 32 (INT 754) - IN 263 (INT 7383)

II

2624(T)/26 CHINA - South Coast - Dredging areas. Works.

Source: Hong Kong Notice 9/30(T)/26

1. Dredging works are taking place within areas bounded by the following positions:

22° 20′·833N., 113° 56′·514E.

22° 20′·780N., 113° 56′·504E.

22° 20′·647N., 113° 57′·131E.

22° 20′·700N., 113° 57′·144E.

and

22° 20′·947N., 113° 57′·058E.

22° 20′·897N., 113° 57′·036E.

22° 20′·866N., 113° 57′·116E.

22° 20′·828N., 113° 57′·285E.

22° 20′·811N., 113° 57′·402E.

22° 20′·762N., 113° 57′·806E.

22° 20′·815N., 113° 57′·813E.

22° 20′·823N., 113° 57′·756E.

22° 20′·845N., 113° 57′·583E.

22° 20′·916N., 113° 57′·138E.

2. The areas will be marked by yellow flashing light markers.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 4122 - 4123

II

2663(P)/26 VIETNAM - Fairways. Buoyage. Depths. Turning circle. Harbour limits. Two-way routes.

Source: ENC's V14S0021 and V1300013

1. A new fairway, marked by buoys and with a least depth of 14m, has been established, bounded by the following positions:

16° 08'·95N., 108° 10'·85E.
16° 08'·17N., 108° 10'·10E.
16° 08'·01N., 108° 09'·98E.
16° 07'·84N., 108° 09'·76E.
16° 07'·72N., 108° 09'·42E.
16° 07'·72N., 108° 09'·06E.
16° 07'·88N., 108° 08'·59E.
16° 08'·03N., 108° 08'·48E.
16° 08'·13N., 108° 08'·45E.
16° 08'·30N., 108° 08'·55E.
16° 08'·28N., 108° 08'·80E.
16° 08'·04N., 108° 08'·86E.
16° 07'·84N., 108° 09'·04E.
16° 07'·83N., 108° 09'·33E.
16° 07'·92N., 108° 09'·65E.
16° 08'·06N., 108° 09'·85E.
16° 09'·00N., 108° 10'·78E.

2. A new fairway, marked by buoys, has been established, bounded by the following positions:

16° 10'·01N., 108° 11'·03E.
16° 07'·35N., 108° 12'·44E.
16° 07'·13N., 108° 12'·69E.
16° 06'·94N., 108° 12'·99E.
16° 06'·89N., 108° 13'·10E.
16° 06'·87N., 108° 13'·26E.
16° 06'·92N., 108° 13'·70E.
16° 06'·60N., 108° 14'·24E.
16° 06'·38N., 108° 14'·41E.
16° 06'·28N., 108° 14'·46E.
16° 06'·21N., 108° 14'·48E.
16° 05'·74N., 108° 14'·26E.
16° 05'·76N., 108° 14'·21E.
16° 06'·06N., 108° 14'·35E.
16° 06'·22N., 108° 14'·45E.
16° 06'·37N., 108° 14'·39E.
16° 06'·57N., 108° 14'·21E.
16° 06'·63N., 108° 14'·12E.
16° 06'·80N., 108° 13'·83E.
16° 06'·81N., 108° 13'·66E.
16° 06'·86N., 108° 13'·54E.
16° 06'·82N., 108° 13'·26E.
16° 06'·84N., 108° 13'·07E.
16° 06'·91N., 108° 12'·94E.

3. and

16° 07'·06N., 108° 12'·64E.
16° 07'·31N., 108° 12'·39E.
16° 09'·99N., 108° 10'·97E.

4. A turning circle, radius 330m, has been established, centred on 16° 08'·11N., 108° 08'·65E.

II

2663(P)/26 VIETNAM - Fairways. Buoyage. Depths. Turning circle. Harbour limits. Two-way routes. (continued)

5. Depths less than charted exist within Au Tho Quang. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
5·1m	16° 06'·92N., 108° 13'·29E.
5·1m	16° 06'·92N., 108° 13'·48E.

6. Da Nang Harbour Limit has been extended, and now joins the following positions:

16° 12'·64N., 108° 12'·51E.
16° 13'·87N., 108° 14'·20E.
16° 10'·64N., 108° 16'·74E.
16° 09'·33N., 108° 14'·95E.

7. My Khe Harbour Limit has been amended, and now joins the following positions:

16° 05'·15N., 108° 14'·97E.
16° 05'·15N., 108° 18'·21E.
16° 03'·10N., 108° 18'·21E.
16° 03'·10N., 108° 14'·96E.

8. The two-way route, joining the following positions, no longer exists:

16° 06'·90N., 108° 13'·01E.
16° 03'·13N., 108° 13'·46E.

9. Mariners are advised to navigate with caution in the area.

10. These changes will be included in a New Edition of Chart 3884 to be published mid 2026.
(WGS84 DATUM)

Chart affected - 3884

II

2631(P)/26 MALAYSIA - Sarawak - Submarine pipeline. Works.

Source: Marine Department, Sarawak Notice 52/26

1. Pipeline laying operations are taking place, joining the following positions:

4° 44'·39N., 113° 43'·71E.

4° 44'·34N., 113° 42'·94E.

4° 45'·96N., 113° 42'·81E.

4° 46'·16N., 113° 46'·99E.

4° 32'·46N., 113° 53'·21E.

4° 31'·35N., 113° 55'·95E.

2. Charts will be updated when works are complete.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 1949 (INT 5777) - 3838 (INT 5708)

II

2657(P)/26 AUSTRALIA - Queensland - Depths.

Source: Australian Chart Aus 377

1. Depths less than charted exist as follows:

<i>Depth</i>	<i>Position</i>
78m	8° 58'·1S., 144° 41'·6E.
69m	9° 19'·0S., 144° 25'·8E.
49m	9° 23'·8S., 144° 02'·4E.
46m	9° 25'·5S., 144° 00'·7E.
17·2m	9° 34'·1S., 144° 18'·7E.
11·8m	9° 34'·6S., 144° 19'·5E.
62m	10° 03'·6S., 145° 32'·2E.

2. Numerous shoal depths exist in the Great Barrier Reef Marine Park within an area bounded by the following positions:

10° 12'·5S., 144° 00'·0E.
9° 51'·5S., 144° 15'·5E.
9° 36'·3S., 144° 20'·0E.
9° 32'·3S., 144° 15'·6E.
9° 30'·4S., 144° 15'·8E.
9° 25'·4S., 144° 00'·0E.

3. Mariners are advised to navigate with caution in the area and to consult larger scale nautical charts and local authorities for the latest information.
4. These changes will be included in a New Edition of Chart Aus 377 to be published mid 2026.
(WGS84 DATUM)

Chart affected - Aus 377

II

2680(P)/26 AUSTRALIA - Queensland - Depths.

Source: UKHO

1. Numerous shoal depths less than charted exist within an area bounded by the following positions:
 - 9° 11'·1S., 143° 16'·1E.
 - 9° 23'·0S., 143° 16'·1E.
 - 9° 18'·3S., 143° 33'·5E.
 - 9° 15'·1S., 143° 34'·5E.
 - 9° 14'·6S., 143° 26'·8E.
 - 9° 10'·9S., 143° 20'·5E.
2. Numerous shoal depths less than charted exist within the Greater Barrier Reef Marine Park in an area bounded by the following positions:
 - 10° 00'·0S., 143° 59'·6E.
 - 9° 27'·2S., 143° 59'·6E.
 - 9° 26'·6S., 143° 50'·7E.
 - 9° 35'·6S., 143° 32'·8E.
 - 9° 53'·5S., 143° 28'·3E.
 - 10° 00'·2S., 143° 28'·3E.
 - 10° 00'·2S., 143° 59'·6E.
3. Numerous shoal depths less than charted exist within an area bounded by the following positions:
 - 10° 02'·4S., 143° 16'·1E.
 - 10° 52'·6S., 143° 16'·1E.
 - 10° 52'·6S., 143° 52'·9E.
 - 10° 12'·7S., 143° 59'·4E.
 - 10° 02'·4S., 143° 58'·9E.
4. A depth of 26m exists in position 9° 55'·1S., 143° 18'·4E.
5. Mariners are advised to navigate with caution in the area and to consult larger scale nautical charts and local authorities for the latest information.
(WGS84 DATUM)

Chart affected - Aus 377

II

2711(P)/26 BRAZIL - East Coast - Anchorage area.

Source: Brazilian Local Navigational Warning E 7461/26

1. A circular anchorage area for cruise vessels, *NR 7*, with radius 0·3M, has been established, centred on position 20° 18'·23S., 40° 15'·47W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 598 - 599

II

2646(T)/26 CANADA - Saint Lawrence River - Restricted areas. Area to be avoided.

Source: Canadian Notice 4/407/26

1. To prevent collision with endangered and other species of whales, the following temporary areas have been established, with voluntary restrictions in place.
2. The restrictions apply to merchant vessels and cruise ships, with measures only to be taken when they will not jeopardise navigational safety.
3. Area to be avoided, bounded by the following positions:
48° 22'·55N., 69° 22'·03W.
48° 20'·94N., 69° 19'·92W.
48° 31'·38N., 69° 02'·62W.
48° 33'·34N., 69° 07'·46W.
4. Vessels should avoid transiting through this area to reduce noise and risk of whale collisions. If the area cannot be avoided, vessels should slow to a speed of 10 knots or less.
5. Speed reduction area, bounded by the following positions:
48° 22'·55N., 69° 22'·03W.
48° 20'·94N., 69° 19'·92W.
48° 19'·49N., 69° 22'·29W.
48° 15'·92N., 69° 26'·99W.
48° 12'·15N., 69° 33'·42W.
48° 10'·00N., 69° 29'·71W.
48° 12'·69N., 69° 24'·66W.
48° 13'·21N., 69° 22'·04W.
48° 11'·12N., 69° 24'·36W.
48° 06'·88N., 69° 31'·05W.
48° 05'·63N., 69° 33'·98W.
48° 06'·49N., 69° 36'·86W.
48° 09'·40N., 69° 38'·82W.
6. Vessels should slow down to 10 knots or less when transiting this area and post a lookout. It is further recommended for vessels to remain in the Laurentian Channel to the north of Île Rouge, position 48° 04'·17N., 69° 33'·28W. to minimise the impact of noise to the whales.
7. Outside of those areas' whales can be present, a heightened vigilance is critical and posting a lookout is recommended to avoid whale collisions. If bypassing the whales is not possible, slow down and wait for the animals to move away to a distance greater than 400m before resuming original speed.
8. *The restrictions are in effect until 31st of October 2026.
9. *For more information, please see Canadian Notice to Mariners bulletin 4/26, Eastern Edition, dated 24th April 2026, Notice 407/26. This can be accessed at <https://www.notmar.gc.ca/monthly-mensuel-en.php>.
10. *Former Notice 2627(T)/25 is cancelled.
*Indicates new or revised entry
(NAD83 DATUM)

Charts affected - 4777 - 4779 - 4782