



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 26

25 June 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
34	2629	INT 709	NP 131
103	2631	INT 710	
937	2887	INT 1300	
1166	2889	INT 1455	
1254	3992	INT 1458	
1256	4709	INT 1732	
1289	4710	INT 5508	
1305	5608_19	INT 7211	
1306	5608_20	INT 7232	
1402	DE 5	INT 7409	
1938	DE 48		
2568	IN 308		

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



I

UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

THE GULF AND STRAIT OF HORMUZ NAVIGATIONAL INFORMATION

Amid ongoing developments, it is not always possible to ensure that all ADMIRALTY Products are completely up-to-date for new dangers or changes to aids to navigation and routing measures. Mariners are encouraged to pay close attention to navigational warnings in place and advised to exercise particular caution when navigating in The Gulf region and the Strait of Hormuz.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 25 June 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙34	England - West Coast, Isles of Scilly.	1:25,000	1	20
⊙1305	China - East Coast, Zhoushan Qundao, Sanxing Shan to Luoja Shan. On publication of this New Edition former Notice 2285(P)/26 is cancelled. This chart remains affected by Notices 2444(T)/24 and 5982(T)/24.	1:80,000	50	80
⊙1306	China - East Coast, Zhoushan Qundao, Huaniao Shan to Sanxing Shan. On publication of this New Edition former Notice 2285(P)/26 is cancelled. This chart remains affected by Notices 3935(P)/22, 3389(T)/23 and 227(P)/26.	1:80,000	50	80
⊙1402 INT 1300	International Chart Series, Skagerrak. Ⓐ Hirtshals. 57°35'·42 N. - 57°36'·47 N., 9°56'·92 E - 9°59'·75 E. Ⓑ Hanstholm. This chart remains affected by Notices 2589(T)/25, 1635(T)/26 and 2363(T)/26.	1:360,000 1:15,000 1:15,000	9	32, 34
⊙2629	England - South Coast, Portsmouth Harbour, Southern Part. This chart is to be deleted from the list of charts affected by Notices 2096(P)/26 and 1677(T)/25.	1:5,000	1	24
⊙2631 INT 1732	International Chart Series - England - South Coast, Portsmouth Harbour. Continuation of Fareham Lake. This chart is to be deleted from the list of charts affected by Notice 2096(P)/26. This chart remains affected by Notices 5927(T)/24 and 1677(T)/25.	1:7,500 1:7,500	1	24
⊙2887 INT 7232	International Chart Series, United Arab Emirates, Iran and Qatar, Dubai (Dubayy) and Jazīreh-ye Qeshm to Jazīrat Ḥālūl. This chart remains affected by Notices 5236(T)/14, 4751(P)/22, 3475(P)/24, 4544(T)/24, 5665(P)/24, 2335(T)/25, 3394(T)/25, 4998(T)/25, 5224(T)/25, 1743(P)/26 and 2153(P)/26.	1:350,000	40	62
⊙2889 INT 7211	International Chart Series, United Arab Emirates, Iran and Qatar, Dubai (Dubayy) to Jabal Az Zannah and Jazīrat Dās. This chart remains affected by Notices 2528(P)/24, 3475(P)/24, 4544(T)/24, 4998(T)/25, 5224(T)/25, 693(P)/26, 1743(P)/26, 2153(P)/26 and 2533(T)/26.	1:350,000	40	62
⊙3992	China and Vietnam, Gulf of Tonkin, Dongxing Gang to Beihai Gang. On publication of this New Edition former Notice 1981(P)/26 is cancelled. This chart remains affected by Notices 1879(P)/24 and 397(T)/26.	1:120,000	47	76

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 25 June 2026 (continued)

Chart	Title, limits and other remarks	Scale	Folio	2026 Catalogue page
⊙DE5 INT 1458	International Chart Series, North Sea, Germany, River Weser, Brake to Bremen and River Hunte. Ⓐ Brake to Blumenthal. 53°10'·35 N. - 53°22'·00 N., 8°20'·10 E - 8°34'·50 E. Ⓑ Brake. 53°19'·50 N. - 53°21'·90 N., 8°28'·80 E - 8°30'·80 E. Ⓒ Entrance to River Hunte and Elsfleth. 53°13'·55 N. - 53°15'·55 N., 8°27'·60 E - 8°29'·20 E. Ⓓ Blumenthal to Hasenbüren. 53°06'·80 N. - 53°11'·00 N., 8°34'·00 E - 8°41'·60 E. Ⓔ Harbours of Bremen. 53°04'·54 N. - 53°08'·02 N., 8°40'·48 E - 8°47'·50 E. Ⓕ River Hunte, Neuenhundertorf to Oldenburg. 53°08'·10 N. - 53°11'·20 N., 8°12'·60 E - 8°27'·95 E. Ⓖ Oldenburg. 53°08'·26 N. - 53°08'·70 N., 8°13'·10 E - 8°15'·34 E.	1:30,000 1:12,500 1:12,500 1:30,000 1:12,500 1:30,000 1:12,500	9	32
⊙DE48 INT 1455	International Chart Series, North Sea, Germany, River Elbe, Lühesand to Hamburg. Ⓐ Lühesand to Teufelsbrück. Ⓑ Hamburg.	1:30,000 1:12,500	9	32

Publication dates of these charts reflect the dates shown on the Indian Government Charts.

Chart	Published	Title, limits and other remarks	Scale	Folio	2026 Catalogue page
⊙IN308 INT 7409	31/01/2026	International Chart Series, India - East Coast, Outer Approaches to Visākhapatnam. This chart is to be deleted from the list of charts affected by Notice 2077(P)/26. This chart remains affected by Notices 4325(T)/24, 4582(T)/25 and 2606(T)/26.	1:150,000	43	64

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 09 JULY 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
103	South China Sea, Hainan Dao Eastwards.	1:500,000	⊙103	47	76
937 INT 5508	International Chart Series, South China Sea, Eastern Approaches to Hong Kong.	1:75,000	⊙937	50	78
1166	England - West Coast, River Severn, Avonmouth to Sharpness and Hock Cliff.		⊙1166	2	20
	Ⓐ Avonmouth to Severn Bridge.	1:25,000			
	Ⓑ Severn Bridge to Sharpness.	1:25,000			
	Ⓒ Sharpness to Hock Cliff.	1:25,000			
	Ⓓ Sharpness Docks.	1:10,000			
1254	China - Yellow Sea, Qingdao to Chengshan Jiao. Rongcheng Wan.	1:300,000 1:40,000	⊙1254	52	82
1256	China and Korea, Bo Hai and Northern Part of the Yellow Sea.	1:900,000	⊙1256	52	82
1289	China - Yellow Sea, Weihai Gang to Shidao Gang.	1:150,000	⊙1289	52	82
1938	Mexico - Pacific Ocean Coast, Ensenada and Approaches.		⊙1938	89	112
	Ⓐ Bahía de Todos Santos.	1:50,000			
	Ⓑ Ensenada.	1:10,000			
2568	Scotland - North Coast, Harbours in the Orkney Islands.		⊙2568	6	30
	Ⓐ Stromness and Hoy Sound.	1:12,500			
	Ⓑ Lyness and Flotta Marine Oil Terminal.	1:12,500			
	Ⓒ Bay of Houton.	1:12,500			
4709 INT 709	International Chart Series, Southern Ocean, Australia - South Coast.	1:3,500,000	⊙4709 INT 709	65	18, 136
4710 INT 710	International Chart Series, Indian Ocean, Cape Leeuwin to Southeast Indian Ridge.	1:3,500,000	⊙4710 INT 710	35	18, 136

New Editions of ADMIRALTY Small Craft Charts

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>NP109A Catalogue page</i>
5608_19	Ⓐ Avonmouth Bridge to Sea Mills Creek.	1:10,000	5608_19	19
	Ⓑ Sea Mills Creek to Cumberland Basin.	1:10,000		
	Ⓒ Bristol City Docks.	1:5,000		
5608_20	King Road and River Avon to the Avonmouth Bridge.	1:10,000	5608_20	19

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
34	England - West Coast, Isles of Scilly.	⊙34
1305	China - East Coast, Zhoushan Qundao, Sanxing Shan to Luojia Shan.	⊙1305
1306	China - East Coast, Zhoushan Qundao, Huaniao Shan to Sanxing Shan.	⊙1306
1402 INT 1300	International Chart Series, Skagerrak.	⊙1402 INT 1300
2629	England - South Coast, Portsmouth Harbour, Southern Part.	⊙2629
2631 INT 1732	International Chart Series - England - South Coast, Portsmouth Harbour.	⊙2631 INT 1732
2887 INT 7232	International Chart Series, United Arab Emirates, Iran and Qatar, Dubai (Dubayy) and Jazīreh-ye Qeshm to Jazīrat Ḥālūl.	⊙2887 INT 7232
2889 INT 7211	International Chart Series, United Arab Emirates, Iran and Qatar, Dubai (Dubayy) to Jabal Az Zannah and Jazīrat Dās.	⊙2889 INT 7211
3992	China and Vietnam, Gulf of Tonkin, Dongxing Gang to Beihai Gang.	⊙3992
DE5 INT 1458	International Chart Series, North Sea, Germany, River Weser, Brake to Bremen.	⊙DE5 INT 1458
DE48 INT 1455	International Chart Series, North Sea, Germany, River Elbe, Lühesand to Hamburg.	⊙DE48 INT 1455
IN308 INT 7409	International Chart Series, India - East Coast, Outer Approaches to Visākhapatnam.	⊙IN308 INT 7409

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 – Catalogue of Admiralty Charts (NP131), 2026 Edition

Amendment to Part 1, Admiralty Authorised Chart Agent/Distributor

Page 3, Sub-Distributor Section, United Kingdom

Delete:

IMRAY LAURIE, NORIE & WILSON	
SUB DISTRIBUTOR OF: Stanfords Maritime Books & Charts Wych House, The Broadway St Ives, Huntingdon Cambridgeshire PE27 5BT	
T: +44 (0)1480 462 114	
F: +44 (0)1480 496 109	
ilnw@imray.com	
www.imray.com	
PUBLICATIONS	DIGITAL

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2	3014P	1826	3004, 3026P, 3058P
38	3021	1889	3067
91	2962T	1892	3022
110	3032T, 3055T	1951	2999
122	3032T, 3055T	1959	3047T
124	3032T, 3055T	1962	3008
125	3032T, 3055T	1968	3008, 3029P
130	3032T, 3055T	1970	3004
134	2964	1977	3004, 3057T
152	2964	1978	3057T, 3058P
166	2979, 3061	1981	3058P
200	3030	1990	2979
208	3016	2011	3036T
266	2964, 3032T, 3055T	2021	2998
292	3019	2029	2977
294	3014P	2035	2998
307	3070	2045	2983
323	3022	2048	2993
330	2990P	2075	2967, 3041
341	3008	2093	3026P
346	3072	2094	3026P
351	3009	2106	3044T
390	3066	2115	3035T
462	3062T	2182A	2964, 2995
497	3006	2182B	2964, 2995
587	2978	2182C	2971P, 3014P
616	2972, 2973P	2182D	2971P, 3014P
644	2973P, 3064T	2192	3073
646	2973P	2193	3073
666	2972, 2973P	2198	3026P
674	2973P	2214	3023T
707	3021	2218	3075
716	2973P	2227	3077
811	3042	2230	3023T, 3056T
813	3020	2232	3023T
820	3042	2282	3023T, 3056T
847	2963	2284	3023T
850	3063	2319	2992T
855	3046T	2349	3071
876	3035T	2350	3071
903	3003, 3060T	2356	2968
946	2994	2401	3001
1052	3052P	2412	3029P, 3053
1059	2976	2449	3022, 3039
1076	3069	2450	2983
1077	3067	2454	2983
1143	3048	2470	2980P
1188	3038T	2472	2985T, 3051
1191	2964	2473	2986T
1192	2964	2523	3005
1292	3033	2533	2969P
1408	2995	2555	3046T
1411	3004, 3026P	2594	3035T, 3060T
1413	3004, 3036T	2595	3003
1427	2971P, 3014P, 3019	2596	3044T
1438	3012T	2615	2983
1463	3057T	2635	2969P
1610	3022	2649	3013T
1630	3032T, 3055T	2653	3002
1631	3032T, 3055T	2677	2975
1632	3032T, 3055T	2678	2975
1633	3032T, 3055T	2723	3059P
1705	3061	2724	3026P
1748	3011	2725	3059P
1757	2969P	2752	3059P
1759	3053	2825	2969P
1760	3028	2837	2961, 3005
1761	3029P	2839	3076
1795	2969P	2846	3062T

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2847	3005	4172	2973P
2861	3045	4179	2973P
2886	3005	4180	2973P
2888	2961	4204	2973P
2895	2973P	4509	3053
2904	2969P	4600	2966
2919	3045	4601	2966, 2981P, 2982T
2926	2973P	4602	3000T
2927	2973P	4603	2985T, 2986T
2930	2973P	4604	3000T
2931	2973P	4605	2966
2933	2973P	4608	2970
2939	2973P	4700	2973P
2949	2973P	4701	2973P
2952	3051	4702	2973P
2964	2973P	4703	2973P
2968	2973P	4705	2973P
2996	3043	4707	2980P
3026	3008	4708	2980P
3087	3074	4709	2981P
3175	2961	4722	2996
3176	2961	4723	2987
3231	3029P	4779	3031T
3236	3029P	4782	3031T
3258	3065T	4936	3050
3310	2973P	4937	3050
3315	2983	4938	3050
3361	2972, 2973P	5600_1	2983
3490	2999	5600_2	2983
3496	3038T	5600_7	2998
3497	3038T	5601_3	2983
3548	3007	5601_4	2983
3584	3010	5601_5	2983
3634	3037T	5605_12	3025
3658	3029P	5605_2	3022
3700	3020	5609_10	3004
3726	2994	5609_11	3004, 3036T
3754	3050	5609_12	3036T
3772	3005	5609_13	3057T
3784	2973P	5609_14	3057T
3785	2973P	5609_5	3004
3795	2973P	5610_17	3026P
3797	2973P	5612_1	3026P
3818	3075	5612_11	3026P
3825	3041	5613_1	3058P
3833	3068	5613_19	3026P
3851	2974	5613_2	3026P
3877	2973P	5613_4	2999
3878	2973P	5613_5	2999
3880	2973P	5613_7	3058P
3890	2965	5613_8	3058P
3912	3043	5613_9	3058P
3950	3005	5614_18	3038T
4006	2991	5614_25	2995
4010	2991	5615_1	2964
4031	3068	5615_23	2964
4039	3068	5615_4	2964
4040	3068	5616_10	2969P
4060	2966, 2980P, 3000T	5616_11	2969P
4061	2966	5616_12	2969P
4062	2970	5616_20	2969P
4070	2980P	5616_23	2969P
4071	2980P	5616_27	2969P
4073	2980P	5617_15	3012T
4100	2991	5620_16	3069
4113	2991	5621_1	3004
4140	3014P		
4169	2973P		
4171	2973P		

II

INDEX OF CHARTS AFFECTED

Australian Chart No.	Notices	International Chart No.	Notices
Aus 53 Aus 55 Aus 143 Aus 327 Aus 357 Aus 824	2997 3054 2981P 2984T 2989 2988	INT 608 INT 700 INT 701 INT 702 INT 703 INT 705 INT 707 INT 708 INT 709 INT 722 INT 723 INT 752 INT 758 INT 1040 INT 1041 INT 1042 INT 1043 INT 1045 INT 1061 INT 1063 INT 1159 INT 1189 INT 1210 INT 1217 INT 1231 INT 1238 INT 1239 INT 1250 INT 1297 INT 1298 INT 1303 INT 1331 INT 1332 INT 1333 INT 1353 INT 1354 INT 1355 INT 1370 INT 1401 INT 1416 INT 1417 INT 1418 INT 1420 INT 1422 INT 1423 INT 1424 INT 1456 INT 1461 INT 1466 INT 1471 INT 1472 INT 1473 INT 1474 INT 1480 INT 1506 INT 1507 INT 1511 INT 1540 INT 1549 INT 1553 INT 1554 INT 1564 INT 1565 INT 1605 INT 1606 INT 1607 INT 1608 INT 1626 INT 1630	2970 2973P 2973P 2973P 2973P 2973P 2980P 2980P 2981P 2996 2987 3024 2973P 2971P, 3014P 2971P, 3014P 2964, 2995 2964, 2995 3032T, 3055T 2969P 3013T 3075 3041 2967, 3041 2993 2963 3042 3042 3075 2975 2975 3044T 3035T, 3060T 3003 3003, 3060T 3027 3027 3018 3044T 2971P, 3014P, 3019 3032T, 3055T 3032T, 3055T 3032T, 3055T 3032T, 3055T 3032T, 3055T 3032T, 3055T 3017 3017 3015, 3032T, 3055T 3016 3032T, 3055T 3032T, 3055T 3032T, 3055T 3040 2964 2964 3022 3067 2964 3038T 3038T 3022 3038T 3059P 3026P 3004, 3026P, 3058P 3004, 3026P 2969P 2969P
Belgian Chart No.	Notices		
BE 11 BE 101 BE 102	3040 3032T, 3040, 3055T 3040		
German Chart No.	Notices		
DE 2 DE 20 DE 30 DE 36 DE 50 DE 90 DE 1671 DE 1672	3017 3017 3027 3027 3032T, 3055T 3015, 3032T, 3055T 3027 3018		
Indian Chart No.	Notices		
IN 22 IN 216 IN 257 IN 294	3024 3024 3024 3024		
New Zealand Chart No.	Notices		
NZ 56	3049		
Soloman Islands Chart No.	Notices		
SLB 101	3034		
International Chart No.	Notices		
INT 10 INT 60 INT 61 INT 62 INT 70 INT 71 INT 73 INT 100 INT 113 INT 140 INT 160 INT 204 INT 509 INT 600 INT 601 INT 602 INT 603 INT 604 INT 605	2991 2966, 2980P, 3000T 2966 2970 2980P 2980P 2980P 2991 2991 3014P 3014P 2973P 3053 2966 2966, 2981P, 2982T 3000T 2985T, 2986T 3000T 2966		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 1642	2999		
INT 1643	2999		
INT 1702	2983		
INT 1703	2983		
INT 1729	2998		
INT 1741	3022		
INT 1805	3033		
INT 1812	2962T		
INT 1871	3065T		
INT 2550	3070		
INT 7000	2973P		
INT 7014	2973P		
INT 7017	2961, 3005		
INT 7018	3005		
INT 7019	3021		
INT 7023	3024		
INT 7051	2973P		
INT 7052	2973P		
INT 7053	2973P		
INT 7054	2973P		
INT 7055	2973P		
INT 7056	2973P		
INT 7060	2973P		
INT 7199	2961		
INT 7212	2961		
INT 7216	2961		
INT 7243	3005		
INT 7244	3005		
INT 7249	3005		
INT 7250	3005		
INT 7343	3024		
INT 7386	3020		
INT 7560	2973P		
INT 7563	2973P		
INT 7570	2973P		
INT 7580	2973P		
INT 7581	2973P, 3064T		
INT 7590	2973P		
INT 7610	2973P		
INT 7650	2973P		
INT 7660	2973P		
INT 7690	2973P		
INT 7691	2973P		
INT 7700	2972, 2973P		
INT 7702	2972, 2973P		
INT 13520	3027		

II

2964* ENGLAND - East Coast - Legends.

Source: OEG Renewables Ltd

Chart 134 [*previous update 2630/26*] ETRS89 DATUM

Delete legend, *Under construction*, centred on: 54° 37'·38N., 0° 43'·35W.
54° 41'·23N., 0° 14'·68W.

Chart 152 (INT 1549) [*previous update 2630/26*] ETRS89 DATUM

Delete legend, *Under construction*, centred on: 54° 36'·21N., 0° 56'·48W.

Chart 266 [*previous update 2415/26*] WGS84 DATUM

Delete legend, *Under construction*, centred on: 54° 51'·08N., 1° 57'·39E.
54° 51'·41N., 1° 08'·18E.
54° 48'·13N., 0° 40'·84E.

Chart 1191 (INT 1507) [*previous update 2630/26*] ETRS89 DATUM

Delete legend, *Under construction*, centred on: 54° 37'·54N., 0° 41'·42W.
54° 43'·60N., 0° 09'·71E.
54° 51'·87N., 1° 14'·55E.

Chart 1192 (INT 1506) [*previous update 2630/26*] ETRS89 DATUM

Delete legend, *Under construction*, centred on: 54° 48'·11N., 0° 40'·56E.

Chart 2182A (INT 1043) [*previous update 1632/26*] WGS84 DATUM

Delete legend, *Under construction*, centred on: 54° 45'·0N., 0° 22'·5E.
54° 56'·4N., 2° 25'·4E.

Chart 2182B (INT 1042) [*previous update 2582/26*] WGS84 DATUM

Delete legend, *Under construction*, centred on: 54° 56'·3N., 2° 25'·3E.

Chart 5615_4 (Panel A, Whitby to Hartlepool) [*previous update 2630/26*] ETRS89 DATUM

Delete legend, *Under construction*, centred on: 54° 37'·65N., 0° 36'·70W.
54° 36'·19N., 0° 56'·65W.

Chart 5615_1 [*previous update 2630/26*] ETRS89 DATUM

Delete legend, *Under construction*, centred on: 54° 43'·61N., 0° 09'·92E.
54° 37'·55N., 0° 41'·84W.

Chart 5615_23 [*previous update 1288/26*] WGS84 DATUM

Delete legend, *Under construction*, centred on: 54° 56'·3N., 2° 25'·3E.

II

2983* ENGLAND - South Coast - Wrecks.

Source: British Government Survey

Note: Former Notice 4371(P)/25 is cancelled.

Chart 2045 [previous update 1771/26] ETRS89 DATUM

Replace  with  50° 31'·41N., 1° 30'·32W.

Chart 2450 (INT 1703) [previous update 1980/26] ETRS89 DATUM

Insert  (a) 50° 31'·41N., 1° 30'·32W.

Delete , close SW of: (a) above

Chart 2454 (INT 1702) [previous update 1317/26] ETRS89 DATUM

Replace  with  50° 34'·61N., 2° 33'·99W.

Chart 2615 [previous update 1574/26] ETRS89 DATUM

Replace  with  50° 34'·61N., 2° 33'·99W.

Chart 3315 [previous update 1317/26] ETRS89 DATUM

Replace  with  50° 34'·61N., 2° 33'·99W.

Chart 5600_2 [previous update 357/26] ETRS89 DATUM

Replace  with  50° 31'·41N., 1° 30'·32W.

Chart 5600_1 [previous update 5734/25] ETRS89 DATUM

Insert  (a) 50° 31'·41N., 1° 30'·32W.

Delete , close SW of: (a) above

Chart 5601_3 (Panel A, Lyme Regis to Bill of Portland) [previous update 2062/24] ETRS89 DATUM

Replace  with  50° 34'·61N., 2° 33'·99W.

Chart 5601_4 [previous update 1852/25] ETRS89 DATUM

Replace  with  50° 34'·61N., 2° 33'·99W.

Chart 5601_5 [previous update 1574/26] ETRS89 DATUM

Replace  with  50° 31'·41N., 1° 30'·32W.

II

2998* ENGLAND - South Coast - Buoyage.

Source: Lymington Harbour Commissioners

Chart 2021 (Panel G, Lymington River) [*previous update 1769/26*] ETRS89 DATUM

Delete



50° 44'·782N., 1° 30'·437W.

Chart 2035 (INT 1729) [*previous update 1769/26*] ETRS89 DATUM

Delete



50° 44'·78N., 1° 30'·44W.

50° 44'·80N., 1° 30'·25W.

Chart 5600_7 [*previous update 1769/26*] ETRS89 DATUM

Delete



50° 44'·78N., 1° 30'·44W.

50° 44'·80N., 1° 30'·25W.

II

2999* ENGLAND - West Coast - Depths.

Source: Mersey Docks and Harbour Company

Chart 1951 (INT 1642) [*previous update 2115/26*] ETRS89 DATUM

Insert	depth, 47, and extend 5m contour E to enclose	(a)	53° 26'·33N., 3° 01'·62W.
Delete	depth, 59, close SE of:	(a)	above
Insert	depth, 23	(b)	53° 26'·31N., 3° 01'·72W.
Delete	depth, 36, close SE of:	(b)	above
Insert	depth, 19, enclosed by 2m contour		53° 26'·26N., 3° 01'·77W.
Replace	depth, 31, with depth, 22		53° 26'·23N., 3° 01'·69W.
	depth, 6, with depth, 55		53° 26'·28N., 3° 00'·70W.

Chart 3490 (INT 1643) (Panel A, Seaforth to Tranmere) [*previous update 2819/26*] ETRS89 DATUM

Insert	depth, 47, and extend 5m contour E to enclose	(a)	53° 26'·334N., 3° 01'·623W.
Delete	depth, 59, close SE of:	(a)	above
Insert	depth, 23	(b)	53° 26'·314N., 3° 01'·716W.
Delete	depth, 36, close SE of:	(b)	above
Insert	depth, 19, enclosed by 2m contour		53° 26'·263N., 3° 01'·771W.
	depth, 22	(c)	53° 26'·214N., 3° 01'·686W.
Delete	depth, 31, close NW of:	(c)	above
Replace	depth, 6, with depth, 55		53° 26'·282N., 3° 00'·696W.

Chart 5613_5 [*previous update New Edition 09/04/2026*] ETRS89 DATUM

Insert	depth, 47, and extend 5m contour E to enclose	(a)	53° 26'·334N., 3° 01'·623W.
Delete	depth, 59, close SE of:	(a)	above
Insert	depth, 23	(b)	53° 26'·314N., 3° 01'·716W.
Delete	depth, 36, close SE of:	(b)	above
Insert	depth, 19, enclosed by 2m contour		53° 26'·263N., 3° 01'·771W.
	depth, 22	(c)	53° 26'·214N., 3° 01'·686W.
Delete	depth, 31, close NW of:	(c)	above
Replace	depth, 6, with depth, 55		53° 26'·282N., 3° 00'·696W.

Chart 5613_4 (Panel B, Crosby Channel to River Mersey) [*previous update New Edition 09/04/2026*] ETRS89 DATUM

Insert	depth, 47, and extend 5m contour E to enclose	(a)	53° 26'·33N., 3° 01'·62W.
Delete	depth, 59, close SE of:	(a)	above
Insert	depth, 23	(b)	53° 26'·31N., 3° 01'·72W.
Delete	depth, 36, close SE of:	(b)	above
Insert	depth, 19, enclosed by 2m contour		53° 26'·26N., 3° 01'·77W.
Replace	depth, 31, with depth, 22		53° 26'·23N., 3° 01'·69W.
	depth, 6, with depth, 55		53° 26'·28N., 3° 00'·70W.

II

3004* WALES - North Coast - Restricted areas. Legend.

Source: Natural Resources Wales

Chart 1411 (INT 1608) [*previous update 2882/26*] ETRS89 DATUM

Insert limit of submarine cable area, , joining:

53° 20'·02N., 4° 41'·29W.
53° 19'·39N., 4° 40'·85W.
and
53° 17'·03N., 4° 41'·18W.
53° 16'·81N., 4° 41'·17W.
53° 15'·95N., 4° 41'·01W.

Chart 1413 [*previous update 1023/26*] ETRS89 DATUM

Insert limit of submarine cable area, , joining:

53° 20'·03N., 4° 41'·29W.
53° 19'·39N., 4° 40'·85W.
and
53° 17'·03N., 4° 41'·18W.
53° 16'·81N., 4° 41'·17W.
53° 16'·02N., 4° 41'·03W.
53° 17'·69N., 4° 41'·34W.

legend, *Submarine Cable Area*, centred on:

Chart 1826 (INT 1607) [*previous update 2882/26*] ETRS89 DATUM

Insert limit of submarine cable area, , joining:

53° 20'·02N., 4° 41'·29W.
53° 19'·39N., 4° 40'·85W.
and
53° 17'·03N., 4° 41'·18W.
53° 16'·81N., 4° 41'·17W.
53° 15'·95N., 4° 41'·01W.

Chart 1970 [*previous update 3848/25*] ETRS89 DATUM

Insert limit of submarine cable area, , joining:

53° 20'·02N., 4° 41'·29W.
53° 19'·39N., 4° 40'·85W.
and
53° 17'·03N., 4° 41'·18W.
53° 16'·81N., 4° 41'·17W.
53° 15'·95N., 4° 41'·01W.
53° 17'·82N., 4° 41'·62W.

legend, *Submarine Cable Area*, centred on:

Chart 1977 [*previous update 2819/26*] ETRS89 DATUM

Insert limit of submarine cable area, , joining:

53° 20'·02N., 4° 41'·29W.
53° 19'·39N., 4° 40'·85W.
and
53° 17'·03N., 4° 41'·18W.
53° 16'·81N., 4° 41'·17W.
53° 15'·95N., 4° 41'·01W.
53° 17'·82N., 4° 41'·62W.

legend, *Submarine Cable Area*, centred on:

II

3004* WALES - North Coast - Restricted areas. Legend. (continued)

Chart 5609_11 [*previous update 1187/25*] ETRS89 DATUM

Insert	limit of submarine cable area, , joining:	53° 20'·02N., 4° 41'·29W.
		53° 19'·39N., 4° 40'·85W.
	legend, <i>Submarine Cable Area</i> , centred on:	53° 17'·70N., 4° 41'·33W.

Chart 5609_5 (Panel A, Caernarfon Bay) [*previous update 699/26*] ETRS89 DATUM

Insert	limit of submarine cable area, , joining:	53° 17'·03N., 4° 41'·18W.
		53° 16'·81N., 4° 41'·17W.
		53° 15'·95N., 4° 41'·01W.
	legend, <i>Submarine Cable Area</i> , centred on:	53° 17'·83N., 4° 41'·62W.

Chart 5609 10 [*previous update 840/26*] ETRS89 DATUM

Insert limit of submarine cable area, , joining:

53° 20'·02N., 4° 41'·29W.
53° 19'·39N., 4° 40'·85W.
and
53° 17'·03N., 4° 41'·18W.
53° 16'·81N., 4° 41'·17W.
53° 15'·95N., 4° 41'·01W.
legend, *Submarine Cable Area*, centred on: 53° 17'·82N., 4° 41'·62W.

Chart 5621_1 [*previous update 2819/26*] ETRS89 DATUM

Insert limit of submarine cable area, , joining:

53° 20'·02N., 4° 41'·29W.
53° 19'·39N., 4° 40'·85W.
and
53° 17'·03N., 4° 41'·18W.
53° 16'·81N., 4° 41'·17W.
53° 15'·95N., 4° 41'·01W.

II

3067* SCOTLAND - East Coast - Maritime limit. Legend.

Source: Port of Cromarty Firth NM 14/2026

Chart 1077 (Panel, Port of Nigg) [*previous update 1258/26*] ETRS89 DATUM

Insert	maritime limit, pecked line, joining:	(a) 57° 41'·88N., 4° 01'·61W.
		(b) 57° 41'·88N., 4° 01'·47W.
		(c) 57° 41'·67N., 4° 01'·47W.
		(d) 57° 41'·67N., 4° 01'·61W.
	legend, Works in progress (2026), within:	(a)-(d) above

Chart 1077 [*previous update 1258/26*] ETRS89 DATUM

Insert	maritime limit, pecked line, joining:	(a) 57° 41'·88N., 4° 01'·61W.
		(b) 57° 41'·88N., 4° 01'·47W.
		(c) 57° 41'·67N., 4° 01'·47W.
		(d) 57° 41'·67N., 4° 01'·61W.
	legend, Works in progress (2026), within:	(a)-(d) above

Chart 1889 (INT 1540) [*previous update 773/26*] ETRS89 DATUM

Insert	maritime limit, pecked line, joining:	(a) 57° 41'·88N., 4° 01'·61W.
		(b) 57° 41'·88N., 4° 01'·47W.
		(c) 57° 41'·67N., 4° 01'·47W.
		(d) 57° 41'·67N., 4° 01'·61W.
	legend, Works in progress (2026), within:	(a)-(d) above

II

3069* WALES - South Coast - Wreck. Drying height.

Source: The Royal Commission on the Ancient and Historical Monuments of Wales

Chart 1076 [*previous update 389/25*] ETRS89 DATUM

Insert



(a) 51° 44' · 12N., 4° 35' · 43W.

Delete

drying height, 2_l, close SE of:

(a) above

Chart 5620_16 [*previous update New Edition 26/06/2025*] ETRS89 DATUM

Insert



(a) 51° 44' · 12N., 4° 35' · 43W.

Delete

drying height, 2_l, close SE of:

(a) above

II

2991 NORWEGIAN SEA - Depths.

Source: British Antarctic Survey

Chart 4006 [*previous update 2291/26*] WGS84 DATUM

Replace	depth, 99, with depth, 128	73° 31'·7N., 9° 07'·5W.
---------	----------------------------	-------------------------

Chart 4010 (INT 10) [*previous update 2291/26*] WGS84 DATUM

Replace	depth, 99, with depth, 128	73° 31'·7N., 9° 07'·5W.
---------	----------------------------	-------------------------

Chart 4100 (INT 100) [*previous update 2291/26*] WGS84 DATUM

Replace	depth, 99, with depth, 128	73° 31'·7N., 9° 07'·5W.
---------	----------------------------	-------------------------

Delete	depth, 123	73° 29'·8N., 9° 08'·6W.
--------	------------	-------------------------

Chart 4113 (INT 113) [*previous update 2291/26*] WGS84 DATUM

Replace	depth, 99, with depth, 128	73° 31'·7N., 9° 07'·5W.
---------	----------------------------	-------------------------

Delete	depth, 123	73° 29'·8N., 9° 08'·6W.
--------	------------	-------------------------

II

2963 SWEDEN - East Coast - Berths.

Source: Swedish Notice 1120/20042/26

Chart 847 (INT 1231) (Panel B, Norrköpings Hamn) [*previous update 1407/26*] WGS84 DATUM

Insert	berth number, 10	58° 37'·459N., 16° 14'·322E.
	berth number, 40	(a) 58° 36'·386N., 16° 12'·671E.
Delete	berth number, 42, close NW of:	(a) above
Replace	berth number, 10 with berth number, 8	58° 37'·419N., 16° 14'·460E.
Delete	former berth number, 8	58° 37'·391N., 16° 14'·545E.
	berth number, 36	58° 36'·288N., 16° 12'·684E.
	berth number, 41	58° 35'·770N., 16° 12'·727E.
	berth number, 35	58° 35'·742N., 16° 12'·571E.
	berth number, 25	58° 35'·710N., 16° 12'·397E.
	berth number, 19	58° 35'·670N., 16° 12'·196E.

II

2967 FINLAND - Ålands - Maximum authorised draughts.

Source: Finnish Notice 12/118/26

Chart 2075 (INT 1210) [*previous update 2204/26*] WGS84 DATUM

Amend maximum authorised draught to, <6,4m>

60° 13'·02N., 20° 01'·28E.

60° 10'·66N., 20° 03'·28E.

II

2975 POLAND - Buoyage.

Source: Polish Notice 14/171/26

Chart 2677 (INT 1297) [previous update 2252/26] WGS84 DATUM

Insert	 <i>Fl(2)G.4s TN-1</i>	(a) 53° 40'·33N., 14° 30'·33E.
Delete	 <i>TN-1</i> , close E of:	(a) above
Insert	 <i>Fl(2)G.4s TN-3</i>	(b) 53° 40'·11N., 14° 30'·54E.
Delete	 <i>TN-3</i> , close E of:	(b) above
Insert	 <i>Fl(2)G.4s TN-5</i>	(c) 53° 39'·89N., 14° 30'·75E.
Delete	 <i>TN-5</i> , close E of:	(c) above
Replace	 <i>TN-B</i> with  <i>Fl.G.2s TN-B</i>	53° 40'·61N., 14° 30'·11E.
	 <i>TN-2</i> with  <i>Fl(2)R.4s TN-2</i>	53° 40'·34N., 14° 30'·41E.
	 <i>TN-4</i> with  <i>Fl(2)R.4s TN-4</i>	53° 40'·12N., 14° 30'·62E.
	 <i>TN-6</i> with  <i>Fl(2)R.4s TN-6</i>	53° 39'·90N., 14° 30'·82E.

Chart 2678 (INT 1298) (Panel A, Port Trzebież) [previous update 952/26] WGS84 DATUM

Replace	 <i>TN-6</i> with  <i>Fl(2)R.4s TN-6</i>	53° 39'·903N., 14° 30'·824E.
	 <i>TN-5</i> with  <i>Fl(2)G.4s TN-5</i>	53° 39'·892N., 14° 30'·793E.

Chart 2678 (INT 1298) [previous update 952/26] WGS84 DATUM

Insert	 <i>Fl(2)G.4s TN-1</i>	(a) 53° 40'·33N., 14° 30'·33E.
Delete	 <i>TN-1</i> , close E of:	(a) above
Insert	 <i>Fl(2)G.4s TN-3</i>	(b) 53° 40'·11N., 14° 30'·54E.
Delete	 <i>TN-3</i> , close E of:	(b) above
Insert	 <i>Fl(2)G.4s TN-5</i>	(c) 53° 39'·89N., 14° 30'·74E.
Delete	 <i>TN-5</i> , close E of:	(c) above
Insert	 <i>Fl(2)G.4s TS-1</i>	(d) 53° 39'·27N., 14° 32'·35E.
Delete	 <i>TS-1</i> , close W of:	(d) above
Replace	 <i>TN-B</i> with  <i>Fl.G.2s TN-B</i>	53° 40'·61N., 14° 30'·11E.
	 <i>TN-2</i> with  <i>Fl(2)R.4s TN-2</i>	53° 40'·34N., 14° 30'·41E.
	 <i>TN-4</i> with  <i>Fl(2)R.4s TN-4</i>	53° 40'·12N., 14° 30'·62E.
	 <i>TN-6</i> with  <i>Fl(2)R.4s TN-6</i>	53° 39'·90N., 14° 30'·82E.
	 <i>TS-2</i> with  <i>Fl(2)R.4s TS-2</i>	53° 39'·26N., 14° 32'·26E.

II

2993 LITHUANIA - Depth.

Source: ENC LT381001

Chart 2048 (INT 1217) [*previous update 2481/26*] WGS84 DATUM

Insert depth, *94*, enclosed by 10m contour

55° 52'·64N., 20° 59'·70E.

II

3003 DENMARK - Islands - Rock.

Source: Danish Chart Correction 17/109/26

Chart 903 (INT 1333) [*previous update 2714/26*] WGS84 DATUM

Insert

 (16) Rep (2026) PA

55° 41'·07N., 12° 43'·97E.

Chart 2595 (INT 1332) [*previous update 2714/26*] WGS84 DATUM

Insert

 (16) Rep (2026) PA

55° 41'·07N., 12° 43'·97E.

II

3018* GERMANY - Baltic Coast - Pole.

Source: WSA Ostsee 27/05/26

Chart DE 1672 (INT 1355) [*previous update 3602/25*] WGS84 DATUM

Delete



54° 08′·68N., 12° 05′·84E.

II

3027* GERMANY - Baltic Coast - Light.

Source: WSA Ostsee 155/26

Chart DE 30 (INT 1353) [*previous update 1293/26*] WGS84 DATUM

Amend	Buk light to, LFl(4)WR.45s95m24/20M	54° 07′·91N., 11° 41′·62E.
-------	-------------------------------------	----------------------------

Chart DE 36 (INT 13520) [*previous update 785/26*] WGS84 DATUM

Amend	Buk light to, LFl(4)WR.45s95m24/20M	54° 07′·91N., 11° 41′·62E.
-------	-------------------------------------	----------------------------

Chart DE 1671 (INT 1354) [*previous update 2610/26*] WGS84 DATUM

Amend	Buk light to, LFl(4)WR.45s95m24/20M	54° 07′·91N., 11° 41′·62E.
-------	-------------------------------------	----------------------------

II

3041 FINLAND - Saaristomeri - Vertical clearances.

Source: Finnish Notice 12/119/26

Chart 2075 (INT 1210) [*previous update 2967/26*] WGS84 DATUM

Amend vertical clearance to, 16,5m

60° 27'·89N., 21° 57'·84E.

Chart 3825 (INT 1189) [*previous update 2865/26*] WGS84 DATUM

Amend vertical clearance to, 16,5m

60° 27'·72N., 21° 56'·02E.

II

3042 SWEDEN - East Coast - Maritime limit. Legend.

Source: Swedish Notice 1121/20123/26

Chart 811 (INT 1239) [*previous update New Edition 21/05/2026*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a)	59° 19'·670N., 18° 05'·002E.
		(b)	59° 19'·691N., 18° 05'·043E.
		(c)	59° 19'·594N., 18° 05'·301E.
		(d)	59° 19'·571N., 18° 05'·270E.
	legend, Works in progress (2026), close W of:	(a)-(d)	above

Chart 820 (INT 1238) [*previous update New Edition 04/06/2026*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a)	59° 19'·67N., 18° 05'·00E.
		(b)	59° 19'·69N., 18° 05'·04E.
		(c)	59° 19'·59N., 18° 05'·30E.
		(d)	59° 19'·57N., 18° 05'·27E.
	legend, Works in progress (2026), close SW of:	(a)-(d)	above

II

3075 FINLAND - South Coast - Maximum authorised draughts.

Source: Finnish Notice 13/130/26

Chart 2218 (INT 1159) [*previous update 2130/26*] WGS84 DATUM

Amend	maximum authorised draught to, <8,7>	60° 08'·72N., 24° 55'·29E. 60° 08'·41N., 24° 55'·94E. 60° 08'·54N., 24° 57'·01E. 60° 08'·60N., 24° 57'·39E. 60° 08'·51N., 24° 57'·50E. 60° 08'·13N., 24° 59'·47E. 60° 09'·13N., 25° 00'·04E.
	maximum authorised draught to, <9,3>	

Chart 3818 (INT 1250) [*previous update 2629/26*] WGS84 DATUM

Amend	maximum authorised draught to, <8,7>	60° 08'·44N., 24° 56'·40E. 60° 08'·68N., 24° 57'·83E. 60° 08'·40N., 24° 58'·09E. 60° 08'·01N., 24° 59'·41E. 60° 09'·13N., 25° 00'·04E.
	maximum authorised draught to, <9,3>	

II

3077 ESTONIA - Buoyage. Legend.

Source: Estonian Transport Administration

Chart 2227 [*previous update 2712/26*] WGS84 DATUM

Delete



legend, (*buoyed channel*), centred on:

59° 34′·86N., 24° 47′·54E.

59° 34′·71N., 24° 47′·58E.

59° 34′·64N., 24° 46′·80E.

II

2995 NORTH SEA - Netherlands Sector - Wells. Obstruction.

Source: Netherlands Notices 22/114-115/26

Note: Former Notice 5469(P)/25 is cancelled.

Chart 1408 [*previous update 2929/26*] WGS84 DATUM

Delete	 Well	52° 43'·6N., 3° 50'·1E.
	 Well	52° 54'·0N., 4° 08'·4E.
	 Well	52° 43'·9N., 4° 18'·9E.

Chart 2182A (INT 1043) [*previous update 2964/26*] WGS84 DATUM

Insert	 Obstn	53° 49'·5N., 3° 54'·1E.
Delete	 Well	52° 43'·6N., 3° 50'·1E.

Chart 2182B (INT 1042) [*previous update 2964/26*] WGS84 DATUM

Insert	 Obstn	53° 49'·5N., 3° 54'·1E.
Delete	 Well	53° 42'·3N., 4° 54'·0E.

Chart 5614_25 [*previous update 1632/26*] WGS84 DATUM

Insert	 Obstn	53° 49'·5N., 3° 54'·1E.
Delete	 Well	52° 43'·6N., 3° 50'·1E.

II

3015* GERMANY - North Sea Coast - Light. Tide gauge.

Source: WSA Ems-Nordsee 146/26

Chart DE 90 (INT 1461) [*previous update 2600/26*] WGS84 DATUM

Delete

★ Fl.Y.4s Memmert Tide Gauge

53° 37'·50N., 6° 54'·59E.

II

3016 NETHERLANDS - Buoy.

Source: Netherlands Notice 23/119/26

Chart 208 (INT 1466) [*previous update 1225/26*] WGS84 DATUM

Insert

 *SP 12A*

51° 49′·14N., 4° 22′·40E.

II

3017* GERMANY - North Sea Coast - Depths.

Source: WSA Weser-Jade-Nordsee, Survey LP30886/26

Chart DE 2 (INT 1456) [*previous update 2662/26*] WGS84 DATUM

Insert	depth, 48, and extend 5m contour NW to enclose	(a)	53° 49'·04N., 8° 14'·09E.
Delete	depth, 53, close SE of:	(a)	above
Insert	depth, 41, and extend 5m contour NE to enclose	(b)	53° 50'·13N., 8° 12'·37E.
Delete	depth, 71, close SE of:	(b)	above

Chart DE 20 (INT 1424) [*previous update 2608/26*] WGS84 DATUM

Insert	depth, 48, and extend 5m contour NW to enclose	(a)	53° 49'·04N., 8° 14'·09E.
Delete	depth, 53, close SE of:	(a)	above
	depth, 71		53° 50'·00N., 8° 12'·56E.

II

3019 NORTH SEA - Norwegian Sector - Danger line. Legend.

Source: Norwegian HO

Chart 292 [*previous update 2955/26*] WGS84 DATUM

Insert	circular limit of danger line, radius 1300m (0·70M), dotted line, centred on:	(a) 59° 37'·04N., 2° 29'·74E.
	legend, <i>Obstn</i> , within:	(a) above

Chart 1427 (INT 1401) [*previous update 2955/26*] WGS84 DATUM

Insert	circular limit of danger line, radius 1300m (0·70M), dotted line, centred on:	(a) 59° 37'·0N., 2° 29'·7E.
	legend, <i>Obstn</i> , within:	(a) above

II

3025 BELGIUM - Light.

Source: Belgium Notice 12/115/26

Chart 5605_12 (Panel D, Nieuwpoort) [*previous update 2609/26*] WGS84 DATUM

Delete

★ F.G

51° 08′·89N., 2° 43′·86E.

II

3039 BELGIUM - Depths.

Source: Belgium Notice 12/114/26

Chart 2449 [*previous update 3022/26*] WGS84 DATUM

Insert depth, *114*

(a) 51° 21'·83N., 2° 57'·37E.

Delete depth, *14*, close NW of:

(a) above

II

3040 BELGIUM - Light. Depths.

Source: Belgium Notices 12/114-115/26

Chart BE 11 [*previous update 2823/26*] WGS84 DATUM

Insert	depth, <i>11</i> ₄	(a)	51° 21'·83N., 2° 57'·37E.
Delete	depth, <i>14</i> , close NW of:	(a)	above
Insert	depth, <i>3</i> ₆ , extend 5m contour SE to enclose	(b)	51° 22'·39N., 3° 15'·86E.
Delete	depth, <i>4</i> ₅ , close NW of:	(b)	above

Chart BE 101 (INT 1474) [*previous update 2823/26*] WGS84 DATUM

Insert	depth, <i>11</i> ₄	(a)	51° 21'·83N., 2° 57'·37E.
Delete	depth, <i>14</i> , close NW of:	(a)	above
Insert	depth, <i>3</i> ₆ , extend 5m contour SE to enclose	(b)	51° 22'·39N., 3° 15'·86E.
Delete	depth, <i>4</i> ₅ , close NW of:	(b)	above

Chart BE 102 (INT 1480) (Panel A, Nieuwpoort) [*previous update 2595/26*] WGS84 DATUM

Delete	★ F.G		51° 08'·89N., 2° 43'·86E.
--------	-------	--	---------------------------

Chart BE 102 (INT 1480) [*previous update 2595/26*] WGS84 DATUM

Insert	depth, <i>11</i> ₄	(a)	51° 21'·83N., 2° 57'·37E.
Delete	depth, <i>14</i> , close NW of:	(a)	above

II

2968 FRANCE - West Coast - Buoy. Legend.

Source: French Notice 20/43/26

Chart 2356 [*previous update 2089/26*] WGS84 DATUM

Insert



legend, Ru, at beacon

48° 28'·03N., 4° 47'·47W.

48° 27'·98N., 4° 47'·21W.

II

2977 **FRANCE - North Coast - Light.**

Source: French Notice 19/46/26

Chart 2029 [*previous update 5727/25*] WGS84 DATUM

Insert

★ Fl(4)R.15s3M

48° 36′.06N., 2° 49′.02W.

II

3022 FRANCE - North Coast - Obstructions. Wrecks.

Source: French Notice 19/34/26

Chart 323 (INT 1564) [*previous update 2908/26*] ETRS89 DATUM

Insert	 <i>Obstns</i>	51° 05′.58N., 1° 55′.63E.
Delete		51° 01′.14N., 1° 58′.60E. 51° 01′.64N., 2° 00′.14E. 51° 01′.00N., 2° 00′.71E.

Chart 1610 (INT 1511) [*previous update 2908/26*] ETRS89 DATUM

Delete		51° 01′.14N., 1° 58′.60E. 51° 01′.64N., 2° 00′.14E.
--------	---	--

Chart 1892 (INT 1741) [*previous update 2908/26*] ETRS89 DATUM

Insert	 <i>Obstns</i>	51° 05′.58N., 1° 55′.63E.
Delete		51° 01′.14N., 1° 58′.60E.

Chart 2449 [*previous update 2908/26*] WGS84 DATUM

Delete		51° 01′.14N., 1° 58′.60E.
--------	---	---------------------------

Chart 5605_2 [*previous update 2908/26*] WGS84 DATUM

Delete		51° 01′.14N., 1° 58′.60E.
--------	---	---------------------------

II

3033 SPAIN - North Coast - Buoy.

Source: Spanish Notice 19/110/26

Chart 1292 (INT 1805) [*previous update 2666/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

43° 26′·20N., 2° 52′·00W.

II

3071 FRANCE - West Coast - Beacon tower. Buoy. Beacon. Drying height. Legend.

Source: French Notice 18/52/26

Chart 2349 [previous update 1248/26] WGS84 DATUM

Insert	 Le Chevreau	(a) 48° 13'·34N., 4° 36'·82W.
Delete	 <i>Le Chevreau</i> , close SW of:	(a) above

Chart 2350 [previous update 2089/26] WGS84 DATUM

Insert	 Le Chevreau	(a) 48° 13'·34N., 4° 36'·82W.
Delete	 (ru), close NE of:	(a) above
	drying height out of position, (59), close NE of:	(a) above
	 , close SW of:	(a) above
	legend, <i>Le Chevreau</i> , centred on:	48° 13'·21N., 4° 36'·72W.

II

2979 ITALY - Sardegna - Buoy.

Source: Italian Notice 6.5/26

Chart 166 [*previous update New Edition 09/04/2026*] WGS84 DATUM

Insert



Fl(5)Y ODAS

38° 30′·0N., 7° 15′·0E.

Chart 1990 [*previous update 1623/26*] WGS84 DATUM

Insert



Fl(5)Y.20s ODAS

38° 30′·0N., 7° 15′·0E.

II

3006 TÜRKİYE - Marmara Denizi - Lights.

Source: Turkish Notice 14/96/26

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 2922/26*] WGS84 DATUM

Amend light to, Fl.Y.5s8m5M

40° 46'·06N., 29° 25'·46E.

40° 41'·68N., 29° 26'·77E.

II

3009 ITALY - West Coast - Wreck.

Source: Italian Notice 6.2/26

Chart 351 (Panel A, Golfo Tigullio (Golfo Marconi)) [*previous update 961/26*] WGS84 DATUM

Insert



44° 19'·58N., 9° 15'·06E.

II

3030 ITALY - East Coast - Light-beacon.

Source: Italian Notice 6.15/26

Chart 200 [*previous update 2933/26*] WGS84 DATUM

Insert



Fl(5)Y.20s5M ODAS

42° 43′·3N., 14° 03′·5E.

II

3061 FRANCE - South Coast - Buoy.

Source: French Notice 20/82/26

Chart 166 [*previous update 2979/26*] WGS84 DATUM

Delete

 *Fl(5)Y ODAS*

42° 18'·3N., 3° 53'·0E.

Chart 1705 [*previous update 2220/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s ODAS*

42° 17'·9N., 3° 53'·1E.

II

3063* CYPRUS - Depths.

Source: Cyprus Department of Lands and Surveys

Chart 850 [*previous update 2625/26*] WGS84 DATUM

Insert depth, *129*

(a) 34° 42'·79N., 33° 20'·32E.

Delete depth, *143*, close SW of:

(a) above

II

3070 ANGOLA - Platforms. Wells.

Source: Portuguese Notice 193/26

Chart 307 (INT 2550) [*previous update 5729/25*] WGS84 DATUM

Insert



(a) 7° 30'·8S., 11° 13'·3E.

Delete



close NW of:

(a) above

Replace



Wells with 

7° 41'·5S., 11° 59'·3E.



with  *Well*

7° 40'·3S., 11° 58'·9E.

II

2972* KENYA - Submarine cable.

Source: Alcatel Submarine Networks

Note: Former Notice 1214(P)/26 is cancelled.

Chart 616 [*previous update 2332/25*] WGS84 DATUM

Insert submarine cable, , joining:

4° 04'·58S., 39° 42'·73E.
4° 04'·68S., 39° 42'·92E.
4° 05'·01S., 39° 43'·25E.
4° 05'·18S., 39° 43'·71E.
4° 05'·13S., 39° 43'·94E.
4° 04'·94S., 39° 44'·16E.
4° 04'·91S., 39° 44'·33E.
4° 04'·91S., 39° 44'·42E.

Chart 666 (INT 7702) [*previous update 3109/25*] WGS84 DATUM

Insert submarine cable, , joining:

4° 04'·072S., 39° 42'·504E.
4° 04'·229S., 39° 42'·519E.
4° 04'·350S., 39° 42'·547E.
4° 04'·464S., 39° 42'·612E.
4° 04'·565S., 39° 42'·703E.
4° 04'·686S., 39° 42'·940E.
4° 04'·877S., 39° 43'·114E.

Chart 3361 (INT 7700) [*previous update 2699/26*] WGS84 DATUM

Insert submarine cable, , joining:

4° 03'·0S., 39° 42'·5E.
4° 04'·3S., 39° 42'·5E.
4° 05'·2S., 39° 43'·7E.
4° 04'·9S., 39° 44'·8E.

II

2961* UNITED ARAB EMIRATES - Depths.

Source: Ports, Customs, and Free Zone Corporation

Note: This update is included in New Editions 2887 and 2889, published mid 2026.

Chart 2837 (INT 7017) [*previous update 2696/26*] WGS84 DATUM

Replace	depth, 21, with depth 20, enclosed by 20m contour	25° 21'·4N., 54° 53'·1E.
---------	---	--------------------------

Chart 2888 (INT 7199) [*previous update 2876/26*] WGS84 DATUM

Insert	depth, 20, enclosed by 20m contour	(a) 25° 21'·4N., 54° 53'·1E.
Delete	depth, 21, close NE of:	(a) above

Chart 3175 (INT 7212) [*previous update 2876/26*] WGS84 DATUM

Insert	depth, 222	(a) 25° 20'·93N., 54° 50'·10E.
Delete	depth, 245, close SE of:	(a) above
Insert	depth, 21	(b) 25° 21'·48N., 54° 51'·39E.
Delete	depth, 225, close SE of:	(b) above
Insert	depth, 20, enclosed by 20m contour	25° 21'·40N., 54° 53'·10E.

Chart 3176 (INT 7216) [*previous update 2876/26*] WGS84 DATUM

Insert	depth, 222	(a) 25° 20'·93N., 54° 50'·10E.
Delete	depth, 245, close SE of:	(a) above
Insert	depth, 21	(b) 25° 21'·48N., 54° 51'·39E.
Delete	depth, 225, close SE of:	(b) above
Insert	depth, 20, enclosed by 20m contour	25° 21'·40N., 54° 53'·10E.

II

3005* QATAR - Buoyage. Automatic Identification Systems.

Source: Qatar Energy

Note: Former Notice 2208(T)/19 is cancelled.

Chart 2523 (INT 7250) [*previous update New Edition 28/05/2026*] WGS84 DATUM

Delete  *Mo(U)Y.14s Barge Wreck* and associated Automatic Identification System, *AIS* 25° 57'·67N., 51° 52'·71E.

Chart 2837 (INT 7017) [*previous update 2961/26*] WGS84 DATUM

Delete  *Mo(U)Y* 25° 58'·0N., 51° 52'·9E.

Chart 2847 (INT 7018) [*previous update 2696/26*] WGS84 DATUM

Delete  *Mo(U)Y* 25° 58'·0N., 51° 53'·1E.

Chart 2886 (INT 7243) [*previous update 2932/26*] WGS84 DATUM

Delete  *Mo(U)Y* and associated Automatic Identification System, *AIS* 25° 58'·0N., 51° 52'·9E.

Chart 3772 (INT 7249) [*previous update New Edition 28/05/2026*] WGS84 DATUM

Delete  *Mo(U)Y.14s Barge Wreck* and associated Automatic Identification System, *AIS* 25° 57'·63N., 51° 52'·86E.

Chart 3950 (INT 7244) [*previous update 2877/26*] WGS84 DATUM

Delete  *Mo(U)Y.14s Barge Wreck* 25° 57'·79N., 51° 52'·73E.

II

3020 SRI LANKA - South Coast - Depths.

Source: ENC LK35RF15

Chart 813 (INT 7386) [*previous update 2868/26*] WGS84 DATUM

Insert	depth, 55	(a) 5° 58'·9N., 79° 58'·6E.
		(b) 5° 55'·9N., 79° 58'·9E.
Delete	depth, 59, with seabed type, R, close NW of:	(a) above
	depth, 62, close SE of:	(b) above
Insert	depth, 54	(c) 5° 57'·2N., 79° 57'·5E.
Delete	depth, 59, close SW of:	(c) above

Chart 3700 [*previous update 2868/26*] WGS84 DATUM

Insert	depth, 55	5° 59'·62N., 79° 55'·97E.
		(a) 5° 58'·86N., 79° 58'·60E.
		5° 55'·90N., 79° 58'·91E.
Delete	depth, 59, close NW of:	(a) above
Insert	depth, 54	(b) 5° 57'·21N., 79° 57'·47E.
Delete	depth, 59, close SW of:	(b) above
Insert	depth, 163	(c) 5° 55'·73N., 79° 57'·43E.
Delete	depth, 176, close NW of:	(c) above
Insert	depth, 280	(d) 5° 53'·56N., 79° 58'·68E.
Delete	depth, 722, close SE of:	(d) above
Insert	depth, 165	5° 52'·63N., 79° 58'·75E.
Delete	depth, 62	5° 55'·08N., 79° 59'·04E.


II

3021 PAKISTAN - Obstruction. Depths.

Source: Pakistani Notice 18/77/26

Chart 38 (INT 7019) [*previous update 898/26*] WGS84 DATUM

Insert



(a) 25° 02'·3N., 64° 15'·2E.


Delete

depth, 193, close NW of:

(a) above

Chart 707 [*previous update 1298/26*] WGS84 DATUM

Insert



(a) 25° 02'·3N., 64° 15'·2E.

Delete

depth, 22, close SE of:

(a) above

II

3024 INDIA - West Coast - Depth. Wreck.

Source: Indian Notice 7/69/26

Chart IN 22 (INT 752) [*previous update 2050/26*] WGS84 DATUM

Insert  PA

(a) 14° 06′·0N., 74° 16′·0E.

Delete depth, 38 , close W of:

(a) above

Chart IN 216 [*previous update 2418/26*] WGS84 DATUM

Insert  PA

14° 06′·00N., 74° 16′·00E.

Chart IN 257 (INT 7343) [*previous update 3676/25*] WGS84 DATUM

Insert  PA

14° 06′·0N., 74° 16′·0E.

Chart IN 294 (INT 7023) [*previous update New Chart 31/01/2021*] WGS84 DATUM

Insert  PA

14° 06′·0N., 74° 16′·0E.

II

3010 INDONESIA - Sumatera - Light.

Source: ENC ID5341R1

Chart 3584 (Panel A, Pelabuhan Kualatanjung) [*previous update 1372/25*] WGS84 DATUM

Move

★ F.R, from:

3° 21'·56N., 99° 26'·86E.

to:

3° 21'·65N., 99° 26'·92E.

II

3068* SINGAPORE - Buoyage.

Source: Maritime and Port Authority of Singapore

Chart 3833 [*previous update 2749/26*] WGS84 DATUM

Replace  *Fl(6)Y.15s Raffles* with  *Fl(6)Y.15s Raffles* 1° 10'·56N., 103° 41'·72E.

Chart 4031 [*previous update 2749/26*] WGS84 DATUM

Replace  *Fl(6)Y.15s Raffles* with  *Fl(6)Y.15s Raffles* 1° 10'·560N., 103° 41'·716E.

Chart 4039 [*previous update 2749/26*] WGS84 DATUM

Replace  *Fl(6)Y.15s Raffles* with  *Fl(6)Y.15s Raffles* 1° 10'·56N., 103° 41'·72E.

Chart 4040 [*previous update 2749/26*] WGS84 DATUM

Replace  *Fl(6)Y.15s Raffles* with  *Fl(6)Y.15s Raffles* 1° 10'·56N., 103° 41'·72E.

II

2965 CHINA - South Coast - Light.

Source: Chinese Notice 17/445/26

Chart 3890 [*previous update 1131/26*] CGCS 2000 DATUM

Delete

★ Fl.R.5s7m4M

20° 15′·90N., 110° 16′·39E.

II

2976 VIETNAM - Virtual aid to navigation.

Source: ENC V14S0031

Chart 1059 (Panel C, Song Thi Vai) [*previous update 2144/26*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, special topmark, 2 V-AIS, out of position	10° 35′·72N., 107° 01′·46E.
--------	---	-----------------------------

II

3001 CHINA - East Coast - Virtual aid to navigation.

Source: Chinese Notice 10/238/26

Note: This update is included in New Edition 1761, published mid 2026.

Chart 2401 [*previous update 2942/26*] CGCS 2000 DATUM

Insert symbol, Virtual aid to navigation, isolated danger topmark, V-AIS

25° 17′·58N., 119° 30′·60E.

II

3002 CHINA - Bo Hai - Buoyage.

Source: Chinese Notice 14/343/26

Chart 2653 [*previous update 2937/26*] CGCS 2000 DATUM

Delete



Fl(2)5s No 1

38° 54′·20N., 117° 56′·70E.



Fl(2)5s No 2

38° 54′·04N., 117° 56′·52E.



Fl(2)5s

38° 53′·52N., 117° 57′·96E.

II

3008 CHINA - South Coast - Virtual aid to navigation.

Source: Chinese Notice 19/512/26

Note: This update is included in New Editions 937 and 1555, published mid 2026.

Chart 341 [*previous update 1774/26*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position	22° 07′·30N., 114° 19′·70E.
--------	--	-----------------------------

Chart 1962 [*previous update New Edition 04/06/2026*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position	22° 07′·3N., 114° 19′·7E.
--------	--	---------------------------

Chart 1968 [*previous update New Edition 28/05/2026*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position	22° 07′·3N., 114° 19′·7E.
--------	--	---------------------------

Chart 3026 [*previous update New Edition 04/06/2026*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position	22° 07′·30N., 114° 19′·70E.
--------	--	-----------------------------

II

3028 TAIWAN - Fairways.

Source: Taiwanese Notice 68/26

Note: This update is included in New Editions 2412, 3236 and 3658, published mid 2026, and New Editions 1761, 1968 and 3231, published late 2026.

Chart 1760 [*previous update New Edition 07/05/2026*] WGS84 DATUM

Insert	limit of fairway, pecked line, joining:	24° 38′·4N., 120° 13′·6E. 24° 21′·2N., 120° 08′·6E.
		(a) 24° 15′·4N., 120° 05′·5E.
Delete	former limit of fairway, pecked line, joining:	24° 35′·8N., 120° 13′·6E. 24° 20′·5N., 120° 11′·1E. (a) above

II

3048 CHINA - East Coast - Light-beacons.

Source: Chinese Notice 12/291/26

Chart 1143 [*previous update 2952/26*] CGCS 2000 DATUM

Insert		Mo(C)Y.12s11m5M No 1	30° 40′·29N., 121° 32′·54E.
		Mo(C)Y.12s11m5M No 2	30° 39′·78N., 121° 30′·54E.
		Mo(C)Y.12s11m5M No 7	30° 36′·90N., 121° 35′·30E.
		Mo(C)Y.12s11m5M No 4	30° 34′·77N., 121° 30′·75E.

II

3053 CHINA - East Coast - Wreck.

Source: Chinese Notice 21/554/26

Chart 1759 [*previous update 2888/26*] CGCS 2000 DATUM

Insert

 *Rep (2026) PA*

29° 31'·7N., 122° 45'·3E.

Chart 2412 [*previous update 2948/26*] WGS84 DATUM

Insert

 *Rep (2026) PA*

29° 31'·7N., 122° 45'·3E.

Chart 4509 (INT 509) [*previous update 2888/26*] WGS84 DATUM

Insert

 *PA*

29° 31'·7N., 122° 45'·3E.

II

3072 CHINA - South Coast - Depths.

Source: UKHO

Chart 346 [*previous update 2597/26*] CGCS 2000 DATUM

Insert	depth, 48 , enclosed by 5m contour:	(a)	23° 01'·41N., 113° 31'·08E.
Delete	depth, 52 , close S of:	(a)	above
Insert	depth, 137	(b)	23° 00'·31N., 113° 31'·91E.
Delete	depth, 119 , close W of:	(b)	above
Insert	depth, 53	(c)	22° 59'·65N., 113° 31'·15E.
Delete	depth, 6, close NW of:	(c)	above
Insert	depth, 139		22° 59'·64N., 113° 32'·21E.
	depth, 05	(d)	22° 58'·44N., 113° 32'·30E.
Delete	depth, 13 , close S of:	(d)	above
Insert	depth, 18 , enclosed by 2m contour	(e)	22° 58'·15N., 113° 32'·03E.
Delete	depth, 26 , close SW of:	(e)	above
Insert	depth, 09 , and extend 2m contour W to enclose		22° 58'·03N., 113° 32'·38E.

II

2994 INDONESIA - Jawa - Depths.

Source: ENC ID500195

Chart 946 (Panel F, Tanjung Wangi) [*previous update 1882/26*] WGS84 DATUM

Insert	depth, 77	(a)	8° 09'·066S., 114° 24'·148E.
Delete	depth, 83, close E of:	(a)	above
Insert	depth, 63, and extend 10m contour SE to enclose	(b)	8° 08'·978S., 114° 24'·149E.
Delete	depth, 78, close SW of:	(b)	above
Insert	10m contour joining:	(c)	8° 08'·225S., 114° 24'·238E. 8° 08'·185S., 114° 24'·309E. 8° 08'·166S., 114° 24'·306E.
		(d)	8° 08'·148S., 114° 24'·235E.
Delete	former 10m contour, joining:	(c)	above 8° 08'·203S., 114° 24'·244E. 8° 08'·188S., 114° 24'·244E.
		(d)	above
Replace	depth, 17, with depth, 159		8° 08'·864S., 114° 24'·242E.

Chart 3726 (Panel, Selat Bali) [*previous update 1890/26*] WGS84 DATUM

Insert	depth, 30	8° 10'·71S., 114° 25'·16E.
	depth, 82, and extend 10m contour SE to enclose	8° 09'·56S., 114° 24'·14E.
Replace	depth, 113, with depth, 98, and extend 10m contour SE to enclose	8° 09'·73S., 114° 24'·16E.
	depth, 119, with depth, 109	8° 09'·76S., 114° 25'·94E.

II

3011 MALAYSIA - Sarawak - Lights.

Source: Malaysian Notice 4/115/26

Chart 1748 [*previous update 2550/26*] WGS84 DATUM

Amend	light to, Iso.G.4s 25A	3° 16′·08N., 113° 03′·66E.
	light to, Iso.G.4s 25B	3° 16′·10N., 113° 03′·68E.

II

3051 INDONESIA - Sulawesi - Light.

Source: Indonesian Notice 19/122/26

Chart 2472 [*previous update 2893/26*] WGS84 DATUM

Insert

★ Fl.12M

0° 55′·9S., 122° 50′·0E.

Chart 2952 [*previous update 2793/26*] WGS84 DATUM

Insert

★ Fl.4s12m12M

0° 55′·9S., 122° 50′·0E.

II

2987 AUSTRALIA - Western Australia - Platform.

Source: Australian Notice 11/470/26

Chart 4723 (INT 723) [*previous update 1558/26*] WGS84 DATUM

Insert



19° 52'·7S., 114° 36'·5E.

II

2988 AUSTRALIA - Queensland - Depth.

Source: Australian Notice 11/462/26

Chart Aus 824 [*previous update 264/26*] WGS84 DATUM

Insert depth, 172, enclosed by 20m contour

20° 43'·18S., 149° 24'·44E.

II

2989 AUSTRALIA - Victoria - Well.

Source: Australian Notice 11/474/26

Chart Aus 357 [*previous update 1089/26*] WGS84 DATUM

Delete



38° 12'·4S., 147° 37'·2E.

II

2996 AUSTRALIA - Western Australia - Platform. Submarine cable.

Source: Australian Notice 11/469/26

Note: Former Notices 1541(T)/25 and 192(T)/26 are cancelled.

Chart 4722 (INT 722) [*previous update 1555/26*] WGS84 DATUM

Insert

 Crux

12° 57′·9S., 124° 26′·5E.

submarine cable, , joining:

12° 57′·9S., 124° 26′·6E.

13° 26′·4S., 124° 35′·3E.

II

2997 AUSTRALIA - Western Australia - Drying heights. Depths.

Source: Australian Notice 11/471/26

Chart Aus 53 (Panel, Hunt Point) [*previous update New Edition 17/04/2026*] WGS84 DATUM

Insert	drying height, 06	(a)	20° 18'·09S., 118° 35'·24E.
Delete	drying height, 02, close SW of:	(a)	above

Chart Aus 53 [*previous update New Edition 17/04/2026*] WGS84 DATUM

Insert	depth, 46, and extend 5m contour N to enclose	(a)	20° 19'·84S., 118° 35'·16E.
Delete	depth, 61, close N of:	(a)	above
Insert	depth, 101	(b)	20° 13'·7S., 118° 33'·6E.
Delete	depth, 99, enclosed by 10m contour, close NE of:	(b)	above
	depth, 102, close SE of:	(b)	above
	depth, 104, close NW of:	(b)	above

II

3054 AUSTRALIA - Western Australia - NM Blocks.

Source: Australian Notice 11/472/26

Chart Aus 55 [*previous update 2320/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	20° 38'·5S., 117° 14'·5E.
	the accompanying block B, centred on:	20° 38'·6S., 117° 21'·4E.

II

2966 NEW ZEALAND - North Island - Obstructions.

Source: ENC NZ200023

Note: This update is included in New Edition 4602, published mid 2026.

Chart 4060 (INT 60) [previous update 2403/26] WGS84 DATUM

Insert  (2 ODAS) 34° 49'·5S., 175° 45'·4E.
35° 14'·2S., 175° 30'·7E.

Chart 4061 (INT 61) [previous update 1591/26] WGS84 DATUM

Insert obstruction out of position,  (2 ODAS) 34° 49'·5S., 175° 45'·4E.
 (2 ODAS) 35° 14'·2S., 175° 30'·7E.

Chart 4600 (INT 600) [previous update 2807/26] WGS84 DATUM

Insert  (2 ODAS) 34° 49'·5S., 175° 45'·4E.
35° 14'·2S., 175° 30'·7E.
 ODAS 35° 32'·1S., 175° 18'·7E.
35° 48'·6S., 175° 09'·1E.

Chart 4601 (INT 601) [previous update 1553/26] WGS84 DATUM

Insert  (2 ODAS) 34° 49'·5S., 175° 45'·4E.
35° 14'·2S., 175° 30'·7E.
 ODAS 35° 32'·1S., 175° 18'·7E.
35° 48'·6S., 175° 09'·1E.

Chart 4605 (INT 605) [previous update 2807/26] WGS84 DATUM

Insert  (2 ODAS) 34° 49'·5S., 175° 45'·4E.
35° 14'·2S., 175° 30'·7E.
 ODAS 35° 32'·1S., 175° 18'·7E.
35° 48'·6S., 175° 09'·1E.

II

3049 NEW ZEALAND - North Island - Buoyage.

Source: New Zealand Notice 11/39/26

Chart NZ 56 [*previous update New Edition 01/07/2024*] WGS84 DATUM

Insert



Fl.Y.4s3M M1

39° 52'·98S., 178° 08'·59E.



Fl.Y.4s3M M2

39° 52'·93S., 178° 25'·51E.



Fl.Y.4s3M M3

40° 04'·38S., 178° 27'·38E.

II

3034 SOUTH PACIFIC OCEAN - Solomon Islands - NM Blocks.

Source: Australian Notice 11/475/26

Chart SLB 101 (Panel, Honiara) [*previous update 4303/25*] WGS84 DATUM

Insert the accompanying block A, centred on: 9° 25'·6S., 159° 57'·4E.

Chart SLB 101 (Panel, Lungga Roads) [*previous update 4303/25*] WGS84 DATUM

Insert the accompanying block B, centred on: 9° 25'·7S., 159° 57'·6E.

II

3050 CANADA - British Columbia - Legend. Buoy. Light. Radiobeacon.

Source: Canadian Notices 3/3955/26, 3/3957-3958/26

Chart 3754 [*previous update 2422/26*] NAD27 DATUM

Delete symbol, radiobeacon, RC 54° 15'·80N., 130° 25'·23W.

Chart 4936 [*previous update 2909/26*] NAD83 DATUM

Delete symbol, radiobeacon, RC 54° 15'·80N., 130° 25'·43W.

Chart 4937 [*previous update 2668/26*] NAD83 DATUM

Insert legend, Constr (2023), centred on: 54° 13' 01·1"N., 130° 20' 24·7"W.

Replace  with  •Fl 54° 17' 13·7"N., 130° 22' 11·0"W.

Delete symbol, radiobeacon, RC 54° 15' 47·6"N., 130° 25' 25·1"W.

Chart 4938 (Panel, Porpoise Harbour, Ridley Island and Approaches / Et Les Approaches) [*previous update 2342/26*] NAD83 DATUM

Insert legend, Constr (2023), centred on: 54° 13' 01·1"N., 130° 20' 24·7"W.

II

3076 UNITED STATES OF AMERICA - West Coast - Beacon. Light.
Source: ENC US5PDXOF

Chart 2839 (Panel A) [*previous update 247/26*] NAD83 DATUM

Replace  '2' with  Fl.R.2·5s6m '2'

46° 12'·29N., 123° 56'·95W.

II

2970 CHILE - Northern Coasts - Superbuoy.

Source: Chilean Notice 5/45/26

Chart 4062 (INT 62) [*previous update 2224/26*] WGS84 DATUM

Move

 'DART II' , from:

20° 28'·3S., 73° 25'·4W.

to:

20° 36'·6S., 73° 23'·6W.

Chart 4608 (INT 608) [*previous update 2224/26*] WGS84 DATUM

Move

 'DART II' , from:

20° 28'·3S., 73° 25'·4W.

to:

20° 36'·6S., 73° 23'·6W.

II

3074 PERU - Buoy. Superbuoy.

Source: Peruvian Notice 4/42/26, ENC's PE502123 and PE62123A

Chart 3087 (Panel B, Puerto Chimbote) [*previous update 2226/26*] WGS84 DATUM

Amend light-buoy to, *FR* 9° 04'·69S., 78° 36'·96W.

Chart 3087 (Panel A, Bahía Ferrol) [*previous update 2226/26*] WGS84 DATUM

Insert  *Fl. 4s* 9° 07'·50S., 78° 39'·51W.

II

2978 **BRAZIL - South Coast - Buoy.**

Source: Brazilian Notice 9/S 45/26

Chart 587 [*previous update 5367/25*] WGS84 DATUM

Amend '8' light-buoy to, *Q(2)G.4s*

25° 29'·20S., 48° 36'·48W.

II

3007 URUGUAY - Depths.

Source: ENC UY400703

Chart 3548 [*previous update 2644/26*] WGS84 DATUM

Insert	depth, <i>64</i>	33° 29'·21S., 58° 26'·10W.
	depth, <i>57</i>	33° 32'·75S., 58° 27'·25W.
	depth, <i>54</i>	(a) 33° 33'·28S., 58° 27'·58W.
Delete	depth, <i>57</i> , close SE of:	(a) above

II

2974 UNITED STATES OF AMERICA - Gulf of Mexico - NM Blocks.

Source: ENC's US4FL1XA, US4FL1XB, US4FL1YA, US4FL1YB and US3FL1GA

Chart 3851 [*previous update 1166/26*] NAD83 DATUM

Insert	the accompanying block A, centred on:	30° 35'·7N., 88° 27'·8W.
	the accompanying block B, centred on:	30° 11'·0N., 87° 18'·5W.

II

3043 WEST INDIES - Bahamas - Obstruction.

Source: NAVAREA IV 525/26

Chart 2996 [*previous update 5337/25*] WGS84 DATUM

Insert



24° 50′·9N., 77° 48′·8W.

Chart 3912 [*previous update 5147/25*] WGS84 DATUM

Insert



24° 50′·9N., 77° 48′·8W.

II

3066* WEST INDIES - Bahamas - Depths.

Source: JV SBC and JSD LTD

Chart 390 [*previous update 2044/26*] WGS84 DATUM

Insert depth, 73, and extend 10m contour SE to enclose

(a) 26° 33'·27N., 78° 30'·57W.

Delete depth, 113, close E of:

(a) above

II

3073 CARIBBEAN SEA - Buoyage.

Source: ENC NL3CZ100

Chart 2192 [*previous update 2858/26*] WGS84 DATUM

Insert



11° 54'·7N., 68° 44'·8W.

Chart 2193 [*previous update 2576/26*] WGS84 DATUM

Insert



11° 54'·1N., 68° 55'·1W.

11° 54'·7N., 68° 44'·9W.

II

3045 **UNITED STATES OF AMERICA - East Coast - Fog signals.**
Source: ENC US3EC08M

Chart 2861 [*previous update 2892/26*] NAD83 DATUM

Delete fog signal, *Whis*, at 'CB' light-buoy 36° 49'·1N., 75° 45'·7W.

Chart 2919 [*previous update 2147/26*] NAD83 DATUM

Delete fog signal, *Whis*, at 'CB' light-buoy 36° 49'·02N., 75° 45'·62W.

II

2969(P)/26 SCOTLAND - West Coast - Submarine cables.

Source: SSEN

1. A submarine cable is being laid between Loch Carnan on the Isle of South Uist and Loch Pooltiel on the Isle of Skye, joining the following positions:

57° 21'·77N., 7° 16'·42W.
57° 21'·09N., 7° 07'·79W.
57° 21'·85N., 7° 03'·99W.
57° 23'·38N., 7° 00'·84W.
57° 24'·36N., 6° 55'·25W.
57° 24'·89N., 6° 50'·63W.
57° 26'·29N., 6° 48'·67W.
57° 28'·50N., 6° 47'·60W.
57° 27'·38N., 6° 44'·86W.

2. A submarine cable is being laid between Loch Pooltiel and Ardmere on the Isle of Skye, joining the following positions:

57° 27'·37N., 6° 44'·84W.
57° 28'·05N., 6° 45'·55W.
57° 28'·76N., 6° 47'·60W.
57° 31'·70N., 6° 44'·00W.
57° 32'·54N., 6° 40'·72W.
57° 32'·31N., 6° 38'·34W.
57° 33'·13N., 6° 38'·69W.

3. Charts will be updated when works are complete.
4. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 1757 (INT 1630) - 1795 (INT 1626) - 2533 - 2635 (INT 1061) - 2825 - 2904 - 5616_10 - 5616_11 - 5616_12 - 5616_20 - 5616_23 - 5616_27

II

3012(T)/26 SCOTLAND - East Coast - Works.

Source: Montrose Port Authority NM 6/26

1. Works are taking place, in an area bounded by the following positions:

56° 42'·182N., 2° 28'·218W.

56° 42'·232N., 2° 28'·134W.

56° 42'·179N., 2° 27'·939W.

56° 42'·117N., 2° 27'·967W.

56° 42'·142N., 2° 28'·133W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1438 - 5617_15

II

3013(T)/26 CELTIC SEA - UK Sector - Superbuoy. Obstruction.

Source: Met Office and National Oceanography Centre

1. A subsurface buoy, approximately 10–20m below the surface, with associated rope and chain of around 80m in length hanging directly below, has been reported in position 49° 24'·2N., 8° 35'·8W.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Chart affected - 2649 (INT 1063)

II

3026(P)/26 SCOTLAND - South West Coast - Depths. Wreck. Obstructions. Drying height.

Source: mv Northern Breeze and mv Northern Gale

- Recent survey information has shown that numerous depths less than charted exist within Luce Bay and Beaufort's Dyke, and between Cairns Money Head and The Mull of Galloway. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
Drying 0·5m	54° 48'·12N., 5° 02'·68W.
4·2m	54° 48'·03N., 5° 02'·64W.
11·3m	54° 47'·90N., 5° 03'·18W.
8·7m	54° 46'·80N., 5° 01'·06W.
12·9m	54° 46'·50N., 5° 00'·82W.
13·5m	54° 46'·43N., 5° 01'·21W.
25·9m	54° 46'·34N., 5° 04'·81W.
12·8m	54° 45'·94N., 5° 00'·85W.
17·8m	54° 45'·03N., 5° 00'·92W.
26·1m	54° 44'·72N., 5° 01'·79W.
21·3m	54° 44'·17N., 5° 01'·10W.
18·3m	54° 43'·54N., 4° 59'·35W.
26·3m	54° 42'·97N., 5° 00'·22W.
13·9m	54° 41'·91N., 4° 57'·76W.
26·6m	54° 38'·42N., 4° 57'·35W.
24·9m	54° 37'·65N., 4° 55'·30W.
26·4m	54° 37'·16N., 4° 52'·23W.
27·5m	54° 37'·06N., 4° 54'·12W.
14·2m	54° 38'·23N., 4° 53'·65W.
17·1m	54° 37'·89N., 4° 53'·68W.
26·7m	54° 37'·99N., 4° 50'·22W.
18·4m	54° 38'·73N., 4° 51'·27W.
8·4m	54° 39'·29N., 4° 49'·61W.
13·6m	54° 40'·36N., 4° 50'·69W.

and

<i>Depth</i>	<i>Position</i>
5·4m	54° 40'·58N., 4° 51'·39W.
17·4m	54° 41'·08N., 4° 46'·33W.
18·4m	54° 40'·44N., 4° 46'·28W.
30·3m	54° 35'·54N., 4° 43'·77W.
7·2m	54° 40'·56N., 4° 57'·98W.
*9·3m	54° 45'·08N., 4° 59'·97W.
*9·4m	54° 44'·62N., 4° 59'·74W.
*8·3m	54° 43'·84N., 4° 58'·79W.
*8·8m	54° 43'·34N., 4° 57'·99W.
*10·2m	54° 42'·24N., 4° 57'·52W.
*2·0m	54° 40'·35N., 4° 51'·62W.
*2·0m	54° 40'·01N., 4° 52'·38W.

- A non-dangerous wreck, depth 56m exists in position 54° 44'·22N., 5° 04'·16W.
- Obstructions exist in the following positions:

5·4m	54° 46'·14N., 5° 00'·36W.
7·0m	54° 41'·21N., 4° 51'·19W.

- Mariners are advised to navigate with caution in the area.
- Charts will be updated when full details are available.
- *Former Notice 2924(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1411 (INT 1608) - 1826 (INT 1607) - 2093 - 2094 - 2198 - 2724 (INT 1606) - 5610_17 - 5612_1 - 5612_11 - 5613_19 - 5613_2

II

3036(T)/26 WALES - North Coast - Traffic separation scheme. Precautionary area.

Source: Holyhead Harbour Authority Notice 5/26

1. Cruise ships will be anchored near the southern end of the traffic separation scheme at Holyhead Harbour, between the months of May and September, to facilitate tendering operations. A temporary precautionary area has been established, bounded by the following positions:

53° 19′.7N., 4° 37′.3W.

53° 20′.1N., 4° 36′.8W.

53° 19′.9N., 4° 36′.7W.

53° 19′.5N., 4° 37′.2W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1413 - 2011 - 5609_11 - 5609_12

II

3038(T)/26 ENGLAND - East Coast - RoRo. Buoy. Works.

Source: ABP Humber Notices 71-72/26

1. Construction of the Immingham Eastern Ro-Ro Terminal is currently taking place in an area bounded by the following positions:

53° 37'·652N., 0° 10'·819W.
53° 37'·756N., 0° 10'·686W.
53° 37'·757N., 0° 10'·442W.
53° 37'·626N., 0° 10'·084W.
2. A yellow special mark light-buoy, *Fl(5)Y10s* IERRT, has been temporarily established, marking the seaward limit of the works area, in position 53° 37'·757N., 0° 10'·442W.
3. Mariners are advised to navigate with caution, giving the area as wide a berth as possible, passing at the slowest possible speed to avoid creating a wash and consult the local port authorities for latest information.
(ETRS89 DATUM)

Charts affected - 1188 (INT 1553) - 3496 (INT 1565) - 3497 (INT 1554) - 5614_18

II

3057(T)/26 WALES - North Coast - Wreck.

Source: Conwy Harbour Notice 07/26

1. A stranded wreck exists in position 53° 19'·9N., 3° 52'·5W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1463 - 1977 - 1978 - 5609_13 - 5609_14

II

3058(P)/26 ENGLAND - West Coast - Depths. Obstruction.

Source: mV Northern Gale

1. Recent survey information has shown that depths less than charted exist near the mouth of the River Ribble. The most significant is as follows:

Depth

9·6m

Position

53° 47'·88N., 3° 09'·33W.

2. An obstruction, depth 4·3m, exists in position 53° 37'·89N., 3° 08'·41W.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. Charts will be updated when full details are available.
(ETRS89 DATUM)

Charts affected - 1826 (INT 1607) - 1978 - 1981 - 5613_1 - 5613_7 - 5613_8 - 5613_9

II

3059(P)/26 IRELAND - North Coast - Depths.

Source: R. V. LIR

1. Depths less than charted exist near Inishbofin Island. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
2·6m	55° 10'·53N., 8° 11'·37W.
3·2m	55° 10'·49N., 8° 11'·33W.
5·7m	55° 09'·61N., 8° 10'·34W.
6m	55° 09'·26N., 8° 10'·62W.
5·6m	55° 09'·26N., 8° 11'·60W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Chart 2752 will be updated when full details are available.
(ETRS89 DATUM)

Charts affected - 2723 (INT 1605) - 2725 - 2752

II

2971(P)/26 NORWAY - West Coast - Offshore installations.

Source: Norwegian Notice 9/81493(P)/26

1. Troll C subsea template installations are taking place in connection with the development of Fram South, bounded by the following positions:

<i>Designation</i>	<i>Position</i>
C1 Blasto	60° 57'·9N., 3° 31'·3E.
C2 Blasto	60° 58'·8N., 3° 31'·6E.
B5 Sentral	61° 02'·2N., 3° 28'·7E.
B4 Sentral	61° 02'·6N., 3° 29'·7E.

2. Mariners are advised to navigate with caution in the area and keep a safe distance from the ongoing operations.
(WGS84 DATUM)

Charts affected - 1427 (INT 1401) - 2182C (INT 1041) - 2182D (INT 1040)

II

3035(T)/26 SWEDEN - West Coast - Submarine cable. Works.

Source: Swedish Notice 1121/20124(T)/26

1. Cable works are in progress in the vicinity of a line joining the following positions:

56° 08'·05N., 12° 35'·28E.

56° 05'·52N., 12° 29'·40E.

2. Works vessels may be restricted in their ability to manoeuvre.
3. Duty personnel are contactable 24/7 via VHF Channel 16.
4. Mariners are advised to navigate with caution in the area, and to keep a distance of at least 0·25NM from the work vessels.
(WGS84 DATUM)

Charts affected - 876 - 2115 - 2594 (INT 1331)

II

3044(T)/26 DENMARK - Islands - Measuring instruments. Buoyage.

Source: Danish Notice 22/444(T)/26

1. Measuring equipment, marked by buoys, have been established in the following positions:

<i>Buoy Type</i>	<i>Characteristic</i>	<i>Position</i>
Yellow spar buoy with cross topmark		55° 37'·75N., 10° 35'·83E.
Yellow spar buoy with cross topmark	<i>Fl(5)Y.20s</i>	55° 37'·42N., 10° 34'·45E.
Yellow balloon		55° 37'·40N., 10° 35'·49E.
Yellow spar buoy with cross topmark		55° 37'·29N., 10° 34'·92E.
Yellow balloon		55° 37'·26N., 10° 35'·37E.
Yellow balloon		55° 37'·23N., 10° 35'·18E.
Yellow balloon		55° 37'·19N., 10° 35'·31E.
Yellow balloon		55° 37'·13N., 10° 35'·25E.
Yellow balloon		55° 36'·97N., 10° 35'·12E.
Yellow balloon		55° 36'·70N., 10° 34'·88E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2106 (INT 1303) - 2596 (INT 1370)

II

3060(T)/26 DENMARK - Islands - Restricted area. Buoyage.

Source: Danish Notice 20/391(T)/26

1. A restricted area, marked by special purpose yellow buoys, has been established joining the following positions:

55° 43'·48N., 12° 38'·00E.

55° 43'·50N., 12° 38'·04E.

55° 43'·41N., 12° 38'·31E.

55° 43'·38N., 12° 38'·28E.

2. Unauthorized navigation, diving, anchoring, fishing and working on the seabed is prohibited in the area.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 903 (INT 1333) - 2594 (INT 1331)

II

3014(P)/26 NORTH SEA - Norwegian Sector - Submarine pipeline. Works. Precautionary area.

Source: Norwegian Notice 9/81512(P)/26 and ENC NO3B0804

1. Works are taking place at the Brage S.
2. Submarine pipeline laying activities are taking place, joining the following positions:

60° 26'·39N., 3° 01'·43E.

60° 32'·50N., 3° 02'·72E.

3. A precautionary area has been established, extending 500m either side of this line.
4. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2 (INT 160) - 294 - 1427 (INT 1401) - 2182C (INT 1041) - 2182D (INT 1040) - 4140 (INT 140)

II

3032(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 50'·88N., 3° 52'·02E.	110
51° 59'·87N., 3° 16'·20E.	110
51° 55'·70N., 3° 39'·80E.	122
52° 10'·42N., 3° 56'·38E.	122
52° 10'·82N., 3° 59'·56E.	122
52° 10'·99N., 3° 59'·78E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
52° 28'·300N., 4° 35'·530E.	124
52° 23'·83N., 4° 02'·95E.	125
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
52° 46'·14N., 3° 49'·49E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50

II

3032(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 2897(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

3055(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 50'·88N., 3° 52'·02E.	110
51° 59'·87N., 3° 16'·20E.	110
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
52° 28'·300N., 4° 35'·530E.	124
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
52° 46'·14N., 3° 49'·49E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50

II

3055(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 3032(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

3037(T)/26 PORTUGAL - West Coast - Light.

Source: Portuguese Notice 4/169(T)/26

1. The range of the light at Póvoa de Varzim in position $41^{\circ} 22' \cdot 23\text{N.}$, $8^{\circ} 46' \cdot 29\text{W.}$ has been temporarily reduced to 7 miles.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3634

II

3065(T)/26 PORTUGAL - West Coast - Buoyage.

Source: Portuguese Notices 4/172(T)-173(T)26 and 4/175(T)-176(T)/26

1. The following light-buoys have been removed:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl.G.3s3M</i>	<i>No 1</i>	Star-board lateral	41° 08'·74N., 8° 40'·29W.
<i>Fl(2)G.5s3M</i>	<i>No 3</i>	Star-board lateral	41° 08'·65N., 8° 39'·52W.
<i>Fl(3)R.6s3M</i>	<i>No 6A</i>	Port lateral	41° 08'·45N., 8° 37'·26W.
<i>Fl.R.4s3M</i>	<i>No 8</i>	Port lateral	41° 08'·39N., 8° 37'·12W.

2. Former Notice 667(T)/26 is cancelled.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3258 (INT 1871)

II

3047(T)/26 NORTH ATLANTIC OCEAN - Arquipélago dos Açores - Light.

Source: Portuguese Notice 4/188(T)/26

1. The following light has been amended:

<i>Former Characteristic</i>	<i>New characteristic</i>	<i>Position</i>
Fl.5s13m4M	Fl(2)10s13m4M	39° 27'·56N., 31° 15'·75W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1959

II

2962(T)/26 MOROCCO - North Coast - Marine farm. Buoyage.

Source: French Notice 20/5(T)/26

1. A floating cage, DAM'S TUNA has been established, in position $35^{\circ} 20' \cdot 0N.$, $6^{\circ} 10' \cdot 7W.$
2. The cage is marked by west cardinal light-buoys, *VQ(9)W.10s* and special buoys.
3. Mariners are advised to navigate with caution and are recommended to maintain a distance of at least 4M from the coast in the area.
(WGS84 DATUM)

Chart affected - 91 (INT 1812)

II

3023(T)/26 ROMANIA - Works.

Source: Romanian Notices 1/15(T)/25, 3/26(T)/26 and 3/27(T)/26

1. *Drilling and underwater works are taking place in an area bounded by the following positions:

44° 04'·4N., 30° 34'·1E.
44° 02'·4N., 30° 30'·5E.
43° 51'·9N., 30° 41'·1E.
43° 48'·7N., 30° 44'·3E.
43° 50'·7N., 30° 50'·4E.
44° 02'·8N., 30° 37'·8E.
44° 04'·7N., 30° 37'·9E.

2. *A 500 meter safety zone is established around offshore platforms.

3. *Pipeline laying operations are taking place, joining the following positions:

43° 58'·99N., 28° 39'·47E.
43° 57'·87N., 28° 38'·92E.
43° 57'·00N., 28° 42'·26E.
44° 02'·3N., 30° 01'·8E.
44° 04'·5N., 30° 13'·8E.
44° 02'·9N., 30° 25'·1E.
44° 02'·6N., 30° 35'·7E.
44° 03'·7N., 30° 35'·8E.
44° 04'·0N., 30° 25'·2E.
44° 05'·6N., 30° 13'·8E.
44° 03'·6N., 30° 02'·5E.
43° 58'·21N., 28° 42'·47E.

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 2211(T)/25 is cancelled.

*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 2214 - 2230 - 2232 - 2282 - 2284

II

3046(T)/26 ALGERIA - Buoy.

Source: Algerian Notice 6/2/26

1. The starboard lateral light-buoy, *Fl.G.5s*, in position 36° 45'·73N., 3° 05'·36E. is reported missing.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 855 - 2555

II

3056(T)/26 ROMANIA - Wreck.

Source: Romanian Notice 3/30(T)/26

1. A dangerous wreck exists in position 44° 16'·23N., 28° 45'·90E.
2. Navigation and underwater activity is prohibited within a radius of 0·5M.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 2230 - 2282

II

3052(P)/26 SOMALIA - Buoyage. Lights. Leading lines. Beacons. Light-beacons.

Source: Ministry of Ports and Marine Transport

1. Significant changes to Aids to Navigation have taken place within Qooriga Kismaayo.
2. The following light-buoys have been removed:

<i>Buoy Type</i>	<i>Characteristic</i>	<i>Designation</i>	<i>Position</i>
Starboard lateral buoy	<i>Q.G</i>	<i>No 9</i>	0° 23'·17S., 42° 32'·48E.
South cardinal buoy	<i>Q(6)+LFl.15s</i>	<i>No 10</i>	0° 22'·89S., 42° 32'·59E.
South cardinal buoy	<i>Q(6)+LFl.15s</i>	<i>No 11</i>	0° 23'·03S., 42° 32'·71E.
Safe water buoy	<i>LFl.10s</i>	<i>A</i>	0° 24'·78S., 42° 32'·35E.

3. The following lights have been removed:

<i>Characteristic</i>	<i>Position</i>
Oc.G.2s	0° 22'·42S., 42° 33'·48E.
Fl.4s35m12M & F.R.5M	0° 22'·80S., 42° 33'·28E.
F.R	0° 23'·15S., 42° 32'·81E.
F.R	0° 23'·28S., 42° 32'·68E.
F.R	0° 23'·18S., 42° 32'·57E.
Q.R.3M	0° 23'·20S., 42° 32'·51E.
Fl.R.4s7m6M	0° 26'·29S., 42° 30'·57E.
Q.G	0° 26'·90S., 42° 27'·85E.
Oc.G.2s	0° 26'·50S., 42° 28'·40E.
Q.G	0° 24'·70S., 42° 28'·26E.
Oc.G.2s	0° 24'·69S., 42° 29'·02E.
Q.G	0° 22'·57S., 42° 30'·83E.

4. Associated leading lines may still be followed where unlit beacons remain visible.
5. The following light-beacons and associated leading lines have been removed:

<i>Characteristic</i>	<i>Position</i>
Oc.G.2s27m	0° 22'·74S., 42° 30'·93E.
Q.G	0° 21'·48S., 42° 32'·67E.
Oc.G.2s	0° 21'·93S., 42° 32'·61E.

6. The beacon in position 0° 22'·95S., 42° 31'·09E. has been removed.
7. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
8. These changes will be included in the next New Edition of Chart 1052.
(UNDETERMINED DATUM)

Chart affected - 1052

II

3064(T)/26 MOZAMBIQUE - Buoyage.

Source: ITRANSMAR

1. The following light-buoys are reported missing:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Q</i>	<i>'1N'</i>	North Cardinal	25° 38'·36S., 32° 53'·01E.
<i>Fl.G.4s</i>	<i>'7'</i>	Conical	25° 55'·10S., 32° 52'·47E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 644 (INT 7581)

II

2973(P)/26 INDIAN OCEAN - Submarine cables.

Source: Alcatel Submarine Networks and UKHO

1. The Daraja submarine fibre optic cable system is due to be laid joining the following positions:
2. Port Salalah (Oman) to Mombasa (Kenya)

17° 00'·59N., 54° 09'·30E.
15° 46'·5N., 54° 57'·4E.
14° 48'·2N., 56° 05'·1E.
14° 20'·4N., 57° 41'·0E.
12° 24'·3N., 58° 23'·5E.
10° 07'·9N., 57° 38'·5E.
7° 12'·8N., 55° 35'·1E.
4° 44'·3N., 55° 52'·1E.
* 2° 31'·9N., 53° 51'·8E.
2° 44'·1S., 49° 04'·5E.
4° 22'·1S., 45° 56'·2E.
4° 49'·3S., 44° 00'·2E.
4° 34'·9S., 43° 07'·2E.
3° 57'·4S., 42° 36'·1E.
4° 05'·9S., 41° 57'·3E.
4° 10'·8S., 40° 45'·0E.
4° 09'·2S., 40° 10'·8E.
4° 11'·0S., 40° 02'·7E.
4° 04'·171S., 39° 42'·978E.

3. Dar Es Salaam (Tanzania) to Maputo (Mozambique)

4° 18'·8S., 42° 03'·1E.
4° 26'·0S., 41° 38'·4E.
4° 52'·4S., 41° 23'·7E.
5° 15'·2S., 41° 02'·5E.
6° 45'·0S., 40° 16'·7E.

4. and

6° 43'·8S., 41° 51'·8E.
6° 45'·4S., 39° 49'·3E.
6° 42'·8S., 39° 38'·1E.
6° 42'·54S., 39° 23'·03E.
6° 43'·25S., 39° 14'·04E.

5. and

4° 21'·8S., 41° 53'·0E.
12° 07'·1S., 41° 46'·4E.
16° 11'·6S., 41° 11'·5E.
26° 06'·6S., 35° 58'·3E.
26° 52'·5S., 35° 09'·3E.
26° 56'·3S., 34° 38'·1E.
26° 48'·1S., 34° 15'·3E.
25° 54'·1S., 33° 09'·3E.
25° 50'·26S., 32° 56'·62E.
25° 54'·58S., 32° 46'·26E.
25° 54'·60S., 32° 41'·44E.
25° 55'·58S., 32° 40'·27E.
25° 56'·25S., 32° 40'·27E.
25° 57'·22S., 32° 38'·34E.
25° 56'·86S., 32° 37'·15E.

II

2973(P)/26 INDIAN OCEAN - Submarine cables. (continued)

6. Mozambique to Republic Of South Africa

28° 58'·5S., 31° 45'·3E.
29° 24'·5S., 32° 01'·9E.
29° 50'·9S., 32° 40'·4E.
29° 48'·0S., 33° 07'·0E.
26° 52'·9S., 35° 05'·7E.
and
29° 48'·0S., 33° 07'·0E.
30° 07'·3S., 33° 06'·1E.
30° 31'·6S., 32° 46'·5E.
30° 46'·2S., 32° 43'·9E.
31° 11'·3S., 32° 06'·2E.
31° 02'·3S., 31° 40'·9E.
31° 04'·6S., 31° 26'·2E.
30° 29'·89S., 30° 55'·20E.
30° 22'·60S., 30° 41'·73E.
and
30° 03'·02S., 30° 53'·21E.
30° 08'·44S., 31° 05'·05E.
30° 17'·24S., 31° 07'·71E.
30° 28'·32S., 31° 03'·96E.
30° 52'·32S., 31° 15'·23E.

7. In order to simplify the depiction of this submarine cable, a reduced number of geographical positions have been listed.
8. *The accompanying diagram shows the overall coverage of the completed and proposed cable sections. The completed cable sections will be updated by Notice to Mariners.
9. Mariners are advised to navigate with caution in these areas.
10. Charts will be updated when works are complete.
11. *Former Notice 1214(P)/26 is cancelled.
*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 616 - 644 (INT 7581) - 646 - 666 (INT 7702) - 674 (INT 7691) - 716 (INT 7060) - 2895 - 2926 (INT 7660) - 2927 - 2930 (INT 7580) - 2931 (INT 7610) - 2933 (INT 7650) - 2939 (INT 7590) - 2949 (INT 7056) - 2964 (INT 758) - 2968 (INT 7000) - 3310 (INT 7690) - 3361 (INT 7700) - 3784 (INT 7014) - 3785 - 3795 - 3797 - 3877 (INT 7055) - 3878 (INT 7054) - 3880 (INT 7053) - 4169 (INT 7563) - 4171 (INT 7560) - 4172 (INT 7570) - 4179 (INT 7051) - 4180 (INT 7052) - 4204 (INT 204) - 4700 (INT 700) - 4701 (INT 701) - 4702 (INT 702) - 4703 (INT 703) - 4705 (INT 705)

II

3029(P)/26 TAIWAN - Fairways.

Source: Taiwanese Notice 68/26

1. Changes have taken place to the limits of the Direct Cross-Strait Shipping Link. The fairway routes to Pass Point B have changed, joining the following positions:

25° 06'·2N., 120° 24'·0E.
24° 37'·61N., 120° 13'·29E.
24° 21'·23N., 120° 08'·53E.
24° 15'·33N., 120° 05'·47E.
and

25° 14'·03N., 121° 10'·71E.
25° 12'·75N., 120° 56'·01E.
25° 03'·0N., 120° 30'·2E.
24° 50'·02N., 120° 28'·27E.
24° 20'·58N., 120° 19'·69E.
and

25° 08'·6N., 120° 26'·2E.
25° 19'·30N., 120° 53'·24E.
25° 32'·07N., 121° 39'·60E.
25° 13'·00N., 121° 54'·30E.
and

25° 16'·32N., 121° 17'·25E.
25° 22'·67N., 121° 30'·16E.
25° 22'·63N., 121° 36'·43E.
25° 19'·05N., 121° 40'·60E.

2. Pass Point B has been moved to a new position, centred on: 25° 05'·4N., 120° 27'·2E.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. These changes will be included in a New Edition of Charts 2412, 3236 and 3658 to be published mid 2026, and 1761, 1968 and 3231 to be published late 2026.
5. Chart 1760 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 1761 - 1968 - 2412 - 3231 - 3236 - 3658

II

2980(P)/26 AUSTRALIA - Western Australia - Submarine cables.

Source: Australian Notice 11/486(T)/26 and Australian Hydrographic Office.

1. Cable laying operations are in progress between Perth and Christmas Island. Cable lay and post lay inspection activities will occur in the vicinity of the following routes:

9° 14'·4S., 102° 23'·9E.
9° 29'·8S., 102° 55'·6E.
9° 49'·3S., 103° 58'·0E.
9° 59'·4S., 104° 17'·6E.
10° 04'·8S., 104° 49'·8E.
10° 14'·2S., 105° 12'·2E.
10° 22'·0S., 105° 13'·6E.
11° 01'·3S., 105° 17'·0E.
11° 30'·4S., 105° 13'·4E.
11° 58'·1S., 104° 53'·0E.
12° 18'·1S., 104° 48'·4E.
12° 58'·4S., 104° 55'·6E.
13° 35'·1S., 104° 57'·2E.
13° 52'·7S., 105° 07'·7E.

2. and

10° 14'·2S., 105° 12'·2E.
10° 17'·1S., 105° 25'·5E.

3. and

10° 22'·0S., 105° 13'·6E.
10° 24'·6S., 105° 21'·0E.

4. Mariners are advised to keep clear of vessel, *CS Resolute*, during activities. Further advice on specific areas of activity will be issued through AUSCOAST warning system.
(WGS84 DATUM)

Charts affected - 2470 - 4060 (INT 60) - 4070 (INT 70) - 4071 (INT 71) - 4073 (INT 73) - 4707 (INT 707) - 4708 (INT 708)

II

2981(P)/26 AUSTRALIA - South Australia - Submarine cable.

Source: Australian Notice 11/498(T)/26 and Australian Hydrographic Office.

1. Cable laying operations will be conducted in Bass Strait as part of the Talaylink cable system. Cable lay and post lay inspection activities will occur in the vicinity of the following route:

38° 20'·4S., 144° 20'·6E.
38° 23'·6S., 144° 26'·3E.
38° 24'·7S., 144° 28'·2E.
38° 32'·8S., 144° 21'·7E.
38° 33'·8S., 144° 15'·9E.
39° 08'·5S., 143° 33'·8E.
39° 26'·3S., 143° 15'·9E.
39° 36'·2S., 142° 54'·6E.
39° 42'·7S., 142° 34'·1E.
39° 51'·1S., 141° 54'·1E.
39° 58'·2S., 141° 43'·7E.
40° 13'·1S., 140° 06'·8E.
40° 20'·7S., 139° 36'·8E.
40° 18'·9S., 139° 18'·9E.
40° 21'·4S., 139° 00'·8E.
40° 21'·5S., 137° 27'·5E.

2. Mariners are advised to keep clear of vessel, *Dependable*, during activities. Further advice on specific areas of activity will be issued through the AUSCOAST warning system.
(WGS84 DATUM)

Charts affected - 4601 (INT 601) - 4709 (INT 709) - Aus 143

II

2982(T)/26 AUSTRALIA - Tasmania - Buoyage.

Source: Australian Notice 11/499(T)/26.

1. Eight special light buoys, *Fl.3s*, exist within 1·5M radius of 39° 51′·7S., 145° 22′·5E. 2·5M clearance requested.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 4601 (INT 601)

II

2984(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 11/488(T)/26

1. On or about 6 June 2026, vessel *Bhagwan Dryden* and support vessels will begin conducting subsea operations in the vicinity of position 20° 37'·7S., 115° 36'·5E.
2. Mariners are advised to navigate with caution in the area. A 500m clearance is requested.
(WGS84 DATUM)

Chart affected - Aus 327

II

2985(T)/26 AUSTRALIA - Northern Territory - Tidal gauges. Buoyage.

Source: Australian Notice 11/482(T)/26

1. Tide gauges marked by special light buoys, *Fl.Y.5s*, exist in positions

11° 23'·2S., 127° 51'·3E.

11° 19'·6S., 127° 21'·2E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2472 - 4603 (INT 603)

II

2986(T)/26 AUSTRALIA - Northern Territory - Tidal gauges. Buoyage.

Source: Australian Notice 11/481(T)/26.

1. Twenty-one tide gauges marked by special light buoys, *Fl.Y.I.5s*, exist within the area bounded by the following positions:

10° 09'·6S., 128° 42'·9E.

9° 59'·9S., 128° 58'·4E.

9° 50'·3S., 129° 16'·6E.

9° 56'·8S., 129° 59'·8E.

10° 19'·2S., 129° 53'·3E.

10° 39'·8S., 129° 28'·1E.

10° 31'·3S., 128° 53'·5E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2473 - 4603 (INT 603)

II

3000(T)/26 AUSTRALIA - Queensland - Works.

Source: Australian Notice 11/479(T)/26

1. On or about 4 June 2026, vessel *Lodbrog* will begin cable maintenance works in the vicinity of position 17° 13'·4S., 154° 52'·1E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4060 (INT 60) - 4602 (INT 602) - 4604 (INT 604)

II

2992(T)/26 COLOMBIA - Pacific Ocean Coast - Buoy. Obstruction. Wreck.

Source: Colombian Notices 61(T)/26 and 122(T)/26

1. The yellow spherical buoy, *Barge*, in position 3° 52'·852N., 77° 05'·399W., has sunk.
2. *An obstruction exists in position 3° 52'·870N., 77° 05'·398W.
3. *An emergency wreck marking buoy, *Al. Oc. BuY.3s* has been established in position 3° 52'·861N., 77° 05'·411W.
4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 1227(T)/26 has been cancelled
 *indicates new or revised entry
 (WGS84 DATUM)

Chart affected - 2319

II

2990(P)/26 BRAZIL - North Coast - Obstructions.

Source: Brazilian Local Navigational Warning I 7573/26

1. Obstructions exist within an area bounded by the following positions:

0° 41'·58S., 48° 26'·72W.

0° 41'·63S., 48° 26'·62W.

0° 42'·30S., 48° 26'·92W.

0° 42'·25S., 48° 27'·02W.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 330

II

3062(T)/26 WEST INDIES - Cayman Islands - Buoyage.

Source: Chief Surveyor, Cayman Islands Government

1. The following yellow light-buoys *Fl.2M* have been established:

19° 19′·56N., 81° 39′·80W.

19° 20′·88N., 81° 28′·47W.

19° 14′·81N., 81° 25′·32W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 462 - 2846

II

3031(T)/26 CANADA - Saint Lawrence River - Restricted areas.

Source: Canadian Notice 4/406/26

1. To prevent collision with Beluga whales the following temporary restrictions are in place.
2. *A compulsory speed reduction is in force up to the 31st of October 2026 in the mouth of the Saguenay Fjord. All vessels, excluding cargo vessels, must not exceed 15 knots within an area enclosed by the following limits:

48° 08'·91N., 69° 39'·99W.
48° 08'·87N., 69° 39'·93W.
48° 07'·50N., 69° 40'·25W.
48° 07'·18N., 69° 40'·47W.
48° 06'·45N., 69° 41'·00W.
3. and

48° 06'·42N., 69° 41'·06W.
48° 05'·87N., 69° 42'·40W.
4. and

48° 07'·58N., 69° 43'·75W.
48° 08'·35N., 69° 43'·58W.
48° 08'·36N., 69° 43'·57W.
5. *Entry is prohibited from 21st of June to 21st of September 2026 into Baie Sainte-Marguerite to all vessels North East of a line joining the following positions:

48° 14'·41N., 69° 57'·29W.
48° 15'·36N., 69° 59'·32W.
6. *A voluntary Transit area will be established from 21st of June to 21st of September 2026 enclosed by the following limits:

48° 14'·41N., 69° 57'·29W.
48° 13'·99N., 69° 57'·71W.
48° 14'·94N., 69° 59'·73W.
48° 15'·36N., 69° 59'·32W.
7. Navigation in this area is recommended at a speed of between 5 and 10 knots without stopping.
8. *For more information, please consult <http://marinepark.ca/protect/#regulations> and Canadian Notice to Mariners bulletin 4/26, Eastern Edition, dated 24th April 2026, Notice 406, accessed at <https://www.notmar.gc.ca/monthly-mensuel-en.php>.
9. *Former Notice 2594(T)/25 is cancelled.
*Indicates new or revised entry
(NAD83 DATUM)

Charts affected - 4779 - 4782