



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 29

16 July 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts
127	2268	INT 60
268	2293	INT 1154
996	2347	INT 1253
1237	2412	INT 1254
1338	2692	INT 1662
1431	3236	INT 1733
1555	3237	INT 1734
1648	3259	INT 1880
1800	3391	
1801	3446	
1803	3480	
1953	3821	
2024	3832	
2041	3940	
2044	4060	
2206	5613_1	

THE GULF AND STRAIT OF HORMUZ NAVIGATIONAL INFORMATION

Amid ongoing developments, it is not always possible to ensure that all ADMIRALTY Products are completely up-to-date for new dangers or changes to aids to navigation and routing measures. Mariners are encouraged to pay close attention to navigational warnings in place and advised to exercise particular caution when navigating in The Gulf region and the Strait of Hormuz.

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email: publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 16 July 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙268	North Sea Offshore Charts, Sheet 9. This chart remains affected by Notices 2438(P)/23 and 935(T)/26.	1:200,000	7	26, 28, 32
⊙1237	Northern Ireland - East Coast, Larne Lough and Approaches.	1:10,000	3	26
⊙1338	Malaysia, Brunei and Philippines, Seria to Balabac Strait including Investigator Shoal. This chart remains affected by Notices 5637(P)/20, 1559(P)/23 and 4931(T)/24.	1:500,000	48	70, 76, 78
⊙1431 INT 1662	International Chart Series, Ireland - East Coast, Drogheda and Dundalk. Ⓐ Approaches to the River Boyne. Ⓑ River Boyne to Drogheda. Ⓒ Dundalk and Approaches.	 1:30,000 1:7,500 1:20,000	3	26
⊙1555	South China Sea, Dafangji Dao to Hong Kong. This chart is to be deleted from the list of charts affected by Notice 3170(P)/26. This chart remains affected by Notices 4767(T)/21, 311(P)/25, 34(T)/26 and 3094(P)/26.	1:300,000	47	76, 78
⊙1953	England and Wales, Approaches to the River Dee. Ⓐ Mostyn Docks. This chart remains affected by Notice 762(T)/26.	1:25,000 1:12,500	3	26
⊙2041 INT 1733	International Chart Series, England - South Coast, Port of Southampton. This chart remains affected by Notice 1061(T)/26.	1:10,000	1	24
⊙ 2268	England - South Coast, Portland Harbour. Portland Port Berthing Plan.	1:10,000 1:5,000	1	24
⊙2692	England - East Coast, Sunk Inner Precautionary Area. This chart is to be deleted from the list of charts affected by Notice 4540(P)/25. This chart remains affected by Notices 4461(P)/23 and 3207(T)/26.	1:25,000	7	24
⊙3446	Peninsular Malaysia - East Coast, Pelabuhan Kuantan to Kuala Terengganu. This chart remains affected by Notices 5260(T)/18, 1558(T)/23, 1621(T)/24, 4850(P)/24, 281(T)/25, 941(T)/25, 3242(T)/25 and 1809(T)/26.	1:250,000	47	68
⊙3940	Malaysia and Indonesia, Malacca Strait, Permatang Sedepa (One Fathom Bank) Traffic Separation Scheme. This chart remains affected by Notices 2024(P)/20 and 2559(P)/26.	1:80,000	45	66

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 30 JULY 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
127	Korea and Japan, Korea Strait.	1:300,000	127	53	84, 86
996	Japan - South Coast, Shiono Misaki to Inubo Saki.	1:500,000	⊙996	53	84, 86
1648	Japan - South Coast, Kishika Saki to Shiono Misaki.	1:500,000	⊙1648	53	84, 86
1800	Japan, South-West Hokkaido.	1:500,000	⊙1800	55	84
1801	Japan – Russia, Hokkaido, North-West Coast and Gulf of Tartary.	1:500,000	⊙1801	56	84, 86
1803	North Pacific Ocean, Hokkaido, South-East Coast. Goyomai Channel.	1:500,000 1:50,000	⊙1803	55	84
2024	Japan - Nansei Shoto, Okinawa Shima to Amami-O Shima.	1:500,000	⊙2024	53	80, 82
2044 INT 1734	International Chart Series, England - South Coast, Shoreham Harbour and Approaches. Ⓐ Shoreham Harbour, Western Arm and River Adur. Ⓑ Shoreham Harbour, Eastern Arm and The Canal. Ⓒ Approaches to Shoreham.	 1:5,000 1:5,000 1:15,000	⊙2044 INT 1734	1	24
2293	Korea - Russia – Japan, Northern Japan and Adjacent Seas.	1:1,500,000	⊙2293	55	82, 84, 86
2347	Korea – Japan, Southern Japan and Adjacent Seas.	1:1,500,000	⊙2347	53	82, 84
2412	China, Taiwan and Japan, East China Sea.	1:1,500,000	⊙2412	53	76, 80, 82, 84, 86, 98
3236	Taiwan and Japan, Taiwan to Okinawa Shima.	1:750,000	⊙3236	50	76, 80, 82
3237	Japan, Nansei Shoto, Amami-o Shima to Kagoshima Wan.	1:500,000	⊙3237	53	82, 84
3259 INT 1880	International Chart Series, Portugal - West Coast, Setúbal and Approaches.	1:15,000	⊙3259 INT 1880	18	40
3391	Korea - South Coast, Approaches to Gwangyang Hang.	1:75,000	⊙3391	52	84, 86
3480	China, Korea and Japan, Yellow Sea and Korea Strait.	1:1,200,000	⊙3480	52	80, 82, 84, 86
4060 INT 60	International Chart Series, Australasia and Adjacent Waters.	1:10,000,000	⊙4060 INT 60	63	16, 136

New Editions of ADMIRALTY Small Craft Charts

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>NP109A Catalogue page</i>
5613_1	Great Ormes Head to Haverigg Point.	1:200,000	5613_1	29

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
268	North Sea Offshore Charts, Sheet 9.	⊙268
1237	Northern Ireland - East Coast, Larne Lough and Approaches.	⊙1237
1338	Malaysia, Brunei and Philippines, Seria to Balabac Strait including Investigator Shoal.	⊙1338
1431 INT 1662	International Chart Series, Ireland - East Coast, Drogheda and Dundalk.	⊙1431 INT 1662
1555	South China Sea, Dafangji Dao to Hong Kong.	⊙1555
1953	England and Wales, Approaches to the River Dee.	⊙ 1953
2041 INT 1733	International Chart Series, England - South Coast, Port of Southampton.	⊙2041 INT 1733
2268	England - South Coast, Portland Harbour.	⊙2268
2692	England - East Coast, Sunk Inner Precautionary Area.	⊙2692
3446	Peninsular Malaysia - East Coast, Pelabuhan Kuantan to Kuala Terengganu.	⊙3446
3940	Malaysia and Indonesia, Malacca Strait, Permatang Sedepa (One Fathom Bank) Traffic Separation Scheme.	⊙3940

ADMIRALTY CHARTS INDEPENDENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>Date of withdrawal</i>
⊙2206 INT 1154	International Chart Series, Baltic Sea - Gulf of Finland, Saaristomeri, Hanko (Hangö).	16 July 2026
⊙3821 INT 1253	International Chart Series, Baltic Sea - Gulf of Finland, Approaches to Raseborg.	16 July 202
⊙3832 INT 1254	International Chart Series, Baltic Sea - Gulf of Finland, Saaristomeri, Högsåra to Hanko.	16 July 2026

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
5	3383P	1085	3313
6	3383P	1086	3313
15	3383P	1114	3350
38	3367	1121	3288
39	3367	1123	3288
58	3367	1126	3370
73	3323	1134	3361
90	3317T, 3319	1143	3410
100	3383P	1152	3288
107	3292	1165	3288
110	3310, 3340T	1179	3288
116	3310	1183	3339
120	3340T	1190	3292
122	3340T	1192	3292
124	3340T	1194	3373
125	3340T	1199	3361
130	3340T	1255	3411P
140	3286	1256	3411P
143	3383P	1259	3400
155	3352	1270	3406T
157	3383P	1271	3406T, 3407
158	3383P	1277	3333
159	3383P	1278	3366
164	3383P	1303	3410
166	3324	1304	3370
167	3358	1306	3361
171	3383P	1312	3303
190	3347	1340	3343
263	3383P	1369	3296
264	3383P	1407	3347
265	3383P	1408	3292
266	3340T	1409	3347
278	3292	1411	3356
292	3357P	1417	3305
294	3357P	1427	3357P
318	3408	1481	3347
341	3401	1503	3292
343	3401	1522	3413
346	3398	1534	3314T, 3351
347	3304, 3398	1545	3284
350	3332	1552	3307
396	3366	1568	3374
452	3383P	1592	3370
453	3383P	1603	3409
542	3383P	1609	3326
548	3383P	1618	3346
601	3344	1630	3340T
612	3344	1631	3340T
616	3383P, 3399P	1632	3340T
644	3399P	1633	3340T
646	3399P	1705	3321
666	3383P, 3399P	1731	3341
674	3399P	1738	3414
707	3367, 3383P	1759	3414
716	3399P	1761	3392P
811	3375	1795	3342
820	3289	1826	3356
847	3389T	1863	3387
857	3385P	1925	3383P
858	3385P	1962	3335
863	3315T	1975	3339
876	3328	1976	3358
897	3299	1983	3358
903	3336	1985	3324
924	3391T	1992	3358
976	3291	2014	3416T
1007	3394	2015	3300
1063	3287	2018	3416T
1066	3290, 3359	2052	3390P

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2079	3312	3026	3296, 3415
2094	3356	3101	3412T
2098	3291	3103	3412T
2115	3328	3172	3381
2139	3405T	3231	3316
2158	3405T	3237	3379T
2171	3285	3310	3396, 3399P
2182C	3357P	3351	3297
2200	3345	3361	3396, 3399P
2201	3345	3363	3364
2203	3345	3364	3364
2205	3345	3365	3372
2212	3345	3418	3380T
2215	3308	3451	3363
2290	3330	3455	3334
2347	3379T	3482	3349
2364	3395	3489	3382T
2412	3379T	3490	3320
2435	3311	3520	3383P
2453	3300	3522	3383P
2470	3359	3523	3383P
2471	3290	3551	3379T
2472	3329	3567	3353
2473	3397	3568	3353
2475	3298	3584	3403
2529	3285	3658	3371, 3392P
2594	3328	3661	3383P
2613	3350	3709	3383P
2633	3365P	3723	3383P
2636	3337	3731	3359
2659	3383P	3747	3397
2669	3350	3784	3383P, 3399P
2670	3386	3785	3383P, 3399P
2677	3300	3787	3354
2679	3300	3789	3354
2693	3390P	3795	3399P
2695	3390P	3797	3399P
2712	3355	3820	3306
2722	3342	3877	3399P
2731	3325	3878	3399P
2783	3294	3880	3399P
2794	3290	3890	3348
2795	3290	3892	3348
2796	3290, 3359	3901	3405T
2837	3381, 3383P	3902	3405T
2847	3318	3921	3403
2851	3381, 3383P	3928	3372
2858	3383P	3946	3405T
2861	3327	4052	3301, 3379T
2864	3327	4053	3379T
2869	3311	4060	3309P
2870	3303	4119	3401
2883	3318	4121	3401
2884	3318	4122	3401
2888	3381	4123	3401
2895	3399P	4129	3401
2908	3329	4169	3399P
2910	3329	4171	3399P
2926	3399P	4172	3399P
2927	3399P	4179	3399P
2930	3399P	4180	3399P
2931	3399P	4204	3399P
2933	3399P	4237	3369
2939	3399P	4508	3290, 3349
2949	3383P, 3399P	4509	3379T
2964	3383P, 3399P	4510	3379T
2968	3383P, 3399P	4521	3379T
2969	3383P	4700	3399P
2970	3383P	4701	3399P

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Indian Chart No.	Notices
4702 4703 4705 4706 4708 4722 4744 4746 4747 4753 4787 4790 4945 4947 4961 5600_20 5601_6 5606_2 5607_2 5607_5 5607_8 5608_12 5608_3 5611_13 5611_2 5612_1 5613_19 5613_6 5614_1 5614_4 5614_5 5614_8 5615_3 5617_1 5617_13 5617_2 5620_1	3399P 3295, 3399P 3399P 3295 3290 3329 3402 3386 3386 3338 3331 3322 3384P 3384P 3302 3380T 3330 3339 3339 3390P 3390P 3288 3288 3285 3298 3356 3356 3320 3390P 3351 3351 3292 3347 3347 3347 3288	IN 221 IN 254 IN 255 IN 260 IN 292 IN 293 IN 351 IN 2008 IN 2016 IN 2018 IN 2059 IN 2120 IN 3010	3295 3295 3295 3295 3295 3295 3317T 3362T 3295 3360P 3360P 3362T 3368 3377 3376 3376 3378T 3379T 3293 3301, 3379T 3379T 3309P 3399P 3358 3290, 3349 3379T 3379T 3349 3382T 3399P 3399P 3399P 3295, 3399P 3399P 3295 3290 3329 3383P 3295 3295 3383P, 3399P 3357P 3340T 3288 3391T 3300 3416T 3291 3416T 3389T 3289 3375 3306 3300 3385P
Bangladeshi Chart No.	Notices		
BD 2508 BD 3004 BD 5001	3317T 3317T 3317T		
Belgian Chart No.	Notices		
BE 101	3340T		
German Chart No.	Notices		
DE 2 DE 28 DE 31 DE 32 DE 50 DE 90	3393 3404 3417 3404 3340T 3340T, 3388		
Indian Chart No.	Notices		
IN 22 IN 32 IN 210 IN 211	3295 3295 3295 3295		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	International Chart No.	Notices
INT 1317	3385P	INT 7114	3383P
INT 1331	3328	INT 7115	3383P
INT 1333	3336	INT 7116	3383P
INT 1357	3417	INT 7117	3383P
INT 1401	3357P	INT 7120	3383P
INT 1416	3340T	INT 7122	3383P
INT 1417	3340T	INT 7124	3383P
INT 1418	3340T	INT 7148	3383P
INT 1420	3340T	INT 7154	3383P
INT 1422	3340T	INT 7157	3383P
INT 1423	3340T	INT 7158	3383P
INT 1456	3393	INT 7162	3383P
INT 1461	3340T, 3388	INT 7199	3381
INT 1471	3340T	INT 7200	3383P
INT 1472	3340T	INT 7245	3354
INT 1473	3310, 3340T	INT 7260	3318
INT 1474	3340T	INT 7278	3318
INT 1477	3310	INT 7314	3367
INT 1479	3340T	INT 7321	3360P
INT 1504	3347	INT 7322	3360P
INT 1505	3347	INT 7331	3295
INT 1506	3292	INT 7334	3295
INT 1508	3292	INT 7336	3295
INT 1509	3292	INT 7362	3295
INT 1543	3347	INT 7405	3408
INT 1558	3314T, 3351	INT 7418	3368
INT 1560	3390P	INT 7419	3317T
INT 1561	3339	INT 7426	3317T
INT 1570	3390P	INT 7451	3317T
INT 1604	3342	INT 7452	3317T
INT 1607	3356	INT 7560	3399P
INT 1608	3356	INT 7563	3399P
INT 1610	3288	INT 7570	3399P
INT 1626	3342	INT 7580	3399P
INT 1641	3307	INT 7581	3399P
INT 1643	3320	INT 7590	3399P
INT 1705	3350	INT 7610	3399P
INT 1786	3291	INT 7650	3399P
INT 1858	3341	INT 7660	3399P
INT 1901	3323	INT 7690	3396, 3399P
INT 2872	3412T	INT 7691	3399P
INT 2873	3412T	INT 7700	3396, 3399P
INT 3165	3373	INT 7702	3383P, 3399P
INT 3192	3352	INT 12992	3300
INT 3785	3413	INT 13590	3404
INT 4632	3338	INT 13601	3404
INT 5252	3372		
INT 5363	3406T		
INT 7000	3383P, 3399P		
INT 7001	3383P		
INT 7002	3383P		
INT 7005	3383P		
INT 7006	3383P		
INT 7008	3383P		
INT 7010	3383P		
INT 7014	3383P, 3399P		
INT 7017	3381, 3383P		
INT 7018	3318		
INT 7019	3367		
INT 7021	3295		
INT 7022	3295		
INT 7051	3399P		
INT 7052	3399P		
INT 7053	3399P		
INT 7054	3399P		
INT 7055	3399P		
INT 7056	3383P, 3399P		
INT 7060	3399P		
INT 7110	3383P		

II

3285* SCOTLAND - West Coast - Legend. Note. Wreck.

Source: British Government

Chart 2171 [*previous update 2176/26*] ETRS89 DATUM

Insert	the accompanying note, HISTORIC WRECKS, centred on:	56° 35'·74N., 5° 37'·46W.
	++	(a) 56° 35'·02N., 6° 28'·96W.
	legend, <i>Historic Wreck (see Note)</i> , close NE of:	(a) above

Chart 2529 (Panel, Stornoway Harbour) [*previous update 2637/26*] ETRS89 DATUM

Insert	legend, <i>Historic Wreck (see Note)</i> , at wreck	58° 11'·293N., 6° 20'·999W.
--------	---	-----------------------------

Chart 2529 [*previous update 2637/26*] ETRS89 DATUM

Insert	the accompanying note, HISTORIC WRECKS, centred on:	58° 10'·91N., 6° 28'·75W.
	legend, <i>Historic Wreck (see Note)</i> , at wreck	58° 11'·29N., 6° 21'·00W.

Chart 5611_13 [*previous update 2176/26*] ETRS89 DATUM

Insert	++	(a) 56° 35'·02N., 6° 28'·96W.
	legend, <i>Historic Wreck (see Note)</i> , close E of:	(a) above

II

3288* ENGLAND - Bristol Channel - Landmarks.

Source: CCR Energy

Chart 1121 (INT 1062) [*previous update 2931/26*] ETRS89 DATUM

Delete  (128) 51° 22'·9N., 3° 24'·3W.

Chart 1123 [*previous update 3146/26*] ETRS89 DATUM

Delete  51° 23'·2N., 3° 24'·3W.

Chart 1152 [*previous update 1868/26*] ETRS89 DATUM

Delete  CHIMNEY (132) 51° 23'·23N., 3° 24'·28W.

Chart 1165 [*previous update 2665/26*] ETRS89 DATUM

Delete  CHIMNEY (132) 51° 23'·23N., 3° 24'·28W.

Chart 1179 (INT 1610) [*previous update 3187/26*] ETRS89 DATUM

Delete  CHY (132) 51° 23'·23N., 3° 24'·28W.

Chart 5608_12 [*previous update 689/26*] ETRS89 DATUM

Delete  CHIMNEY (132) 51° 23'·23N., 3° 24'·28W.

Chart 5608_3 [*previous update 2665/26*] ETRS89 DATUM

Delete  CHY (132) 51° 23'·23N., 3° 24'·29W.

Chart 5620_1 [*previous update 996/26*] ETRS89 DATUM

Delete  51° 23'·2N., 3° 24'·3W.

II

3292* ENGLAND - East Coast - Wreck. Legend. Note.

Source: British Government

Note: This update is included in New Edition 268, published mid 2026.

Chart 107 [previous update 3106/26] ETRS89 DATUM

Insert		(a) 53° 27'·00N., 1° 07'·00E.
	legend, <i>Historic Wreck (see Note)</i> , close W of:	(a) above
	the accompanying note, HISTORIC WRECKS, centred on:	53° 35'·30N., 0° 02'·54E.

Chart 278 [previous update 2070/26] WGS84 DATUM

Insert		(a) 57° 49'·15N., 0° 00'·47E.
	legend, <i>Historic Wreck (see Note)</i> , close W of:	(a) above
	the accompanying note, HISTORIC WRECKS, centred on:	57° 07'·45N., 1° 14'·20W.

Chart 1190 (INT 1508) [previous update 3106/26] ETRS89 DATUM

Insert		(a) 53° 27'·00N., 1° 07'·00E.
	legend, <i>Historic Wreck (see Note)</i> , close SW of:	(a) above

Chart 1192 (INT 1506) [previous update 2964/26] ETRS89 DATUM

Insert		(a) 55° 29'·00N., 0° 11'·89E.
	legend, <i>Historic Wreck (see Note)</i> , close W of:	(a) above
	the accompanying note, HISTORIC WRECKS, centred on:	55° 08'·87N., 1° 48'·33W.

Chart 1408 [previous update 3162/26] WGS84 DATUM

Insert		(a) 53° 27'·0N., 1° 07'·0E.
	legend, <i>Historic Wreck (see Note)</i> , close NE of:	(a) above

Chart 1503 (INT 1509) [previous update 3106/26] ETRS89 DATUM

Insert		(a) 53° 27'·00N., 1° 07'·00E.
	legend, <i>Historic Wreck (see Note)</i> , close SW of:	(a) above

Chart 5614_8 [previous update 3106/26] ETRS89 DATUM

Insert		(a) 53° 27'·00N., 1° 07'·00E.
	legend, <i>Historic Wreck (see Note)</i> , close SW of:	(a) above

II

3298* SCOTLAND - West Coast - Depths.

Source: Argyll and Bute Council

Chart 2475 [*previous update 3199/26*] ETRS89 DATUM

Insert depth, 25

(a) 55° 40'·60N., 5° 43'·94W.

Delete depth, 31, close N of:

(a) above

Chart 5611_2 [*previous update 3199/26*] ETRS89 DATUM

Insert depth, 25

(a) 55° 40'·60N., 5° 43'·94W.

Delete depth, 31, close N of:

(a) above

II

3307* ENGLAND - West Coast - Depths.

Source: Peel Ports Ltd

Chart 1552 (INT 1641) (Panel D, Heysham) [*previous update 21/74/26*] ETRS89 DATUM

Insert	depth, <i>46</i>	(a)	54° 01'·970N., 2° 55'·624W.
Delete	depth, 38, close NW of:	(a)	above
Insert	depth, <i>44</i>	(b)	54° 01'·962N., 2° 55'·533W.
Delete	depth, 36, close E of:	(b)	above
Insert	depth, <i>4</i>	(c)	54° 01'·933N., 2° 55'·485W.
Delete	depth, 3, close NW of:	(c)	above
Replace	depth, 39, with depth, <i>42</i>		54° 01'·972N., 2° 55'·251W.

II

3320* ENGLAND - West Coast - Drying height.

Source: Mersey Docks and Harbour Company

Chart 3490 (INT 1643) (Panel B, Tranmere to Garston and Eastham) [*previous update 2999/26*] ETRS89 DATUM

Insert drying height, 2₂, enclosed by 2m low water line 53° 22′·252N., 2° 57′·958W.

Chart 5613_6 [*previous update 2819/26*] ETRS89 DATUM

Insert drying height, 2₂, enclosed by 2m low water line 53° 22′·252N., 2° 57′·958W.

II

3326* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 1609 [*previous update New Edition 21/05/2026*] ETRS89 DATUM

Insert depth, *11*₂

(a) 51° 32'·43N., 1° 01'·86E.

Delete depth, *12*₃ , close SE of:

(a) above

II

3330* ENGLAND - South Coast - Buoy.

Source: Exeter Port Authority Notice 17/26

Chart 2290 [*previous update 4230/25*] ETRS89 DATUM

Replace

 *No 14* with  *Q.R No 14*

50° 37′·085N., 3° 26′·369W.

Chart 5601_6 (Panel A, Approaches to the River Exe) [*previous update 4230/25*] ETRS89 DATUM

Replace

 *No 14* with  *Q.R No 14*

50° 37′·085N., 3° 26′·369W.

II

3339* ENGLAND - East Coast - Depth.

Source: Port of London Authority

Chart 1183 (INT 1561) [*previous update 3257/26*] ETRS89 DATUM

Insert depth, 04, and extend 2m approximate contour N to enclose 51° 38'·25N., 1° 17'·80E.

Chart 1975 [*previous update 3257/26*] ETRS89 DATUM

Insert depth, 04, and extend 2m approximate contour N to enclose 51° 38'·25N., 1° 17'·80E.

Chart 5606_2 [*previous update 3257/26*] ETRS89 DATUM

Insert depth, 04, and extend 2m approximate contour N to enclose 51° 38'·25N., 1° 17'·80E.

Chart 5607_2 [*previous update 3257/26*] ETRS89 DATUM

Insert depth, 04, and extend 2m approximate contour N to enclose 51° 38'·25N., 1° 17'·80E.

II

3342* SCOTLAND - West Coast - Lights.

Source: QinetiQ

Chart 1795 (INT 1626) [*previous update 2545/26*] ETRS89 DATUM

Delete	★ Falconet Tower F.R.25m8M(occas)	57° 22′·07N., 7° 23′·52W.
--------	-----------------------------------	---------------------------

Chart 2722 (INT 1604) [*previous update 732/26*] ETRS89 DATUM

Insert	★ Mesar Tr F.R or Iso.R.2s25m8M(occas)	(a) 57° 21′·65N., 7° 23′·67W.
--------	--	-------------------------------

Delete	★ Falconet Tr F.R or Iso.R.2s25m8M(occas), close NE of:	(a) above
--------	---	-----------

II

3347 SCOTLAND - East Coast - Buoyage.

Source: Forth Ports Limited NM 13/26

Chart 190 [*previous update 3195/26*] ETRS89 DATUM

Replace  *Q(3)10s Abertay* with  *Fl.G.6s Middle Green* 56° 27'·61N., 2° 39'·41W.

Chart 1407 (INT 1505) [*previous update 1802/26*] ETRS89 DATUM

Replace  *Q(3)10s Abertay* with  *Fl.G.6s Middle Green* 56° 27'·61N., 2° 39'·41W.

Chart 1409 (INT 1504) [*previous update 2883/26*] ETRS89 DATUM

Replace  *Q(3)10s* with  *Fl.G.6s* 56° 27'·61N., 2° 39'·75W.

Chart 1481 (INT 1543) [*previous update 3195/26*] ETRS89 DATUM

Replace  *Q(3)10s Abertay* with  *Fl.G.6s Middle Green* 56° 27'·61N., 2° 39'·41W.

Chart 5615_3 [*previous update New Edition 26/03/2026*] ETRS89 DATUM

Replace  *Q(3)10s Abertay* with  *Fl.G.6s Middle Green* 56° 27'·61N., 2° 39'·41W.

Chart 5617_13 [*previous update 3195/26*] ETRS89 DATUM

Replace  *Q(3)10s Abertay* with  *Fl.G.6s Middle Green* 56° 27'·61N., 2° 39'·41W.

Chart 5617_1 [*previous update 3195/26*] ETRS89 DATUM

Replace  *Q(3)10s Abertay* with  *Fl.G.6s Middle Green* 56° 27'·61N., 2° 39'·41W.

Chart 5617_2 [*previous update 3195/26*] ETRS89 DATUM

Replace  *Q(3)10s Abertay* with  *Fl.G.6s Middle Green* 56° 27'·61N., 2° 39'·41W.

II

3351* ENGLAND - East Coast - Depths.

Source: Peel Ports Great Yarmouth

Chart 1534 (INT 1558) (Panel A, Great Yarmouth Outer Harbour) [*previous update 2850/26*] ETRS89 DATUM

Insert	depth, 47, enclosed by 5m contour	52° 34′·805N., 1° 43′·933E.
--------	-----------------------------------	-----------------------------

Chart 1534 (INT 1558) (Panel B, Great Yarmouth Haven) [*previous update 2850/26*] ETRS89 DATUM

Insert	depth, 47, enclosed by 5m contour	52° 34′·805N., 1° 43′·933E.
--------	-----------------------------------	-----------------------------

	depth, 39	52° 36′·268N., 1° 43′·482E.
--	-----------	-----------------------------

Chart 5614_4 (Panel B, Great Yarmouth Outer Harbour) [*previous update New Edition 18/06/2026*] ETRS89 DATUM

Insert	depth, 47, enclosed by 5m contour	52° 34′·805N., 1° 43′·933E.
--------	-----------------------------------	-----------------------------

Chart 5614_5 (Panel B, Great Yarmouth Haven) [*previous update New Edition 18/06/2026*] ETRS89 DATUM

Insert	depth, 47, enclosed by 5m contour	52° 34′·805N., 1° 43′·933E.
--------	-----------------------------------	-----------------------------

	depth, 39	52° 36′·268N., 1° 43′·482E.
--	-----------	-----------------------------

II

3356* SCOTLAND - South West Coast - Wreck.

Source: mv Northern Breeze

Chart 1411 (INT 1608) [*previous update 3245/26*] ETRS89 DATUM

Insert



54° 41'·79N., 4° 52'·70W.

Chart 1826 (INT 1607) [*previous update 3004/26*] ETRS89 DATUM

Insert



54° 41'·79N., 4° 52'·70W.

Chart 2094 [*previous update 2882/26*] ETRS89 DATUM

Insert



54° 41'·79N., 4° 52'·70W.

Chart 5612_1 [*previous update 3245/26*] ETRS89 DATUM

Insert



54° 41'·79N., 4° 52'·70W.

Chart 5613_19 [*previous update New Edition 09/01/2025*] ETRS89 DATUM

Insert



54° 41'·79N., 4° 52'·70W.

II

3353 FØROYAR - Lights. Fog signals.

Source: ENC D23FO001 and Faroese Notices 3/7-15/26

Chart 3567 [*previous update 3101/26*] WGS84 DATUM

Amend	Velbastaður light to, Fl(2)WRG.10s24m12/8M	61° 58'·90N., 6° 51'·59W.
	Nólsoy light to, LFl.30s 72m 21M (20.7.- 20.5.)	61° 57'·44N., 6° 36'·87W.
Delete	fog signal, Horn(2)60s, at light	61° 56'·92N., 6° 38'·35W.

Chart 3568 [*previous update 829/26*] WGS84 DATUM

Delete	fog signal, Horn 60s, at light	61° 23'·64N., 6° 40'·75W.
--------	--------------------------------	---------------------------

II

3289 SWEDEN - East Coast - Depth. Rock.

Source: Swedish Notice 1123/20131/26

Chart 820 (INT 1238) [*previous update 3042/26*] WGS84 DATUM

Replace depth, 28, with +

59° 25′·42N., 18° 20′·71E.

II

3291 SWEDEN - East Coast - Beacons. Leading line. Legend.

Source: Swedish Notice 1123/20127/26

Chart 976 (INT 1786) [*previous update 4104/25*] WGS84 DATUM

Delete



leading line, pecked line and firm line, and associated legend,
2 Bns $\neq$ 010° - 190°, extending in direction 190°, from:

65° 08'·45N., 21° 39'·31E.

65° 09'·01N., 21° 39'·52E.

65° 02'·70N., 21° 36'·84E.

Chart 2098 (INT 1209) [*previous update 2614/26*] WGS84 DATUM

Delete



65° 08'·46N., 21° 39'·29E.

II

3300 POLAND - Automatic Identification Systems.

Source: Polish Notice 14/167/26

Note: This update is included in New Edition 2014, published mid 2026.

Chart 2015 (INT 1201) [*previous update 1833/26*] WGS84 DATUM

Insert	symbol, Automatic Identification System, AIS	(a)	53° 55'·18N., 14° 17'·19E.
--------	--	-----	----------------------------

Delete	Automatic Identification System, AIS, at light, close SW of:	(a)	above
--------	--	-----	-------

Chart 2453 (INT 12992) [*previous update 2811/26*] WGS84 DATUM

Insert	Automatic Identification System, AIS, at tower	53° 55'·183N., 14° 17'·192E.
--------	--	------------------------------

Delete	Automatic Identification System, AIS, at light	53° 54'·960N., 14° 17'·053E.
--------	--	------------------------------

Chart 2677 (INT 1297) [*previous update 2975/26*] WGS84 DATUM

Insert	Automatic Identification System, AIS, at tower	53° 55'·18N., 14° 17'·19E.
--------	--	----------------------------

Delete	Automatic Identification System, AIS, at light	53° 54'·96N., 14° 17'·05E.
--------	--	----------------------------

Chart 2679 [*previous update 3178/26*] WGS84 DATUM

Insert	Automatic Identification System, AIS, at tower	(a)	53° 55'·18N., 14° 17'·19E.
--------	--	-----	----------------------------

Delete	Automatic Identification System, AIS, at light, close SW of:	(a)	above
--------	--	-----	-------

II

3306 FINLAND - South Coast - Maximum authorised draught. Swept area. Recommended track.

Source: Finnish Notice 15/148/26

Chart 3820 (INT 1252) (Panel, Port of Inkoo) [*previous update 2767/26*] WGS84 DATUM

Replace	maximum authorised draught, <11,0m>, with <u>11</u>	60° 00'·58N., 23° 57'·64E.
Delete	recommended track, firm line, joining:	60° 00'·41N., 23° 58'·15E. 60° 00'·63N., 23° 57'·75E.

Chart 3820 (INT 1252) [*previous update 2767/26*] WGS84 DATUM

Replace	maximum authorised draught, <11,0m>, with <u>11</u>	60° 00'·59N., 23° 57'·59E.
Delete	recommended track, firm line, joining:	60° 00'·41N., 23° 58'·15E. 60° 00'·63N., 23° 57'·75E.

II

3308 ESTONIA - Spoil grounds. Legends.

Source: Estonian Notice 6/116/26

Chart 2215 [*previous update 106/26*] WGS84 DATUM

Insert limit of spoil ground, pecked line, joining:

- (a) 58° 04'·55N., 23° 32'·56E.
- (b) 58° 04'·97N., 23° 33'·09E.
- (c) 58° 05'·15N., 23° 33'·58E.
- (d) 58° 05'·20N., 23° 33'·95E.
- (e) 58° 05'·13N., 23° 34'·47E.
- (f) 58° 04'·91N., 23° 34'·51E.
- (g) 58° 03'·93N., 23° 34'·31E.
- (h) 58° 03'·87N., 23° 34'·12E.
- (i) 58° 04'·01N., 23° 33'·32E.

and

- (j) 58° 01'·51N., 23° 32'·19E.
- (k) 58° 01'·45N., 23° 32'·42E.
- (l) 58° 01'·30N., 23° 33'·00E.
- (m) 58° 01'·19N., 23° 33'·25E.
- (n) 58° 00'·18N., 23° 34'·59E.
- (o) 57° 59'·64N., 23° 33'·27E.
- (p) 57° 59'·92N., 23° 32'·89E.
- (q) 58° 00'·54N., 23° 32'·42E.
- (r) 58° 00'·56N., 23° 32'·40E.
- (s) 58° 01'·23N., 23° 32'·12E.

legend, *Spoil Ground*, within:

(a)-(i) above

(j)-(s) above

II

3328 DENMARK - East Coast - Wreck.

Source: Danish Chart Correction 20/130/26

Chart 876 (Panel A, TSS In The Sound) [*previous update 1976/26*] WGS84 DATUM

Insert



56° 00'·38N., 12° 36'·46E.

Chart 2115 [*previous update 2374/26*] WGS84 DATUM

Insert

wreck out of position,

56° 00'·38N., 12° 36'·46E.

Chart 2594 (INT 1331) [*previous update 3267/26*] WGS84 DATUM

Insert



56° 00'·38N., 12° 36'·46E.

II

3336 DENMARK - Islands - Submarine power cables.

Source: Danish Chart Correction 21/149/26

Note: Former Notice 1557(T)/25 is cancelled.

Chart 903 (INT 1333) [*previous update 3267/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

55° 43'·47N., 12° 37'·38E.

55° 43'·77N., 12° 37'·27E.

and

55° 43'·18N., 12° 39'·43E.

55° 42'·96N., 12° 39'·52E.

55° 42'·53N., 12° 39'·37E.

II

3337 POLAND - Foul.

Source: Polish Notice 22/255/26

Chart 2636 [*previous update 3274/26*] WGS84 DATUM

Insert *# (94)*

54° 31'·730N., 18° 33'·622E.

II

3375 SWEDEN - East Coast - NM Block.

Source: Swedish Notice 1123/20174/26

Chart 811 (INT 1239) [*previous update 3042/26*] WGS84 DATUM

Insert the accompanying block, centred on:

59° 20'·6N., 18° 07'·8E.

II

3395 RUSSIA - Baltic Sea Coast - Wreck.

Source: Russian Notice 25/2339/26

Chart 2364 [*previous update 2317/26*] WGS84 DATUM

Insert	outline of wreck which covers and uncovers, pecked line, length 97m, width 15m, orientated 021°/201° (bows NE), <i>Wk</i> , centred on:	59° 55′·520N., 30° 16′·065E.
--------	---	------------------------------

II

3404* GERMANY - Baltic Coast - Wreck.

Source: WSA Ostsee 182/26

Chart DE 28 (INT 13601) [*previous update 5310/25*] WGS84 DATUM

Insert



54° 40′·83N., 10° 04′·59E.

Chart DE 32 (INT 13590) [*previous update 3170/25*] WGS84 DATUM

Insert



54° 40′·83N., 10° 04′·59E.

II

3417* DENMARK - Islands - Light. Leading line. Legend.

Source: DK DMA 25/534/26

Chart DE 31 (INT 1357) [*previous update 3164/26*] WGS84 DATUM

Insert

★ Iso.2s32m7M

(a) 54° 38′·73N., 11° 23′·24E.

leading line, pecked line for 1586m then firm line for 3420m,
extending in direction 205·7°, from:

(a) above

legend, 025,7°- 205,7°, seaward end of:

(a) above

II

3310 NETHERLANDS - Depths. Drying height.

Source: Netherlands Notice 26/136/26

Chart 110 (INT 1473) [*previous update 2710/26*] WGS84 DATUM

Insert	depth, 2 ₆	(a)	51° 34'·42N., 3° 27'·96E.
Delete	depth, 3 ₂ , close W of:	(a)	above
Insert	depth, 2 ₄	(b)	51° 35'·29N., 3° 31'·05E.
Delete	depth, 3 ₄ , close NW of:	(b)	above
Insert	drying height, 0 ₂ , enclosed by 0m low water line and extend 2m contour NE to enclose		51° 37'·51N., 3° 37'·33E.

Chart 116 (INT 1477) [*previous update 2311/26*] WGS84 DATUM

Insert	depth, 2 ₆		51° 34'·42N., 3° 27'·96E.
	depth, 2 ₄		51° 35'·29N., 3° 31'·05E.
	depth, 7 ₄	(a)	51° 35'·93N., 3° 38'·29E.
Delete	depth, 8 ₈ , close NW of:	(a)	above

II

3388* GERMANY - North Sea Coast - Buoy.

Source: WSA Ems-Nordsee 168/26

Chart DE 90 (INT 1461) [*previous update 3237/26*] WGS84 DATUM

Insert



53° 35′·97N., 6° 49′·30E.

II

3393* GERMANY - North Sea Coast - Depth.

Source: WSA Weser-Jade-Nordsee, Survey LP30985/26

Chart DE 2 (INT 1456) [*previous update 3017/26*] WGS84 DATUM

Insert depth, 59, and extend 10m contour NE to enclose

53° 49'·95N., 7° 52'·46E.

II

3323 SPAIN - South West Coast - Buoyage.

Source: Spanish Notice 24/135/26

Chart 73 (INT 1901) [*previous update 2452/26*] WGS84 DATUM

Delete

$\frac{L^X}{Y}$ Fl.Y.5s

37° 07'·90N., 6° 50'·92W.

37° 07'·76N., 6° 50'·71W.

II

3341 SPAIN - West Coast - Light.

Source: Spanish Notice 24/134/26

Chart 1731 (INT 1858) [*previous update 2072/26*] WGS84 DATUM

Amend light to, Fl(2)G.7s8m1M(sync)

42° 14'·069N., 8° 44'·481W.

II

3350 FRANCE - North Coast - Legend. Light.

Source: French Notice 23/38/26

Chart 1114 [*previous update 5144/25*] WGS84 DATUM

Amend legend, W.10M, centred on: 49° 41'·50N., 1° 31'·94W.

Chart 2613 (INT 1705) [*previous update 3201/26*] WGS84 DATUM

Amend range of light to, 10/7M 49° 41'·22N., 1° 28'·32W.

Chart 2669 [*previous update 557/26*] WGS84 DATUM

Amend range of light to, 10/7M 49° 41'·17N., 1° 28'·38W.

II

3402 **SPAIN - North Coast - NM Block.**

Source: Spanish Notice 19/111/26

Chart 4744 [*previous update 4113/25*] WGS84 DATUM

Insert the accompanying block, centred on:

43° 42'·1N., 7° 26'·4W.

II

3387 NORTH ATLANTIC OCEAN - Islas Canarias - Maritime limit. Legend. Buoy.

Source: Spanish Notice 24/136/26

Chart 1863 (Panel B, Puerto del Rosario) [*previous update 5070/25*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a)	28° 29′·568N., 13° 51′·214W.
		(b)	28° 29′·574N., 13° 51′·147W.
		(c)	28° 29′·324N., 13° 51′·120W.
		(d)	28° 29′·325N., 13° 51′·186W.
		(e)	28° 29′·436N., 13° 51′·204W.
		(f)	28° 29′·435N., 13° 51′·226W.
		(g)	28° 29′·503N., 13° 51′·233W.
	legend, Works in progress (2026), within:	(a)-(g) above	
	 <i>Q.G.Is</i>		28° 29′·310N., 13° 51′·130W.

II

3284 ITALY - East Coast - Buoy. Restricted area.

Source: Italian Notice 9.19/26

Note: Former Notice 3930(T)/25 is cancelled.

Chart 1545 [*previous update 2223/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

(a) 40° 39'·200N., 17° 59'·616E.

circular limit of restricted area, entry prohibited, radius 50m,
centred on:

(a) above

II

3286 ITALY - East Coast - Wreck.

Source: Italian Notice 9.18/26

Chart 140 (Panel C, Gallipoli) [*previous update 1645/26*] WGS84 DATUM

Insert



40° 03'·422N., 17° 58'·638E.

II

3305 ITALY - South Coast - Radar beacon.

Source: Italian Notice 9.16/26

Chart 1417 [*previous update 5323/25*] WGS84 DATUM

Insert radar beacon, Racon(U), at wind turbine

40° 28'·94N., 17° 07'·75E.

II

3313 GREECE - Aegean Sea Coast - Seaplane operating area. Note.

Source: Greek Notice 4/75/26

Chart 1085 [*previous update 919/26*] WGS84 DATUM

Insert	symbol, seaplane operating area, centred on:	40° 24'·2N., 23° 54'·4E.
	the accompanying note, SEAPLANES, centred on:	38° 00'·3N., 22° 38'·9E.

Chart 1086 [*previous update 1552/26*] WGS84 DATUM

Insert	symbol, seaplane operating area, centred on:	40° 24'·2N., 23° 54'·3E.
	the accompanying note, SEAPLANES, centred on:	39° 34'·2N., 26° 34'·6E.

II

3321 FRANCE - South Coast - Wind farm. Superbuoy. Legend.

Source: French Notice 16/84/26

Chart 1705 [*previous update 3283/26*] WGS84 DATUM

Insert symbol, wind farm

42° 51'·2N., 3° 16'·7E.

(a) 43° 01'·3N., 3° 19'·9E.

Delete  Fl(2+1)Y.10s EMD-R, close NW of:

(a) above

legend, Works in progress (2024), centred on:

42° 50'·9N., 3° 16'·9E.

II

3324 ITALY - Sardegna - Buoy. Superbuoy.

Source: Italian Notice 9.4/26

Chart 166 [*previous update 3061/26*] WGS84 DATUM

Delete

 Fl(5)Y ODAS

40° 12'·1N., 7° 56'·6E.

Chart 1985 [*previous update New Edition 12/03/2026*] WGS84 DATUM

Delete

 Fl(5)Y.20s ODAS

40° 12'·1N., 7° 56'·6E.

II

3332 ITALY - West Coast - Legends. Dolphins. Lights.

Source: Italian Notice 9.2/26

Chart 350 (Panel, Savona and Vado) [*previous update 2758/26*] WGS84 DATUM

Amend	legend, Y Lt, centred on:	44° 16′·433N., 8° 27′·045E.
	legend, Y Lts, centred on:	44° 16′·394N., 8° 26′·982E.
Replace	☐ with 	44° 16′·435N., 8° 27′·007E.
		44° 16′·408N., 8° 26′·958E.
		44° 16′·402N., 8° 26′·939E.
		44° 16′·394N., 8° 26′·919E.
		44° 16′·380N., 8° 26′·870E.

II

3345 UKRAINE - Legend. NM Blocks. Dredged depths.

Source: Ukrainian Notices 15/203-204/26 and 16/216/26 and ENC UA5ECF57

Chart 2200 [*previous update 5091/25*] WGS84 DATUM

Amend	dredged depth to, <i>10·3m (2025)</i> , centred on:	46° 34'·81N., 31° 25'·89E.
		46° 35'·36N., 31° 30'·28E.
		46° 35'·57N., 31° 41'·60E.
		46° 36'·85N., 31° 51'·51E.
		46° 38'·29N., 31° 54'·72E.

Chart 2201 [*previous update 5091/25*] WGS84 DATUM

Amend	dredged depth to, <i>10·3m (2025)</i> , centred on:	46° 38'·16N., 31° 54'·56E.
-------	---	----------------------------

Chart 2203 (Panel B, Stevedoring Company Olviia) [*previous update New Edition 04/12/2025*] WGS84 DATUM

Amend	legend to, <i>Dredged to 10·0m (2025)</i> , centred on:	46° 51'·315N., 31° 57'·807E.
-------	---	------------------------------

Chart 2203 (Panel C, Mykolayiv) [*previous update New Edition 04/12/2025*] WGS84 DATUM

Insert	the accompanying block A, centred on:	46° 56'·1N., 32° 00'·7E.
--------	---------------------------------------	--------------------------

Chart 2203 [*previous update New Edition 04/12/2025*] WGS84 DATUM

Insert	the accompanying block B, centred on:	46° 39'·1N., 32° 03'·3E.
--------	---------------------------------------	--------------------------

Chart 2205 [*previous update 1351/26*] WGS84 DATUM

Amend	dredged depth to, <i>10·3m (2025)</i> , centred on:	46° 34'·47N., 31° 24'·33E.
-------	---	----------------------------

Chart 2212 [*previous update 5807/25*] WGS84 DATUM

Amend	dredged depth to, <i>10·3m (2025)</i> , centred on:	46° 35'·05N., 31° 27'·16E.
-------	---	----------------------------

II

3346 TÜRKIYE - West Coast - Note. Legend. Obstructions.

Source: Turkish Notice 17/108/26

Chart 1618 (Panel A, Aliğa) [*previous update 2899/26*] WGS84 DATUM

Insert	limit of artificial reef, dotted line, joining:	38° 50'·30N., 26° 57'·72E. 38° 50'·31N., 26° 57'·74E. 38° 50'·14N., 26° 57'·68E. 38° 50'·14N., 26° 57'·66E. and 38° 49'·69N., 26° 58'·02E. 38° 49'·67N., 26° 58'·09E. 38° 49'·66N., 26° 58'·05E. 38° 49'·68N., 26° 57'·98E. and 38° 49'·67N., 26° 58'·68E. 38° 49'·65N., 26° 58'·75E. 38° 49'·63N., 26° 58'·75E. 38° 49'·65N., 26° 58'·67E.
	legend <i>Artificial Reefs</i> (see Note), orientated NW/SE, centred on:	38° 49'·8N., 26° 57'·7E.
	the accompanying note, ARTIFICIAL REEFS, centred on:	38° 48'·8N., 26° 54'·5E.

II

3352 FRANCE - South Coast - Anchorage area. Berths.

Source: French Notice 22/87/26

Chart 155 (INT 3192) [*previous update 2117/26*] WGS84 DATUM

Insert	8	43° 25'·51N., 4° 56'·02E.
	berth number, SOL2	43° 25'·68N., 4° 53'·33E.
	berth number, SOLB	43° 25'·56N., 4° 52'·69E.
	berth number, GNL2	(a) 43° 24'·82N., 4° 53'·87E.
Delete	berth number, 4, close NE of:	(a) above
Replace	berth number, 805 with berth number, 5	43° 24'·57N., 4° 53'·49E.
	berth number, 821 with berth number, SOL1	43° 25'·76N., 4° 53'·54E.
	berth number, 823 with berth number, SOL3	43° 25'·65N., 4° 53'·22E.
	berth number, 821A with berth number, SOLF	43° 25'·56N., 4° 53'·18E.
	berth number, 859A with berth number, 859	43° 25'·76N., 4° 49'·83E.
	berth number, 859 with berth number, 860	43° 25'·72N., 4° 49'·66E.

II

3355 CROATIA - Outfall. Lights. Submarine pipeline.

Source: ENC HR3C0026

Chart 2712 [*previous update 3206/26*] WGS84 DATUM

Insert	outfall,  , joining:	43° 15'·56N., 16° 39'·10E. 43° 15'·18N., 16° 39'·14E. 43° 15'·09N., 16° 39'·14E. 43° 15'·00N., 16° 39'·17E. 43° 14'·96N., 16° 39'·29E. 43° 14'·96N., 16° 39'·29E. 43° 15'·65N., 16° 39'·46E.
Amend	light to, Fl.R.5s6m3M & Fl.G.3s7m3M	
Delete	★ Fl(2)R.5s6m3M	43° 15'·64N., 16° 39'·32E.
	submarine pipeline,  , joining:	43° 15'·55N., 16° 39'·09E. 43° 15'·38N., 16° 38'·97E.

II

3358 ITALY - Sardegna - Depths.

Source: Italian Notice 9.9/26

Chart 167 (INT 305) [*previous update 3082/26*] WGS84 DATUM

Replace	depth, 770, with depth, 643	40° 30'·9N., 10° 16'·1E.
---------	-----------------------------	--------------------------

Chart 1976 [*previous update 3082/26*] WGS84 DATUM

Replace	depth, 499, with depth, 438	38° 41'·2N., 12° 48'·8E.
---------	-----------------------------	--------------------------

Chart 1983 [*previous update 1992/26*] WGS84 DATUM

Insert	depth, 138, and extend 200m contour NE to enclose	38° 26'·2N., 11° 35'·3E.
--------	---	--------------------------

Replace	depth, 499, with depth, 438	38° 41'·2N., 12° 48'·8E.
---------	-----------------------------	--------------------------

Chart 1992 [*previous update 1245/26*] WGS84 DATUM

Insert	depth, 681, and extend 1000m contour SE to enclose	40° 36'·7N., 10° 16'·6E.
--------	--	--------------------------

Replace	depth, 855, with depth, 724	40° 38'·0N., 10° 16'·7E.
---------	-----------------------------	--------------------------

	depth, 565, with depth, 270	40° 41'·4N., 10° 17'·7E.
--	-----------------------------	--------------------------

	depth, 770, with depth, 643	40° 30'·9N., 10° 16'·1E.
--	-----------------------------	--------------------------

	depth, 955, with depth, 830	40° 19'·2N., 10° 18'·4E.
--	-----------------------------	--------------------------

II

3373 SPAIN - Mediterranean Sea Coast - NM Block.

Source: Spanish Notice 17/100/26

Chart 1194 (INT 3165) [*previous update 1352/26*] WGS84 DATUM

Insert the accompanying block, centred on:

37° 35′·9N., 0° 59′·4W.

II

3413 TÜRKIYE - West Coast - Lights.

Source: Turkish Notice 21-22/130/26

Chart 1522 (INT 3785) [*previous update 3251/26*] WGS84 DATUM

Amend	light to, Fl(3)R.8s7m3M	38° 24'·41N., 27° 04'·17E.
	light to, Fl(3)G.8s7m3M	38° 24'·39N., 27° 04'·14E.

II

3344 GUINEA - Legend.

Source: French Notice 22/165/26

Chart 601 [*previous update 979/26*] WGS84 DATUM

Insert legend, *Buoyed Channel*, orientated SW/NE, centred on: 9° 22'·2N., 13° 31'·6W.

Chart 612 [*previous update 2264/25*] UNDETERMINED DATUM

Insert legend, *Buoyed Channel*, orientated SW/NE, centred on: 9° 22'·2N., 13° 31'·6W.

II

3396 TANZANIA - Depths.

Source: Indian Chart 2693

Note: Former Notice 705(P)/26 is cancelled.

Chart 3310 (INT 7690) [*previous update 2699/26*] WGS84 DATUM

Insert	depth, <i>15g</i> , enclosed by 20m contour	5° 02′·1S., 39° 10′·4E.
	depth, <i>21</i>	(a) 5° 03′·6S., 39° 10′·6E.
Delete	depth, <i>27</i> , close S of:	(a) above

Chart 3361 (INT 7700) [*previous update 2972/26*] WGS84 DATUM

Insert	depth, <i>15g</i> , enclosed by 20m contour	5° 02′·1S., 39° 10′·4E.
	depth, <i>21</i>	(a) 5° 03′·6S., 39° 10′·6E.
Delete	depth, <i>27</i> , close S of:	(a) above

II

3318 IRAN - Marine farms.

Source: ENC's IR403034, IR403026 and IR303074

Chart 2847 (INT 7018) [*previous update 3224/26*] WGS84 DATUM

Insert



28° 27'·4N., 50° 54'·1E.

Chart 2883 (INT 7260) [*previous update 2696/26*] WGS84 DATUM

Insert



28° 27'·4N., 50° 54'·1E.

28° 30'·7N., 50° 56'·0E.

28° 27'·4N., 51° 00'·9E.

28° 28'·5N., 51° 02'·9E.

28° 29'·9N., 51° 03'·2E.

28° 32'·9N., 51° 01'·7E.



28° 31'·6N., 51° 02'·4E.

28° 34'·2N., 50° 59'·5E.

Chart 2884 (INT 7278) [*previous update 3156/26*] WGS84 DATUM

Insert



28° 27'·4N., 50° 54'·9E.

28° 30'·7N., 50° 56'·0E.

28° 27'·4N., 51° 00'·9E.

28° 28'·5N., 51° 02'·9E.

28° 29'·9N., 51° 03'·2E.

28° 32'·9N., 51° 01'·7E.

28° 36'·2N., 50° 59'·3E.

28° 37'·9N., 50° 58'·8E.



28° 31'·6N., 51° 02'·4E.

28° 34'·2N., 50° 59'·5E.

II

3354* QATAR - Legends. Harbour limit.

Source: QatarEnergy

Chart 3787 (INT 7245) [previous update 3224/26] WGS84 DATUM

Insert	legend, <i>Mesaieed Port Limit</i> , centred on:	24° 58'·96N., 51° 41'·49E.
	legend, <i>Mesaieed Port Limit</i> , orientated N/S centred on:	25° 05'·51N., 51° 43'·05E.
		25° 00'·87N., 51° 43'·04E.
Delete	harbour limit, pecked line, and associated legends, <i>Mesaieed Port Limit</i> , joining:	25° 10'·00N., 51° 39'·98E.
		25° 00'·01N., 51° 39'·98E.
		25° 00'·01N., 51° 37'·32E.

Chart 3789 [previous update 3224/26] WGS84 DATUM

Insert	legend, <i>Mesaieed Port Limit</i> , orientated N/S centred on:	25° 05'·55N., 51° 43'·03E.
		25° 00'·85N., 51° 43'·04E.
	legend, <i>Mesaieed Port Limit</i> , centred on:	24° 58'·97N., 51° 41'·07E.
Delete	harbour limit, pecked line, and associated legends, <i>Mesaieed Port Limit</i> , joining:	25° 10'·00N., 51° 40'·01E.
		25° 00'·00N., 51° 40'·01E.
		25° 00'·00N., 51° 37'·31E.

II

3381 OMAN - Wreck.

Source: Omani Notice 4/10/26

Chart 2837 (INT 7017) [*previous update 3224/26*] WGS84 DATUM

Insert ++

26° 27'·6N., 56° 25'·4E.

Chart 2851 [*previous update 1753/26*] WGS84 DATUM

Insert ++

26° 27'·6N., 56° 25'·4E.

Chart 2888 (INT 7199) [*previous update 2961/26*] WGS84 DATUM

Insert ++

26° 27'·6N., 56° 25'·4E.

Chart 3172 [*previous update 5000/24*] WGS84 DATUM

Insert ++

26° 27'·56N., 56° 25'·38E.

II

3295 INDIA - West Coast - Wrecks.

Source: Indian Notice 2/36/26

Note: Former Notices 4674(T)/25 and 558(T)/26 are cancelled.

Chart IN 22 (INT 752) [*previous update 3024/26*] WGS84 DATUM

Insert



18° 51'·0N., 72° 47'·0E.



9° 18'·8N., 76° 08'·0E.

Chart IN 32 (INT 754) [*previous update 3088/26*] WGS84 DATUM

Insert



9° 18'·8N., 76° 08'·0E.

Chart IN 210 [*previous update 3152/26*] WGS84 DATUM

Insert



19° 57'·50N., 72° 35'·40E.

Chart IN 211 [*previous update 1347/26*] WGS84 DATUM

Insert



18° 51'·00N., 72° 47'·00E.

Chart IN 221 [*previous update 1256/26*] WGS84 DATUM

Insert



9° 18'·84N., 76° 07'·96E.

Chart IN 254 (INT 7331) [*previous update 5653/24*] WGS84 DATUM

Insert



19° 57'·5N., 72° 35'·4E.

Chart IN 255 (INT 7334) [*previous update 3152/26*] WGS84 DATUM

Insert



18° 51'·0N., 72° 47'·0E.

Chart IN 260 (INT 7362) [*previous update 2050/26*] WGS84 DATUM

Insert



9° 18'·8N., 76° 08'·0E.

Chart IN 292 (INT 7021) [*previous update 3152/26*] WGS84 DATUM

Insert



19° 57'·5N., 72° 35'·4E.

18° 51'·0N., 72° 47'·0E.

Chart IN 293 (INT 7022) [*previous update 1123/26*] WGS84 DATUM

Insert



18° 51'·0N., 72° 47'·0E.

Chart IN 2016 (INT 7336) [*previous update 1612/26*] WGS84 DATUM

Insert



18° 51'·00N., 72° 47'·00E.

Chart 4703 (INT 703) [*previous update 4615/25*] WGS84 DATUM

Insert



9° 18'·8N., 76° 08'·0E.

II

3295 INDIA - West Coast - Wrecks. (continued)

Chart 4706 (INT 706) [*previous update 2956/26*] WGS84 DATUM

Insert



9° 18'·8N., 76° 08'·0E.

II

3319 BANGLADESH - Buoyage.

Source: BNHOC Notice 3/26

Chart 90 [*previous update 3167/26*] WGS84 DATUM

Move

 *B-9*, from:

21° 36′·0N., 89° 29′·5E.

to:

21° 36′·3N., 89° 27′·9E.

 *B-11*, from:

21° 38′·4N., 89° 28′·3E.

to:

21° 38′·0N., 89° 27′·9E.

II

3367 PAKISTAN - Submarine cable.

Source: Pakistani Notice 17/71/26

Chart 38 (INT 7019) [*previous update 3268/26*] WGS84 DATUM

Insert submarine cable, , joining:

24° 47'·0N., 67° 03'·0E.
24° 37'·0N., 66° 56'·9E.
24° 35'·9N., 66° 54'·4E.
24° 34'·6N., 66° 46'·3E.
24° 28'·7N., 66° 30'·8E.
24° 26'·3N., 66° 27'·7E.
24° 26'·0N., 66° 21'·4E.
24° 24'·5N., 66° 17'·6E.
24° 23'·1N., 66° 15'·7E.
24° 15'·7N., 65° 55'·8E.

Chart 39 [*previous update 3268/26*] INDIAN DATUM

Insert submarine cable, , joining:

24° 47'·0N., 67° 03'·0E.
24° 37'·2N., 66° 57'·2E.
24° 35'·9N., 66° 54'·4E.
24° 34'·6N., 66° 46'·3E.
24° 28'·7N., 66° 30'·8E.
24° 26'·3N., 66° 27'·7E.
24° 26'·0N., 66° 21'·4E.
24° 24'·5N., 66° 17'·6E.
24° 23'·1N., 66° 15'·7E.
24° 20'·5N., 66° 08'·5E.

Chart 58 (INT 7314) [*previous update 3268/26*] WGS84 DATUM

Insert submarine cable, , joining:

24° 46'·93N., 67° 02'·95E.
24° 40'·93N., 66° 59'·56E.
24° 37'·84N., 66° 57'·57E.
24° 37'·15N., 66° 56'·88E.
24° 36'·18N., 66° 55'·23E.
24° 35'·93N., 66° 54'·44E.
24° 34'·56N., 66° 46'·34E.
24° 33'·10N., 66° 42'·45E.
24° 32'·88N., 66° 41'·32E.
24° 32'·50N., 66° 40'·27E.
24° 31'·91N., 66° 39'·23E.
24° 30'·00N., 66° 34'·20E.

II

3367 PAKISTAN - Submarine cable. (continued)

Chart 707 [*previous update 3268/26*] WGS84 DATUM

Insert submarine cable, , joining:

24° 47'·0N., 67° 03'·0E.
24° 37'·0N., 66° 56'·9E.
24° 35'·9N., 66° 54'·4E.
24° 34'·6N., 66° 46'·3E.
24° 28'·7N., 66° 30'·8E.
24° 26'·3N., 66° 27'·7E.
24° 26'·0N., 66° 21'·4E.
24° 24'·5N., 66° 17'·6E.
24° 23'·1N., 66° 15'·7E.
24° 15'·4N., 65° 54'·9E.
24° 14'·4N., 65° 50'·8E.

II

3368 INDIA - East Coast - Berths. Coastline. Legends.

Source: Indian Notice 9/79/26

Chart IN 3010 (INT 7418) (Panel, Pārādip Port) [*previous update New Edition 31/05/2025*] WGS84 DATUM

Insert	berth number, 3	20° 16'·46N., 86° 40'·66E.
	berth number, 2	20° 16'·30N., 86° 40'·57E.
Replace	coastline, pecked line, with coastline, single firm line, joining:	20° 16'·53N., 86° 40'·73E.
		20° 16'·18N., 86° 40'·54E.
		and
		20° 16'·47N., 86° 40'·87E.
Delete	legend, Being reclaimed (2024), centred on:	20° 16'·21N., 86° 40'·73E.
		20° 16'·34N., 86° 40'·68E.

Chart IN 3010 (INT 7418) (Panel, Pārādip Anchorage) [*previous update New Edition 31/05/2025*] WGS84 DATUM

Replace	coastline, pecked line, with coastline, single firm line, joining:	20° 16'·53N., 86° 40'·73E.
		20° 16'·18N., 86° 40'·54E.
		and
		20° 16'·47N., 86° 40'·87E.
Delete	legend, Being reclaimed, centred on:	20° 16'·21N., 86° 40'·73E.
		20° 16'·34N., 86° 40'·67E.

II

3408 INDIA - East Coast - Light. Wreck.

Source: Indian Notice 10/84/26

Chart 318 (INT 7405) [*previous update 2757/25*] WGS84 DATUM

Move	★ Fl(4)20s30m12M from:	16° 29′·6N., 82° 06′·8E.
	to:	16° 28′·9N., 82° 05′·8E.
Delete	++	16° 20′·4N., 82° 11′·4E.

II

3403 INDONESIA - Sumatera - Hulk. Legend. Depths. Pile. Buoy.

Source: ENC's ID400019 and ID5019R1

Chart 3584 (Panel B, Belawan) [*previous update 3010/26*] WGS84 DATUM

Delete hulk and associated legend, *Floating power ship*, centred on: 3° 46'·538N., 98° 40'·180E.

Chart 3584 (Panel C, Approaches to Belawan) [*previous update 3010/26*] WGS84 DATUM

Insert depth, 175, and extend 20m contour NE to enclose 3° 55'·19N., 98° 44'·12E.

depth, 9 3° 53'·56N., 98° 45'·20E.

• Post (ru) 3° 48'·82N., 98° 43'·88E.

Amend No 4 light-buoy to, *Fl.R.4s* 3° 51'·53N., 98° 44'·68E.

Chart 3921 [*previous update 1372/25*] WGS84 DATUM

Insert depth, 9 (a) 3° 53'·56N., 98° 45'·20E.

Delete depth, 94, close SW of: (a) above

II

3296 CHINA - South Coast - Buoy.

Source: Chinese Notice 17/434/26

Chart 1369 [*previous update 2394/26*] CGCS 2000 DATUM

Delete



Mo(O)Y.12s Shigong No 1

22° 39′·56N., 114° 59′·86E.

Chart 3026 [*previous update 3008/26*] WGS84 DATUM

Delete



Mo(O)Y.12s Shigong No 1

22° 39′·56N., 114° 59′·86E.

II

3297 CHINA - South Coast - Lights.

Source: Chinese Notice 17/443/26

Chart 3351 [*previous update 263/26*] CGCS 2000 DATUM

Amend light to, Fl.R.5s4m4M

20° 57'·24N., 110° 35'·90E.

Delete ★ Q.12m4M

20° 52'·18N., 110° 36'·08E.

II

3304 CHINA - South Coast - Buoyage.

Source: Chinese Notice 14/348/26

Chart 347 [*previous update 2597/26*] CGCS 2000 DATUM

Insert



Fl.G.4s No 95

23° 06′·83N., 113° 13′·32E.

Delete



Fl.G.4s S3

23° 07′·16N., 113° 13′·35E.



Fl.R.4s S4

23° 07′·11N., 113° 13′·31E.



Fl.G.4s S1

23° 06′·80N., 113° 13′·48E.



Fl(2+1)R.9s S2

23° 06′·78N., 113° 13′·41E.

II

3311 SOUTH CHINA SEA - Wrecks.

Source: ENC ID300423

Chart 2435 [*previous update 947/26*] WGS84 DATUM

Insert



3° 25′·10N., 106° 22′·77E.

3° 01′·09N., 106° 16′·36E.

Chart 2869 [*previous update 3271/26*] WGS84 DATUM

Insert



3° 25′·1N., 106° 22′·8E.

3° 01′·1N., 106° 16′·4E.

II

3316 TAIWAN - Buoy.

Source: UKHO

Note: This update is included in New Edition 2409, published mid 2026.

Chart 3231 [*previous update 3100/26*] WGS84 DATUM

Insert

 *Fl.Y.4s NCKU*

23° 40′·27N., 120° 03′·57E.

II

3335 CHINA - South Coast - Buoy.

Source: Chinese Notice 17/435/26

Chart 1962 [*previous update 3008/26*] WGS84 DATUM

Insert

 *Mo(O)Y.12s*

22° 38′·7N., 116° 26′·6E.

II

3348 CHINA - South Coast - Buoyage. Fog signals. Lights. Radar beacon. Pier.

Source: Chinese Notice 16/406/26 & UKHO

Chart 3890 [*previous update 3250/26*] CGCS 2000 DATUM

Insert	pier, single firm line, joining:	20° 30'·48N., 109° 49'·75E. 20° 29'·92N., 109° 48'·69E. 20° 30'·09N., 109° 48'·53E.
	★ Mo(U)15s9m5M	(a) 20° 29'·55N., 109° 48'·41E.
	radar beacon, Racon(C), at light	(a) above
	fog signal, Siren Mo(U)30s, at light	(a) above

Chart 3892 [*previous update 3250/26*] CGCS 2000 DATUM

Insert	★ Mo(U)15s10M	(a) 20° 33'·1N., 109° 37'·0E. (b) 20° 33'·0N., 109° 38'·2E. (c) 20° 29'·2N., 109° 38'·3E.
	fog signal, Siren Mo(U)30s, at light	(a) above (b) above (c) above
	 Mo(C)Y.12s No 2	20° 31'·3N., 109° 40'·0E.
	 Mo(C)Y.12s No 1	20° 30'·5N., 109° 41'·9E.
	★ Mo(U)15s5M	(d) 20° 29'·6N., 109° 48'·4E.
	radar beacon, Racon(C), at light	(d) above
	fog signal, Siren Mo(U)30s, at light	(d) above

II

3349 SOUTH CHINA SEA - NM Blocks.

Source: Malaysian Charts 761, 765, 773 and UKHO

Note: This update is included in New Edition 3483, published mid 2026.

Chart 3482 (INT 550) [*previous update New Edition 23/04/2026*] WGS84 DATUM

Insert the accompanying block, centred on: 5° 57'·2N., 111° 16'·4E.

Chart 4508 (INT 508) [*previous update 3290/26*] WGS84 DATUM

Insert the accompanying block, centred on: 6° 08'·3N., 111° 26'·7E.

II

3361 CHINA - East Coast - Obstruction. Wrecks.

Source: Chinese Notices 17/423/26 and 17/426/26

Chart 1134 [*previous update 3226/26*] CGCS 2000 DATUM

Insert	 Wk	(a) 30° 41'·32N., 122° 29'·66E.
Delete	 Wk, close NE of:	(a) above
Insert	 Wk	(b) 30° 36'·60N., 122° 24'·74E.
Delete	 Wk, close N of:	(b) above
Replace	 Wk with  Wk	30° 39'·30N., 122° 36'·86E.
Delete	 Wk	30° 34'·86N., 122° 25'·35E.

Chart 1199 [*previous update New Edition 28/05/2026*] CGCS 2000 DATUM

Replace	 Wk with  Wk	30° 39'·3N., 122° 36'·9E.
	 Wk with  Wk	30° 36'·5N., 122° 24'·8E.
Delete	 Wk	30° 34'·8N., 122° 25'·4E.

Chart 1306 [*previous update New Edition 25/06/2026*] CGCS 2000 DATUM

Insert	 Wk	(a) 30° 41'·32N., 122° 29'·66E.
Delete	 Obstrn, close NE of:	(a) above
Replace	 Wk with  Wk	30° 39'·29N., 122° 36'·91E.
	 Wk with  Wk	30° 36'·62N., 122° 24'·73E.
Delete	 Wk	30° 34'·85N., 122° 25'·39E.

II

3364 CHINA - South Coast - Buoyage. Light-beacons.

Source: Chinese Notices 17/438-439/26

Chart 3363 [*previous update 311/26*] CGCS 2000 DATUM

Delete	symbol, red light-beacon with triangular topmark, apex downwards, Fl.R.3s60m3M	21° 10′·40N., 110° 24′·51E.
	 Fl.R.3s57m3M	21° 10′·40N., 110° 24′·53E.

Chart 3364 [*previous update 3514/25*] CGCS 2000 DATUM

Delete	 Fl.R.4s TS4	21° 19′·54N., 110° 24′·87E.
	 Fl.G.4s TS3	21° 19′·53N., 110° 24′·92E.
	 Fl.G.4s TS1	21° 19′·34N., 110° 24′·92E.
	 Fl.R.4s TS2	21° 19′·34N., 110° 24′·87E.
	symbol, light-beacon with triangular topmark, apex downwards, Fl.R.3s60m3M	21° 10′·40N., 110° 24′·51E.
	 Fl.R.3s57m3M	21° 10′·39N., 110° 24′·54E.

II

3370 CHINA - East Coast - Vertical clearance.

Source: Chinese Notice 17/430/26

Chart 1126 [*previous update 3098/26*] CGCS 2000 DATUM

Insert symbol, vertical clearance 35m 29° 54'·72N., 121° 55'·51E.

Chart 1304 [*previous update 2952/26*] CGCS 2000 DATUM

Insert symbol, vertical clearance 35m 29° 54'·73N., 121° 55'·51E.

Chart 1592 [*previous update 2952/26*] WGS84 DATUM

Insert symbol, vertical clearance 35m 29° 54'·70N., 121° 55'·62E.

II

3371 TAIWAN - Buoyage. Legend. Wreck.
Source: UKHO

Chart 3658 (Panel, Taipei Port) [*previous update 2784/26*] WGS84 DATUM

Insert	 <i>Wk</i>	25° 09'·35N., 121° 20'·61E.
Amend	legend to, Work in progress (2026) (marked by light-buoys and light-beacons), centred on:	25° 09'·68N., 121° 21'·53E.
Delete	 <i>Fl.Y.3s No 7</i>	25° 09'·25N., 121° 20'·86E.
	 <i>Fl.R.4s</i>	25° 09'·04N., 121° 21'·11E.

II

3374 CHINA - South Coast - Bridge. Legend. Vertical clearance.
Source: UKHO

Chart 1568 [*previous update 2944/26*] CGCS 2000 DATUM

Insert	bridge, single firm line, joining:	22° 00'·58N., 112° 59'·45E. 21° 59'·96N., 113° 02'·16E. 21° 59'·93N., 113° 02'·67E. 21° 59'·96N., 113° 03'·23E. (a) 22° 00'·10N., 113° 03'·99E. (b) 22° 00'·85N., 113° 06'·39E. 22° 01'·05N., 113° 06'·86E. 22° 01'·50N., 113° 07'·74E.
	symbol, vertical clearance, 64m, close N of:	(a)-(b) above
Delete	legend, Bridge under construction (2021), centred on:	22° 00'·26N., 113° 04'·16E.

II

3398 CHINA - South Coast - Buoyage.

Source: Chinese Notice 17/433/26

Chart 346 [*previous update 3072/26*] CGCS 2000 DATUM

Move  *Fl(2)G.6s No 8* from: 23° 05'·52N., 113° 24'·81E.
to: 23° 05'·45N., 113° 24'·80E.

Chart 347 [*previous update 3304/26*] CGCS 2000 DATUM

Insert  *Fl(2)R.6s No 9b* 23° 06'·02N., 113° 23'·91E.

Move  *Fl(2)R.6s No 9a* from: 23° 05'·86N., 113° 24'·19E.
to: 23° 05'·82N., 113° 24'·14E.

 *Fl(2)G.6s No 9* from: 23° 05'·81N., 113° 24'·39E.
to: 23° 05'·65N., 113° 24'·44E.

 *Fl(2)G.6s No 8* from: 23° 05'·52N., 113° 24'·81E.
to: 23° 05'·45N., 113° 24'·79E.

Delete  *Fl(2)R.6s No 8a* 23° 05'·49N., 113° 24'·73E.


II

3401 CHINA - South Coast - Buoy. Automatic Identification System. Obstructions.

Source: Hong Kong Notices 9/27-28/26

Chart 341 [previous update 3008/26] WGS84 DATUM

Insert




22° 21'·32N., 113° 53'·64E.
22° 20'·29N., 113° 53'·90E.
22° 19'·73N., 113° 52'·17E.
22° 18'·55N., 113° 52'·55E.
22° 17'·63N., 113° 52'·75E.
22° 17'·40N., 113° 51'·54E.

Chart 343 [previous update 2926/26] WGS84 DATUM

Insert




22° 21'·32N., 113° 53'·64E.
22° 20'·29N., 113° 53'·90E.
22° 18'·55N., 113° 52'·55E.
22° 17'·63N., 113° 52'·75E.
22° 17'·40N., 113° 51'·54E.



22° 19'·73N., 113° 52'·17E.

Chart 4119 [previous update 2041/26] WGS84 DATUM

Delete




Automatic Identification System, AIS, at light-buoy

(a) 22° 17'·253N., 114° 04'·879E.
(a) above

Chart 4121 [previous update 2619/26] WGS84 DATUM

Delete



Automatic Identification System, AIS, at light-buoy

(a) 22° 17'·253N., 114° 04'·879E.
(a) above


Chart 4122 [previous update 2400/26] WGS84 DATUM

Insert



22° 20'·159N., 113° 57'·832E.

Delete



Automatic Identification System, AIS, at light-buoy

(a) 22° 17'·253N., 114° 04'·879E.
(a) above

Chart 4123 [previous update 2400/26] WGS84 DATUM

Insert




22° 21'·315N., 113° 53'·637E.
22° 20'·650N., 113° 55'·465E.
22° 20'·289N., 113° 53'·898E.
22° 20'·159N., 113° 57'·832E.
22° 19'·728N., 113° 52'·174E.
22° 18'·546N., 113° 52'·552E.
22° 17'·631N., 113° 52'·748E.

II

3401 CHINA - South Coast - Buoy. Automatic Identification System. Obstructions. (continued)

Chart 4129 [*previous update 1606/26*] WGS84 DATUM

Insert



22° 19'·73N., 113° 52'·17E.

22° 18'·55N., 113° 52'·55E.

22° 17'·63N., 113° 52'·75E.

22° 17'·40N., 113° 51'·54E.

Delete



Fl(5)Y.20s A01

Automatic Identification System, *AIS*, at light-buoy

(a) 22° 17'·25N., 114° 04'·88E.

(a) above

II

3409 CHINA - East Coast - Buoy.

Source: Chinese Notice 18/471/26

Chart 1603 [*previous update New Edition 28/05/2026*] CGCS 2000 DATUM

Insert

 *Mo(O)Y.12s No 2*

31° 13′·61N., 121° 46′·47E.

II

3410 CHINA - East Coast - Virtual aids to navigation.

Source: Chinese Notice 18/473/26

Chart 1143 [*previous update 3048/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, special topmark, V-AIS	30° 46'·59N., 121° 46'·37E.
		30° 45'·63N., 121° 45'·73E.
		30° 44'·77N., 121° 47'·45E.
		30° 43'·78N., 121° 45'·68E.
		30° 43'·80N., 121° 46'·88E.

Chart 1303 [*previous update 2952/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, special topmark, V-AIS, out of position	30° 46'·59N., 121° 46'·37E.
	symbol, Virtual aid to navigation, special topmark, V-AIS	30° 45'·63N., 121° 45'·73E.
		30° 44'·77N., 121° 47'·45E.
		30° 43'·78N., 121° 45'·68E.
		30° 43'·80N., 121° 46'·88E.

II

3414 CHINA - East Coast - Wreck.

Source: Chinese Notice 19/507/26

Chart 1738 [*previous update 4602/25*] CGCS 2000 DATUM

Delete

 *Rep(2021)*

28° 52'·53N., 122° 08'·90E.

Chart 1759 [*previous update 3198/26*] CGCS 2000 DATUM

Delete

 *Rep(2021)*

28° 52'·5N., 122° 08'·9E.

II

3415 CHINA - South Coast - Buoy.
Source: UKHO

Chart 3026 [*previous update 3296/26*] WGS84 DATUM

Insert

 *Mo(O)Y.12s*

21° 52′·10N., 113° 56′·39E.

II

3376 JAPAN - Hokkaidō - Submarine cable.

Source: Japanese Notice 25/335/26

Chart JP 1030 [*previous update 2718/26*] WGS84 DATUM

Delete submarine cable, , joining:

42° 37′·80N., 141° 39′·10E.

42° 37′·05N., 141° 38′·87E.

42° 35′·45N., 141° 37′·37E.

Chart JP 1034 [*previous update 2838/26*] WGS84 DATUM

Delete submarine cable, , joining:

42° 37′·80N., 141° 39′·10E.

42° 37′·05N., 141° 38′·87E.

42° 35′·45N., 141° 37′·37E.

II

3377 JAPAN - Seto Naikai - Fish haven.

Source: Japanese Notice 25/336/26

Chart JP 106 [*previous update 2839/26*] WGS84 DATUM

Insert



34° 38′·23N., 134° 30′·28E.

II

3372 KOREA - West Coast - NM Block. Buoyage.

Source: Korean Notice 18/255/26

Chart 3365 (INT 5252) [*previous update New Edition 16/04/2026*] WGS84 DATUM

Insert	 <i>Fl(4)Y.8s A</i>	34° 33'·57N., 125° 48'·86E.
	 <i>Fl(4)Y.8s G</i>	34° 32'·83N., 125° 53'·93E.
	 <i>Fl(4)Y.8s D</i>	34° 32'·20N., 125° 50'·49E.
	 <i>Fl(4)Y.8s K</i>	34° 31'·44N., 125° 55'·31E.
	 <i>Fl(4)Y.8s V</i>	34° 30'·94N., 125° 49'·34E.
	 <i>Fl(4)Y.8s M</i>	34° 29'·40N., 125° 56'·02E.
	 <i>Fl(4)Y.8s S</i>	34° 28'·21N., 125° 50'·03E.

Chart 3928 [*previous update 2399/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	34° 31'·1N., 125° 52'·4E.
--------	-------------------------------------	---------------------------

II

3394 KOREA - West Coast - Lights.

Source: Korean Notice 19/264/26

Chart 1007 [*previous update New Edition 04/06/2026*] WGS84 DATUM

Insert

★ F.8m7M

(a) 34° 45′·078N., 126° 21′·850E.

Delete

★ F.10m6M, close E of:

(a) above

II

3400 KOREA - South Coast - Anchor berths. Buoyage.

Source: Korean Notice 19/261/26

Chart 1259 (Panel B, Busan) [*previous update 2611/26*] WGS84 DATUM

Insert	 <i>Fl(4)Y.8s No A</i>	35° 06′·56N., 129° 02′·97E.
	 <i>Fl(4)Y.8s No B</i>	35° 06′·35N., 129° 03′·07E.
	 <i>Fl(4)Y.8s No C</i>	35° 06′·33N., 129° 02′·85E.
Move	 E2, from:	35° 06′·39N., 129° 03′·18E.
	to:	35° 06′·37N., 129° 03′·22E.
Delete	 E1, centred on:	35° 06′·17N., 129° 02′·94E.

II

3407 KOREA - West Coast - Coastline. Legend.

Source: Korean Notice 19/268/26

Chart 1271 (Panel B, Pyeongtaek - Dangjin Hang) [*previous update 2949/26*] WGS84 DATUM

Insert	coastline, single firm line, joining:	(a) 36° 56'·81N., 126° 51'·21E. (b) 36° 56'·73N., 126° 51'·04E. (c) 36° 56'·69N., 126° 51'·07E. (d) 36° 56'·77N., 126° 51'·24E.
Delete	charted detail, within:	(a)-(d) above
Replace	pecked line, with coastline, single firm line, joining:	36° 56'·70N., 126° 51'·28E. 36° 56'·62N., 126° 51'·11E. 36° 56'·60N., 126° 51'·12E. 36° 56'·68N., 126° 51'·30E.
Delete	legend, Being reclaimed (2022), centred on:	36° 56'·72N., 126° 51'·42E.

II

3290 INDONESIA - Java Sea - Wreck.

Source: Indonesian Notice 10/70/26

Chart 1066 [*previous update 3272/26*] WGS84 DATUM


Insert



5° 30′·7S., 113° 58′·3E.

Chart 2471 [*previous update 3272/26*] WGS84 DATUM

Insert



5° 30′·7S., 113° 58′·3E.

Chart 2794 [*previous update 3272/26*] WGS84 DATUM

Insert



5° 30′·7S., 113° 58′·3E.

Chart 2795 [*previous update 3272/26*] WGS84 DATUM

Insert



5° 30′·7S., 113° 58′·3E.

Chart 2796 [*previous update 3272/26*] WGS84 DATUM

Insert



5° 30′·7S., 113° 58′·3E.

Chart 4508 (INT 508) [*previous update 3272/26*] WGS84 DATUM

Insert



5° 30′·7S., 113° 58′·3E.

Chart 4708 (INT 708) [*previous update 2051/26*] WGS84 DATUM

Insert

wreck out of position, 

5° 30′·7S., 113° 58′·3E.

II

3303 INDONESIA - Kalimantan - Depths.

Source: Indonesian Notice 19/118/26

Note: This update is included in New Edition 3721, published mid 2026.

Chart 1312 [previous update 2406/26] WGS84 DATUM

Insert	depth, <i>I</i> ₆ , enclosed by 5m contour	(a) 0° 10′·7S., 109° 01′·3E.
Delete	depth, <i>I</i> ₄ , close SE of:	(a) above

Chart 2870 [previous update 2406/26] WGS84 DATUM

Insert	depth, <i>I</i> ₆ , enclosed by 5m approximate contour, <i>Rep (2026)</i> <i>PA</i>	(a) 0° 10′·7S., 109° 01′·3E.
Delete	depth, <i>I</i> ₄ , close SE of:	(a) above

II

3329 INDONESIA - Nusa Tenggara - Depths.

Source: ENC ID300429

Chart 2472 [*previous update 3051/26*] WGS84 DATUM

Insert	depth, 479	(a)	6° 53'·1S., 122° 21'·3E.
Delete	depth, 748, close SE of:	(a)	above
Insert	depth, 171, enclosed by 200m contour	(b)	7° 51'·6S., 123° 38'·2E.
Delete	depth, 301 Rep, close SW of:	(b)	above

Chart 2908 [*previous update 2403/26*] WGS84 DATUM

Insert	depth, 171, enclosed by 200m contour	(a)	7° 51'·6S., 123° 38'·2E.
Delete	depth, 301 Rep (1964), close SW of:	(a)	above

Chart 2910 [*previous update 2028/26*] WGS84 DATUM

Insert	depth, 479, and extend 1000m contour SW to enclose		6° 53'·1S., 122° 21'·3E.
--------	--	--	--------------------------

Chart 4722 (INT 722) [*previous update 2996/26*] WGS84 DATUM

Insert	depth, 479, enclosed by 500m contour		6° 53'·1S., 122° 21'·3E.
Replace	depth, 301, enclosed by 500m approximate contour, with depth, 171, enclosed by 200m contour		7° 51'·6S., 123° 38'·2E.

II

3359 INDONESIA - Jawa - Light.

Source: Indonesian Notices 21/134-135/26

Chart 1066 [*previous update 3290/26*] WGS84 DATUM

Amend light to, Fl.10s21M

6° 47′·7S., 111° 54′·0E.

Chart 2470 [*previous update 1754/26*] WGS84 DATUM

Amend light to, Fl.21M

6° 47′·4S., 111° 53′·9E.

Chart 2796 [*previous update 3290/26*] WGS84 DATUM

Amend light to, Fl.10s21M

6° 47′·4S., 111° 54′·0E.

Chart 3731 [*previous update 457/26*] WGS84 DATUM

Amend light to, Fl.10s50m21M

6° 47′·39S., 111° 53′·96E.

II

3397 INDONESIA - Papua - Depths. NM Block.

Source: ENC ID40206B

Chart 2473 [*previous update 2119/26*] WGS84 DATUM

Replace	depth, 255, with depth, 235	2° 20'·3S., 132° 49'·3E.
---------	-----------------------------	--------------------------

Chart 3747 (Panel A, Tangguh Terminal) [*previous update 878/24*] WGS84 DATUM

Insert	depth, 6, enclosed by 10m contour	2° 26'·94S., 133° 04'·42E.
	depth, 22	(a) 2° 25'·83S., 133° 02'·84E.
Delete	depth, 27, close SW of:	(a) above
Insert	depth, 177	2° 25'·29S., 133° 03'·33E.
	depth, 225	(b) 2° 24'·86S., 133° 03'·26E.
Delete	depth, 24, close SE of:	(b) above
Insert	depth, 26, and extend 30m contour S to enclose	(c) 2° 24'·09S., 133° 02'·06E.
Delete	depth, 265, close NE of:	(c) above
Insert	depth, 275, and extend 30m contour S to enclose	2° 23'·47S., 133° 01'·24E.

Chart 3747 [*previous update 878/24*] WGS84 DATUM

Insert	the accompanying block, centred on:	2° 24'·6S., 133° 05'·7E.
	depth, 122	(a) 2° 17'·83S., 132° 57'·36E.
Delete	depth, 196, close W of:	(a) above
Insert	depth, 30, enclosed by 30m contour	2° 24'·89S., 132° 50'·33E.
	depth, 135	2° 30'·35S., 132° 55'·27E.
Replace	depth, 255, with depth, 235	2° 20'·25S., 132° 49'·28E.

II

3301 PAPUA NEW GUINEA - Danger line. Depth.

Source: Australian Chart 4060

Chart 4052 (INT 52) [*previous update 2403/26*] WGS84 DATUM

Replace



with



11° 01'·6S., 169° 54'·0E.

II

3293 NEW ZEALAND - South Island - NM Block. Note. Legend.

Source: New Zealand Notice 12/40/26

Chart NZ 6154 (Panel, Picton Wharves) [*previous update 1223/25*] WGS84 DATUM

Insert the accompanying block, centred on: 41° 17'·1S., 174° 00'·3E.

Chart NZ 6154 [*previous update 1223/25*] WGS84 DATUM

Insert the accompanying note, WORKS IN PROGRESS within title panel
legend, *Works in Progress (see Note)*, orientated SW/NE,
centred on: 41° 17'·053S., 174° 00'·357E.

II

3287 **UNITED STATES OF AMERICA - West Coast - Wreck.**
Source: ENC US5LGBCF

Chart 1063 [*previous update 2546/26*] NAD83 DATUM

Insert



33° 44'·13N., 118° 07'·08W.

II

3299 UNITED STATES OF AMERICA - West Coast - Depths.
Source: ENC US5SANDC

Chart 897 [*previous update 3052/25*] NAD83 DATUM

Insert depth, 42, and extend 5·4m contour SE to enclose

(a) 32° 42'·07N., 117° 14'·19W.

Delete depth, 48, close NW of:

(a) above

II

3302 CANADA - British Columbia - Light.

Source: Canadian Notice 5/3490/26

Chart 4961 (Panel, B-C) [*previous update 1880/26*] NAD83 DATUM

Delete

• Q R

49° 10' 49·4"N., 122° 55' 10·0"W.

II

3369 CHILE - Northern Coasts - Anchor berth.

Source: Chilean Notice 5/48/26

Chart 4237 [*previous update 3176/24*] SIRGAS DATUM

Delete



A, centred on:

29° 56'·608S., 71° 19'·420W.

II

3343 ARGENTINA - Buoy. Light-beacon.

Source: Argentine Notice 6/71/26

Chart 1340 (Panel A) [*previous update 2207/26*] WGS84 DATUM

Insert



Fl(4)R.16s Km184.5

(a) 33° 52'·40S., 58° 56'·97W.

Delete



Fl(4)R.16s Km 184.5, close NW of:

(a) above

II

3294* GUYANA - Light-beacons. Buoyage.

Source: Maritime Administration Department, Guyana, List of lights 2026

Chart 2783 [*previous update 5833/24*] UNDETERMINED DATUM

Insert	 Q Hesper Rock	6° 23'·75N., 58° 39'·39W.
Delete	former Hesper Rock light-beacon	6° 23'·58N., 58° 39'·44W.
Insert	 <i>Q.R Calf Island Shoal</i>	6° 25'·88N., 58° 36'·85W.
Amend	Grove light-beacon to, Q	6° 24'·68N., 58° 37'·19W.
	Sail Rk light-beacon to, Fl.R.6s	6° 29'·28N., 58° 35'·52W.
Move	 Q Kujarou Rock and associated danger circle, from:	6° 26'·02N., 58° 36'·33W.
	to:	6° 26'·02N., 58° 36'·19W.
	 <i>Q.R Saxacalli Shoals</i> from:	6° 34'·53N., 58° 35'·81W.
	to:	6° 34'·33N., 58° 35'·83W.

Chart 2783 (Panel, Mazaruni River) [*previous update 5833/24*] UNDETERMINED DATUM

Insert	 Q Hesper Rock	6° 23'·75N., 58° 39'·39W.
Delete	former Hesper Rock light-beacon	6° 23'·56N., 58° 39'·44W.
Amend	Negri Cop I. light-beacon to, Q	6° 23'·35N., 58° 39'·97W.

II

3312 WEST INDIES - Leeward Islands - Buoy.

Source: French Notice 14/260/23

Chart 2079 (Panel A, Port de Gustavia) [*previous update 1969/26*] WGS84 DATUM

Move



Fl.Y.4s SB12, from:

17° 54′·078N., 62° 52′·811W.

to:

17° 54′·123N., 62° 52′·633W.

II

3333 COLOMBIA - Caribbean Sea Coast - Buoy.
Source: Colombian Notice 151/26

Chart 1277 [*previous update 779/26*] WGS84 DATUM

Delete

 *Fl.Y.20s ODAS*

9° 30′·01N., 76° 05′·35W.

II

3366 COLOMBIA - Caribbean Sea Coast - Buoy.

Source: Colombian Notice 152/26

Chart 396 [*previous update 2500/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s*

8° 54'·3N., 76° 50'·4W.

Chart 1278 [*previous update 2750/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s*

8° 54'·30N., 76° 50'·39W.

II

3322 CANADA - Saint Lawrence River - Buoy.

Source: Canadian Notice 5/1312/26

Chart 4790 [*previous update 1870/26*] NAD83 DATUM

Replace



S92 with



Fl R S92

46° 10′·47N., 72° 55′·57W.

II

3325 UNITED STATES OF AMERICA - East Coast - Dredged depth.
Source: ENC US5PVDGD

Chart 2731 [*previous update 1964/26*] NAD83 DATUM

Amend dredged depth to, *4ft (2026)*, centred on:

41° 45′·57N., 71° 22′·97W.

II

3327 **UNITED STATES OF AMERICA - East Coast - Buoy.**
Source: ENC US2EC03M

Chart 2861 [*previous update 3103/26*] NAD83 DATUM

Delete



35° 08'·4N., 75° 23'·7W.

Chart 2864 [*previous update 5831/25*] NAD83 DATUM

Delete



35° 08'·4N., 75° 23'·3W.

II

3331 CANADA - Saint Lawrence River - Depth.

Source: Canadian Notice 4/1315/26

Chart 4787 [*previous update 5514/25*] NAD83 DATUM

Insert depth, *112*


46° 40'·84N., 71° 33'·85W.

II


3334 UNITED STATES OF AMERICA - East Coast - Obstructions. Depth.
Source: ENC US5NYCDG

Chart 3455 [*previous update 3177/26*] NAD83 DATUM

Insert



40° 40'·910N., 74° 00'·805W.



(a) 40° 40'·902N., 74° 00'·828W.

Delete

depth, 16, close S of:

(a) above

II

3338 CANADA - Nova Scotia - Fish haven.

Source: Canadian Notice 5/4203/26

Chart 4753 (INT 4632) [*previous update 5492/25*] NAD83 DATUM

Insert limit of fish haven, dotted line, joining:

(a) 44° 36' 39.5"N., 63° 30' 25.2"W.

(b) 44° 36' 39.0"N., 63° 30' 19.7"W.

(c) 44° 36' 27.9"N., 63° 30' 21.6"W.

(d) 44° 36' 28.4"N., 63° 30' 27.1"W.

⋈, within:

(a)-(d) above

II

3363 UNITED STATES OF AMERICA - East Coast - Hulk. Legend. Obstructions. Depths. Rocks.

Source: ENC US5NYCFH

Chart 3451 [*previous update 2640/26*] NAD83 DATUM

Insert	hulk, single firm line, joining:	(a)	40° 48'·239N., 73° 53'·352W.
		(b)	40° 48'·295N., 73° 53'·328W.
		(c)	40° 48'·291N., 73° 53'·307W.
		(d)	40° 48'·232N., 73° 53'·332W.
	legend, Hulk, close W of:	(a)-(d)	above
Delete	charted detail, within:	(a)-(d)	above
Insert	 <i>Obstn</i>		40° 48'·286N., 73° 53'·396W.
	depth, 56	(e)	40° 48'·231N., 73° 53'·639W.
Delete	depth, 66, with seabed type, R, close SW of:	(e)	above
Insert	 <i>Obstn</i>		40° 48'·338N., 73° 53'·636W.
	depth, 32		40° 48'·311N., 73° 53'·776W.
Replace	 <i>Obstn</i> with:  <i>Obstns</i>		40° 48'·345N., 73° 53'·827W.
	depth, 56, with seabed type, R, with depth, 52		40° 48'·277N., 73° 53'·950W.
	depth, 41, with seabed type, R, with depth, 37		40° 48'·177N., 73° 54'·038W.
	depth, 22, with depth, 20		40° 48'·073N., 73° 54'·067W.

II

3386 CANADA - Nova Scotia - Buoy.

Source: Canadian Notice 5/4011-4012/26

Chart 2670 [*previous update 2941/26*] WGS84 DATUM

Delete



Fl(5)Y.20s ODAS '4400490'

44° 39'·9N., 66° 21'·9W.

Chart 4746 [*previous update 2381/26*] NAD83 DATUM

Delete



Fl(5) Y 20s ODAS/SADO 4400490

44° 39'·9N., 66° 21'·9W.

Chart 4747 [*previous update 2381/26*] NAD83 DATUM

Delete



Fl(5) Y 20s ODAS/SADO 4400490

44° 39'·9N., 66° 21'·9W.

II

3314(T)/26 ENGLAND - East Coast - Buoy.

Source: Venterra

1. A Yellow Waverider buoy, *Fl(5)Y.20s*, has been deployed, until further notice, in position 52° 39′·47N., 1° 48′·28E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Chart affected - 1534 (INT 1558)

II

3380(T)/26 ENGLAND - South Coast - Scientific instruments. Buoyage.

Source: Chichester Harbour Conservancy

1. Scientific instruments, marked by yellow buoys, have been established on the seabed in the following positions:

*50° 48'·22N., 0° 56'·45W.

*50° 48'·14N., 0° 56'·43W.

*50° 48'·05N., 0° 56'·40W.

50° 48'·47N., 0° 53'·55W.

50° 48'·57N., 0° 53'·39W.

50° 48'·61N., 0° 53'·17W.

2. Mariners are advised to navigate with caution in the area.

3. *Former Notice 2624(T)/25 is cancelled.

*Indicates new or revised entry.

(ETRS89 DATUM)

Charts affected - 3418 - 5600_20

II

3390(P)/26 ENGLAND - East Coast - Wrecks. Obstructions. Depth.

Source: mv Northern Gale

1. Dangerous wrecks and obstructions exist in the following positions:

<i>Feature</i>	<i>Depth</i>	<i>Position</i>
Wreck	8·2m	51° 59'·77N., 1° 27'·19E.
Obstruction	9·3m	52° 04'·44N., 1° 33'·34E.
*Wreck	10·3m	52° 02'·92N., 1° 31'·31E.

2. A dangerous wreck with the least depth 3·4m is reported to exist in lieu of the 4·4m obstruction in position 51° 59'·86N., 1° 26'·47E.
3. A depth of 6·3m is reported to exist in position 52° 01'·74N., 1° 28'·89E.
4. Mariners are advised to navigate with caution in the area.
5. Charts will be updated when full details are available.
6. *Former Notice 1800(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 2052 (INT 1560) - 2693 (INT 1570) - 2695 - 5607_5 - 5607_8 - 5614_1

II

3385(P)/26 SWEDEN - West Coast - Depths.

Source: Swedish Notice 1124/20169/26

1. Recent survey information has shown that numerous depths less than charted exist in the port of Gothenburg. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
20m	57° 40'·840N., 11° 47'·358E.
14·4m	57° 40'·861N., 11° 48'·629E.
14·2m	57° 40'·815N., 11° 49'·926E.
14·2m	57° 41'·036N., 11° 50'·166E.
9·7m	57° 41'·296N., 11° 50'·830E.
10·8m	57° 41'·277N., 11° 51'·184E.
13·8m	57° 40'·957N., 11° 51'·264E.
13·6m	57° 41'·095N., 11° 51'·900E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Charts affected - 857 (INT 1317) - 858 (INT 1316)

II

3389(T)/26 SWEDEN - East Coast - Bridge.

Source: Swedish Notice 1124/20207(T)/26

1. Until further notice, Händelöbron bridge (58° 36'·58N., 16° 12'·38E.) cannot be opened due to technical problems.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 847 (INT 1231)

II

3391(T)/26 SWEDEN - East Coast - Works. Buoyage. Lights. Leading lines.

Source: Swedish Notice 1124/20043(T)/26

1. Between 22nd June - 30th September 2026, works on buoyage, lights and leading lines is ongoing in the vicinity of Skellefteå.
2. During the stated period of time, all maritime safety devices bounded by the following positions should be regarded as not reliable.

64° 41'·07N., 21° 15'·32E.

64° 40'·87N., 21° 15'·82E.

64° 40'·75N., 21° 16'·26E.

64° 40'·79N., 21° 16'·44E.

64° 40'·62N., 21° 17'·05E.

64° 40'·35N., 21° 17'·18E.

64° 40'·05N., 21° 18'·40E.

64° 39'·46N., 21° 19'·09E.

64° 39'·28N., 21° 18'·09E.

64° 39'·84N., 21° 17'·14E.

64° 39'·98N., 21° 17'·26E.

64° 40'·15N., 21° 17'·02E.

64° 40'·27N., 21° 16'·47E.

64° 40'·53N., 21° 15'·90E.

64° 40'·79N., 21° 15'·20E.

64° 40'·85N., 21° 14'·78E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 924 (INT 1176)

II

3416(T)/26 POLAND - Measuring instrument. Buoy.

Source: Polish Notice 21/247(T)/26

1. A survey gauge, marked by a yellow special light-buoy, *Fl(5)Y.20s WRB-02*, has been established in the following position 55° 07′·34N., 16° 56′·33E.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202)

II

3340(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 50'·88N., 3° 52'·02E.	110
51° 59'·87N., 3° 16'·20E.	110
* 51° 24'·58N., 3° 44'·49E.	120
* 51° 24'·54N., 3° 45'·74E.	120
* 51° 24'·21N., 3° 46'·65E.	120
* 51° 23'·79N., 3° 47'·32E.	120
51° 55'·70N., 3° 39'·80E.	122
52° 07'·72N., 3° 55'·98E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
52° 28'·300N., 4° 35'·530E.	124
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
52° 46'·14N., 3° 49'·49E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50

II

3340(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
54° 25'·9N., 4° 20'·4E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 3247(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 120 (INT 1479) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

3357(P)/26 NORTH SEA - Norwegian Sector - Submarine pipelines. Works.

Source: Norwegian Notice 8/81351(P)/26

1. Pipeline laying operations are taking place, joining the following positions:

59° 52'·66N., 2° 34'·50E.

60° 10'·69N., 2° 35'·23E.

60° 13'·38N., 2° 29'·25E.

and

* 59° 52'·45N., 2° 34'·31E.

60° 00'·08N., 2° 21'·66E.

and

* 59° 51'·47N., 2° 33'·97E.

* 59° 53'·84N., 2° 24'·14E.

* 59° 52'·45N., 2° 34'·31E.

and

* 59° 52'·45N., 2° 34'·31E.

59° 46'·93N., 2° 25'·52E.

and

* 59° 52'·45N., 2° 34'·31E.

59° 43'·44N., 2° 33'·54E.

and

* 59° 52'·45N., 2° 34'·31E.

59° 51'·47N., 2° 33'·97E.

59° 50'·02N., 2° 37'·48E.

59° 48'·42N., 2° 36'·63E.

2. Mariners are advised to navigate with caution in the area.
3. Charts will be updated when works are complete.
4. *Former Notices 2680(P)/25 and 4701(P)/25 are cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 292 - 294 - 1427 (INT 1401) - 2182C (INT 1041)

II

3365(P)/26 LEBANON - Anchorage areas. Pilot boarding place. Precautionary area. Traffic separation scheme. Wreck. Light. Recommended route.

Source: ENC's LB40401A and FR372550

1. A traffic separation scheme has been established in the approaches to Tripoli as follows:
 - a. A separation zone, 200m wide, has been established, centred on a line joining the following positions:

34° 29'·85N., 35° 50'·30E.
34° 31'·10N., 35° 48'·08E.
34° 31'·07N., 35° 31'·28E.
 - b. A traffic lane for inbound traffic has been established between the separation zone in 1a. above and a line joining the following positions:

34° 28'·70N., 35° 50'·97E.
34° 30'·47N., 35° 47'·79E.
34° 29'·94N., 35° 31'·28E.
 - c. A traffic lane for outbound traffic has been established between the separation zone in 1a. above and a line joining the following positions:

34° 29'·73N., 35° 51'·91E.
34° 31'·72N., 35° 48'·35E.
34° 32'·21N., 35° 31'·28E.
2. The former approach route is no longer in force in the following positions:

34° 30'·97N., 35° 31'·00E.
34° 28'·96N., 35° 31'·03E.
34° 28'·96N., 35° 41'·84E.
34° 30'·98N., 35° 41'·83E.
3. The light in position 34° 29'·77N., 35° 45'·55E. is extinguished.
4. A precautionary area, fishing, anchoring prohibited, has been established bounded by the following positions:

34° 29'·73N., 35° 51'·91E.
34° 30'·30N., 35° 50'·91E.
34° 30'·20N., 35° 50'·72E.
34° 30'·06N., 35° 50'·51E.
34° 29'·85N., 35° 50'·30E.
34° 29'·48N., 35° 50'·08E.
34° 29'·22N., 35° 50'·02E.
34° 28'·70N., 35° 50'·97E.
5. A new pilot boarding point has been established in the following position: 34° 29'·35N., 35° 50'·88E.
6. New anchorage areas have been established, centred on the following positions:

34° 28'·53N., 35° 49'·08E.
and

34° 28'·13N., 35° 50'·59E.
7. A wreck, 77m, exists in position: 34° 33'·78N., 35° 50'·21E.
8. These changes will be included in the next New Edition of Chart 2633 to be published mid 2026.
9. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Chart affected - 2633

II

3315(T)/26 MOROCCO - West Coast - Buoy.

Source: ENC MA61007A

1. The west cardinal buoy, *VQ(9)10s ES*, in position $31^{\circ} 30' \cdot 448\text{N.}$, $9^{\circ} 46' \cdot 887\text{W.}$, is reported off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 863

II

3412(T)/26 IVORY COAST - Buoyage. Works.

Source: French Notice 20/6(T)/26

1. The following light-buoys have been moved:

<i>Characteristic</i>	<i>Designation</i>	<i>Former Position</i>	<i>New Position</i>
<i>Oc(2)R.6s</i>	<i>C2</i>	5° 18'·208N., 4° 01'·942W.	5° 18'·160N., 4° 01'·940W.
<i>Q(6)+LFl.15s AIS</i>	<i>A</i>	5° 16'·620N., 4° 01'·929W.	5° 16'·640N., 4° 01'·850W.
<i>Fl.R.6s AIS</i>	<i>No0</i>	5° 16'·150N., 4° 01'·750W.	5° 16'·150N., 4° 01'·790W.
<i>Fl.R.5s Whis AIS</i>	<i>AN</i>	5° 14'·167N., 3° 58'·950W.	5° 14'·110N., 3° 58'·990W.

2. *Due to ongoing works, the buoys situated between Île Boulay and terminals TC1 and TC2 have been temporarily moved or removed, within an area bounded by the following positions:

*5° 17'·2N., 4° 01'·0W.

*5° 17'·2N., 4° 02'·0W.

*5° 16'·0N., 4° 02'·0W.

*5° 16'·0N., 4° 01'·0W.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

4. *Former Notice 5600(T)/24 is cancelled.

*Indicates new or revised entry

(WGS84 DATUM)

Charts affected - 3101 (INT 2872) - 3103 (INT 2873)

II

3317(T)/26 BANGLADESH - Buoyage.

Source: BNHOC Notices 06(T)/25, 09(T)/25, 19(T)/25, 24(T)/25 and 06(T)/26

- Changes to buoyage have taken place within Pussur River including the following:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Status</i>	<i>Position</i>
<i>Fl(2)G.12s</i>	<i>B-7</i>	Starboard lateral	Unlit	21° 33'·88N., 89° 28'·70E.
<i>Fl(2)R.12s</i>	<i>B-8</i>	Port lateral	Missing	21° 33'·88N., 89° 27'·00E.
<i>*Fl(3)G.15s</i>	<i>B-9</i>	Starboard lateral	Unlit	21° 36'·28N., 89° 27'·86E.
<i>*Fl(2)G.12s</i>	<i>B-11</i>	Starboard lateral	Unlit	21° 38'·01N., 89° 27'·93E.
<i>*Fl(2)R.12s</i>	<i>B-12</i>	Port lateral	Unlit	21° 38'·02N., 89° 26'·86E.
<i>Fl.G.8s</i>	<i>B-13</i>	Starboard lateral	Unlit	21° 40'·05N., 89° 28'·63E.
<i>Fl. R.8s</i>	<i>B-14</i>	Port lateral	Missing	21° 40'·05N., 89° 27'·56E.
<i>Fl(4)G.15s</i>	<i>B-15</i>	Starboard lateral	Unlit	21° 42'·09N., 89° 29'·08E.
<i>Fl(4)R.15s</i>	<i>B-16</i>	Port lateral	Unlit	21° 42'·09N., 89° 28'·14E.
<i>Fl(2)R.10s</i>	<i>B-18</i>	Port lateral	Unlit	21° 44'·12N., 89° 28'·12E.
<i>Fl.R.6s</i>	<i>B-20</i>	Port lateral	Unlit	21° 46'·15N., 89° 28'·27E.
<i>Fl(4)R.20s</i>	<i>B-34</i>	Port lateral	Missing	21° 56'·17N., 89° 30'·95E.
<i>Fl(3)G.15s</i>	<i>K-3</i>	Starboard lateral	Missing	22° 02'·77N., 89° 34'·01E.
<i>Fl(2)R.12s</i>	<i>S-2</i>	Port lateral	Unlit	22° 06'·69N., 89° 35'·60E.
<i>Fl(4)R.20s</i>	<i>S-4</i>	Port lateral	Unlit	22° 07'·61N., 89° 35'·74E.
<i>Fl(2)R.12s</i>	<i>S-6</i>	Port lateral	Unlit	22° 09'·45N., 89° 34'·28E.
<i>Fl.G.10s</i>	<i>S-9</i>	Starboard lateral	Missing	22° 10'·78N., 89° 33'·44E.
<i>Fl(2)R.12s</i>	<i>M-8</i>	Port lateral	Unlit	22° 13'·89N., 89° 35'·02E.
<i>Fl(2)R.10s</i>	<i>H-2</i>	Port lateral	Removed	22° 18'·73N., 89° 36'·84E.
<i>Fl(4)R.20s</i>	<i>H-4</i>	Port lateral	Removed	22° 19'·94N., 89° 37'·69E.
<i>Fl(4)R.10s</i>	<i>J-4</i>	Port lateral	Missing	22° 22'·70N., 89° 37'·20E.
<i>Fl.R.10s</i>	<i>J-8</i>	Port lateral	Removed	22° 26'·66N., 89° 35'·15E.
<i>Fl(2)R.12s</i>	<i>B-32</i>	Port lateral	Removed	21° 54'·19N., 89° 30'·83E.

- Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
- *Former Notice 2341(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 90 - BD 2508 (INT 7451) - BD 3004 (INT 7452) - BD 5001 (INT 7426) - IN 351 (INT 7419)

II

3360(P)/26 INDIA - West Coast - Jetty. Works.

Source: Indian Notice 9/82(P)/26

1. Jetty construction works are taking place between the following positions:

23° 01'·39N., 70° 13'·50E.

23° 01'·23N., 70° 13'·50E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - IN 2018 (INT 7321) - IN 2059 (INT 7322)

II

3362(T)/26 INDIA - West Coast - Buoyage.

Source: Indian Notice 9/83(T)/26

1. Changes to buoyage have taken place within approaches to Kārwār as follows:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Status</i>	<i>Position</i>
<i>Fl.G.5s</i>	<i>No1</i>	Starboard lateral	Missing	14° 44'·42N., 74° 07'·57E.
<i>Fl(3)R.15s</i>	<i>No2</i>	Port lateral	Missing	14° 44'·40N., 74° 07'·41E.
<i>Fl.G.5s</i>	<i>No5</i>	Starboard lateral	Submerged	14° 45'·63N., 74° 07'·59E.
<i>Fl.R.5s</i>		Port lateral	Missing	14° 48'·77N., 74° 06'·57E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Former Notice 4644(T)/23 is cancelled.
(WGS84 DATUM)

Charts affected - IN 2008 - IN 2120

II

3383(P)/26 INDIAN OCEAN - Submarine cables. Works.

Source: Alcatel Submarine Networks and UKHO

1. Cable installation works are taking place to install the 1-AFRICA telecommunications cable joining the following positions:

<i>Segment</i>	<i>Position</i>
Oman	23° 00'·014N., 62° 49'·169E.
	21° 27'·447N., 60° 18'·004E.
	20° 10'·988N., 60° 03'·934E.
	16° 35'·345N., 57° 49'·643E.
	15° 22'·278N., 57° 33'·617E.
	13° 13'·295N., 54° 58'·897E.

2. and

Somalia	13° 13'·295N., 54° 58'·897E.
	12° 20'·350N., 55° 21'·734E.
	11° 28'·564N., 55° 21'·834E.
	10° 48'·524N., 54° 55'·326E.
	9° 41'·686N., 55° 05'·658E.
	4° 10'·082N., 52° 22'·433E.
	2° 10'·497N., 52° 43'·920E.
	1° 41'·356S., 48° 59'·043E.
	4° 16'·527S., 44° 00'·016E.
	4° 36'·114S., 42° 26'·655E.
	4° 35'·596S., 41° 38'·837E.
	4° 17'·726S., 41° 22'·983E.
	4° 17'·790S., 40° 28'·959E.
	4° 20'·412S., 40° 24'·436E.
	4° 18'·802S., 40° 12'·576E.
	4° 15'·082S., 40° 03'·465E.
	4° 07'·461S., 39° 50'·993E.
	4° 07'·812S., 39° 46'·786E.
	4° 05'·413S., 39° 43'·090E.
	4° 03'·052S., 39° 42'·416E.

3. and

Gulf of Oman	25° 04'·022N., 56° 21'·646E.
	25° 03'·792N., 56° 24'·398E.
	25° 00'·979N., 56° 24'·982E.
	24° 59'·871N., 56° 26'·426E.
	24° 56'·680N., 56° 44'·099E.
	24° 40'·067N., 57° 11'·519E.
	24° 30'·340N., 57° 13'·375E.
	24° 23'·521N., 57° 21'·080E.
	24° 05'·424N., 58° 40'·673E.
	23° 32'·487N., 59° 20'·856E.
	23° 35'·822N., 60° 04'·944E.
	22° 53'·310N., 61° 36'·013E.
	23° 00'·014N., 62° 49'·169E.

II

3383(P)/26 INDIAN OCEAN - Submarine cables. Works. (continued)

4. and

25° 04'·022N., 56° 21'·647E.
 25° 04'·112N., 56° 21'·981E.
 25° 06'·076N., 56° 24'·151E.
 25° 06'·615N., 56° 25'·500E.
 25° 06'·169N., 56° 28'·753E.
 25° 05'·483N., 56° 34'·162E.
 25° 05'·420N., 56° 35'·261E.
 25° 04'·952N., 56° 37'·275E.
 25° 03'·357N., 56° 38'·752E.
 25° 02'·397N., 56° 38'·988E.
 25° 01'·393N., 56° 39'·697E.
 25° 00'·034N., 56° 41'·204E.
 24° 59'·659N., 56° 41'·464E.
 24° 58'·182N., 56° 41'·951E.
 24° 57'·488N., 56° 42'·749E.
 24° 56'·971N., 56° 44'·787E.
 24° 56'·882N., 56° 45'·747E.

5. and

Gulf of Aden 12° 18'·364N., 43° 33'·462E.
 12° 17'·810N., 43° 36'·758E.
 11° 45'·456N., 43° 55'·953E.
 11° 28'·399N., 44° 38'·685E.
 11° 25'·921N., 45° 22'·489E.
 11° 48'·030N., 46° 16'·452E.
 12° 08'·706N., 48° 16'·467E.
 13° 28'·317N., 53° 36'·391E.
 13° 13'·295N., 54° 58'·897E.

6. and

Djibouti 12° 18'·364N., 43° 33'·462E.
 12° 08'·508N., 43° 33'·762E.
 12° 08'·065N., 43° 33'·596E.
 12° 07'·098N., 43° 32'·610E.
 12° 05'·111N., 43° 31'·258E.
 12° 02'·579N., 43° 28'·376E.
 12° 00'·071N., 43° 25'·779E.
 11° 55'·247N., 43° 19'·865E.
 11° 54'·013N., 43° 19'·214E.
 11° 52'·701N., 43° 18'·944E.
 11° 49'·858N., 43° 18'·787E.
 11° 44'·972N., 43° 17'·029E.
 11° 43'·272N., 43° 16'·792E.
 11° 40'·400N., 43° 16'·390E.
 11° 39'·414N., 43° 15'·840E.
 11° 38'·701N., 43° 14'·808E.
 11° 37'·282N., 43° 12'·603E.
 11° 36'·571N., 43° 11'·448E.
 11° 36'·183N., 43° 10'·583E.
 11° 35'·996N., 43° 09'·909E.
 11° 35'·919N., 43° 09'·483E.
 11° 35'·874N., 43° 09'·079E.

II

3383(P)/26 INDIAN OCEAN - Submarine cables. Works. (continued)

7. and

Saudi Arabia 20° 18'·270N., 39° 11'·001E.
19° 00'·209N., 39° 56'·980E.
17° 09'·837N., 40° 50'·466E.
16° 04'·197N., 41° 07'·976E.
14° 23'·563N., 42° 07'·969E.
14° 08'·647N., 42° 36'·046E.
14° 09'·603N., 42° 47'·366E.
13° 47'·224N., 42° 56'·599E.
13° 28'·779N., 42° 56'·488E.
12° 49'·336N., 43° 18'·982E.
12° 39'·015N., 43° 15'·115E.
12° 35'·653N., 43° 16'·127E.
12° 28'·340N., 43° 28'·591E.
12° 18'·365N., 43° 33'·461E.

8. and

Yemen 14° 46'·24N., 42° 57'·20E.
14° 40'·20N., 42° 39'·96E.
14° 42'·53N., 42° 35'·97E.
14° 48'·12N., 42° 33'·50E.
15° 05'·44N., 42° 23'·25E.
15° 23'·44N., 42° 06'·21E.
15° 35'·41N., 42° 02'·45E.
15° 47'·56N., 41° 56'·28E.
15° 56'·34N., 41° 54'·84E.
16° 00'·54N., 41° 52'·81E.
16° 11'·89N., 41° 45'·01E.
16° 12'·69N., 41° 42'·94E.
16° 11'·43N., 41° 38'·14E.
16° 13'·81N., 41° 34'·81E.
16° 13'·64N., 41° 31'·38E.
16° 11'·59N., 41° 25'·67E.
16° 10'·21N., 41° 17'·92E.
16° 11'·30N., 41° 14'·49E.
16° 15'·62N., 41° 10'·59E.
16° 16'·35N., 41° 07'·49E.
16° 18'·42N., 41° 05'·05E.

9. Mariners are advised to navigate with caution in the area.

10. Charts will be updated when full details are available.

11. *Former Notice 5229(P)/25 is cancelled.

*Indicates new or revised entry

(WGS84 DATUM)

Charts affected - 5 - 6 - 15 (INT 7154) - 100 (INT 7110) - 143 (INT 7005) - 157 (INT 7006) - 158 (INT 7008) - 159 (INT 7010) - 164 (INT 7124) - 171 (INT 7122) - 263 (INT 7120) - 264 (INT 7115) - 265 (INT 7114) - 452 (INT 7117) - 453 (INT 7116) - 542 (INT 7158) - 548 (INT 7157) - 616 - 666 (INT 7702) - 707 - 1925 - 2659 (INT 7148) - 2837 (INT 7017) - 2851 - 2858 (INT 750) - 2949 (INT 7056) - 2964 (INT 758) - 2968 (INT 7000) - 2969 (INT 7001) - 2970 (INT 7002) - 3520 (INT 7200) - 3522 - 3523 - 3661 (INT 7162) - 3709 - 3723 - 3784 (INT 7014) - 3785

II

3399(P)/26 INDIAN OCEAN - Submarine cables.

Source: Alcatel Submarine Networks and UKHO

1. The Daraja submarine fibre optic cable system is due to be laid joining the following positions:
2. Port Salalah (Oman) to Mombasa (Kenya)

17° 00'·59N., 54° 09'·30E.
15° 46'·5N., 54° 57'·4E.
14° 48'·2N., 56° 05'·1E.
14° 20'·4N., 57° 41'·0E.
12° 24'·3N., 58° 23'·5E.
10° 07'·9N., 57° 38'·5E.
7° 12'·8N., 55° 35'·1E.
4° 44'·3N., 55° 52'·1E.
2° 31'·9N., 53° 51'·8E.
2° 44'·1S., 49° 04'·5E.
4° 22'·1S., 45° 56'·2E.
4° 49'·3S., 44° 00'·2E.
4° 34'·9S., 43° 07'·2E.
3° 57'·4S., 42° 36'·1E.
4° 05'·9S., 41° 57'·3E.
4° 10'·8S., 40° 45'·0E.
4° 09'·2S., 40° 10'·8E.
4° 11'·0S., 40° 02'·7E.
4° 04'·17S., 39° 42'·978E.

3. Dar Es Salaam (Tanzania) to Maputo (Mozambique)

4° 18'·8S., 42° 03'·1E.
4° 26'·0S., 41° 38'·4E.
4° 52'·4S., 41° 23'·7E.
5° 15'·2S., 41° 02'·5E.
6° 45'·0S., 40° 16'·7E.

4. and

6° 43'·8S., 41° 51'·8E.
6° 45'·4S., 39° 49'·3E.
6° 42'·8S., 39° 38'·1E.
6° 42'·54S., 39° 23'·03E.
6° 43'·25S., 39° 14'·04E.

5. and

*25° 56'·85S., 32° 37'·09E.
*25° 57'·20S., 32° 38'·24E.
*25° 55'·44S., 32° 44'·31E.
*25° 55'·15S., 32° 48'·63E.
*25° 53'·34S., 32° 55'·46E.
*25° 52'·31S., 33° 03'·60E.
*25° 52'·07S., 33° 04'·54E.
*25° 55'·2S., 33° 12'·6E.
*25° 56'·2S., 33° 13'·7E.
*26° 00'·7S., 33° 17'·3E.
*26° 49'·6S., 34° 17'·7E.
*26° 56'·7S., 34° 39'·6E.
*26° 52'·5S., 35° 09'·3E.
*26° 06'·6S., 35° 58'·3E.
*16° 11'·6S., 41° 11'·5E.
*12° 07'·1S., 41° 46'·4E.
*4° 21'·8S., 41° 53'·0E.

II

3399(P)/26 INDIAN OCEAN - Submarine cables. (continued)

6. Mozambique to Republic Of South Africa

28° 58'·5S., 31° 45'·3E.
29° 24'·5S., 32° 01'·9E.
29° 50'·9S., 32° 40'·4E.
29° 48'·0S., 33° 07'·0E.
26° 52'·9S., 35° 05'·7E.
and
29° 48'·0S., 33° 07'·0E.
30° 07'·3S., 33° 06'·1E.
30° 31'·6S., 32° 46'·5E.
30° 46'·2S., 32° 43'·9E.
31° 11'·3S., 32° 06'·2E.
31° 02'·3S., 31° 40'·9E.
31° 04'·6S., 31° 26'·2E.
30° 29'·89S., 30° 55'·20E.
30° 22'·60S., 30° 41'·73E.
and
30° 03'·02S., 30° 53'·21E.
30° 08'·44S., 31° 05'·05E.
30° 17'·24S., 31° 07'·71E.
30° 28'·32S., 31° 03'·96E.
30° 52'·32S., 31° 15'·23E.

7. In order to simplify the depiction of this submarine cable, a reduced number of geographical positions have been listed.
8. *The accompanying diagram shows the overall coverage of the completed and proposed cable sections. The completed cable sections will be updated by Notice to Mariners.
9. Mariners are advised to navigate with caution in these areas.
10. Charts will be updated when works are complete.
11. *Former Notice 2973(P)/26 is cancelled.
*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 616 - 644 (INT 7581) - 646 - 666 (INT 7702) - 674 (INT 7691) - 716 (INT 7060) - 2895 - 2926 (INT 7660) - 2927 - 2930 (INT 7580) - 2931 (INT 7610) - 2933 (INT 7650) - 2939 (INT 7590) - 2949 (INT 7056) - 2964 (INT 758) - 2968 (INT 7000) - 3310 (INT 7690) - 3361 (INT 7700) - 3784 (INT 7014) - 3785 - 3795 - 3797 - 3877 (INT 7055) - 3878 (INT 7054) - 3880 (INT 7053) - 4169 (INT 7563) - 4171 (INT 7560) - 4172 (INT 7570) - 4179 (INT 7051) - 4180 (INT 7052) - 4204 (INT 204) - 4700 (INT 700) - 4701 (INT 701) - 4702 (INT 702) - 4703 (INT 703) - 4705 (INT 705)

II

3405(T)/26 MALACCA STRAIT - Wreck. Buoyage.

Source: Marine Department, Malaysia Notices 99(T)/24 and 76(T)/26

1. *A wreck has been reported in position $2^{\circ} 49' \cdot 55\text{N.}$, $101^{\circ} 16' \cdot 33\text{E.}$
2. *The following light-buoys have been established:

<i>Characteristic</i>	<i>Designation</i>	<i>Position</i>
<i>Q</i>	Petunia North Cardinal	$2^{\circ} 49' \cdot 66\text{N.}$, $101^{\circ} 16' \cdot 38\text{E.}$
<i>Q(3)10s</i>	Petunia East Cardinal	$2^{\circ} 49' \cdot 52\text{N.}$, $101^{\circ} 16' \cdot 47\text{E.}$
<i>VQ(6)+LFl.10s</i>	Petunia South Cardinal	$2^{\circ} 49' \cdot 39\text{N.}$, $101^{\circ} 16' \cdot 33\text{E.}$
<i>VQ(9)10s</i>	Petunia West Cardinal	$2^{\circ} 49' \cdot 55\text{N.}$, $101^{\circ} 16' \cdot 22\text{E.}$

3. Mariners are advised to navigate with caution in the area.
4. *Former Notice 3799(T)/24 is cancelled.
*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 2139 - 2158 - 3901 - 3902 - 3946

II

3382(T)/26 TAIWAN - Buoy.

Source: UKHO

1. A data buoy, *Fl.G.4s*, has been deployed in position 21° 00′·0N., 119° 29′·9E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3489 (INT 553)

II

3392(P)/26 TAIWAN - Submarine cable.

Source: UKHO

1. Works associated with submarine cable laying are taking place in the vicinity of the following positions:

25° 09'·94N., 121° 24'·59E.
25° 09'·99N., 121° 24'·34E.
25° 11'·18N., 121° 22'·30E.
25° 12'·48N., 121° 20'·82E.
25° 14'·14N., 121° 19'·94E.
25° 15'·85N., 121° 17'·92E.
25° 18'·61N., 121° 15'·32E.
25° 20'·59N., 121° 12'·84E.
25° 21'·81N., 121° 11'·68E.
25° 24'·38N., 121° 09'·07E.
25° 26'·08N., 121° 06'·47E.
25° 27'·40N., 121° 04'·74E.
25° 30'·61N., 121° 01'·14E.
25° 34'·35N., 120° 58'·46E.
25° 39'·0N., 120° 56'·6E.
25° 42'·3N., 120° 55'·9E.
25° 46'·8N., 120° 55'·9E.
25° 49'·9N., 120° 55'·5E.
25° 52'·9N., 120° 54'·4E.
25° 53'·7N., 120° 53'·8E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1761 - 3658

II

3411(P)/26 CHINA - Yellow Sea Coast - Wind farm.

Source: UKHO

1. A wind farm has been reported within an area bounded by the following positions:

38° 09′·6N., 122° 04′·5E.

38° 06′·5N., 122° 06′·0E.

38° 04′·7N., 122° 10′·7E.

38° 05′·4N., 122° 12′·7E.

38° 06′·1N., 122° 13′·1E.

38° 09′·9N., 122° 11′·4E.

38° 10′·3N., 122° 10′·7E.

38° 10′·2N., 122° 05′·0E.

2. Mariners are advised to navigate with caution in the area.
3. Charts will be updated when full details are available.
(CGCS 2000 DATUM)

Charts affected - 1255 - 1256

II

3378(T)/26 JAPAN - Seto Naikai - Wreck.

Source: Japanese Notice 25/5290(T)/26

1. A wreck, 10m in length, and fishing net, exist in position $34^{\circ} 07' \cdot 07\text{N.}$, $132^{\circ} 38' \cdot 50\text{E.}$
(WGS84 DATUM)

Chart affected - JP 1108

II

3406(T)/26 KOREA - West Coast - Buoy.

Source: Korean Notice 20/288(T)/26

1. The *No 10* light-buoy, *Fl.R.4s*, in position $37^{\circ} 22' \cdot 04\text{N.}$, $126^{\circ} 32' \cdot 86\text{E.}$, has been temporarily extinguished.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1270 (INT 5363) - 1271

II

3309(P)/26 SOUTH PACIFIC OCEAN - Depths.

Source: UKHO

1. A reported depth of 5m exists in position 19° 16'·1S., 177° 19'·7W.
2. A depth of 325m exists in position 27° 54'·6S., 171° 06'·1W.
3. Mariners are advised to navigate with caution in the area.
4. These and other changes will be included in a New Edition of Chart 4060 to be published mid 2026.
5. Chart 4061 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - 4060 (INT 60)

II

3379(T)/26 NORTH PACIFIC OCEAN - General information.

Source: Japanese Notice 25/5295(T)/26

1. A rocket launch is due to take place from the Tanegashima Space Center between 6 August 2026 to 30 August 2026.
2. A sea warning area will be established, bounded by the coastline and the following positions:

30° 25'·67N., 130° 58'·35E.
30° 26'·80N., 130° 59'·88E.
30° 30'·60N., 131° 01'·97E.
30° 30'·60N., 131° 20'·40E.
30° 16'·20N., 131° 20'·40E.
30° 16'·20N., 130° 57'·82E.
30° 21'·95N., 130° 57'·82E.
30° 22'·33N., 130° 57'·68E.

3. Between 6 August 2026 and 30 August 2026, rocket debris is predicted to fall within areas bounded by the following positions:

30° 03'·0N., 132° 22'·0E.
30° 30'·0N., 132° 25'·0E.
30° 21'·3N., 133° 29'·4E.
30° 18'·2N., 133° 38'·8E.
30° 03'·3N., 133° 37'·2E.
29° 53'·8N., 133° 23'·8E.

4. and

29° 03'·0N., 139° 44'·0E.
29° 10'·0N., 139° 33'·0E.
29° 54'·0N., 139° 39'·0E.
30° 03'·0N., 140° 13'·0E.
29° 32'·0N., 143° 45'·0E.
29° 24'·0N., 143° 57'·0E.
28° 40'·0N., 143° 51'·0E.
28° 32'·0N., 143° 17'·0E.

5. and

24° 40'·0N., 161° 18'·0E.
24° 53'·0N., 161° 05'·0E.
26° 22'·0N., 161° 38'·0E.
26° 16'·0N., 163° 07'·0E.
24° 25'·0N., 168° 12'·0E.
24° 14'·0N., 168° 24'·0E.
22° 45'·0N., 167° 51'·0E.
22° 48'·0N., 166° 30'·0E.

6. Mariners are advised to navigate with caution within these areas.
(WGS84 DATUM)

Charts affected - 2347 - 2412 - 3237 - 3551 - 4052 (INT 52) - 4053 (INT 53) - 4509 (INT 509) - 4510 (INT 510) - 4521 - JP 1221

II

3384(P)/26 CANADA - British Columbia - Restricted areas.

Source: Canadian Notices 4/3602/26 and 4/3606/26

1. Speed limit areas with mandatory seasonal speed restrictions have been established between 1st June and 30th November.
All vessels must not exceed 10 knots within the areas enclosed by the following limits:

48° 42'·43N., 125° 00'·00W.

48° 36'·68N., 124° 45'·14W.

48° 36'·68N., 125° 00'·00W.

and

48° 35'·72N., 124° 43'·07W.

48° 31'·15N., 124° 43'·48W.

48° 32'·02N., 124° 46'·59W.

48° 32'·10N., 124° 49'·55W.

48° 32'·10N., 125° 01'·76W.

48° 34'·02N., 125° 06'·00W.

48° 34'·02N., 124° 54'·19W.

2. For additional information see the Canadian Annual Notices to Mariners Section A2 Notice 5.
3. Mariners are advised to navigate with caution in the area.
4. These changes will be included in New Editions of Charts 4945 and 4947 to be published late 2026.
(NAD83 DATUM)

Charts affected - 4945 - 4947