



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 30

23 July 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
67	2403	INT 714	NP 86
1602	2409	INT 1210	NP 131
1628	3232	INT 1727	
1853	3233	INT 13450	
1901	3721		
1967	3884		
2070	3966		
2075	4714		
2202	5613_2		
2376	DE 1516		

THE GULF AND STRAIT OF HORMUZ NAVIGATIONAL INFORMATION

Amid ongoing developments, it is not always possible to ensure that all ADMIRALTY Products are completely up-to-date for new dangers or changes to aids to navigation and routing measures. Mariners are encouraged to pay close attention to navigational warnings in place and advised to exercise particular caution when navigating in The Gulf region and the Strait of Hormuz.

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 23 July 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙67	Gulf of Thailand, Thailand and Cambodia, Laem Chong Phra to Chrouy Samit. This chart remains affected by Notice 5218(T)/14.	1:500,000	47	68
⊙1853	South America - West Coast, Peru, Approaches to Bahía Del Callao. Puerto Callao. On publication of this New Edition former Notice 2365(P)/26 is cancelled. This chart remains affected by Notices 4327(T)/22 and 5421(T)/25.	1:50,000 1:10,000	98	114
⊙1901 INT 1727	International Chart Series - England, South Coast, Plymouth Sound, Smeaton Pass and The Narrows. Continuation of Cattewater. This chart is to be deleted from the list of charts affected by Notice 1713(P)/26. This chart remains affected by Notices 1223(T)/24 and 123(T)/26.	1:5,000 1:5,000	1	22
⊙1967	England - South Coast, Plymouth Sound. River Plym. This chart is to be deleted from the list of charts affected by Notice 1713(P)/26. This chart remains affected by Notices 1223(T)/24 and 123(T)/26.	1:7,500 1:15,000	1	22
⊙2070	Greece, Approaches to Thessaloniki. Ⓐ Órmos Thessaloníkis. Ⓑ Liménas Thessaloníkis. On publication of this New Edition former Notice 2141(P)/26 is cancelled.	1:60,000 1:20,000 1:10,000	28	48
⊙2403	Indonesia, Malaysia and Singapore, Singapore Strait and Eastern Approaches. This chart remains affected by Notices 4687(P)/21, 5884(T)/24, 590(T)/25, 2032(T)/25, 3939(P)/25, 4347(T)/25, 5685(P)/25, 2380(T)/26 and 3512(P)/26.	1:200,000	45	66, 68
⊙3721	Indonesia, Kalimantan - West Coast, Pulau-Pulau Leman to Sungai Kapuas Kecil. Ⓐ Approaches to Pontianak. Ⓑ Pontianak. On publication of this New Edition former Notice 2294(P)/26 is cancelled.	1:250,000 1:50,000 1:15,000	46	72
⊙3884	Vietnam - East Coast, Đà Nang and Approaches. On publication of this New Edition former Notice 2663(P)/26 is cancelled. This chart remains affected by Notices 598(T)/22, 840(T)/23, 4556(T)/23 and 732(T)/25.	1:200,000	47	76

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 23 July 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙3966	Gulf of Thailand, Ko Chuang to Ko Kut. Port of Rayong.	1:240,000 1:75,000	47	68
	This chart remains affected by Notices 491(T)/17 and 2824(T)/25.			
⊙4714 INT 714	International Chart Series, Indian Ocean, Cocos (Keeling) Islands to île Saint-Paul.	1:3,500,000	46	18, 136
	This chart remains affected by Notice 2606(T)/26.			
⊙DE1516 INT 13450	International Chart Series, Baltic Sea, Germany, Sassnitz.	1:12,500	10	34

New Editions of ADMIRALTY Small Craft Charts published 23 July 2026

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>NP109A Catalogue page</i>
5613_2	Saint Bees Head to Mull of Galloway.	1:200,000	29
	This chart remains affected by Notice 3026(P)/26.		

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP86	ADMIRALTY List of Lights and Fog Signals Volume N 7 th Edition (2026) East Mediterranean and Black Seas	23/07/2026	Updated to Week 25/26 (18/06/26) First Updates in NM Week 30/26 (23/07/26) Volume N 6 th Edition (2025) is cancelled.
	ISBN Number: 978-0-70-772-5093		

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 06 AUGUST 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
1602	China - Chang Jiang, Outer Approaches to Shanghai.	1:130,000	⊙1602	50	80
1628	Venezuela, Puerto Cabello and Approaches. Puerto Cabello.	1:85,000 1:20,000	⊙1628	87	124
2075 INT 1210	International Chart Series, Baltic Sea, Hiiumaa to Saaristomeri.	1:250,000	⊙2075 INT 1210	11	36
2202	Black Sea - Ukraine, Pivdennyi Port.	1:12,500	⊙2202	31	46
2376	Taiwan - West Coast, Kaohsiung.	1:20,000	⊙2376	50	80
2409	Taiwan - West Coast, Kaohsiung Port to Fangyuan Po-ti Including Penghu Island.	1:150,000	⊙2409	50	80
3232	Taiwan - West Coast, Eluanbi to Kaohsiung Port.	1:150,000	⊙3232	50	80
3233	Taiwan - East Coast, Eluanbi to Taitung Port.	1:150,000	⊙3233	50	80

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
67	Gulf of Thailand, Thailand and Cambodia, Laem Chong Phra to Chrouy Samit.	⊙67
1853	South America - West Coast, Peru, Approaches to Bahía Del Callao.	⊙1853
1901 INT 1727	International Chart Series - England, South Coast, Plymouth Sound, Smeaton Pass and The Narrows	⊙1901 INT 1727
1967	England - South Coast, Plymouth Sound.	⊙1967
2070	Greece, Approaches to Thessaloniki.	⊙2070
2403	Indonesia, Malaysia and Singapore, Singapore Strait and Eastern Approaches.	⊙2403
3721	Indonesia, Kalimantan - West Coast, Pulau-Pulau Leman to Sungai Kapuas Kecil.	⊙3721

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts (continued)

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
3884	Vietnam - East Coast, Đà Nang and Approaches.	⊙3884
3966	Gulf of Thailand, Ko Chuang to Ko Kut.	⊙3996
4714 INT 714	International Chart Series, Indian Ocean, Cocos (Keeling) Islands to île Saint-Paul.	⊙4714 INT 714
DE1516 INT 13450	International Chart Series, Baltic Sea, Germany, Sassnitz.	⊙DE1516 INT 13450
5613_2	Saint Bees Head to Mull of Galloway.	5613_2

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 1,

Amend:

SAFE MARINE TECHNOLOGY Pte. Ltd.
237 Alexandra Road
#06-18 The Alexcier
159929
Singapore
T: +65 6031 0938
sales@safemarinetech.com
www.safemarinetech.com
Digital, POD, Publications

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2	3465T, 3520T	1408	3489T
35	3479	1409	3496
83	3462T	1422	3483
102	3529T	1427	3465T
105	3477	1428	3465T
120	3490T	1478	3530T
161	3484	1494	3464P
175	3481	1503	3434T, 3477
183	3466	1537	3457
190	3481, 3508	1541	3448
207	3510	1570	3464P
210	3508	1575	3464P
213	3496	1576	3464P
219	3465T, 3520T	1577	3464P
237	3453	1610	3421T
245	3465T, 3520T	1624	3518
273	3526	1631	3477, 3489T
278	3526	1638	3464P
295	3465T, 3495	1760	3431P, 3432
318	3511	1761	3493
343	3450T	1784	3436
442	3433	1826	3438
504	3427	1954	3479
517	3494T	1959	3463T
528	3427	1962	3455
551	3440	1968	3431P, 3493
618	3522	1978	3438
707	3472	1981	3438
709	3468	1994	3476
804	3522	2014	3418T, 3419T
811	3488	2018	3418T, 3419T
813	3468	2026	3500
822	3482	2048	3521
843	3515	2056	3499
846	3515	2107	3487
849	3497	2108	3502
864	3515	2135	3528
874	3444	2151	3478
936	3464P	2162	3479
946	3486	2182A	3485
1029	3420	2182B	3485, 3526
1039	3533T	2182C	3465T, 3520T
1049	3420	2182D	3465T, 3520T
1052	3469	2203	3523
1055	3454	2231	3521
1104	3425, 3475P	2249	3479
1121	3530T	2250	3479
1123	3530T	2289	3521
1156	3433	2292	3503
1159	3452	2318	3505
1178	3433, 3530T	2319	3473P
1183	3421T	2403	3512P
1186	3478, 3501	2409	3431P
1187	3422, 3434T	2414	3458, 3512P, 3524
1189	3498	2422	3512P, 3524
1194	3498	2435	3512P
1198	3452	2436	3512P
1233	3465T, 3520T	2450	3528
1239	3465T, 3479, 3520T	2470	3512P, 3524
1253	3449, 3451T	2555	3480
1254	3507T	2565	3471, 3530T
1256	3507T	2581	3479
1267	3433	2584	3479
1274	3435	2589	3502
1292	3475P	2613	3528
1312	3458, 3512P	2649	3530T
1331	3437	2656	3528
1348	3512P	2664	3475P
1369	3455	2675	3528, 3530T

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2684	3426	4777	3429
2685	3426	4951	3423
2732	3430	4954	3423
2764	3494T	4955	3423
2785	3499	5602_2	3433
2862	3499	5603_1	3433, 3530T
2868	3458, 3512P	5604_1	3528
2869	3512P, 3524	5608_2	3530T
2870	3458	5610_3	3476
2897	3520T	5613_7	3438
2900	3520T	5613_8	3438
2901	3520T	5614_19	3467
2965	3499	5614_25	3485
3173	3428	5615_9	3481
3228	3460T	5617_2	3508
3231	3431P, 3493	5617_5	3496
3232	3431P	5620_1	3530T
3258	3461T	5620_3	3530T
3259	3447P	5621_18	3530T
3260	3504	5621_2	3530T
3282	3465T, 3520T, 3532T	5622_1	3530T
3284	3532T		
3329	3437	Australian Chart No.	Notices
3348	3517		
3362	3469	Aus 55	3531P
3429	3500	Aus 57	3527
3445	3512P, 3524	Aus 327	3439T
3480	3451T, 3507T	Aus 822	3519
3482	3424, 3512P, 3524	Aus 832	3446
3496	3467	Aus 841	3445
3497	3467		
3599	3428	Bangladeshi Chart No.	Notices
3700	3468		
3715	3459T	BD 7510	3529T
3755	3437		
3831	3491T, 3512P	Belgian Chart No.	Notices
3833	3491T, 3512P		
3838	3424	BE 11	3525
3879	3506	BE 101	3525
3892	3517		
3902	3512P	German Chart No.	Notices
3937	3512P		
3948	3512P	DE 50	3492
3975	3440	DE 87	3492
3979	3427	DE 103	3492
3985	3506		
3989	3456	Indian Chart No.	Notices
4010	3465T, 3520T		
4011	3425, 3465T, 3520T	IN 31	3474, 3511
4014	3425, 3465T, 3520T	IN 32	3468, 3511
4041	3491T	IN 33	3468
4100	3520T	IN 210	3472
4101	3465T, 3520T	IN 211	3509T
4112	3520T	IN 212	3509T
4113	3520T	IN 254	3472
4140	3465T, 3485, 3520T	IN 292	3472
4231	3470	IN 352	3474
4272	3513	IN 353	3474
4300	3466	IN 2036	3509T
4302	3466		
4508	3458, 3524		
4601	3441T		
4603	3443		
4604	3442T		
4633	3464P		
4636	3464P		
4637	3464P		
4722	3439T		
4723	3439T		

II

INDEX OF CHARTS AFFECTED

New Zealand Chart No.	Notices	International Chart No.	Notices
NZ 64	3514P	INT 1500	3465T, 3520T
NZ 66	3514P	INT 1504	3496
NZ 661	3514P	INT 1509	3434T, 3477
NZ 4314	3516	INT 1511	3421T
		INT 1532	3479
		INT 1554	3467
		INT 1561	3421T
		INT 1565	3467
		INT 1601	3479
		INT 1607	3438
		INT 1611	3433, 3530T
		INT 1636	3476
		INT 1700	3471, 3530T
		INT 1701	3433
		INT 1703	3528
		INT 1705	3528
		INT 1764	3515
		INT 1804	3475P
		INT 1805	3475P
		INT 1871	3461T
		INT 1880	3447P
		INT 1881	3504
		INT 3164	3498
		INT 3165	3498
		INT 3784	3518
		INT 4191	3494T
		INT 5708	3424
		INT 7021	3472
		INT 7224	3459T
		INT 7331	3472
		INT 7352	3509T
		INT 7386	3468
		INT 7405	3511
		INT 7413	3474
		INT 7416	3474
		INT 7427	3529T
		INT 7428	3529T
		INT 7705	3469
International Chart No.	Notices		
INT 10	3465T, 3520T		
INT 11	3425, 3465T, 3520T		
INT 14	3425, 3465T, 3520T		
INT 100	3520T		
INT 101	3465T, 3520T		
INT 112	3520T		
INT 113	3520T		
INT 140	3465T, 3485, 3520T		
INT 160	3465T, 3520T		
INT 300	3466		
INT 302	3466		
INT 508	3458, 3524		
INT 550	3424, 3512P, 3524		
INT 601	3441T		
INT 603	3443		
INT 604	3442T		
INT 633	3464P		
INT 636	3464P		
INT 637	3464P		
INT 722	3439T		
INT 723	3439T		
INT 754	3468, 3511		
INT 755	3468		
INT 756	3474, 3511		
INT 1010	3520T		
INT 1040	3465T, 3520T		
INT 1041	3465T, 3520T		
INT 1042	3485, 3526		
INT 1043	3485		
INT 1044	3483		
INT 1045	3492		
INT 1060	3465T, 3520T		
INT 1062	3530T		
INT 1063	3530T		
INT 1070	3528, 3530T		
INT 1100	3520T		
INT 1101	3520T		
INT 1165	3521		
INT 1166	3503		
INT 1202	3418T, 3419T		
INT 1217	3521		
INT 1219	3418T, 3419T		
INT 1229	3515		
INT 1230	3515		
INT 1239	3488		
INT 1277	3521		
INT 1301	3487		
INT 1302	3502		
INT 1319	3444		
INT 1379	3502		
INT 1401	3465T		
INT 1402	3465T		
INT 1412	3492		
INT 1413	3492		
INT 1418	3477, 3489T		
INT 1425	3478		
INT 1426	3478, 3501		
INT 1465	3510		
INT 1474	3525		
INT 1479	3490T		

II

3433* ENGLAND - West Coast - Legends. Note.

Source: British Government

Chart 442 (INT 1701) [*previous update 813/26*] ETRS89 DATUM

Insert legend, *Historic Wreck (see Note)*, at wreck 50° 07'·04N., 4° 44'·61W.

Chart 1156 [*previous update 1267/25*] ETRS89 DATUM

Insert legend, *Historic Wreck (see Note)*, at wreck 50° 42'·77N., 4° 58'·42W.
the accompanying note, HISTORIC WRECKS, centred on: 50° 32'·41N., 4° 44'·68W.

Chart 1178 (INT 1611) [*previous update New Edition 05/03/2026*] ETRS89 DATUM

Insert legend, *Historic Wreck (see Note)*, at wreck 50° 42'·77N., 4° 58'·42W.

Chart 1267 [*previous update 3166/26*] ETRS89 DATUM

Insert legend, *Historic Wreck (see Note)*, at wreck 50° 07'·04N., 4° 44'·61W.

Chart 5602_2 (Panel A, Helford River to Fowey) [*previous update 3166/26*] ETRS89 DATUM

Insert legend, *Historic Wreck (see Note)*, at wreck 50° 07'·04N., 4° 44'·61W.

Chart 5603_1 (Panel A, Lizard Point to Hartland Point) [*previous update New Edition 23/04/2026*] ETRS89 DATUM

Insert legend, *Historic Wreck (see Note)*, at wreck 50° 42'·77N., 4° 58'·42W.

II

3438* ENGLAND - West Coast - Foul.

Source: mv Northern Gale

Chart 1826 (INT 1607) [*previous update 3356/26*] ETRS89 DATUM

Insert # 53° 38'·26N., 3° 08'·61W.

Chart 1978 [*previous update 2931/26*] ETRS89 DATUM

Insert # 53° 38'·26N., 3° 08'·61W.

Chart 1981 [*previous update 2931/26*] ETRS89 DATUM

Insert # 53° 38'·26N., 3° 08'·61W.

Chart 5613_7 [*previous update 2566/26*] ETRS89 DATUM

Insert $\#$ 53° 38'·26N., 3° 08'·61W.

Chart 5613_8 (Panel A, River Ribble) [*previous update 2690/26*] ETRS89 DATUM

Insert # 53° 38'·26N., 3° 08'·61W.

II

3467* ENGLAND - East Coast - Depths. Drying height.

Source: ABP Humber

Chart 3496 (INT 1565) (Panel A, Hull Docks Eastern Part) [*previous update 2920/26*] ETRS89 DATUM

Insert	depth, 31	(a)	53° 44'·143N., 0° 17'·970W.
Delete	depth, 36, close E of:	(a)	above
Insert	drying height, 01, and extend 0m low water line SW to enclose	(b)	53° 44'·479N., 0° 17'·640W.
Delete	depth, 09, close W of:	(b)	above
Insert	depth, 47, and extend 5m contour N to enclose		53° 44'·204N., 0° 17'·210W.
	depth, 86	(c)	53° 44'·172N., 0° 16'·386W.
Delete	depth, 91, close S of:	(c)	above

Chart 3497 (INT 1554) [*previous update 2920/26*] ETRS89 DATUM

Insert	depth, 31	(a)	53° 44'·14N., 0° 17'·97W.
Delete	depth, 36, close E of:	(a)	above
Insert	depth, 86	(b)	53° 44'·17N., 0° 16'·39W.
Delete	depth, 85, close SE of:	(b)	above
	depth, 09		53° 44'·48N., 0° 17'·66W.

Chart 5614_19 (Panel A, Kingston Upon Hull to Humber Bridge) [*previous update 2920/26*] ETRS89 DATUM

Insert	depth, 31	(a)	53° 44'·14N., 0° 17'·97W.
Delete	depth, 36, close E of:	(a)	above
Insert	depth, 86	(b)	53° 44'·17N., 0° 16'·39W.
Delete	depth, 85, close SE of:	(b)	above
	depth, 09		53° 44'·48N., 0° 17'·66W.

II

3471* ENGLAND - Isles of Scilly - Buoyage.

Source: THV Patricia

Chart 2565 (INT 1700) [*previous update 3535/25*] ETRS89 DATUM

Insert	 <i>Fl(5)Y.20s</i>	(a) 49° 49′·08N., 6° 32′·63W.
Delete	 <i>Fl(5)Y.20s PA (2 buoys)</i> , close SW of:	(a) above
Insert	 <i>Fl(5)Y.20s</i>	49° 49′·11N., 6° 32′·16W.


II

3476* SCOTLAND - West Coast - Obstruction.

Source: Peel Ports

Chart 1994 (INT 1636) [*previous update 3157/26*] ETRS89 DATUM


Insert



55° 58′·176N., 4° 45′·141W.

Chart 5610_3 (Panel A, Cartsydyke to Helensburgh) [*previous update 451/26*] ETRS89 DATUM

Insert



55° 58′·176N., 4° 45′·141W.

II

3477* ENGLAND - East Coast - Restricted areas. Legend.

Source: UKHO

Chart 105 [*previous update New Edition 21/05/2026*] ETRS89 DATUM

Delete circular limit of restricted area, $\pi\pi\pi\pi$, and associated legend,
Entry Restricted, centred on: 53° 27'·69N., 2° 16'·98E.

Chart 1503 (INT 1509) [*previous update 3292/26*] ETRS89 DATUM

Delete circular limit of restricted area, $\pi\pi\pi\pi$, centred on:
53° 27'·69N., 2° 16'·98E.
53° 07'·37N., 2° 25'·45E.
53° 02'·68N., 2° 34'·36E.

Chart 1631 (INT 1418) [*previous update 3162/26*] WGS84 DATUM

Delete circular limit of restricted area, $\pi\pi\pi\pi$, centred on:
53° 02'·68N., 2° 34'·36E.

II

3478* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 1186 (INT 1426) (Panel B, Coalhouse Point to Tilbury) [*previous update 2539/26*] ETRS89 DATUM

Insert	depth, <i>13</i> ₅	(a) 51° 27'·440N., 0° 19'·965E.
Delete	depth, <i>14</i> , close E of:	(a) above
Replace	depth, <i>7</i> ₁ , with depth, 7	51° 27'·198N., 0° 20'·268E.
Delete	depth, <i>10</i> ₆	51° 27'·532N., 0° 19'·998E.

Chart 2151 (INT 1425) [*previous update 3259/26*] ETRS89 DATUM

Insert	depth, <i>13</i> ₅	(a) 51° 27'·440N., 0° 19'·965E.
Delete	depth, <i>14</i> , close E of:	(a) above
Replace	depth, <i>7</i> ₁ , with depth, 7	51° 27'·198N., 0° 20'·268E.
Delete	depth, <i>10</i> ₆	51° 27'·532N., 0° 19'·998E.

II

3479* SCOTLAND - Orkney Islands - Note. Legends. Restricted areas. Historic wrecks. Wrecks.

Source: British Government Survey

Note: This update is included in New Edition 2568, published mid 2026.

Chart 35 [previous update New Edition 02/04/2026] ETRS89 DATUM

Insert	circular limit of restricted area, radius 350m, $\tau\tau\tau\tau$, centred on:	(a) 58° 51'·40N., 3° 06'·41W. (b) 58° 55'·85N., 2° 59'·00W.
Delete	former circular limit of restricted area, $\tau\tau\tau\tau$, centred on:	(a) above (b) above

Chart 1239 [previous update 2734/26] ETRS89 DATUM

Insert	++ legend, <i>Historic Wreck (see Note)</i> , close W of:	(a) 58° 52'·2N., 3° 27'·7W. (a) above
Delete	former ++ , close SE of:	(a) above

Chart 1954 (INT 1601) [previous update 4788/25] ETRS89 DATUM

Insert	++ legend, <i>Historic Wreck (see Note)</i> , close W of:	(a) 58° 52'·16N., 3° 27'·69W. (a) above
Delete	former ++ and associated legend, <i>Historic Wreck (see Note)</i> , close SE of:	(a) above

Chart 2162 [previous update 3665/25] ETRS89 DATUM

Insert	circular limit of restricted area, radius 350m, $\tau\tau\tau\tau$, centred on:	(a) 58° 51'·40N., 3° 06'·41W.
Delete	former circular limit of restricted area, $\tau\tau\tau\tau$, centred on:	(a) above
Insert	++ legend, <i>Historic Wreck (see Note)</i> , close W of:	(b) 58° 52'·16N., 3° 27'·69W. (b) above
Delete	++ and associated circular limit of restricted area, $\tau\tau\tau\tau$, and associated legend, <i>Historic Wreck (see Note)</i> , close SE of:	(b) above

II

3479* SCOTLAND - Orkney Islands - Note. Legends. Restricted areas. Historic wrecks. Wrecks. (continued)

Chart 2249 [previous update 5404/25] ETRS89 DATUM

Insert	++	(a)	58° 52'·16N., 3° 27'·69W.
	legend, <i>Historic Wreck (see Note)</i> , close W of:	(a)	above
Delete	former ++ and associated legend, <i>Military Wreck (see Note)</i> , close SE of:	(a)	above
Insert	circular limit of restricted area, radius 350m, TTTT, centred on:	(b)	58° 51'·40N., 3° 06'·41W.
	legend, <i>Historic Wreck (see Note)</i> , close NE of:	(c)	58° 55'·85N., 2° 59'·00W.
	legend, <i>Historic Wreck (see Note)</i> , close SE of:	(b)	above
	legend, <i>Historic Wreck (see Note)</i> , at wreck	(c)	above
			59° 00'·02N., 2° 51'·08W.
Delete	former circular limit of restricted area, TTTT, and associated legend, <i>Military Wreck (see Note)</i> , centred on:	(b)	above
		(c)	above

Chart 2250 [previous update 916/26] ETRS89 DATUM

Insert	the accompanying note, HISTORIC WRECKS, centred on:	58° 53'·49N., 2° 22'·20W.
	legend, <i>Historic Wreck (see Note)</i> , at wreck	59° 00'·03N., 2° 51'·09W.

Chart 2581 (INT 1532) [previous update 3665/25] ETRS89 DATUM

Insert	circular limit of restricted area, radius 350m, TTTT, centred on:	(a)	58° 51'·40N., 3° 06'·41W.
Delete	former circular limit of restricted area, TTTT, centred on:	(a)	above

Chart 2584 [previous update 1279/25] ETRS89 DATUM

Insert	the accompanying note, HISTORIC WRECKS, centred on:	59° 02'·74N., 3° 06'·80W.
	legend, <i>Historic Wreck (see Note)</i> , at wreck	59° 00'·03N., 2° 51'·09W.

II

3481* SCOTLAND - East Coast - Restricted area.

Source: British Government Survey

Chart 175 [*previous update 1657/26*] ETRS89 DATUM

Insert circular limit of restricted area, radius 200m, $\tau\tau\tau\tau$, at wreck 56° 15'·33N., 2° 11'·77W.

Chart 190 [*previous update 3347/26*] ETRS89 DATUM

Insert circular limit of restricted area, radius 200m, $\tau\tau\tau\tau$, at wreck 56° 15'·33N., 2° 11'·77W.

Chart 5615_9 [*previous update 1657/26*] ETRS89 DATUM

Insert circular limit of restricted area, radius 200m, $\tau\tau\tau\tau$, at wreck 56° 15'·33N., 2° 11'·77W.

II

3496* SCOTLAND - East Coast - Wreck.

Source: SSEN

Chart 213 [*previous update 5607/25*] ETRS89 DATUM

Insert



57° 31'·68N., 1° 47'·93W.

Chart 1409 (INT 1504) [*previous update 3347/26*] ETRS89 DATUM

Insert



57° 31'·68N., 1° 47'·93W.

Chart 5617_5 [*previous update 5607/25*] ETRS89 DATUM

Insert



57° 31'·68N., 1° 47'·93W.

II

3501* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 1186 (INT 1426) (Panel B, Coalhouse Point to Tilbury) [*previous update 3478/26*] ETRS89 DATUM

Insert	depth, 97, and extend 10m contour E to enclose	(a) 51° 27′·103N., 0° 23′·252E.
Delete	depth, 98, close W of:	(a) above


II

3508* SCOTLAND - East Coast - Obstructions.

Source: Inch Cape Offshore Limited

Chart 190 [*previous update 3481/26*] ETRS89 DATUM

Insert



(a) 56° 41' · 64N., 2° 25' · 15W.


Delete

former  *Obstn*, close SE of:

(a) above

Chart 210 [*previous update 5628/25*] ETRS89 DATUM

Insert



(a) 56° 41' · 64N., 2° 25' · 15W.

Delete

 *Subm buoy*, close SE of:

(a) above

Chart 5617_2 [*previous update 3347/26*] ETRS89 DATUM

Insert



(a) 56° 41' · 64N., 2° 25' · 15W.

Delete

former  *Obstn*, close SE of:

(a) above

II

3426 RUSSIA - Arctic Coast - Lights. Beacon.

Source: Russian Notice 24/2207/26

Chart 2684 [*previous update 1907/26*] WGS84 DATUM

Insert	★ FL.11M	76° 32′·5N., 68° 55′·8E.
Replace	⚓ with ★ LF.11M	76° 57′·3N., 68° 33′·8E.

Chart 2685 [*previous update 358/26*] WGS84 DATUM

Insert	★ FL.11M	76° 32′·5N., 68° 55′·8E.
Replace	⚓ with ★ LF.11M	76° 57′·3N., 68° 33′·8E.

II

3444 SWEDEN - West Coast - Dredged area. Dredged depth. Legend. Swept areas.

Source: Swedish Notice 1124/20179/26

Chart 874 (INT 1319) (Panel A, Falkenberg) [*previous update 3172/26*] WGS84 DATUM

Insert	limit of dredged area, pecked line, joining:	(a) 56° 53'·016N., 12° 28'·074E. (b) 56° 53'·005N., 12° 28'·114E. (c) 56° 52'·933N., 12° 28'·035E. (d) 56° 52'·946N., 12° 27'·992E. (a)-(d) above
Amend	dredged depth, 6,9m, within: legend to, RoRo 6,3m, centred on:	56° 53'·331N., 12° 28'·411E.
Delete	limit of swept area, pecked line, joining:	(e) 56° 53'·169N., 12° 28'·251E. (f) 56° 53'·148N., 12° 28'·351E. (g) 56° 53'·109N., 12° 28'·309E. and (h) 56° 52'·899N., 12° 27'·995E. (i) 56° 52'·919N., 12° 27'·958E. and (j) 56° 53'·310N., 12° 28'·414E. (k) 56° 53'·303N., 12° 28'·432E. (l) 56° 53'·298N., 12° 28'·427E. (m) 56° 53'·291N., 12° 28'·427E. (n) 56° 53'·288N., 12° 28'·431E. (o) 56° 53'·286N., 12° 28'·437E. (p) 56° 53'·281N., 12° 28'·403E. (q) 56° 53'·271N., 12° 28'·392E. (r) 56° 53'·277N., 12° 28'·374E.
	<u>6₂</u> (2025), within:	(e)-(i) above
	<u>6₃</u> within:	(j)-(r) above

II

3487 DENMARK - East Coast - Legend.

Source: Danish Chart Correction 20/127/26

Chart 2107 (INT 1301) [*previous update 2866/26*] WGS84 DATUM

Amend legend to, Lts, centred on:

57° 08'·63N., 10° 26'·90E.

II

3488 SWEDEN - East Coast - Pontoon.

Source: Swedish Notice 1125/20162/26

Chart 811 (INT 1239) [*previous update 3375/26*] WGS84 DATUM

Insert pontoon, single firm line, joining:

59° 19'·099N., 18° 09'·556E.

59° 19'·095N., 18° 09'·519E.

59° 19'·099N., 18° 09'·518E.

59° 19'·100N., 18° 09'·520E.

59° 19'·104N., 18° 09'·554E.

II

3502 DENMARK - Islands - Buoy.

Source: Danish Chart Correction 20/124/26

Chart 2108 (INT 1302) [*previous update New Edition 30/04/2026*] WGS84 DATUM

Delete



56° 00′·13N., 11° 17′·69E.

Chart 2589 (INT 1379) [*previous update New Edition 16/04/2026*] WGS84 DATUM

Delete



56° 00′·14N., 11° 17′·69E.

II

3503 LATVIA - Buoy.

Source: Latvian Notice 06/168/26

Chart 2292 (INT 1166) [*previous update 672/26*] WGS84 DATUM

Delete



Fl.G.3s '1K'

56° 32'·705N., 20° 59'·940E.

II

3515 SWEDEN - East Coast - NM Blocks.

Source: Swedish Notice 1124/20178/26

Chart 843 (INT 1230) [*previous update 500/26*] WGS84 DATUM

Insert the accompanying block, centred on:

58° 36'·1N., 17° 19'·0E.

Chart 846 (INT 1229) [*previous update 2573/26*] WGS84 DATUM

Insert the accompanying block, centred on:

58° 34'·7N., 17° 18'·1E.

Chart 864 (INT 1764) [*previous update 122/26*] WGS84 DATUM

Insert the accompanying block, centred on:

58° 34'·7N., 17° 18'·1E.

II

3521 LATVIA - Buoyage.

Source: Latvian Notice 06/169/26

Chart 2048 (INT 1217) [*previous update 2993/26*] WGS84 DATUM

Delete

 Fl(2)5s

56° 29′·47N., 20° 53′·45E.

Chart 2231 (INT 1277) [*previous update 2481/26*] WGS84 DATUM

Delete

 Fl(2)5s

56° 29′·68N., 20° 54′·08E.

Chart 2289 (INT 1165) [*previous update 2481/26*] WGS84 DATUM

Delete

 Fl(2)5s


56° 29′·52N., 20° 54′·06E.

II

3422* **NORTH SEA - United Kingdom Sector - Buoyage.**
Source: Orsted

Chart 1187 [*previous update 3150/26*] ETRS89 DATUM

Insert



53° 54'·90N., 2° 23'·79E.

53° 45'·81N., 2° 40'·83E.

Delete



53° 47'·90N., 2° 41'·41E.

II

3483 DENMARK - North Sea Coast - Buoyage.

Source: Danish Chart Correction 20/123/26

Chart 1422 (INT 1044) [*previous update New Edition 28/05/2026*] WGS84 DATUM

Delete



Fl(2)Y.20s

56° 02'·7N., 7° 56'·8E.



56° 02'·7N., 7° 57'·1E.

56° 02'·5N., 7° 57'·3E.

56° 02'·5N., 7° 56'·9E.

II

3485* NORTH SEA - German Sector - Light-vessels. Automatic Identification System. Superbuoys. Floodlight.

Source: WSA Weser-Jade-Nordsee 90/26

Chart 2182A (INT 1043) [previous update 2995/26] WGS84 DATUM

Delete	symbol, light-vessel, <i>Iso.8s GW/EMS</i>	54° 10'·0N., 6° 20'·7E.
	symbol, light-vessel, <i>Iso.8s GB</i> and associated Automatic Identification System, <i>AIS</i>	54° 10'·8N., 7° 27'·5E.

Chart 2182B (INT 1042) [previous update 3195/26] WGS84 DATUM

Delete	 <i>Iso.17M GW/EMS</i>	54° 09'·9N., 6° 20'·8E.
	 <i>Iso.17M GB</i> and associated symbol, floodlit structure	54° 10'·8N., 7° 27'·8E.

Chart 4140 (INT 140) [previous update 2955/26] WGS84 DATUM

Delete	 <i>GW/Ems</i>	54° 09'·6N., 6° 20'·9E.
	 <i>GB</i>	54° 10'·1N., 7° 28'·3E.

Chart 5614_25 [previous update 2995/26] WGS84 DATUM

Delete	symbol, light-vessel, <i>Iso.8s GW/EMS</i>	54° 10'·0N., 6° 20'·7E.
--------	--	-------------------------

II

3492* GERMANY - North Sea Coast - Light-vessels. Automatic Identification Systems. Fog signals.

Source: WSA Weser-Jade-Nordsee 90/26

Chart DE 50 (INT 1045) [previous update 3140/26] WGS84 DATUM

Delete	symbol, light-vessel, <i>Iso.8s17M GW/EMS Horn Mo(R)30s Ref</i> and associated Automatic Identification System, <i>AIS</i>	54° 10′·0N., 6° 20′·7E.
	symbol, light-vessel, <i>Iso.8s17M German Bight (GB) Horn Mo(R)30s Ref</i> and associated Automatic Identification System, <i>AIS</i>	54° 10′·8N., 7° 27′·5E.

Chart DE 87 (INT 1413) [previous update 2615/26] WGS84 DATUM

Delete	symbol, light-vessel, <i>Iso.8s17M GW/EMS Horn Mo(R)30s Ref</i> and associated Automatic Identification System, <i>AIS</i>	54° 09′·96N., 6° 20′·72E.
	symbol, light-vessel <i>Iso.8s17M German Bight (GB) Horn Mo(R)30s Ref</i> and associated Automatic Identification System, <i>AIS</i>	54° 10′·77N., 7° 27′·52E.

Chart DE 103 (INT 1412) [previous update 2820/26] WGS84 DATUM

Delete	symbol, light-vessel, <i>Iso.8s17M German Bight (GB) Horn Mo(R)30s Ref</i> and associated Automatic Identification System, <i>AIS</i>	54° 10′·78N., 7° 27′·52E.
--------	---	---------------------------

II

3495* NORTH SEA - United Kingdom Sector - Foul.

Source: Scottish Fishing Federation

Chart 295 [*previous update New Edition 19/02/2026*] WGS84 DATUM

Insert

Rep (2026)

61° 08′·75N., 0° 48′·14E.

II

3510 NETHERLANDS - NM Block.

Source: Netherlands Notice 26/137/26

Chart 207 (INT 1465) (Part A, Nieuwe Waterweg and Europoort) [*previous update 3222/26*] WGS84 DATUM

Insert the accompanying block, centred on: 51° 53'·9N., 4° 07'·0E.

II

3525 NETHERLANDS - Depths.

Source: Belgian Notice 14/120/26

Chart BE 11 [*previous update 3040/26*] WGS84 DATUM

Insert	depth, 26	(a)	51° 34'·42N., 3° 27'·96E.
Delete	depth, 32, close W of:	(a)	above
Insert	depth, 24	(b)	51° 35'·29N., 3° 31'·05E.
Delete	depth, 34, close W of:	(b)	above

Chart BE 101 (INT 1474) [*previous update 3040/26*] WGS84 DATUM

Insert	depth, 26	(a)	51° 34'·42N., 3° 27'·96E.
Delete	depth, 32, close W of:	(a)	above
Insert	depth, 24	(b)	51° 35'·29N., 3° 31'·05E.
Delete	depth, 34, close W of:	(b)	above

II

3526* NORTH SEA - United Kingdom Sector - Submarine pipeline. Legend.

Source: Dana Petroleum

Note: Former Notice 3173(P)/25 is cancelled.

Chart 273 [previous update 2070/26] WGS84 DATUM

Insert submarine pipeline, , joining:

56° 55'·01N., 1° 01'·38E.

(a) 56° 55'·57N., 1° 00'·60E.

(b) 57° 04'·03N., 0° 51'·57E.

57° 04'·22N., 0° 51'·48E.

57° 04'·40N., 0° 51'·51E.

57° 04'·57N., 0° 51'·66E.

57° 04'·71N., 0° 51'·97E.

57° 04'·98N., 0° 53'·34E.

legend, *Water (see Note)*, along:

(a)-(b) above

Chart 278 [previous update 3292/26] WGS84 DATUM

Insert submarine pipeline, , joining:

(a) 57° 00'·01N., 0° 55'·87E.

(b) 57° 04'·03N., 0° 51'·57E.

57° 04'·22N., 0° 51'·48E.

57° 04'·40N., 0° 51'·51E.

57° 04'·57N., 0° 51'·66E.

57° 04'·71N., 0° 51'·97E.

57° 04'·98N., 0° 53'·34E.

legend, *Water (see Note)*, along:

(a)-(b) above

Chart 2182B (INT 1042) [previous update 3485/26] WGS84 DATUM

Insert submarine pipeline, , joining:

56° 55'·1N., 1° 01'·3E.

56° 58'·6N., 0° 57'·4E.

57° 03'·5N., 0° 52'·2E.

57° 04'·2N., 0° 51'·4E.

57° 04'·7N., 0° 51'·8E.

57° 05'·0N., 0° 53'·3E.

II

3425 FRANCE - West Coast - Obstructions.

Source: French Notice 24/53/26

Chart 1104 [*previous update 2477/26*] WGS84 DATUM


Delete



44° 39'·0N., 2° 34'·4W.

Chart 4011 (INT 11) [*previous update 1849/26*] WGS84 DATUM


Delete



44° 39'·0N., 2° 33'·2W.

Chart 4014 (INT 14) [*previous update 1070/26*] WGS84 DATUM

Delete



44° 39'·0N., 2° 33'·8W.

II

3500 FRANCE - West Coast - Submarine power cables.

Source: French Notice 25/44/26

Chart 2026 [*previous update 3209/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

48° 43'·41N., 3° 59'·53W.

48° 43'·48N., 4° 00'·26W.

and

48° 42'·07N., 4° 03'·38W.

48° 42'·17N., 4° 03'·60W.

Chart 3429 [*previous update 1247/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

48° 16'·27N., 4° 15'·80W.

48° 16'·16N., 4° 15'·81W.

and

48° 16'·13N., 4° 15'·81W.

48° 16'·07N., 4° 15'·82W.

II

3504 PORTUGAL - West Coast - Alongside depth. Obstruction.

Source: Portuguese Chart 26308

Chart 3260 (INT 1881) [*previous update New Edition 01/02/2024*] WGS84 DATUM

Replace	alongside depth,  (71), with alongside depth,  (68), centred	
	on:	38° 30′·025N., 8° 50′·548W.
Delete	 Obstr	38° 29′·968N., 8° 50′·680W.


II

3528 FRANCE - North Coast - Obstructions.

Source: French Notice 25/36/26

Chart 2135 [*previous update 234/26*] WGS84 DATUM

Delete



Obstn

49° 35'·90N., 1° 08'·50W.

Chart 2450 (INT 1703) [*previous update 3153/26*] ETRS89 DATUM

Delete



Obstn

49° 59'·30N., 0° 12'·62W.

Chart 2613 (INT 1705) [*previous update 3350/26*] WGS84 DATUM

Delete



Obstn

49° 59'·30N., 0° 12'·62W.

49° 52'·51N., 0° 48'·33W.

49° 52'·51N., 0° 35'·01W.

49° 48'·80N., 0° 42'·59W.

49° 40'·96N., 0° 30'·18W.

49° 35'·90N., 1° 08'·50W.

obstruction out of position, Obstn

49° 41'·00N., 0° 46'·49W.

Chart 2656 [*previous update 3201/26*] ETRS89 DATUM

Delete



Obstn

49° 59'·3N., 0° 12'·6W.

49° 52'·5N., 0° 48'·3W.

49° 52'·5N., 0° 35'·0W.


49° 48'·8N., 0° 42'·6W.

49° 41'·0N., 0° 46'·5W.

49° 41'·0N., 0° 30'·2W.

Chart 2675 (INT 1070) [*previous update 3201/26*] ETRS89 DATUM

Delete



Obstn

49° 52'·5N., 0° 48'·3W.

49° 52'·5N., 0° 35'·0W.


49° 48'·8N., 0° 42'·6W.

49° 41'·0N., 0° 46'·5W.

49° 41'·0N., 0° 30'·2W.

Chart 5604_1 [*previous update 1072/26*] ETRS89 DATUM

Delete



Obstn

49° 35'·9N., 1° 08'·5W.

II

3435 TÜRKIYE - Black Sea Coast - Buoy.

Source: Turkish Notice 21-22/128/26

Chart 1274 (Panel B, Approaches to Samsun) [*previous update 3095/26*] WGS84 DATUM

Amend light-buoy to, *Fl.Y.5s* 41° 15′ · 35N., 36° 24′ · 71E.

II

3448 GREECE - Aegean Sea Coast - NM Block.

Source: Greek Notice 4/71/26

Chart 1541 (Panel D, Órmos Íou) [*previous update 777/26*] WGS84 DATUM

Insert the accompanying block, centred on:

36° 43'·5N., 25° 16'·4E.

II

3452 TÜRKIYE - İstanbul Boğazi - Restricted area.

Source: Turkish Notice 20/120/26

Chart 1159 [*previous update 2727/26*] WGS84 DATUM

Delete	limit of restricted area, entry prohibited, pecked line, joining:	41° 01'·98N., 28° 57'·67E.
		41° 01'·96N., 28° 57'·66E.
		41° 01'·89N., 28° 57'·76E.
		41° 01'·80N., 28° 57'·87E.
		41° 01'·85N., 28° 57'·96E.

Chart 1198 (Panel A, Haliç (The Golden Horn)) [*previous update 2727/26*] WGS84 DATUM

Delete	limit of restricted area, entry prohibited, pecked line, joining:	41° 01'·982N., 28° 57'·673E.
		41° 01'·964N., 28° 57'·658E.
		41° 01'·887N., 28° 57'·764E.
		41° 01'·802N., 28° 57'·872E.
		41° 01'·847N., 28° 57'·961E.

II

3453 TÜRKIYE - South Coast - Buoy.
Source: Turkish Notice 20/126/26

Chart 237 [*previous update 2591/26*] WGS84 DATUM

Move

 *Fl(5)Y.20s* from:

to:

36° 44'·3N., 31° 00'·2E.

36° 46'·5N., 31° 01'·0E.

II

3454 TÜRKIYE - South Coast - Depths. Wreck. Reported anchorage.
Source: ENC TR4KMC00

Chart 1055 [*previous update 2673/26*] WGS84 DATUM

Insert	 <i>Wk</i>	(a) 36° 47' · 45N., 28° 05' · 08E.
Delete	depth, 26, close S of:  , close SW of:	(a) above (a) above
Replace	depth, 40, with depth, 186, enclosed by 20m contour depth, 38, with depth, 33	36° 43' · 74N., 28° 05' · 53E. 36° 40' · 92N., 27° 56' · 60E.

II

3466 LEBANON - Light.

Source: ENC LB40401A

Chart 183 [*previous update 2090/26*] WGS84 DATUM

Delete

★ FL.18M

34° 30′·1N., 35° 45′·8E.

Chart 4300 (INT 300) [*previous update 1840/26*] WGS84 DATUM

Delete



34° 28′·8N., 35° 45′·4E.

Chart 4302 (INT 302) [*previous update 1840/26*] WGS84 DATUM

Delete



34° 29′·9N., 35° 45′·7E.

II

3480 ALGERIA - Depths.

Source: Algerian Notice 8/8/26

Chart 2555 [*previous update 5655/25*] WGS84 DATUM

Insert	depth, 71	(a)	36° 46'·138N., 3° 03'·848E.
Delete	depth, 87, close SE of:	(a)	above
Insert	depth, 93	(b)	36° 46'·014N., 3° 03'·651E.
Delete	depth, 73, close SE of:	(b)	above
Insert	depth, 79		36° 45'·990N., 3° 03'·729E.

II

3482 ALGERIA - Depths.

Source: Algerian Notice 8/4/26

Chart 822 [*previous update 585/26*] WGS84 DATUM

Replace	depth, <i>42</i> , with depth, <i>34</i>	35° 51'·82N., 0° 17'·45W.
	depth, <i>19</i> , with depth, <i>167</i>	35° 50'·51N., 0° 17'·33W.

II

3497* CYPRUS - Buoyage.

Source: Cyprus Department of Lands and Surveys

Chart 849 (Panel G, Approaches to Akrotiri Harbour and Limassol) [*previous update 3266/26*] WGS84 DATUM

Delete



Fl.G.2s

34° 41'·36N., 33° 04'·96E.

34° 41'·05N., 33° 04'·38E.



Fl.R.2s

34° 41'·27N., 33° 05'·02E.

34° 41'·15N., 33° 04'·32E.

II

3498 SPAIN - Mediterranean Sea Coast - Restricted area.

Source: Spanish Notice 19/113/26

Chart 1189 (INT 3164) [*previous update 5215/20*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	37° 34'·97N., 1° 00'·62W.
		37° 34'·99N., 1° 00'·40W.
		37° 34'·32N., 1° 00'·79W.
		37° 34'·44N., 1° 00'·91W.

Chart 1194 (INT 3165) [*previous update 3373/26*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	37° 34'·97N., 1° 00'·62W.
		37° 34'·99N., 1° 00'·40W.
		37° 34'·32N., 1° 00'·79W.
		37° 34'·44N., 1° 00'·91W.

II

3518 TÜRKIYE - West Coast - NM Block.

Source: Turkish Notice 10/69/26

Chart 1624 (INT 3784) [*previous update 2465/26*] WGS84 DATUM

Insert the accompanying block, centred on:

38° 26′·7N., 26° 43′·8E.

II

3523 UKRAINE - Buoyage.

Source: Ukranian Notice 22/303/26

Chart 2203 (Panel B, Stevedoring Company Olviia) [*previous update 3345/26*] WGS84 DATUM

Move



Fl.R.3s No 110, from:

46° 50′·707N., 31° 56′·609E.

to:

46° 50′·653N., 31° 56′·583E.

Chart 2203 [*previous update 3345/26*] WGS84 DATUM

Move



Fl.G.3s No 105, from:

46° 49′·59N., 31° 55′·32E.

to:

46° 49′·51N., 31° 55′·45E.

II

3469* SOMALIA - Obstruction. Rocks. Depths.

Source: UKHO

Chart 1052 (Panel, Kismaayo) [previous update 1770/03] WGS84 DATUM

Insert	 <i>Obstn</i>	0° 21'·71S., 42° 37'·35E.
		0° 22'·98S., 42° 31'·96E.
		0° 27'·34S., 42° 30'·41E.
		0° 27'·40S., 42° 30'·88E.
Replace	depth, 18, with 	0° 24'·24S., 42° 31'·14E.

Chart 1052 [previous update 1770/03] WGS84 DATUM

Insert		(a) 0° 38'·3S., 42° 21'·3E.
Delete	depth, 17, close SW of:	(a) above
Replace	depth, 22, with 	0° 27'·4S., 42° 30'·9E.
	depth, 42, with  <i>Obstn</i>	0° 21'·7S., 42° 37'·4E.

Chart 3362 (INT 7705) [previous update 3104/26] WGS84 DATUM

Insert		(a) 0° 38'·3S., 42° 21'·3E.
Delete	depth, 17, close SW of:	(a) above
Insert	 <i>Obstn</i>	(b) 0° 21'·7S., 42° 37'·4E.
Delete	depth, 42, close SE of:	(b) above
Replace	depth, 22, with 	0° 27'·4S., 42° 30'·9E.


II

3428 IRAN - Buoyage.

Source: ENC IR403012

Chart 3173 [*previous update 1753/26*] WGS84 DATUM


Insert



27° 09'·61N., 56° 15'·41E.
27° 08'·60N., 56° 16'·65E.
27° 04'·83N., 56° 16'·27E.
27° 04'·89N., 56° 13'·01E.
27° 06'·39N., 56° 12'·90E.

Chart 3599 [*previous update New Edition 30/04/2026*] WGS84 DATUM

Insert



27° 09'·61N., 56° 15'·41E.
27° 08'·60N., 56° 16'·65E.
27° 04'·83N., 56° 16'·27E.
27° 04'·89N., 56° 13'·01E.
27° 06'·39N., 56° 12'·90E.

II

3468 SRI LANKA - South Coast - Depths. Rock.

Source: ENC LK35PG04

Chart IN 32 (INT 754) [*previous update 3295/26*] WGS84 DATUM

Insert	depth, 55	(a)	6° 01'·0N., 80° 00'·7E.
Delete	depth, 60, close NW of:	(a)	above
Insert	depth, 8, with seabed type, <i>R</i>	(b)	6° 04'·7N., 80° 06'·8E.
Delete	depth, 82, close SE of:	(b)	above

Chart IN 33 (INT 755) [*previous update 3260/26*] WGS84 DATUM

Insert	depth, 55		6° 01'·0N., 80° 01'·3E.
	depth, 8, with seabed type, <i>R</i>	(a)	6° 04'·7N., 80° 06'·8E.
Delete	depth, 82, close S of:	(a)	above

Chart 709 [*previous update 3276/26*] WGS84 DATUM

Insert	depth, 55	(a)	6° 01'·0N., 80° 00'·7E.
Delete	depth, 60, close NW of:	(a)	above
Replace	depth, 82, with depth, 8, with seabed type, <i>R</i>		6° 04'·7N., 80° 06'·8E.

Chart 813 (INT 7386) [*previous update 3020/26*] WGS84 DATUM

Insert	depth, 201	(a)	6° 12'·3N., 80° 01'·8E.
Delete	depth, 22, close SE of:	(a)	above
Insert	depth, 39, and extend 50m contour SW to enclose	(b)	6° 08'·3N., 80° 03'·2E.
Delete	depth, 37, close NE of:	(b)	above
Insert	depth, 8, with seabed type, <i>R</i>	(c)	6° 04'·7N., 80° 06'·8E.
Delete	depth, 82, close NW of:	(c)	above
Insert	depth, 55		6° 01'·0N., 80° 00'·7E.

Chart 3700 [*previous update 3020/26*] WGS84 DATUM

Insert	depth, 201	(a)	6° 12'·34N., 80° 01'·78E.
Delete	depth, 22, close SE of:	(a)	above
Insert	depth, 39, and extend 50m contour SW to enclose		6° 08'·31N., 80° 03'·23E.
	depth, 8, with seabed type, <i>R</i> , and extend 10m contour SE to enclose	(b)	6° 04'·66N., 80° 06'·75E.
Delete	depth, 82, close NW of:	(b)	above
Insert	depth, 55	(c)	6° 01'·00N., 80° 00'·73E.
Delete	depth, 60, close S of:	(c)	above

II

3472 INDIA - West Coast - Wreck.

Source: Indian Notice 9/80/26

Note: Former Notice 1534(T)/26 is cancelled.

Chart IN 210 [*previous update 3295/26*] WGS84 DATUM

Insert



20° 12'·18N., 72° 01'·83E.

Chart IN 254 (INT 7331) [*previous update 3295/26*] WGS84 DATUM

Insert



20° 12'·2N., 72° 01'·8E.

Chart IN 292 (INT 7021) [*previous update 3295/26*] WGS84 DATUM

Insert



20° 12'·2N., 72° 01'·8E.

Chart 707 [*previous update 3367/26*] WGS84 DATUM

Insert



20° 12'·2N., 72° 01'·8E.

II

3474 INDIA - East Coast - Firing practice area. Notes. Legends.

Source: Indian Notice 11/91/26

Chart IN 31 (INT 756) [*previous update 3088/26*] WGS84 DATUM

Delete legend, *Firing Practice Areas* (see Note), centred on: 19° 16'·1N., 85° 15'·3E.

Chart IN 352 (INT 7416) [*previous update 4777/24*] WGS84 DATUM

Delete note, FIRING PRACTICE AREA , centred on: 20° 17'·7N., 85° 15'·0E.

limit of firing practice area, pecked line, and associated
legend, *FIRING PRACTICE AREA* (see Note), joining:

19° 14'·6N., 84° 54'·0E.

19° 07'·4N., 85° 35'·8E.

19° 07'·0N., 85° 35'·7E.

Chart IN 353 (INT 7413) [*previous update 3088/26*] WGS84 DATUM

Delete note, FIRING PRACTICE AREA , centred on: 19° 11'·0N., 83° 45'·9E.

limit of firing practice area, pecked line, and associated
legend, *FIRING PRACTICE AREA* (see Note), joining:

19° 14'·6N., 84° 53'·7E.

18° 33'·6N., 84° 53'·7E.

18° 37'·7N., 85° 12'·3E.

18° 52'·4N., 85° 29'·9E.

19° 07'·4N., 85° 36'·1E.


II

3511 INDIA - East Coast - Moored storage tankers.

Source: Indian Notice 5/59/26

Chart IN 31 (INT 756) [*previous update 3474/26*] WGS84 DATUM


Replace



16° 33'·1N., 82° 35'·7E.

Chart IN 32 (INT 754) [*previous update 3468/26*] WGS84 DATUM


Replace



16° 33'·1N., 82° 35'·6E.

Chart 318 (INT 7405) [*previous update 3408/26*] WGS84 DATUM

Replace



16° 33'·1N., 82° 35'·7E.

II

3499 INDONESIA - Sumatera - Depths.

Source: ENC ID4071R1

Chart 2056 [*previous update 1826/26*] WGS84 DATUM

Insert	depth, 145	(a)	5° 31'·29S., 104° 38'·07E.
Delete	depth, 149, close NW of:	(a)	above
Insert	depth, 49, and extend 50m contour SE to enclose	(b)	5° 34'·05S., 104° 36'·84E.
Delete	depth, 46, close NW of:	(b)	above

Chart 2785 [*previous update 1304/26*] WGS84 DATUM

Replace	depth, 149, with depth, 145	5° 31'·3S., 104° 38'·1E.
---------	-----------------------------	--------------------------

Chart 2862 [*previous update 1826/26*] WGS84 DATUM

Replace	depth, 149, with depth, 145	5° 31'·3S., 104° 38'·1E.
---------	-----------------------------	--------------------------

Chart 2965 (Panel F, Teluk Semangka) [*previous update 2755/26*] WGS84 DATUM

Insert	depth, 145	(a)	5° 31'·29S., 104° 38'·07E.
Delete	depth, 149, close NW of:	(a)	above
Insert	depth, 49, enclosed by 50m contour	(b)	5° 34'·05S., 104° 36'·84E.
Delete	depth, 55, close SW of:	(b)	above

II

3432 TAIWAN - Depths.

Source: UKHO

Note: This update is included in New Edition 2409, published mid 2026

Chart 1760 [*previous update 3028/26*] WGS84 DATUM

Replace	depth, <i>102</i> , with depth, <i>95</i> , enclosed by 10m contour	23° 31'·5N., 119° 32'·1E.
	depth, <i>182</i> , with depth, <i>173</i>	23° 31'·0N., 119° 32'·4E.

II

3436 CHINA - South Coast - Light.

Source: Chinese Notice 21/557/26

Chart 1784 [*previous update 3091/26*] CGCS 2000 DATUM

Amend light to, Fl.7s32m12M

23° 11′·01N., 116° 36′·47E.

II

3449 CHINA - Yellow Sea Coast - Buoy. Legend.

Source: Chinese Notice 19/502/26

Note: This update is included in New Edition 1254, published mid 2026.

Chart 1253 [*previous update 2675/26*] CGCS 2000 DATUM

Insert

 *Q.G No 1*

legend, *Buoyed Channel*, between:

36° 19'·3N., 120° 54'·0E.

36° 18'·0N., 120° 44'·5E.

36° 15'·4N., 120° 48'·1E.

II

3455 CHINA - South Coast - Light.

Source: Chinese Notice 21/561/26

Chart 1369 [*previous update 3296/26*] CGCS 2000 DATUM

Amend light to, Fl.8s63m18M

22° 39′·07N., 115° 34′·18E.

Chart 1962 [*previous update 3335/26*] WGS84 DATUM

Amend light to, Fl.8s63m18M

22° 39′·1N., 115° 34′·1E.

II

3456 CHINA - South Coast - Depth. Wreck.

Source: Chinese Notice 21/566/26

Chart 3989 [*previous update 3273/26*] WGS84 DATUM

Insert



(a) 19° 11'·1N., 108° 30'·1E.

Delete

depth, 158 , close SW of:

(a) above

II

3457 CHINA - South Coast - Buoyage. Virtual aids to navigation. Wind turbine.

Source: Chinese Notices 20/538-539/26

Note: This update is included in New Edition 1555, published mid 2026 and New Edition 3892, published late 2026.

Chart 1537 [previous update 2588/26] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, special topmark, V-AIS No 3	21° 19'·45N., 111° 40'·90E.
	symbol, Virtual aid to navigation, special topmark, V-AIS No 2	21° 13'·76N., 111° 40'·67E.
	symbol, Virtual aid to navigation, special topmark, V-AIS No 1	21° 08'·40N., 111° 40'·90E.
	symbol, wind turbine, Mo(C)Y.12s20m5M No 10	21° 07'·22N., 111° 38'·98E.
Delete	 Mo(O)Y.12s YQ7	21° 07'·89N., 111° 40'·16E.
	 Mo(O)Y.12s YQ6	21° 07'·17N., 111° 37'·42E.

II

3493 TAIWAN - Depths. Wreck.

Source: UKHO

Note: This update is included in New Editions 3236 and 3658, published mid 2026.

Chart 1761 [previous update 2942/26] WGS84 DATUM

Replace depth, 41 , with  Wk 24° 44'·0N., 120° 43'·0E.

Chart 1968 [previous update 3008/26] WGS84 DATUM

Insert  Wk 24° 44'·0N., 120° 43'·0E.

Chart 3231 [previous update 3316/26] WGS84 DATUM

Insert depth, 37 (a) 24° 31'·88N., 120° 36'·46E.

Delete depth, 48 , close SW of: (a) above

Replace depth, 41 , enclosed by 50m contour with  Wk 24° 44'·01N., 120° 42'·98E.

II

3506 VIETNAM - Light.

Source: Vietnam Maritime Safety Corporation

Chart 3879 [*previous update 1349/26*] WGS84 DATUM

Amend range of light to, 19M

10° 21'·95N., 104° 26'·67E.

Chart 3985 [*previous update New Edition 11/06/2026*] WGS84 DATUM

Amend range of light to, 19M

10° 21'·9N., 104° 26'·7E.

II

3517 CHINA - South Coast - Buoy.

Source: Chinese Notice 17/441/26

Note: This update is included in New Edition 1555, published mid 2026.

Chart 3348 [*previous update 2588/26*] CGCS 2000 DATUM

Delete



21° 04′·08N., 111° 25′·73E.

Chart 3892 [*previous update 3348/26*] CGCS 2000 DATUM

Delete



21° 04′·1N., 111° 25′·7E.

II

3524 MALAYSIA - Peninsular Malaysia, East Coast - Obstruction. Wrecks.

Source: Malaysian Notice 3/89/26

Note: This update is included in New Edition 2403, published mid 2026.

Chart 2414 [*previous update 3458/26*] WGS84 DATUM

Insert  *Obstn* 1° 52'·5N., 104° 20'·9E.
 1° 57'·5N., 104° 18'·7E.
1° 58'·7N., 104° 22'·9E.

Chart 2422 [*previous update 3278/26*] WGS84 DATUM

Insert  *Obstn* 1° 52'·5N., 104° 20'·9E.
 1° 57'·5N., 104° 18'·7E.
1° 58'·7N., 104° 22'·9E.

Chart 2470 [*previous update 3359/26*] WGS84 DATUM

Insert  *Obstn* 1° 52'·5N., 104° 20'·9E.
 1° 57'·5N., 104° 18'·7E.
1° 58'·7N., 104° 22'·9E.

Chart 2869 [*previous update 3311/26*] WGS84 DATUM

Insert  *Obstn* 1° 52'·5N., 104° 20'·9E.
 1° 57'·5N., 104° 18'·7E.
1° 58'·7N., 104° 22'·9E.

Chart 3445 [*previous update 2648/26*] WGS84 DATUM

Insert  *Obstn* 1° 52'·49N., 104° 20'·89E.
 1° 57'·48N., 104° 18'·72E.
1° 58'·74N., 104° 22'·94E.

Chart 3482 (INT 550) [*previous update 3424/26*] WGS84 DATUM

Insert  *Obstn* 1° 52'·5N., 104° 20'·9E.
 1° 57'·5N., 104° 18'·7E.
1° 58'·7N., 104° 22'·9E.

Chart 4508 (INT 508) [*previous update 3458/26*] WGS84 DATUM

Insert  1° 58'·7N., 104° 22'·9E.

II

3424 MALAYSIA - Sarawak - Submarine pipeline.

Source: National Hydrographic Centre, Royal Malaysian Navy

Note: This update is included in New Edition 3483, published mid 2026.

Chart 3482 (INT 550) [*previous update 3349/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

4° 41'·9N., 112° 29'·8E.

4° 56'·3N., 112° 31'·5E.

Chart 3838 (INT 5708) [*previous update 2885/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

4° 45'·22N., 112° 30'·19E.

4° 46'·06N., 112° 30'·49E.

4° 49'·27N., 112° 30'·84E.

4° 52'·70N., 112° 31'·04E.

4° 56'·01N., 112° 31'·37E.

4° 56'·78N., 112° 31'·64E.

II

3458 INDONESIA - Kalimantan - Obstructions. Light. Depths.
Source: ENC ID300281

Chart 1312 [*previous update 3303/26*] WGS84 DATUM

Insert  *Obstn*

0° 35'·1N., 107° 02'·1E.
0° 44'·3N., 107° 00'·1E.
1° 07'·4N., 107° 26'·9E.
0° 35'·9N., 107° 37'·0E.

Chart 2414 [*previous update 3278/26*] WGS84 DATUM

Insert  *Obstn*

1° 07'·4N., 107° 26'·9E.

Chart 2868 [*previous update 206/26*] WGS84 DATUM

Insert  *Obstn*

0° 35'·1N., 107° 02'·1E.
0° 44'·3N., 107° 00'·1E.
1° 07'·4N., 107° 26'·9E.
0° 35'·9N., 107° 37'·0E.

Move  Fl.5s130m12M, from:
to:

0° 55'·7N., 106° 44'·0E.
0° 55'·3N., 106° 44'·6E.

Chart 2870 [*previous update 3303/26*] WGS84 DATUM

Insert depth, 30

(a) 0° 26'·9N., 107° 41'·2E.

Delete depth, 36, close NE of:

(a) above

Insert  *Obstn*

0° 35'·9N., 107° 37'·0E.
1° 07'·4N., 107° 26'·9E.
0° 44'·3N., 107° 00'·1E.
0° 35'·1N., 107° 02'·1E.

Move  Fl.5s130m12M, from:
to:

0° 55'·7N., 106° 44'·0E.
0° 55'·3N., 106° 44'·6E.

Chart 4508 (INT 508) [*previous update 3349/26*] WGS84 DATUM

Insert  *Obstn*

0° 35'·1N., 107° 02'·1E.
0° 44'·3N., 107° 00'·1E.
1° 07'·4N., 107° 26'·9E.
0° 35'·9N., 107° 37'·0E.

II

3484 MALAYSIA - Sarawak - Pilot boarding place.
Source: Marine Department, Sarawak Notice 71/26

Chart 161 [*previous update 2871/23*] WGS84 DATUM

Insert



2° 08'·14N., 111° 12'·21E.

II

3486 INDONESIA - Jawa - Buoy.

Source: Indonesian Notice 24/151/26

Chart 946 (Panel A, Probolinggo) [*previous update 2994/26*] WGS84 DATUM

Insert



Fl.G.6s

7° 42'·28S., 113° 13'·13E.

II

3443 AUSTRALIA - Northern Territory - Legends.

Source: Australian Notice 13/550/26

Chart 4603 (INT 603) [*previous update 2403/26*] WGS84 DATUM

Insert	legend, <i>Holothuria Banks</i> , centred on:	13° 24'·0S., 126° 04'·8E.
Delete	former, legend, <i>Holothuria Banks</i> , centred on:	12° 51'·5S., 125° 38'·0E.

II

3445 PAPUA NEW GUINEA - Legend.

Source: Australian Notice 13/545/26

Chart Aus 841 [*previous update 2006/26*] WGS84 DATUM

Delete	ramp, single firm line, and associated legend, Ramp, joining:	9° 25′ · 16S., 142° 32′ · 64E.
		9° 25′ · 10S., 142° 32′ · 66E.

II

3446 AUSTRALIA - Queensland - Legends.

Source: Australian Notice 13/542/26

Chart Aus 832 [*previous update 392/26*] WGS84 DATUM

Insert	legend, White Sand Hill, centred on:	14° 53'·01S., 145° 09'·00E.
	legend, North Sand Hill, centred on:	14° 51'·99S., 145° 08'·94E.
Amend	legend to, Point Lookout, centred on:	14° 50'·1S., 145° 14'·7E.
	legend to, Round Hill, centred on:	14° 48'·3S., 145° 00'·6E.
Delete	legend, Sand Hill, centred on:	14° 50'·68S., 145° 09'·11E.
	legend, White Sand Hill, centred on:	14° 52'·95S., 145° 06'·48E.

II

3519 AUSTRALIA - Queensland - NM Blocks.

Source: Australian Notice 13/544/26

Note: Former Notice 1191(P)/19 is cancelled.

Chart Aus 822 [*previous update 3194/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	22° 01'·4S., 150° 17'·8E.
	the accompanying block B, centred on:	22° 13'·1S., 150° 21'·2E.

II

3527 AUSTRALIA - Western Australia - NM Blocks.

Source: Australian Notice 13/549/26

Chart Aus 57 [*previous update 3255/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	20° 21'·6S., 116° 53'·1E.
	the accompanying block B, centred on:	20° 21'·8S., 116° 59'·4E.
	the accompanying block C, centred on:	20° 42'·6S., 116° 59'·7E.

II

3516 NEW ZEALAND - North Island - Light.

Source: New Zealand Notice 13/41/26

Chart NZ 4314 [*previous update 4517/23*] WGS84 DATUM

Amend light to, Fl(2)5s6m5M

36° 59′·44S., 174° 37′·01E.

II

3423 CANADA - British Columbia - Lights. Legend. Depths. Wrecks.

Source: Canadian Notices 5/3441-3442/26 and 5/3462/26

Chart 4951 [*previous update 2572/26*] NAD83 DATUM

Delete	radar reflector, at light	48° 46'·26N., 123° 22'·04W.
--------	---------------------------	-----------------------------

Chart 4954 [*previous update 2759/26*] NAD83 DATUM

Amend	light to, Fl Y	48° 41'·43N., 123° 24'·50W.
-------	----------------	-----------------------------

Delete	legend, Savage Pt, centred on:	48° 47'·82N., 123° 03'·98W.
--------	--------------------------------	-----------------------------

Chart 4955 [*previous update 2572/26*] NAD83 DATUM

Insert	depth, 37, and extend 5m contour NE to enclose	(a) 48° 51'·02N., 123° 29'·47W.
--------	--	---------------------------------

Delete	depth, 46, close SW of:	(a) above
--------	-------------------------	-----------

Insert	 Wk	48° 51'·16N., 123° 28'·89W.
--------	--	-----------------------------

Replace	depth, 46, with depth, 14, and extend 2m contour S to enclose	48° 51'·27N., 123° 29'·37W.
---------	---	-----------------------------

Delete	 Wk	48° 50'·99N., 123° 28'·82W.
	radar reflector, at light	48° 46'·26N., 123° 22'·03W.

II

3420 MEXICO - Pacific Ocean Coast - Legends. Anchorage areas. Restricted areas.

Source: Mexican HO

Chart 1029 [previous update 2303/26] WGS84 DATUM

Delete	limit of restricted area,  , joining:	32° 20'·2N., 117° 03'·8W. 32° 20'·2N., 117° 07'·0W. 32° 23'·5N., 117° 07'·0W. 32° 23'·5N., 117° 05'·6W.
	limit of anchorage area, pecked line, and associated symbol,  , within:	32° 22'·4N., 117° 07'·0W. 32° 20'·7N., 117° 07'·0W. 32° 20'·7N., 117° 08'·5W. 32° 22'·4N., 117° 08'·5W.
	legend, <i>Rosarito Oil Terminal</i> , centred on:	32° 18'·1N., 117° 12'·7W.

Chart 1049 [previous update 2443/26] WGS84 DATUM

Insert	legend, <i>Rosarito Oil Terminal</i> , centred on:	32° 22'·7N., 117° 04'·1W.
Delete	limit of restricted area,  , joining:	32° 20'·2N., 117° 03'·8W. 32° 20'·2N., 117° 07'·0W. 32° 23'·5N., 117° 07'·0W. 32° 23'·5N., 117° 05'·6W.
	limit of anchorage area, pecked line, and associated legend,  , <i>Tanker</i> , within:	32° 22'·3N., 117° 07'·0W. 32° 20'·7N., 117° 07'·0W. 32° 20'·7N., 117° 08'·5W. 32° 22'·3N., 117° 08'·5W.
	legend, <i>Rosarito Oil Terminal</i> , centred on:	32° 19'·5N., 117° 08'·8W.

II

3470 CHILE - Northern Coasts - Light-beacons. Beacons. Leading lines. Legends.

Source: Chilean Notice 5/47/26

Chart 4231 [*previous update 2702/23*] WGS84 DATUM

Insert	 Fl.G.5s19m23M RN4	(a) 27° 02'·48S., 70° 48'·98W.
	 Fl.G.5s22m23M RN3	(b) 27° 02'·60S., 70° 49'·02W.
	leading line, pecked line, joining:	(a) above (c) 27° 02'·56S., 70° 49'·01W.
Delete	 , close NE of:	(c) above
	 , close SW of:	(b) above
Replace	 with  Fl.R.5s19m23M RN2	(d) 27° 02'·79S., 70° 48'·68W.
Insert	leading line, pecked line for 1002m, extending in direction 252°, from:	(d) above
	legend, 072°, seaward end of:	(d) above
Replace	 with  Fl.R.5s12m23M RN1	27° 02'·81S., 70° 48'·72W.
Delete	former leading line, pecked line and firm line, and associated legend, 070°, extending in direction 250°, from:	(d) above

II

3505 COLOMBIA - Pacific Ocean Coast - Depths.

Source: Colombian Chart 155

Chart 2318 [*previous update 5776/25*] WGS84 DATUM

Insert depth, 47, enclosed by 5m contour

(a) 3° 49'·69N., 77° 10'·63W.

Delete depth, 58, close NE of:

(a) above

Insert depth, 48, enclosed by 5m contour

3° 49'·01N., 77° 10'·14W.

II

3513 CHILE - Northern Coasts - Anchor berths. Recommended anchorages. Depths.

Source: Chilean Notice 5/43/26

Chart 4272 [*previous update 5263/24*] WGS84 DATUM

Insert	 A, centred on:	(a) 41° 48'·13S., 73° 15'·70W.
Delete	 , close S of:	(a) above
Insert	 C, centred on:	41° 48'·60S., 73° 12'·87W.
	depth, 149, enclosed by 20m contour	(b) 41° 48'·06S., 73° 12'·16W.
Delete	depth, 171, and associated 20m contour close SW of:	(b) above
Insert	 B, centred on:	(c) 41° 47'·97S., 73° 11'·97W.
Delete	 , close NE of:	(c) above

II

3427 BRAZIL - East Coast - Depths.

Source: ENC BR400810

Chart 504 (Panel A, Approaches to Porto de Natal) [*previous update 1949/26*] WGS84 DATUM

Insert	depth, 45, enclosed by 50m contour	5° 30′ · 38S., 34° 58′ · 54W.
--------	------------------------------------	-------------------------------

Chart 528 [*previous update New Edition 05/06/2025*] WGS84 DATUM

Insert	depth, 45, and extend 50m contour E to enclose	(a) 5° 30′ · 4S., 34° 58′ · 5W.
Delete	depth, 58, close NE of:	(a) above

Chart 3979 [*previous update 2848/25*] WGS84 DATUM

Insert	depth, 45, enclosed by 50m contour	5° 30′ · 4S., 34° 58′ · 5W.
--------	------------------------------------	-----------------------------

II

3437 ARGENTINA - Fouls.

Source: Argentine Notices 6/65/26 and 6/67/26

Chart 1331 (Panel, Entrance to Bahía Blanca) [*previous update 348/26*] WGS84 DATUM

Insert $\#$ 38° 59'·80S., 61° 52'·40W.

Chart 1331 [*previous update 348/26*] WGS84 DATUM

Insert # 39° 18'·66S., 61° 30'·19W.
38° 59'·80S., 61° 52'·40W.

Chart 3329 [*previous update 298/26*] WGS84 DATUM

Insert # 39° 18'·7S., 61° 30'·2W.

Chart 3755 [*previous update 348/26*] WGS84 DATUM

Insert # 38° 59'·80S., 61° 52'·40W.

II

3440 BRAZIL - East Coast - Depths.

Source: ENC BR401210

Chart 551 (Panel D, Ilhéus) [*previous update 2592/26*] WGS84 DATUM

Insert	depth, 91 , and extend 10m contour E to enclose, with seabed type, <i>R</i>	(a)	14° 46'·50S., 39° 01'·72W.
Delete	depth, 101 , close SE of:	(a)	above
Insert	depth, 64 , with seabed type, <i>R</i>	(b)	14° 46'·83S., 39° 01'·74W.
Delete	depth, 88 , close NE of:	(b)	above

Chart 551 (Panel E, Approaches to Ilhéus) [*previous update 2592/26*] WGS84 DATUM

Insert	depth, 23 , enclosed by 30m contour	(a)	14° 37'·32S., 38° 57'·44W.
Delete	depth, 32, close S of:	(a)	above
Insert	depth, 33		14° 39'·48S., 38° 57'·90W.
	depth, 20, and extend 20m contour E to enclose		14° 39'·46S., 39° 01'·64W.
		(b)	14° 37'·81S., 39° 01'·66W.
Delete	depth, 21, close NW of:	(b)	above

Chart 3975 [*previous update 2214/22*] WGS84 DATUM

Insert	depth, 23, and extend 30m contour NE to enclose	(a)	14° 37'·3S., 38° 57'·4W.
Delete	depth, 28, close SW of:	(a)	above

II

3522 WEST INDIES - Leeward Islands - Anchorage areas. Reported anchorages.

Source: French Notice 25/257/26

Chart 618 [*previous update 5284/25*] WGS84 DATUM

Replace reported black  with magenta 

16° 12'·08N., 61° 30'·06W.

16° 12'·02N., 61° 29'·65W.

Chart 804 [*previous update 5284/25*] WGS84 DATUM

Insert limit of anchorage area, pecked line, joining:

16° 12'·271N., 61° 29'·914W.

16° 12'·055N., 61° 29'·600W.

16° 11'·904N., 61° 29'·682W.

16° 12'·094N., 61° 29'·929W.

16° 12'·214N., 61° 30'·036W.

Delete 

16° 12'·046N., 61° 29'·655W.

II

3429 CANADA - Saint Lawrence River - Depths.

Source: Canadian Notice 5/1236/26

Chart 4777 (Panel, Port de Rimouski) [*previous update 872/26*] NAD83 DATUM

Insert	depth, 48, enclosed by 5m contour	48° 28' 47.7"N., 68° 31' 07.4"W.
	depth, 49, and extend 5m contour S to enclose	(a) 48° 28' 53.2"N., 68° 31' 08.0"W.
Delete	depth, 51, close S of:	(a) above
Insert	depth, 38, and extend 5m contour W to enclose	48° 28' 53.6"N., 68° 31' 05.3"W.
	depth, 48, enclosed by 5m contour	(b) 48° 28' 47.9"N., 68° 31' 01.8"W.
Delete	depth, 51, close NW of:	(b) above
Insert	depth, 47, enclosed by 5m contour	48° 28' 47.9"N., 68° 30' 59.4"W.
	depth, 48, enclosed by 5m contour	48° 28' 46.0"N., 68° 30' 56.4"W.
	depth, 46, and extend 5m contour NW to enclose	48° 28' 44.8"N., 68° 31' 01.7"W.
	depth, 48, enclosed by 5m contour	48° 28' 43.5"N., 68° 30' 55.0"W.
	depth, 45, and extend 5m contour N to enclose	(c) 48° 28' 42.2"N., 68° 30' 57.2"W.
Delete	depth, 51, close NE of:	(c) above
Insert	depth, 45	(d) 48° 28' 41.0"N., 68° 30' 54.1"W.
Delete	depth, 5, close NE of:	(d) above

Chart 4777 (Panel, Matane) [*previous update 872/26*] NAD83 DATUM

Insert	depth, 27	48° 50' 33.4"N., 67° 34' 27.9"W.
	depth, 44, and extend 5m contour N to enclose	48° 50' 50.7"N., 67° 34' 26.6"W.
Replace	depth, 61, with depth, 57	48° 50' 52.6"N., 67° 34' 31.2"W.
	depth, 51, with depth, 49, and extend 5m contour SE to enclose	48° 50' 50.6"N., 67° 34' 42.6"W.

II

3430 UNITED STATES OF AMERICA - East Coast - NM Block.

Source: ENC US5CT1FV

Chart 2732 (Panel 2, New London Harbor) [*previous update 4604/25*] NAD83 DATUM

Insert the accompanying block, centred on: 41° 20'·9N., 72° 05'·0W.

II

3421(T)/26 ENGLAND - East Coast - Scientific instruments.

Source: Brown & May Marine Limited

1. Scientific instruments have been established on the seabed in the following positions:

51° 45'·51N., 1° 53'·66E.

51° 41'·66N., 1° 52'·61E.

2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 1183 (INT 1561) - 1610 (INT 1511)

II

3465(T)/26 SCOTLAND - Shetland Islands - General information.

Source: SaxaVord Spaceport

1. A rocket is due to be launched from SaxaVord Spaceport, Unst in position 60° 49'·03N., 0° 45'·68W. between 5th October and 18th October 2026 from 0700-1200 UTC.
2. The rocket will be launched northwards and is expected to travel 135 km.
3. A temporary space launch hazard area will be established, bounded by the following positions:
60° 47'·74N., 0° 44'·75W.
60° 47'·72N., 0° 46'·48W.
61° 47'·27N., 2° 57'·22W.
62° 50'·75N., 3° 03'·61W.
63° 29'·07N., 1° 45'·17W.
63° 29'·78N., 0° 16'·08E.
62° 55'·09N., 1° 31'·00E.
61° 50'·59N., 1° 27'·79E.
4. The rockets nose cone and booster are expected to splash down, and there may be space debris, centred on the following positions:
61° 57'·0N., 0° 45'·4W.
62° 01'·6N., 0° 45'·2W.
5. The area around the launch site, hazard area and the splash down area are extremely hazardous and all mariners are advised to avoid these areas during the launch period.
6. More precise dates and details of the launch will be promulgated through the MSI service, and UK Coastguard VHF and MF MSI Broadcast from 5 days before the launch.
7. Contact SaxaVord Spaceport Range Control at rangeops@shetlandspacecentre.com or telephone +44 01479 782 040 for further details.
(ETRS89 DATUM)

Charts affected - 2 (INT 160) - 219 (INT 1060) - 245 - 295 - 1233 (INT 1500) - 1239 - 1427 (INT 1401) - 1428 (INT 1402) - 2182C (INT 1041) - 2182D (INT 1040) - 3282 - 4010 (INT 10) - 4011 (INT 11) - 4014 (INT 14) - 4101 (INT 101) - 4140 (INT 140)

II

3520(T)/26 SCOTLAND - Shetland Islands - General information.

Source: SaxaVord Spaceport

1. *A rocket is due to be launched from SaxaVord Spaceport, Unst in position 60° 49'·13N., 0° 46'·46W. between 10th August and 14th September 2026 from 1500-1900 UTC.
2. A temporary space launch hazard area will be established around the launch site, bounded by the following positions:

61° 05'·04N., 0° 35'·61W.
60° 50'·59N., 0° 31'·77W.
60° 47'·34N., 0° 45'·30W.
60° 48'·56N., 0° 56'·99W.
61° 00'·91N., 1° 06'·83W.
3. A temporary space launch hazard area will be established, bounded by the following positions:

60° 46'·82N., 0° 45'·15W.
60° 47'·87N., 1° 11'·84W.
60° 52'·76N., 1° 30'·90W.
62° 12'·18N., 3° 51'·71W.
68° 57'·59N., 14° 46'·23W.
70° 29'·00N., 9° 09'·90W.
70° 46'·33N., 2° 44'·55W.
68° 46'·28N., 1° 57'·14W.
68° 00'·10N., 1° 41'·24W.
66° 45'·02N., 1° 17'·55W.
64° 45'·59N., 0° 43'·93W.
64° 10'·17N., 0° 34'·98W.
62° 45'·02N., 0° 14'·96W.
61° 04'·47N., 0° 14'·58W.
60° 53'·30N., 0° 21'·62W.
4. The rockets first stage, and fairing are expected to splash down on the following positions respectively, and there may be free falling debris:

67° 15'·3N., 6° 08'·4W.
67° 52'·9N., 6° 38'·8W.
5. The nominal splashdown area for this debris is bounded by the following positions:

64° 27'·2N., 6° 46'·3W.
68° 57'·6N., 14° 46'·2W.
70° 29'·0N., 9° 09'·9W.
70° 46'·3N., 2° 44'·6W.
68° 46'·3N., 1° 57'·1W.
68° 00'·1N., 1° 41'·2W.
66° 45'·0N., 1° 17'·6W.
65° 34'·3N., 0° 56'·9W.
6. The area around the launch site, hazard areas and the splash down areas are extremely hazardous and all mariners are advised to avoid these areas during the launch period.
7. More precise dates and details of the launch will be promulgated through the MSI service, and UK Coastguard VHF and MF MSI Broadcast from 5 days before the launch.
8. Contact SaxaVord Spaceport Range Control at rangeops@shetlandspacecentre.com or telephone +44 01479 782 040 for further details.
9. *Former Notice 2360(T)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 2 (INT 160) - 219 (INT 1060) - 245 - 1233 (INT 1500) - 1239 - 2182C (INT 1041) - 2182D (INT 1040) - 2897 (INT 1010) - 2900 (INT 1100) - 2901 (INT 1101) - 3282 - 4010 (INT 10) - 4011 (INT 11) - 4014 (INT 14) - 4100 (INT 100) - 4101 (INT 101) - 4112 (INT 112) - 4113 (INT 113) - 4140 (INT 140)

II

3530(T)/26 CELTIC SEA - UK Sector - Scientific instruments.

Source: Celtic Sea Power Limited

1. Scientific instruments attached to subsurface moorings have been established in the following positions:

51° 39'·37N., 6° 03'·48W.
51° 37'·12N., 5° 42'·13W.
51° 30'·68N., 5° 25'·32W.
51° 22'·44N., 5° 07'·59W.
51° 22'·54N., 5° 48'·69W.
51° 18'·65N., 5° 26'·93W.
51° 13'·16N., 5° 08'·98W.
51° 09'·03N., 5° 59'·99W.
51° 08'·10N., 5° 35'·06W.
51° 03'·36N., 5° 17'·83W.
50° 57'·75N., 6° 09'·49W.
50° 49'·89N., 5° 48'·92W.
50° 48'·39N., 5° 29'·04W.
50° 41'·05N., 6° 17'·36W.
50° 24'·26N., 6° 15'·94W.
50° 46'·1N., 6° 43'·6W.
50° 26'·7N., 6° 41'·6W.

2. The moorings extend upwards from the seabed by 5 metres and have no surface markers.
3. Mariners are advised to navigate with caution in the area.
4. *Former Notice 5204/(T)/25 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1121 (INT 1062) - 1123 - 1178 (INT 1611) - 1478 - 2565 (INT 1700) - 2649 (INT 1063) - 2675 (INT 1070) - 5603_1 - 5608_2 - 5620_1 - 5620_3 - 5621_18 - 5621_2 - 5622_1

II

3532(T)/26 SCOTLAND - Shetland Islands - Buoy.

Source: Scottish Sea Farms

1. A yellow wave monitoring buoy, *Fl(5)Y.20s*, has been established in position 60° 23'·53N., 1° 05'·40W.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 1989(T)/26 is cancelled.

*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 3282 - 3284

II

3418(T)/26 POLAND - Measuring instrument. Buoy.

Source: Polish Notice 19/220(T)/26

1. A survey gauge, marked by a yellow special light-buoy, *Fl(5)Y.20s*, has been established in the following position
54° 45′·75N., 17° 14′·55E.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202)

II

3419(T)/26 POLAND - Measuring instrument. Buoy.

Source: Polish Notice 20/237(T)/26

1. A survey gauge, marked by a yellow special light-buoy, *Q(5)Y.20s*, has been established in the following position:
54° 44′.99N., 17° 12′.02E.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202)

II

3434(T)/26 NORTH SEA - United Kingdom Sector - Restricted area.

Source: UKHO

1. A restricted area, Entry Restricted, has been established, with circular limit, radius 500m, centred on:
53° 35′·17N., 2° 17′·38E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1187 - 1503 (INT 1509)

II

3489(T)/26 NORTH SEA - Netherlands Sector - Buoy.

Source: Netherlands Notice 27/144(T)/26

1. The yellow spherical special purpose light-buoy, *Fl(3)Y.10s HALFWEG*, in position 52° 53′·08N., 4° 19′·38E., has been temporarily withdrawn.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1408 - 1631 (INT 1418)

II

3490(T)/26 NETHERLANDS - Buoyage.

Source: Netherlands Notice 27/146(T)/26

1. The following north cardinal spar buoys have been temporarily established:

<i>Designation</i>	<i>Position</i>
<i>HGO A</i>	51° 21'·85N., 3° 55'·11E.
<i>HGO B</i>	51° 22'·34N., 3° 56'·35E.

2. The yellow pillar buoy, *F 3I*, in position 51° 22'·06N., 3° 55'·76E., has been temporarily withdrawn.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 120 (INT 1479)

II

3447(P)/26 PORTUGAL - West Coast - Depths. Alongside depths. Drying height.

Source: Portuguese Chart 26308

1. Depths have changed within the port of Setúbal and its approaches. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
6·9m	38° 26'·894N., 8° 58'·243W.
10·8m	38° 27'·435N., 8° 57'·742W.
8·7m	38° 27'·663N., 8° 57'·756W.
10·4m	38° 28'·041N., 8° 57'·365W.
11·5m	38° 28'·354N., 8° 57'·044W.
10·2m	38° 28'·535N., 8° 56'·564W.
11·1m	38° 28'·693N., 8° 56'·391W.
16·5m	38° 28'·922N., 8° 56'·211W.
19·6m	38° 28'·989N., 8° 56'·074W.

2. Alongside depths and drying heights within the port have changed. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
4·7m	38° 31'·154N., 8° 53'·838W.
6·8m	38° 30'·025N., 8° 50'·548W.
7·8m	38° 31'·083N., 8° 52'·629W.
8·7m	38° 30'·473N., 8° 51'·131W.
<i>Drying height</i>	<i>Position</i>
1·8m	38° 31'·096N., 8° 54'·077W.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. These and other changes will be included in a New Edition of Chart 3259 to be published mid 2026.
5. Chart 3260 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - 3259 (INT 1880)

II

3460(T)/26 PORTUGAL - West Coast - Depths.

Source: Portuguese Notice 5/197(T)/26

1. Depths less than charted exist within Figueira da Foz. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
4·1m	40° 08'·34N., 8° 52'·62W.
7·3m	40° 08'·49N., 8° 52'·69W.
5·9m	40° 08'·53N., 8° 52'·70W.
7·3m	40° 08'·55N., 8° 52'·73W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3228

II

3461(T)/26 PORTUGAL - West Coast - Foul.

Source: Portuguese Notice 5/195(T)/26

1. A foul area containing multiple unlit surface floats exist centred on position 41° 10′·56N., 8° 43′·18W.
2. Mariners are requested to maintain a clearance of 100m.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3258 (INT 1871)

II

3462(T)/26 PORTUGAL - South Coast - Buoy.

Source: Portuguese Notice 5/206(T)/26

1. The lateral light-buoy, *Fl.G.15s No 19*, in position 36° 59'·91N., 7° 55'·98W. has been removed.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 83

II

3475(P)/26 FRANCE - West Coast - Submarine cables.

Source: French Notice 17/4(T)/26

1. The INELEFE submarine cables are being laid, joining the following positions:

43° 37'·95N., 1° 27'·33W.

43° 38'·66N., 1° 33'·53W.

43° 38'·86N., 1° 35'·13W.

43° 38'·61N., 1° 36'·27W.

2. and

44° 55'·13N., 1° 13'·07W.

44° 55'·96N., 1° 20'·52W.

44° 55'·42N., 1° 21'·57W.

44° 46'·96N., 1° 22'·52W.

44° 40'·38N., 1° 24'·36W.

44° 32'·76N., 1° 25'·14W.

44° 26'·58N., 1° 23'·39W.

44° 19'·86N., 1° 24'·01W.

44° 08'·81N., 1° 26'·32W.

44° 03'·23N., 1° 27'·78W.

43° 59'·23N., 1° 28'·54W.

43° 52'·21N., 1° 29'·07W.

43° 51'·35N., 1° 30'·06W.

43° 48'·53N., 1° 29'·31W.

43° 45'·37N., 1° 29'·41W.

43° 43'·73N., 1° 27'·68W.

43° 43'·56N., 1° 26'·21W.

3. Anchoring, fishing, and diving, are prohibited 500m either side of the cable laying activities.
4. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1104 - 1292 (INT 1805) - 2664 (INT 1804)

II

3463(T)/26 NORTH ATLANTIC OCEAN - Arquipélago dos Açores - Buoy.

Source: Portuguese Notice 5/212(T)/26

1. The *ODAS* light-buoy, *Fl(5)Y.20s BOND 3*, in position 39° 22'·26N., 31° 09'·13W., has been removed.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1959

II

3459(T)/26 UNITED ARAB EMIRATES - Bridge. Works. Buoyage.

Source: Abu Dhabi Maritime

1. Construction works are taking place at Mussafah Bridge in the vicinity of 24° 24'·20N., 54° 29'·15E.
2. Works are being carried out from a mobile barge and a silk curtain has been installed.
3. Temporary buoyage have been established in the area to mark the works.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3715 (INT 7224)

II

3509(T)/26 INDIA - West Coast - Depths.

Source: Indian Nav Warning 729/26

1. Two shoal depths, approximately 6·2m, have been reported in the vicinity of the following positions:

18° 17'·72N., 72° 55'·18E.

18° 17'·77N., 72° 55'·92E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - IN 211 - IN 212 - IN 2036 (INT 7352)

II

3529(T)/26 BANGLADESH - Wreck.

Source: BNHOC Notice 20(T)/26

1. A stranded wreck exists in position 22° 13'·36N., 91° 48'·36E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 102 (INT 7427) - BD 7510 (INT 7428)

II

3491(T)/26 SINGAPORE STRAIT - Wreck. Buoy.

Source: Indonesian Notice 25/164(T)/26

1. A wreck, marked by an emergency wreck marking buoy, exists in position 1° 12'·85N., 103° 55'·41E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3831 - 3833 - 4041

II

3512(P)/26 INDONESIA - Sumatera - Submarine cable.

Source: Indonesian Notice 41/366(P)/25 and Marine Department, Malaysia Notice 82(T)/26

1. Submarine cable laying operations are taking place in connection with Asia Link Cable (ALC) system, joining the following positions:

1° 01'·004N., 103° 34'·756E.
1° 17'·287N., 104° 07'·610E.
1° 17'·221N., 104° 08'·703E.
1° 17'·573N., 104° 10'·225E.
1° 16'·951N., 104° 10'·755E.
1° 17'·054N., 104° 12'·420E.
1° 17'·006N., 104° 15'·715E.
1° 17'·356N., 104° 18'·830E.
1° 18'·376N., 104° 20'·854E.
1° 19'·934N., 104° 21'·147E.
1° 20'·007N., 104° 21'·179E.
1° 22'·466N., 104° 24'·438E.
1° 23'·625N., 104° 25'·012E.
1° 26'·815N., 104° 29'·220E.
1° 29'·667N., 104° 32'·370E.
1° 39'·603N., 104° 37'·091E.
1° 40'·022N., 104° 38'·693E.
1° 49'·675N., 104° 41'·960E.
1° 51'·197N., 104° 42'·442E.
1° 52'·503N., 104° 41'·616E.
2° 06'·007N., 104° 46'·147E.
2° 09'·181N., 104° 44'·614E.
2° 37'·978N., 104° 52'·119E.
2° 40'·808N., 105° 07'·428E.
2° 46'·112N., 105° 08'·286E.

- 2.

3° 09'·794N., 105° 20'·287E.
3° 15'·533N., 105° 25'·863E.
3° 21'·776N., 105° 34'·247E.
3° 21'·929N., 105° 34'·341E.
3° 29'·757N., 105° 33'·374E.
3° 40'·416N., 105° 44'·759E.
3° 45'·459N., 106° 03'·651E.
3° 41'·949N., 106° 09'·725E.
4° 02'·685N., 106° 56'·817E.
5° 12'·782N., 107° 58'·815E.
6° 09'·412N., 110° 21'·675E.
6° 26'·378N., 110° 29'·947E.
6° 28'·826N., 110° 34'·839E.
6° 29'·840N., 110° 42'·820E.
6° 42'·264N., 110° 47'·061E.
6° 51'·779N., 110° 57'·408E.

II

3512(P)/26 INDONESIA - Sumatera - Submarine cable. (continued)

3. *Submarine cable laying operations are taking place in connection with Asia Link Cable (ALC) system, within an area bounded by the following positions:

1° 53'·00N., 104° 08'·13E.

1° 59'·90N., 104° 14'·67E.

2° 06'·93N., 104° 20'·81E.

2° 09'·48N., 104° 36'·27E.

2° 12'·89N., 104° 46'·43E.

2° 13'·63N., 104° 44'·69E.

2° 10'·92N., 104° 36'·14E.

2° 07'·92N., 104° 19'·84E.

2° 00'·28N., 104° 14'·05E.

1° 54'·48N., 104° 06'·93E.

4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
5. Charts will be updated when works are complete.
6. *Former Notice 5685(P)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 1312 - 1348 - 2403 - 2414 - 2422 - 2435 - 2436 - 2470 - 2868 - 2869 - 3445 - 3482 (INT 550) - 3831 - 3833 - 3902 - 3937 - 3948

II

3431(P)/26 TAIWAN - Works. Submarine pipeline.

Source: UKHO

1. Works associated with pipeline laying are taking place in the vicinity of the following positions:

24° 28'·93N., 120° 39'·92E.
24° 28'·98N., 120° 37'·62E.
24° 29'·69N., 120° 36'·15E.
24° 29'·83N., 120° 35'·22E.
24° 29'·60N., 120° 33'·98E.
24° 29'·26N., 120° 33'·25E.
24° 25'·45N., 120° 27'·14E.
24° 25'·03N., 120° 26'·62E.
24° 24'·79N., 120° 26'·09E.
24° 23'·76N., 120° 24'·44E.
24° 23'·25N., 120° 23'·78E.
24° 15'·92N., 120° 17'·93E.
24° 11'·68N., 120° 14'·41E.
24° 00'·00N., 120° 04'·94E.
23° 56'·17N., 120° 02'·19E.
23° 50'·54N., 119° 59'·99E.
23° 43'·93N., 119° 58'·05E.
23° 38'·22N., 119° 58'·47E.
23° 31'·47N., 119° 57'·78E.

2. and

23° 29'·99N., 119° 57'·88E.
23° 26'·17N., 119° 57'·89E.
23° 25'·60N., 119° 58'·06E.
23° 24'·07N., 119° 57'·85E.
23° 21'·64N., 119° 57'·85E.
23° 20'·07N., 119° 57'·31E.
23° 14'·63N., 119° 57'·64E.
23° 10'·53N., 119° 58'·34E.
23° 06'·79N., 119° 58'·47E.
23° 02'·09N., 119° 59'·36E.
23° 00'·00N., 120° 00'·87E.
22° 58'·23N., 120° 02'·20E.
22° 54'·60N., 120° 04'·66E.
22° 49'·93N., 120° 07'·47E.
22° 48'·43N., 120° 08'·02E.
22° 48'·05N., 120° 08'·66E.
22° 48'·13N., 120° 11'·88E.
22° 48'·42N., 120° 12'·45E.

3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1760 - 1968 - 2409 - 3231 - 3232

II

3450(T)/26 CHINA - South Coast - Virtual aids to navigation. Buoyage.

Source: Chinese Notice 20/552(T)/26

1. The following light-buoys have been replaced by Virtual aids to navigation, V-AIS, with the same navigational purpose:

<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>No 30</i>	Port lateral	22° 32'·12N., 113° 43'·83E.
<i>No 31</i>	Starboard lateral	22° 33'·14N., 113° 43'·75E.
<i>No 34</i>	Port lateral	22° 33'·99N., 113° 43'·14E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Chart affected - 343

II

3451(T)/26 CHINA - Yellow Sea Coast - Wreck.

Source: Chinese Notice 22/599(T)/26

1. A dangerous wreck has been reported in the vicinity of position 35° 01'·0N., 120° 24'·0E.
(CGCS 2000 DATUM)

Charts affected - 1253 - 3480

II

3507(T)/26 CHINA - Yellow Sea Coast - Buoyage.

Source: Chinese Notice 22/598(T)/26

1. The following light-buoys have been established:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Mo(C)Y.12s</i>	<i>No 24</i>	Yellow Pillar	36° 33'·0N., 121° 48'·3E.
<i>Mo(C)Y.12s</i>	<i>No 30</i>	Yellow Pillar	36° 24'·4N., 122° 34'·0E.

2. Mariners are advised to keep a minimum safe distance of 500m from the buoys.
(CGCS 2000 DATUM)

Charts affected - 1254 - 1256 - 3480

II

3533(T)/26 VIETNAM - Wreck.

Source: Vietnam Maritime Safety Corporation Notice 83(T)/26

1. A dangerous wreck exists in the vicinity of position $10^{\circ} 29' \cdot 73\text{N.}$, $106^{\circ} 56' \cdot 92\text{E.}$
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1039

II

3439(T)/26 AUSTRALIA - Western Australia - Wells. Works.

Source: Australian Notice 13/567(T)/26

1. On or about 1 July 2026, drill rig *Transocean Endurance* and support vessels will begin well plug and abandonment works in the vicinity of the following positions:

19° 29'·0S., 116° 36'·6E.

19° 30'·6S., 116° 36'·3E.

19° 31'·3S., 116° 35'·2E.

19° 31'·2S., 116° 06'·7E.

19° 31'·5S., 116° 05'·9E.

2. Well intervention works will be conducted in the vicinity of position 19° 45'·7S., 115° 53'·4E.
3. Mariners are advised to navigate with caution in the area. 500m clearance requested.
(WGS84 DATUM)

Charts affected - 4722 (INT 722) - 4723 (INT 723) - Aus 327

II

3441(T)/26 AUSTRALIA - Tasmania - Works.

Source: Australian Notice 13/577(T)/26

1. Drill rig *Transocean Equinox* is conducting drilling operations in position 39° 51'·7S., 145° 22'·5E.
2. Mariners are advised to navigate with caution in the area. 2·5M clearance requested.
(WGS84 DATUM)

Chart affected - 4601 (INT 601)

II

3442(T)/26 PAPUA NEW GUINEA - Works.

Source: Australian Notice 13/559(T)/26

1. Vessel *Noble Viking* is conducting drilling operations in the vicinity of position 10° 47'·6S., 149° 10'·5E.
2. Mariners are advised to navigate with caution in the area. 2M clearance requested.
(WGS84 DATUM)

Chart affected - 4604 (INT 604)

II

3531(P)/26 AUSTRALIA - Western Australia - Depths.

Source: Australian Chart Aus55

1. Depths less than charted exist within the approaches to Port Walcott surrounding Delambre Island. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
15·9m	20° 29'·32S., 117° 00'·43E.
15·2m	20° 29'·74S., 117° 00'·56E.
15·2m	20° 29'·76S., 117° 01'·36E.
0·5m	20° 27'·37S., 117° 03'·29E.
8·4m	20° 24'·93S., 117° 01'·39E.
7·9m	20° 25'·05S., 117° 02'·09E.
8·5m	20° 25'·19S., 117° 02'·52E.
9·6m	20° 25'·12S., 117° 02'·30E.
11·9m	20° 25'·36S., 117° 03'·47E.
15m	20° 25'·36S., 117° 04'·07E.
19·7m	20° 24'·11S., 117° 03'·22E.
14·6m	20° 25'·13S., 117° 05'·21E.
16·6m	20° 24'·63S., 117° 05'·45E.
19·5m	20° 22'·11S., 117° 07'·26E.
18·3m	20° 22'·41S., 117° 08'·04E.
5·9m	20° 26'·22S., 117° 06'·56E.
8m	20° 27'·75S., 117° 08'·07E.

2. Depths shoaler than charted exist as follows:

<i>Depth</i>	<i>Position</i>
8·7m	20° 33'·67S., 117° 04'·77E.
10·9m	20° 24'·51S., 117° 31'·60E.

3. Mariners are advised to navigate with caution in the area and consult local port authorities for the latest information.
4. These and other changes will be included in a New Edition of Chart Aus55 to be published mid 2026.
(WGS84 DATUM)

Chart affected - Aus 55

II

3514(P)/26 NEW ZEALAND - South Island - Marine Reserves.

Source: New Zealand Bulletin 13/26 General Notice

1. Mariners are advised that new marine protected areas are now in effect as part of the Te Au Roa o Te Rakihouia Marine Protection Network in Otago.
2. See the Department of Conservation website for the full detailed extents and restrictions: <https://www.doc.govt.nz/parks-and-recreation/places-to-go/otago/places/te-au-roa-o-te-rakihouia/>
3. Charts will be updated when full details are available.
(WGS84 DATUM)

Charts affected - NZ 64 - NZ 66 - NZ 661

II

3464(P)/26 SOUTH PACIFIC OCEAN - Submarine cables.

Source: Alcatel Submarine Network

1. Submarine cable laying operations are planned between September 2027 and November 2027 between Île Lifou and Espiritu Santo, joining the following positions:

15° 33'·1S., 167° 08'·8E.
15° 31'·6S., 167° 11'·5E.
15° 31'·3S., 167° 20'·6E.
15° 37'·1S., 167° 36'·0E.
15° 50'·9S., 167° 45'·0E.
15° 59'·0S., 167° 46'·1E.
16° 47'·2S., 168° 02'·5E.
17° 42'·4S., 168° 01'·7E.
17° 57'·6S., 168° 16'·1E.
18° 19'·1S., 168° 18'·5E.
18° 52'·6S., 168° 32'·1E.
19° 10'·5S., 168° 29'·4E.
20° 05'·0S., 167° 47'·8E.
20° 47'·1S., 167° 25'·2E.
20° 54'·7S., 167° 15'·5E.

2. and

19° 38'·9S., 169° 26'·7E.
19° 40'·5S., 169° 27'·9E.
19° 42'·2S., 169° 23'·3E.
19° 38'·2S., 169° 12'·7E.
19° 10'·9S., 168° 51'·8E.
19° 07'·0S., 168° 42'·6E.
19° 10'·5S., 168° 29'·4E.

3. and

17° 46'·6S., 168° 18'·0E.
17° 46'·9S., 168° 18'·1E.
17° 49'·8S., 168° 16'·4E.
17° 57'·6S., 168° 16'·1E.

4. and

16° 06'·3S., 167° 25'·6E.
16° 05'·5S., 167° 26'·0E.
16° 03'·4S., 167° 26'·5E.
15° 56'·6S., 167° 41'·9E.
15° 57'·0S., 167° 44'·0E.
15° 59'·0S., 167° 46'·1E.

5. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
6. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 936 - 1494 - 1570 - 1575 - 1576 - 1577 - 1638 - 4633 (INT 633) - 4636 (INT 636) - 4637 (INT 637)

II

3473(P)/26 COLOMBIA - Pacific Ocean Coast - Depths. Obstruction. Lights. Buoy. Quay.

Source: Colombian Chart 155 and ENC CO500730

1. Depths less than charted exist within Puerto de Buenaventura and approaches. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
4·7m	3° 49'·69N., 77° 10'·63W.
7·5m	3° 53'·485N., 77° 03'·791W.
4·8m	3° 49'·01N., 77° 10'·14W.
8·1m	3° 52'·607N., 77° 05'·091W.
6·5m	3° 51'·35N., 77° 06'·74W.

2. An obstruction, with depth 5·1, exists in position 3° 51'·27N., 77° 06'·21W.
3. The light in position 3° 53'·754N., 77° 05'·647W., has been amended to Fl.WRG.4s28m12M & Q.18m5M.
4. The following sectors have been withdrawn:

G: 356.5° - 358°
W: 355.5° - 356.5°
R: 354° - 355.5°

5. The light, Fl.Bu4s3m5M, in position 3° 54'·035N., 77° 05'·102W., has been deleted.
6. The light-buoy, in position 3° 53'·991N., 77° 05'·193W. has been amended to *Q.G.*
7. The wharf, near Estero Agua Dulce, has been extended, joining the following positions:

3° 54'·042N., 77° 05'·094W.
3° 53'·961N., 77° 05'·004W.

8. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
9. These changes will be included in a New Edition of Chart 2319 to be published late 2026.
10. Chart 2318 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - 2319

II

3494(T)/26 SURINAME - Restricted area. Works.

Source: Maritime Authority Suriname Notice 36/26(T)

1. An exploration drilling area has been established, radius 3700m (2NM), centred on 7° 08'·4N., 55° 41'·2W.
2. A safety zone has been established, radius 500m, centred on 7° 08'·4N., 55° 41'·2W.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. Communication is through VHF channel 16 and 6.
5. Works are expected to last until the end of October 2026.
(WGS84 DATUM)

Charts affected - 517 - 2764 (INT 4191)