



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 32

06 August 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
1018	NZ 63	INT 1210	NP 131
1123	NZ 64		NP 234(B)
1602	NZ 66		e-NP 234(B)
1628	NZ 68		NP 285
1941	NZ 71		
1966	NZ 72		
2075	NZ 73		
2191	NZ 76		
2202	NZ 463		
2376	NZ 661		
2409	NZ 681		
2633	NZ 4633		
3232	NZ 4634		
3233	NZ 6142		
3683	NZ 6153		
5500	NZ 6154		
5521	NZ 6321		
5522	NZ 6422		
NZ 46	NZ 6612		
NZ 61	NZ 6821		
NZ 62			

THE GULF AND STRAIT OF HORMUZ NAVIGATIONAL INFORMATION

Amid ongoing developments, it is not always possible to ensure that all ADMIRALTY Products are completely up-to-date for new dangers or changes to aids to navigation and routing measures. Mariners are encouraged to pay close attention to navigational warnings in place and advised to exercise particular caution when navigating in The Gulf region and the Strait of Hormuz.

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 06 August 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1602	China - Chang Jiang, Outer Approaches to Shanghai. This chart remains affected by Notices 3935(P)/22, 4392(T)/25 and 3724(P)/26.	1:130,000	50	80
⊙1628	Venezuela, Puerto Cabello and Approaches. Puerto Cabello. On publication of this New Edition former Notice 2911(P)/26 is cancelled. This chart remains affected by Notice 3536(T)/26.	1:85,000 1:20,000	87	124
⊙2075 INT 1210	International Chart Series, Baltic Sea, Hiiumaa to Saaristomeri. 58°30'·00N – 60°44'·76N, 20°00'·00E – 23°06'·31E.	1:250,000	11	36
⊙2202	Black Sea - Ukraine, Pivdennyi Port. On publication of this New Edition former Notice 2420(P)/26 is cancelled. This chart remains affected by Notices 2503(P)/23, 4708(P)/24 and 2301(T)/26.	1:12,500	31	46
⊙2376	Taiwan - West Coast, Kaohsiung. On publication of this New Edition former Notice 1071(P)/26 is cancelled. This chart remains affected by Notices 3497(T)/23, 4377(T)/24 and 1442(T)/26.	1:20,000	50	80
⊙2409	Taiwan - West Coast, Kaohsiung Port to Fangyuan Po-ti Including Penghu Islands. This chart remains affected by Notices 3367(T)/23, 3497(T)/23, 4853(T)/24, 4901(T)/24, 838(P)/25, 3712(T)/25, 1931(T)/26 and 3431(P)/26.	1:150,000	50	80
⊙3232	Taiwan - West Coast, Eluanbi to Kaohsiung Port. This chart remains affected by Notices 4141(T)/19, 3367(T)/23, 3497(T)/23, 3226(T)/25, 3712(T)/25 and 3431(P)/26.	1:150,000	50	80
⊙3233	Taiwan - East Coast, Eluanbi to Taitung Port.	1:150,000	50	80

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP285	ADMIRALTY List of Radio Signals Global Maritime Distress and Safety System (GMDSS) NP285 Volume 5 7 th Edition 2026 ISBN: 978-0-70-774-8436	06/08/2026	Updated to Week 25/26 (18/06/26) First updates in NM Week 32/26 (06/08/26) The 6 th Edition (2025) of NP285 is cancelled
NP234(B) & e-NP234(B)	ADMIRALTY Cumulative List of Notices to Mariners – June 2026 ISBN Number: 978-0-70-774-6647	06/08/2026	This Edition supersedes NP234(B) 2025 which is hereby cancelled

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 20 AUGUST 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
1018	Italy, Approaches to Stretto di Messina.	1:125,000	⊙1018	26	44
1123	United Kingdom and Ireland, Western Approaches to Saint George's Channel and Bristol Channel.	1:500,000	⊙1123	2	20, 26
1941	Italy, Capo Passero to Capo Colonne.	1:300,000	⊙1941	26	44
1966	South America - North Coast, Carúpano to Punta Gallinas Including Isla De Aves.	1:1,000,000	⊙1966	86	124
2191	Caribbean Sea - Venezuela, Morro de Puerto Santo to Cabo Codera, Including the Outlying Islands.	1:300,000	⊙2191	87	124
2633	Eastern Mediterranean, Al Lādhiqīyah to Sour and Famagusta.	1:300,000	⊙2633	30	46
3683	England - East Coast, Sheerness and Approaches. Sheerness.	1:12,500 1:6,250	⊙3683	8	24
5500	Mariners' Routeing Guide English Channel and Dover Strait.	-	5500	-	142
5521	Mariners' Routeing Guide Irish Sea.	-	5521	-	142
5522	Mariners' Routeing Guide West Coast of Scotland to Pentland Firth.	-	5522	-	142

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
1602	China - Chang Jiang, Outer Approaches to Shanghai.	⊙1602
1628	Venezuela, Puerto Cabello and Approaches.	⊙1628
2075 INT 1210	International Chart Series, Baltic Sea, Hiiumaa to Saaristomeri.	⊙2075
2202	Black Sea - Ukraine, Pivdennyi Port.	⊙2202
2376	Taiwan - West Coast, Kaohsiung.	⊙2376
2409	Taiwan - West Coast, Kaohsiung Port to Fangyuan Po-ti Including Penghu Island.	⊙2409
3232	Taiwan - West Coast, O-Luan Pi to Kaohsiung Port.	⊙3232
3233	Taiwan - East Coast, O-Luan Pi to T'ai-Tung Kang.	⊙3233

INTENTION TO WITHDRAW CHARTS

It is proposed to withdraw without replacement, the following ADMIRALTY Charts:

<i>Chart to be WITHDRAWN</i>	<i>Date of withdrawal</i>	<i>Chart to be WITHDRAWN</i>	<i>Date of withdrawal</i>
⊙NZ46	26 th November 2026	⊙NZ72	26 th November 2026
⊙NZ61	26 th November 2026	⊙NZ73	26 th November 2026
⊙NZ62	26 th November 2026	⊙NZ76	26 th November 2026
⊙NZ63	26 th November 2026	⊙NZ463	26 th November 2026
⊙NZ64	26 th November 2026	⊙NZ661	26 th November 2026
⊙NZ66	26 th November 2026	⊙NZ681	26 th November 2026
⊙NZ68	26 th November 2026	⊙NZ4633	26 th November 2026
⊙NZ71	26 th November 2026	⊙NZ4634	26 th November 2026

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

INTENTION TO WITHDRAW CHARTS

It is proposed to withdraw without replacement, the following ADMIRALTY Charts (continued):

<i>Chart to be WITHDRAWN</i>	<i>Date of withdrawal</i>	<i>Chart to be WITHDRAWN</i>	<i>Date of withdrawal</i>
⊙NZ6142	26 th November 2026	⊙NZ6422	26 th November 2026
⊙NZ6153	26 th November 2026	⊙NZ6612	26 th November 2026
⊙NZ6154	26 th November 2026	⊙NZ6821	26 th November 2026
⊙NZ6321	26 th November 2026		

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - Catalogue of ADMIRALTY Charts, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 1, Authorised ADMIRALTY Distributors, Singapore

Amend:

WEILBACH SINGAPORE Pte Ltd.	
1 Kim Seng Promenade #11-01 Great World City Singapore 237994	
T: +65 6273 0833	
sales@weilbach.com	
www.weilbach.com	
DIGITAL	PUBLICATIONS

Page 2, Authorised ADMIRALTY Distributors, United Kingdom

Amend:

SOUTH BANK MARINE CHARTS Ltd.		
26 Flour Square Grimsby Lincolnshire DN31 3LW		
T: +44 (0)1472 361 137		
F: +44 (0) 1472 346 673		
sales@southbankmarine.com		
www.southbankmarine.com		
DIGITAL	POD	PUBLICATIONS

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - Catalogue of ADMIRALTY Charts, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors (continued)

Page 1

Amend:

Navtor Hellas S.A.
27 Poseidonos Avenue Moschato 183 44 Athens
T: +30 216 400 5000
sales@navtor.com
www.navtor.com
Digital

Ⓢ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
26	3669T, 3761	1633	3754T
58	3689	1652	3749T
59	3689	1657	3716
110	3754T	1665	3688
118	3660T	1701	3733T
122	3754T	1728	3730P
124	3754T	1784	3687
125	3754T	1792	3734
127	3711T	1889	3755
130	3754T	1890	3755
142	3763	1911	3679
167	3739	1913	3679
177	3736	1975	3690
204	3722	1983	3679, 3739
220	3722	2014	3659T, 3732T
245	3745T	2018	3659T, 3732T
266	3664, 3754T	2025	3748
292	3684	2029	3701
294	3684	2036	3680
341	3757	2037	3680
343	3704T	2040	3732T
349	3704T	2049	3698T
350	3696	2073	3741
518	3733T	2151	3765
529	3699T	2182C	3684, 3745T
545	3738	2182D	3745T
689	3741	2260	3676
693	3735	2347	3677T
842	3764	2390	3756
855	3693	2414	3744
869	3731	2470	3744
882	3713	2531	3727
892	3691	2555	3693
938	3760	2596	3760
954	3683T	2604	3692
958	3719	2605	3692
964	3737	2610	3657T
993	3705	2615	3657T
1065	3711T, 3746T	2625	3680
1121	3698T	2634	3672
1123	3698T	2636	3726
1134	3724P	2637	3702, 3750P, 3759
1143	3712	2688	3702, 3750P
1185	3697	2700	3701
1191	3664	2742	3763
1199	3724P	2767	3661
1236	3706	2816	3659T, 3732T
1254	3714P	2825	3753
1255	3714P	2841	3753
1271	3685	2868	3744
1289	3714P	2870	3744
1303	3712	2874	3656T, 3663T
1306	3724P	2937	3654
1312	3744	2956	3695
1410	3698T	3258	3707T
1425	3655	3313	3742
1427	3684	3317	3742
1428	3752	3337	3765
1429	3752	3348	3682P
1467	3722	3363	3686
1526	3673	3364	3703
1537	3682P	3390	3666
1552	3658	3480	3677T
1571	3720	3482	3744
1599	3716	3488	3709
1602	3724P	3496	3721
1630	3754T	3568	3694
1631	3754T	3569	3694
1632	3754T	3648	3718T

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	German Chart No.	Notices
3659	3701	DE 30	3723
3674	3758	DE 31	3729
3813	3676	DE 33	3723
3890	3730P	DE 43	3723
3892	3668, 3730P	DE 44	3717
3904	3764	DE 50	3754T
3928	3700	DE 90	3754T
3965	3710		
3988	3751T		
3989	3751T		
3992	3730P		
4065	3728		
4074	3747		
4104	3699T		
4115	3699T		
4142	3706		
4202	3699T		
4203	3699T		
4209	3699T		
4215	3699T		
4216	3699T		
4603	3656T, 3663T		
4722	3656T, 3663T, 3665T		
4723	3665T, 3667T		
4785	3725		
4786	3725		
4787	3725		
4801	3727		
4806	3699T, 3727		
4810	3699T		
4917	3727		
4918	3727		
4919	3727		
4920	3727		
5600_13	3680		
5601_4	3657T		
5602_8	3669T, 3761		
5605_4	3749T		
5606_7	3697		
5606_9	3697		
5607_4	3690		
5608_15	3681		
5611_15	3756		
5613_12	3658		
5614_19	3721		
5616_24	3753		
5621_14	3698T		
5621_18	3698T		
5622_1	3698T		
5622_2	3698T		
Australian Chart No.	Notices		
Aus 326	3715		
Aus 327	3665T, 3715		
Aus 801	3670		
Aus 812	3662P, 3678		
Aus 813	3662P		
Aus 815	3675		
Aus 818	3671		
Belgian Chart No.	Notices		
BE 11	3762T		
BE 101	3754T, 3762T		
Indian Chart No.	Notices		
IN 22	3740		
IN 212	3740		
IN 256	3740		
IN 293	3740		
IN 472	3764		
IN 2045	3743P		
IN 3037	3708		
IN 3038	3708		
New Zealand Chart No.	Notices		
NZ 64	3674		
NZ 66	3674		
International Chart No.	Notices		
INT 65	3728		
INT 74	3747		
INT 104	3699T		
INT 202	3699T		
INT 203	3699T		
INT 209	3699T		
INT 215	3699T		
INT 305	3739		
INT 407	3699T		
INT 550	3744		
INT 552	3709		
INT 603	3656T, 3663T		
INT 722	3656T, 3663T, 3665T		
INT 723	3665T, 3667T		
INT 752	3740		
INT 801	3727		
INT 810	3699T		
INT 1040	3745T		
INT 1041	3684, 3745T		
INT 1045	3754T		
INT 1062	3698T		
INT 1110	3695		
INT 1111	3654		
INT 1142	3758		
INT 1155	3676		
INT 1202	3659T, 3732T		
INT 1205	3741		
INT 1218	3732T		
INT 1219	3659T, 3732T		
INT 1240	3741		
INT 1246	3676		
INT 1288	3702, 3750P		
INT 1311	3731		
INT 1336	3719		
INT 1353	3723		
INT 1357	3729		
INT 1358	3723		
INT 1369	3760		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 1370	3760		
INT 1378	3691		
INT 1401	3684		
INT 1402	3752		
INT 1403	3752		
INT 1416	3754T		
INT 1417	3754T		
INT 1418	3754T		
INT 1420	3754T		
INT 1422	3754T		
INT 1423	3754T		
INT 1425	3765		
INT 1452	3717		
INT 1461	3754T		
INT 1471	3754T		
INT 1472	3754T		
INT 1473	3754T		
INT 1474	3754T, 3762T		
INT 1507	3664		
INT 1540	3755		
INT 1565	3721		
INT 1572	3697		
INT 1609	3698T		
INT 1612	3698T		
INT 1641	3658		
INT 1724	3669T, 3761		
INT 1730	3680		
INT 1731	3680		
INT 1754	3701		
INT 1871	3707T		
INT 2672	3706		
INT 2673	3706		
INT 3172	3733T		
INT 3252	3763		
INT 5362	3666		
INT 7022	3740		
INT 7032	3764		
INT 7314	3689		
INT 7316	3689		
INT 7340	3740		
INT 7360	3743P		
INT 7692	3735		
INT 12902	3702, 3750P, 3759		
INT 13591	3723		

II

3658* ENGLAND - West Coast - Depths.

Source: Peel Ports

Chart 1552 (INT 1641) (Panel A, River Lune and Approaches to Heysham) [*previous update 3307/26*] ETRS89 DATUM

Insert	depth, 78	(a)	54° 00'·03N., 2° 58'·72W.
Delete	depth, 83, close W of:	(a)	above
Insert	depth, 67	(b)	54° 00'·20N., 2° 58'·57W.
Delete	depth, 74, close NE of:	(b)	above
Insert	depth, 55	(c)	54° 00'·51N., 2° 58'·31W.
Delete	depth, 61, close SE of:	(c)	above
Insert	depth, 5, and extend 5m contour SE to enclose	(d)	54° 00'·67N., 2° 58'·14W.
Delete	depth, 55, close SE of:	(d)	above

Chart 5613_12 (Panel A, Approaches to Glasson and Heysham) [*previous update 2140/26*] ETRS89 DATUM

Insert	depth, 78	(a)	54° 00'·03N., 2° 58'·72W.
Delete	depth, 83, close W of:	(a)	above
Insert	depth, 67	(b)	54° 00'·20N., 2° 58'·57W.
Delete	depth, 74, close NE of:	(b)	above
Insert	depth, 55	(c)	54° 00'·51N., 2° 58'·31W.
Delete	depth, 61, close SE of:	(c)	above
Insert	depth, 5, and extend 5m contour SE to enclose	(d)	54° 00'·67N., 2° 58'·14W.
Delete	depth, 55, close SE of:	(d)	above

II

3661* IRELAND - West Coast - Depth.

Source: Geological Survey Ireland

Chart 2767 [*previous update 4489/25*] ETRS89 DATUM

Insert depth, 52, enclosed by 10m contour

54° 19'·16N., 9° 31'·75W.

II

3680* ENGLAND - South Coast - Restricted area. Legend.

Source: Historic England

Chart 2036 (INT 1730) [previous update 2331/26] ETRS89 DATUM

Insert	circular limit of restricted area, radius 75m, $\tau\tau\tau\tau$, centred on:	(a) 50° 45′·28N., 1° 06′·31W.
	legend, <i>Historic Wreck (see Note)</i> , close N of:	(a) above

Chart 2037 (INT 1731) [previous update 2331/26] ETRS89 DATUM

Insert	circular limit of restricted area, radius 75m, $\tau\tau\tau\tau$, centred on:	(a) 50° 45′·28N., 1° 06′·31W.
	legend, <i>Historic Wreck (see Note)</i> , close N of:	(a) above

Chart 2625 [previous update 2331/26] ETRS89 DATUM

Insert	circular limit of restricted area, radius 75m, $\tau\tau\tau\tau$, centred on:	(a) 50° 45′·277N., 1° 06′·308W.
	legend, <i>Historic Wreck (see Note)</i> , within:	(a) above

Chart 5600_13 [previous update 2331/26] ETRS89 DATUM

Insert	circular limit of restricted area, radius 75m, $\tau\tau\tau\tau$, centred on:	(a) 50° 45′·28N., 1° 06′·31W.
	legend, <i>Historic Wreck (see Note)</i> , close N of:	(a) above

II

3681* ENGLAND - Bristol Channel - Depths.

Source: Bristol Port Company

Chart 5608_15 [*previous update 2794/26*] ETRS89 DATUM

Insert	depth, <i>10</i> , and extend 10m contour S to enclose	51° 26′·67N., 2° 59′·73W.
	depth, <i>99</i> , and extend 10m contour NW to enclose	(a) 51° 26′·66N., 2° 59′·47W.
Delete	depth, <i>104</i> , close NW of:	(a) above

II

3690* **ENGLAND - East Coast - Wreck.**

Source: Spectrum Geosurvey

Chart 1975 [*previous update 3339/26*] ETRS89 DATUM

Insert



51° 44′·02N., 1° 13′·04E.

Chart 5607_4 [*previous update 5647/25*] ETRS89 DATUM

Insert



51° 44′·02N., 1° 13′·04E.

II

3697* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 1185 (INT 1572) [*previous update 3554/26*] ETRS89 DATUM

Insert	depth, 139	(a)	51° 29'·34N., 0° 48'·58E.
Delete	depth, 143, close NE of:	(a)	above
Replace	depth, 142, with depth, 14		51° 29'·31N., 0° 47'·47E.

Chart 5606_7 [*previous update 140/26*] ETRS89 DATUM

Insert	depth, 139	(a)	51° 29'·34N., 0° 48'·58E.
Delete	depth, 143, close NE of:	(a)	above
Replace	depth, 142, with depth, 14		51° 29'·31N., 0° 47'·47E.

Chart 5606_9 [*previous update 140/26*] ETRS89 DATUM

Insert	depth, 139	(a)	51° 29'·34N., 0° 48'·58E.
Delete	depth, 143, close NE of:	(a)	above
Replace	depth, 142, with depth, 14		51° 29'·31N., 0° 47'·47E.

II

3721* ENGLAND - East Coast - Lights. Signal stations. Fog signal.

Source: Environment Agency and River Hull Harbour Authority Notice 11/26

Chart 3496 (INT 1565) (Panel B, Hull Docks Western Part) [*previous update 3467/26*] ETRS89 DATUM

Replace	★ Q.Y (occas) SS(Traffic) with  ☉ SS(Traffic)	(a) 53° 44'·302N., 0° 19'·966W. (b) 53° 44'·299N., 0° 19'·865W.
Delete	fog signal, Horn(1)2s (occas), at light	(a) above (b) above

Chart 5614_19 (Panel C, Hull Docks Western Part) [*previous update 3467/26*] ETRS89 DATUM

Replace	★ Q.Y (occas) SS(Traffic) with  ☉ SS(Traffic)	(a) 53° 44'·302N., 0° 19'·966W. (b) 53° 44'·299N., 0° 19'·865W.
Delete	fog signal, Horn(1)2s (occas), at light	(a) above (b) above

II

3753* SCOTLAND - West Coast - Reported anchorage.

Source: Comhairle nan Eilean Siar

Chart 2825 (Panel A, Loch Maddy) [*previous update 2049/24*] ETRS89 DATUM

Delete



57° 35′·860N., 7° 09′·015W.

Chart 2841 [*previous update 732/26*] ETRS89 DATUM

Delete



57° 35′·85N., 7° 09′·01W.

Chart 5616_24 [*previous update 2049/24*] ETRS89 DATUM

Delete



57° 35′·860N., 7° 09′·015W.

II

3755* SCOTLAND - East Coast - Beacon.

Source: Northern Lighthouse Board

Chart 1889 (INT 1540) [*previous update 3067/26*] ETRS89 DATUM

Delete



57° 41'·370N., 4° 11'·379W.

Chart 1890 [*previous update 773/26*] ETRS89 DATUM

Delete



57° 41'·370N., 4° 11'·379W.

II

3756* SCOTLAND - West Coast - NM Blocks.

Source: Caledonian Maritime Assets Limited

Chart 2390 (Panel, Loch Aline) [*previous update 2742/22*] ETRS89 DATUM

Insert the accompanying block A, centred on: 56° 32'·2N., 5° 46'·3W.

Chart 2390 [*previous update 2742/22*] ETRS89 DATUM

Insert the accompanying block B, centred on: 56° 32'·2N., 5° 47'·0W.

Chart 5611_15 (Panel C, Entrance to Loch Aline) [*previous update 5212/25*] ETRS89 DATUM

Insert the accompanying block A, centred on: 56° 32'·2N., 5° 46'·3W.

Chart 5611_15 (Panel D, Loch Aline) [*previous update 5212/25*] ETRS89 DATUM

Insert the accompanying block B, centred on: 56° 32'·2N., 5° 46'·3W.

II

3761* ENGLAND - South Coast - Drying heights. Obstruction.

Source: Tor Bay Harbour Authority

Chart 26 (INT 1724) (Panel B, Brixham Harbour) [*previous update 4515/25*] ETRS89 DATUM

Insert	drying height, <i>06</i>	(a)	50° 24' · 298N., 3° 30' · 749W.
Delete	drying height, <i>01</i> , close SE of:	(a)	above
Insert	 <i>Obstn</i>	(b)	50° 24' · 165N., 3° 31' · 079W.
Delete	depth, <i>34</i> , close SE of:	(b)	above
Insert	drying height, <i>21</i>	(c)	50° 23' · 980N., 3° 30' · 863W. 50° 23' · 955N., 3° 30' · 837W.
Delete	drying height, <i>16</i> , close N of:	(c)	above

Chart 5602_8 (Panel B, Brixham) [*previous update 1317/26*] ETRS89 DATUM

Insert	drying height, <i>06</i>	(a)	50° 24' · 298N., 3° 30' · 749W.
Delete	drying height, <i>01</i> , close SE of:	(a)	above
Insert	 <i>Obstn</i>	(b)	50° 24' · 165N., 3° 31' · 079W.
Delete	depth, <i>34</i> , close SE of:	(b)	above
Insert	drying height, <i>21</i>	(c)	50° 23' · 980N., 3° 30' · 863W. 50° 23' · 955N., 3° 30' · 837W.
Delete	drying height, <i>16</i> , close N of:	(c)	above

II

3765* ENGLAND - East Coast - Buoyage.

Source: Port of London Authority

Chart 2151 (INT 1425) (Panel A, Continuation at same scale) [*previous update 3578/26*] ETRS89 DATUM

Insert



51° 30′·624N., 0° 06′·144E.

51° 30′·626N., 0° 06′·196E.

Chart 3337 [*previous update 1983/26*] ETRS89 DATUM

Insert



51° 30′·624N., 0° 06′·144E.

51° 30′·626N., 0° 06′·196E.

II

3654 ICELAND - Obstructions.

Source: Icelandic Notice 7/41/26

Chart 2937 (INT 1111) [*previous update 1850/26*] WGS84 DATUM

Insert



64° 58'·27N., 13° 49'·54W.

64° 58'·68N., 13° 46'·59W.

II

3694 FØROYAR - Lights.

Source: Faroese Notices 4/16-19/26

Chart 3568 [*previous update 3353/26*] WGS84 DATUM

Amend	light to, Gálgatangi Aftari Viti Iso.4s 22m 11M	61° 32'·57N., 6° 48'·16W.
	light to, Gálgatangi Fremri Viti Iso.WRG.2s 14m 10/7M	61° 32'·52N., 6° 47'·88W.
	light to, Vágssfjørður Fremri Viti Iso.2s	61° 27'·28N., 6° 45'·70W.
	light to, Vágssfjørður Aftari Viti Iso.4s	61° 26'·71N., 6° 47'·00W.

Chart 3569 (Panel D, Trongisvágur (Trongisvaag)) [*previous update 2781/26*] WGS84 DATUM

Amend	light to, Gálgatangi Aftari Viti Iso.4s 22m 11M	61° 32'·57N., 6° 48'·16W.
	light to, Gálgatangi Fremri Viti Iso.WRG.2s 14m 10/7M	61° 32'·52N., 6° 47'·88W.

Chart 3569 (Panel E, Vágssfjørður (Vaag Fjord)) [*previous update 2781/26*] WGS84 DATUM

Amend	light to, Vágs Havn Vinkul Viti Oc.WRG.5s 10m 8/6M	61° 28'·32N., 6° 48'·33W.
	light to, Vágssfjørður Fremri Viti Iso.2s 30m 12M	61° 27'·28N., 6° 45'·70W.
	light to, Vágssfjørður Aftari Viti Iso.4s 67m 12M	61° 26'·71N., 6° 47'·00W.

II

3695 ICELAND - Buoy.

Source: Icelandic Notice 8/45/26

Chart 2956 (INT 1110) [*previous update 593/26*] WGS84 DATUM

Move



Fl G 3s, from:

to:

65° 47'·90N., 18° 08'·30W.

65° 47'·73N., 18° 08'·15W.

II

3752 NORWAY - West Coast - Depths.

Source: Norwegian Chart 309

Chart 1428 (INT 1402) [*previous update New Edition 19/02/2026*] WGS84 DATUM

Insert	depth, 18, and extend 20m contour NE to enclose	(a)	63° 00'·4N., 7° 00'·5E.
Delete	depth, 20, close SW of:	(a)	above

Chart 1429 (INT 1403) [*previous update 2901/26*] WGS84 DATUM

Insert	depth, 18, and extend 20m contour NE to enclose	(a)	63° 00'·4N., 7° 00'·5E.
Delete	depth, 20, close SW of:	(a)	above

II

3676 FINLAND - South Coast - NM Blocks.

Source: Finnish Notice 14/140/26

Chart 2260 (INT 1155) [*previous update 1581/26*] WGS84 DATUM

Insert the accompanying block, centred on:

60° 26′·8N., 26° 55′·9E.

Chart 3813 (INT 1246) [*previous update 1581/26*] WGS84 DATUM

Insert the accompanying block, centred on:

60° 26′·9N., 26° 56′·1E.

II

3691 DENMARK - East Coast - Marine farm.

Source: Danish Chart Correction 22/156/26

Chart 892 (INT 1378) [*previous update 2866/26*] WGS84 DATUM

Insert



57° 41'·78N., 10° 33'·98E.

II

3702 POLAND - Restricted areas. Buoy.

Source: Polish Notices 23/262-263/26

Chart 2637 (INT 12902) [previous update 2764/26] WGS84 DATUM

Insert	limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, joining:	54° 24'·192N., 18° 41'·291E. 54° 24'·636N., 18° 42'·400E. 54° 24'·802N., 18° 43'·080E. 54° 24'·281N., 18° 45'·670E. and 54° 22'·646N., 18° 45'·670E. 54° 22'·706N., 18° 43'·377E.
Delete	former limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, joining:	54° 24'·077N., 18° 41'·863E. 54° 24'·444N., 18° 42'·539E. 54° 24'·578N., 18° 43'·101E. 54° 24'·384N., 18° 43'·647E. 54° 23'·653N., 18° 45'·228E. 54° 23'·153N., 18° 45'·308E. 54° 22'·683N., 18° 43'·833E. 54° 22'·719N., 18° 43'·343E.

Chart 2688 (INT 1288) [previous update 3178/26] WGS84 DATUM

Insert	limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, joining:	54° 24'·19N., 18° 41'·29E. 54° 24'·64N., 18° 42'·40E. 54° 24'·80N., 18° 43'·08E. 54° 24'·14N., 18° 46'·39E. 54° 22'·63N., 18° 46'·46E. 54° 22'·71N., 18° 43'·39E.
Delete	former limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, joining:	54° 24'·08N., 18° 41'·86E. 54° 24'·45N., 18° 42'·56E. 54° 24'·58N., 18° 43'·09E. 54° 24'·39N., 18° 43'·65E. 54° 23'·65N., 18° 45'·23E. 54° 23'·15N., 18° 45'·31E. 54° 22'·68N., 18° 43'·83E. 54° 22'·72N., 18° 43'·35E.
Move	 LFl.10s SWB, from: to:	54° 21'·88N., 18° 58'·73E. 54° 21'·97N., 18° 58'·65E.

II

3719 DENMARK - Islands - Harbour limits.

Source: Danish Chart Correction 22/159/26

Chart 958 (INT 1336) (Panel B, Rønne) [*previous update New Edition 14/05/2026*] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a)	55° 05′·657N., 14° 40′·567E. 55° 05′·678N., 14° 40′·849E.
Delete	former harbour limit, pecked line, joining:		55° 05′·517N., 14° 40′·757E. 55° 05′·500N., 14° 40′·725E. 55° 05′·650N., 14° 40′·480E. 55° 05′·690N., 14° 40′·550E. (a) above

II

3723* GERMANY - Baltic Coast - Foul. Wreck.

Source: WSA Ostsee 208, 209/26

Chart DE 30 (INT 1353) [*previous update 3611/26*] WGS84 DATUM

Insert

#

54° 34′·17N., 10° 16′·79E.

Chart DE 33 (INT 13591) [*previous update 3256/26*] WGS84 DATUM

Insert

#

54° 34′·17N., 10° 16′·79E.

 Wk

54° 31′·81N., 10° 10′·47E.

Chart DE 43 (INT 1358) [*previous update 3256/26*] WGS84 DATUM

Insert

#

54° 34′·17N., 10° 16′·79E.

II

3726 POLAND - Depths.

Source: ENC PL5GDYNA

Chart 2636 [*previous update 3337/26*] WGS84 DATUM

Insert depth, 27

(a) 54° 31'·006N., 18° 33'·252E.

Delete depth, 34, close N of:

(a) above

II

3729* DENMARK - Islands - Restricted areas. Buoyage.

Source: DK DMA 28/646/26

Chart DE 31 (INT 1357) [*previous update 3417/26*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	(a) 54° 37'·25N., 11° 20'·15E. (b) 54° 37'·74N., 11° 19'·92E. (c) 54° 38'·60N., 11° 20'·60E.
Delete	former limit of restricted area, entry prohibited, pecked line, joining:	(a) above (d) 54° 38'·12N., 11° 20'·43E. 54° 38'·29N., 11° 20'·50E. 54° 38'·45N., 11° 20'·54E. (c) above
Move	 Fl(3)Y.10s, from:	(d) above
	to:	(b) above
		and
	from:	54° 37'·65N., 11° 20'·28E.
	to:	54° 37'·50N., 11° 20'·04E.

II

3731 SWEDEN - West Coast - Submarine pipeline.

Source: Swedish Notice 1127/20226/26

Chart 869 (INT 1311) [*previous update New Edition 28/05/2026*] WGS84 DATUM

Insert submarine pipeline, , joining:

58° 17'·61N., 11° 26'·10E.

58° 17'·65N., 11° 26'·48E.

II

3741 FINLAND - Ålands - Buoy.

Source: Finnish Notice 18/176/26

Chart 689 (INT 1240) [*previous update 2503/26*] WGS84 DATUM

Insert



59° 52′·27N., 19° 59′·18E.

Chart 2073 (INT 1205) [*previous update 2503/26*] WGS84 DATUM

Insert



59° 52′·27N., 19° 59′·28E.

II

3758 FINLAND - West Coast - NM Block.

Source: Finnish Notice 18/178/26

Chart 3674 (INT 1142) [*previous update 365/26*] WGS84 DATUM

Insert the accompanying block, centred on:

63° 30′·7N., 22° 16′·7E.

II

3759 POLAND - Foul.

Source: Polish Notice 25/294/26

Chart 2637 (INT 12902) [*previous update 3702/26*] WGS84 DATUM

Insert # (61)

54° 21'·342N., 18° 42'·823E.

II

3760 DENMARK - Islands - Restricted areas. Buoyage.

Source: Danish Chart Correction 20/134/26

Note: Former Notice 2438(P)/26 is cancelled.

Chart 938 (INT 1369) (Panel C, Østbroen - East Bridge) [previous update 3534/26] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	(a) 55° 20'·60N., 11° 00'·50E.
		(b) 55° 20'·66N., 11° 00'·97E.
		(c) 55° 20'·15N., 11° 01'·14E.
		(d) 55° 20'·10N., 11° 00'·67E.
		and
		(e) 55° 20'·91N., 11° 03'·17E.
		(f) 55° 20'·96N., 11° 03'·64E.
		(g) 55° 20'·44N., 11° 03'·82E.
		(h) 55° 20'·38N., 11° 03'·32E.
		(a) above
		(d) above
		(f) above
		(g) above
 Fl.Y.3s		(b) above
		(c) above
 Fl(4)Y.10s		(e) above
		(h) above

Chart 938 (INT 1369) [previous update 3534/26] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	(a) 55° 20'·60N., 11° 00'·50E.
		(b) 55° 20'·66N., 11° 00'·97E.
		(c) 55° 20'·15N., 11° 01'·14E.
		(d) 55° 20'·10N., 11° 00'·67E.
		and
		(e) 55° 20'·91N., 11° 03'·17E.
		(f) 55° 20'·96N., 11° 03'·64E.
		(g) 55° 20'·44N., 11° 03'·82E.
		(h) 55° 20'·38N., 11° 03'·32E.
		(a) above
		(d) above
		(f) above
		(g) above
 Fl.Y.3s		(b) above
		(c) above
 Fl(4)Y.10s		(e) above
		(h) above

II

3760 DENMARK - Islands - Restricted areas. Buoyage. (continued)

Chart 2596 (INT 1370) [*previous update 2501/26*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	(a)	55° 20'·60N., 11° 00'·50E.
		(b)	55° 20'·66N., 11° 00'·97E.
		(c)	55° 20'·15N., 11° 01'·14E.
		(d)	55° 20'·10N., 11° 00'·67E.
			and
		(e)	55° 20'·91N., 11° 03'·17E.
		(f)	55° 20'·96N., 11° 03'·64E.
		(g)	55° 20'·44N., 11° 03'·82E.
		(h)	55° 20'·38N., 11° 03'·32E.
	legend, <i>Buoyed</i> , close W of:		(a)-(d) above
	legend, <i>Buoyed</i> , close E of:		(e)-(f) above

II

3664* NORTH SEA - United Kingdom Sector - Legend.

Source: Energean UK Limited

Chart 266 [*previous update 3150/26*] WGS84 DATUM

Insert	legend, <i>Gas Field Decommissioning (2026-2029) (see Note)</i> , at Platform	54° 16′·35N., 0° 59′·69E.
--------	--	---------------------------

Chart 1191 (INT 1507) [*previous update 2964/26*] ETRS89 DATUM

Insert	legend, <i>Gas Field Decommissioning (2026-2029) (see Note)</i> , at Platform	54° 16′·35N., 0° 59′·69E.
--------	--	---------------------------

II

3684 NORTH SEA - Norwegian Sector - Submarine pipeline.

Source: Norwegian Notice 12/81830/26

Chart 292 [*previous update 3159/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

59° 53'·11N., 2° 34'·18E.

59° 56'·25N., 2° 28'·67E.

Chart 294 [*previous update 2955/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

59° 53'·11N., 2° 34'·18E.

59° 59'·97N., 2° 22'·15E.

Chart 1427 (INT 1401) [*previous update 3159/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

59° 53'·1N., 2° 34'·2E.

60° 00'·0N., 2° 22'·2E.

Chart 2182C (INT 1041) [*previous update 3159/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

59° 53'·1N., 2° 34'·2E.

60° 00'·0N., 2° 22'·2E.

II

3717* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee LP31165/26

Chart DE 44 (INT 1452) [*previous update 3645/26*] WGS84 DATUM

Insert depth, *36*, and extend 5m contour NW to enclose

(a) 53° 54'·94N., 8° 41'·38E.

Delete depth, *46*, close SE of:

(a) above

II

3701 FRANCE - North Coast - Restricted areas. Legends.

Source: French Notice 21/43/26

Chart 2029 [previous update 2977/26] WGS84 DATUM

Insert	limit of restricted area, TTTT , joining:	(a) $48^{\circ} 40' \cdot 28\text{N.}, 2^{\circ} 32' \cdot 00\text{W.}$ (b) $48^{\circ} 41' \cdot 42\text{N.}, 2^{\circ} 32' \cdot 00\text{W.}$ (c) $48^{\circ} 41' \cdot 77\text{N.}, 2^{\circ} 31' \cdot 78\text{W.}$ (d) $48^{\circ} 41' \cdot 90\text{N.}, 2^{\circ} 31' \cdot 28\text{W.}$ (e) $48^{\circ} 41' \cdot 52\text{N.}, 2^{\circ} 19' \cdot 08\text{W.}$
	legend, <i>Limite de pilotage et de remorquage obligatoire du port de Saint-Malo (voir nota)/Compulsory pilotage and tug use limit of Saint-Malo harbour (see note)</i> , along:	(a)-(e) above
Replace	limit of restricted area, pecked line, with limit of restricted area, TTTT , joining:	(a) above (f) $48^{\circ} 44' \cdot 91\text{N.}, 2^{\circ} 39' \cdot 88\text{W.}$
Delete	limit of restricted area, TTTT , and associated legends, <i>Limite de pilotage et de remorquage obligatoire du port de Saint-Malo (voir nota)/Compulsory pilotage and tug use limit of Saint-Malo harbour (see note)</i> , joining:	(f) above $48^{\circ} 44' \cdot 91\text{N.}, 2^{\circ} 19' \cdot 08\text{W.}$

Chart 2700 (INT 1754) [previous update 2332/26] WGS84 DATUM

Insert	limit of restricted area, TTTT , joining:	(a) $48^{\circ} 39' \cdot 548\text{N.}, 2^{\circ} 11' \cdot 643\text{W.}$ (b) $48^{\circ} 38' \cdot 969\text{N.}, 2^{\circ} 09' \cdot 484\text{W.}$ (c) $48^{\circ} 41' \cdot 388\text{N.}, 2^{\circ} 07' \cdot 273\text{W.}$ (d) $48^{\circ} 42' \cdot 892\text{N.}, 1^{\circ} 59' \cdot 660\text{W.}$
	legend, <i>Limite de pilotage et de remorquage obligatoire du port de Saint-Malo (voir nota 5)/Compulsory pilotage and tug use limit of Saint-Malo harbour (see note 5)</i> , along:	(a)-(b) above (b)-(c) above (c)-(d) above

II

3701 FRANCE - North Coast - Restricted areas. Legends. (continued)

Chart 3659 [*previous update 5189/25*] WGS84 DATUM

Insert	limit of restricted area, TTTTT , joining:	(a)	48° 41'·77N., 2° 27'·08W.
		(b)	48° 41'·52N., 2° 18'·97W.
			48° 38'·97N., 2° 09'·48W.
		(c)	48° 41'·39N., 2° 07'·27W.
		(d)	48° 44'·90N., 1° 49'·52W.
			48° 44'·81N., 1° 48'·02W.
		(e)	48° 44'·17N., 1° 47'·20W.
		(f)	48° 42'·00N., 1° 45'·99W.
	legend, <i>Limite de pilotage et de remorquage obligatoire du port de Saint-Malo (voir nota 8)/Compulsory pilotage and tug use limit of Saint-Malo harbour (see note 8)</i> , along:	(a)-(b)	above
		(c)-(d)	above
		(e)-(f)	above
Delete	limit of restricted area, TTTTT , and associated legends, <i>Limite de pilotage et de remorquage obligatoires du port de Saint-Malo (voir nota 8)/Compulsory pilotage and tug use limit of Saint-Malo harbour (see note 8)</i> , joining:		48° 44'·91N., 2° 27'·08W.
			48° 44'·91N., 1° 45'·99W.
			48° 42'·00N., 1° 45'·99W.

II

3748 **FRANCE - North Coast - Reported anchorage.**
Source: French Notice 26/43/26

Chart 2025 [*previous update 4105/25*] WGS84 DATUM

Insert



48° 40′·69N., 4° 20′·88W.

II

3655 FRANCE - Corse - Restricted area.

Source: French Notice 25/92/26

Chart 1425 (Panel B, Calvi) [*previous update 2497/26*] WGS84 DATUM

Insert limit of restricted area, ~~TTTT~~~~X~~TTTT, joining:

42° 34'·07N., 8° 46'·13E.
42° 34'·22N., 8° 46'·24E.
42° 34'·24N., 8° 46'·59E.
42° 34'·03N., 8° 46'·54E.
42° 34'·04N., 8° 46'·19E.

Chart 1425 (Panel A, Approaches to Calvi) [*previous update 2497/26*] WGS84 DATUM

Insert limit of restricted area, ~~TTTT~~~~X~~TTTT, joining:

42° 34'·07N., 8° 46'·13E.
42° 34'·22N., 8° 46'·24E.
42° 34'·24N., 8° 46'·59E.
42° 34'·03N., 8° 46'·54E.
42° 34'·04N., 8° 46'·19E.

II

3672 ISRAEL - Mediterranean Sea Coast - Marine farm.

Source: Israeli Notice 42/26

Chart 2634 [*previous update 2090/26*] WGS84 DATUM

Delete



(*buoyed*)

32° 24′·7N., 34° 50′·5E.

II

3673 GREECE - Aegean Sea Coast - Seaplane operating area. Legend. Note.

Source: Greek Notice 4/76/26

Chart 1526 (Panel D, Sámos) [*previous update 3601/26*] WGS84 DATUM

Insert	symbol, seaplane operating area, centred on:	(a)	37° 45′·82N., 26° 57′·17E.
	legend, <i>Seaplane Operating Area (see Note)</i> , close E of:	(a)	above

Chart 1526 (Panel E, Dilek Boğazi or Stenó Sámou) [*previous update 3601/26*] WGS84 DATUM

Insert	symbol, seaplane operating area, centred on:	(a)	37° 45′·94N., 26° 56′·98E.
	legend, <i>Seaplane Operating Area (see Note)</i> , close NE of:	(a)	above
	the accompanying note, SEAPLANE OPERATING AREAS		within title panel

II

3679 ITALY - West Coast - Depths.

Source: Italian Notice 10.3/26

Chart 1911 [*previous update 2832/26*] WGS84 DATUM

Replace	depth, 738, with depth, 651	41° 47'·2N., 11° 32'·1E.
	depth, 768, with depth, 637	41° 44'·1N., 11° 34'·0E.

Chart 1913 [*previous update 2162/26*] WGS84 DATUM

Insert	depth, 404	43° 55'·71N., 8° 55'·83E.
--------	------------	---------------------------

Chart 1983 [*previous update 3358/26*] WGS84 DATUM

Insert	depth, 132, and extend 200m contour SE to enclose	(a) 38° 44'·5N., 9° 35'·1E.
Delete	depth, 161, close NW of:	(a) above
Insert	depth, 138	(b) 38° 53'·5N., 9° 44'·3E.
Delete	depth, 173, close N of:	(b) above

II

3693 ALGERIA - Buoyage.

Source: ENC DZ5C0109

Chart 855 (Panel C, Baie d'Alger) [*previous update 1333/26*] WGS84 DATUM

Move



Fl.G.5s, from:

36° 45'·73N., 3° 05'·36E.

to:

36° 45'·67N., 3° 05'·12E.

Chart 2555 [*previous update 3480/26*] WGS84 DATUM

Insert



Fl.G.5s

36° 45'·675N., 3° 05'·118E.

Delete

former



Fl.G.5s

36° 45'·730N., 3° 05'·360E.

II

3696 ITALY - West Coast - Single Point Mooring, Light.

Source: Italian Notice 10.4/26

Chart 350 (Panel, Savona and Vado) [*previous update 3332/26*] WGS84 DATUM

Insert symbol, floating single point mooring, *Fl.Y.3s2M* (a) 44° 16′·693N., 8° 27′·489E.

Delete ★ Fl.Y.3s5m2M, close E of: (a) above

Chart 350 [*previous update 3332/26*] WGS84 DATUM

Delete ★ Fl.Y.2M 44° 16′·70N., 8° 27′·60E.

II

3716 GREECE - Aegean Sea Coast - NM Block. Restricted area. Legend.

Source: Greek Notices 5/92-94/26

Chart 1599 (Panel, Órmos Falírou) [previous update 105/26] WGS84 DATUM

Insert	the accompanying block, centred on:	37° 56'·3N., 23° 40'·1E.
	limit of restricted area, $\text{TTTT} \times \text{TTTT}$, joining:	37° 55'·678N., 23° 41'·071E. 37° 55'·456N., 23° 41'·165E. 37° 54'·885N., 23° 41'·885E.
	legend, <i>Anchoring prohibited (May to Sep)</i> , centred on:	37° 55'·276N., 23° 41'·532E.

Chart 1657 [previous update 1080/26] WGS84 DATUM

Insert	limit of restricted area, $\text{TTTT} \times \text{TTTT}$, joining:	37° 48'·82N., 23° 45'·63E. 37° 48'·69N., 23° 45'·66E. 37° 48'·69N., 23° 46'·07E. 37° 48'·26N., 23° 45'·70E. 37° 47'·91N., 23° 46'·09E. 37° 47'·99N., 23° 46'·28E.
	legend, <i>Anchoring prohibited (May to Sep)</i> , centred on:	37° 48'·99N., 23° 46'·72E.

II

3720 GREECE - Aegean Sea Coast - Dredged area. Legend.

Source: Greek Notice 5/98/26

Chart 1571 (Panel I, Stylis) [*previous update 3131/26*] WGS84 DATUM

Insert	limit of dredged area, pecked line, joining:	(a) 38° 54'·275N., 22° 37'·388E.
		(b) 38° 54'·290N., 22° 37'·459E.
		(c) 38° 53'·934N., 22° 37'·889E.
		(d) 38° 53'·919N., 22° 37'·869E.
	legend, Works in progress (2026), within:	(a)-(d) above
Delete	charted detail, within:	(a)-(d) above

II

3722 ITALY - East Coast - Platform. Fog signal. Legend.

Source: Italian Notice 10.18/26

Chart 204 [*previous update 2786/26*] WGS84 DATUM

Delete

 ☐ Terminal 1 Fl(2)5s

44° 28′·6N., 12° 21′·8E.

Chart 220 [*previous update 2933/26*] WGS84 DATUM

Delete

 ☐ Terminale 1 Fl(2)5s

44° 28′·6N., 12° 21′·8E.

Chart 1467 [*previous update 2672/26*] WGS84 DATUM

Delete

 ☐ TERMINALE 1 Fl(2)5s10m8M Horn(3)45s

44° 28′·57N., 12° 21′·81E.

legend, (*Buoyed*), centred on:

44° 28′·85N., 12° 21′·79E.

II

3736 MALTA - NM Block.

Source: ENC MT500177

Chart 177 [*previous update 3579/26*] WGS84 DATUM

Insert the accompanying block, centred on:

35° 54'·4N., 14° 30'·5E.

II

3737 ITALY - Sicilia - Wreck. Restricted area. Rocks.

Source: Italian Notices 10.15-16/26

Chart 964 (Panel C, Marsala) [*previous update 2127/26*] WGS84 DATUM

Insert



semi-circular limit of restricted area, entry prohibited, radius
30m (0.02M), pecked line, centred on 37° 47'·422N., 12°
26'·270W*, joining:

37° 47'·422N., 12° 26'·270E.

37° 47'·438N., 12° 26'·268E.

37° 47'·416N., 12° 26'·289E.

Chart 964 [*previous update 2127/26*] WGS84 DATUM

Insert



with seabed type, *R*

37° 57'·36N., 12° 18'·25E.



37° 57'·36N., 12° 18'·50E.

II

3739 ITALY - Sardegna - Buoyage.

Source: Italian Notice 10.13/26

Chart 167 (INT 305) [*previous update 3358/26*] WGS84 DATUM

Insert

 *Fl(5)Y ODAS*

39° 06′·6N., 11° 39′·0E.

39° 06′·6N., 13° 40′·2E.

Chart 1983 [*previous update 3679/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s5M ODAS*

39° 06′·6N., 11° 39′·0E.

II

3742 GEORGIA - Harbour limits. Legends.

Source: ENC GE310300

Chart 3313 [*previous update 1299/26*] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a)	41° 40'·05N., 41° 37'·80E.
		(b)	41° 43'·49N., 41° 41'·55E.
Delete	legend, <i>Bat'umi Harbour Limit (see Note)</i> , along SE side of: former harbour limit, pecked line, and associated legend, <i>Bat'umi Harbour Limit (see Note)</i> , joining:	(c)	41° 42'·92N., 41° 42'·70E.
		(a)-(b)	above
		(a)	above
			41° 46'·50N., 41° 41'·55E.
		(c)	above

Chart 3317 (Panel C, Bat'umi) [*previous update 3646/26*] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a)	41° 40'·050N., 41° 37'·800E.
		(b)	41° 42'·312N., 41° 40'·263E.
Delete	legend, <i>Bat'umi Harbour Limit (see Note)</i> , along SE side of: legend, <i>Bat'umi Harbour Limit (see Note)</i> , along NE side of: former harbour limit, pecked line, and associated legend, <i>Bat'umi Harbour Limit (see Note)</i> , joining:	(a)-(b)	above
		(a)-(b)	above
		(a)	above
			41° 42'·312N., 41° 39'·115E.

II

3763 CEUTA - Marine farm. Buoyage.

Source: Spanish Notice 27/156/26

Chart 142 [*previous update 3079/26*] WGS84 DATUM

Delete



35° 52'·33N., 5° 20'·11W.

Chart 2742 (INT 3252) [*previous update 4220/25*] WGS84 DATUM

Delete

limit of marine farm, pecked line, joining:

(a) 35° 52'·426N., 5° 19'·845W.

(b) 35° 52'·416N., 5° 19'·803W.

(c) 35° 52'·379N., 5° 19'·817W.

(d) 35° 52'·392N., 5° 19'·860W.

 , within:



Fl(4)Y.3M

(a)-(d) above

(a) above

(b) above

(c) above

(d) above

II

3706 SOUTH AFRICA - West Coast - Anchorage areas. Legends.

Source: South African Notice 4/67/26

Chart 1236 (INT 2673) [*previous update 1364/24*] WGS84 DATUM

Insert limit of anchorage area, pecked line, joining:

- (a) 33° 02'·78S., 17° 58'·94E.
- (b) 33° 02'·78S., 17° 59'·46E.
- (c) 33° 03'·22S., 17° 59'·46E.
- (d) 33° 03'·22S., 17° 58'·94E.
- and
- (e) 33° 02'·40S., 17° 59'·48E.
- (f) 33° 02'·40S., 18° 00'·00E.
- (g) 33° 02'·83S., 18° 00'·00E.
- (h) 33° 02'·83S., 17° 59'·48E.
- and
- (i) 33° 01'·24S., 17° 58'·31E.
- (j) 33° 01'·24S., 17° 58'·69E.
- (k) 33° 01'·56S., 17° 58'·69E.
- (l) 33° 01'·56S., 17° 58'·31E.
- and
- (m) 33° 00'·90S., 17° 57'·63E.
- (n) 33° 01'·12S., 17° 57'·63E.
- (o) 33° 01'·12S., 17° 57'·37E.
- (p) 33° 00'·90S., 17° 57'·37E.

legend,  *No 2 General*, within:

(a)-(d) above

legend,  *No 3 General*, within:

(e)-(h) above

legend,  *No 1 General*, within:

(i)-(l) above

legend,  *No 4 Small Vessels*, within:

(m)-(p) above

II

3706 SOUTH AFRICA - West Coast - Anchorage areas. Legends. (continued)

Chart 4142 (INT 2672) [*previous update 661/25*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	(a) 33° 02'·78S., 17° 58'·94E. (b) 33° 02'·78S., 17° 59'·46E. (c) 33° 03'·22S., 17° 59'·46E. (d) 33° 03'·22S., 17° 58'·94E. and (e) 33° 02'·40S., 17° 59'·48E. (f) 33° 02'·40S., 18° 00'·00E. (g) 33° 02'·83S., 18° 00'·00E. (h) 33° 02'·83S., 17° 59'·48E. and (i) 33° 01'·24S., 17° 58'·31E. (j) 33° 01'·24S., 17° 58'·69E. (k) 33° 01'·56S., 17° 58'·69E. (l) 33° 01'·56S., 17° 58'·31E. and (m) 33° 00'·90S., 17° 57'·63E. (n) 33° 01'·12S., 17° 57'·63E. (o) 33° 01'·12S., 17° 57'·37E. (p) 33° 00'·90S., 17° 57'·37E.
	legend,  <i>No 2 General</i> , within:	(a)-(d) above
	legend,  <i>No 3 General</i> , within:	(e)-(h) above
	legend,  <i>No 1 General</i> , within:	(i)-(l) above
	legend,  <i>No 4 Small Vessels</i> , within:	(m)-(p) above

II

3735* TANZANIA - Legend.

Source: Tanzania Ports Authority

Chart 693 (INT 7692) [*previous update New Edition 13/02/2025*] WGS84 DATUM

Insert legend, Works in progress (2026), centred on: 6° 49'·350S., 39° 17'·299E.

II

3689 PAKISTAN - Depths. Submarine cable.

Source: ENC PK4SC20Z and Pakistani Notice 51/157/21

Chart 58 (INT 7314) [*previous update 3367/26*] WGS84 DATUM

Insert	depth, 153	24° 38'·83N., 66° 59'·69E.
	depth, 21, and extend 5m contour SW to enclose	24° 38'·83N., 67° 07'·72E.
	depth, 164	24° 32'·28N., 67° 02'·60E.
Delete	depth, 185	24° 32'·43N., 67° 03'·12E.

Chart 59 (INT 7316) [*previous update 824/24*] WGS84 DATUM

Insert	depth, 126	(a) 24° 40'·92N., 67° 08'·57E.
Delete	depth, 134, close SE of:	(a) above

Chart 59 (INT 7316) (Panel, Approaches to Phitti Creek) [*previous update 824/24*] WGS84 DATUM

Insert	submarine cable, ~~~, joining:	24° 41'·60N., 67° 00'·80E.
		24° 38'·51N., 66° 59'·50E.
	depth, 153	24° 38'·83N., 66° 59'·69E.
	depth, 148	24° 40'·01N., 67° 00'·16E.
	depth, 123	24° 40'·90N., 67° 00'·25E.
	depth, 11	24° 41'·09N., 67° 01'·23E.
	depth, 99, and extend 10m contour W to enclose	24° 40'·76N., 67° 02'·06E.
	depth, 126	(a) 24° 40'·92N., 67° 08'·57E.
Delete	depth, 134, close SE of:	(a) above
Insert	depth, 21, enclosed by 5m contour	24° 38'·83N., 67° 07'·72E.
	depth, 164	24° 32'·28N., 67° 02'·60E.
Delete	depth, 17	24° 39'·01N., 67° 00'·39E.

II

3708 INDIA - East Coast - NM Blocks.

Source: Indian Notice 11/89/26

Chart IN 3037 [*previous update 1273/26*] WGS84 DATUM

Insert the accompanying block, centred on:

20° 50'·1N., 86° 58'·4E.

Chart IN 3038 [*previous update New Edition 15/02/2022*] WGS84 DATUM

Insert the accompanying block, centred on:

20° 50'·0N., 86° 58'·3E.

II

3740 INDIA - West Coast - Wreck.

Source: Indian Notice 7/68/26

Chart IN 22 (INT 752) [*previous update 3295/26*] WGS84 DATUM

Replace  with  *Wk* 17° 19'·4N., 73° 11'·1E.

Chart IN 212 [*previous update 1123/26*] WGS84 DATUM

Replace  with  *Wk* 17° 19'·39N., 73° 11'·14E.

Chart IN 256 (INT 7340) [*previous update 1123/26*] WGS84 DATUM

Replace  with  *Wk* 17° 19'·4N., 73° 11'·1E.

Chart IN 293 (INT 7022) [*previous update 3295/26*] WGS84 DATUM

Replace  with  *Wk* 17° 19'·4N., 73° 11'·1E.

II

3764 INDIAN OCEAN - Nicobar Islands - Submarine cable.

Source: Indian Notice 6/65/26

Chart IN 472 (INT 7032) [*previous update 2956/26*] WGS84 DATUM

Insert submarine cable, , joining:

8° 02'·3N., 93° 32'·0E.

7° 58'·8N., 93° 29'·0E.

7° 57'·8N., 93° 29'·3E.

and

7° 02'·3N., 93° 57'·5E.

7° 00'·7N., 93° 56'·0E.

Chart 842 [*previous update 2494/26*] UNDETERMINED DATUM

Insert submarine cable, , joining:

8° 02'·33N., 93° 32'·00E.

7° 58'·81N., 93° 29'·02E.

7° 57'·79N., 93° 29'·32E.

and

7° 02'·26N., 93° 57'·48E.

7° 00'·69N., 93° 56'·05E.

Chart 3904 [*previous update 1845/26*] WGS84 DATUM

Insert submarine cable, , joining:

7° 00'·8N., 93° 56'·2E.

7° 02'·4N., 93° 57'·6E.

II

3668 CHINA - South Coast - Buoyage.

Source: Chinese Notice 18/487/26

Note: This update is included in New Edition 1555, published mid 2026.

Chart 3892 [*previous update 3590/26*] CGCS 2000 DATUM

Delete	 <i>Mo(O)Y.12s QZ5</i>	21° 01'·3N., 111° 40'·3E.
	 <i>Mo(O)Y.12s QZ2</i>	20° 59'·5N., 111° 36'·5E.
	 <i>Mo(O)Y.12s QZ13</i>	20° 58'·9N., 111° 32'·5E.
	 <i>Mo(O)Y.12s QZ8</i>	20° 56'·4N., 111° 37'·2E.
	 <i>Mo(O)Y.12s QZ11</i>	20° 54'·9N., 111° 32'·8E.

II

3686 CHINA - South Coast - Buoyage.

Source: Chinese Notice 21/563/26

Chart 3363 [*previous update 3364/26*] CGCS 2000 DATUM

Insert



Q(3)10s

21° 07′·78N., 110° 23′·58E.

Move



Fl(2+1)R.12s B1, from:

21° 07′·79N., 110° 24′·47E.

to:

21° 07′·85N., 110° 24′·50E.



Fl.R.4s M1, from:

21° 07′·65N., 110° 24′·83E.

to:

21° 07′·75N., 110° 24′·75E.

II

3687 CHINA - South Coast - Virtual aid to navigation.

Source: Chinese Notice 20/537/26

Chart 1784 [*previous update 3436/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, east cardinal topmark, V-AIS	23° 07′·33N., 116° 34′·62E.
--------	---	-----------------------------

II

3688 CHINA - East Coast - Lights.

Source: Chinese Notice 22/576/26

Chart 1665 [*previous update 3121/25*] CGCS 2000 DATUM

Insert	★ Mo(P)Y.15s	(a) 30° 34′·03N., 121° 02′·76E.
Delete	★ Fl.G, close NW of:	(a) above
	★ Fl.R, close SE of:	(a) above

II

3703 CHINA - South Coast - Buoyage.

Source: Chinese Notice 23/615/26

Chart 3364 [*previous update 3364/26*] CGCS 2000 DATUM

Insert



Q.R No 1

21° 16′·61N., 110° 25′·14E.



Q.G No 2

21° 16′·52N., 110° 25′·36E.



Fl.R. 4s No 5

21° 16′·45N., 110° 25′·53E.

II

3705 THAILAND - Gulf of Thailand Coast - Submarine cable.

Source: Thai Notice 8/2569 (2026)

Chart 993 [*previous update 3606/18*] WGS84 DATUM

Insert	submarine cable, joining:	13° 40′·91N., 100° 30′·84E.
		13° 40′·97N., 100° 30′·88E.
		13° 41′·02N., 100° 30′·88E.
		13° 41′·07N., 100° 30′·85E.
		13° 41′·14N., 100° 30′·60E.

Chart 993 (Panel, Continuation of Mae Nam Chao Phraya) [*previous update 3606/18*] WGS84 DATUM

Insert	submarine cable, joining:	13° 41′·53N., 100° 29′·58E.
		13° 41′·45N., 100° 29′·55E.
		13° 41′·38N., 100° 29′·62E.
		13° 41′·32N., 100° 29′·77E.
		13° 41′·20N., 100° 30′·12E.
		13° 41′·18N., 100° 30′·42E.
		13° 41′·07N., 100° 30′·85E.
		13° 41′·02N., 100° 30′·88E.
		13° 40′·97N., 100° 30′·88E.
		13° 40′·91N., 100° 30′·84E.

II

3709 CHINA - South Coast - Light-vessel.

Source: Chinese Notice 21/562/26

Chart 3488 (INT 552) [*previous update New Edition 02/07/2026*] WGS84 DATUM

Insert symbol, light-vessel, *Fl.6s*

21° 24'·9N., 112° 44'·6E.

II

3710 THAILAND - Gulf of Thailand Coast - Depths. Platforms.

Source: ENC TH500286

Note: This update is included in New Edition 67, published mid 2026.

Chart 3965 [previous update 3129/26] WGS84 DATUM

Insert	depth, 86 , enclosed by 10m contour	(a)	13° 09′·58N., 100° 07′·82E.
Delete	depth, 133 , close N of:	(a)	above
Insert	depth, 123	(b)	13° 06′·99N., 100° 08′·69E.
Delete	depth, 141 , close S of:	(b)	above
Insert	depth, 31 , and extend 5m contour E to enclose	(c)	13° 05′·48N., 100° 07′·48E.
Delete	depth, 8 , close W of:	(c)	above
Insert	depth, 25 , enclosed by 5m contour	(d)	13° 05′·02N., 100° 07′·69E.
Delete	depth, 69 , close S of:	(d)	above
Replace	 with 		13° 07′·49N., 100° 07′·39E.

II

3712 CHINA - East Coast - Buoyage. Light-beacon.

Source: Chinese Notice 23/606/26

Chart 1143 [previous update 3410/26] CGCS 2000 DATUM

Insert  *Mo(O)Y.12s No 8* 30° 50'·71N., 121° 52'·32E.

Chart 1303 [previous update 3410/26] CGCS 2000 DATUM

Insert  *Mo(O)Y.12s No 1* 30° 52'·84N., 121° 58'·76E.

 *Mo(O)Y.12s No 3* 30° 52'·30N., 121° 58'·33E.

 *Mo(O)Y.12s No 5* 30° 51'·72N., 121° 57'·06E.

 *Mo(O)Y.12s No 8* 30° 50'·71N., 121° 52'·32E.

 *Mo(C)Y.12s5M No 1* 30° 50'·82N., 121° 53'·22E.

II

3734 CHINA - South Coast - Depths. Rock.

Source: Chinese Notice 25/665/26

Chart 1792 [*previous update 3557/26*] CGCS 2000 DATUM

Insert depth, 77, enclosed by 10m contour, with seabed type, *St* (a) 23° 29′.78N., 117° 07′.96E.

Delete  with seabed type, *R*, close E of: (a) above

II

3757 CHINA - South Coast - Anchorage area. Depth. Legend. Danger line.

Source: UKHO

Note: This update is included in New Editions 1555 and 3026, published mid 2026.

Chart 341 [*previous update 3650/26*] WGS84 DATUM

Insert		(a) 22° 09′·90N., 113° 47′·35E.
Delete	depth, 139 , close N of:	(a) above
Insert	limit of anchorage area, pecked line, joining:	(b) 22° 09′·56N., 113° 46′·93E.
		(c) 22° 08′·49N., 113° 47′·41E.
		(d) 22° 08′·49N., 113° 45′·83E.
		(e) 22° 07′·32N., 113° 45′·83E.
		(f) 22° 09′·56N., 113° 45′·20E.
	legend,  Guishan No 18GSA , within:	(b) - (f) above

II

3666 KOREA - South Coast - NM Block.

Source: Korean Notice 19/259/26

Chart 3390 (INT 5362) [*previous update 1437/26*] WGS84 DATUM

Insert the accompanying block, centred on:

34° 52' · 1N., 127° 44' · 9E.

II

3685 KOREA - West Coast - Depths. Alongside depth.

Source: Korean Notice 20/277/26

Chart 1271 (Panel B, Pyeongtaek - Dangjin Hang) [*previous update 3598/26*] WGS84 DATUM

Insert	depth, 87	(a)	36° 57'·79N., 126° 49'·56E.
Delete	depth, 65, close S of:	(a)	above
Insert	depth, 96, and extend 10m contour E to enclose	(b)	36° 57'·60N., 126° 49'·69E.
Delete	depth, 103, close E of:	(b)	above
	depth, 68, close SE of:	(b)	above
Replace	depth, 84, with alongside depth, · (9)		36° 57'·86N., 126° 49'·50E.

II

3700 KOREA - West Coast - Buoy.

Source: Korean Notice 23/319/26

Chart 3928 [*previous update 3600/26*] WGS84 DATUM

Insert



Q(6)+LFl.15s

34° 53′·10N., 126° 13′·30E.

II

3713 KOREA - East Coast - Submarine pipeline. Legend.
Source: ENC KR5G131J

Chart 882 [*previous update 2584/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

37° 28'·88N., 129° 09'·46E.

37° 28'·94N., 129° 10'·31E.

(a) 37° 29'·22N., 129° 11'·72E.

(b) 37° 29'·86N., 129° 12'·76E.

37° 30'·07N., 129° 12'·82E.

(a)-(b) above

legend, *Intake*, along:

II

3744 INDONESIA - Kalimantan - Lights.

Source: Indonesian Notices 23/148-149/26

Chart 1312 [*previous update 3458/26*] WGS84 DATUM

Insert	★ Fl.G.3s12M & Fl.R.3s13M	(a) 0° 58'·2N., 107° 33'·0E.
Delete	★ Fl.3s12M, close NW of:	(a) above

Chart 2414 [*previous update 3524/26*] WGS84 DATUM

Delete	★ Fl.12M	0° 58'·6N., 107° 32'·5E.
--------	----------	--------------------------

Chart 2470 [*previous update 3524/26*] WGS84 DATUM

Delete	★ Fl.12M	0° 58'·4N., 107° 32'·6E.
--------	----------	--------------------------

Chart 2868 [*previous update 3458/26*] WGS84 DATUM

Insert	★ Fl.G.3s12m12M & Fl.R.3s12m13M	(a) 0° 58'·2N., 107° 33'·0E.
Delete	★ Fl.3s12m12M, close NW of:	(a) above

Chart 2870 [*previous update 3458/26*] WGS84 DATUM

Insert	★ Fl.G.3s12m12M & Fl.R.3s12m13M	(a) 0° 58'·2N., 107° 33'·0E.
Delete	★ Fl.3s12m12M, close NW of:	(a) above

Chart 3482 (INT 550) [*previous update 3524/26*] WGS84 DATUM

Delete	★ Fl.12M	0° 58'·6N., 107° 32'·4E.
--------	----------	--------------------------

II

3670 AUSTRALIA - Victoria - Buoy. Light-beacon.

Source: Australian Notice 14/591/26

Chart Aus 801 [*previous update 3558/26*] WGS84 DATUM

Replace



Fl(2)5s with



Fl(2)5s

38° 26′·4S., 145° 25′·3E.

II

3671 AUSTRALIA - Queensland - Light.

Source: Australian Notice 14/582/26

Note: Radar beacon remains unchanged.

Chart Aus 818 [*previous update New Edition 01/05/2026*] WGS84 DATUM

Amend range of light to, 19M

24° 06′·9S., 152° 42′·7E.

II

3675 AUSTRALIA - Queensland - Buoyage.

Source: Australian Notice 14/583/26

Chart Aus 815 [*previous update 3160/26*] WGS84 DATUM

Delete

 *Fl.Y.4s*

26° 36'·72S., 153° 06'·77E.

26° 37'·01S., 153° 06'·82E.

II

3678 AUSTRALIA - New South Wales - Fish haven. Depth.

Source: Australian Notice 14/581/26

Note: Former Notice 2025(P)/26 is cancelled.

Chart Aus 812 [*previous update 2787/26*] WGS84 DATUM

Insert limit of fish haven, dotted line, joining:

(a) 30° 23'·75S., 153° 06'·77E.

(b) 30° 23'·42S., 153° 06'·84E.

(c) 30° 23'·21S., 153° 07'·33E.

(d) 30° 23'·58S., 153° 07'·53E.

 , depth 14, within:

(a)-(d) above

Delete depth, 244

30° 23'·54S., 153° 06'·80E.

II

3715 AUSTRALIA - Western Australia - NM Blocks.

Source: Australian Notice 14/587/26

Chart Aus 326 [*previous update 2286/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	20° 11'·6S., 117° 22'·8E.
	the accompanying block B, centred on:	17° 40'·4S., 117° 16'·3E.

Chart Aus 327 [*previous update 3225/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	20° 13'·1S., 117° 05'·2E.
	the accompanying block B, centred on:	21° 09'·2S., 116° 37'·3E.

II

3674 NEW ZEALAND - South Island - Rocks.

Source: New Zealand Notice 14/42/26

Chart NZ 64 [*previous update 1335/26*] WGS84 DATUM

Insert

 with seabed type, *R*

45° 28'·4S., 170° 50'·6E.

 with seabed type, *R*

45° 21'·1S., 170° 51'·8E.

Chart NZ 66 [*previous update New Edition 01/02/2026*] WGS84 DATUM

Insert

 with seabed type, *R*

45° 28'·44S., 170° 50'·57E.

II

3727 UNITED STATES OF AMERICA - West Coast - Buoyage.

Source: ENC's US4OR1IC, US2PACWY and US2PACWX

Chart 2531 [*previous update 3218/26*] NAD83 DATUM

Delete



44° 22'·0N., 124° 56'·6W.

44° 39'·0N., 124° 20'·8W.

46° 59'·2N., 124° 34'·0W.

 (2 buoys)

46° 51'·1N., 124° 58'·0W.

Chart 4801 (INT 801) [*previous update 3647/26*] WGS84 DATUM

Delete

 Fl.Y.4s

46° 59'·2N., 124° 34'·0W.

44° 22'·0N., 124° 56'·6W.

Chart 4806 [*previous update 3218/26*] WGS84 DATUM

Delete

 Fl.Y.4s

44° 22'·0N., 124° 56'·6W.

46° 59'·2N., 124° 33'·9W.

Chart 4917 [*previous update 2166/25*] NAD83 DATUM

Delete

 Fl.Y.4s

44° 22'·00N., 124° 56'·66W.

Chart 4918 [*previous update 3565/26*] NAD83 DATUM

Delete

 Fl.Y.4s

44° 38'·40N., 124° 18'·23W.

 Fl.Y.4s

44° 22'·00N., 124° 56'·66W.

44° 39'·50N., 124° 05'·74W.

Chart 4919 [*previous update 3218/26*] NAD83 DATUM

Delete

 Fl.Y.4s

47° 08'·00N., 124° 16'·29W.

46° 59'·17N., 124° 33'·97W.

 Fl.Y.4s (2 buoys)

46° 51'·10N., 124° 58'·00W.

Chart 4920 [*previous update 2571/26*] NAD27 DATUM

Delete

 Fl.Y.4s

46° 59'·2N., 124° 33'·9W.

 Fl.Y.4s (2 buoys)

46° 51'·1N., 124° 57'·9W.

II

3728 SOUTHERN OCEAN - Depths.

Source: Australian Chart 4074

Chart 4065 (INT 65) [*previous update New Edition 21/08/2025*] WGS84 DATUM

Insert depth, 59, and extend 200m contour W to enclose (a) 54° 56'·4S., 158° 44'·8E.

Delete , close NW of: (a) above

II

3747 SOUTHERN OCEAN - Buoyage. Obstruction.

Source: Australian Chart 4709

Note: This update is included in New Edition 4060, to be published mid 2026.

Chart 4074 (INT 74) [*previous update 3202/26*] WGS84 DATUM


Insert



46° 40′·0S., 142° 04′·5E.



46° 56′·3S., 142° 19′·4E.



46° 49′·5S., 141° 39′·4E.

II

3738 BRAZIL - East Coast - Foul.

Source: ENC BR501103

Chart 545 (Panel A, Porto de Aratu) [*previous update 1914/26*] WGS84 DATUM

Insert

#(147)

12° 46′·91S., 38° 30′·21W.

II

3692 UNITED STATES OF AMERICA - East Coast - Lights. Leading line.

Source: ENC US5PHLDF

Note: Leading line remains unchanged.

Chart 2604 (Panel 2, Continuation of Delaware River) [*previous update 3544/26*] NAD83 DATUM

Insert	★ Fl.4s15ft	(a)	39° 58′·671N., 75° 04′·232W.
Delete	★ Iso.G.6s37ft, close NE of:	(a)	above
Insert	★ Dir WRG.4s56ft	(b)	39° 58′·678N., 75° 04′·177W.
Delete	★ F.G.47ft	(b)	above
	leading line, pecked line, extending in direction 080·5°, from:		39° 58′·684N., 75° 04′·148W. 39° 58′·680N., 75° 04′·177W.

Chart 2605 (Panel 1) [*previous update 3120/26*] NAD83 DATUM

Insert	★ Dir WRG.4s56ft	(a)	39° 58′·68N., 75° 04′·18W.
Amend	light to, Fl.4s15ft		39° 58′·68N., 75° 04′·23W.
Delete	★ F.G.47ft		39° 58′·69N., 75° 04′·15W.
	leading line, pecked line, extending in direction 080·5°, from:		39° 58′·68N., 75° 04′·15W. (a) above

II

3725 CANADA - Saint Lawrence River - Legends.

Source: Canadian Notices 5/1315-1317/26

Chart 4785 (Panel, Continuation A) [*previous update 2777/26*] NAD83 DATUM

Insert	legend, Ru, centred on:	46° 49'·45N., 71° 11'·70W.
--------	-------------------------	----------------------------

Chart 4786 [*previous update 1548/26*] NAD83 DATUM

Insert	legend, Ru, centred on:	46° 49' 28·1"N., 71° 11' 47·7"W.
--------	-------------------------	----------------------------------

Amend	legend to, <i>Unsurveyed/Non levé</i> , centred on:	46° 49' 27·5"N., 71° 11' 45·0"W.
-------	---	----------------------------------

Chart 4787 [*previous update 3331/26*] NAD83 DATUM

Insert	legend, Ru, centred on:	46° 49'·42N., 71° 11'·73W.
--------	-------------------------	----------------------------

II

3657(T)/26 ENGLAND - South Coast - Obstruction.

Source: Dorset Wildlife Trust

1. A passive acoustic monitor has been deployed in position 50° 35'·49N., 2° 17'·26W., extending approximately 1m from the seabed.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 2610 - 2615 - 5601_4

II

3669(T)/26 ENGLAND - South Coast - Obstructions.

Source: : Tor Bay Harbour Authority

1. The following obstructions of unknown type exist within Brixham Harbour:

<i>Location</i>	<i>Position</i>	<i>Least Depth (LAT)</i>
Southern Quay	50° 23'·890N., 3° 30'·714W.	0·9m
Brixham Marina	50° 23'·941N., 3° 30'·524W.	1·6m

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 26 (INT 1724) - 5602_8

II

3698(T)/26 IRELAND - South Coast - Buoy.

Source: Government of Ireland Department of Transport, Notice 15/26 and EirGrid

1. The following yellow light-buoy, *Fl(5)Y.20s*, has been established:

<i>Designation</i>	<i>Position</i>
<i>ETN-MB002</i>	52° 00'·55N., 7° 04'·72W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 2471(T)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1121 (INT 1062) - 1123 - 1410 (INT 1609) - 2049 (INT 1612) - 5621_14 - 5621_18 - 5622_1 - 5622_2

II

3749(T)/26 ENGLAND - South Coast - Works. Buoyage.

Source: Van Oord Notice 1/26

1. Beach reclamation works are taking place, in an area bounded by the following positions:

50° 49'·51N., 0° 11'·16W.

50° 49'·36N., 0° 09'·80W.

50° 48'·92N., 0° 09'·94W.

50° 49'·00N., 0° 11'·28W.

2. South cardinal buoys have been established at positions 50° 48'·92N., 0° 09'·94W. and 50° 49'·00N., 0° 11'·28W.
3. Mariners are advised to avoid the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1652 - 5605_4

II

3659(T)/26 POLAND - Works.

Source: Polish Notice 23/270(T)/26

1. Works are taking place within an area bounded by the following positions:

55° 02'·87N., 16° 37'·92E.

55° 04'·41N., 16° 39'·82E.

55° 05'·70N., 16° 41'·06E.

55° 06'·42N., 16° 42'·75E.

55° 05'·54N., 16° 44'·70E.

55° 03'·16N., 16° 47'·40E.

55° 03'·20N., 16° 45'·47E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2816

II

3732(T)/26 POLAND - Measuring instruments. Buoyage.

Source: Polish Notices 23/265(T)-275(T)/26

1. Measuring instruments have been established on the seabed in the following positions:

55° 00'·08N., 17° 59'·79E.
55° 13'·74N., 17° 55'·41E.
55° 06'·11N., 17° 45'·58E.
55° 09'·97N., 17° 41'·67E.
55° 02'·70N., 17° 39'·09E.
55° 05'·59N., 17° 37'·40E.
54° 59'·73N., 17° 36'·90E.
55° 02'·81N., 17° 35'·64E.
54° 49'·16N., 17° 33'·58E.
55° 04'·84N., 17° 19'·74E.
* 55° 01'·80N., 17° 41'·94E.
* 55° 12'·06N., 17° 21'·99E.

2. * and

* 54° 50'·87N., 17° 44'·49E.
* 54° 51'·20N., 17° 47'·88E.
* 54° 49'·66N., 17° 47'·98E.
* 54° 49'·31N., 17° 45'·30E.

3. * Yellow spar light-buoys, *Fl.Y.5s*, have been established in the following positions:

* 55° 05'·76N., 17° 37'·44E.
* 55° 02'·97N., 17° 39'·20E.
* 55° 06'·24N., 17° 45'·61E.
* 55° 03'·09N., 17° 35'·68E.
* 55° 00'·02N., 17° 36'·91E.
* 55° 01'·99N., 17° 42'·00E.

4. * and

* 54° 50'·34N., 17° 41'·78E.
* 54° 42'·14N., 17° 04'·99E.
* 54° 43'·11N., 17° 04'·16E.

5. Mariners are advised to navigate with caution in the area.

6. *Former Notice 782(T)/25 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2040 (INT 1218) - 2816

II

3750(P)/26 POLAND - Works.

Source: Polish Notice 25/298(T)/26

1. Hydrotechnical works are taking place in an area bounded by the following positions:

54° 24'·266N., 18° 42'·746E.

54° 24'·220N., 18° 42'·794E.

54° 24'·138N., 18° 42'·647E.

54° 24'·042N., 18° 42'·259E.

54° 23'·972N., 18° 41'·923E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2637 (INT 12902) - 2688 (INT 1288)

II

3745(T)/26 NORTH SEA - United Kingdom Sector - Buoy.

Source: Adura

1. An unlit tethered metrological weather buoy, has been established in position 61° 00′·5N., 3° 49′·6W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 245 - 2182C (INT 1041) - 2182D (INT 1040)

II

3754(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 50'·88N., 3° 52'·02E.	110
51° 59'·87N., 3° 16'·20E.	110
51° 55'·70N., 3° 39'·80E.	122
52° 07'·72N., 3° 55'·98E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
52° 28'·300N., 4° 35'·530E.	124
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
52° 46'·14N., 3° 49'·49E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50

II

3754(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
54° 25'·9N., 4° 20'·4E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 3340(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

3762(T)/26 NETHERLANDS - Buoyage.

Source: Belgian Notice 15/124(T)/26

1. The following light-buoys have been moved:

<i>Characteristic</i>	<i>Designation</i>	<i>Former Position</i>	<i>New Position</i>
<i>Iso.G.4s</i>	<i>SG 3</i>	51° 26'·62N., 3° 33'·46E.	51° 26'·72N., 3° 33'·21E.
<i>VQ(3)5s</i>	<i>SG-W</i>	51° 26'·36N., 3° 33'·78E.	51° 26'·34N., 3° 33'·87E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - BE 11 - BE 101 (INT 1474)

II

3707(T)/26 PORTUGAL - West Coast - Buoy.

Source: Portuguese Notice 5/194(T)/26

1. *The *ODAS* light-buoy, *Fl.Y.3.5sIM APDL I*, in position 41° 10'·46N., 8° 44'·84W., has been removed.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 1190(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 3258 (INT 1871)

II

3660(T)/26 ITALY - West Coast - Works. Restricted area.

Source: Italian Notice 10.23(T)/26

1. Construction works for a new cruise pier in are taking place in the port of La Spezia.
2. An entry prohibited area has been established, bounded by the following positions:

44° 06'·195N., 9° 51'·237E.
44° 06'·180N., 9° 51'·245E.
44° 06'·166N., 9° 51'·196E.
44° 06'·209N., 9° 51'·173E.
44° 06'·231N., 9° 51'·250E.
44° 06'·213N., 9° 51'·259E.
3. Mariners are requested to maintain a safe distance of at least 50m from work vessels and to navigate with caution at a reduced speed in the area.
(WGS84 DATUM)

Chart affected - 118

II

3683(T)/26 ITALY - West Coast - Buoyage.

Source: ENC IT500096

1. Yellow special purpose light-buoys, *Fl(2)Y.4s*, are reported missing in the following positions:

40° 39'·1N., 14° 44'·0E.

40° 39'·2N., 14° 43'·8E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 954

II

3733(T)/26 SPAIN - Mediterranean Sea Coast - Works. Buoyage.

Source: Spanish Notice 24/138(T)/26

1. Environmental monitoring works are underway south of Valencia.
2. Yellow special buoys, *Fl(5)Y.20s*, have been established marking submerged equipment as follows:

<i>Buoy type</i>	<i>Position</i>	<i>Remark</i>
Spherical	39° 15'·2N., 0° 08'·2W.	
Spherical	39° 17'·5N., 0° 05'·6W.	
Spherical	39° 17'·5N., 0° 09'·4W.	
*Spherical	39° 21'·0N., 0° 10'·7W.	
Pillar	39° 12'·1N., 0° 11'·3W.	<i>ODAS</i>
Pillar	39° 17'·5N., 0° 11'·4W.	<i>ODAS</i>
Pillar	39° 16'·8N., 0° 13'·6W.	<i>ODAS</i>
*Pillar	39° 20'·38N., 0° 13'·55W.	<i>ODAS</i>
*Pillar	39° 15'·9N., 0° 14'·7W.	<i>ODAS</i>

3. Buoyage and equipment are subject to change as the works progress.
4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 2357(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 518 (INT 3172) - 1701

II

3718(T)/26 LIBERIA - Buoy.

Source: Liberia Maritime Authority

1. The safe water buoy, in position 5° 51'·95N., 10° 05'·35W. is reported missing.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3648

II

3743(P)/26 INDIA - West Coast - Depths. Restricted area. Dry dock. Overhead cable. Pylons. Maintained channel. Buoyage.

Source: ENC IN62045R

1. Depths less than charted exist within Port of Kochi. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
2·5m	9° 58'·436N., 76° 13'·793E.
2·7m	9° 58'·417N., 76° 13'·836E.
8·9m	9° 58'·203N., 76° 14'·830E.
4·7m	9° 58'·590N., 76° 14'·960E.
4·8m	9° 58'·669N., 76° 15'·343E.
0·7m	9° 57'·707N., 76° 15'·711E.
0·4m	9° 57'·633N., 76° 15'·766E.
0·4m	9° 57'·136N., 76° 15'·993E.
3·7m	9° 56'·889N., 76° 15'·953E.
1·4m	9° 56'·814N., 76° 15'·909E.
2·5m	9° 57'·550N., 76° 17'·026E.
5·4m	9° 57'·472N., 76° 17'·086E.
6m	9° 57'·156N., 76° 16'·948E.
5·4m	9° 57'·028N., 76° 17'·014E.

2. A restricted area, entry prohibited, has been established, bounded by the following positions:

9° 57'·760N., 76° 14'·227E.
 9° 57'·760N., 76° 14'·130E.
 9° 56'·680N., 76° 14'·430E.
 9° 56'·680N., 76° 14'·498E.

3. A new dry dock and has been established, joining the following positions:

9° 56'·636N., 76° 16'·016E.
 9° 56'·636N., 76° 15'·991E.
 9° 56'·719N., 76° 15'·991E.
 9° 56'·719N., 76° 15'·955E.
 9° 56'·569N., 76° 15'·955E.
 9° 56'·569N., 76° 15'·922E.
 9° 56'·852N., 76° 15'·922E.
 9° 56'·852N., 76° 15'·913E.
 9° 56'·555N., 76° 15'·914E.
 9° 56'·555N., 76° 16'·017E.

4. An overhead power cable with pylons has been established, joining the following positions:

9° 56'·656N., 76° 17'·137E.
 9° 56'·730N., 76° 17'·259E.
 9° 56'·802N., 76° 17'·403E.

5. A new maintained channel, depth 14·5m, has been established, bounded by the following positions:

9° 58'·335N., 76° 13'·873E.
 9° 58'·245N., 76° 13'·923E.
 9° 58'·200N., 76° 13'·937E.
 9° 58'·205N., 76° 14'·015E.
 9° 58'·241N., 76° 14'·282E.
 9° 58'·352N., 76° 14'·133E.

6. The *No15* light-buoy, *Fl.G.5s*, has been moved from its previous position, 9° 58'·050N., 76° 14'·021E., to its current position, 9° 58'·037N., 76° 14'·004E.
7. The *Malabar M2* light-buoy in position 9° 58'·123N., 76° 15'·396E., has been amended to, *Fl.R.5s*.
8. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

II

3743(P)/26 INDIA - West Coast - Depths. Restricted area. Dry dock. Overhead cable. Pylons. Maintained channel. Buoyage. (continued)

9. These changes will be included in the next New Edition of Chart IN2045.
10. Charts IN2004 and IN2029 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - IN 2045 (INT 7360)

II

3682(P)/26 CHINA - South Coast - Depths. Lights. Buoy. Virtual aids to navigation. Coastline. Piers. Wind turbines.

Source: UKHO

1. Wind turbines and lights exist within an area bounded by the following positions:

21° 22'·62N., 111° 27'·18E.
21° 15'·88N., 111° 27'·17E.
21° 15'·88N., 111° 28'·30E.
21° 22'·62N., 111° 28'·33E.

2. Depths less than charted exist to the East of Dazhu Zhou. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
7·4m	21° 26'·40N., 111° 23'·87E.
9·5m	21° 27'·07N., 111° 23'·89E.

3. The port lateral buoy, *Fl.R.4s No 2*, in position 21° 22'·72N., 111° 18'·50E. has been replaced by a Virtual aid to navigation (V-AIS), port lateral topmark.
4. A Virtual aid to navigation (V-AIS), port lateral topmark, has been established in the following position, 21° 23'·94N., 111° 18'·06E.
5. New piers marked by lights have been established joining the following positions:

21° 26'·21N., 111° 18'·60E.
21° 24'·91N., 111° 18'·20E.
and

21° 26'·27N., 111° 18'·32E.
21° 26'·19N., 111° 18'·67E.

6. Coastline extension works has been completed, joining the following positions:

21° 26'·01N., 111° 17'·23E.
21° 25'·73N., 111° 17'·21E.
21° 25'·76N., 111° 16'·89E.

7. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
8. Charts 1537 and 1555 will be updated when full details are available.
(CGCS 2000 DATUM)

Charts affected - 1537 - 3348

II

3704(T)/26 CHINA - South Coast - Buoyage. Virtual aids to navigation.

Source: Chinese Notice 24/660(T)/26

1. The following light-buoys have been replaced by Virtual aids to navigation, (V-AIS):

<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>No 17</i>	Starboard lateral	22° 26'·29N., 113° 45'·54E.
<i>No 20</i>	Port lateral	22° 27'·26N., 113° 45'·13E.
<i>No 21</i>	Starboard lateral	22° 28'·33N., 113° 45'·27E.
<i>No 36</i>	Port lateral	22° 34'·93N., 113° 42'·80E.
<i>No 37</i>	Starboard lateral	22° 35'·95N., 113° 42'·71E.
<i>No 40</i>	Port lateral	22° 36'·952N., 113° 42'·050E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Charts affected - 343 - 349

II

3714(P)/26 CHINA - Yellow Sea Coast - Recommended routes.

Source: UKHO

1. Recommended routes in the East of China are reported to exist as follows:
2. Chengshanjiao-Yangtze River Estuary Outer Public Route:

35° 50'·0N., 123° 00'·0E.

37° 11'·59N., 123° 00'·00E.

3. Branch of the Chengshanjiao-Yangtze River Estuary Outer Public Route:

37° 43'·05N., 123° 14'·00E.

38° 01'·5N., 122° 00'·3E.

and

35° 50'·0N., 123° 16'·0E.

37° 34'·2N., 123° 16'·0E.

4. Chengshanjiao-Yangtze River Estuary Inner Public Route – North Section:

35° 50'·0N., 122° 47'·3E.

37° 11'·58N., 122° 49'·68E.

5. Mariners are advised to navigate with caution in the area.
6. Charts will be updated when full details are available.
(CGCS 2000 DATUM)

Charts affected - 1254 - 1255 - 1289

II

3724(P)/26 CHINA - East Coast - Recommended routes.

Source: UKHO

1. Recommended routes in the East of China are reported to exist as follows:
2. Chengshanjiao-Yangtze River Estuary Outer Public Route:

30° 47'·0N., 123° 00'·0E.
31° 34'·8N., 123° 00'·0E.
3. Branch of the Chengshanjiao-Yangtze River Estuary Outer Public Route:

30° 44'·0N., 123° 16'·0E.
31° 34'·8N., 123° 16'·0E.
4. Chengshanjiao-Yangtze River Estuary Inner Public Route – Coastal Public Route - South Section:

31° 09'·18N., 122° 31'·98E.
31° 20'·00N., 122° 31'·98E.
31° 34'·78N., 122° 32'·87E.
and

30° 51'·60N., 122° 31'·98E.
30° 56'·37N., 122° 31'·98E.
5. Chengshanjiao-Yangtze River Estuary Inner Public Route – Diversion Route of South Section:

30° 57'·47N., 122° 47'·83E.
31° 34'·79N., 122° 47'·83E.
6. Branch of the Diversion Route of Yangtze River Estuary:

30° 48'·60N., 122° 18'·30E.
30° 57'·47N., 122° 47'·83E.
7. Branch of the Eastern Public Route along Zhejiang Coast:

30° 38'·01N., 122° 21'·50E.
30° 48'·60N., 122° 18'·30E.
8. Mariners are advised to navigate with caution in the area.
9. Charts will be updated when full details are available.
(CGCS 2000 DATUM)

Charts affected - 1134 - 1199 - 1306 - 1602

II

3730(P)/26 CHINA - South Coast - Recommended routes.

Source: UKHO

1. Recommended routes in the South of China are reported to exist as follows:

2. **Qiongzhou Strait – Qinzhou:**

20° 09'·10N., 109° 50'·93E.

21° 14'·21N., 108° 35'·75E.

3. **Qiongzhou Strait – Beihai:**

20° 13'·40N., 109° 45'·99E.

21° 06'·57N., 109° 12'·13E.

4. Mariners are advised to navigate with caution in the area.

5. Charts will be updated when full details are available.
(CGCS 2000 DATUM)

Charts affected - 1728 - 3890 - 3892 - 3992

II

3751(T)/26 VIETNAM - Marine farms.

Source: Vietnam Maritime Safety Corporation Notice 93(T)/26

1. Marine farms are being established in the vicinity of positions 17° 01'·9N., 107° 11'·1E. and 16° 55'·1N., 107° 18'·3E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3988 - 3989

II

3677(T)/26 KOREA - South Coast - Buoy.

Source: Korean Notice 22/312(T)/2026

1. The special purpose light-buoy, *Fl(5)Y.20s*, in position $33^{\circ} 46' \cdot 2N$., $128^{\circ} 22' \cdot 1E$. has been reported unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2347 - 3480

II

3711(T)/26 KOREA - South Coast - Buoy.

Source: Korean Notice 23/325/(T)/26

1. The special purpose light-buoy, *Fl(5)Y.20s ODAS No 2*, in position 34° 55′·21N., 129° 07′·28E., has been temporarily extinguished.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 127 - 1065

II

3746(T)/26 KOREA - South Coast - Buoy.

Source: Korean Notice 21/297(T)/26

1. The light-buoy, *Q(3)10s*, in position 35° 01'·90N., 128° 44'·24E., has been temporarily extinguished.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1065

II

3656(T)/26 AUSTRALIA - Western Australia - Tidal gauges. Buoyage.

Source: Australian Notice 14/596(T)/26

1. Tide gauges marked by special light buoys, *Fl.Y.I*·5s, exist in the following positions:

11° 46′·8S., 125° 48′·9E.

12° 08′·8S., 125° 23′·1E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2874 - 4603 (INT 603) - 4722 (INT 722)

II

3662(P)/26 AUSTRALIA - New South Wales - Depth.

Source: Australian Notice 14/592(P)/26

1. Shoaling has extended the 5m bank northwards in the entrance to Clarence River 29° 25'·6S., 153° 22'·3E.
2. Mariners should navigate with caution when entering the Clarence River.
3. Charts Aus812 and Aus813 will be updated when full details are available.
(WGS84 DATUM)

Charts affected - Aus 812 - Aus 813

II

3663(T)/26 AUSTRALIA - Western Australia - Scientific instruments. Buoyage.

Source: Australian Notice 14/597(T)/26

1. Scientific instruments marked by special light buoys, *Fl(5)Y.20s*, exist in the following positions:

11° 57'·9S., 125° 36'·1E.

11° 45'·0S., 126° 18'·9E.

11° 35'·3S., 126° 54'·8E.

11° 24'·8S., 127° 35'·2E.

2. Mariners are advised to take caution in the area.
3. Former Notice 2795(T)/26 is cancelled.
(WGS84 DATUM)

Charts affected - 2874 - 4603 (INT 603) - 4722 (INT 722)

II

3665(T)/26 AUSTRALIA - Western Australia - Works. Offshore installations.

Source: Australian Notice 14/600(T)/26

1. Vessel *Skandi Singapore* is conducting subsea structure recovery and survey operations in the vicinity of the following positions:

19° 27'·3S., 116° 29'·5E.

19° 35'·1S., 116° 06'·8E.

19° 37'·8S., 116° 23'·8E.

19° 39'·1S., 115° 55'·8E.

19° 40'·6S., 115° 53'·8E.

19° 41'·6S., 115° 51'·0E.

19° 41'·6S., 115° 53'·8E.

19° 44'·7S., 115° 44'·2E.

19° 46'·1S., 115° 53'·2E.

19° 47'·2S., 115° 46'·9E.

19° 50'·9S., 115° 47'·3E.

20° 05'·0S., 115° 10'·6E.

20° 09'·1S., 115° 04'·0E.

2. Mariners are advised to navigate with caution in the area. 500m clearance requested.
(WGS84 DATUM)

Charts affected - 4722 (INT 722) - 4723 (INT 723) - Aus 327

II

3667(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 14/602(T)/26

1. On or about 21 July 2026, vessel *Skandi Hercules* and an ROV will begin conducting subsea operations in the vicinity of position 20° 06'·5S., 115° 03'·4E.
2. Mariners are advised to navigate with caution in the area. 5M clearance requested.
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

3699(T)/26 SOUTH ATLANTIC OCEAN - Buoyage.

Source: NOAA

1. The National Oceanographic and Atmospheric Administration (NOAA) maintains an array of buoys called Prediction and Research Moored Array in the Atlantic (PIRATA).
2. The PIRATA buoys, white and orange, 2 metre toroid buoys with radar reflectors, are located in the following positions:

<i>Designation</i>	<i>Position</i>
<i>PI289A</i>	0° 00'·0S., 2° 41'·1W.
<i>PI288A</i>	0° 01'·2N., 9° 50'·8W.
<i>PI280A</i>	18° 51'·1S., 34° 39'·5W.
<i>PI285A</i>	0° 00'·6N., 34° 59'·8W.
<i>PI284A</i>	7° 56'·8N., 38° 01'·8W.
<i>PI283A</i>	4° 00'·5N., 37° 56'·2W.
<i>PT077</i>	6° 02'·0S., 9° 59'·9W.
<i>PT078</i>	9° 54'·4S., 9° 58'·9W.
<i>PT065</i>	20° 27'·1N., 23° 08'·5W.
<i>PT068</i>	11° 29'·3N., 22° 59'·2W.
<i>PT069</i>	4° 02'·7N., 22° 59'·2W.
<i>PT076</i>	00° 00'·1N., 22° 59'·3W.
<i>PT070</i>	8° 00'·5S., 30° 38'·0W.
<i>PT062</i>	13° 31'·4S., 32° 35'·8W.
<i>PT072</i>	15° 00'·2N., 37° 59'·5W.
<i>*PT079</i>	20° 00'·1N., 38° 09'·6W.

3. NOAA also maintain Climate Moorings in the North Pacific Ocean. The buoy is a yellow 2 metre solid hull discus buoy with radar reflectors which is located in the following position:

<i>Designation</i>	<i>Position</i>
<i>PA019</i>	50° 07'·6N., 144° 49'·5W.

4. Mariners are advised to give all buoys a 5 nautical mile wide berth.
5. Further information and up to date positions are available on the National Data Buoy Center website <https://www.ndbc.noaa.gov/>.
6. *Former Notice 2177(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 529 - 4104 (INT 104) - 4115 - 4202 (INT 202) - 4203 (INT 203) - 4209 (INT 209) - 4215 (INT 215) - 4216 (INT 407) - 4806 - 4810 (INT 810)