



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 33

13 August 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	Erratum
319	3658	INT 1159	3683
448	3818	INT 1160	
536	3819	INT 1250	
994	3820	INT 1251	
1163	3875	INT 1252	
1176	3955	INT 1654	
1542	3970	INT 1740	
1606	3972	INT 7226	
1761	5600_12	INT 7229	
1911	5600_14	INT 7336	
1968	5600_15	INT 7338	
2011	5602_7	INT 7408	
2079	5603_8	INT 9107	
2211	5603_9	INT 12511	
2218	5608_21		
2219	AUS 55		
3178	IN 211		
3179	IN 2016		
3230	IN 2076		
3231	NZ 6321		

THE GULF AND STRAIT OF HORMUZ NAVIGATIONAL INFORMATION

Amid ongoing developments, it is not always possible to ensure that all ADMIRALTY Products are completely up-to-date for new dangers or changes to aids to navigation and routing measures. Mariners are encouraged to pay close attention to navigational warnings in place and advised to exercise particular caution when navigating in The Gulf region and the Strait of Hormuz.

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 13 August 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙319 INT 7408	International chart series, India - East Coast, Sacramento Shoal to Kalingapatnam. On publication of this New Edition former Notice 2077(P)/26 is cancelled. This chart remains affected by Notice 4325(T)/24.	1:300,000	43	64
⊙536 INT 1740	International Chart Series - England, South Coast, Beachy Head to Dungeness. Sovereign Harbour.	1:75,000 1:15,000	1	24
⊙1176 INT 1654	International Chart Series, Bristol Channel, Severn Estuary, Steep Holm to Avonmouth. Newport.	1:40,000 1:20,000	2	20
	This chart is to be deleted from the list of charts affected by Notices 125(P)/26 and 327(P)/26. This chart remains affected by Notice 1035(P)/26.			
⊙1761	Taiwan Strait, Northern Part.	1:300,000	50	80
	On publication of this New Edition former Notice 3029(P)/26 is cancelled. This chart remains affected by Notices 751(T)/21, 942(P)/24, 571(T)/26, 3094(P)/26, 3392(P)/26.			
⊙1968	Taiwan Strait.	1:750,000	50	76, 78, 80
	On publication of this New Edition former Notice 3029(P)/26 is cancelled. This chart remains affected by Notices 4508(T)/20, 751(T)/21, 571(T)/26 and 3431(P)/26.			
⊙3230	Taiwan - West Coast, Approaches to Kaohsiung.	1:60,000	50	80
	This chart remains affected by Notices 3367(T)/23, 3497(T)/23 and 3226(T)/25.			
⊙3231	Taiwan - West Coast, Hai-K'ou P'o-Ti to Chiu-Kang P'o-Ti.	1:150,000	50	80
	On publication of this New Chart former Notice 3029(P)/26 is cancelled. This chart remains affected by Notices 751(T)/21, 4853(T)/24, 1568(T)/26, 1931(T)/26 and 3431(P)/26.			
⊙3658	Taiwan - North Coast, Chiu-Kang P'o-Ti to Kuei-Shan Tao. Taipei Port.	1:150,000 1:35,000	50	80
	On publication of this New Edition former Notice 3029(P)/26 is cancelled. This chart remains affected by Notices 571(T)/26 and 3392(P)/26.			
⊙3955	Brazil - North Coast, Fortaleza to Cabo de São Roque.	1:500,000	95	120
	This chart remains affected by Notices 3459(T)/24, 4918(P)/25 and 2803(T)/26.			

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 13 August 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙3970	Brazil - Southern Coast, Rio de Janeiro to Ilha de São Sebastião. On publication of this New Edition former Notice 5683(P)/25 is cancelled. This chart remains affected by Notices 4531(P)/23, 1762(P)/25, 2725(P)/25, 4628(P)/25, 2071(T)/26 and 2131(P)/26.	1:300,000	95	118
⊙3972	Brazil - East Coast, Rio Doce to Cabo de São Tomé. This chart remains affected by Notices 1116(P)/22, 4602(P)/23, 649(P)/25, 2023(T)/26, 2448(T)/26 and 3213(P)/26.	1:300,000	95	118, 120

New Editions of ADMIRALTY Small Craft Charts published 13 August 2026

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>NP109A Catalogue page</i>
5602_7	Ⓐ Fowey Harbour. Ⓑ River Fowey. Ⓒ Continuation of River Fowey, Saint Winnow to Lostwithiel	1:6,250 1:15,000 1:15,000	7
5603_8	Isles of Scilly, Southern Part.	1:25,000	9
5603_9	Isles of Scilly, Northern Part.	1:25,000	9

Publication dates of these charts reflect the dates shown on the Australian Government Charts.

<i>Chart</i>	<i>Published</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙AUS55	26/06/2026	Australia - Northwest Coast, Western Australia, Approaches to Port Walcott. On publication of this New Chart former Notice 3531(P)/26 is cancelled. This chart remains affected by Notice 142(P)/25.	1:50,000	63	92

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 27 AUGUST 2026

New ADMIRALTY Charts

Chart	Title, limits and other remarks	Scale	Charts to be WITHDRAWN	Folio	2026 Catalogue page
1542	England, East Coast, Sizewell C Harbour and Approaches. 01°35'·59E – 01°42'·00E, 52°11'·85N – 52°14'·40N.	1:7,500	-	7	26

New Editions of ADMIRALTY Charts

Chart	Title, limits and other remarks	Scale	Charts to be WITHDRAWN	Folio	2026 Catalogue page
448 INT 9107	International Chart Series, Antarctica - Graham Land, Pendleton Strait to Harrison Passage.	1:50,000	⊙448 INT 9107	97	136
994	Italy, Catania and Approaches Including Messina. Ⓐ Sicilia, Approaches to Catania. Sicilia Ⓑ Sicilia, Catania. Ⓒ Sicilia, Messina.	1:30,000 1:10,000 1:7,500	⊙994	24	44
1163	Korea - South Coast, Busan New Port.	1:10,000	⊙1163	52	86
1606	England - East Coast, Thames Estuary, Fisherman's Gat to Princes Channel.	1:25,000	⊙1606	8	24
1911	Mediterranean Sea, Italy - West Coast, Isola del Giglio to Isola d'Ischia.	1:300,000	⊙1911	26	42, 44
2011	Wales - Anglesey, Holyhead Harbour.	1:6,250	⊙2011	3	26
2079	West Indies, Ports and Anchorages in Anguilla, Sint Maarten (Saint Martin) and Saint Barthélemy. Ⓐ Saint Barth l my Port de Gustavia. Ⓑ Sint Maarten, Simson Baai. Ⓒ Saint Martin, Baie de Marigot. Ⓓ Sint Maarten, Groot Baai. Ⓔ Sint Maarten, Oyster Pond. Ⓕ Anguilla, Crocus Bay and Road Bay.	1:15,000 1:30,000 1:15,000 1:15,000 1:10,000 1:15,000	⊙2079	86	124
3178 INT 7226	International Chart Series - United Arab Emirates, Approaches to Mubarras Terminal including Zaqqum Traffic Separation Scheme.	1:125,000	⊙3178 INT 7226	40	62
3179 INT 7229	International Chart Series - United Arab Emirates and Qatar, Jazirat Das to Ar Ruways.	1:125,000	⊙3179 INT 7229	40	62
3875	Vietnam - North East Coast, Hai Phong to Cam Pha.	1:75,000	⊙3875	47	76

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 27 AUGUST 2026

New Editions of ADMIRALTY Small Craft Charts

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>NP109A Catalogue page</i>
5600_12	Ⓐ Entrance to Portsmouth Harbour. Ⓑ Continuation of Forton Lake. Ⓒ Continuation of Stoke Lake.	1:7,500 1:7,500 1:7,500	5600_12	3
5600_14	Ⓐ Portsmouth Harbour, Approaches to Fareham Lake. Ⓑ Continuation of Fareham Lake.	1:7,500 1:7,500	5600_14	3
5600_15	Portsmouth Harbour, Approaches to Port Solent.	1:7,500	5600_15	3
5608_21	Severn Bridge to Sharpness. Ⓐ Ⓑ Ⓒ Sharpness Docks.	 1:25,000 1:25,000 1:10,000	5608_21	19

CHARTS TO BE AVAILABLE 27 AUGUST 2026

New Editions

Reproductions of Indian Government Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
IN211	India - West Coast, Satpati to Dighi Harbour.	1:150,000	⊙IN211	41	58
IN2016 INT 7336	International Chart Series, India - West Coast, Inner App. to Mumbai.	1:60,000	⊙IN2016 INT 7336	41	58
IN2076 INT 7338	International Chart Series, India - West Coast, Jawaharlal Nehru Port and Trombay.	1:20,000	⊙IN2076 INT 7338	41	58

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
319 INT 7408	International chart series, India - East Coast, Sacramento Shoal to Kalingapatnam.	⊙319 INT 7408
536 INT 1740	International Chart Series - England, South Coast, Beachy Head to Dungeness.	⊙536 INT 1740
1176 INT 1654	International Chart Series, Bristol Channel, Severn Estuary - Steep Holm to Avonmouth.	⊙1176 INT 1654
1761	Taiwan Strait, Northern Part.	⊙1761
1968	Taiwan Strait.	⊙1968
3230	Taiwan - West Coast, Approaches to Kaohsiung.	⊙3230
3231	Taiwan - West Coast, Hai-K'ou P'o-Ti to Chiu-Kang P'o-Ti.	⊙3231
3658	Taiwan - North Coast, Chiu-Kang P'o-Ti to Kuei-Shan Tao.	⊙3658
3955	Brazil - North Coast, Fortaleza to Cabo de São Roque.	⊙3955
3970	Brazil - Southern Coast, Rio de Janeiro to Ilha de São Sebastião.	⊙3970
3972	Brazil - East Coast, Rio Doce to Cabo de São Tomé.	⊙3972
5602_7	Ⓐ Fowey Harbour. Ⓑ River Fowey. Ⓒ Continuation of River Fowey, Saint Winnow to Lostwithiel.	5602_7
5603_8	Isles of Scilly, Southern Part.	5603_8
5603_9	Isles of Scilly, Northern Part.	5603_9
AUS55	Australia - Northwest Coast, Western Australia, Approaches to Port Walcott.	⊙AUS55

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

INTENTION TO WITHDRAW CHARTS

It is proposed to withdraw without replacement, the following ADMIRALTY Charts:

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>Date of withdrawal</i>
⊙2211 INT 12511	International Chart Series, Baltic Sea - Gulf of Finland, Porkkala and Kantvik.	10 th September 2026
⊙2218 INT 1159	International Chart Series, Baltic Sea - Gulf of Finland, Helsinki.	10 th September 2026
⊙2219 INT 1160	International Chart Series, Baltic Sea - Gulf of Finland, Vuosaari.	10 th September 2026
⊙3818 INT 1250	International Chart Series, Baltic Sea - Gulf of Finland, Approaches to Helsinki.	10 th September 2026
⊙3819 INT 1251	International Chart Series, Baltic Sea - Gulf of Finland, Porkkala and Kantvik.	10 th September 2026
⊙3820 INT 1252	International Chart Series, Baltic Sea - Gulf of Finland, Approaches to Inkoo.	10 th September 2026
⊙NZ6321	New Zealand, South Island - East Coast, Lyttelton Harbour/Whakaraupō.	10 th September 2026

ERRATUM

Section 1, NM Weekly 32, dated 06 August 2026

The following New Edition previously announced will not be published on 20 August 2026. A revised publication date of 01 October 2026 (NM Weekly 40/26) has been allocated.

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
3683	England - East Coast, Sheerness and Approaches. Sheerness.	1:12,500 1:6,250	⊙3683	8	24

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
15	3815	1730	3772
115	3814	1731	3772
116	3860	1757	3786P
120	3860	1760	3819
124	3852	1795	3786P, 3814
127	3781T	1856	3841
142	3826T	1902	3870T
157	3815	1912	3826T
190	3862	1975	3816
207	3863	2014	3771T, 3773T, 3784P
209	3836T	2015	3773T
242	3785	2016	3835T
341	3823T	2018	3771T, 3784P
344	3848	2040	3771T, 3780
359	3806P	2052	3818
494	3859	2107	3858T
583	3835T	2115	3831
584	3835T	2120	3808
712	3817	2170	3808
818	3834	2182A	3818
823	3834	2210	3814
830	3834	2218	3864T
838	3844	2288	3780
856	3769T	2290	3840
860	3769T	2350	3799T
861	3769T	2356	3799T
871	3870T	2429	3788
882	3842T	2441	3802
892	3858T	2471	3812T
937	3823T	2473	3811T
965	3782	2533	3786P, 3814
1000	3793	2537	3790
1008	3795	2538	3790
1025	3835T	2619	3783T
1031	3801	2626	3806P
1044	3830	2635	3786P
1183	3816	2636	3807
1188	3827	2643	3799T
1199	3851	2655	3799T
1206	3839	2657	3821P
1229	3838	2678	3800
1235	3838	2679	3773T
1249	3821P, 3824T, 3839	2688	3780
1250	3821P, 3824T, 3839	2693	3818
1255	3839	2700	3803
1256	3824T	2703	3832
1274	3849	2704	3832
1305	3851	2816	3771T, 3773T, 3784P
1307	3856	2825	3786P, 3828
1324	3813	2846	3774
1402	3768T	2883	3779
1406	3818	2893	3812T
1408	3818, 3854	2904	3786P, 3828
1417	3872T	2996	3774
1429	3846P	2999	3809
1430	3846P	3224	3792P
1481	3862	3317	3767
1495	3817	3348	3850
1497	3817	3390	3871
1504	3818	3427	3799T
1543	3818	3428	3799T
1557	3777	3429	3799T
1610	3818	3433	3829P
1630	3818	3434	3855P
1631	3818	3479	3843
1632	3857	3480	3866T
1633	3775, 3857	3496	3827
1690	3770T	3497	3827
1719	3798	3642	3796

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Indian Chart No.	Notices
3692	3787	IN 31	3834
3724	3776	IN 211	3820T
3747	3811T	IN 212	3820T
3749	3811T	IN 255	3820T
3762	3873	IN 256	3820T
3818	3864T	IN 2004	3789P
3831	3869T	IN 2036	3820T
3851	3867	IN 2045	3789P
3882	3810		
3884	3868		
3890	3766, 3845	New Zealand Chart No.	Notices
3892	3766, 3850		
3989	3794	NZ 45	3865
3990	3874	NZ 521	3861
3992	3874	NZ 6321	3853T, 3875P
4042	3869T		
4043	3869T	International Chart No.	Notices
4074	3797		
4075	3797		
4117	3823T, 3837	INT 74	3797
4118	3791T, 3837	INT 75	3797
4119	3791T	INT 401	3774
4122	3791T	INT 402	3774
4123	3825T	INT 403	3774
4126	3823T	INT 756	3834
4127	3823T	INT 1043	3818
4128	3847	INT 1061	3786P
4129	3825T	INT 1159	3864T
4401	3774	INT 1201	3773T
4402	3774	INT 1202	3771T, 3784P
4403	3774	INT 1218	3771T, 3780
4418	3833	INT 1219	3771T, 3773T, 3784P
4446	3833	INT 1250	3864T
5526	3775	INT 1288	3780
5601_6	3840	INT 1298	3800
5602_17	3870T	INT 1300	3768T
5606_2	3816	INT 1301	3858T
5606_6	3816	INT 1378	3858T
5607_2	3816	INT 1403	3846P
5607_5	3818	INT 1404	3846P
5614_1	3818	INT 1416	3818
5614_18	3827	INT 1417	3775, 3857
5616_10	3786P	INT 1418	3818
5616_11	3786P	INT 1420	3857
5616_12	3786P	INT 1461	3805
5616_19	3814	INT 1462	3804
5616_20	3786P	INT 1465	3863
5616_23	3786P, 3828	INT 1467	3836T
5616_27	3786P	INT 1471	3852
5617_1	3862	INT 1474	3778
5617_13	3862	INT 1477	3860
5617_2	3862	INT 1478	3822
		INT 1479	3860
Belgian Chart No.	Notices	INT 1503	3814
		INT 1510	3818
BE 11	3778	INT 1511	3818
BE 101	3778	INT 1543	3862
BE 106	3822	INT 1553	3827
		INT 1554	3827
		INT 1560	3818
German Chart No.	Notices	INT 1561	3816
		INT 1565	3827
		INT 1570	3818
DE 90	3805	INT 1626	3786P, 3814
DE 91	3804	INT 1630	3786P
		INT 1754	3803
		INT 1800	3799T
		INT 1832	3799T

II

INDEX OF CHARTS AFFECTED

International Chart No.		Notices	Admiralty Chart No.	Notices
INT 1833		3799T		
INT 1843		3809		
INT 1858		3772		
INT 1882		3792P		
INT 1976		3769T		
INT 1993		3793		
INT 2899		3829P		
INT 3198		3808		
INT 4180		3835T		
INT 4182		3835T		
INT 5362		3871		
INT 5364		3796		
INT 5508		3823T		
INT 7006		3815		
INT 7154		3815		
INT 7233		3802		
INT 7260		3779		
INT 7285		3838		
INT 7289		3838		
INT 7334		3820T		
INT 7340		3820T		
INT 7352		3820T		
INT 7359		3789P		
INT 7360		3789P		
INT 7433		3834		
INT 7438		3834		
INT 7730		3817		
INT 7735		3817		
INT 7736		3817		

II

3814* SCOTLAND - West Coast - Spoil ground. Legend.

Source: Marine Directorate

Chart 115 (INT 1503) [*previous update 2883/26*] ETRS89 DATUM

Insert	circular limit of spoil ground, radius 371m (0·20M), pecked line, centred on:	(a) 58° 25'·35N., 3° 00'·60W.
	legend, <i>Spoil Ground</i> , close SW of:	(a) above

Chart 1795 (INT 1626) [*previous update 3342/26*] ETRS89 DATUM

Insert	limit of spoil ground, pecked line, joining:	(a) 57° 34'·80N., 6° 24'·52W. (b) 57° 34'·81N., 6° 24'·27W. (c) 57° 34'·54N., 6° 24'·25W. (d) 57° 34'·53N., 6° 24'·50W.
	legend, <i>Spoil Ground</i> , close E of:	(a)-(d) above

Chart 2210 [*previous update 2364/25*] ETRS89 DATUM

Insert	limit of spoil ground, pecked line, joining:	(a) 57° 34'·80N., 6° 24'·52W. (b) 57° 34'·81N., 6° 24'·27W. (c) 57° 34'·54N., 6° 24'·25W. (d) 57° 34'·53N., 6° 24'·50W.
	legend, <i>Spoil Ground</i> , close E of:	(a)-(d) above

Chart 2533 (Panel B, Loch Snizort) [*previous update 5227/24*] ETRS89 DATUM

Insert	limit of spoil ground, pecked line, joining:	(a) 57° 34'·80N., 6° 24'·52W. (b) 57° 34'·81N., 6° 24'·27W. (c) 57° 34'·54N., 6° 24'·25W. (d) 57° 34'·53N., 6° 24'·50W.
	legend, <i>Spoil Ground</i> , within:	(a)-(d) above

Chart 5616_19 (Panel C, Uig) [*previous update 2207/25*] ETRS89 DATUM

Insert	limit of spoil ground, pecked line, joining:	(a) 57° 34'·80N., 6° 24'·52W. (b) 57° 34'·81N., 6° 24'·27W. (c) 57° 34'·54N., 6° 24'·25W. (d) 57° 34'·53N., 6° 24'·50W.
	legend, <i>Spoil Ground</i> , within:	(a)-(d) above

II

3816* ENGLAND - East Coast - Drying heights. Depths.

Source: Mr Roger Gaspar

Chart 1183 (INT 1561) [*previous update 3339/26*] ETRS89 DATUM

Insert	drying height, <i>I</i> ₆ , and extend 0m approximate low water line NW to enclose	(a)	51° 38'·01N., 1° 16'·61E.
	drying height, <i>I</i> ₂ , and extend 0m approximate low water line N to enclose		51° 38'·26N., 1° 17'·49E.
	depth, <i>I</i> ₃	(a)	51° 38'·00N., 1° 18'·23E.
Delete	depth, 38, close NE of:	(a)	above
Insert	depth, <i>I</i> ₇ , and extend 2m approximate contour NE to enclose		51° 37'·92N., 1° 18'·59E.
	depth, <i>I</i> ₆	(b)	51° 37'·74N., 1° 18'·54E.
Delete	depth, <i>I</i> ₉ , close NE of:	(b)	above
Insert	depth, <i>I</i> ₉ , and extend 2m approximate contour NE to enclose	(c)	51° 37'·87N., 1° 18'·96E.
Delete	depth, 24, close NE of:	(c)	above
Insert	depth, 29, and extend 5m approximate contour NE to enclose		51° 38'·13N., 1° 19'·63E.
	depth, 69, and extend 10m approximate contour SE to enclose		51° 38'·06N., 1° 19'·82E.
	drying height, 04, and extend 0m approximate low water line E to enclose		51° 38'·91N., 1° 19'·24E.

Chart 1975 [*previous update 3690/26*] ETRS89 DATUM

Insert	drying height, 04, and extend 0m approximate low water line E to enclose	(a)	51° 38'·91N., 1° 19'·24E.
Delete	depth, 02, close SE of:	(a)	above
Insert	depth, 29, and extend 5m approximate contour NE to enclose	(b)	51° 38'·13N., 1° 19'·63E.
Delete	depth, 31, close SW of:	(b)	above
Insert	depth, 69, and extend 10m approximate contour SE to enclose	(c)	51° 38'·06N., 1° 19'·75E.
Delete	depth, 67, close SW of:	(c)	above
Insert	depth, 142, and extend 15m approximate contour SE to enclose		51° 37'·54N., 1° 18'·76E.
	depth, <i>I</i> ₆	(d)	51° 37'·74N., 1° 18'·54E.
Delete	depth, <i>I</i> ₉ , close NE of:	(d)	above
Insert	depth, <i>I</i> ₉ , and extend 2m approximate contour NE to enclose	(e)	51° 37'·87N., 1° 18'·96E.
Delete	depth, 22, close SW of:	(e)	above
Insert	depth, <i>I</i> ₇ , and extend 2m approximate contour NE to enclose		51° 37'·92N., 1° 18'·59E.
	depth, <i>I</i> ₃	(f)	51° 38'·00N., 1° 18'·23E.
Delete	depth, 18, close SW of:	(f)	above
	depth, 38, close NE of:	(f)	above
Insert	drying height, <i>I</i> ₂ , and extend 0m approximate low water line N to enclose		51° 38'·26N., 1° 17'·49E.
	drying height, 01, and extend 0m approximate low water line NE to enclose		51° 38'·30N., 1° 17'·63E.
	depth, 5, and extend 5m approximate contour S to enclose	(g)	51° 38'·35N., 1° 17'·55E.
Delete	depth, 64, close W of:	(g)	above
Replace	drying height, 08, with drying height, <i>I</i> ₆ , and extend 0m approximate low water line NW to enclose		51° 38'·01N., 1° 16'·61E.

II

3816* ENGLAND - East Coast - Drying heights. Depths. (continued)

Chart 5606_6 [previous update 5549/25] ETRS89 DATUM

Insert	depth, 5, and extend 5m approximate contour S to enclose	(a)	51° 38'·35N., 1° 17'·55E.
Delete	depth, 64, close W of:	(a)	above
Insert	drying height, 01, and extend 0m approximate low water line NE to enclose		51° 38'·30N., 1° 17'·63E.
	drying height, 12, and extend 0m approximate low water line N to enclose		51° 38'·26N., 1° 17'·49E.
Replace	drying height, 08, with drying height, 16, and extend 0m approximate low water line NW to enclose		51° 38'·01N., 1° 16'·61E.

Chart 5606_2 [previous update 3339/26] ETRS89 DATUM

Insert	drying height, 16, and extend 0m approximate low water line NW to enclose		51° 38'·01N., 1° 16'·61E.
	drying height, 12, and extend 0m approximate low water line N to enclose		51° 38'·26N., 1° 17'·49E.
	depth, 13	(a)	51° 38'·00N., 1° 18'·23E.
Delete	depth, 38, close NE of:	(a)	above
Insert	depth, 17, and extend 2m approximate contour NE to enclose		51° 37'·92N., 1° 18'·59E.
	depth, 16	(b)	51° 37'·74N., 1° 18'·54E.
Delete	depth, 19, close NE of:	(b)	above
Insert	depth, 19, and extend 2m approximate contour NE to enclose	(c)	51° 37'·87N., 1° 18'·96E.
Delete	depth, 24, close NE of:	(c)	above
Insert	depth, 29, and extend 5m approximate contour NE to enclose		51° 38'·13N., 1° 19'·63E.
	depth, 69, and extend 10m approximate contour SE to enclose		51° 38'·06N., 1° 19'·82E.
	drying height, 04, and extend 0m approximate low water line E to enclose		51° 38'·91N., 1° 19'·24E.

Chart 5607_2 [previous update 3339/26] ETRS89 DATUM

Insert	drying height, 16, and extend 0m approximate low water line NW to enclose		51° 38'·01N., 1° 16'·61E.
	drying height, 12, and extend 0m approximate low water line N to enclose		51° 38'·26N., 1° 17'·49E.
	depth, 13	(a)	51° 38'·00N., 1° 18'·23E.
Delete	depth, 38, close NE of:	(a)	above
Insert	depth, 17, and extend 2m approximate contour NE to enclose		51° 37'·92N., 1° 18'·59E.
	depth, 16	(b)	51° 37'·74N., 1° 18'·54E.
Delete	depth, 19, close NE of:	(b)	above
Insert	depth, 19, and extend 2m approximate contour NE to enclose	(c)	51° 37'·87N., 1° 18'·96E.
Delete	depth, 24, close NE of:	(c)	above
Insert	depth, 29, and extend 5m approximate contour NE to enclose		51° 38'·13N., 1° 19'·63E.
	depth, 69, and extend 10m approximate contour SE to enclose		51° 38'·06N., 1° 19'·82E.
	drying height, 04, and extend 0m approximate low water line E to enclose		51° 38'·91N., 1° 19'·24E.

II

3818* ENGLAND - East Coast - Submarine power cable.

Source: Scottish Power

Note: Former Notice 1353(P)/25 is cancelled.

Chart 1406 [*previous update 2908/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

52° 09'·46N., 1° 57'·67E.
52° 09'·61N., 1° 59'·16E.
52° 11'·52N., 2° 08'·07E.
52° 11'·62N., 2° 10'·86E.
52° 13'·23N., 2° 15'·82E.
52° 13'·79N., 2° 24'·17E.
52° 13'·51N., 2° 26'·15E.
52° 15'·47N., 2° 26'·48E.

Chart 1408 [*previous update 3292/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

52° 09'·5N., 1° 57'·6E.
52° 11'·5N., 2° 08'·0E.
52° 11'·7N., 2° 11'·2E.
52° 13'·2N., 2° 15'·9E.
52° 13'·8N., 2° 24'·2E.
52° 13'·6N., 2° 26'·0E.
52° 17'·2N., 2° 26'·6E.
52° 18'·6N., 2° 27'·5E.
52° 19'·2N., 2° 29'·1E.
52° 20'·8N., 2° 29'·5E.
52° 20'·9N., 2° 34'·4E.
52° 27'·1N., 2° 35'·8E.
52° 27'·5N., 2° 44'·1E.
52° 28'·1N., 2° 44'·9E.
52° 35'·7N., 2° 44'·8E.
52° 38'·5N., 2° 45'·3E.

Chart 1504 (INT 1510) [*previous update 3162/26*] ETRS89 DATUM

Delete legend, *Planned*, centred on:

52° 36'·71N., 2° 44'·84E.
52° 27'·50N., 2° 41'·03E.
52° 20'·98N., 2° 32'·56E.
52° 13'·64N., 2° 20'·65E.
52° 10'·72N., 2° 03'·98E.
52° 07'·86N., 1° 49'·37E.

II

3818* ENGLAND - East Coast - Submarine power cable. (continued)

Chart 1543 [*previous update 2441/26*] ETRS89 DATUM

Insert	submarine power cable,    , joining:	52° 04'·02N., 1° 36'·84E. 52° 04'·29N., 1° 37'·39E. 52° 04'·58N., 1° 39'·49E. 52° 05'·59N., 1° 43'·84E. 52° 06'·12N., 1° 44'·84E. 52° 08'·31N., 1° 51'·09E. 52° 09'·03N., 1° 56'·56E. 52° 09'·39N., 1° 57'·35E. 52° 09'·68N., 1° 58'·63E. 52° 09'·59N., 1° 59'·60E. 52° 11'·14N., 2° 06'·91E. 52° 11'·54N., 2° 08'·07E. 52° 11'·67N., 2° 10'·79E. 52° 12'·97N., 2° 15'·01E. 52° 13'·32N., 2° 16'·93E. 52° 13'·32N., 2° 18'·21E.
--------	---	---

Delete	former submarine power cable,    , and associated legends, <i>Under Construction</i> , joining:	52° 04'·02N., 1° 36'·99E. 52° 04'·31N., 1° 37'·47E. 52° 04'·62N., 1° 40'·10E. 52° 05'·43N., 1° 43'·71E. 52° 07'·41N., 1° 48'·27E. 52° 08'·36N., 1° 51'·35E. 52° 09'·03N., 1° 56'·56E. 52° 09'·67N., 1° 58'·84E. 52° 09'·63N., 1° 59'·82E. 52° 11'·50N., 2° 07'·89E. 52° 11'·76N., 2° 11'·31E. 52° 13'·27N., 2° 16'·55E. 52° 13'·38N., 2° 18'·21E.
--------	--	--

Chart 1610 (INT 1511) [*previous update 3257/26*] ETRS89 DATUM

Insert	submarine power cable,    , joining:	51° 59'·73N., 1° 26'·86E. 52° 00'·10N., 1° 29'·75E. 52° 00'·64N., 1° 31'·60E. 52° 04'·23N., 1° 37'·21E. 52° 04'·62N., 1° 40'·09E. 52° 05'·62N., 1° 43'·90E. 52° 08'·35N., 1° 51'·25E. 52° 08'·92N., 1° 56'·07E. 52° 09'·65N., 1° 58'·38E. 52° 09'·59N., 1° 59'·52E. 52° 11'·54N., 2° 08'·07E. 52° 11'·63N., 2° 10'·86E. 52° 13'·13N., 2° 15'·67E. 52° 13'·61N., 2° 21'·84E.
--------	---	---

II

3818* ENGLAND - East Coast - Submarine power cable. (continued)

Chart 1630 (INT 1416) [*previous update 2710/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

52° 09'·56N., 1° 58'·00E.
52° 09'·59N., 1° 59'·55E.
52° 10'·77N., 2° 05'·32E.
52° 11'·52N., 2° 07'·96E.
52° 11'·72N., 2° 11'·12E.
52° 13'·15N., 2° 15'·64E.
52° 13'·79N., 2° 24'·41E.
52° 13'·55N., 2° 25'·54E.
52° 13'·72N., 2° 26'·21E.
52° 17'·40N., 2° 26'·63E.
52° 18'·54N., 2° 27'·45E.
52° 19'·08N., 2° 29'·04E.
52° 20'·81N., 2° 29'·57E.
52° 20'·92N., 2° 34'·55E.
52° 21'·70N., 2° 34'·80E.

Chart 1631 (INT 1418) [*previous update 3477/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

52° 20'·93N., 2° 33'·00E.
52° 20'·85N., 2° 34'·61E.
52° 27'·18N., 2° 35'·82E.
52° 27'·57N., 2° 44'·24E.
52° 28'·18N., 2° 45'·02E.
52° 35'·65N., 2° 44'·82E.
52° 38'·61N., 2° 45'·30E.

II

3818* ENGLAND - East Coast - Submarine power cable. (continued)

Chart 2052 (INT 1560) [*previous update 3257/26*] ETRS89 DATUM

Insert submarine power cable,   , joining:

52° 00'·02N., 1° 25'·41E.
 51° 59'·61N., 1° 26'·28E.
 51° 59'·90N., 1° 27'·60E.
 52° 00'·14N., 1° 29'·96E.
 52° 00'·70N., 1° 31'·73E.
 52° 03'·31N., 1° 35'·82E.
 52° 04'·02N., 1° 36'·84E.
 52° 04'·26N., 1° 37'·28E.
 52° 04'·57N., 1° 39'·11E.
 52° 04'·60N., 1° 39'·98E.
 52° 04'·76N., 1° 40'·48E.
 52° 05'·59N., 1° 43'·84E.
 52° 05'·86N., 1° 44'·22E.
 52° 05'·91N., 1° 44'·48E.
 52° 06'·00N., 1° 44'·62E.

Delete former submarine power cable,   , and associated legends, *Under construction*, joining:

52° 00'·02N., 1° 25'·41E.
 51° 59'·75N., 1° 25'·93E.
 51° 59'·63N., 1° 26'·41E.
 51° 59'·88N., 1° 27'·58E.
 52° 00'·18N., 1° 30'·07E.
 52° 00'·51N., 1° 31'·17E.
 52° 04'·30N., 1° 37'·44E.
 52° 04'·61N., 1° 40'·06E.
 52° 05'·43N., 1° 43'·67E.
 52° 06'·00N., 1° 45'·00E.

Chart 2182A (INT 1043) [*previous update 3485/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

52° 13'·4N., 2° 18'·9E.
 52° 13'·8N., 2° 24'·5E.
 52° 13'·5N., 2° 26'·1E.
 52° 17'·5N., 2° 26'·7E.
 52° 18'·6N., 2° 27'·5E.
 52° 19'·1N., 2° 29'·0E.
 52° 20'·9N., 2° 29'·5E.
 52° 20'·9N., 2° 34'·6E.
 52° 27'·2N., 2° 35'·9E.
 52° 27'·5N., 2° 44'·0E.
 52° 28'·2N., 2° 45'·0E.
 52° 35'·9N., 2° 44'·9E.
 52° 38'·5N., 2° 45'·3E.

II

3818* ENGLAND - East Coast - Submarine power cable. (continued)

Chart 2693 (INT 1570) [*previous update 3158/26*] ETRS89 DATUM

Insert	submarine power cable,   , joining:	52° 00'·02N., 1° 25'·41E. 51° 59'·64N., 1° 26'·13E. 51° 59'·61N., 1° 26'·38E. 51° 59'·90N., 1° 27'·57E. 51° 59'·95N., 1° 28'·47E. 52° 00'·12N., 1° 29'·90E. 52° 00'·59N., 1° 31'·48E.
--------	---	--

Chart 5607_5 [*previous update 1710/26*] ETRS89 DATUM

Insert	submarine power cable,   , joining:	52° 00'·02N., 1° 25'·41E. 51° 59'·61N., 1° 26'·26E. 51° 59'·91N., 1° 27'·66E. 52° 00'·09N., 1° 29'·68E. 52° 00'·63N., 1° 31'·57E. 52° 03'·38N., 1° 35'·89E. 52° 04'·23N., 1° 37'·21E. 52° 04'·57N., 1° 39'·11E. 52° 04'·71N., 1° 40'·32E. 52° 04'·99N., 1° 41'·37E.
--------	---	---

Delete	former submarine power cable,   , and associated legends, <i>Under construction</i> , joining:	52° 00'·02N., 1° 25'·41E. 51° 59'·74N., 1° 25'·95E. 51° 59'·62N., 1° 26'·43E. 51° 59'·89N., 1° 27'·56E. 52° 00'·18N., 1° 30'·06E. 52° 00'·51N., 1° 31'·18E. 52° 04'·30N., 1° 37'·47E. 52° 04'·60N., 1° 39'·94E. 52° 04'·91N., 1° 41'·39E.
--------	--	--

II

3818* ENGLAND - East Coast - Submarine power cable. (continued)

Chart 5614_1 (Panel A, Orford Ness to Benacre Ness) [previous update 2344/26] ETRS89 DATUM

Insert	submarine power cable,    , joining:	52° 04'·02N., 1° 36'·84E. 52° 04'·29N., 1° 37'·37E. 52° 04'·58N., 1° 39'·18E. 52° 04'·60N., 1° 39'·98E. 52° 05'·57N., 1° 43'·79E. 52° 05'·85N., 1° 44'·21E. 52° 05'·93N., 1° 44'·51E. 52° 06'·13N., 1° 44'·85E. 52° 07'·10N., 1° 47'·62E.
Delete	former submarine power cable,    , and associated legend, <i>Under Construction</i> , joining:	52° 04'·02N., 1° 36'·99E. 52° 04'·30N., 1° 37'·44E. 52° 04'·62N., 1° 40'·10E. 52° 05'·46N., 1° 43'·77E. 52° 07'·11N., 1° 47'·62E.

Chart 5614_1 (Panel B, Orford Ness) [previous update 2344/26] ETRS89 DATUM

Insert	submarine power cable,    , joining:	52° 01'·00N., 1° 32'·22E. 52° 03'·56N., 1° 36'·16E. 52° 04'·04N., 1° 36'·85E. 52° 04'·28N., 1° 37'·33E. 52° 04'·43N., 1° 38'·37E.
Delete	former submarine power cable,    , and associated legend, <i>Under construction</i> , joining:	52° 01'·05N., 1° 32'·09E. 52° 04'·30N., 1° 37'·45E. 52° 04'·41N., 1° 38'·37E.

II

3827* ENGLAND - East Coast - Depths.

Source: ABP Humber

Chart 1188 (INT 1553) [*previous update 2816/26*] ETRS89 DATUM

Insert	depth, 99, and extend 10m contour S to enclose	53° 38'·61N., 0° 11'·58W.
	depth, 10, enclosed by 10m contour	(a) 53° 38'·42N., 0° 11'·48W.
Delete	depth, 107, close NE of:	(a) above
Insert	depth, 10, enclosed by 10m contour	(b) 53° 38'·16N., 0° 11'·10W.
Delete	depth, 102, close S of:	(b) above
Insert	depth, 99, and extend 10m contour SE to enclose	(c) 53° 38'·13N., 0° 09'·96W.
Delete	depth, 93, close NE of:	(c) above

Chart 3496 (INT 1565) (Panel C, Immingham Oil Terminal to Humber Sea Terminal) [*previous update 3721/26*] ETRS89 DATUM

Insert	depth, 99, enclosed by 10m contour	53° 38'·608N., 0° 11'·580W.
	depth, 10, enclosed by 10m contour	(a) 53° 38'·421N., 0° 11'·477W.
Delete	depth, 107, close NE of:	(a) above
Insert	depth, 10, enclosed by 10m contour	53° 38'·160N., 0° 11'·104W.
		(b) 53° 38'·127N., 0° 11'·059W.
Delete	depth, 102, close NW of:	(b) above
Insert	depth, 99, enclosed by 10m contour	(c) 53° 38'·131N., 0° 09'·957W.
Delete	depth, 102, close SW of:	(c) above
Insert	depth, 31	(d) 53° 37'·702N., 0° 10'·390W.
Delete	depth, 41, close NW of:	(d) above
Insert	depth, 39	(e) 53° 37'·695N., 0° 10'·330W.
Delete	depth, 44, close S of:	(e) above

Chart 3497 (INT 1554) [*previous update 3467/26*] ETRS89 DATUM

Insert	depth, 99, and extend 10m contour S to enclose	(a) 53° 38'·61N., 0° 11'·58W.
Delete	depth, 107, close NW of:	(a) above
Insert	depth, 10, enclosed by 10m contour	(b) 53° 38'·42N., 0° 11'·48W.
Delete	depth, 107, close NE of:	(b) above
Insert	depth, 10, enclosed by 10m contour	(c) 53° 38'·16N., 0° 11'·10W.
Delete	depth, 102, close S of:	(c) above
Insert	depth, 99, and extend 10m contour SE to enclose	(d) 53° 38'·13N., 0° 09'·96W.
Delete	depth, 93, close NE of:	(d) above

Chart 5614_18 (Panel A, Immingham to Saltend) [*previous update 2816/26*] ETRS89 DATUM

Insert	depth, 99, and extend 10m contour S to enclose	(a) 53° 38'·61N., 0° 11'·58W.
Delete	depth, 107, close NW of:	(a) above
Insert	depth, 10, enclosed by 10m contour	(b) 53° 38'·42N., 0° 11'·48W.
Delete	depth, 107, close NE of:	(b) above
Insert	depth, 10, enclosed by 10m contour	(c) 53° 38'·16N., 0° 11'·10W.
Delete	depth, 102, close S of:	(c) above
Insert	depth, 99, and extend 10m contour SE to enclose	(d) 53° 38'·13N., 0° 09'·96W.
Delete	depth, 93, close NE of:	(d) above

II

3828* SCOTLAND - West Coast - Buoyage.

Source: Defence Marine Services

Chart 2825 (Panel C, Loch Carnan) [*previous update 3753/26*] ETRS89 DATUM

Move	 <i>Fl.G.2.5S No1</i> , from:	57° 22'·426N., 7° 14'·931W.
	to:	57° 22'·365N., 7° 15'·011W.
Delete	 <i>Fl.R.2s No 2</i>	57° 22'·390N., 7° 14'·927W.

Chart 2904 [*previous update 5071/22*] ETRS89 DATUM

Move	 <i>Fl.G.2.5S No1</i> , from:	57° 22'·43N., 7° 14'·93W.
	to:	57° 22'·37N., 7° 15'·02W.
Delete	 <i>Fl.R.2s No 2</i>	57° 22'·39N., 7° 14'·93W.

Chart 5616_23 (Panel B, Loch Carnan) [*previous update 5071/22*] ETRS89 DATUM

Move	 <i>Fl.G.2.5S No1</i> , from:	57° 22'·426N., 7° 14'·931W.
	to:	57° 22'·365N., 7° 15'·011W.
Delete	 <i>Fl.R.2s No 2</i>	57° 22'·390N., 7° 14'·927W.

II

3832* IRELAND - West Coast - Depths.

Source: R.V LIR

Chart 2703 [*previous update 4658/25*] ETRS89 DATUM

Insert depth, 154, and extend 20m contour W to enclose

(a) 54° 10'·53N., 10° 07'·91W.

Delete depth, 21, close SE of:

(a) above

Chart 2704 [*previous update 4658/25*] ETRS89 DATUM

Insert depth, 154, and extend 20m contour W to enclose

(a) 54° 10'·53N., 10° 07'·91W.

Delete depth, 21, close SE of:

(a) above

II

3840* ENGLAND - South Coast - Depths. Buoyage.

Source: Exeter City Council

Chart 2290 [previous update 3330/26] ETRS89 DATUM

Insert	depth, 11, and extend 2m contour N to enclose	(a)	50° 36'·473N., 3° 24'·150W.
Delete	depth, 19, close SW of:	(a)	above
	depth, 25, close NE of:	(a)	above
Insert	depth, 1	(b)	50° 36'·403N., 3° 23'·929W.
		(c)	50° 36'·108N., 3° 23'·600W.
Delete	depth, 14, close NW of:	(b)	above
	depth, 13, close SE of:	(b)	above
	depth, 14, close SW of:	(c)	above
Insert	depth, 17, and extend 2m contour SE to enclose	(d)	50° 36'·019N., 3° 23'·488W.
Delete	depth, 23, close N of:	(d)	above
Insert	depth, 19, enclosed by 2m contour		50° 35'·922N., 3° 23'·508W.
Move	 Mo(A)10s Exe, from:		50° 35'·903N., 3° 23'·458W.
	to:		50° 35'·902N., 3° 23'·385W.
	 Q.G No 3, from:		50° 36'·241N., 3° 23'·642W.
	to:		50° 36'·278N., 3° 23'·665W.

Chart 5601_6 (Panel A, Approaches to the River Exe) [previous update 3330/26] ETRS89 DATUM

Insert	depth, 11, and extend 2m contour N to enclose	(a)	50° 36'·473N., 3° 24'·150W.
Delete	depth, 19, close SW of:	(a)	above
	depth, 25, close NE of:	(a)	above
Insert	depth, 1	(b)	50° 36'·403N., 3° 23'·929W.
		(c)	50° 36'·108N., 3° 23'·600W.
Delete	depth, 14, close NW of:	(b)	above
	depth, 13, close SE of:	(b)	above
	depth, 14, close S of:	(c)	above
Insert	depth, 17, and extend 2m contour SE to enclose	(d)	50° 36'·019N., 3° 23'·488W.
Delete	depth, 23, close N of:	(d)	above
Insert	depth, 19, enclosed by 2m contour		50° 35'·922N., 3° 23'·508W.
Move	 Mo(A)10s Exe, from:		50° 35'·903N., 3° 23'·458W.
	to:		50° 35'·902N., 3° 23'·385W.
	 Q.G No 3, from:		50° 36'·241N., 3° 23'·642W.
	to:		50° 36'·278N., 3° 23'·665W.

II

3862* SCOTLAND - East Coast - Pilot boarding places.

Source: Forth Ports Limited

Chart 190 [*previous update 3508/26*] ETRS89 DATUM

Replace	① <i>Fairway</i> with ① <i>Outer</i>	56° 28'·74N., 2° 37'·68W.
	① <i>Ladies</i> with ① <i>Inner</i>	56° 27'·34N., 2° 45'·59W.

Chart 1481 (INT 1543) (Panel B, Lady Shoal) [*previous update 3347/26*] ETRS89 DATUM

Replace	① <i>Ladies</i> with ① <i>Inner</i>	56° 27'·355N., 2° 45'·599W.
---------	-------------------------------------	-----------------------------

Chart 1481 (INT 1543) [*previous update 3347/26*] ETRS89 DATUM

Replace	① <i>Fairway</i> with ① <i>Outer</i>	56° 28'·74N., 2° 37'·68W.
	① <i>Ladies</i> with ① <i>Inner</i>	56° 27'·40N., 2° 45'·59W.

Chart 5617_13 [*previous update 3347/26*] ETRS89 DATUM

Replace	① <i>Fairway</i> with ① <i>Outer</i>	56° 28'·74N., 2° 37'·68W.
	① <i>Ladies</i> with ① <i>Inner</i>	56° 27'·40N., 2° 45'·59W.

Chart 5617_1 [*previous update 3347/26*] ETRS89 DATUM

Replace	① <i>Fairway</i> with ① <i>Outer</i>	56° 28'·74N., 2° 37'·68W.
	① <i>Ladies</i> with ① <i>Inner</i>	56° 27'·34N., 2° 45'·59W.

Chart 5617_2 [*previous update 3508/26*] ETRS89 DATUM

Replace	① <i>Fairway</i> with ① <i>Outer</i>	56° 28'·74N., 2° 37'·68W.
---------	--------------------------------------	---------------------------

II

3780 POLAND - Notes.

Source: Polish Notice 23/264/26

Chart 2040 (INT 1218) [*previous update New Edition 02/07/2026*] WGS84 DATUM

Replace	the existing note, PIPELINES (55°24'N 18°14'E & 55°05'N 18°37'E), with the accompanying note, GAS (55°24'N 18°14'E), centred on:	54° 26'·86N., 20° 57'·97E.
---------	--	----------------------------

Chart 2288 [*previous update 3596/26*] WGS84 DATUM

Insert	the accompanying note, GAS (55°24'N 18°14'E), centred on:	54° 50'·1N., 20° 25'·5E.
--------	---	--------------------------

Chart 2688 (INT 1288) [*previous update 3702/26*] WGS84 DATUM

Replace	the existing note, Gaz (54°58'N 18°26'E; 54°58'N 18°33'E), with the accompanying note, Gaz (54°58'N 18°26'E), centred on:	54° 41'·48N., 18° 21'·86E.
	the existing note, Gas (54°58'N 18°26'E; 54°58'N 18°33'E), with the accompanying note, Gas (54°58'N 18°26'E), centred on:	54° 41'·48N., 18° 24'·99E.

II

3800 POLAND - Lights.

Source: Polish Notice 24/278/26

Chart 2678 (INT 1298) (Panel C, Police) [*previous update 2975/26*] WGS84 DATUM

Amend	light to, Oc.G.4s2M	53° 34'·77N., 14° 34'·99E.
	light to, Oc.R.4s2M	53° 34'·69N., 14° 35'·00E.
	light to, Oc.G.6s2M	53° 33'·83N., 14° 35'·39E.
		53° 33'·62N., 14° 35'·53E.


II

3807 POLAND - Obstruction.

Source: ENC PL4P3030

Chart 2636 [*previous update 3726/26*] WGS84 DATUM

Insert



54° 30′.993N., 18° 33′.393E.

II

3831 SWEDEN - West Coast - Restricted area.

Source: Swedish Notice 1128/20221/26

Chart 2115 [*previous update 3328/26*] WGS84 DATUM

Insert limit of restricted area, , joining:

56° 18'·75N., 12° 22'·39E.

56° 18'·05N., 12° 21'·59E.

56° 15'·33N., 12° 24'·32E.

56° 12'·97N., 12° 21'·98E.

56° 18'·24N., 12° 05'·36E.

56° 18'·74N., 12° 05'·51E.

II

3775 NORTH SEA - German Sector - Light-vessel. Fog signal. Superbuoys.
Source: Netherlands Notice 29/160/26

Chart 1633 (INT 1417) [*previous update 2953/26*] WGS84 DATUM

Delete symbol, red light-vessel, *Iso.8s17M GW/EMS Horn Mo(R)30s* 54° 09'·9N., 6° 20'·72E.

Chart 5526 [*previous update New Edition 22/01/2026*] WGS84 DATUM

Delete  *GW EMS* 54° 09'·9N., 6° 20'·7E.

 *GB* 54° 10'·7N., 7° 27'·5E.

II

3778 BELGIUM - Fishery limits.

Source: Belgian Notice 15/122/26

Chart BE 11 [*previous update 3617/26*] WGS84 DATUM

Insert	national fishery limit, joining:	(a)	51° 21'·22N., 3° 03'·21E. 51° 21'·47N., 3° 03'·72E. 51° 21'·67N., 3° 04'·31E. 51° 21'·82N., 3° 04'·94E.
		(b)	51° 21'·91N., 3° 05'·54E.
Delete	former national fishery limit, joining:	(a)	above 51° 21'·57N., 3° 04'·25E.
		(b)	above

Chart BE 101 (INT 1474) [*previous update 3617/26*] WGS84 DATUM

Insert	national fishery limit, joining:	(a)	51° 21'·22N., 3° 03'·21E. 51° 21'·47N., 3° 03'·72E. 51° 21'·67N., 3° 04'·31E. 51° 21'·82N., 3° 04'·94E.
		(b)	51° 21'·91N., 3° 05'·54E.
Delete	former national fishery limit, joining:	(a)	above 51° 21'·57N., 3° 04'·25E.
		(b)	above

II

3804* GERMANY - North Sea Coast - Depths.

Source: WSA Ems-Nordsee, Survey LP31256/26

Chart DE 91 (INT 1462) [*previous update 2600/26*] WGS84 DATUM

Insert depth, 83, and extend 10m contour E to enclose

(a) 53° 22'·85N., 6° 58'·07E.

Delete depth, 9, close NW of:

(a) above

II

3805* GERMANY - North Sea Coast - Wreck.

Source: WSA Ems-Nordsee 193/26

Chart DE 90 (INT 1461) [*previous update 3388/26*] WGS84 DATUM

Insert



53° 36′·41N., 6° 38′·80E.

II

3822 BELGIUM - NM Blocks.

Source: Belgian Notice 15/123/26

Chart BE 106 (INT 1478) (Panel A, Baalhoek to Antwerpen) [*previous update 3246/26*] WGS84 DATUM

Insert the accompanying block A, centred on: 51° 14'·3N., 4° 22'·2E.

Chart BE 106 (INT 1478) (Panel B, Antwerpen to Hoboken) [*previous update 3246/26*] WGS84 DATUM

Insert the accompanying block B, centred on: 51° 14'·3N., 4° 22'·2E.

II

3852 NETHERLANDS - NM Block.

Source: Netherlands Notice 30/164/26

Chart 124 (INT 1471) (Part B, Continuation Noordzeekanaal) [*previous update 2707/26*] WGS84 DATUM

Insert the accompanying block, centred on: 52° 25'·2N., 4° 48'·1E.

II

3854 NORTH SEA - Netherlands Sector - Buoy.

Source: Netherlands Notice 30/167/26

Chart 1408 [*previous update 3818/26*] WGS84 DATUM

Insert

 *Fl.Y.5s L 07-17*

53° 31'·2N., 4° 18'·9E.

II

3857 NORTH SEA - Netherlands Sector - Buoy.

Source: Netherlands Notice 30/167/26

Chart 1632 (INT 1420) [*previous update 2953/26*] WGS84 DATUM

Insert

 *Fl.Y.5s L 07-17*

53° 31′·19N., 4° 18′·70E.

Chart 1633 (INT 1417) [*previous update 3775/26*] WGS84 DATUM

Insert

 *Fl.Y.5s L 07-17*

53° 31′·19N., 4° 18′·70E.

II

3860 NETHERLANDS - Depth.

Source: Netherlands Notice 30/168/26

Chart 116 (INT 1477) [*previous update 3310/26*] WGS84 DATUM

Insert depth, 35, and extend 5m contour and 10m contour NW to
enclose

51° 25'·39N., 3° 39'·08E.

Chart 120 (INT 1479) [*previous update 1381/26*] WGS84 DATUM

Insert depth, 35, and extend 5m contour and 10m contour NW to
enclose

51° 25'·39N., 3° 39'·08E.

II

3863 NETHERLANDS - Light.

Source: Netherlands Notice 30/171/26

Chart 207 (INT 1465) (Part B, Continuation Nieuwe Waterweg) [*previous update 3510/26*] WGS84 DATUM

Delete

★ Fl(2)Y.10s BH

51° 53'·82N., 4° 14'·00E.

Chart 207 (INT 1465) (Part A, Nieuwe Waterweg and Europoort) [*previous update 3510/26*] WGS84 DATUM

Delete

★ F1(2)Y.10s BH

51° 53'·82N., 4° 14'·00E.

II

3772 SPAIN - West Coast - Buoyage. Lighted beacon tower. Light-beacon.

Source: Spanish Notice 26/145/26

Chart 1730 [*previous update 3641/26*] WGS84 DATUM

Amend	range of lighted beacon tower to, 5M	42° 14'·46N., 8° 47'·54W.
	No 8 light-buoy to, <i>Fl(2+1)R.10s5M</i>	42° 14'·56N., 8° 46'·75W.
	range of light-buoy to, 3M	42° 14'·95N., 8° 45'·75W.
	light-beacon to, <i>Fl(2)5s6m3M</i>	42° 16'·12N., 8° 40'·60W.

Chart 1731 (INT 1858) [*previous update 3341/26*] WGS84 DATUM

Insert	 <i>Fl(2+1)R.10s5M No 8</i>	(a) 42° 14'·562N., 8° 46'·776W.
Delete	 <i>Fl(2+1)R.12s5M No8</i> , close NE of:	(a) above
Insert	 <i>Fl(3)R.9s3M No 10</i>	(b) 42° 14'·987N., 8° 45'·789W.
Delete	 <i>Fl(3)R.9s5M No 10</i> , close SE of:	(b) above
Amend	range of lighted beacon tower to, 5M	42° 14'·459N., 8° 47'·537W.
	light-beacon to, <i>Fl(2)5s6m3M</i>	42° 16'·119N., 8° 40'·602W.

II

3803 FRANCE - North Coast - Beacons.

Source: French Notice 28/50/26

Chart 2700 (INT 1754) [*previous update 3701/26*] WGS84 DATUM

Insert



48° 37'·069N., 2° 08'·255W.

48° 37'·061N., 2° 08'·284W.

II

3809 FRANCE - West Coast - Buoyage.

Source: French Notice 26/50/26

Chart 2999 (INT 1843) [*previous update 5581/25*] WGS84 DATUM

Amend	designation of buoy to, <i>Aiguillon</i>	46° 15'·45N., 1° 11'·40W.
-------	--	---------------------------

Delete	 <i>Fl(5)Y.20s Houlographe Wave recorder</i>	46° 15'·49N., 1° 11'·43W.
--------	---	---------------------------

II

3841 NORTH ATLANTIC OCEAN - Islas Canarias - NM Block. Breakwaters. Lights.

Source: Spanish Notice 26/146/26

Chart 1856 (Panel A, Puerto de La Luz (Las Palmas)) [*previous update 2642/26*] WGS84 DATUM

Insert the accompanying block, centred on: 28° 09'·1N., 15° 23'·9W.

Chart 1856 [*previous update 2642/26*] WGS84 DATUM

Insert breakwater, double firm line, width 26m, joining: (a) 28° 09'·13N., 15° 23'·90W.
28° 08'·99N., 15° 23'·90W.

Delete ★ Fl.G.5s1M 28° 09'·12N., 15° 23'·97W.

★ Q(4)G.10s5M (exting) 28° 09'·12N., 15° 23'·89W.

former breakwater, double firm line, width 20m, joining: (a) above
28° 09'·13N., 15° 23'·97W.

II

3767 GEORGIA - Legend.

Source: ENC GE610102

Chart 3317 (Panel C, Bat'umi) [*previous update 3742/26*] WGS84 DATUM

Amend legend to, 166°3', centred on:

41° 39'·278N., 41° 38'·951E.

II

3782 ITALY - Sicilia - Depths.

Source: IT Chart 19/25

Chart 965 (Panel A, Approaches to Porto Empedocle) [*previous update 2158/26*] WGS84 DATUM

Insert	depth, <i>169</i> , and extend 20m contour SE to enclose	37° 14'·67N., 13° 31'·81E.
	depth, <i>123</i>	(a) 37° 13'·74N., 13° 32'·50E.
Delete	depth, <i>17</i> , close NW of:	(a) above

II

3785 TÜRKIYE - South Coast - Buoyage.

Source: Turkish Notice 25/142/26

Chart 242 (Panel A, Approaches to Antalya) [*previous update 2591/26*] WGS84 DATUM

Amend	light-buoy to, <i>Fl.Y.5s</i>	36° 48'·26N., 30° 35'·58E.
		36° 48'·20N., 30° 35'·52E.
		36° 48'·12N., 30° 35'·66E.

II

3788 TÜRKİYE - Çanakkale Boğazi - Lights.

Source: Turkish Lights List

Chart 2429 (Panel B, Çanakkale) [*previous update 2066/26*] WGS84 DATUM

Amend	light to, Fl.Y.6s5m5M	40° 09'·244N., 26° 24'·316E.
	light to, Fl(2)R.6s7m5M	40° 09'·093N., 26° 24'·190E.

Chart 2429 (Panel A, Nara Geçidi (The Narrows)) [*previous update 2066/26*] WGS84 DATUM

Amend	light to, Fl.Y.6s5M	40° 09'·25N., 26° 24'·32E.
-------	---------------------	----------------------------

II


3790 MALTA - Superbuoy.

Source: Transport Malta Notice 39/26

Note: This update is included in New Edition 194, published late 2026.

Chart 2537 [*previous update 3579/26*] WGS84 DATUM


Insert



35° 58'·90N., 14° 26'·60E.

Chart 2538 [*previous update 3579/26*] WGS84 DATUM

Insert



35° 58'·90N., 14° 26'·60E.

II

3801 GREECE - Aegean Sea Coast - Wreck.

Source: Greek Notice 6/111/26

Chart 1031 [*previous update 1080/26*] WGS84 DATUM

Insert

++

37° 06′·5N., 23° 14′·6E.

II

3808 FRANCE - South Coast - Obstructions. Depths. Buoyage. Legend.

Source: French Notices 26/90/26 and 26/92/26

Note: Dangerline remains unchanged.

Chart 2120 [previous update 2435/26] WGS84 DATUM

Insert	 Q(3)10s	43° 04'·06N., 5° 57'·32E.
--------	---	---------------------------

Chart 2170 (INT 3198) [previous update 2435/26] WGS84 DATUM

Insert	 Obstrn	43° 06'·850N., 5° 53'·552E.
	depth, 11	(a) 43° 06'·824N., 5° 53'·584E.
Delete	I5, close NE of:	(a) above
Insert	 Obstrn	43° 06'·843N., 5° 53'·760E.
	 Q(3)10s	43° 04'·06N., 5° 57'·32E.
Amend	legend to, Wks, centred on:	43° 06'·825N., 5° 53'·632E.
Move	symbol, mooring buoy, (occas), from:	43° 06'·519N., 5° 55'·120E.
	to:	43° 06'·518N., 5° 55'·180E.
Delete	symbol, mooring buoy, (occas)	43° 06'·249N., 5° 54'·753E.

II

3844 ALGERIA - NM Block.

Source: Algerian Notice 5/1/26

Chart 838 [*previous update 2898/26*] WGS84 DATUM

Insert the accompanying block, centred on:

35° 51'·1N., 00° 17'·9W.

II

3849 TÜRKIYE - Black Sea Coast - NM Block.

Source: Turkish Notice 24/134/26

Chart 1274 (Panel B, Approaches to Samsun) [*previous update 3435/26*] WGS84 DATUM

Insert the accompanying block, centred on: 41° 15'·1N., 36° 28'·4E.

II

3793 SENEGAL - Depths.

Source: French Notice 26/162/26

Chart 1000 (INT 1993) [*previous update New Edition 30/04/2026*] WGS84 DATUM

Insert	depth, 504	(a)	14° 44'·71N., 17° 40'·60W.
Delete	depth, 708, close S of:	(a)	above
Insert	depth, 472, and extend 500m approximate contour SW to enclose		14° 42'·06N., 17° 40'·50W.
	depth, 487, and extend 500m approximate contour S to enclose		14° 41'·71N., 17° 39'·57W.
	depth, 414, and extend 500m approximate contour S to enclose		14° 41'·85N., 17° 39'·13W.
	depth, 124		14° 42'·62N., 17° 36'·52W.
	depth, 66	(b)	14° 41'·98N., 17° 34'·68W.
Delete	depth, 73, close W of:	(b)	above
Insert	depth, 44, and extend 50m contour SW to enclose	(c)	14° 42'·09N., 17° 34'·07W.
Delete	depth, 46, close NE of:	(c)	above
Insert	depth, 54	(d)	14° 43'·24N., 17° 33'·59W.
Delete	depth, 61, close SW of:	(d)	above
Insert	depth, 295, enclosed by 30m contour	(e)	14° 43'·33N., 17° 32'·48W.
Delete	depth, 34, close NW of:	(e)	above
	depth, 586		14° 44'·98N., 17° 40'·72W.
	depth, 134		14° 42'·42N., 17° 36'·31W.

II

3779 IRAN - Buoy.
Source: ENC IR403040

Chart 2883 (INT 7260) [*previous update 3633/26*] WGS84 DATUM

Insert

 *Fl.Y.5s ODAS*

27° 25'·2N., 52° 27'·6E.

II

3802 IRAN - Buoy.
Source: ENC IR403016

Chart 2441 (INT 7233) [*previous update 893/26*] WGS84 DATUM

Insert



Fl(2)6s (2 buoys)

26° 33′·01N., 54° 56′·07E.

II

3815 SAUDI ARABIA - Red Sea Coast - NM Blocks. Depths.

Source: ENC's S14R0153 and S14R0157

Chart 15 (INT 7154) [*previous update 2377/24*] WGS84 DATUM

Insert	the accompanying block A, centred on:	16° 46'·9N., 41° 47'·3E.
	the accompanying block B, centred on:	16° 28'·7N., 42° 33'·7E.

Chart 157 (INT 7006) [*previous update 3025/25*] WGS84 DATUM

Insert	depth, 101, and extend 20m contour N to enclose	(a) 16° 31'·5N., 42° 26'·1E.
Delete	depth, 32, close NE of:	(a) above
Insert	depth, 183, enclosed by 20m contour	(b) 16° 27'·3N., 42° 33'·0E.
Delete	depth, 35, close NW of:	(b) above

II

3838* IRAQ - Platforms.

Source: Daewoo E&C

Chart 1229 (INT 7285) [*previous update New Edition 22/08/2024*] WGS84 DATUM

Insert



29° 47'·82N., 48° 35'·22E.

Chart 1235 (INT 7289) [*previous update 1144/26*] WGS84 DATUM

Insert



29° 47'·82N., 48° 35'·22E.

29° 44'·78N., 48° 40'·64E.

II

3843* UNITED ARAB EMIRATES - Buoy.

Source: Fujairah Port Authority Notice 05/26

Chart 3479 [*previous update 2807/25*] WGS84 DATUM

Move



Fl.G B11, from:

25° 36′·63N., 56° 17′·58E.

to:

25° 36′·66N., 56° 17′·54E.

II

3873 OMAN - Dredged area. Legend.

Source: ENC OM500103

Chart 3762 [*previous update 1148/26*] WGS84 DATUM

Insert	limit of dredged area, pecked line, joining:	(a) 19° 41'·96N., 57° 43'·64E. (b) 19° 41'·58N., 57° 43'·46E. (c) 19° 41'·45N., 57° 43'·40E. (d) 19° 41'·20N., 57° 43'·63E. (e) 19° 41'·34N., 57° 43'·71E. (f) 19° 41'·51N., 57° 43'·73E. (g) 19° 41'·57N., 57° 43'·69E.
Delete	legend, <i>Dredged to 16·5m (2025)</i> , within: charted detail, within:	(a)-(g) above (a)-(g) above

II

3817 INDIAN OCEAN - La Réunion - Lights. NM Block. Buoyage. Landmarks.

Source: French Notice 25/182/26

Chart 712 (INT 7730) [*previous update 2028/24*] WGS84 DATUM

Amend	range of light to, 16M	21° 00'·5S., 55° 16'·1E.
Delete	 Radio Mast (64)	20° 55'·8S., 55° 40'·0E.

Chart 1495 (INT 7736) (Panel C, Port Réunion (Pointe des Galets) Port Est) [*previous update 2863/26*] WGS84 DATUM

Amend	range of light to, 9M	20° 55'·634S., 55° 19'·142E. 20° 55'·584S., 55° 19'·316E.
-------	-----------------------	--

Chart 1495 (INT 7736) [*previous update 2863/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	20° 59'·7S., 55° 15'·9E.
	 FAD	20° 48'·39S., 55° 26'·31E.
Delete	former  FAD	20° 49'·06S., 55° 27'·22E.
Move	 FAD, from:	20° 49'·26S., 55° 33'·18E.
	to:	20° 49'·29S., 55° 32'·33E.
Delete	  (64)	20° 49'·33S., 55° 25'·94E. 20° 55'·82S., 55° 39'·96E.

Chart 1497 (INT 7735) [*previous update 2863/26*] WGS84 DATUM

Amend	range of light to, 16M	21° 00'·5S., 55° 16'·1E.
Move	 FAD, from:	20° 49'·06S., 55° 27'·22E.
	to:	20° 48'·39S., 55° 26'·31E.
	 FAD, from:	20° 49'·27S., 55° 33'·18E.
	to:	20° 49'·29S., 55° 32'·33E.
Delete	 RADIO MAST (64)	20° 55'·84S., 55° 39'·97E.
		20° 49'·33S., 55° 25'·94E.

II

3834 MYANMAR (BURMA) - NM Block. Depths.

Source: ENC IN54802A

Chart IN 31 (INT 756) [*previous update 3511/26*] WGS84 DATUM

Insert	depth, 103	(a)	16° 33'·1N., 94° 12'·7E.
Delete	depth, 128, close E of:		(a) above

Chart 818 (INT 7433) [*previous update 2464/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	16° 32'·5N., 94° 16'·3E.
--------	-------------------------------------	--------------------------

Chart 823 (INT 7438) [*previous update 3845/25*] WGS84 DATUM

Insert	depth, 103, and extend 20m contour W to enclose	16° 34'·1N., 94° 15'·0E.
	depth, 2, enclosed by 2m contour	(a) 16° 33'·2N., 94° 17'·5E.
Delete	depth, 73, close E of:	(a) above
Insert	depth, 83, enclosed by 10m contour	(b) 16° 29'·5N., 94° 12'·8E.
Delete	depth, 128, close S of:	(b) above
Replace	depth, 128, with depth, 103	16° 33'·1N., 94° 12'·7E.
	depth, 146, with depth, 89, enclosed by 10m contour	16° 32'·0N., 94° 12'·7E.
	depth, 165, with depth, 135	16° 30'·6N., 94° 12'·9E.

Chart 830 [*previous update 3260/26*] WGS84 DATUM

Insert	depth, 103	(a)	16° 33'·1N., 94° 12'·7E.
Delete	depth, 128, close W of:		(a) above

II

3766 CHINA - South Coast - Virtual aids to navigation.

Source: Chinese Notice 19/515/26

Chart 3890 [*previous update 3622/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, special topmark, V-AIS	20° 06′·92N., 110° 07′·32E. 20° 04′·65N., 110° 07′·49E.
	symbol, Virtual aid to navigation, special topmark, V-AIS, out of position	20° 06′·11N., 110° 07′·38E.

Chart 3892 [*previous update 3668/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, special topmark, V-AIS	20° 06′·9N., 110° 07′·3E. 20° 04′·6N., 110° 07′·5E.
--------	---	--

II

3776 THAILAND - Gulf of Thailand Coast - Depths.

Source: ENC TH50115A

Chart 3724 (Panel A, Sattahip Commercial Port (Chuk Samet Harbour)) [*previous update 4137/25*] WGS84 DATUM

Insert	depth, 67	(a) 12° 36′·621N., 100° 53′·937E.
Delete	depth, 79 , close NW of:	(a) above

II

3777 CHINA - South Coast - Buoyage.
Source: UKHO

Chart 1557 [*previous update 3628/26*] CGCS 2000 DATUM

Insert	 <i>Q(3)10s J2</i>	21° 58′·39N., 113° 09′·62E.
	 <i>Fl(2)G.6s No 41</i>	(a) 21° 58′·41N., 113° 09′·91E.
Delete	 <i>Fl(2)G.6s No 40</i> , close NW of:	(a) above
Insert	 <i>Fl(2)R.6s No 40</i>	21° 58′·32N., 113° 09′·79E.
Delete	 <i>Fl(2)G.6s No 41</i>	21° 58′·61N., 113° 09′·74E.

II

3794 VIETNAM - Virtual aid to navigation.

Source: ENC V1300009

Chart 3989 [*previous update 3456/26*] WGS84 DATUM

Insert symbol, Virtual aid to navigation, special topmark, 4 V-AIS 17° 42' · 9N., 106° 34' · 1E.

II

3798 CHINA - East Coast - Buoyage. Virtual aids to navigation.

Source: Chinese Notice 23/610/26

Chart 1719 [*previous update 2396/26*] CGCS 2000 DATUM

Insert	 <i>Q.G JTL 17</i>	(a) 24° 31'·15N., 118° 13'·89E.
Delete	 <i>Fl(2)G.6s JT 15</i> , close W of:	(a) above
Insert	 <i>Fl(2+1)R.6s JTL 18</i> symbol, Virtual aid to navigation, special topmark, V-AIS	24° 31'·05N., 118° 13'·39E. 24° 30'·93N., 118° 13'·59E. 24° 30'·59N., 118° 13'·75E. 24° 30'·59N., 118° 14'·05E.
Replace	 <i>Q.R JT14A</i> , with  <i>Fl(3)R.10s JTL 14</i>	24° 30'·39N., 118° 14'·22E.

II

3810 VIETNAM - Swinging circles. Legends. Depths.

Source: VMSC Notice 81/26

Chart 3882 [*previous update 3594/26*] WGS84 DATUM

Insert	swinging circle, radius 160m, pecked line, centred on:	(a)	20° 50'·62N., 106° 46'·26E.
	legend, <i>Swinging Area</i> , within:	(a)	above
	depth, 85	(b)	20° 50'·64N., 106° 46'·20E.
Delete	depth, 8, close SE of:	(b)	above
Insert	depth, 85	(c)	20° 50'·63N., 106° 46'·31E.
Delete	depth, 68, close NW of:	(c)	above
Insert	5m contour, joining:	(d)	20° 50'·71N., 106° 46'·25E.
			20° 50'·71N., 106° 46'·29E.
			20° 50'·67N., 106° 46'·35E.
		(e)	20° 50'·63N., 106° 46'·37E.
Delete	former 5m contour, joining:	(d)	above
		(e)	above
	former swinging circle and associated legend, <i>Swinging Area</i> , centred on:		20° 50'·61N., 106° 46'·25E.

II

3819 TAIWAN - Restricted area.

Source: UKHO

Note: Former Notice 838(P)/25 is cancelled. This update is included in New Editions 2409 and 3231, published mid 2026.

Chart 1760 [*previous update 3648/26*] WGS84 DATUM

Insert limit of submarine cable area, , joining:

24° 07'·9N., 120° 13'·6E.

24° 07'·8N., 120° 10'·8E.

24° 08'·1N., 120° 10'·3E.

24° 02'·7N., 119° 55'·9E.

24° 02'·7N., 119° 55'·7E.

and

24° 07'·4N., 120° 13'·6E.

24° 07'·2N., 120° 10'·6E.

24° 07'·5N., 120° 10'·2E.

24° 02'·2N., 119° 56'·0E.

24° 02'·1N., 119° 55'·2E.

II

3837 CHINA - South Coast - Depths. NM Blocks. Wreck.
Source: Hong Kong Notice 12/34/26

Chart 4117 [*previous update 1445/26*] WGS84 DATUM

Insert the accompanying block, centred on: 22° 18'·7N., 114° 11'·9E.

Chart 4118 [*previous update 3277/26*] WGS84 DATUM

Insert the accompanying block, centred on: 22° 18'·7N., 114° 11'·9E.
depth, 28 22° 19'·005N., 114° 11'·991E.
depth, 19, and extend 2m contour W to enclose (a) 22° 18'·605N., 114° 11'·525E.
Delete  Wks, close S of: (a) above

II

3839 CHINA - Bo Hai - NM Blocks. Virtual aids to navigation.

Source: Chinese Notices 16/394-395/26

Note: This update is included in New edition 1256, published mid 2026

Chart 1206 [previous update 2080/25] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	38° 32'·1N., 120° 59'·0E.
	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS	38° 27'·00N., 120° 46'·79E.
		38° 22'·73N., 120° 43'·59E.
		38° 18'·45N., 120° 40'·43E.
		38° 14'·17N., 120° 37'·25E.
		38° 09'·89N., 120° 34'·06E.
	symbol, Virtual aid to navigation, east cardinal topmark, V-AIS	38° 22'·01N., 121° 03'·26E.
		38° 18'·00N., 121° 02'·00E.
		38° 14'·00N., 121° 00'·75E.
		38° 10'·00N., 120° 59'·50E.
		38° 05'·36N., 120° 59'·08E.

Chart 1249 [previous update 3099/26] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	38° 30'·4N., 120° 57'·0E.
--------	-------------------------------------	---------------------------

Chart 1250 [previous update 3265/26] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS, out of position	38° 14'·2N., 120° 37'·2E.
		38° 18'·4N., 120° 40'·4E.
	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS	38° 27'·0N., 120° 46'·8E.
		38° 22'·7N., 120° 43'·6E.
		38° 09'·9N., 120° 34'·1E.

Chart 1255 [previous update 3626/26] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	38° 29'·5N., 120° 55'·2E.
	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS	38° 18'·4N., 120° 40'·4E.
		38° 14'·2N., 120° 37'·2E.
	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS, out of position	38° 09'·9N., 120° 34'·1E.
	symbol, Virtual aid to navigation, east cardinal topmark, V-AIS	38° 18'·0N., 121° 02'·0E.
		38° 14'·0N., 121° 00'·8E.
		38° 10'·0N., 120° 59'·5E.
		38° 05'·4N., 120° 59'·1E.

II

3845 CHINA - South Coast - Buoyage.

Source: Chinese Notices 19/515/26 and 21/564/26

Chart 3890 [*previous update 3766/26*] CGCS 2000 DATUM

Move



Fl.G.4s No 1, from:

20° 07′·48N., 110° 06′·82E.

to:

20° 06′·50N., 110° 06′·87E.



LFl.10s No 1, from:

20° 07′·33N., 110° 07′·35E.

to:

20° 06′·50N., 110° 07′·36E.



Fl.R.4s No 2, from:

20° 07′·49N., 110° 07′·64E.

to:

20° 06′·50N., 110° 07′·73E.

II

3847 CHINA - South Coast - Buoyage. Lights.
Source: UKHO

Chart 4128 [*previous update 2959/26*] WGS84 DATUM

Insert	★ Iso.R.4s	22° 35′·60N., 114° 25′·49E. 22° 35′·48N., 114° 25′·67E.
	 <i>VQ(6)+LFl.10s LNG9</i>	22° 35′·60N., 114° 25′·37E.
Move	 <i>Fl(3)R.10s LNG8</i> , from:	22° 35′·45N., 114° 25′·59E.
	to:	22° 35′·44N., 114° 25′·26E.
	 <i>Fl(2)R.6s LNG6</i> , from:	22° 35′·29N., 114° 25′·25E.
	to:	22° 35′·12N., 114° 25′·25E.

II

3848 CHINA - South Coast - Anchorage area. Legend.

Source: UKHO

Chart 344 [*previous update 2678/26*] CGCS 2000 DATUM

Insert limit of anchorage area, pecked line, joining:

(a) 22° 53'·00N., 113° 33'·42E.

(b) 22° 52'·93N., 113° 33'·80E.

(c) 22° 52'·70N., 113° 33'·78E.

(d) 22° 52'·70N., 113° 33'·42E.

legend,  74NZA , within:

(a) - (d) above

II

3850 CHINA - South Coast - Light-vessel.

Source: Chinese Notice 22/583/26

Chart 3348 [*previous update 3590/26*] CGCS 2000 DATUM

Insert symbol, light-vessel, *Fl.6s*

21° 04′·08N., 111° 25′·73E.

Chart 3892 [*previous update 3766/26*] CGCS 2000 DATUM

Insert symbol, light-vessel, *Fl.6s*

21° 04′·1N., 111° 25′·7E.

II

3851 CHINA - East Coast - Wreck.

Source: Chinese Notice 24/642/26

Chart 1199 [*previous update 3621/26*] CGCS 2000 DATUM

Insert

 *Rep(2026) PA*

30° 25′·5N., 122° 57′·3E.

Chart 1305 [*previous update 3621/26*] CGCS 2000 DATUM

Insert

 *Rep(2026) PA*

30° 25′·50N., 122° 57′·30E.

II

3868 VIETNAM - Breakwater. Light.

Source: Vietnam Maritime Safety Corporation Notice 94/26 and ENC V14N0020

Chart 3884 [*previous update New Edition 23/07/2026*] WGS84 DATUM

Insert breakwater, single firm line, joining:

16° 20'·20N., 108° 01'·00E.

(a) 16° 20'·20N., 108° 00'·58E.

★ Q(9)15s BH

(a) above

II

3874 CHINA - South Coast - Legends. NM Block. Pilot boarding places. Anchorage areas.

Source: Chinese Notice 23/616/26

Chart 3990 [*previous update 3133/26*] WGS84 DATUM

Insert	symbol, dangerous cargo and quarantine anchorage, <i>No 6</i> , centred on:	21° 25′·4N., 108° 41′·2E.
	①	21° 26′·3N., 108° 40′·2E.
	symbol, quarantine anchorage, <i>No 7</i> , centred on:	21° 17′·6N., 108° 39′·4E.
	①	21° 16′·6N., 108° 38′·2E.
Delete	legend, <i>No 2</i> 	21° 23′·1N., 108° 41′·6E.

Chart 3992 [*previous update New Edition 25/06/2026*] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	21° 21′·0N., 108° 40′·8E.
--------	-------------------------------------	---------------------------

II

3795 KOREA - West Coast - Buoyage.

Source: Korean Notice 24/329/26

Chart 1008 [*previous update 927/26*] WGS84 DATUM

Insert

 <i>Fl(4)Y.8s E</i>	35° 58'·12N., 126° 30'·88E.
 <i>Fl(4)Y.8s D</i>	35° 58'·09N., 126° 30'·24E.
 <i>Fl(4)Y.8s C</i>	35° 57'·45N., 126° 30'·30E.
 <i>Fl(4)Y.8s A</i>	35° 56'·76N., 126° 30'·91E.
 <i>Fl(4)Y.8s B</i>	35° 56'·73N., 126° 30'·36E.

II

3796 KOREA - West Coast - Buoyage.

Source: Korean Notices 24/331-332/26

Chart 3642 (INT 5364) [*previous update New Edition 23/04/2026*] WGS84 DATUM

Insert	 <i>Fl(4)Y.8s B</i>	37° 31'·117N., 126° 36'·040E.
		(a) 37° 30'·975N., 126° 35'·130E.
Delete	 <i>Fl(4)Y.8s C</i> , close NW of:	(a) above
Insert	 <i>Fl(4)Y.8s A</i>	(b) 37° 30'·875N., 126° 35'·185E.
Delete	 <i>Fl(4)Y.8s B</i> , close S of:	(b) above
Move	 <i>Fl(4)Y.8s A</i> , from:	37° 30'·955N., 126° 35'·930E.
	to:	37° 30'·949N., 126° 36'·078E.
Delete	 <i>Fl(4)Y.8s B</i>	37° 31'·102N., 126° 35'·508E.
		37° 30'·533N., 126° 34'·877E.
	 <i>Fl(4)Y.8s D</i>	37° 31'·087N., 126° 35'·373E.
	 <i>Fl(4)Y.8s A</i>	37° 30'·888N., 126° 35'·550E.
		37° 30'·658N., 126° 34'·957E.
	 <i>Fl(4)Y.8s E</i>	37° 30'·872N., 126° 35'·415E.

II

3871 KOREA - South Coast - Fog signal. Lights.

Source: Korean Notice 26/354/26

Chart 3390 (INT 5362) [*previous update 3666/26*] WGS84 DATUM

Insert

★ Fl(4)Y.8s11m9M D

fog signal, Horn(1)40s, at light

★ Fl(4)Y.8s11m9M C

(a) 34° 53′·54N., 127° 47′·61E.

(a) above

34° 53′·17N., 127° 47′·51E.

II

3833 PHILIPPINE ISLANDS - Sulu Sea - Light. Pile.

Source: Philippines Notice 6/25/26

Chart 4418 [*previous update 1942/26*] WGS84 DATUM

Replace

 with pile, •

5° 34′·2N., 120° 49′·1E.

Chart 4446 [*previous update 2715/20*] WGS84 DATUM

Replace

 Fl.5s9m7M, with pile, •

5° 34′·24N., 120° 49′·13E.

II

3861 NEW ZEALAND - North Island - Light.

Source: New Zealand Notice 15/44/26

Chart NZ 521 [*previous update 1394/24*] WGS84 DATUM

Amend light to, Ldg F.Bu. 7m7M

35° 36′·88S., 174° 31′·87E.

II

3865 NEW ZEALAND - North Island - Depths.

Source: New Zealand Notice 15/45/26

Chart NZ 45 [*previous update 3212/25*] WGS84 DATUM

Insert depth, *129*, and extend 20m contour SW to enclose

(a) 40° 02'·78S., 175° 01'·72E.

Delete depth, *164*, close SE of:

(a) above

II

3797 ANTARCTICA - Depths.

Source: Australian Chart 4074

Chart 4074 (INT 74) [*previous update 3747/26*] WGS84 DATUM

Insert



(a) 67° 19'·0S., 62° 55'·2E.

Delete

depth 37, close SW of:

(a) above

Insert

depth, 116, and extend 200m contour E to enclose

(b) 66° 20'·6S., 81° 13'·1E.

Delete

depth 134, close W of:

(b) above

Chart 4075 (INT 75) [*previous update New Edition 21/08/2025*] WGS84 DATUM

Insert



67° 19'·0S., 62° 55'·2E.

II

3813 ARGENTINA - Light-beacon. Buoy.

Source: Argentine Notice 6/72/26

Chart 1324 (Panel C, Puerto Campana) [*previous update 2827/26*] WGS84 DATUM

Insert	 Fl(4)R.16s Km 98·5	(a) 34° 08'·90S., 58° 58'·05W.
Delete	 Fl(4)R.16s Km 98·5, close SE of:	(a) above

Chart 1324 [*previous update 2827/26*] WGS84 DATUM

Insert	 Fl(4)R.16s Km 98·5	(a) 34° 08'·90S., 58° 58'·05W.
Delete	 Fl(4)R.16s Km 98·5, close SE of:	(a) above

II

3774 CUBA - South Coast - Light.

Source: Cuban Notice 6/88/26

Chart 2846 [*previous update 4119/23*] WGS84 DATUM

Delete

★ Fl.10s18m13M

21° 44′.1N., 80° 00′.0W.

Chart 2996 [*previous update 3043/26*] WGS84 DATUM

Delete

★ Fl.13M

21° 44′.1N., 80° 00′.0W.

Chart 4401 (INT 401) [*previous update 975/26*] WGS84 DATUM

Delete



21° 44′.7N., 80° 00′.7W.

Chart 4402 (INT 402) [*previous update 5836/25*] WGS84 DATUM

Delete



21° 44′.8N., 80° 00′.7W.

Chart 4403 (INT 403) [*previous update 1786/26*] WGS84 DATUM

Delete



21° 44′.9N., 80° 00′.7W.

II

3830 VENEZUELA - NM Block. Submarine pipeline.

Source: ENC's VE400606 and VE300600

Chart 1044 [*previous update 3148/26*] WGS84 DATUM

Insert the accompanying block, centred on:
submarine pipeline, , joining:

10° 47'·6N., 61° 56'·6W.

10° 33'·4N., 62° 18'·6W.

10° 32'·7N., 62° 17'·5W.

10° 32'·7N., 62° 16'·9W.

10° 33'·7N., 62° 03'·3W.

II

3856 MEXICO - Gulf of Campeche - Wells.

Source: ENC MX384000

Note: This update is included in New Editions 359 and 2626, published late 2026.

Chart 1307 [*previous update 1435/26*] WGS84 DATUM

Insert



19° 43'·8N., 92° 31'·6W.

18° 59'·5N., 93° 16'·0W.

18° 50'·2N., 93° 19'·5W.


II

3859 WEST INDIES - Windward Islands - Wrecks.

Source: French Notice 28/259/26

Chart 494 (Panel C, Cul-de-Sac du Marin) [*previous update 1341/26*] WGS84 DATUM

Insert



14° 27'·85N., 60° 51'·96W.

14° 27'·76N., 60° 51'·90W.



14° 27'·82N., 60° 51'·90W.



14° 27'·55N., 60° 52'·30W.

II

3867 UNITED STATES OF AMERICA - Gulf of Mexico - Submarine pipelines.
Source: ENC US3LA1BD

Chart 3851 [*previous update 2974/26*] NAD83 DATUM

Insert submarine pipeline, , joining:

- (a) 28° 11'·1N., 89° 24'·2W.
- 28° 12'·3N., 89° 20'·3W.
- 28° 12'·5N., 89° 19'·2W.
- 28° 12'·3N., 89° 18'·3W.
- 28° 11'·8N., 89° 17'·7W.
- 28° 10'·9N., 89° 17'·2W.
- and
- 28° 10'·8N., 89° 17'·1W.
- 28° 11'·3N., 89° 23'·4W.
- (a) above

II

3787 UNITED STATES OF AMERICA - East Coast - NM Block.

Source: ENC US5PCVCC

Chart 3692 (Panel, Port Canaveral) [*previous update 201/26*] NAD83 DATUM

Insert the accompanying block, centred on: 28° 24'·7N., 80° 36'·9W.

II

3786(P)/26 SCOTLAND - West Coast - Submarine power cables.

Source: SSEN

1. Submarine power cables are being laid between the Isle of Skye and South Uist, joining the following positions:

57° 33'·18N., 6° 38'·72W.
57° 32'·61N., 6° 38'·29W.
57° 32'·23N., 6° 38'·48W.
57° 31'·96N., 6° 39'·18W.
57° 31'·93N., 6° 39'·67W.
57° 32'·01N., 6° 40'·25W.
57° 32'·33N., 6° 40'·99W.
57° 32'·35N., 6° 41'·98W.
57° 31'·78N., 6° 43'·79W.
57° 31'·62N., 6° 43'·88W.
57° 31'·50N., 6° 44'·08W.
57° 31'·47N., 6° 44'·39W.
57° 29'·32N., 6° 46'·89W.
57° 28'·82N., 6° 47'·49W.
57° 28'·11N., 6° 47'·50W.
57° 27'·93N., 6° 46'·81W.
57° 28'·00N., 6° 46'·24W.
57° 27'·85N., 6° 45'·19W.
57° 27'·73N., 6° 45'·04W.
57° 27'·34N., 6° 44'·87W.

2. and

57° 21'·708N., 7° 16'·160W.
57° 21'·611N., 7° 15'·575W.
57° 21'·712N., 7° 14'·200W.
57° 21'·549N., 7° 13'·768W.
57° 21'·525N., 7° 12'·891W.
57° 21'·378N., 7° 12'·372W.
57° 21'·527N., 7° 11'·639W.
57° 21'·515N., 7° 11'·170W.
57° 21'·437N., 7° 10'·583W.
57° 21'·198N., 7° 10'·008W.
57° 21'·045N., 7° 07'·817W.
57° 21'·725N., 7° 04'·323W.
57° 23'·388N., 7° 00'·726W.
57° 24'·427N., 6° 55'·204W.
57° 24'·550N., 6° 51'·983W.
57° 24'·883N., 6° 50'·598W.
57° 25'·864N., 6° 49'·033W.
57° 27'·463N., 6° 47'·959W.
57° 27'·948N., 6° 46'·447W.
57° 27'·814N., 6° 45'·241W.
57° 27'·346N., 6° 44'·880W.

3. Mariners are advised to navigate with caution in the area.
4. Charts will be updated when works are complete.
(ETRS89 DATUM)

Charts affected - 1757 (INT 1630) - 1795 (INT 1626) - 2533 - 2635 (INT 1061) - 2825 - 2904 - 5616_10 - 5616_11 - 5616_12 - 5616_20 - 5616_23 - 5616_27

II

3870(T)/26 ENGLAND - South Coast - Pontoon. Lights.

Source: KHM Plymouth NAVWAR 48/26

1. The pontoon and walkway located at North Corner (Cornwall Beach) have been decommissioned due to damage in the vicinity of position 50° 22'·312N., 4° 11'·065W.
2. The area is no longer in use as a landing stage until further notice.
3. The associated fixed green lights that were situated on the pontoon have been removed.
4. Mariners are advised to navigate with caution in the area and consult the local port authority for the latest information.
(ETRS1989 DATUM)

Charts affected - 871 - 1902 - 5602_17

II

3768(T)/26 NORWAY - South Coast - Scientific instruments.

Source: Norwegian Notice 13/81974(T)/26

1. Unmarked subsurface ODAS measuring instruments have been established, anchored to the seabed, in the following position:

<i>Position</i>	<i>Depth below surface</i>
58° 00'·7N., 6° 52'·5E.	14m

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1402 (INT 1300)

II

3846(P)/26 NORWAY - West Coast - Submarine cable. Works.

Source: Norwegian Notice 13/81990(P)/26

1. Submarine cable laying operations are taking place, joining the following positions:

65° 07'·0N., 6° 47'·6E.

65° 08'·4N., 6° 49'·6E.

65° 09'·8N., 6° 47'·6E.

65° 10'·4N., 6° 47'·9E.

2. and

65° 06'·9N., 6° 48'·1E.

65° 07'·0N., 6° 50'·3E.

65° 06'·5N., 6° 54'·0E.

65° 06'·5N., 7° 06'·5E.

65° 05'·9N., 7° 13'·5E.

65° 05'·9N., 7° 18'·7E.

65° 05'·4N., 7° 29'·1E.

65° 04'·0N., 7° 29'·5E.

3. Mariners are advised to navigate with caution in the area.
4. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 1429 (INT 1403) - 1430 (INT 1404)

II

3771(T)/26 POLAND - Works.

Source: Polish Notice 24/287(T)/26

1. Environmental research is being carried out within the area bounded by the following positions:

54° 49'·27N., 17° 53'·68E.

54° 49'·91N., 17° 53'·41E.

54° 53'·67N., 17° 50'·20E.

54° 53'·77N., 17° 44'·61E.

54° 52'·23N., 17° 41'·45E.

54° 47'·94N., 17° 41'·80E.

54° 47'·32N., 17° 42'·18E.

2. and

54° 40'·92N., 17° 05'·57E.

54° 43'·94N., 17° 02'·97E.

54° 44'·64N., 17° 05'·39E.

54° 41'·58N., 17° 08'·02E.

3. Mariners are advised to navigate with caution in the area.

4. *Former Notice 3620(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2040 (INT 1218) - 2816

II

3773(T)/26 POLAND - Works.

Source: Polish Notice 25/302(T)/26

1. Survey works are in progress, until further notice, within areas bounded by the following positions:

54° 01'·04N., 14° 14'·89E.

54° 01'·30N., 14° 14'·66E.

54° 14'·58N., 14° 10'·74E.

54° 16'·68N., 14° 05'·43E.

54° 16'·92N., 14° 05'·05E.

54° 17'·03N., 14° 05'·41E.

54° 16'·96N., 14° 05'·77E.

54° 14'·78N., 14° 11'·29E.

54° 01'·35N., 14° 15'·25E.

54° 01'·07N., 14° 15'·18E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2015 (INT 1201) - 2679 - 2816

II

3784(P)/26 POLAND - Wind farm. Works.

Source: Polish Notice 28/359(T)/26

1. Wind farm construction works are taking place, within the areas bounded by the following positions:

54° 34'·85N., 16° 48'·71E.
54° 34'·80N., 16° 48'·40E.
54° 35'·00N., 16° 48'·45E.
54° 35'·47N., 16° 48'·65E.
54° 35'·54N., 16° 48'·56E.
54° 35'·64N., 16° 49'·14E.
54° 35'·74N., 16° 49'·72E.

2. and

54° 35'·64N., 16° 49'·14E.
54° 35'·54N., 16° 48'·56E.
54° 37'·26N., 16° 50'·87E.
54° 37'·70N., 16° 50'·96E.
54° 38'·01N., 16° 51'·24E.
54° 51'·37N., 16° 55'·15E.
54° 52'·62N., 16° 55'·51E.
54° 53'·86N., 16° 56'·04E.
54° 58'·27N., 16° 55'·36E.
55° 02'·11N., 16° 51'·02E.
55° 04'·09N., 16° 50'·99E.
55° 04'·81N., 16° 52'·09E.
55° 05'·28N., 16° 52'·27E.
55° 05'·66N., 16° 52'·68E.
55° 05'·37N., 16° 53'·48E.
55° 04'·52N., 16° 52'·98E.
55° 03'·94N., 16° 51'·94E.
55° 02'·00N., 16° 52'·17E.
55° 02'·10N., 16° 51'·59E.
54° 58'·35N., 16° 55'·82E.
54° 53'·86N., 16° 56'·50E.
54° 53'·24N., 16° 56'·32E.
54° 51'·47N., 16° 55'·49E.
54° 37'·99N., 16° 51'·55E.
54° 37'·70N., 16° 51'·08E.

3. and

54° 37'·25N., 16° 51'·02E.
54° 36'·83N., 16° 50'·80E.

4. Mariners are advised to maintain a safe distance of at least 500m from works vessels.
5. Additionally, mariners are advised to maintain a safe distance of at least 1500m from the following vessels:

<i>Vessel</i>	<i>MMSI No.:</i>
ISAAC NEWTON	(MMSI: 253134000)
SYMPHONY	(MMSI: 253830000)
VEO VANGUARD	(MMSI: 232008636)
HYDROMAG2	(MMSI: 261011219)
C-730 (C7 BARGE)	

6. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2816

II

3858(T)/26 DENMARK - East Coast - Obstruction.

Source: Danish Notice 30/679(T)/26

1. An obstruction, depth 0·5m, has been reported in position 57° 27′·06N., 10° 35′·34E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 892 (INT 1378) - 2107 (INT 1301)

II

3864(T)/26 FINLAND - South Coast - Works. Lights.

Source: Finnish Notices 21/176(T)/25 and 19/183(T)/26

1. Construction works are taking place, in an area bounded by the following positions:

60° 08'·80N., 24° 54'·54E.

60° 08'·84N., 24° 54'·54E.

60° 08'·92N., 24° 54'·63E.

60° 08'·86N., 24° 54'·94E.

60° 08'·79N., 24° 54'·87E.

2. *and

60° 09'·14N., 24° 55'·23E.

60° 09'·13N., 24° 55'·27E.

60° 08'·97N., 24° 55'·06E.

60° 08'·98N., 24° 55'·02E.

3. *These areas are marked with special lit marks.
4. Work teams can be contacted on VHF channels 9, 67 and 71.
5. Mariners are advised to navigate with caution in the area.
6. *Former Notice 4086(T)/25 is cancelled.

*Indicates new or revised entry.

(WGS84 DATUM)

Charts affected - 2218 (INT 1159) - 3818 (INT 1250)

II

3836(T)/26 NETHERLANDS - Ferry routes.

Source: Netherlands Notice 30/165(T)/26

1. Ferry routes have been established between the following positions:

51° 49′ ·54N., 4° 42′ ·51E.

51° 49′ ·44N., 4° 42′ ·53E.

51° 49′ ·36N., 4° 42′ ·64E.

51° 49′ ·30N., 4° 42′ ·65E.

2. and

51° 49′ ·33N., 4° 42′ ·72E.

51° 49′ ·38N., 4° 42′ ·88E.

51° 49′ ·39N., 4° 43′ ·68E.

51° 49′ ·44N., 4° 43′ ·76E.

3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 209 (INT 1467)

II

3792(P)/26 PORTUGAL - West Coast - Works. Depths. Buoyage. Light.

Source: Portuguese Chart 26408

1. Numerous changes to charted detail have taken place within the port of Sines
2. Terminal XXI extension works have been completed in positions:

37° 56'·041N., 8° 50'·580W.

37° 56'·062N., 8° 50'·579W.

37° 56'·141N., 8° 50'·501W.

and

37° 55'·819N., 8° 50'·429W.

37° 55'·781N., 8° 50'·405W.

37° 55'·745N., 8° 50'·344W.

37° 55'·713N., 8° 50'·382W.

37° 55'·779N., 8° 50'·495W.

3. Depths less than charted exist within the approaches to Sines. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
37m	37° 53'·562N., 8° 50'·643W.
36m	37° 53'·729N., 8° 51'·038W.

4. *A light, *Fl.G.4s3M*, Terminal XXI E, exists in position 37° 55'·704N., 8° 50'·360W.

5. *The following buoys have been removed:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>VQ(6)+LFl.10s2M</i>	<i>No 1</i>	South Cardinal	37° 55'·676N., 8° 50'·343W.
<i>Q(3)10s2M</i>	<i>No 2</i>	East Cardinal	37° 55'·739N., 8° 50'·290W.

6. These and other changes will be included in the next New Edition of Chart 3224.

7. *Former Notice 1468(P)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 3224 (INT 1882)

II

3799(T)/26 FRANCE - West Coast - Light.

Source: French Notice 26/4(T)/26

1. The sectors and range at light Pointe du Portzic, Oc(2)WR 12s, in position $48^{\circ} 21' \cdot 50N.$, $4^{\circ} 32' \cdot 04W.$ have been temporarily amended and are now as follows:

<i>Colour</i>	<i>Bearing</i>	<i>Range (M)</i>
R	$219^{\circ} - 256^{\circ}$ (37°)	11
W	$256^{\circ} - 338^{\circ}$ (82°)	15
R	$338^{\circ} - 045^{\circ}$ (67°)	11
R	$050^{\circ} - 065^{\circ}$ (15°)	11
R	$071^{\circ} - 088^{\circ}$ (17°)	11
Obs	$088^{\circ} - 219^{\circ}$ (131°)	

2. The auxiliary lights remain unchanged.
(WGS84 DATUM)

Charts affected - 2350 - 2356 - 2643 (INT 1800) - 2655 - 3427 (INT 1832) - 3428 (INT 1833) - 3429

II

3826(T)/26 MOROCCO - North Coast - Buoy.

Source: French Notice 26/5(T)/26

1. The following light-buoy have been removed:

<i>Buoy Type</i>	<i>Characteristic</i>	<i>Position</i>
North Cardinal	<i>VQ</i>	35° 49'·900N., 5° 45'·270W.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 2142(T)/26 has been cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 142 - 1912

II

3872(T)/26 ITALY - South Coast - Restricted area.

Source: Italian Notice 11.28(T)/26

1. Environmental monitoring stations have been established outside of the port of Taranto.
2. A restricted area, entry prohibited, has been established bounded by the following positions:

40° 25'·64N., 17° 08'·13E.

40° 27'·31N., 17° 07'·77E.

40° 28'·10N., 17° 08'·01E.

40° 28'·78N., 17° 08'·76E.

40° 28'·22N., 17° 09'·42E.

40° 26'·45N., 17° 09'·33E.

(WGS84 DATUM)

Chart affected - 1417

II

3769(T)/26 MOROCCO - West Coast - Anchorage area.

Source: French Notice 26/7(P)/26

1. The eastern waiting anchorage area of the Port of Casablanca has been partially opened to vessels. The new anchorage area is bounded by the following positions:

33° 42'·80N., 7° 31'·50W.

33° 42'·80N., 7° 29'·00W.

33° 40'·30N., 7° 29'·95W.

33° 39'·60N., 7° 31'·51W.

2. Mariners are advised to consult the local port authorities for the latest information.
3. Former Notice 3109(T)/23 is cancelled.
(WGS84 DATUM)

Charts affected - 856 - 860 - 861 (INT 1976)

II

3770(T)/26 MOROCCO - West Coast - Wreck.

Source: French Notice 28/2(P)/26

1. A dangerous wreck has been reported in position 23° 43'·60N., 15° 59'·32W.
2. Mariners are advised to navigate with caution in the area.
(UNDETERMINED DATUM)

Chart affected - 1690

II

3829(P)/26 NIGERIA - Depths. Obstructions. Wrecks.

Source: ENC NG455150 and Nigerian Ports Authority

1. Depths less than charted exist within the approaches to Calabar.
2. Obstructions without depth exist within the approaches to Calabar. The most significant are as follows:

Position

4° 42'·75N., 8° 20'·87E.
4° 39'·44N., 8° 22'·17E.
4° 37'·74N., 8° 22'·46E.
4° 36'·29N., 8° 22'·86E.
4° 33'·23N., 8° 23'·20E.
4° 31'·28N., 8° 22'·82E.
4° 29'·93N., 8° 22'·54E.
4° 27'·01N., 8° 20'·55E.
4° 25'·47N., 8° 19'·59E.
4° 24'·87N., 8° 19'·01E.
4° 23'·23N., 8° 17'·78E.
4° 21'·47N., 8° 16'·55E.
4° 19'·76N., 8° 15'·35E.

3. Multiple wrecks showing superstructure exist within the approaches to Calabar. The most significant are as follows:

Position

4° 41'·84N., 8° 21'·17E.
4° 35'·80N., 8° 22'·98E.
4° 27'·59N., 8° 21'·28E.

4. Chart 3433 will be withdrawn in late 2026.
(WGS84 DATUM)

Chart affected - 3433 (INT 2899)

II

3855(P)/26 NIGERIA - Depths. Obstructions. Platform. Wrecks.

Source: ENC's NG455150, NG542550 and Nigerian Ports Authority

1. Depths less than charted exist within the Calabar river. The most significant are as follows:

<i>Depth</i>	<i>Approximate Position</i>
7·8m	5° 00'·733N., 8° 18'·952E.
4·6m	5° 00'·156N., 8° 18'·142E.
7·9m	4° 58'·964N., 8° 19'·360E.
7·1m	4° 58'·603N., 8° 19'·424E.
2·7m	4° 56'·02N., 8° 17'·28E.
3·6m	4° 55'·83N., 8° 17'·12E.
0·3m	4° 53'·94N., 8° 15'·74E.
8·6m	4° 49'·41N., 8° 18'·50E.
8·3m	4° 48'·17N., 8° 18'·87E.

2. Obstructions without depth exist within the Calabar river. The most significant are as follows:

Approximate Position
4° 58'·943N., 8° 19'·160E.
4° 58'·675N., 8° 19'·331E.
4° 51'·82N., 8° 16'·81E.
4° 50'·10N., 8° 17'·78E.
4° 45'·55N., 8° 19'·84E.
4° 44'·12N., 8° 20'·65E.
4° 42'·75N., 8° 20'·87E.
4° 39'·44N., 8° 22'·17E.

3. Multiple wrecks showing superstructure exist within the Calabar river. The most significant are as follows:

Approximate Position
4° 50'·54N., 8° 17'·41E.
4° 49'·69N., 8° 18'·35E.
4° 48'·37N., 8° 19'·14E.
4° 46'·37N., 8° 19'·75E.
4° 41'·84N., 8° 21'·17E.

4. A floating platform has been established in position 4° 57'·824N., 8° 18'·705E.
5. Chart 3434 will be withdrawn in late 2026.
(Undetermined DATUM)

Chart affected - 3434

II

3789(P)/26 INDIA - West Coast - Dry dock. Works.

Source: ENC IN62045R

1. Dry dock extension works are taking place in the vicinity of position 9° 57'·588N., 76° 17'·010E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - IN 2004 (INT 7359) - IN 2045 (INT 7360)

II

3820(T)/26 INDIA - West Coast - Buoyage.

Source: Indian Nav Warning 676/26

1. The fairway light-buoy has been reported missing in position 18° 17'·40N., 72° 49'·25E.
2. The following lateral light-buoys are reported missing:

<i>Characteristic</i>	<i>Position</i>
<i>Q(4)R.6s</i>	18° 17'·59N., 72° 50'·79E.
<i>Q(4)G.6s</i>	18° 17'·40N., 72° 50'·81E.
<i>Q(5)R.7s</i>	18° 17'·64N., 72° 51'·76E.
<i>Q(5)R.7s</i>	18° 17'·45N., 72° 51'·77E.
<i>Q(6)R.10s</i>	18° 17'·69N., 72° 52'·72E.
<i>Q(6)G.10s</i>	18° 17'·50N., 72° 52'·73E.
<i>Iso.R.2s</i>	18° 17'·72N., 72° 53'·66E.
<i>Iso.G.2s</i>	18° 17'·58N., 72° 53'·68E.
<i>Fl(2+1)R.12s</i>	18° 17'·83N., 72° 55'·41E.
<i>Fl(2+1)G.12s</i>	18° 17'·64N., 72° 55'·42E.

3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - IN 211 - IN 212 - IN 255 (INT 7334) - IN 256 (INT 7340) - IN 2036 (INT 7352)

II

3783(T)/26 TAIWAN - Works.

Source: UKHO

1. Maritime works are taking place, within an area bounded by the following positions:

25° 09'·333N., 121° 45'·343E.
25° 09'·565N., 121° 45'·312E.
25° 09'·585N., 121° 45'·375E.
25° 09'·748N., 121° 45'·337E.
25° 09'·763N., 121° 45'·300E.
25° 09'·875N., 121° 45'·303E.
25° 10'·102N., 121° 45'·117E.
25° 10'·058N., 121° 45'·053E.
25° 09'·918N., 121° 44'·938E.
25° 09'·890N., 121° 44'·505E.
25° 09'·678N., 121° 44'·503E.
25° 09'·715N., 121° 44'·432E.
25° 09'·607N., 121° 44'·368E.
25° 09'·540N., 121° 44'·507E.
25° 09'·419N., 121° 44'·504E.
25° 09'·363N., 121° 44'·864E.
25° 09'·314N., 121° 45'·179E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 2619

II

3791(T)/26 CHINA - South Coast - Dredging areas. Works. Buoyage.

Source: Hong Kong Notice 13/37(T)/26

1. Dredging works are taking place within areas bounded by the following positions:

22° 20′·626N., 114° 07′·258E.
22° 20′·586N., 114° 07′·119E.
22° 19′·498N., 114° 07′·489E.
22° 19′·523N., 114° 07′·572E.
22° 19′·577N., 114° 07′·554E.
22° 19′·593N., 114° 07′·609E.
22° 20′·148N., 114° 07′·420E.
22° 20′·156N., 114° 07′·448E.
22° 20′·262N., 114° 07′·412E.
22° 20′·254N., 114° 07′·384E.

and

22° 20′·554N., 114° 07′·008E.
22° 20′·513N., 114° 06′·869E.
22° 19′·790N., 114° 07′·115E.
22° 19′·830N., 114° 07′·254E.

2. The areas will be marked by yellow flashing light markers.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 4118 - 4119 - 4122

II

3821(P)/26 CHINA - Bo Hai - Depths. Fairway. Anchorage area. Pilot boarding place.

Source: Chinese Chart 11762 and Chinese Notice 24/639/26

1. Depths less than charted exist within Caofeidian Gangqu, Basin No 1. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
17·2m	38° 57'·11N., 118° 27'·62E.
17·2m	38° 56'·98N., 118° 27'·62E.
16·2m	38° 57'·08N., 118° 27'·84E.
15·5m	38° 56'·81N., 118° 27'·91E.

2. A fairway has been established joining the following positions:

38° 55'·05N., 118° 36'·22E.

38° 54'·37N., 118° 36'·55E.

38° 53'·87N., 118° 40'·60E.

and

38° 53'·25N., 118° 40'·60E.

38° 54'·05N., 118° 33'·37E.

3. *The Large Oil Tankers anchorage is not in operation within the area of the fairway outlined above.

4. *Due to the new fairway, the pilot boarding place, *D2*, has moved to the following positions:

38° 54'·85N., 118° 38'·47E.

and

38° 52'·72N., 118° 38'·42E.

5. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

6. Charts will be updated when full details are available.

7. *Former Notice 1853(P)/25 is cancelled.

*Indicates new or revised entry

(CGCS 2000 DATUM)

Charts affected - 1249 - 1250 - 2657

II

3823(T)/26 CHINA - South Coast - Submarine cable.

Source: Hong Kong Notice 13/36(T)/26

1. A submarine cable is being laid joining the following positions:

22° 17'·120N., 114° 16'·090E.
22° 17'·173N., 114° 15'·975E.
22° 17'·124N., 114° 15'·777E.
22° 16'·935N., 114° 15'·530E.
22° 16'·662N., 114° 15'·255E.
22° 16'·465N., 114° 15'·112E.
22° 16'·318N., 114° 15'·053E.
22° 15'·849N., 114° 15'·403E.
22° 15'·651N., 114° 15'·500E.
22° 14'·90N., 114° 15'·50E.
22° 14'·28N., 114° 15'·45E.
22° 13'·82N., 114° 15'·68E.
22° 13'·56N., 114° 16'·00E.
22° 13'·06N., 114° 15'·88E.
22° 12'·35N., 114° 16'·26E.
22° 12'·07N., 114° 16'·80E.
22° 11'·66N., 114° 17'·00E.
22° 11'·75N., 114° 17'·75E.
22° 11'·32N., 114° 23'·74E.
22° 11'·40N., 114° 27'·23E.
22° 11'·33N., 114° 27'·48E.
22° 11'·42N., 114° 29'·59E.
22° 11'·19N., 114° 30'·15E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 341 - 937 (INT 5508) - 4117 - 4126 - 4127

II

3824(T)/26 CHINA - Bo Hai - Wreck.

Source: Chinese Notice 25/688(T)/26

1. A wreck has been reported drifting within the vicinity of position 38° 34'·5N., 119° 04'·2E.
2. Mariners are advised to navigate with caution in the area.
(CGCS 2000 DATUM)

Charts affected - 1249 - 1250 - 1256

II

3825(T)/26 CHINA - South Coast - Works.

Source: Hong Kong Notice 14/38(T)/26

1. Marine works are taking place in areas bounded by the following positions:

22° 17'·638N., 113° 56'·253E.

22° 17'·618N., 113° 56'·267E.

22° 17'·603N., 113° 56'·278E.

22° 17'·557N., 113° 56'·225E.

22° 17'·576N., 113° 56'·209E.

22° 17'·594N., 113° 56'·202E.

and

22° 17'·553N., 113° 56'·321E.

22° 17'·569N., 113° 56'·306E.

22° 17'·588N., 113° 56'·290E.

22° 17'·546N., 113° 56'·243E.

22° 17'·535N., 113° 56'·270E.

22° 17'·521N., 113° 56'·285E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 4123 - 4129

II

3866(T)/26 CHINA - Yellow Sea Coast - Obstruction.

Source: Chinese Notice 26/740(T)/26

1. An obstruction has been reported in position 32° 48′·0N., 123° 48′·0E.
2. Mariners are advised to navigate with caution in the area.
(CGCS 2000 DATUM)

Chart affected - 3480

II

3869(T)/26 MALAYSIA - Peninsular Malaysia, East Coast - Wreck.

Source: Marine Department, Malaysia Notice 139(T)/26

1. A dangerous wreck has been reported to exist in approximate position $1^{\circ} 18' \cdot 00\text{N.}$, $104^{\circ} 09' \cdot 55\text{E.}$
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3831 - 4042 - 4043

II

3781(T)/26 KOREA - South Coast - Buoyage.

Source: Korean Notice 24/336(T)/26

1. The following light-buoys have been established:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl(4)Y.8s</i>	<i>A</i>	Yellow pillar buoy, x-shape topmark	34° 38'·9N., 128° 55'·3E.
<i>Fl(4)Y.8s</i>	<i>B</i>	Yellow pillar buoy, x-shape topmark	34° 39'·2N., 128° 55'·5E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 127

II

3842(T)/26 KOREA - East Coast - Buoy.

Source: Korean Notice 26/361(T)/26

1. The special purpose light-buoy, *Fl(5)Y.20s ODAS*, in position 37° 06'·17N., 129° 27'·57E., has been temporarily extinguished.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 882

II

3811(T)/26 INDONESIA - Papua - Submarine pipeline. Works.

Source: Indonesian Notice 27/183(T)/26

1. Pipeline laying operations are taking place, in an area bounded by the following positions:

2° 35'·51S., 132° 40'·44E.

2° 35'·21S., 132° 38'·72E.

2° 26'·55S., 132° 08'·63E.

2° 21'·48S., 132° 11'·42E.

2° 19'·53S., 132° 07'·27E.

2° 26'·77S., 132° 52'·11E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 2473 - 3747 - 3749

II

3812(T)/26 INDONESIA - Kalimantan - Submarine pipeline. Works.

Source: Indonesian Notice 27/184(T)/26

1. Pipeline laying operations are taking place, in an area bounded by the following positions:

1° 14'·4S., 117° 41'·7E.

1° 20'·4S., 117° 48'·5E.

1° 22'·9S., 117° 46'·1E.

1° 17'·0S., 117° 39'·1E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 2471 - 2893

II

3853(T)/26 NEW ZEALAND - South Island - Buoy.

Source: New Zealand Notice 15/46(T)/26

1. A lit wave buoy, *Fl(5)Y.20s* has been deployed in position 43° 36'·59S., 172° 44'·34E., until further notice.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - NZ 6321

II

3875(P)/26 **NEW ZEALAND - South Island - Dredged area. Depths. Light-beacons. Beacon. Virtual aids to navigation. Automatic Identification System. Buoy.**

Source: New Zealand Chart NZ 6321

1. Dredged area depth values and depths shoaler than charted exist within the Port of Lyttelton within the area bounded by the following positions:

43° 36'·664S., 172° 42'·934E.
 43° 36'·593S., 172° 42'·934E.
 43° 36'·513S., 172° 42'·967E.
 43° 36'·463S., 172° 42'·833E.
 43° 36'·385S., 172° 42'·711E.
 43° 36'·336S., 172° 42'·697E.
 43° 36'·241S., 172° 42'·831E.
 43° 36'·230S., 172° 43'·000E.
 43° 36'·323S., 172° 43'·358E.
 43° 36'·414S., 172° 43'·424E.
 43° 36'·476S., 172° 43'·419E.
 43° 36'·580S., 172° 43'·225E.
 43° 36'·548S., 172° 43'·068E.
 43° 36'·643S., 172° 43'·110E.

Mariners are advised to consult the local port authorities for the latest depth information.

2. The following cardinal light-beacons have been established as follows:

<i>Characteristic</i>	<i>Beacon Type</i>	<i>Position</i>
<i>Q(3)10s2m2M</i>	East Cardinal	43° 36'·97S., 172° 42'·39E.
<i>Q.1s2m2M</i>	North Cardinal	43° 36'·93S., 172° 42'·22E.

3. The former unlit East Cardinal beacon in position 43° 36'·98S., 172° 42'·42E. has been removed.
4. The following Virtual Aids to Navigation (V-AIS) have been moved:

<i>V-AIS Type</i>	<i>Former Position</i>	<i>New Position</i>
Port Lateral Mark	43° 36'·97S., 172° 43'·37E.	43° 36'·93S., 172° 43'·29E.
Port Lateral Mark	43° 36'·894S., 172° 43'·986E.	43° 36'·840S., 172° 44'·044E.

5. An Automatic Identification System (AIS), has been established at the light-buoy, *Fl(5)Y.25s*, in position 43° 34'·08S., 172° 49'·27E.
6. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - NZ 6321

II

3806(P)/26 MEXICO - Gulf of Campeche - Anchorage areas. Wells. Platforms. Obstructions. Buoyage. Foul. Wreck. Radar beacon.

Source: Mexican ENC MX384000

1. The limits of the tanker anchorage area, north of Dos Bocas Terminal, have been amended as follows:
2. Zone A, for vessels under 5,000 GRT
 - 18° 45'·0N., 93° 13'·3W.
 - 18° 45'·0N., 93° 10'·0W.
 - 18° 42'·5N., 93° 10'·0W.
 - 18° 42'·5N., 93° 13'·3W.
3. Zone B, for vessels over 5,000 GRT
 - 18° 47'·5N., 93° 13'·3W.
 - 18° 47'·5N., 93° 10'·0W.
 - 18° 45'·0N., 93° 10'·0W.
 - 18° 45'·0N., 93° 13'·3W.
4. Zone C, for oil tankers carrying dangerous cargo
 - 18° 47'·5N., 93° 10'·0W.
 - 18° 47'·5N., 93° 08'·0W.
 - 18° 42'·5N., 93° 08'·0W.
 - 18° 42'·5N., 93° 10'·0W.
5. Numerous new wells, platforms and obstructions exist within areas bounded by the following positions:
 - 19° 30'·5N., 92° 25'·4W.
 - 19° 39'·2N., 92° 17'·9W.
 - 19° 36'·2N., 92° 04'·0W.
 - 19° 29'·4N., 91° 54'·8W.
 - 19° 17'·4N., 91° 56'·7W.
 - 19° 07'·8N., 92° 09'·8W.
 - 19° 05'·1N., 92° 25'·9W.
6. and
 - 19° 04'·00N., 93° 20'·01W.
 - 18° 44'·79N., 92° 38'·34W.
 - 18° 39'·41N., 92° 39'·08W.
 - 18° 28'·75N., 92° 50'·33W.
 - 18° 27'·55N., 93° 16'·16W.
 - 18° 30'·70N., 93° 20'·00W.
7. A well exists in position 19° 43'·8N., 92° 31'·6W.
8. Light-buoys in the following positions have been amended to *LFl.10s*:
 - 18° 43'·65N., 91° 54'·15W.
 - 19° 38'·3N., 90° 42'·9W.
9. A foul exists in position 19° 06'·6N., 92° 05'·2W.
10. A dangerous wreck exists in position 18° 37'·91N., 91° 51'·12W.
11. A radar transponder beacon, Racon (O), exists in position 18° 43'·6N., 92° 36'·0W.
12. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
13. These and other changes will be included in a New Edition of Charts 2626 and 359 to be published late 2026.
14. Chart 1307 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 359 - 2626

II

3835(T)/26 WEST INDIES - Leeward Islands - Buoy.

Source: Netherlands Notice 30/173(T)/26

1. The red spherical light-buoy, *Fl.5s Marine Farm*, in position 17° 33'·59N., 62° 56'·81W., has been temporarily removed.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 583 - 584 - 1025 (INT 4182) - 2016 (INT 4180)