



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 34

20 August 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
32	NZ 55	INT 1113	NP 79
186	NZ 56	INT 1509	NP 321-27
204	NZ 57	INT 1562	
1018	NZ 58	INT 1720	
1123	NZ 521	INT 7332	
1503	NZ 522	INT 9314	
1607	NZ 531		
1626	NZ 532		
1917	NZ 541		
1941	NZ 4314		
1966	NZ 4432		
1975	NZ 5125		
1998	NZ 5214		
1999	NZ 5215		
2191	NZ 5321		
2348	NZ 5322		
2633	NZ 5323		
2735	NZ 5324		
5500	NZ 5411		
5521	NZ 5412		
5522	NZ 5571		
IN 2060	NZ 5612		
NZ 41			
NZ 42			
NZ 43			
NZ 45			
NZ 51			
NZ 52			
NZ 53			
NZ 54			

THE GULF AND STRAIT OF HORMUZ NAVIGATIONAL INFORMATION

Amid ongoing developments, it is not always possible to ensure that all ADMIRALTY Products are completely up-to-date for new dangers or changes to aids to navigation and routing measures. Mariners are encouraged to pay close attention to navigational warnings in place and advised to exercise particular caution when navigating in The Gulf region and the Strait of Hormuz.

I

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

I

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 20 August 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1018	Italy, Approaches to Stretto di Messina. On publication of this New Edition former Notice 3102(P)/26 is cancelled.	1:125,000	26	44
⊙1123	United Kingdom and Ireland, Western Approaches to Saint George's Channel and Bristol Channel. This chart remains affected by Notices 2513(P)/24, 3881(P)/25, 4263(P)/25, 3530(T)/26 and 3698(T)/26.	1:500,000	2	20, 26
⊙1941	Italy, Capo Passero to Capo Colonne.	1:300,000	26	44
⊙1966	South America - North Coast, Carúpano to Punta Gallinas Including Isla De Aves. This chart remains affected by Notices 4909(T)/19, 4234(T)/24, 654(P)/25, 4038(T)/25, 1899(T)/26 and 3536(T)/26.	1:1,000,000	86	124
⊙2191	Caribbean Sea - Venezuela, Morro de Puerto Santo to Cabo Codera, Including the Outlying Islands. This chart remains affected by Notices 659(P)/19, 4909(T)/19, 4234(T)/24, 4038(T)/25 and 1899(T)/26.	1:300,000	87	124
⊙2633	Eastern Mediterranean, Al Lādhiqīyah to Sour and Famagusta. On publication of this New Edition former Notice 3365(P)/26 is cancelled. This chart is to be deleted from the list of charts affected by Notice 2841(P)/23.	1:300,000	30	46

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 20 August 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
5500	Mariners' Routeing Guide English Channel and Dover Strait. This chart remains affected by Notice 2438(P)/23.	-	-	142
5521	Mariners' Routeing Guide Irish Sea.	-	-	142
5522	Mariners' Routeing Guide West Coast of Scotland to Pentland Firth.	-	-	142

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP79	ADMIRALTY List of Lights and Fog Signals Volume F 7 th Edition (2026) North-East Indian Ocean, Central part of South China and Eastern Archipelagic Seas (North of the Equator), excluding China, and South-West part of Philippine Sea ISBN No: 978-0-70-772-5109	20/08/2026	Updated to Week 29/26 (16/07/26) First Updates in NM Week 34/26 (20/08/26) Volume F 6 th Edition (2025) is cancelled.
NP321-27	ADMIRALTY The Star Almanac for Land Surveyors His Majesty's Nautical Almanac Office CD-ROM Included ISBN No: 978-0-70-774-6678	20/08/2026	This almanac gives positions of the Sun, Polaris and selected bright stars, accurate to about 1 arcsecond, which may be used to determine a geographical position or direction to true north using astronomical observations. A pdf version of the almanac and files of coefficients in ASCII format, representing the positions of the Sun and stars, are included on the accompanying CD-ROM.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 03 SEPTEMBER 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
32 INT 1720	International Chart Series, England - South Coast, Falmouth to Truro. Ⓐ Continuation of Truro River. Ⓑ Continuation of Tresillian River. Ⓒ Continuation of River Fal (Ruan Creek)	1:12,500 1:12,500 1:20,000 1:20,000	⊙32 INT 1720	1	22
186	Adriatic Sea, Vlorë to Bar and Brindisi to Vieste.	1:300,000	⊙186	27	44
204	Adriatic Sea, Sedmovraće to Trieste and Ravenna to Venezia.	1:300,000	⊙204	27	44
1503 INT 1509	International Chart Series, England - East Coast, Outer Dowsing to Smiths Knoll including Indefatigable Banks.	1:150,000	⊙1503 INT 1509	7	26, 32
1607 INT 1562	International Chart Series, England - East Coast, Thames Estuary Southern Part.	1:50,000	⊙1607 INT 1562	8	24
1626	England - East Coast, Blyth.	1:6,250	⊙1626	7	26
1917	Baltic Sea – Russia, Povorot Komsomol'skiy to Povorot Izhevskiy. Ⓐ KM 12.0 to KM 17.0 Ⓑ KM 17.0 To KM 25.0	 1:7,500 1:7,500	⊙1917	10	36
1975	England - East Coast, Thames Estuary, Northern Part.	1:50,000	⊙1975	7	24
1998	Mediterranean Sea, France and Italy, Nice to Livorno including Gulf of Genoa.	1:300,000	⊙1998	26	42
1999	Mediterranean Sea, Livorno to Civitavecchia including Northern Corse.	1:300,000	⊙1999	25	42, 44
2348 INT 9314	International Chart Series, Norway - West Coast, Støtt to Andenes.	1:350,000	⊙2348 INT 9314	14	38
2735 INT 1113	International Chart Series, Iceland - South West Coast, Reykjavík.	1:10,000	⊙2735 INT 1113	15	28

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

CHARTS TO BE AVAILABLE 03 SEPTEMBER 2026

New Editions

Reproductions of Indian Government Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
IN2060 INT 7332	International Chart Series, India – West Coast, Approaches to Salāya and Pathfinder Inlet. 22°24'·50N – 22°37'·10N, 69°25'·00E – 69°45'·15E.	1:37,500	⊙IN2060 INT 7332	41	58

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
1018	Italy, Approaches to Stretto di Messina.	⊙1018
1123	United Kingdom and Ireland, Western Approaches to Saint George's Channel and Bristol Channel.	⊙1123
1941	Italy, Capo Passero to Capo Colonne.	⊙1941
1966	South America - North Coast, Carúpano to Punta Gallinas Including Isla De Aves.	⊙1966
2191	Caribbean Sea - Venezuela, Morro de Puerto Santo to Cabo Codera, including the Outlying Islands.	⊙2191
2633	Eastern Mediterranean, Al Ladhiqiy Ah to Sour and Famagusta.	⊙2633
5500	Mariners' Routeing Guide English Channel and Dover Strait.	5500
5521	Mariners' Routeing Guide Irish Sea.	5521
5522	Mariners' Routeing Guide West Coast of Scotland to Pentland Firth.	5522

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

INTENTION TO WITHDRAW CHARTS

It is proposed to withdraw without replacement, the following ADMIRALTY Charts:

<i>Chart to be WITHDRAWN</i>	<i>Date of withdrawal</i>	<i>Chart to be WITHDRAWN</i>	<i>Date of withdrawal</i>
⊙NZ41	10 th December 2026	⊙NZ541	10 th December 2026
⊙NZ42	10 th December 2026	⊙NZ4314	10 th December 2026
⊙NZ43	10 th December 2026	⊙NZ4432	10 th December 2026
⊙NZ45	10 th December 2026	⊙NZ5125	10 th December 2026
⊙NZ51	10 th December 2026	⊙NZ5214	10 th December 2026
⊙NZ52	10 th December 2026	⊙NZ5215	10 th December 2026
⊙NZ53	10 th December 2026	⊙NZ5321	10 th December 2026
⊙NZ54	10 th December 2026	⊙NZ5322	10 th December 2026
⊙NZ55	10 th December 2026	⊙NZ5323	10 th December 2026
⊙NZ56	10 th December 2026	⊙NZ5324	10 th December 2026
⊙NZ57	10 th December 2026	⊙NZ5411	10 th December 2026
⊙NZ58	10 th December 2026	⊙NZ5412	10 th December 2026
⊙NZ521	10 th December 2026	⊙NZ5571	10 th December 2026
⊙NZ522	10 th December 2026	⊙NZ5612	10 th December 2026
⊙NZ531	10 th December 2026		
⊙NZ532	10 th December 2026		

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
103	3933	1862	3940, 3980P
106	3959P	1953	3961P
155	3950	1974	3939
172	3876	1978	3957P, 3961P
196	3990	1981	3957P, 3961P
200	3990	2012	3981T
220	3885	2014	3907
237	3925	2015	3962
242	3925	2040	3907, 3991
246	3955	2052	3928
247	3955	2100	3949
266	3944	2108	3889T
274	3989	2115	3938
294	3989	2116	3950
295	3989	2156	3888P
343	3951	2182C	3989
349	3951	2182D	3989
497	3886	2184	3922P
515	3885	2190	3912
566	3982P	2244	3894
585	3963	2245	3894
593	3963	2264	3898T
811	3877	2282	3969T
826	3983	2289	3921T
830	3930	2292	3921T
838	3878	2347	3974T
857	3954T	2376	3973T
858	3954T	2424	3922P
874	3942	2429	3919
876	3938, 3946	2452	3934
903	3935	2472	3943
1039	3945	2522	3883
1066	3978	2590	3889T
1100	3913	2594	3938
1112	3992	2596	3889T
1187	3926, 3944	2600	3963
1190	3926	2632	3925
1191	3926	2636	3906
1229	3977P	2637	3895, 3985
1249	3891	2645	3976T
1250	3891	2657	3891
1254	3929	2677	3931
1261	3913	2678	3931
1289	3929	2688	3991
1294	3927	2692	3971
1312	3911	2711	3937
1336	3949, 3984P	2712	3990
1373	3884	2742	3897T
1402	3901T	2773	3947
1405	3989	2796	3978
1422	3901T	2822	3936
1426	3900T	2889	3988T
1427	3989	2917	3879
1428	3989	2973	3924T
1467	3904	2990	3887
1495	3903T	3052	3930
1497	3903T	3133	3940, 3980P
1504	3959P	3134	3940, 3980P
1534	3959P	3176	3988T
1543	3959P	3177	3988T
1574	3990	3179	3975P
1600	3890	3184	3899, 3956
1601	3967	3445	3941
1610	3928	3446	3941
1683	3908	3476	3970
1705	3880	3480	3974T
1789	3911	3488	3933
1826	3957P, 3961P	3567	3896T
1861	3940	3666	3974T

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Indian Chart No.	Notices
3715 3731 3741 3768 3778 3779 3780 3837 3849 3889 3904 3941 3986 4400 4401 4418 4446 4508 4601 4603 4708 4722 4723 5607_11 5607_5 5612_8 5613_1 5613_3 5613_7 5613_8 5613_9 5614_2 5623_10 5623_2	3902T, 3987T 3978 3948 3905, 3956 3975P 3975P 3975P 3882P, 3949, 3984P 3956 3881 3932 3930 3913 3905 3905 3966 3966 3933 3916T 3917T, 3923, 3943, 3972, 3986 3972 3915T, 3972, 3986 3915T, 3972 3948 3928 3888P 3957P, 3961P 3961P 3957P, 3961P 3957P 3957P 3959P 3922P 3922P	IN 22 IN 213 IN 214 IN 256 IN 257 IN 293 Soloman Islands Chart No. SLB 201 SLB 304 International Chart No. INT 400 INT 401 INT 508 INT 552 INT 601 INT 603 INT 708 INT 722 INT 723 INT 752 INT 1040 INT 1041 INT 1044 INT 1045 INT 1165 INT 1166 INT 1169 INT 1201 INT 1218 INT 1219 INT 1239 INT 1288 INT 1297 INT 1298 INT 1300 INT 1302 INT 1316 INT 1317 INT 1319 INT 1331 INT 1333 INT 1354 INT 1370 INT 1380 INT 1400 INT 1401 INT 1402 INT 1452 INT 1453 INT 1454 INT 1461 INT 1480 INT 1507 INT 1508 INT 1510 INT 1511 INT 1558 INT 1560 INT 1571 INT 1607 INT 1613	3892 3892 3892 3892 3892 3892 Notices 3920T 3920T Notices 3905 3905 3933 3933 3916T 3917T, 3923, 3943, 3972, 3986 3972 3915T, 3972, 3986 3915T, 3972 3892 3989 3989 3901T 3968 3921T 3921T 3924T 3962 3907, 3991 3907 3877 3991 3931 3931 3901T 3889T 3954T 3954T 3942 3938 3935 3958 3889T 3889T 3989 3989 3989 3960 3965 3965 3964 3953 3926 3926 3959P 3928 3959P 3928 3948 3957P, 3961P 3922P
Australian Chart No.	Notices		
Aus 143 Aus 326 Aus 327 Aus 357 Aus 743 Aus 814 Aus 819 Aus 820 Aus 822	3893T 3910, 3915T, 3972 3915T, 3972 3916T 3918T 3914P 3952P 3952P 3909		
Belgian Chart No.	Notices		
BE 11 BE 102	3953 3953		
German Chart No.	Notices		
DE 44 DE 46 DE 47 DE 50 DE 90 DE 151 DE 1516 DE 1671	3960 3965 3965 3968 3964 3979 3979 3958		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 1751	3887		
INT 1802	3883		
INT 1835	3936		
INT 1926	3940		
INT 1939	3940, 3980P		
INT 3190	3894		
INT 3191	3894		
INT 3192	3950		
INT 3252	3897T		
INT 3660	3955		
INT 3794	3955		
INT 5251	3974T		
INT 5709	3882P, 3949, 3984P		
INT 7022	3892		
INT 7211	3988T		
INT 7216	3988T		
INT 7222	3988T		
INT 7224	3902T, 3987T		
INT 7229	3975P		
INT 7285	3977P		
INT 7340	3892		
INT 7343	3892		
INT 7441	3983		
INT 7735	3903T		
INT 7736	3903T		
INT 12902	3895, 3985		
INT 12991	3934		
INT 13430	3979		
INT 13450	3979		


II

3928* ENGLAND - East Coast - Obstruction.

Source: Harwich Haven Authority

Chart 1610 (INT 1511) [*previous update 3818/26*] ETRS89 DATUM

Insert




Obstn

51° 57'·74N., 1° 32'·24E.

Chart 2052 (INT 1560) [*previous update 3818/26*] ETRS89 DATUM

Insert




Obstn

51° 57'·74N., 1° 32'·24E.

Chart 5607_5 [*previous update 3818/26*] ETRS89 DATUM

Insert



Obstn

51° 57'·74N., 1° 32'·24E.

II

3948* ENGLAND - East Coast - Piles. Buoy. Legend.

Source: Maldon District Council

Chart 3741 (INT 1571) (Panel G, Maldon) [*previous update 307/25*] ETRS89 DATUM

Delete	pile, • and associated legend Scrubbing Posts	51° 43′ ·611N., 0° 41′ ·540E.
	pile, •	51° 43′ ·610N., 0° 41′ ·562E.

Chart 3741 (INT 1571) [*previous update 307/25*] ETRS89 DATUM

Delete	 PA	51° 43′ ·63N., 0° 48′ ·49E.
--------	--	-----------------------------

Chart 5607_11 (Panel D, Maldon) [*previous update 3487/24*] ETRS89 DATUM

Delete	pile, • and associated legend Scrubbing Posts	51° 43′ ·611N., 0° 41′ ·540E.
	pile, •	51° 43′ ·610N., 0° 41′ ·562E.

Chart 5607_11 (Panel A, River Blackwater, Bradwell to Maldon) [*previous update 3487/24*] ETRS89 DATUM

Delete	 PA	51° 43′ ·63N., 0° 48′ ·49E.
--------	--	-----------------------------

II

3971* ENGLAND - East Coast - Depth. Obstruction.

Source: Harwich Haven Authority

Chart 2692 [*previous update New Edition 16/07/2026*] ETRS89 DATUM

Replace

depth, 132 , with



51° 57′.74N., 1° 32′.24E.

II

3877 SWEDEN - East Coast - Berths.

Source: Swedish Notice 1128/20145/26

Chart 811 (INT 1239) [*previous update 3488/26*] WGS84 DATUM

Insert	berth number, 167	(a)	59° 18'·950N., 18° 06'·255E.
Delete	former berth number, 167, close E of:	(a)	above
Insert	berth number, 164	(b)	59° 18'·979N., 18° 05'·778E.
Delete	former berth number, 164, close NW of:	(b)	above
Insert	berth number, 160	(c)	59° 19'·051N., 18° 05'·301E.
Delete	berth number, 161, close E of:	(c)	above
	berth number, 159, close NW of:	(c)	above
	berth number, 162		59° 19'·034N., 18° 05'·476E.
	berth number, 165		59° 18'·949N., 18° 05'·970E.

II

3895 POLAND - Buoyage.

Source: Polish Notices 24/273/26 and 25/295/26

Chart 2637 (INT 12902) [*previous update 3759/26*] WGS84 DATUM

Insert	 <i>Fl.Y.2s T1</i>	(a) 54° 23'·991N., 18° 42'·239E.
Delete	 <i>Fl(2)G.6s P-25</i> , close NW of:	(a) above
Insert	 <i>Fl.Y.2s T2</i>	(b) 54° 24'·073N., 18° 42'·500E.
Delete	 <i>Fl.G.4s P-23</i> , close NE of:	(b) above

II

3906 POLAND - Foul.

Source: Polish Notice 28/352/26

Chart 2636 [*previous update 3807/26*] WGS84 DATUM

Delete # (87)

54° 31'·459N., 18° 33'·087E.

II

3907 POLAND - Buoyage. Automatic Identification Systems.

Source: Polish Notice 24/274/26

Chart 2014 (INT 1219) [*previous update New Edition 02/07/2026*] WGS84 DATUM

Insert	 <i>Fl(5)Y.20s BL4 Rec. St.</i>	(a) 54° 51'·36N., 17° 44'·67E.
	Automatic Identification System, <i>AIS</i> , at light-buoy	(a) above

Chart 2040 (INT 1218) [*previous update 3780/26*] WGS84 DATUM

Insert	 <i>Fl(5)Y.20s BL4 Rec. St.</i>	(a) 54° 51'·36N., 17° 44'·67E.
	Automatic Identification System, <i>AIS</i> , at light-buoy	(a) above
	 <i>Fl(5)Y.20s BL3 Rec. St.</i>	(b) 54° 49'·73N., 17° 46'·43E.
	Automatic Identification System, <i>AIS</i> , at light-buoy	(b) above

II

3931 POLAND - Depths.

Source: ENC PL4MAP38

Chart 2677 (INT 1297) [*previous update 3300/26*] WGS84 DATUM

Insert	depth, 15, and extend 2m contour E to enclose	53° 39'·90N., 14° 31'·76E.
Replace	depth, 65, with depth, 6	53° 40'·50N., 14° 31'·24E.
	depth, 25, with depth, 17, and extend 2m contour SE to enclose	53° 39'·54N., 14° 32'·23E.

Chart 2678 (INT 1298) [*previous update 3800/26*] WGS84 DATUM

Insert	depth, 15, and extend 2m contour E to enclose	53° 39'·90N., 14° 31'·76E.
Replace	depth, 65, with depth, 6	53° 40'·50N., 14° 31'·24E.
	depth, 25, with depth, 17, and extend 2m contour SE to enclose	53° 39'·54N., 14° 32'·23E.

II

3934 POLAND - Note. Restricted areas. Buoyage.

Source: Polish Notice 24/277/26 and ENC PL5SZCZE

Chart 2452 (INT 12991) [*previous update 2196/26*] WGS84 DATUM

Insert	the accompanying note, NOTE, centred on:	53° 25′·173N., 14° 35′·782E.
	limit of restricted area, entry prohibited, pecked line, joining:	53° 25′·373N., 14° 35′·482E. 53° 25′·393N., 14° 35′·490E. 53° 25′·430N., 14° 35′·502E. and 53° 25′·431N., 14° 36′·331E. 53° 25′·389N., 14° 36′·358E. 53° 25′·365N., 14° 36′·375E.
Amend	 <i>D-B</i>	53° 25′·401N., 14° 35′·505E.
	 <i>D-E</i>	53° 25′·400N., 14° 36′·355E.
	designation of buoy to, <i>D-D</i>	53° 25′·412N., 14° 36′·348E.
	designation of buoy to, <i>D-F</i>	53° 25′·388N., 14° 36′·363E.
	designation of buoy to, <i>D-C</i>	53° 25′·393N., 14° 35′·489E.

II

3935 DENMARK - Islands - Restricted area.

Source: Danish Chart Correction 23/164/26

Chart 903 (INT 1333) [*previous update 3336/26*] WGS84 DATUM

Delete	limit of restricted area, entry prohibited, pecked line, joining:	55° 43'·58N., 12° 35'·33E.
		55° 43'·58N., 12° 35'·38E.
		55° 43'·54N., 12° 35'·40E.
		55° 43'·44N., 12° 35'·22E.
		55° 43'·45N., 12° 35'·19E.

II

3938 DENMARK - East Coast - Wreck.

Source: Danish Chart Correction 24/172/26

Chart 876 (Panel A, TSS In The Sound) [*previous update 3328/26*] WGS84 DATUM

Delete



56° 00'·38N., 12° 36'·46E.

Chart 2115 [*previous update 3831/26*] WGS84 DATUM

Delete

wreck out of position,

56° 00'·38N., 12° 36'·46E.

Chart 2594 (INT 1331) [*previous update 3328/26*] WGS84 DATUM

Delete



56° 00'·38N., 12° 36'·46E.

II

3942 SWEDEN - West Coast - Dolphin. Light.

Source: Swedish Notice 1129/20248/26

Chart 874 (INT 1319) (Panel D, Varberg) [*previous update 3444/26*] WGS84 DATUM

Replace

☐ *A* with ★ Fl R 3s 2M A

57° 06′·76N., 12° 14′·05E.

II

3946 SWEDEN - West Coast - Light.

Source: Swedish Notice 1129/20216/26

Note: Former Notice 2570(P)/26 is cancelled.

Chart 876 (Panel C, Landskrona) [*previous update 3938/26*] WGS84 DATUM

Insert

★ VQ Y 5s

55° 52′·01N., 12° 49′·33E.

II

3958* GERMANY - Baltic Coast - Buoy.

Source: WSA Ostsee 219/26

Chart DE 1671 (INT 1354) [*previous update 3027/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS 145*

54° 11'·16N., 11° 59'·01E.

II

3962* GERMANY - Baltic Coast - Buoy.

Source: WSA Ostsee 220, 224/26

Chart 2015 (INT 1201) [*previous update 3300/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS 146*

54° 30′·54N., 13° 44′·16E.

II

3979* GERMANY - Baltic Coast - Buoyage.

Source: WSA Ostsee 220, 224/26

Chart DE 151 (INT 13430) [previous update 3609/26] WGS84 DATUM

Insert	 <i>Fl(5)Y.20s 147 ODAS</i>	54° 17'·50N., 13° 49'·01E.
	 <i>Fl(5)Y.20s 146 ODAS</i>	54° 30'·54N., 13° 44'·16E.
Delete	 <i>Fl(5)Y.20s MP 9 ODAS</i>	54° 28'·67N., 13° 36'·61E.
	 <i>MP 5 ODAS</i>	54° 28'·68N., 13° 35'·16E.
	 <i>MP 6 ODAS</i>	54° 28'·29N., 13° 35'·03E.
	 <i>MP 8 ODAS</i>	54° 27'·91N., 13° 35'·09E.

Chart DE 1516 (INT 13450) [previous update New Edition 23/07/2026] WGS84 DATUM

Insert	 <i>Fl(5)Y.20s 146 ODAS</i>	54° 30'·54N., 13° 44'·16E.
Delete	 <i>Fl(5)Y.20s MP9 ODAS</i>	54° 28'·673N., 13° 36'·610E.
	 <i>MP5 ODAS</i>	54° 28'·677N., 13° 35'·165E.
	 <i>MP6 ODAS</i>	54° 28'·294N., 13° 35'·026E.
	 <i>MP8 ODAS</i>	54° 27'·914N., 13° 35'·095E.

II

3985 POLAND - Foul.

Source: Polish Notice 28/351/26

Chart 2637 (INT 12902) [*previous update 3895/26*] WGS84 DATUM

Insert # (62)

54° 22′·60N., 18° 38′·69E.

II

3991 POLAND - Obstruction.

Source: Polish Notice 7/66/26

Note: Former Notice 5944(T)/24 is cancelled.

Chart 2040 (INT 1218) [*previous update 3907/26*] WGS84 DATUM

Insert

☉ *Rec.St*

54° 50′·00N., 18° 40′·00E.

Chart 2688 (INT 1288) [*previous update 3780/26*] WGS84 DATUM

Insert

☉ *Rec.St*

54° 50′·00N., 18° 40′·00E.

II

3926* NORTH SEA - United Kingdom Sector - Legend. Maritime limit.
Source: Perenco

Chart 1187 [*previous update 3613/26*] ETRS89 DATUM

Insert	legend, <i>GAS FIELD DECOMMISSIONING (see Note)</i> , at platform	54° 01'·84N., 1° 06'·05E.
--------	---	---------------------------

Chart 1190 (INT 1508) [*previous update 3292/26*] ETRS89 DATUM

Insert	legend, <i>GAS FIELD DECOMMISSIONING (see Note)</i> , at platform	54° 01'·84N., 1° 06'·05E.
--------	---	---------------------------

Chart 1191 (INT 1507) [*previous update 3664/26*] ETRS89 DATUM

Insert	circular maritime limit, radius 1000m (0·54M), pecked line, centred on:	(a) 54° 01'·84N., 1° 06'·05E.
	legend, <i>Gas Field Decommissioning (see Note)</i> , close SW of:	(a) above

II

3944* **NORTH SEA - United Kingdom Sector - Foul.**
Source: BP North Sea

Chart 266 [*previous update 3664/26*] WGS84 DATUM

Insert #

54° 09′·34N., 1° 50′·50E.

Chart 1187 [*previous update 3926/26*] ETRS89 DATUM

Insert #

54° 09′·34N., 1° 50′·50E.

II

3960* GERMANY - North Sea Coast - Wreck. Foul.

Source: WSA Elbe-Nordsee 236/26

Chart DE 44 (INT 1452) [*previous update 3717/26*] WGS84 DATUM

Replace



Wk with #

53° 54'·61N., 8° 41'·15E.

II

3964* NETHERLANDS - Depths.

Source: WSA Ems-Nordsee, Survey LP31280/26

Chart DE 90 (INT 1461) [*previous update 3805/26*] WGS84 DATUM

Insert depth, 36

(a) 53° 30'·81N., 6° 46'·00E.

Delete depth, 46, close W of:

(a) above

II

3965* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP31231, LP31272/26

Chart DE 46 (INT 1453) [*previous update New Edition 21/05/2026*] WGS84 DATUM

Replace	depth, 81, with depth, 76	53° 46'·99N., 9° 22'·96E.
---------	---------------------------	---------------------------

Chart DE 47 (INT 1454) [*previous update 3234/26*] WGS84 DATUM

Insert	depth, 76	(a) 53° 46'·99N., 9° 22'·96E.
--------	-----------	-------------------------------

Delete	depth, 84, close SE of:	(a) above
--------	-------------------------	-----------

Replace	depth, 66, with depth, 6	53° 34'·96N., 9° 37'·58E.
---------	--------------------------	---------------------------

II

3968* NORTH SEA - Netherlands Sector - Obstruction. Buoy.

Source: NL BaZ 30/167/26, ENC NL3NZ300/26

Chart DE 50 (INT 1045) [*previous update 3606/26*] WGS84 DATUM

Insert



Obstn

53° 31'·3N., 4° 18'·2E.



Fl.Y.5s L 07-17

53° 31'·2N., 4° 19'·2E.

II

3989 NORTH SEA - Norwegian Sector - Danger lines. Legends.

Source: Norwegian HO

Chart 274 [previous update 3159/26] WGS84 DATUM

Insert	circular limit of danger line, radius 2100m (1·13M), dotted line, centred on:	(a) 58° 48'·37N., 2° 42'·54E.
	legend, <i>Obstn</i> , within:	(a) above

Chart 294 [previous update 3684/26] WGS84 DATUM

Insert	circular limit of danger line, radius 1350m (0·73M), dotted line, centred on:	(a) 60° 30'·35N., 2° 02'·55E.
	legend, <i>Obstn</i> , within:	(a) above

Chart 295 [previous update 3495/26] WGS84 DATUM

Insert	semi-circular limit of danger line, radius 1350m (0·73M), dotted line, centred on 60° 30'·35N., 2° 02'·55E, joining:	(a) 60° 30'·00N., 2° 01'·25E.
	legend, <i>Obstn</i> , within:	(b) 60° 30'·00N., 2° 03'·85E. (a)-(b) above

Chart 1405 (INT 1400) [previous update 3629/26] WGS84 DATUM

Insert	circular limit of danger line, radius 2100m (1·13M), dotted line, centred on:	(a) 58° 48'·4N., 2° 42'·5E.
	legend, <i>Obstn</i> , within:	(a) above

Chart 1427 (INT 1401) [previous update 3684/26] WGS84 DATUM

Insert	circular limit of danger line, radius 2600m (1·40M), dotted line, centred on:	(a) 61° 38'·7N., 4° 08'·8E.
	legend, <i>Obstn</i> , within:	(a) above
	circular limit of danger line, radius 1350m (0·73M), dotted line, centred on:	(b) 60° 30'·4N., 2° 02'·6E.
	legend, <i>Obstn</i> , within:	(b) above
	semi-circular limit of danger line, radius 2100m (1·13M), dotted line, centred on 58° 48'·4N., 2° 42'·5E, joining:	(c) 58° 48'·0N., 2° 40'·5E.
	legend, <i>Obstn</i> , within:	(d) 58° 48'·0N., 2° 44'·6E. (c)-(d) above

Chart 1428 (INT 1402) [previous update 3752/26] WGS84 DATUM

Insert	circular limit of danger line, radius 2600m (1·40M), dotted line, centred on:	(a) 61° 38'·7N., 4° 08'·8E.
	legend, <i>Obstn</i> , within:	(a) above

Chart 2182C (INT 1041) [previous update 3684/26] WGS84 DATUM

Insert	circular limit of danger line, radius 2100m (1·13M), dotted line, centred on:	(a) 58° 48'·4N., 2° 42'·5E.
	legend, <i>Obstn</i> , close E of:	(a) above

Chart 2182D (INT 1040) [previous update 3101/26] WGS84 DATUM

Insert	circular limit of danger line, radius 2600m (1·40M), dotted line, centred on:	(a) 61° 38'·7N., 4° 08'·8E.
	legend, <i>Obstn</i> , within:	(a) above

II

3883 FRANCE - West Coast - NM Block. Restricted area.

Source: French Notice 25/50/26

Chart 2522 (INT 1802) [*previous update 5335/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	46° 36'·8N., 2° 12'·9W.
	limit of submarine cable area, anchoring, dredging and	
	trawling prohibited,  , pecked line, joining:	46° 32'·4N., 2° 27'·6W.
		46° 32'·2N., 2° 33'·0W.
		46° 32'·6N., 2° 34'·0W.
		46° 32'·9N., 2° 27'·7W.

II

3887 FRANCE - North Coast - Lights. Beacon. Leading line. Legend.

Source: French Notice 28/35/26

Chart 2990 (INT 1751) [*previous update New Edition 11/06/2026*] WGS84 DATUM

Replace	★ 2Dir F.Vi with symbol, lattice beacon	(a) 49° 28′·473N., 0° 08′·131E.
Delete	 ★ leading line, pecked line and firm line, and associated legend, 104,3°, extending in direction 284·3°, from:	49° 28′·489N., 0° 08′·038E. (a) above

II

3936 **FRANCE - West Coast - Light.**

Source: French Notice 29/57/26

Chart 2822 (INT 1835) [*previous update 4961/25*] WGS84 DATUM

Delete

★ Q.G.2M

47° 22′·37N., 3° 13′·12W.

II

3953 FRANCE - North Coast - Legends. Obstructions. Foul.

Source: Belgian Notice 16/125/26

Chart BE 11 [*previous update 3778/26*] WGS84 DATUM

Insert	legend, <i>Obstn</i> , centred on:	51° 03'·48N., 2° 08'·07E.
	#	
		(a) 51° 03'·45N., 2° 08'·39E.
Delete	 <i>Obstns</i> , close SW of:	(a) above

Chart BE 102 (INT 1480) [*previous update 3040/26*] WGS84 DATUM

Insert	legend, <i>Obstn</i> , centred on:	51° 03'·55N., 2° 08'·30E.
Replace	 <i>Obstns</i> with #	51° 03'·45N., 2° 08'·39E.

II

3992 FRANCE - North Coast - NM Blocks. Obstruction. Depths. Rock.
Source: French Notice 28/40/26

Chart 1112 [*previous update 991/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	49° 38'·6N., 1° 37'·3W.
	the accompanying block B, centred on:	49° 39'·2N., 1° 37'·9W.
	 <i>Obstn</i>	49° 39'·610N., 1° 35'·766W.
	depth, <i>16</i> , and extend 3m contour N to enclose	49° 40'·532N., 1° 34'·936W.
Replace	depth, <i>09</i> , with  (<i>17</i>)	49° 40'·326N., 1° 35'·960W.

II

3940 NORTH ATLANTIC OCEAN - Islas Canarias - Superbuoy. Automatic Identification System.

Source: Spanish Notice 28/162/26

Chart 1861 (INT 1926) [*previous update 2642/26*] WGS84 DATUM

Delete  *Fl(5)Y.20s5M ODAS* and associated Automatic Identification System, *AIS* 27° 47'·6N., 15° 19'·0W.

Chart 1862 (INT 1939) [*previous update 2642/26*] WGS84 DATUM

Delete  *Fl(5)Y.20s5M ODAS* and associated Automatic Identification System, *AIS* 27° 47'·6N., 15° 19'·0W.

Chart 3133 [*previous update 1615/26*] WGS84 DATUM

Delete  *Fl(5)Y.5M ODAS* 27° 46'·7N., 15° 19'·6W.

Chart 3134 [*previous update 3227/26*] WGS84 DATUM

Delete  *Fl(5)Y.5M ODAS* 27° 46'·6N., 15° 19'·9W.

II

3876 ITALY - Sicilia - Rock.

Source: Italian Notice 11.11/26

Chart 172 [*previous update 2527/25*] WGS84 DATUM

Insert



with seabed type, *R*

38° 48'·14N., 15° 12'·17E.

II

3878 ALGERIA - Buoy.

Source: Algerian Notice 11/1/26

Chart 838 [*previous update 3844/26*] WGS84 DATUM

Amend light-buoy to, *Fl(2)G.4s*

35° 49' · 210N., 0° 14' · 313W.

II

3880 **FRANCE - South Coast - Wreck.**

Source: French Notice 24/86/26

Chart 1705 [*previous update 3321/26*] WGS84 DATUM

Insert



43° 15′·8N., 3° 43′·5E.

II

3885 CROATIA - Depth.

Source: Croatian Notice 5/3/26

Chart 220 [*previous update 3722/26*] WGS84 DATUM

Replace depth, 45, with depth, 38

44° 15'·5N., 14° 44'·3E.

Chart 515 [*previous update New Edition 04/06/2026*] WGS84 DATUM

Replace depth, 45, with depth, 38

44° 15'·49N., 14° 44'·29E.

II

3886 TÜRKIYE - Marmara Denizi - Lights. Platform.

Source: Turkish Lights List

Chart 497 (Panel B, Yarimca to İzmit) [*previous update 3006/26*] WGS84 DATUM

Amend	light at platform to, Mo(U)10s8m10M	40° 44'·42N., 29° 46'·66E.
-------	-------------------------------------	----------------------------

Chart 497 (Panel C, Diliskelesi) [*previous update 3006/26*] WGS84 DATUM

Amend	range of light to, 5M	40° 45'·81N., 29° 31'·69E.
-------	-----------------------	----------------------------

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 3006/26*] WGS84 DATUM

Amend	range of light to, 5M	40° 45'·81N., 29° 31'·69E.
	light to, Mo(U)10s10M	40° 44'·44N., 29° 46'·65E.

II

3890 GREECE - Korinthiakós Kólpos - Jetty. Light.

Source: ENC GR5QQG01

Chart 1600 (Panel, Dióryga Korínthou) [*previous update 3186/26*] WGS84 DATUM

Insert	jetty, single firm line, joining:	37° 56′·73N., 22° 56′·09E.
		(a) 37° 56′·71N., 22° 56′·19E.
Move	★ Fl.G.3s10m3M, from:	37° 56′·72N., 22° 56′·11E.
	to:	(a) above

II

3894 FRANCE - South Coast - Restricted area. NM Block.

Source: French Notice 28/95/26

Chart 2244 (INT 3190) [*previous update 4319/25*] WGS84 DATUM

Insert	limit of restricted area, $\pi\pi\pi\pi$, joining:	43° 43'·404N., 7° 24'·713E. 43° 43'·398N., 7° 24'·720E. 43° 43'·480N., 7° 24'·810E.
--------	---	---

Chart 2245 (INT 3191) [*previous update 2548/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	43° 46'·7N., 7° 30'·8E.
	limit of restricted area, $\pi\pi\pi\pi$, joining:	43° 43'·40N., 7° 24'·72E. 43° 43'·48N., 7° 24'·81E.

II

3904 ITALY - East Coast - Buoy.

Source: Italian Notice 11.17/26

Chart 1467 [*previous update 3722/26*] WGS84 DATUM

Delete

 Fl.Y.3s

44° 27′·39N., 12° 29′·99E.

II

3908 GREECE - Aegean Sea Coast - Legend.

Source: Greek Chart 414

Chart 1683 (Panel F, Náfplio) [*previous update 3262/26*] WGS84 DATUM

Insert legend, Works in progress (2025), centred on: 37° 34′·384N., 22° 47′·916E.

II

3919 TÜRKIYE - Çanakkale Boğazi - Buoyage.

Source: Turkish Notice 26/145/26

Chart 2429 (Panel A, Nara Geçidi (The Narrows)) [*previous update 3788/26*] WGS84 DATUM

Insert

 *Fl.Y.3s*

40° 07'·82N., 26° 21'·76E.

Chart 2429 (Panel C, South Entrance to Çanakkale Boğazi) [*previous update 3788/26*] WGS84 DATUM

Insert

 *Fl.Y.3s*

40° 02'·83N., 26° 09'·81E.

 *Fl.Y.3s (2 buoys)*

40° 02'·65N., 26° 09'·89E.

II

3925 TÜRKIYE - South Coast - Submarine cables. NM Blocks.

Source: Turkish Notice 26/147/26

Chart 237 [*previous update 3453/26*] WGS84 DATUM

Insert submarine cable, , joining:

36° 06'·0N., 32° 58'·1E.
 36° 05'·7N., 32° 58'·0E.
 36° 05'·5N., 32° 58'·0E.
 36° 04'·4N., 33° 00'·5E.
 36° 03'·5N., 33° 04'·9E.
 36° 03'·8N., 33° 05'·9E.
 36° 06'·8N., 33° 10'·6E.
 36° 06'·8N., 33° 12'·4E.
 36° 06'·9N., 33° 16'·3E.
 36° 05'·7N., 33° 19'·5E.
 36° 05'·6N., 33° 22'·8E.
 36° 06'·1N., 33° 24'·4E.
 36° 06'·5N., 33° 25'·0E.

Chart 242 (Panel E, Taşucu Limanı) [*previous update 3785/26*] WGS84 DATUM

Insert submarine cable, , joining:

36° 19'·018N., 33° 53'·148E.
 36° 18'·695N., 33° 53'·040E.
 36° 18'·499N., 33° 52'·283E.

Chart 242 (Panel D, Approaches to Taşucu) [*previous update 3785/26*] WGS84 DATUM

Insert submarine cable, , joining:

36° 19'·00N., 33° 53'·14E.
 36° 18'·69N., 33° 53'·04E.
 36° 18'·48N., 33° 52'·22E.
 36° 17'·42N., 33° 50'·90E.
 36° 16'·97N., 33° 50'·86E.
 36° 16'·37N., 33° 50'·63E.
 36° 14'·85N., 33° 50'·38E.
 36° 11'·07N., 33° 44'·01E.
 36° 06'·88N., 33° 43'·22E.
 36° 06'·20N., 33° 42'·09E.
 36° 05'·76N., 33° 38'·71E.

Chart 2632 [*previous update 3643/26*] WGS84 DATUM

Insert the accompanying block A, centred on:
 the accompanying block B, centred on:

36° 05'·5N., 33° 12'·1E.
 36° 12'·4N., 33° 41'·3E.

II

3937 CROATIA - Depths.

Source: Croatian Notice 6/5/26

Chart 2711 (Panel, Zadar) [*previous update New Edition 04/06/2026*] WGS84 DATUM

Insert	depth, <i>10</i> , enclosed by 10m contour	44° 05'·49N., 15° 15'·08E.
	depth, <i>106</i>	(a) 44° 05'·25N., 15° 15'·85E.
Delete	depth, <i>119</i> , close SW of:	(a) above

II

3939 ITALY - West Coast - Superbuoy.

Source: Italian Notice 11.2/26

Note: This update is included in New Edition 1998, published late 2026.

Chart 1974 [*previous update 219/26*] WGS84 DATUM

Move

 *Fl(5)Y.20s ODAS*, from:

43° 22'·9N., 7° 49'·6E.

to:

43° 21'·9N., 7° 50'·5E.

II

3947 CROATIA - Depths. Outfall. Restricted areas. Anchorage areas.

Source: Croatian Notices 5/4-6/26 and ENC HR500042

Chart 2773 (Panel D, Pašmanski Kanal and Southern Approaches) [*previous update New Edition 04/06/2026*] WGS84 DATUM

Insert	depth, <i>144</i>	43° 50'·1N., 15° 33'·4E.
	depth, <i>107</i> , and extend 20m contour E to enclose	43° 50'·1N., 15° 33'·5E.

Chart 2773 (Panel B, Rijeka Krka) [*previous update New Edition 04/06/2026*] WGS84 DATUM

Insert	outfall,  , joining:	43° 46'·71N., 15° 49'·83E.
		43° 46'·76N., 15° 49'·93E.
		43° 46'·63N., 15° 50'·80E.
		43° 47'·73N., 15° 51'·92E.
		43° 48'·43N., 15° 53'·50E.
Delete		43° 46'·76N., 15° 49'·92E.
		43° 47'·98N., 15° 52'·82E.

II

3950 FRANCE - South Coast - Light-beacon.

Source: French Notice 27/87/26

Chart 155 (INT 3192) [*previous update 3352/26*] WGS84 DATUM

Move		Q(6)+LFI.15s Roustan Sud, from:	43° 18′.69N., 4° 50′.82E.
	to:		43° 18′.71N., 4° 50′.66E.

Chart 2116 [*previous update 3592/26*] WGS84 DATUM

Move		Q(6)+LFI.15s Roustan Sud, from:	43° 18′.69N., 4° 50′.82E.
	to:		43° 18′.71N., 4° 50′.66E.

II

3955 TÜRKIYE - South Coast - Buoyage. Light. Legend.

Source: Turkish Notice 28/160/26

Chart 246 (INT 3660) [*previous update 3643/26*] WGS84 DATUM

Amend light-buoy to, *Fl(4)Y.10s (3 buoys)* 36° 50'·00N., 36° 09'·40E.

Delete ★ Fl(3)Y.5M 36° 50'·07N., 36° 09'·85E.

Chart 247 (INT 3794) [*previous update 2245/26*] WGS84 DATUM

Amend light-buoy to, *Fl(4)Y.10s* (a) 36° 50'·04N., 36° 09'·38E.
36° 49'·97N., 36° 09'·42E.

Delete ★ Fl(3)Y.10s10m5M 36° 50'·07N., 36° 09'·85E.
legend, (3 buoys), close W of: (a) above

II

3990 CROATIA - Depths.

Source: Croatian Notice 5/10/26

Chart 196 [*previous update 2881/26*] WGS84 DATUM

Insert	depth, 184, enclosed by 20m contour	42° 46'·5N., 17° 01'·5E.
--------	-------------------------------------	--------------------------

Chart 200 [*previous update 3030/26*] WGS84 DATUM

Insert	depth, 184, enclosed by 20m contour	42° 46'·5N., 17° 01'·5E.
--------	-------------------------------------	--------------------------

Chart 1574 [*previous update 1829/26*] WGS84 DATUM

Insert	depth, 199, enclosed by 20m contour	(a) 42° 43'·40N., 16° 52'·00E.
Delete	depth, 46, and associated 50m contour, close SE of:	(a) above
Insert	depth, 27, enclosed by 50m contour	42° 47'·10N., 16° 57'·70E.
	depth, 184, enclosed by 20m contour	42° 46'·50N., 17° 01'·50E.
	depth, 133, enclosed by 20m contour	(b) 42° 45'·90N., 17° 03'·50E.
Delete	depth, 21, close NW of:	(b) above
Insert	depth, 91, enclosed by 10m contour, and extend 20m contour NW to enclose	42° 46'·10N., 17° 04'·40E.
	depth, 171, enclosed by 20m contour	42° 46'·50N., 17° 04'·70E.
	depth, 265, and extend 50m contour SE to enclose	(c) 42° 45'·30N., 17° 05'·10E.
Delete	depth, 42, close NW of:	(c) above

Chart 2712 [*previous update 3355/26*] WGS84 DATUM

Insert	depth, 199, enclosed by 20m contour	(a) 42° 43'·40N., 16° 52'·00E.
Delete	depth, 46, and associated 50m contour, close SE of:	(a) above

II

3892 INDIA - West Coast - Wreck.

Source: Indian Notice 12/96/26

Chart IN 22 (INT 752) [*previous update 3740/26*] WGS84 DATUM

Insert



15° 52'·3N., 73° 29'·1E.

Chart IN 213 [*previous update 3725/23*] WGS84 DATUM

Insert



15° 52'·31N., 73° 29'·11E.

Chart IN 214 [*previous update 1366/26*] WGS84 DATUM

Insert



15° 52'·31N., 73° 29'·11E.

Chart IN 256 (INT 7340) [*previous update 3740/26*] WGS84 DATUM

Insert



15° 52'·3N., 73° 29'·1E.

Chart IN 257 (INT 7343) [*previous update 3024/26*] WGS84 DATUM

Insert



15° 52'·3N., 73° 29'·1E.

Chart IN 293 (INT 7022) [*previous update 3740/26*] WGS84 DATUM

Insert



15° 52'·3N., 73° 29'·1E.

II

3983* BAY OF BENGAL - Wreck.

Source: HYDROPAC 2019/26

Chart 826 (INT 7441) [*previous update 3845/25*] WGS84 DATUM

Insert



15° 31'·4N., 97° 07'·9E.

II

3879 INDONESIA - Sumatera - NM Block. Depths. Light-beacons.

Source: ENC's ID4179R5 and ID5179R6

Chart 2917 (Panel C, Sibolga) [*previous update 5722/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	1° 43'·6N., 98° 47'·3E.
	depth, 143	(a) 1° 43'·53N., 98° 45'·92E.
Delete	depth, 154, close NE of:	(a) above
Insert	 Q(3)12s12m13M	(b) 1° 43'·64N., 98° 45'·26E.
Delete	 Q(3)12s12m13M, close NE of:	(b) above

Chart 2917 (Panel B, Approaches to Sibolga) [*previous update 5722/25*] WGS84 DATUM

Insert	depth, 30	1° 41'·34N., 98° 41'·41E.
	depth, 23	(a) 1° 40'·95N., 98° 45'·80E.
Delete	depth, 24, close NW of:	(a) above
Insert	 Q(3)12s12m13M	(b) 1° 43'·64N., 98° 45'·26E.
Delete	 Q(3)12s12m13M, close NE of:	(b) above

II

3911 INDONESIA - Sumatera - Wrecks.

Source: Indonesian Notices 28/190-191/26

Chart 1312 [*previous update 3744/26*] WGS84 DATUM

Insert	 <i>Wk Rep(2026)</i>	(a) 0° 59'·7S., 104° 27'·5E.
Delete	 <i>Wk</i> , close NW of:	(a) above
Insert	 <i>Wk Rep(2026)</i>	(b) 0° 58'·8S., 104° 30'·9E.
Delete	 <i>Wk</i> , close N of:	(b) above
Insert	 <i>Wk Rep(2026)</i>	0° 56'·3S., 104° 25'·7E.

Chart 1789 [*previous update 1796/26*] WGS84 DATUM

Insert	 <i>Wk Rep(2026)</i>	(a) 0° 59'·70S., 104° 27'·45E.
Delete	 <i>Wk</i> , close NW of:	(a) above
Insert	 <i>Wk Rep(2026)</i>	(b) 0° 58'·77S., 104° 30'·91E.
Delete	 <i>Wk</i> , close NE of:	(b) above
Insert	 <i>Wk Rep(2026)</i>	0° 56'·31S., 104° 25'·65E.

II

3932 INDONESIA - Sumatera - Wreck.

Source: ENC ID300026

Chart 3904 [*previous update 3764/26*] WGS84 DATUM

Insert



4° 11'·3N., 96° 01'·6E.

II

3970 INDONESIA - Sumatera - NM Block. Depths.

Source: ENC ID400160

Chart 3476 (Panel A, Entrance to Sungai Palembang) [*previous update New Edition 19/03/2026*] WGS84 DATUM

Insert the accompanying block, centred on: 2° 13'·4S., 104° 53'·2E.

Chart 3476 (Panel B, Continuation to Pulau Singgris) [*previous update New Edition 19/03/2026*] WGS84 DATUM

Insert depth, 172 (a) 2° 36'·54S., 104° 57'·21E.

Delete depth, 191, close E of: (a) above

Chart 3476 (Panel C, Continuation to Selat Jaran) [*previous update New Edition 19/03/2026*] WGS84 DATUM

Insert depth, 172 (a) 2° 36'·54S., 104° 57'·21E.

Delete depth, 191, close E of: (a) above

II

3881 VIETNAM - NM Block.

Source: Vietnam Maritime Safety Corporation Notice 90/26

Chart 3889 [*previous update 2681/26*] WGS84 DATUM

Insert the accompanying block, centred on:

20° 58'·8N., 107° 04'·3E.

II

3891 CHINA - Bo Hai - Legends.

Source: Chinese Notice 18/466/26

Chart 1249 [*previous update 3839/26*] CGCS 2000 DATUM

Insert	legend, <i>TSS marked by virtual aids to navigation</i> , orientated NW/SE, centred on:	38° 49'·6N., 118° 42'·4E.
--------	--	---------------------------

Chart 1250 [*previous update 3839/26*] CGCS 2000 DATUM

Insert	legend, <i>TSS marked by virtual aids to navigation</i> , orientated NW/SE, centred on:	38° 48'·6N., 118° 23'·7E. 38° 47'·4N., 118° 36'·7E.
--------	--	--

Chart 2657 [*previous update 3265/26*] CGCS 2000 DATUM

Insert	legend, <i>TSS marked by virtual aids to navigation</i> , orientated NW/SE, centred on:	38° 51'·59N., 118° 24'·73E. 38° 47'·56N., 118° 36'·85E.
--------	--	--

II

3913 VIETNAM - NM Blocks. Obstruction. Virtual aid to navigation. Wreck. Depths. Drying height. Pilot boarding place. Lights.

Source: ENC's V14S0030, V14S0031, V14S0032 and V14S0034

Chart 1100 [*previous update 2688/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	10° 14'·3N., 107° 01'·7E.
	the accompanying block B, centred on:	10° 23'·1N., 107° 03'·3E.
	 <i>Obstn</i>	10° 19'·08N., 107° 04'·43E.
	symbol, Virtual aid to navigation, V-AIS	10° 19'·30N., 107° 03'·59E.
		10° 20'·58N., 106° 52'·44E.
	depth, 63	(a) 10° 35'·77N., 106° 46'·85E.
Delete	depth, 75, close NW of:	(a) above

Chart 1261 [*previous update New Edition 18/06/2026*] WGS84 DATUM

Insert	drying height, 07, enclosed by 0m low water line	10° 15'·28N., 106° 59'·61E.
	① <i>Soai Rap</i>	10° 16'·34N., 107° 00'·57E.
Amend	range of light to, 3M	10° 20'·41N., 107° 04'·10E.
	range of light to, 5M	10° 21'·37N., 107° 03'·61E.

Chart 3986 [*previous update 3605/26*] WGS84 DATUM

Insert	drying height, 07, enclosed by 0m low water line	10° 15'·3N., 106° 59'·6E.
--------	--	---------------------------

II

3927 CHINA - Bo Hai - Pilot boarding places.

Source: Chinese Notice 26/692/26

Chart 1294 [*previous update 166/26*] CGCS 2000 DATUM

Insert

① *No 1*

37° 27'·84N., 119° 22'·71E.

① *No 2*

37° 26'·76N., 119° 18'·17E.

① *No 4*

37° 24'·79N., 119° 23'·17E.

II

3929 CHINA - Yellow Sea Coast - Buoy. Virtual aid to navigation.

Source: Chinese Notice 25/664/26

Chart 1254 [*previous update New Edition 09/07/2026*] CGCS 2000 DATUM

Insert symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position (a) 36° 39'·6N., 122° 25'·6E.

Delete  Fl(2)5s, close N of: (a) above

Chart 1289 [*previous update New Edition 09/07/2026*] CGCS 2000 DATUM

Insert symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position (a) 36° 39'·57N., 122° 25'·56E.

Delete  Fl(2)5s, close W of: (a) above

II

3930 THAILAND - West Coast - Depths.

Source: ENC TH40307B

Chart 830 [*previous update 3834/26*] WGS84 DATUM

Replace depth, 29 , and associated 50m contour, with depth, 194 ,
enclosed by 20m contour

8° 27'·1N., 97° 39'·0E.

Chart 3052 [*previous update 1887/25*] WGS84 DATUM

Insert depth, 194 , enclosed by 20m contour

(a) 8° 27'·46N., 97° 39'·01E.

Delete depth, 29 , close E of:

(a) above

Chart 3941 [*previous update 3639/26*] WGS84 DATUM

Insert depth, 194 , enclosed by 20m contour

(a) 8° 27'·46N., 97° 39'·01E.

Delete depth, 29 , close E of:

(a) above

II

3933 CHINA - South Coast - Wreck.

Source: Chinese Notice 26/729/26

Chart 103 [*previous update New Edition 09/07/2026*] CGCS 2000 DATUM

Insert



20° 03′·5N., 112° 12′·9E.

Chart 3488 (INT 552) [*previous update 3709/26*] WGS84 DATUM

Insert



20° 03′·5N., 112° 12′·9E.

Chart 4508 (INT 508) [*previous update 3632/26*] WGS84 DATUM

Insert



20° 03′·5N., 112° 12′·9E.

II

3941 MALAYSIA - Peninsular Malaysia, East Coast - NM Blocks.
Source: ENC's MY5A6359 and MY4C6400

Chart 3445 [*previous update 3524/26*] WGS84 DATUM

Insert the accompanying block, centred on:

3° 58'·4N., 103° 27'·0E.

Chart 3446 [*previous update New Edition 16/07/2026*] WGS84 DATUM

Insert the accompanying block, centred on:

3° 58'·9N., 103° 27'·2E.

II

3945 VIETNAM - NM Block. Depths.

Source: ENC V14S0033

Note: This update is included in New Edition 1036, published late 2026.

Chart 1039 [previous update New Edition 28/08/2025] WGS84 DATUM

Insert	the accompanying block, centred on:	10° 37'·4N., 106° 50'·8E.
	depth, 147	(a) 10° 36'·16N., 106° 52'·01E.
Delete	depth, 173, close SE of:	(a) above
Insert	depth, 133	(b) 10° 33'·25N., 106° 54'·14E.
Delete	depth, 143, close W of:	(b) above
Insert	depth, 117	(c) 10° 31'·90N., 106° 54'·48E.
Delete	depth, 126, close SE of:	(c) above
Insert	depth, 169	(d) 10° 31'·80N., 106° 55'·29E.
Delete	depth, 178, close E of:	(d) above
	depth, 185, close W of:	(d) above
Insert	depth, 13	(e) 10° 30'·22N., 106° 57'·06E.
Delete	depth, 144, close NW of:	(e) above
Insert	depth, 84	(f) 10° 25'·82N., 106° 58'·30E.
Delete	depth, 89, close E of:	(f) above

II

3951 CHINA - South Coast - Buoyage. Virtual aids to navigation.

Source: Chinese Notice 25/667/26

Chart 343 [*previous update 3401/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, starboard lateral topmark, V-AIS	22° 37'·31N., 113° 42'·45E. 22° 37'·30N., 113° 42'·18E.
	 <i>Fl.G.4s TZ2</i>	22° 36'·51N., 113° 44'·13E.
	 <i>Fl.R.4s TZ3</i>	22° 36'·37N., 113° 44'·05E.
	 <i>Fl.R.4s TZ1</i>	22° 35'·58N., 113° 45'·66E.

Chart 349 [*previous update 2678/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, starboard lateral topmark, V-AIS	22° 37'·310N., 113° 42'·448E. 22° 37'·302N., 113° 42'·182E.
--------	---	--

II

3967 CHINA - East Coast - Light-beacons. Leading line. Legend.
Source: Chinese Notice 26/695/26

Chart 1601 (Panel, A) [*previous update 2726/26*] CGCS 2000 DATUM

Delete	 F.R.11m	31° 19′·77N., 121° 33′·58E.
	 F.R.14m	(a) 31° 19′·72N., 121° 33′·62E.
	leading line, pecked and firm line, and associated legend, 139°, extending in direction 319°, from:	(a) above
	 Mo(C)Y.12s	31° 19′·53N., 121° 33′·60E.

Chart 1601 (Panel, B) [*previous update 2726/26*] CGCS 2000 DATUM

Delete	 F.R.11m	31° 19′·77N., 121° 33′·58E.
	 F.R.14m	(a) 31° 19′·73N., 121° 33′·62E.
	leading line, pecked and firm line, and associated legend, 139°, extending in direction 319°, from:	(a) above
	 Mo(C)Y.12s	31° 19′·53N., 121° 33′·60E.

II

3923 INDONESIA - Sulawesi - Depths.

Source: ENC ID300429 & Australian Notice 15/632/26

Chart 4603 (INT 603) [*previous update 3443/26*] WGS84 DATUM

Insert	depth, 479, enclosed by 1000m contour	(a) 6° 53'·1S., 122° 21'·3E.
Delete	depth, 1345, close N of:	(a) above
Replace	depth, 301, with depth, 171	7° 51'·6S., 123° 38'·2E.

II

3949 MALAYSIA - Sarawak - Fish haven. Depth.

Source: Marine Department, Sarawak Notice 78/26.

Chart 1336 [*previous update New Edition 04/06/2026*] WGS84 DATUM

Insert



3° 11'·9N., 112° 48'·2E.

Chart 2100 [*previous update New Edition 04/06/2026*] WGS84 DATUM

Replace

depth, 194, with



3° 11'·94N., 112° 48'·17E.

Chart 3837 (INT 5709) [*previous update New Edition 04/06/2026*] WGS84 DATUM

Insert



3° 11'·94N., 112° 48'·17E.

II

3966 PHILIPPINE ISLANDS - Sulu Sea - Light.

Source: Philippine Notice 6/24/26

Chart 4418 [*previous update 3833/26*] WGS84 DATUM

Amend light to, Fl.5s18M

6° 03′·5N., 120° 59′·9E.

Chart 4446 [*previous update 3833/26*] WGS84 DATUM

Amend light to, Fl.5s18m18M

6° 03′·47N., 120° 59′·92E.

II

3978 INDONESIA - Jawa - Pilot boarding places.

Source: Indonesian Notices 27/179-180/26

Chart 1066 [*previous update 3359/26*] WGS84 DATUM

Insert	①	6° 46'·2S., 112° 02'·5E.
Move	①, from:	6° 41'·3S., 111° 55'·3E.
	to:	6° 37'·5S., 111° 54'·3E.

Chart 2796 [*previous update 3359/26*] WGS84 DATUM

Insert	①	6° 46'·2S., 112° 02'·5E.
Move	①, from:	6° 41'·5S., 111° 55'·0E.
	to:	6° 37'·5S., 111° 54'·9E.

Chart 3731 [*previous update 3359/26*] WGS84 DATUM

Insert	①	6° 37'·47S., 111° 55'·04E.
		6° 46'·22S., 112° 02'·54E.
Delete	former ①	6° 41'·60S., 111° 55'·54E.

II

3909 AUSTRALIA - Queensland - Depths.

Source: Australian Notice 15/627/26

Chart Aus 822 [*previous update 3519/26*] WGS84 DATUM

Insert depth, 24, and extend 5m contour SE to enclose

(a) 22° 30'·29S., 150° 46'·22E.

Delete depth, 3, close SW of:

(a) above

II

3910 AUSTRALIA - Western Australia - Depths.

Source: Australian Notice 15/634/26

Chart Aus 326 [*previous update 3715/26*] WGS84 DATUM

Insert	depth, <i>18</i>	(a)	20° 24'·2S., 117° 18'·1E.
Delete	depth, <i>197</i> , close SE of:	(a)	above
Insert	depth, <i>169</i>	(b)	20° 25'·0S., 117° 15'·8E.
Delete	depth, <i>174</i> , close W of:	(b)	above

II

3943 AUSTRALIA - Northern Territory - Depths.

Source: Australian Notice 15/630/26

Chart 2472 [*previous update 3329/26*] WGS84 DATUM

Insert	depth, 27 ₆ , and extend 50m contour SE to enclose	11° 03'·6S., 127° 48'·2E.
--------	---	---------------------------

Chart 4603 (INT 603) [*previous update 3923/26*] WGS84 DATUM

Insert	depth, 27 ₆ , enclosed by 30m contour	11° 03'·6S., 127° 48'·2E.
--------	--	---------------------------

	depth, 15 ₈	(a) 10° 32'·1S., 128° 40'·0E.
--	------------------------	-------------------------------

Delete	depth, 17 ₁ , close NE of:	(a) above
--------	---------------------------------------	-----------

II

3972 AUSTRALIA - Western Australia - Depths.

Source: Australian Notice 15/635/26

Chart Aus 326 [*previous update 3910/26*] WGS84 DATUM

Insert	depth, 52	19° 55'·3S., 118° 44'·3E.
Replace	depth, 37, with depth, 34	20° 16'·6S., 118° 05'·6E.
	depth, 59, with depth, 56	20° 16'·8S., 118° 05'·2E.

Chart Aus 327 [*previous update 3715/26*] WGS84 DATUM

Insert	depth, 217	(a) 19° 31'·4S., 116° 47'·6E.
Delete	depth, 22, close E of:	(a) above

Chart 4603 (INT 603) [*previous update 3943/26*] WGS84 DATUM

Replace	depth, 223, with depth, 217	19° 31'·4S., 116° 47'·9E.
---------	-----------------------------	---------------------------

Chart 4708 (INT 708) [*previous update 3290/26*] WGS84 DATUM

Replace	depth, 223, with depth, 217	19° 31'·4S., 116° 47'·9E.
---------	-----------------------------	---------------------------

Chart 4722 (INT 722) [*previous update 3329/26*] WGS84 DATUM

Replace	depth, 22, with depth, 217	19° 31'·8S., 116° 48'·0E.
---------	----------------------------	---------------------------

Chart 4723 (INT 723) [*previous update 2987/26*] WGS84 DATUM

Replace	depth, 22, with depth, 217	19° 31'·8S., 116° 48'·0E.
---------	----------------------------	---------------------------

II

3986 AUSTRALIA - Western Australia - Depth.

Source: Australian Notice 15/631/26

Chart 4603 (INT 603) [*previous update 3972/26*] WGS84 DATUM

Insert depth, *19l*, enclosed by 30m contour

12° 43'·9S., 125° 15'·9E.

Chart 4722 (INT 722) [*previous update 3972/26*] WGS84 DATUM

Insert depth, *19l*, enclosed by 30m contour

12° 43'·9S., 125° 15'·9E.

II

3884 ARGENTINA - Depths. Pilot boarding place. Lights.

Source: ENC AR30419B

Chart 1373 [*previous update 2078/26*] UNDETERMINED DATUM

Insert	depth, 32	(a)	54° 55'·9S., 67° 04'·1W.
Delete	depth, 64, close NW of:	(a)	above
Insert	①		55° 02'·0S., 66° 43'·1W.
	depth, 29	(b)	55° 03'·4S., 66° 41'·0W.
Delete	depth, 36, close NE of:	(b)	above
Amend	light to, Fl(2)20s6M		54° 56'·6S., 66° 54'·3W.
	light to, Fl.4s7M		55° 00'·4S., 66° 43'·1W.
Replace	depth, 73, with depth, 62		54° 54'·0S., 67° 18'·9W.
	depth, 29, with depth, 25		54° 54'·4S., 67° 11'·7W.

II

3899 UNITED STATES OF AMERICA - Gulf of Mexico - NM Block.

Source: ENC's US5BROBC and US5BROCC

Chart 3184 (Panel C, Brazos Santiago to Port Brownsville) [*previous update 834/26*] NAD83 DATUM

Insert the accompanying block, centred on: 26° 01' · 1N., 97° 15' · 1W.

II

3905 MEXICO - Gulf of Mexico - Wreck. Buoy.

Source: Mexican Notice 11/60-61/26

Chart 3768 [*previous update 1550/26*] WGS84 DATUM

Insert



25° 14'·4N., 97° 08'·2W.

 *Fl. Y. 2s E1*

25° 14'·4N., 97° 07'·3W.

Chart 4400 (INT 400) [*previous update 975/26*] WGS84 DATUM

Insert



25° 14'·4N., 97° 08'·2W.

Chart 4401 (INT 401) [*previous update 3774/26*] WGS84 DATUM

Insert



25° 14'·4N., 97° 08'·2W.

II

3912 VENEZUELA - Buoyage.

Source: Venezuelan Notice 29/26

Note: Former Notice 4766(T)/25 is cancelled.

Chart 2190 (Panel C, Puerto Guaranao) [*previous update 1703/25*] SIRGAS DATUM

Insert	 <i>Fl.R. 6s</i>	(a) 11° 42'·053N., 70° 13'·270W.
Delete	 <i>Fl.R. 4s</i> , close N of:	(a) above

Chart 2190 [*previous update 1703/25*] SIRGAS DATUM

Replace	 <i>Fl.R. 4s</i> with  <i>Fl.R. 6s</i>	11° 42'·05N., 70° 13'·27W.
---------	--	----------------------------

II

3956 UNITED STATES OF AMERICA - Gulf of Mexico - Restricted areas. Legends. Notes.

Source: ENC US3TX1AB

Chart 3184 (Panel C, Brazos Santiago to Port Brownsville) [previous update 3899/26] NAD83 DATUM

Insert	limit of restricted area, $\pi\pi\pi\pi$, joining:	26° 02'·75N., 97° 11'·19W. 26° 02'·90N., 97° 10'·33W. 26° 02'·67N., 97° 10'·05W. and 26° 02'·59N., 97° 09'·18W. 26° 03'·00N., 97° 07'·00W. 26° 03'·66N., 97° 05'·48W. 26° 02'·21N., 97° 10'·98W. 26° 02'·05N., 97° 08'·33W. 26° 02'·74N., 97° 06'·18W. 25° 57'·47N., 97° 19'·11W.
	legend, <i>SECURITY ZONE</i> (see Note), centred on:	
	the accompanying note, <i>SECURITY ZONE</i> , centred on:	

Chart 3768 [previous update 3905/26] WGS84 DATUM

Insert	limit of restricted area, $\pi\pi\pi\pi$, joining:	(a) 26° 02'·6N., 97° 09'·0W. (b) 26° 03'·0N., 97° 07'·0W. (c) 26° 07'·8N., 96° 56'·0W. (d) 26° 06'·4N., 96° 55'·6W. (e) 26° 04'·5N., 96° 55'·4W. (f) 25° 58'·5N., 96° 55'·4W. (g) 25° 57'·4N., 97° 08'·9W.
	legend, <i>SECURITY ZONE</i> (see Note), within:	(a)-(g) above
	the accompanying note, <i>SECURITY ZONE</i> , centred on:	22° 21'·4N., 95° 35'·5W.

Chart 3849 [previous update 1204/26] NAD83 DATUM

Insert	limit of restricted area, $\pi\pi\pi\pi$, joining:	(a) 25° 57'·4N., 97° 08'·9W. (b) 25° 58'·5N., 96° 55'·4W. (c) 26° 04'·5N., 96° 55'·4W. (d) 26° 06'·4N., 96° 55'·6W. (e) 26° 07'·8N., 96° 56'·0W. (f) 26° 03'·0N., 97° 07'·0W. (g) 26° 02'·6N., 97° 09'·1W.
	legend, <i>SECURITY ZONE</i> (see Note), within:	(a)-(g) above
	the accompanying note, <i>SECURITY ZONE</i> , centred on:	29° 08'·6N., 96° 41'·7W.

II

3963 WEST INDIES - Leeward Islands - Light.

Source: French Notice 26/261/26

Chart 585 [*previous update 5437/25*] WGS84 DATUM

Insert

★ Fl(2)R.6s6m6M

16° 18′·33N., 61° 47′·69W.

Chart 593 [*previous update 5821/25*] WGS84 DATUM

Insert

★ Fl(2)R.6s6m6M

16° 18′·33N., 61° 47′·69W.

Chart 2600 [*previous update 5821/25*] WGS84 DATUM

Insert

★ Fl(2)R.6M

16° 18′·3N., 61° 47′·8W.

II

3888(P)/26 IRELAND - East Coast - Buoyage. Beacons. Landmark. Leading line.

Source: ANDBC Harbour Master

- Changes have been made to navigational aids within Strangford Lough.
- The following light-buoys have been established:

Buoy Type	Designation	Characteristic	Position
Starboard lateral mark	<i>Black Boat Perch</i>	<i>Q(2)G.10s</i>	54° 22'·27N., 5° 32'·57W.
Starboard lateral mark	<i>Slave Rock</i>	<i>Q(2)G.10s</i>	54° 27'·79N., 5° 34'·87W.
Port lateral mark	<i>Black Dog Rock</i>	<i>Q(3)R.10s</i>	54° 27'·98N., 5° 36'·16W.
Starboard lateral mark	<i>South Rock</i>	<i>Q(3)G.10s</i>	54° 28'·20N., 5° 35'·01W.
West cardinal mark	<i>West Rock</i>	<i>VQ(9).10s</i>	54° 28'·42N., 5° 35'·18W.
Starboard lateral mark	<i>Michaels Rock</i>	<i>Q(4)G.10s</i>	54° 28'·98N., 5° 35'·56W.
West cardinal mark	<i>Rig Pladdy</i>	<i>VQ(9).10s</i>	54° 29'·81N., 5° 36'·79W.
Starboard lateral mark	<i>Downey's Pladdy</i>	<i>Q(5)G.10s</i>	54° 30'·06N., 5° 35'·98W.

- The following unlit buoys have been established:

Buoy Type	Designation	Position
South cardinal mark	<i>Whitebank Pladdy</i>	54° 29'·28N., 5° 33'·96W.
North cardinal mark	<i>Dullisk Rock</i>	54° 29'·20N., 5° 34'·03W.
North cardinal mark	<i>Skart Rock Pladdy</i>	54° 29'·25N., 5° 34'·76W.
South cardinal mark	<i>Round Skart Rock</i>	54° 29'·16N., 5° 35'·02W.
West cardinal mark	<i>Roe Pladdy</i>	54° 28'·43N., 5° 37'·65W.
Port lateral mark	<i>Rainey Island South</i>	54° 29'·46N., 5° 38'·36W.
Port lateral mark	<i>Ballydorn Approaches</i>	54° 29'·46N., 5° 38'·51W.
Starboard lateral mark	<i>Ballydorn Approaches</i>	54° 29'·48N., 5° 38'·52W.
Port lateral mark	<i>Comber River Approaches Outer</i>	54° 32'·14N., 5° 39'·63W.
Starboard lateral mark	<i>Comber River Approaches 1</i>	54° 32'·29N., 5° 40'·14W.
Port lateral mark	<i>Comber River Approaches 2</i>	54° 32'·34N., 5° 40'·42W.
Starboard lateral mark	<i>Comber River Approaches 3</i>	54° 32'·50N., 5° 40'·88W.
Port lateral mark	<i>Comber River Approaches 4</i>	54° 32'·65N., 5° 41'·36W.

- The following unlit beacons have been established:

Beacon Type	Designation	Position
West cardinal mark	<i>Parton Rock</i>	54° 28'·28N., 5° 37'·64W.
Special mark	<i>Strangford Yacht Club</i>	54° 28'·96N., 5° 38'·81W.
North cardinal mark	<i>Braddock Rock</i>	54° 28'·98N., 5° 38'·48W.
Special mark	<i>Trasnagh Island Jetty</i>	54° 29'·15N., 5° 37'·72W.
Port lateral mark	<i>Rainey Island NW</i>	54° 29'·63N., 5° 38'·95W.

- The landmark in position: 54° 29'·63N., 5° 38'·13W., and associated leading line have been removed.
- There are numerous unlit beacons in the area that have been removed, Mariners are advised to navigate with caution in the area.
- These changes will be included in a New Edition of Chart 2156 to be published late 2026.
- Charts 2159, 5612_5 and 5612_7 will be updated by Notice to Mariners.
(ETRS89 DATUM)

Charts affected - 2156 - 5612_8

II

3922(P)/26 IRELAND - South West Coast - Depths. Wreck.

Source: Geological Survey of Ireland

- Recent survey information has shown that numerous depths less than charted exist between Kenmare River and Cork Harbour. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
44m	51° 28'·19N., 9° 50'·74W.
47m	51° 27'·81N., 9° 50'·40W.
29·5m	51° 26'·84N., 9° 49'·63W.
25·4m	51° 26'·69N., 9° 49'·28W.
18·9m	51° 26'·56N., 9° 49'·53W.
19·5m	51° 26'·64N., 9° 47'·87W.
21·5m	51° 26'·44N., 9° 47'·46W.
39m	51° 25'·99N., 9° 48'·06W.
49m	51° 26'·48N., 9° 44'·05W.
49m	51° 25'·74N., 9° 45'·59W.
45m	51° 25'·33N., 9° 42'·22W.
43m	51° 24'·70N., 9° 45'·89W.
46m	51° 24'·26N., 9° 42'·69W.
28·7m	51° 23'·90N., 9° 47'·55W.
35m	51° 23'·02N., 9° 48'·33W.
50m	51° 22'·89N., 9° 46'·27W.
42m	51° 22'·61N., 9° 47'·23W.
59m	51° 22'·80N., 9° 42'·04W.
48m	51° 22'·01N., 9° 40'·78W.
53m	51° 22'·11N., 9° 37'·41W.
84m	51° 19'·86N., 9° 59'·79W.
51m	51° 21'·20N., 9° 50'·64W.
59m	51° 19'·19N., 9° 44'·45W.
51m	51° 19'·26N., 9° 41'·40W.

- and

43m	51° 21'·47N., 9° 40'·24W.
50m	51° 20'·55N., 9° 38'·98W.
47m	51° 24'·49N., 9° 20'·87W.
46m	51° 23'·81N., 9° 15'·99W.
58m	51° 20'·12N., 9° 17'·70W.
66m	51° 18'·65N., 9° 29'·65W.
59m	51° 17'·94N., 9° 22'·86W.
79m	51° 15'·90N., 9° 31'·51W.

- The wreck at position 51° 24'·72N., 8° 32'·93W. has a shoaler depth of 72m.
- Mariners are advised to navigate with caution in the area.
- These changes will be included in the next New Edition of Charts 2184, 2424, 5623_2 and 5623_10
- Charts 1123, 1125, 1765, 2092, 2129, 2423, 2552, 2649, 5622_1, 5622_7, 5623_9 and 5623_11 will be updated by Notice to Mariners.
(ETRS89 DATUM)

Charts affected - 2184 - 2424 (INT 1613) - 5623_10 - 5623_2

II

3957(P)/26 ENGLAND - West Coast - Depths. Obstruction. Wreck.

Source: mV Northern Gale

1. Recent survey information has shown that depths less than charted exist near the mouth of the River Ribble. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
9·6m	53° 47'·88N., 3° 09'·33W.
*1·4m	53° 36'·63N., 3° 05'·74W.

2. An obstruction, depth 4·3m, exists in position 53° 37'·89N., 3° 08'·41W.
3. *A wreck, depth 1·8m, exists in position 53° 40'·41N., 3° 07'·05W.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
5. Charts will be updated when full details are available.
6. *Former Notice 3058(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1826 (INT 1607) - 1978 - 1981 - 5613_1 - 5613_7 - 5613_8 - 5613_9

II

3959(P)/26 ENGLAND - East Coast - Depths.

Source: mv Northern Storm

1. Recent survey information has shown that numerous depths less than charted exist between Newarp Banks and South Cross Sand. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
24·2m	52° 45'·19N., 1° 53'·63E.
15·8m	52° 44'·97N., 1° 52'·47E.
13·8m	52° 44'·93N., 1° 50'·46E.
8·4m	52° 43'·71N., 1° 50'·24E.
18·2m	52° 43'·66N., 1° 52'·90E.
8·3m	52° 41'·85N., 1° 51'·97E.
9·2m	52° 41'·65N., 1° 52'·54E.
7·7m	52° 41'·22N., 1° 52'·49E.
8·6m	52° 39'·96N., 1° 51'·25E.
9·2m	52° 39'·69N., 1° 51'·93E.
18·3m	52° 38'·73N., 1° 51'·53E.
18·0m	52° 38'·45N., 1° 52'·55E.
18·2m	52° 38'·13N., 1° 52'·80E.
16·2m	52° 37'·96N., 1° 52'·84E.
15·5m	52° 37'·81N., 1° 53'·01E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when full details are available.
(ETRS89 DATUM)

Charts affected - 106 - 1504 (INT 1510) - 1534 (INT 1558) - 1543 - 5614_2

II

3961(P)/26 WALES - North Coast - Submarine power cable. Works.

Source: Liverpool Bay CCS Limited

1. A submarine power cable is being laid between the Point of Ayr and Douglas Oil Field, joining the following positions:

53° 21'·07N., 3° 20'·02W.

53° 22'·59N., 3° 21'·05W.

53° 23'·67N., 3° 27'·76W.

53° 24'·11N., 3° 33'·94W.

53° 24'·61N., 3° 34'·59W.

53° 31'·02N., 3° 34'·72W.

53° 32'·00N., 3° 34'·48W.

53° 32'·10N., 3° 34'·93W.

53° 32'·33N., 3° 34'·98W.

53° 32'·26N., 3° 35'·25W.

2. Charts will be updated when works are complete.
3. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 1826 (INT 1607) - 1953 - 1978 - 1981 - 5613_1 - 5613_3 - 5613_7

II

3896(T)/26 FØROYAR - Measuring instruments. Buoyage.

Source: Faroese Maritime Authority Notice 21(T)/26

1. Submerged measuring instruments, marked by buoys, have been temporarily established in position 62° 07'·51N., 6° 44'·40W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3567

II

3889(T)/26 DENMARK - East Coast - Buoy.

Source: Danish Notice 24/513(T)/26

1. The north cardinal light-buoy, *Q*, in position 55° 44'·34N., 10° 33'·97E. is reported missing.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2108 (INT 1302) - 2590 (INT 1380) - 2596 (INT 1370)

II

3898(T)/26 ESTONIA - Buoy.

Source: Estonian Notice 7/128(T)/26

1. The lateral buoy, in position $59^{\circ} 27' \cdot 77N.$, $27^{\circ} 42' \cdot 41E.$, is reported submerged, marked by a yellow float.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2264

II

3921(T)/26 LATVIA - Buoy.

Source: Latvian Notice 7/187(T)/26

1. The special purpose buoy, *Fl(4)Y.20s ODAS*, in position 56° 32'·020N., 20° 57'·670. has been temporarily removed.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 2289 (INT 1165) - 2292 (INT 1166)

II

3924(T)/26 LATVIA - Works.

Source: Latvian Notice 7/184(T)/26

1. Construction works are taking place within the Port of Riga, bounded by the following positions:

56° 58'·683N., 24° 05'·291E.
56° 58'·677N., 24° 05'·528E.
56° 58'·567N., 24° 05'·537E.
56° 58'·263N., 24° 05'·734E.
56° 58'·254N., 24° 05'·700E.
56° 58'·363N., 24° 05'·545E.
56° 58'·362N., 24° 05'·521E.
56° 58'·324N., 24° 05'·396E.
56° 58'·340N., 24° 05'·339E.
56° 58'·371N., 24° 05'·262E.
56° 58'·408N., 24° 05'·222E.
56° 58'·439N., 24° 05'·201E.
56° 58'·471N., 24° 05'·199E.
56° 58'·505N., 24° 05'·209E.
56° 58'·591N., 24° 05'·285E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 2973 (INT 1169)

II

3954(T)/26 SWEDEN - West Coast - Works. Vertical clearance.

Source: Swedish Notice 1129/20255(T)/26

1. Maintenance works are taking place at Älvsborgsbron bridge in Göteborg in position 57° 41' .47N. , 11° 54' .09E.
2. *The vertical clearance is limited to 42·8 metres.
3. *Mariners are advised to navigate with caution in the area and contact VTS Gothenburg VHF 13. Scaffolding contractor tel: +46 (0)703 059 235.
4. *Former Notice 1968(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 857 (INT 1317) - 858 (INT 1316)

II

3901(T)/26 DENMARK - North Sea Coast - Buoy.

Source: Danish Notice 25/558(T)/26

1. The north cardinal light-buoy, *Q*, in position 57° 07'·734N., 8° 35'·333E. is reported missing.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1402 (INT 1300) - 1422 (INT 1044)

II

3897(T)/26 CEUTA - Buoy.

Source: Spanish Notice 28/164(T)/26

1. A yellow, spherical buoy, has been deployed, until further notice, in position 35° 52'·371N., 5° 19'·908W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2742 (INT 3252)

II

3900(T)/26 CROATIA - Buoyage.

Source: Croatian Notice 6/2(T)/26

1. Special light-buoys, *Fl.Y.3s*, have been established, until further notice, in the following positions:

44° 53'·12N., 13° 47'·49E.

44° 52'·80N., 13° 47'·64E.

(WGS84 DATUM)

Chart affected - 1426

II

3969(T)/26 ROMANIA - Buoy.

Source: Romanian Notice 5/37(T)/26

1. The starboard light-buoy, *Fl.G.4s*, in position 43° 47'·92N., 28° 34'·68E. is reported missing.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2282

II

3980(P)/26 MOROCCO - West Coast - Submarine cable. Works.

Source: French Notice 25/1(T)/26

1. Submarine cable laying operations are taking place, joining the following positions:

27° 56'·6N., 12° 55'·7W.

27° 56'·7N., 12° 56'·0W.

27° 57'·4N., 12° 56'·8W.

27° 57'·8N., 12° 57'·1W.

27° 58'·6N., 12° 57'·3W.

27° 59'·8N., 12° 58'·0W.

28° 00'·8N., 13° 00'·0W.

28° 02'·7N., 13° 08'·1W.

28° 04'·0N., 13° 13'·4W.

28° 07'·9N., 13° 24'·9W.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1862 (INT 1939) - 3133 - 3134

II

3902(T)/26 UNITED ARAB EMIRATES - Bridge. Works. Buoyage.

Source: Abu Dhabi Maritime

1. Works are taking place at the Sheikh Zayed bridge.
2. Temporary buoyage has been established in:

<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>MQ-1</i>	Starboard hand Lateral Buoy	24° 25'·47N., 54° 29'·13E.
<i>MQ-2</i>	Port hand Lateral Buoy	24° 25'·46N., 54° 29'·17E.
<i>BUOY 03</i>	Starboard hand Lateral Buoy	24° 25'·44N., 54° 29'·13E.
<i>BUOY 04</i>	Port hand Lateral Buoy	24° 25'·43N., 54° 29'·16E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3715 (INT 7224)

II

3975(P)/26 UNITED ARAB EMIRATES - Works. Breakwater. Dredging area. Buoyage.

Source: MENAS Nav Warning 96/26 and UKHO

1. *Works are taking place to construct an artificial island bounded by the following positions:

24° 21'·46N., 52° 39'·14E.

24° 21'·17N., 52° 39'·54E.

24° 20'·90N., 52° 39'·32E.

24° 21'·19N., 52° 38'·92E.

2. *A new breakwater has been constructed, joining the following approximate positions:

24° 18'·61N., 52° 38'·63E.

24° 18'·52N., 52° 38'·98E.

24° 18'·37N., 52° 39'·09E.

24° 17'·94N., 52° 39'·09E.

3. *A dredged channel of unknown depth, marked by buoyage, has been established joining the following approximate positions:

24° 18'·57N., 52° 38'·66E.

24° 18'·50N., 52° 38'·97E.

24° 18'·38N., 52° 39'·04E.

24° 18'·10N., 52° 39'·02E.

24° 17'·90N., 52° 39'·04E.

24° 17'·89N., 52° 38'·89E.

24° 18'·15N., 52° 38'·84E.

24° 18'·29N., 52° 38'·79E.

24° 18'·36N., 52° 38'·58E.

4. *Mariners are advised to navigate with caution in the area and contact the local port authority for the latest information.

5. Charts 3179, 3778, 3779 and 3780 will be updated when full details are available.

6. *Former Notice 1064(P)/22 is cancelled.

*Indicates new or revised entry.

(WGS84 DATUM)

Charts affected - 3179 (INT 7229) - 3778 - 3779 - 3780

II

3977(P)/26 IRAQ - Lights. Dredged area. Port development.

Source: Daewoo E & C

1. *The first phase of the Al Faw Grand Port project is complete, and a new container terminal has been built in the vicinity of 29° 52'·88N., 48° 26'·76E.
2. *A new 17·2m dredged channel has been established between positions 29° 43'·70N., 48° 38'·41E. and 29° 52'·94N., 48° 26'·15E.
3. *The following lights have been established:

<i>Name</i>	<i>Description</i>	<i>Sector</i>	<i>Position</i>
S1	Fl.RG.4s9m10M	Fl.R.4s 117°-325° (208°)	29° 49'·69N., 48° 30'·18E.
		Fl.G.4s 325°-117° (152°)	
M1	Fl.R.4s9m6M	R 119°-325° (206°)	29° 50'·25N., 48° 29'·77E.
		Obscd 325°-119° (154°)	
E1	Fl.G.4s9m10M		29° 50'·41N., 48° 30'·05E.
M3	Fl.Y.4s9m5M		29° 50'·14N., 48° 29'·32E.
M6	Fl.Y.4s9m5M		29° 52'·95N., 48° 25'·69E.

4. *Additional navigational aids will be installed as works progress.
5. *Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
6. *These changes will be included in a New Edition of Chart 1229 to be published late 2026.
7. *Chart 1235 will be updated by Notice to Mariners.
8. *Former Notice 994(P)/19 is cancelled.
*Indicates new or revised entry.
(WGS84 DATUM)

Chart affected - 1229 (INT 7285)

II

3987(T)/26 UNITED ARAB EMIRATES - Buoyage.

Source: Abu Dhabi Maritime

1. The following lateral light-buoys have been established in Sas Al Nakhil Channel (Khawr al Bighal):

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl.G.3s</i>	<i>SN-19A</i>	Starboard lateral buoy with topmark	24° 29'·32N., 54° 27'·57E.
<i>Fl.R.3s</i>	<i>SN-20A</i>	Port lateral buoy with topmark	24° 29'·38N., 54° 27'·58E.
<i>Fl.G.3s</i>	<i>SN-19B</i>	Starboard lateral buoy with topmark	24° 29'·26N., 54° 27'·83E.
<i>Fl.R.3s</i>	<i>SN-20B</i>	Port lateral buoy with topmark	24° 29'·32N., 54° 27'·85E.
<i>Fl.G.3s</i>	<i>SN-19C</i>	Starboard lateral buoy with topmark	24° 29'·22N., 54° 27'·95E.
<i>Fl.R.3s</i>	<i>SN-20C</i>	Port lateral buoy with topmark	24° 29'·29N., 54° 27'·98E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3715 (INT 7224)

II

3988(T)/26 UNITED ARAB EMIRATES - Restricted area. Works.

Source: Abu Dhabi Maritime Notice 28/26

1. A restricted area, entry restricted, has been established for offshore operations, bounded by the following positions:

24° 47'·64N., 54° 14'·75E.

24° 48'·77N., 54° 15'·42E.

24° 46'·59N., 54° 15'·54E.

24° 43'·12N., 54° 14'·38E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 2889 (INT 7211) - 3176 (INT 7216) - 3177 (INT 7222)

II

3903(T)/26 INDIAN OCEAN - La Réunion - Scientific instruments. Buoyage.

Source: French Notice 24/8(T)/26

1. Subsurface scientific instruments, marked by orange light buoys, *Fl(5)Y.20s*, have been established on the seabed around La Reunion. The most significant are as follows:

<i>Designation</i>	<i>Position</i>
<i>RN2</i>	21° 03'·61S., 55° 12'·74E.
<i>RN1</i>	21° 03'·298S., 55° 13'·131E.
<i>3R</i>	21° 02'·94S., 55° 12'·86E.
<i>SSP1</i>	21° 02'·79S., 55° 10'·56E.
<i>SSP2</i>	21° 00'·18S., 55° 09'·56E.
<i>SSP3</i>	20° 58'·73S., 55° 12'·87E.
<i>BSP2</i>	21° 00'·19S., 55° 15'·90E.
<i>SSM</i>	20° 50'·60S., 55° 25'·05E.
<i>STMARIE</i>	20° 53'·02S., 55° 32'·46E.
<i>STBENOIT</i>	20° 54'·66S., 55° 39'·15E.
<i>BR</i>	21° 01'·56S., 55° 43'·26E.
<i>SSP1</i>	21° 20'·70S., 55° 25'·54E.
<i>SES</i>	21° 15'·87S., 55° 17'·37E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1495 (INT 7736) - 1497 (INT 7735)

II

3973(T)/26 TAIWAN - Works.

Source: UKHO

1. *Construction works for dredging and reclamation, scour protection, excavation, and rock dumping are taking place within an area bounded by the following positions:

22° 33'·21N., 120° 19'·71E.
22° 33'·17N., 120° 19'·64E.
22° 33'·09N., 120° 19'·71E.
22° 33'·13N., 120° 19'·77E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 1442(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 2376

II

3976(T)/26 CHINA - Bo Hai - Dredging area. Works.

Source: Chinese Notice 27/779(T)/26

1. An offshore works area has been established within an area bounded by the following positions:

38° 46'·23N., 117° 48'·05E.
38° 46'·23N., 117° 48'·57E.
38° 46'·30N., 117° 49'·13E.
38° 45'·99N., 117° 51'·32E.
38° 46'·00N., 117° 48'·59E.
38° 46'·10N., 117° 48'·59E.
38° 46'·10N., 117° 48'·05E.

2. Dredging works are taking place within an area bounded by the following positions:

38° 45'·48N., 117° 41'·26E.
38° 45'·48N., 117° 41'·69E.
38° 45'·33N., 117° 41'·88E.
38° 45'·17N., 117° 41'·68E.
38° 45'·18N., 117° 41'·26E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Chart affected - 2645

II

3974(T)/26 KOREA - East Coast - Light.

Source: Korean Notice 28/404(T)/26

1. The range of the light at Saramal, in position 35° 59'·46N., 129° 33'·98E., has been temporarily reduced to 9 miles.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 2347 - 3480 - 3666 (INT 5251)

II

3882(P)/26 MALAYSIA - Sarawak - Works.

Source: Marine Department, Sarawak Notice 104(P)/26

1. Artificial reefs deployment works are taking place, within the area bound by the following positions:

3° 42'·83N., 113° 22'·47E.

3° 42'·83N., 113° 22'·60E.

3° 42'·73N., 113° 22'·60E.

3° 42'·70N., 113° 22'·47E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3837 (INT 5709)

II

3984(P)/26 MALAYSIA - Sarawak - Reefs.

Source: Marine Department, Sarawak Notice 87(P)/26

1. Artificial reefs have been deployed in position $3^{\circ} 08' \cdot 65\text{N.}$, $112^{\circ} 17' \cdot 24\text{E.}$
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1336 - 3837 (INT 5709)

II

3893(T)/26 AUSTRALIA - Victoria - Buoyage. Scientific instruments.

Source: Australian Notice 15/655(T)/26

1. *Special light-buoys, *Fl.Y.2.5s*, exist in the following positions:

37° 58'·72S., 144° 59'·73E.

38° 08'·16S., 144° 45'·18E.

38° 09'·73S., 145° 03'·26E.

38° 18'·09S., 144° 52'·36E.

38° 18'·95S., 144° 42'·74E.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 3221(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - Aus 143

II

3914(P)/26 AUSTRALIA - Queensland - Depths.

Source: Australian Notice 15/639(P)/26

1. Latest survey indicates shoaler depths than those charted may exist in the vicinity of position 27° 06'·53S., 153° 20'·39E.
2. Mariners are advised to navigate with caution in the area.
3. Chart Aus814 will be updated when full details are available.
(WGS84 DATUM)

Chart affected - Aus 814

II

3915(T)/26 AUSTRALIA - Western Australia - Works. Tidal gauges. Buoyage.

Source: Australian Notice 15/645(T)/26

1. Survey vessel *Outer Limit* is conducting survey operations in an area bounded by the following positions:

20° 07'·9S., 116° 54'·3E.

20° 07'·8S., 117° 36'·7E.

20° 14'·7S., 117° 33'·8E.

20° 14'·6S., 117° 14'·7E.

20° 17'·3S., 117° 13'·2E.

20° 17'·2S., 116° 49'·8E.

2. Tide gauges, which may be periodically marked by special light buoys, *Fl.Y.3s*, exist in the following positions:

20° 11'·2S., 117° 35'·3E.

20° 12'·6S., 116° 53'·2E.

3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4722 (INT 722) - 4723 (INT 723) - Aus 326 - Aus 327

II

3916(T)/26 AUSTRALIA - Victoria - Scientific instruments.

Source: Australian Notice 15/653(T)/26

1. Subsurface scientific instruments, 55m below the surface, exist in the following positions:

38° 48'·0S., 147° 41'·6E.

38° 52'·0S., 148° 09'·6E.

38° 58'·7S., 147° 43'·8E.

38° 59'·5S., 147° 57'·0E.

2. Mariners are advised to take caution in the area.
(WGS84 DATUM)

Charts affected - 4601 (INT 601) - Aus 357

II

3917(T)/26 AUSTRALIA - Northern Territory - Works.

Source: Australian Notice 15/650(T)/26

1. On or about 1 August 2026, vessel *SW Bly*, with an 8100m towed array, and support vessels will begin conducting survey operations in an area bounded by the following positions:

13° 38'·9S., 128° 35'·4E.

12° 47'·8S., 127° 35'·2E.

12° 38'·1S., 127° 44'·0E.

12° 38'·3S., 128° 06'·1E.

13° 18'·4S., 128° 53'·8E.

2. Mariners are advised to navigate with caution in the area. 3M clearance requested around the vessel and towed array.
(WGS84 DATUM)

Chart affected - 4603 (INT 603)

II

3918(T)/26 AUSTRALIA - Western Australia - Buoy.

Source: Australian Notice 15/649(T)/26

1. The starboard lateral light-buoy, *Fl.G.3s* ($21^{\circ} 32' \cdot 68\text{S.}$, $115^{\circ} 03' \cdot 77\text{E.}$), is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 743

II

3952(P)/26 AUSTRALIA - Queensland - Depths.

Source: Australian Charts Aus 819 and Aus 820

1. A 2·4m depth exists in position 22° 30'·29S., 150° 46'·22E.
2. Depths less than charted exist within the surrounding waters of Barcoo Bank, Moorsby Bank, Edgell Bank and Goodwin Shoal. The most significant are as follows:

<i>Depth</i>	<i>Position</i>	<i>Chart(s) affected</i>
42m	22° 51'·90S., 151° 41'·44E.	Aus820
40m	22° 55'·30S., 151° 49'·29E.	Aus820
19·5m	22° 54'·63S., 151° 42'·70E.	Aus820

3. Depths less than charted exist within the Capricorn Group shoals. The most significant are as follows:

<i>Depth</i>	<i>Position</i>	<i>Chart(s) affected</i>
7·7m	23° 15'·79S., 151° 54'·67E.	Aus819, Aus820
31m	23° 27'·53S., 152° 04'·03E.	Aus819
6m	23° 36'·38S., 152° 01'·62E.	Aus819
12·6m	23° 39'·02S., 152° 10'·05E.	Aus819
13·2m	23° 40'·45S., 152° 12'·66E.	Aus819
20·5m	23° 52'·00S., 152° 20'·71E.	Aus819
20·4m	23° 53'·08S., 152° 20'·71E.	Aus819

4. Mariners are advised to navigate with caution in the area.
5. These and other changes will be included in New Edition of Charts Aus 819 and Aus 820 to be published late 2026. (WGS84 DATUM)

Charts affected - Aus 819 - Aus 820

II

3920(T)/26 SOUTH PACIFIC OCEAN - Solomon Islands - Wreck.

Source: Australian Notice 15/659(T)/26

1. A dangerous wreck exists in position 9° 05′.73S., 160° 08′.83E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - SLB 201 - SLB 304

II

3981(T)/26 BRAZIL - South Coast - Buoy.

Source: HYDROLANT 1258/26

1. An ODAS buoy, has been deployed, until further notice, in position 32° 14'·29S., 51° 58'·16W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2012

II

3982(P)/26 BRAZIL - South Coast - Depth.

Source: Brazilian Local Navigational Warning S 7774/26

1. A depth of 12·7m is reported to exist in the vicinity of position 22° 52'·93S., 43° 08'·64W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 566