



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 36

03 September 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	ADMIRALTY Publications
32	INT 1110	NP 131
58	INT 1113	NP 286(4)
89	INT 1403	
186	INT 1509	
194	INT 1562	
204	INT 1720	
1429	INT 7314	
1503	INT 7332	
1607	INT 9314	
1626		
1917		
1975		
1998		
1999		
2124		
2319		
2348		
2735		
2956		
3635		
3874		
3892		
4945		
4947		
IN 2060		

THE GULF AND STRAIT OF HORMUZ NAVIGATIONAL INFORMATION

Amid ongoing developments, it is not always possible to ensure that all ADMIRALTY Products are completely up-to-date for new dangers or changes to aids to navigation and routing measures. Mariners are encouraged to pay close attention to navigational warnings in place and advised to exercise particular caution when navigating in The Gulf region and the Strait of Hormuz.

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 03 September 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙32 INT 1720	International Chart Series, England - South Coast, Falmouth to Truro. Ⓐ Continuation of Truro River. Ⓑ Continuation of Tresillian River. Ⓒ Continuation of River Fal (Ruan Creek)	1:12,500 1:12,500 1:20,000 1:20,000	1	22
This chart remains affected by Notice 3573(T)/26.				
⊙186	Adriatic Sea, Vlorë to Bar and Brindisi to Vieste.	1:300,000	27	44
⊙204	Adriatic Sea, Sedmovraće to Trieste and Ravenna to Venezia.	1:300,000	27	44
This chart remains affected by Notices 5085(T)/22 and 3115(T)/26.				
⊙1503 INT 1509	International Chart Series, England - East Coast, Outer Dowsing to Smiths Knoll including Indefatigable Banks.	1:150,000	7	26, 32
On publication of this New Edition former Notice 1742(P)/26 is cancelled. This chart remains affected by Notices 482(T)/24, 1702(T)/26 and 3434(T)/26.				
⊙1607 INT 1562	International Chart Series, England - East Coast, Thames Estuary Southern Part.	1:50,000	8	24
⊙1626	England - East Coast, Blyth.	1:6,250	7	26
This chart is to be deleted from the list of charts affected by Notice 3263(P)/26.				
⊙1917	Baltic Sea – Russia, Povorot Komsomol'skiy to Povorot Izhevskiy. Ⓐ KM 12.0 to KM 17.0 Ⓑ KM 17.0 To KM 25.0	1:7,500 1:7,500	10	36
On publication of this New Edition former Notice 2388(P)/26 is cancelled.				
⊙1975	England - East Coast, Thames Estuary, Northern Part.	1:50,000	7	24
This chart remains affected by Notice 3207(T)/26. This chart is to be deleted from the list of charts affected by Notice 4540(P)/25.				
⊙1998	Mediterranean Sea, France and Italy, Nice to Livorno including Gulf of Genoa.	1:300,000	26	42
This chart remains affected by Notice 5359(P)/24.				
⊙1999	Mediterranean Sea, Livorno to Civitavecchia including Northern Corse.	1:300,000	25	42, 44
This chart remains affected by Notice 5359(P)/24.				

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 03 September 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙2348 INT 9314	International Chart Series, Norway - West Coast, Støtt to Andenes.	1:350,000	14	38
⊙2735 INT 1113	International Chart Series, Iceland - South West Coast, Reykjavík.	1:10,000	15	28

Publication dates of these charts reflect the dates shown on the Indian Government Charts.

<i>Chart</i>	<i>Published</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙IN2060 INT 7332	31/12/2025	International Chart Series, India – West Coast, Approaches to Salāya and Pathfinder Inlet. 22°24′·50N – 22°37′·10N, 69°25′·00E – 69°45′·15E. This chart remains affected by Notice 2613(T)/26.	1:37,500	41	58

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP286(4)	ADMIRALTY List of Radio Signals. Pilot Services, Vessel Traffic Services and Port Operations Indian sub-continent, South East Asia and Australasia Volume 6(4) 7th Edition (2026). ISBN Number: 978-0-70-774-8443	03/09/2026	Updated to Week 29/26 (16/07/26) First updates in NM Week 36/26 (03/09/26) The 6th Edition (2025) of N286(4) is cancelled.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 17 SEPTEMBER 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
58 INT 7314	International Chart Series, Pakistan, Approaches to Karachi.	1:75,000	⊙58 INT 7314	41	58
89	Portugal - South coast, Cabo de São Vicente to Faro.	1:175,000	⊙89	18	40
194	Mediterranean Sea - Maltese Islands, Approaches to Malta and Ghawdex (Gozo)	1:100,000	⊙194	24	44
1429 INT 1403	International Chart Series, Norway - West Coast, Smøla to Sklinna.	1:350,000	⊙1429 INT 1403	13	38
2124	Mediterranean Sea, Isola Di Lampedusa to Capo Passero Including Malta.	1:300,000	⊙2124	24	44
2319	Colombia - West Coast, Bahía de Buenaventura. Puerto de Buenaventura.	1:30,000 1:15,000	⊙2319	98	114
2956 INT 1110	International Chart Series, Iceland - North Coast, Eyjafjörður.	1:100,000	⊙2956 INT 1110	15	28
3635	Portugal - West Coast, Cabo Mondego to Cabo Espichel.	1:200,000	⊙3635	18	40
3874	Vietnam - East Coast, Quy Nhon to Baie de Xuan Day. Quy Nhon.	1:76,000 1:37,500	⊙3874	47	76
3892	China - Nan Hai, Beihai Gang to Hailingshan Gang including Qiongzhou Haixia.	1:300,000	⊙3892	47	76
4945	Canada, British Columbia/Colombie-Britannique, Vancouver Island/Ile De Vancouver, Approaches to / Approches À Juan De Fuca Strait.	1:150,000	⊙4945	90	110
4947	Canada, British Columbia/ Colombie - Britannique , Vancouver Island/ Ile De Vancouver, Juan De Fuca Strait.	1:110,000	⊙4947	90	110

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
32 INT 1720	International Chart Series - England - South Coast, Falmouth to Truro	⊙32 INT 1720
186	Adriatic Sea, Vlorë to Bar and Brindisi to Vieste.	⊙186
204	Adriatic Sea, Sedmovraće to Trieste and Ravenna to Venezia.	⊙204
1503 INT 1509	International Chart Series, England - East Coast, Outer Dowsing to Smiths Knoll.	⊙1503 INT 1509
1607 INT 1562	International Chart Series - England - East Coast, Thames Estuary Southern Part.	⊙1607 INT 1562
1626	England - East Coast, Blyth.	⊙1626
1917	Baltic Sea – RussiaPovorot Komsomol'skiy to Povorot Izhevskiy.	⊙1917
1975	England - East Coast, Thames Estuary - Northern Part.	⊙1975
1998	Mediterranean Sea, France and Italy, Nice to Livorno including Gulf of Genoa.	⊙1998
1999	Mediterranean Sea, Livorno to Civitavecchia including Northern Corse.	⊙1999
2348 INT 9314	International Chart Series, Norway - West Coast, Støtt to Andenes.	⊙2348 INT 9314
2735 INT 1113	International Chart Series, Iceland - South West Coast, Reykiavík.	⊙2735 INT 1113
IN2060 INT 7332	International Chart Series, India - West Coast, Approaches to Salāya.	⊙IN2060 INT 7332

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 2, Authorised ADMIRALTY Distributors – Spain

Amend:

AURKA CHARTS S.L.
Avda Argentina 14 Palma de Mallorca 07011
T: +34 871949761
info@aurkacharts.com
www.aurkacharts.com
Digital, POD, Publications

Amend:

Representaciones & Charts SL
Calle Brújula 9 Polígono Industrial Palmones II. 11379 Algeciras Cádiz
T: +34 902 220007
F: +34 902 220008
sales@ncharts.com
www.suiscasl.com
Digital, Paper, POD, Publications

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
104	4156	1555	4128
107	4156	1568	4128
110	4164, 4180T	1630	4164
114	4179T	1631	4164
116	4188	1752	4135T
122	4164, 4180T	1778	4160P
125	4164	1835	4178
130	4164	1853	4113T
134	4115P	1867	4146
152	4115P	1889	4143T
166	4173	1906	4186
167	4173	1907	4186
207	4164	1913	4165
268	4172P	1962	4128
272	4181P	2052	4150
274	4181P	2056	4155
278	4181P	2070	4127
294	4125	2103	4163P
323	4126	2106	4129
341	4128	2131	4186
351	4165	2182A	4115P, 4172P
454	4170	2182B	4115P, 4172P
517	4182T	2205	4153
730	4194	2212	4153
731	4194	2216	4130T
753	4194	2233	4130T
754	4194	2242	4130T
775	4142	2386	4166
810	4147	2429	4131
848	4142	2441	4124
856	4149	2442	4133
860	4149	2450	4172P
869	4144T, 4151	2488	4192
900	4106	2523	4117
914	4108	2566	4115P
933	4155	2567	4115P
973	4168	2583	4154
1077	4143T	2613	4172P
1144	4137T	2639	4171P
1168	4183	2656	4172P
1188	4184	2675	4172P
1191	4115P	2722	4160P
1192	4172P	2730	4107
1206	4174P	2764	4182T
1227	4116	2808	4169
1229	4134	2872	4175T
1235	4134	2886	4117
1249	4174P	2887	4124
1250	4174P	2888	4124
1251	4174P	3026	4128
1252	4174P	3132	4149
1255	4174P	3174	4124
1256	4174P	3190	4167
1303	4137T	3220	4152T
1312	4175T	3275	4191
1324	4136	3413	4133
1325	4136	3427	4157
1350	4126	3429	4157
1405	4181P	3496	4185
1406	4139	3497	4185
1407	4172P	3567	4138
1408	4139	3633	4148
1426	4187	3697	4174P
1427	4125	3729	4155
1442	4132	3757	4175T
1480	4132	3758	4175T
1483	4132	3772	4117
1492	4132	3881	4162T
1504	4139	3882	4162T

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	International Chart No.	Notices
3931	4159T	INT 305	4173
3950	4117	INT 601	4112T
4491	4159T	INT 603	4158
4601	4112T	INT 723	4121T
4603	4158	INT 1042	4115P, 4172P
4723	4121T	INT 1043	4115P, 4172P
4780	4161T	INT 1070	4172P
4789	4145T	INT 1303	4129
5500	4172P	INT 1311	4144T, 4151
5604_1	4172P	INT 1354	4140
5605_1	4172P	INT 1376	4106
5607_5	4150	INT 1400	4181P
5610_5	4186	INT 1401	4125
5610_6	4146	INT 1416	4164
5610_8	4186	INT 1418	4164
5611_27	4166	INT 1422	4164
5612_13	4135T	INT 1423	4164
5614_1	4150	INT 1454	4141
5614_17	4184	INT 1465	4164
5614_18	4185	INT 1472	4164, 4180T
5614_19	4185	INT 1473	4164, 4180T
5615_1	4115P	INT 1474	4189
5615_2	4172P	INT 1476	4179T
5615_23	4115P, 4172P	INT 1477	4188
5615_4	4115P	INT 1478	4176T
		INT 1482	4126
		INT 1505	4172P
		INT 1506	4172P
		INT 1507	4115P
		INT 1510	4139
		INT 1540	4143T
		INT 1549	4115P
		INT 1552	4115P
		INT 1553	4184
		INT 1554	4185
		INT 1560	4150
		INT 1564	4126
		INT 1565	4185
		INT 1566	4156
		INT 1604	4160P
		INT 1634	4186
		INT 1651	4191
		INT 1664	4135T
		INT 1703	4172P
		INT 1705	4172P
		INT 1771	4147
		INT 1809	4148
		INT 1832	4157
		INT 1875	4152T
		INT 4191	4182T
		INT 7199	4124
		INT 7209	4124
		INT 7227	4133
		INT 7232	4124
		INT 7233	4124
		INT 7243	4117
		INT 7244	4117
		INT 7249	4117
		INT 7250	4117
		INT 7285	4134
		INT 7289	4134
		INT 7329	4190
		INT 7339	4190
Australian Chart No.	Notices		
Aus 60	4193		
Aus 143	4119		
Aus 327	4121T		
Aus 357	4110T, 4111T		
Aus 700	4122		
Aus 807	4118		
Aus 827	4109T, 4120		
Aus 832	4177		
Aus 833	4123		
Aus 839	4122		
Belgian Chart No.	Notices		
BE 11	4189		
BE 101	4189		
BE 106	4176T		
German Chart No.	Notices		
DE 47	4141		
DE 1671	4140		
Indian Chart No.	Notices		
IN 2068	4190		
IN 2079	4190		
IN 2080	4190		
IN 2083	4190		
Panamanian Chart No.	Notices		
CP 1	4114T		

II

4190 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
IN 2068	2670/26	Effective from 03/09/26 Insert magenta limit and chart number, IN2060, as follows: North: 22° 37'·10N. East: - South: 22° 24'·50N. West: 69° 25'·00E. Delete former magenta limit and chart number, IN2060 (INT7332), in position 22° 38'·92N., 69° 43'·44E.
IN 2079 INT 7329	5324/25	Effective from 03/09/26 Insert reference, Adjoining Chart IN2060, in W border at latitude 22° 35'·86N.
IN 2080	2001/24	Effective from 03/09/26 Insert magenta limit and chart number, IN2060, as follows: North: 22° 37'·10N. East: 69° 45'·15E. South: - West: - Delete former magenta limit and chart number, IN2060, in position 22° 38'·94N., 69° 43'·81E.
IN 2083 INT 7339	New Chart 15/03/2024	Effective from 03/09/26 Insert reference, Adjoining Chart IN2060, in W border at latitude 22° 36'·00N.

II

4194 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
730	2561/26	Effective immediately Insert magenta limit and chart number, 754, as follows: North: 1° 41'·00N. East: 173° 13'·80E. South: 1° 17'·50N. West: 172° 48'·00E. Delete magenta limit and chart number, 729, in position 1° 19'·35N., 172° 51'·65E.
731	4740/25	Effective immediately Insert magenta limit and chart number, 756, as follows: North: 1° 00'·0S. East: 175° 16'·4E. South: 1° 36'·0S. West: 174° 36'·0E.
753	New Chart 30/10/2025	Effective immediately Insert reference, Adjoining Chart 754, in S border at longitude 172° 57'·50E.
754	New Chart 23/04/2026	Effective immediately Insert reference, Adjoining Chart 753, in N border at longitude 172° 57'·50E.

II

4146* SCOTLAND - West Coast - Light.

Source: Northern Lighthouse Board

Chart 1867 (Panel B, Rothesay Harbour) [*previous update 1715/26*] ETRS89 DATUM

Amend light to, 2Iso.Y(ver)10s9m5M 55° 50′·342N., 5° 03′·185W.

Chart 1867 (Panel A, Rothesay Sound) [*previous update 1715/26*] ETRS89 DATUM

Amend light to, 2Iso.Y(ver)10s5M 55° 50′·342N., 5° 03′·185W.

Chart 5610_6 (Panel C, Rothesay Harbour) [*previous update 2048/23*] ETRS89 DATUM

Amend light to, 2Iso.Y(ver)10s9m5M 55° 50′·342N., 5° 03′·185W.

Chart 5610_6 (Panel A, Rothesay Bay) [*previous update 2048/23*] ETRS89 DATUM

Amend light to, 2Iso.Y(ver)10s5M 55° 50′·342N., 5° 03′·185W.

II

4150* ENGLAND - East Coast - Depths.

Source: British Government Survey

Chart 2052 (INT 1560) [*previous update 3928/26*] ETRS89 DATUM

Insert	depth, 93, and extend 10m contour S to enclose	(a)	52° 03'·14N., 1° 38'·36E.
Delete	depth, 109, close SW of:	(a)	above
Insert	depth, 78	(b)	52° 02'·38N., 1° 37'·84E.
Delete	depth, 81, close NW of:	(b)	above
Insert	depth, 88	(c)	52° 02'·09N., 1° 38'·03E.
Delete	depth, 95, close NW of:	(c)	above

Chart 5607_5 [*previous update 3928/26*] ETRS89 DATUM

Insert	depth, 93, and extend 10m contour S to enclose	(a)	52° 03'·14N., 1° 38'·36E.
Delete	depth, 109, close SW of:	(a)	above
Insert	depth, 78	(b)	52° 02'·38N., 1° 37'·84E.
Delete	depth, 81, close NW of:	(b)	above
Insert	depth, 88	(c)	52° 02'·09N., 1° 38'·03E.
Delete	depth, 95, close NW of:	(c)	above

Chart 5614_1 (Panel B, Orford Ness) [*previous update 3818/26*] ETRS89 DATUM

Insert	depth, 93, and extend 10m contour S to enclose	(a)	52° 03'·15N., 1° 38'·31E.
Delete	depth, 109, close SW of:	(a)	above
Insert	depth, 78	(b)	52° 02'·38N., 1° 37'·84E.
Delete	depth, 81, close NW of:	(b)	above
Insert	depth, 88	(c)	52° 02'·09N., 1° 38'·03E.
Delete	depth, 95, close NW of:	(c)	above


II

4156* ENGLAND - East Coast - Obstruction. Buoy.

Source: mv City of London

Chart 104 (INT 1566) [*previous update 2075/26*] ETRS89 DATUM

Insert




53° 33′.05N., 0° 30′.66E.



53° 33′.05N., 0° 30′.74E.

Chart 107 [*previous update 3292/26*] ETRS89 DATUM

Insert



53° 33′.05N., 0° 30′.66E.



53° 33′.05N., 0° 30′.83E.

II

4166* SCOTLAND - West Coast - Beacon.

Source: Northern Lighthouse Board

Chart 2386 [*previous update 3151/26*] ETRS89 DATUM

Delete



56° 17'·53N., 5° 39'·36W.

Chart 5611_27 (Panel A, Seil Sound and Sound of Insh) [*previous update 3993/26*] ETRS89 DATUM

Delete



56° 17'·53N., 5° 39'·36W.

II

4178* ENGLAND - East Coast - Depths.

Source: Peel Ports Medway

Chart 1835 [*previous update New Edition 07/05/2026*] ETRS89 DATUM

Insert depth, 29

(a) 51° 23'·572N., 0° 31'·456E.

Delete depth, 37, close SW of:

(a) above

II

4183* ENGLAND - West Coast - Buoy.

Source: Padstow Harbour Commissioners

Chart 1168 (Panel C, River Camel Padstow to Wadebridge) [*previous update 1948/26*] ETRS89 DATUM

Move

 *Fl.R.2.5s*, from:

50° 31'·97N., 4° 55'·75W.

to:

50° 32'·00N., 4° 55'·84W.

II

4184* ENGLAND - East Coast - Depths.

Source: ABP Humber

Chart 1188 (INT 1553) [*previous update 4075/26*] ETRS89 DATUM

Insert	depth, 5, enclosed by 5m contour	(a)	53° 36'·88N., 0° 03'·34W.
Delete	depth, 53, close NE of:	(a)	above
Insert	depth, 48, and extend 5m contour SW to enclose	(b)	53° 36'·76N., 0° 03'·15W.
Delete	depth, 52, close NW of:	(b)	above
Insert	depth, 41	(c)	53° 36'·83N., 0° 03'·00W.
Delete	depth, 47, close NE of:	(c)	above
Replace	depth, 37, with depth, 29		53° 36'·53N., 0° 01'·06W.

Chart 5614_17 (Panel A, Approaches to Grimsby) [*previous update 1757/26*] ETRS89 DATUM

Insert	depth, 5, enclosed by 5m contour	(a)	53° 36'·88N., 0° 03'·34W.
Delete	depth, 53, close NE of:	(a)	above
Insert	depth, 48, and extend 5m contour SW to enclose	(b)	53° 36'·76N., 0° 03'·15W.
Delete	depth, 52, close NW of:	(b)	above
Insert	depth, 41	(c)	53° 36'·83N., 0° 03'·00W.
Delete	depth, 47, close NE of:	(c)	above
Replace	depth, 37, with depth, 29		53° 36'·53N., 0° 01'·06W.

II

4185* ENGLAND - East Coast - Depths. Drying heights.

Source: ABP Humber

Chart 3496 (INT 1565) (Panel A, Hull Docks Eastern Part) [previous update 4011/26] ETRS89 DATUM

Insert	depth, 27	(a)	53° 43'·547N., 0° 15'·910W.
Delete	depth, 39, close S of:	(a)	above
Insert	depth, 3	(b)	53° 43'·440N., 0° 15'·756W.
Delete	depth, 35, close NE of:	(b)	above
Replace	depth, 02, with drying height, 02, enclosed by 0m low water line		53° 43'·276N., 0° 16'·213W.

Chart 3497 (INT 1554) [previous update 4011/26] ETRS89 DATUM

Insert	depth, 07	(a)	53° 42'·64N., 0° 23'·02W.
Delete	depth, 17, close SE of:	(a)	above
Insert	drying height, 02, enclosed by 0m low water line	(b)	53° 42'·73N., 0° 22'·71W.
Delete	depth, 05, close N of:	(b)	above
	depth, 14, close SE of:	(b)	above
Insert	depth, 11, and extend 2m contour SE to enclose	(c)	53° 42'·88N., 0° 21'·84W.
Delete	depth, 17, close NW of:	(c)	above
Insert	depth, 09	(d)	53° 42'·98N., 0° 21'·67W.
Delete	depth, 17, close NE of:	(d)	above
	depth, 14, close NE of:	(d)	above
Insert	depth, 14, enclosed by 2m contour		53° 42'·92N., 0° 21'·63W.
	depth, 16, and extend 2m contour SE to enclose	(e)	53° 43'·01N., 0° 21'·44W.
Delete	depth, 25, close SE of:	(e)	above
Insert	depth, 2, enclosed by 2m contour	(f)	53° 43'·28N., 0° 19'·43W.
Delete	depth, 34, close SE of:	(f)	above
Insert	depth, 21	(g)	53° 43'·30N., 0° 19'·19W.
Delete	depth, 32, close W of:	(g)	above
Insert	depth, 28	(h)	53° 43'·58N., 0° 18'·40W.
Delete	depth, 43, close SE of:	(h)	above
Insert	depth, 18, and extend 2m contour SE to enclose		53° 43'·67N., 0° 18'·45W.
	depth, 17, and extend 2m contour S to enclose	(i)	53° 43'·72N., 0° 18'·23W.
Delete	depth, 26, close SE of:	(i)	above
Insert	depth, 27	(j)	53° 43'·55N., 0° 15'·91W.
Delete	depth, 44, close NE of:	(j)	above
Insert	drying height, 08, enclosed by 0m low water line	(k)	53° 43'·15N., 0° 15'·95W.
Delete	depth, 03, close NW of:	(k)	above
Replace	depth, 18, with depth, 09		53° 42'·66N., 0° 22'·79W.
	depth, 38, with depth, 29		53° 42'·85N., 0° 21'·70W.

Chart 5614_18 (Panel A, Immingham to Saltend) [previous update 4011/26] ETRS89 DATUM

Insert	depth, 27	(a)	53° 43'·55N., 0° 15'·91W.
Delete	depth, 44, close NE of:	(a)	above
Insert	drying height, 08, enclosed by 0m low water line	(b)	53° 43'·15N., 0° 15'·95W.
Delete	depth, 03, close NW of:	(b)	above

II

4185* ENGLAND - East Coast - Depths. Drying heights. (continued)

Chart 5614_19 (Panel A, Kingston Upon Hull to Humber Bridge) [*previous update 4011/26*] ETRS89 DATUM

Insert	depth, 07	(a)	53° 42'·64N., 0° 23'·02W.
Delete	depth, 17, close SE of:	(a)	above
Insert	drying height, 02, enclosed by 0m low water line	(b)	53° 42'·73N., 0° 22'·71W.
Delete	depth, 05, close N of:	(b)	above
	depth, 14, close SE of:	(b)	above
Insert	depth, 11, and extend 2m contour SE to enclose	(c)	53° 42'·88N., 0° 21'·84W.
Delete	depth, 17, close NW of:	(c)	above
Insert	depth, 09	(d)	53° 42'·98N., 0° 21'·67W.
Delete	depth, 17, close NE of:	(d)	above
	depth, 14, close NE of:	(d)	above
Insert	depth, 14, enclosed by 2m contour		53° 42'·92N., 0° 21'·63W.
	depth, 16, and extend 2m contour SE to enclose	(e)	53° 43'·01N., 0° 21'·44W.
Delete	depth, 25, close SE of:	(e)	above
Insert	depth, 2, enclosed by 2m contour	(f)	53° 43'·28N., 0° 19'·43W.
Delete	depth, 34, close SE of:	(f)	above
Insert	depth, 21	(g)	53° 43'·30N., 0° 19'·19W.
Delete	depth, 32, close W of:	(g)	above
Insert	depth, 28	(h)	53° 43'·58N., 0° 18'·40W.
Delete	depth, 43, close SE of:	(h)	above
Insert	depth, 18, and extend 2m contour SE to enclose		53° 43'·67N., 0° 18'·45W.
	depth, 17, and extend 2m contour S to enclose	(i)	53° 43'·72N., 0° 18'·23W.
Delete	depth, 26, close SE of:	(i)	above
Insert	depth, 27	(j)	53° 43'·55N., 0° 15'·91W.
Delete	depth, 44, close NE of:	(j)	above
Insert	drying height, 08, enclosed by 0m low water line	(k)	53° 43'·15N., 0° 15'·95W.
Delete	depth, 03, close NW of:	(k)	above
Replace	depth, 18, with depth, 09		53° 42'·66N., 0° 22'·79W.
	depth, 38, with depth, 29		53° 42'·85N., 0° 21'·70W.

II

4186* SCOTLAND - West Coast - Buoy.

Source: Peel Ports Clydeport Notice 34/26

Chart 1906 [*previous update 3154/26*] ETRS89 DATUM

Insert  Fl(5)Y.20s 55° 54'·61N., 5° 04'·14W.

Chart 1907 (INT 1634) [*previous update 1715/26*] ETRS89 DATUM

Insert  Fl(5)Y.20s 55° 54'·61N., 5° 04'·14W.

Chart 2131 [*previous update 1715/26*] ETRS89 DATUM

Insert  Fl(5)Y.20s 55° 54'·61N., 5° 04'·14W.

Chart 5610_8 (Panel A, Kyles of Bute) [*previous update 3154/26*] ETRS89 DATUM

Insert  Fl(5)Y.20s 55° 54'·61N., 5° 04'·14W.

Chart 5610_5 [*previous update 2954/24*] ETRS89 DATUM

Insert  Fl(5)Y.20s 55° 54'·61N., 5° 04'·14W.

II

4191* WALES - South Coast - Piers. Light. Dolphin.

Source: Milford Haven Port Authority

Chart 3275 (INT 1651) (Panel A, Pembroke Reach) [*previous update 827/26*] ETRS89 DATUM

Insert	pier, single firm line, joining:	(a) 51° 41'·88N., 4° 57'·04W.
		(b) 51° 41'·89N., 4° 57'·00W.
Delete	former pier, single firm line, joining:	(a) above
		(c) 51° 41'·89N., 4° 57'·02W.
Move	 and associated dolphin, from:	(c) above
	to:	(b) above

II

4138 FØROYAR - Depths. Wreck.

Source: Faroese Notice 5/25/26

Chart 3567 [*previous update 3353/26*] WGS84 DATUM

Replace	depth, 188, with depth, 179	62° 04'·43N., 6° 45'·41W.
	depth, 191, with depth, 183	62° 04'·87N., 6° 45'·41W.
Delete	 Wk	62° 07'·61N., 6° 45'·06W.

II

4106 DENMARK - East Coast - Legend. Fish haven.

Source: Danish Chart Correction 26/182/26

Chart 900 (INT 1376) [*previous update New Edition 23/04/2026*] WGS84 DATUM

Replace seabed type, R, with 

55° 33'·89N., 9° 46'·20E.

II

4129 DENMARK - Islands - Restricted areas.

Source: Danish Chart Correction 26/186/26

Chart 2106 (INT 1303) [*previous update New Edition 30/04/2026*] WGS84 DATUM

Insert	limit of restricted area, $\tau\tau\tau\tau$, joining:	(a) 54° 37'·25N., 11° 20'·15E. 54° 37'·37N., 11° 20'·10E. 54° 37'·50N., 11° 20'·04E. 54° 37'·62N., 11° 19'·98E. 54° 37'·74N., 11° 19'·92E. 54° 37'·89N., 11° 20'·03E. 54° 38'·03N., 11° 20'·15E. 54° 38'·18N., 11° 20'·26E. 54° 38'·32N., 11° 20'·38E. 54° 38'·46N., 11° 20'·49E. (b) 54° 38'·61N., 11° 20'·60E.
Delete	former limit of restricted area, $\tau\tau\tau\tau$, joining:	(a) above 54° 37'·66N., 11° 20'·28E. 54° 37'·82N., 11° 20'·33E. 54° 37'·97N., 11° 20'·39E. 54° 38'·13N., 11° 20'·43E. 54° 38'·29N., 11° 20'·50E. 54° 38'·45N., 11° 20'·54E. (b) above

II

4140* GERMANY - Baltic Coast - Buoy.

Source: WSA Ostsee 245/26

Chart DE 1671 (INT 1354) [*previous update 3958/26*] WGS84 DATUM

Insert



Fl(5)Y.20s 6A ODAS

54° 17'·62N., 12° 18'·56E.

II

4147 SWEDEN - East Coast - Rock.

Source: Swedish Notice 1131/20264/26

Chart 810 (INT 1771) [*previous update 2510/26*] WGS84 DATUM

Insert

+ , and extend 3m contour NE to enclose

59° 20′·45N., 17° 19′·42E.

II

4151 SWEDEN - West Coast - Foul.

Source: Swedish Notice 1131/20242/26

Chart 869 (INT 1311) [*previous update 3731/26*] WGS84 DATUM

Insert foul out of position, #

58° 15′·33N., 11° 27′·04E.

II

4154 DENMARK - Islands - Harbour limits.

Source: Danish Chart Correction 27/189/26

Chart 2583 (Panel A, Approaches to Skælskør) [*previous update 4005/26*] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a)	55° 15′·06N., 11° 17′·36E. 55° 15′·12N., 11° 17′·20E. 55° 15′·16N., 11° 17′·33E. 55° 15′·19N., 11° 17′·32E.
Delete	former harbour limit, pecked line, joining:	(a)	above 55° 15′·15N., 11° 17′·15E.

II

4125 NORTH SEA - Norwegian Sector - Restricted area. Legend.

Source: Norwegian Notice 13/81995/26

Chart 294 [*previous update 3989/26*] WGS84 DATUM

Delete circular limit of restricted area, radius 500m (0·27M), TTTT ,
centred on: 60° 24'·57N., 3° 08'·10E.

Chart 1427 (INT 1401) [*previous update 3989/26*] WGS84 DATUM

Delete circular limit of restricted area, radius 500m (0·27M), TTTT ,
and associated legend, *Safety zone. Unprotected structure*,
centred on: 60° 24'·6N., 3° 08'·1E.

II

4139 NORTH SEA - Netherlands Sector - Radio reporting points.

Source: Netherlands Notice 32/181/26

Chart 1406 [*previous update 3818/26*] WGS84 DATUM

Insert	 , direction of vessel movement 120°	52° 10'·47N., 3° 21'·58E.
	 , direction of vessel movement 250°	52° 10'·22N., 4° 00'·53E.
	 , direction of vessel movement 227°	52° 04'·80N., 4° 06'·25E.
	 , direction of vessel movement 47°	51° 53'·41N., 3° 49'·07E.
Replace	 , direction of vessel movement 112° with  , direction of vessel movement 112°/292°	52° 00'·52N., 3° 58'·00E.
Delete		52° 09'·60N., 3° 23'·94E. 52° 08'·71N., 3° 22'·05E. 52° 01'·50N., 3° 58'·40E. 52° 01'·35N., 4° 00'·41E. 51° 59'·62N., 3° 57'·58E.

Chart 1408 [*previous update 3854/26*] WGS84 DATUM

Insert	 , direction of vessel movement 191°	(a) 52° 22'·6N., 3° 48'·6E.
Delete	 , close SW of:	(a) above
Insert	 , direction of vessel movement 120°	52° 18'·0N., 3° 37'·8E. 52° 10'·5N., 3° 21'·6E.
	 , direction of vessel movement 47°	51° 53'·4N., 3° 49'·1E.
Replace	 , direction of vessel movement 112° with  , direction of vessel movement 112°/292°	52° 00'·5N., 3° 58'·0E.
Delete		52° 09'·6N., 3° 23'·9E. 52° 08'·5N., 3° 22'·0E. 52° 01'·5N., 3° 58'·4E. 52° 01'·3N., 4° 00'·5E. 51° 59'·6N., 3° 58'·4E.

Chart 1504 (INT 1510) [*previous update 3818/26*] ETRS89 DATUM

Insert	 <i>Mass Approach Ch 1</i> , direction of vessel movement 120°	52° 10'·47N., 3° 21'·58E.
Delete	 <i>Mass Approach Ch 1</i>	52° 09'·59N., 3° 23'·91E. 52° 08'·51N., 3° 22'·01E.

II

4141* GERMANY - North Sea Coast - Light. Lights in line.

Source: WSA Elbe-Nordsee (T)31/24

Chart DE 47 (INT 1454) (Panel C, Bützfleth and Stadersand) [*previous update 4038/26*] WGS84 DATUM

Delete

★ (exting)

(a) 53° 38′·860N., 9° 30′·600E.

pecked line, length 570m, extending in direction 76·2°, from:

(a) above

II

4164 NETHERLANDS - Radio reporting points.

Source: Netherlands Notice 32/181/26

Chart 110 (INT 1473) [*previous update 3607/26*] WGS84 DATUM

Insert	☐ Traffic Centre Steenbank Ch 64, direction of vessel movement 270°	51° 38'·20N., 3° 29'·92E.
	☐ Maas Approach Ch 1, direction of vessel movement 47°	51° 53'·41N., 3° 49'·07E.
Delete	☐ Maas Entrance Ch 3	51° 59'·60N., 3° 58'·45E.
		52° 00'·50N., 3° 57'·97E.
		52° 01'·37N., 4° 00'·67E.
	☐ Pilot Mass Ch 2	52° 01'·49N., 3° 58'·40E.

Chart 122 (INT 1472) [*previous update 3607/26*] WGS84 DATUM

Insert	☐ Maas Approach Ch 1, direction of vessel movement 47°	51° 53'·41N., 3° 49'·07E.
	☐, direction of vessel movement 0°/180°	(a) 51° 57'·79N., 3° 52'·12E.
	legend, Pilot Mass Ch 2, close N of:	(a) above
	legend, Mass Approach Ch 1, close S of:	(a) above
	☐ Pilot Maas Ch 2, direction of vessel movement 227°	51° 59'·87N., 3° 58'·04E.
	☐, direction of vessel movement 112°/292°	(b) 52° 00'·51N., 3° 58'·62E.
	legend, Pilot Mass Ch 2, close NW of:	(b) above
	legend, Maas Entrance Ch 3, close E of:	(b) above
	☐ Maas Approach Ch 1, direction of vessel movement 47°	52° 01'·86N., 4° 02'·28E.
	☐ Maas Entrance Ch 3, direction of vessel movement 227°	52° 02'·46N., 4° 02'·45E.
	☐ Maas Approach Ch 1, direction of vessel movement 227°	52° 04'·73N., 4° 06'·13E.
	☐ Pilot Mass Ch 2, direction of vessel movement 215°	52° 05'·89N., 4° 00'·34E.
	☐ Maas Approach Ch 1, direction of vessel movement 250°	52° 10'·22N., 4° 00'·53E.
	☐ Maas Approach Ch 1, direction of vessel movement 120°	52° 10'·47N., 3° 21'·58E.
Delete	☐ Maas Approach Ch 1	52° 08'·51N., 3° 21'·74E.
		52° 09'·26N., 3° 23'·62E.
	☐ Maas Approach Ch 01	52° 13'·56N., 3° 41'·49E.
	☐ Pilot Maas Ch 2	52° 01'·50N., 3° 58'·42E.
	☐ Maas Entrance Ch 3	52° 01'·27N., 4° 00'·54E.
		52° 00'·51N., 3° 58'·00E.

II

4164 NETHERLANDS - Radio reporting points. (continued)

Chart 125 (INT 1422) [*previous update 1583/26*] WGS84 DATUM

Insert	☐ Maas Approach Ch 1, direction of vessel movement 225°	52° 19'·93N., 3° 54'·54E.
	☐ Maas Approach Ch 1, direction of vessel movement 191°	52° 22'·57N., 3° 48'·56E.
Delete	☐ Maas Approach Ch 01	52° 20'·99N., 3° 48'·10E.

Chart 130 (INT 1423) [*previous update 2032/26*] WGS84 DATUM

Insert	☐ Maas Approach Ch 1, direction of vessel movement 227°	52° 04'·73N., 4° 06'·13E.
	☐ Pilot Mass Ch 2, direction of vessel movement 215°	52° 05'·89N., 4° 00'·34E.
	☐ Maas Approach Ch 1, direction of vessel movement 250°	52° 10'·22N., 4° 00'·53E.
	☐ Maas Approach Ch 1, direction of vessel movement 225°	52° 19'·93N., 3° 54'·54E.
	☐ Maas Approach Ch 1, direction of vessel movement 191°	52° 22'·57N., 3° 48'·56E.
	☐ Maas Approach Ch 1, direction of vessel movement 120°	52° 18'·04N., 3° 37'·80E.
Delete	☐ Maas Approach Ch 01	52° 13'·56N., 3° 41'·49E. 52° 21'·00N., 3° 48'·11E.

Chart 207 (INT 1465) (Part A, Nieuwe Waterweg and Europoort) [*previous update 3863/26*] WGS84 DATUM

Insert	☐ Pilot Maas Ch 2, direction of vessel movement 227°	51° 59'·87N., 3° 58'·04E.
	☐ Pilot Maas Ch 2, direction of vessel movement 292°	52° 00'·66N., 3° 58'·67E.
Delete	former ☐ Pilot Maas Ch 2	52° 01'·47N., 3° 58'·34E.
	☐ Maas Entrance Ch 3	52° 01'·27N., 4° 00'·45E.

Chart 1630 (INT 1416) [*previous update 3818/26*] WGS84 DATUM

Insert	☐ Maas Approach Ch 1, direction of vessel movement 120°	52° 10'·47N., 3° 21'·58E. 52° 18'·04N., 3° 37'·80E.
	☐ Maas Approach Ch 1, direction of vessel movement 250°	52° 10'·22N., 4° 00'·53E.
	☐ Maas Approach Ch 1, direction of vessel movement 227°	52° 04'·73N., 4° 06'·13E.
	☐ Maas Approach Ch 1, direction of vessel movement 47°	51° 53'·41N., 3° 49'·07E.
	☐ Maas Approach Ch 1	52° 08'·51N., 3° 21'·74E. 52° 09'·35N., 3° 23'·68E. 52° 21'·01N., 3° 48'·51E.
Delete	☐ Pilot Mass Ch 2	52° 01'·52N., 3° 58'·34E.
	☐ Maas Entrance Ch 3	52° 01'·42N., 4° 00'·25E. 52° 00'·49N., 3° 58'·01E. 51° 59'·61N., 3° 58'·41E.

II

4164 NETHERLANDS - Radio reporting points. (continued)

Chart 1631 (INT 1418) [*previous update 3818/26*] WGS84 DATUM

Insert	Maas Approach Ch 01, direction of vessel movement 191°	(a)	52° 22'·57N., 3° 49'·00E.
Delete	former Maas Approach Ch 01, close SW of:	(a)	above
Insert	Maas Approach Ch 1, direction of vessel movement 120°		52° 18'·04N., 3° 37'·80E.
Delete	Maas Approach Ch 01		52° 21'·37N., 3° 52'·20E.

II

4188 NETHERLANDS - Drying height. Depth.

Source: Netherlands Notice 33/191/26

Chart 116 (INT 1477) [*previous update 3860/26*] WGS84 DATUM

Insert drying height, *02*, enclosed by 0m low water line

(a) $51^{\circ} 26' \cdot 22\text{N.}, 3^{\circ} 31' \cdot 39\text{E.}$

Delete depth, *06*, close NW of:

(a) above

II

4189 BELGIUM - Lights. Piles. Depths.

Source: Belgian Notices 17/128/26 and 17/132/26

Chart BE 11 [*previous update 3953/26*] WGS84 DATUM

Insert	depth, 59	(a) 51° 24'·86N., 3° 21'·07E.
Delete	depth, 69, close NW of:	(a) above

Chart BE 101 (INT 1474) (Panel C, Zeebrugge Voorhaven) [*previous update 3778/26*] WGS84 DATUM

Insert	★ F.G	51° 21'·22N., 3° 11'·60E.
	★ F.R	51° 21'·02N., 3° 11'·61E.
Replace	pile, • with ★ F.G	51° 20'·02N., 3° 11'·82E.
		51° 19'·80N., 3° 13'·30E.
	pile, • with ★ F.R	51° 19'·77N., 3° 13'·21E.
Delete	★ F.G	51° 20'·01N., 3° 11'·85E.

Chart BE 101 (INT 1474) (Panel B, Zeebrugge Achterhaven) [*previous update 3778/26*] WGS84 DATUM

Insert	★ F.R	51° 18'·89N., 3° 12'·80E.
	★ F.G	51° 19'·06N., 3° 12'·99E.
Replace	pile, • with ★ F.G	51° 19'·11N., 3° 13'·25E.
		51° 19'·80N., 3° 13'·30E.
	pile, • with ★ F.R	51° 19'·77N., 3° 13'·21E.

Chart BE 101 (INT 1474) [*previous update 3778/26*] WGS84 DATUM

Insert	depth, 59	(a) 51° 24'·86N., 3° 21'·07E.
Delete	depth, 69, close NW of:	(a) above

II

4126 FRANCE - North Coast - Light-beacon. Obstruction. Foul. Buoyage.

Source: French Notice 29/32/26 and 29/34/26

Chart 323 (INT 1564) [*previous update 3257/26*] ETRS89 DATUM

Replace  *Obstn* with *#* 51° 03'·45N., 2° 08'·39E.

Chart 1350 (INT 1482) [*previous update 2855/26*] WGS84 DATUM

Insert  Q(9) 51° 01'·24N., 2° 11'·15E.

Replace  *Obstn (PA)* with *#* 51° 03'·45N., 2° 08'·39E.

 *Fl.Y.2,5s TM4* with  *VQ(9)10s TM5* 51° 02'·35N., 2° 11'·42E.

 *Fl.Y.2,5s TM3* with  *VQ(9)10s TM4* 51° 02'·23N., 2° 11'·49E.

 *Fl.Y.2,5s TM2* with  *VQ(9)10s TM3* 51° 02'·19N., 2° 11'·29E.

 *Fl.Y.2,5s TM1* with  *Q TM1* 51° 02'·06N., 2° 11'·02E.

II

4148 SPAIN - West Coast - Lights.

Source: Spanish Notice 30/171/26

Chart 3633 (INT 1809) [*previous update 832/26*] WGS84 DATUM

Amend	range of light to, 7M	42° 08'·24N., 8° 50'·09W.
	range of light to, 10M	42° 08'·34N., 8° 48'·81W.

II

4157 FRANCE - West Coast - Buoyage.

Source: French Notice 29/50/26

Chart 3427 (INT 1832) [*previous update 2089/26*] WGS84 DATUM

Insert

 Fl.5s

48° 18'·91N., 4° 28'·77W.

48° 18'·81N., 4° 28'·94W.

48° 18'·45N., 4° 29'·03W.

48° 18'·40N., 4° 29'·12W.

Chart 3429 [*previous update 3500/26*] WGS84 DATUM

Insert

 Fl.5s

48° 18'·91N., 4° 28'·77W.

48° 18'·81N., 4° 28'·94W.

48° 18'·45N., 4° 29'·03W.

48° 18'·40N., 4° 29'·12W.

II

4108 ITALY - West Coast - Buoy.

Source: Italian Notice 12.18/26

Chart 914 [*previous update 3113/26*] WGS84 DATUM

Delete

$\frac{L^{\times}}{Y}$ Fl(5)Y.20s

40° 47'·20N., 14° 11'·50E.

II

4127 GREECE - Aegean Sea Coast - Maritime limits. Buoy.

Source: Greek Notice 6/117/26

Chart 2070 (Panel B, Liménas Thessaloníkis) [*previous update New Edition 23/07/2026*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	40° 37'·61N., 22° 54'·18E.
		(a) 40° 37'·99N., 22° 54'·22E.
		40° 37'·99N., 22° 54'·30E.
	 Q.Y	(a) above
Delete	former maritime limit, pecked line, joining:	40° 37'·610N., 22° 54'·189E.
		40° 37'·990N., 22° 54'·300E.

Chart 2070 (Panel A, Órmos Thessaloníkis) [*previous update New Edition 23/07/2026*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a) 40° 37'·58N., 22° 54'·18E.
		(b) 40° 37'·99N., 22° 54'·22E.
		(c) 40° 37'·99N., 22° 54'·30E.
	 Q.Y	(b) above
Delete	former maritime limit, pecked line, joining:	(a) above
		(c) above

Chart 2070 [*previous update New Edition 23/07/2026*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a) 40° 37'·58N., 22° 54'·18E.
		40° 37'·99N., 22° 54'·22E.
		(b) 40° 37'·99N., 22° 54'·30E.
Delete	former maritime limit, pecked line, joining:	(a) above
		(b) above

II

4131 TÜRKİYE - Çanakkale Boğazi - Light.

Source: Turkish Notice 27/149/26

Chart 2429 (Panel B, Çanakkale) [*previous update 3919/26*] WGS84 DATUM

Amend light to, Fl.Y.5s3m5M 40° 09'·244N., 26° 24'·316E.

Chart 2429 (Panel A, Nara Geçidi (The Narrows)) [*previous update 3919/26*] WGS84 DATUM

Amend light to, Fl.Y.5s5M 40° 09'·24N., 26° 24'·32E.

II

4132 ITALY - East Coast - NM Blocks. Restricted areas. Submarine pipelines. Legends. Lights.

Source: Italian Notices 11.19-20/26

Chart 1442 [previous update 2109/26] WGS84 DATUM

Insert	the accompanying block, centred on:	45° 26'·0N., 12° 24'·7E.
	submarine pipeline,  , joining:	45° 25'·927N., 12° 18'·517E.
		(a) 45° 25'·893N., 12° 18'·488E.
		(b) 45° 25'·571N., 12° 18'·378E.
		and
		(c) 45° 25'·738N., 12° 18'·925E.
		(d) 45° 25'·876N., 12° 18'·935E.
		and
		(e) 45° 25'·763N., 12° 19'·589E.
		(f) 45° 25'·595N., 12° 19'·550E.
		and
		45° 25'·933N., 12° 21'·997E.
		(g) 45° 25'·935N., 12° 21'·945E.
		(h) 45° 25'·953N., 12° 21'·776E.
		and
		45° 25'·571N., 12° 22'·726E.
		(i) 45° 25'·671N., 12° 22'·559E.
		(j) 45° 25'·774N., 12° 22'·415E.
		45° 25'·893N., 12° 22'·299E.
	legend, <i>Water</i> , along:	(a)-(b) above
		(c)-(d) above
		(e)-(f) above
	legend, 2 <i>Pipelines</i> , along:	(e)-(f) above
	legend, <i>Sewer</i> , along:	(g)-(h) above
		(i)-(j) above

Chart 1480 (Panel B, Porto Marghera) [previous update 2109/26] WGS84 DATUM

Insert	submarine pipeline,  , joining:	45° 25'·927N., 12° 18'·517E.
		(a) 45° 25'·893N., 12° 18'·488E.
		(b) 45° 25'·571N., 12° 18'·378E.
		and
		(c) 45° 25'·738N., 12° 18'·925E.
		(d) 45° 25'·876N., 12° 18'·935E.
	legend, <i>Water</i> , along:	(a)-(b) above
		(c)-(d) above

Chart 1483 [previous update 2537/26] WGS84 DATUM

Insert	★ Fl.R.3s10m5M	45° 20'·06N., 12° 19'·48E.
	★ Fl.G.3s10m5M	45° 20'·27N., 12° 19'·57E.

II

4132 ITALY - East Coast - NM Blocks. Restricted areas. Submarine pipelines. Legends. Lights. (continued)

Chart 1492 [*previous update 2160/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	45° 20'·2N., 12° 19'·3E.
	limit of restricted area,  , joining:	45° 21'·425N., 12° 17'·884E. 45° 21'·543N., 12° 18'·023E. and 45° 21'·467N., 12° 18'·134E. 45° 21'·336N., 12° 17'·978E. and 45° 20'·418N., 12° 17'·631E. 45° 20'·749N., 12° 17'·773E. and 45° 20'·715N., 12° 17'·918E. 45° 20'·385N., 12° 17'·777E.
	submarine pipeline,  , joining:	(a) 45° 21'·387N., 12° 17'·939E. (b) 45° 21'·511N., 12° 18'·086E. and (c) 45° 20'·403N., 12° 17'·705E. (d) 45° 20'·727N., 12° 17'·843E.
	legend, <i>Water</i> , along:	(a)-(b) above (c)-(d) above

II

4142* CYPRUS - Buoyage.

Source: Cyprus Department of Lands and Surveys

Chart 775 [*previous update 1693/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s*

35° 07'·52N., 32° 30'·14E.

Chart 848 (Panel B, Approaches to Larnaca) [*previous update 1492/26*] WGS84 DATUM

Delete

 *Fl.5s*

34° 52'·03N., 33° 38'·95E.

II

4153 UKRAINE - Wreck. Restricted area.

Source: Ukrainian Notice 29/384/26

Chart 2205 [*previous update 3345/26*] WGS84 DATUM

Insert



(a) 46° 28'·47N., 30° 51'·10E.

circular limit of restricted area, entry prohibited, pecked line,
radius 926m (0·5M), centred on:

(a) above

Chart 2212 [*previous update 3345/26*] WGS84 DATUM

Insert



(a) 46° 28'·47N., 30° 51'·10E.

circular limit of restricted area, entry prohibited, pecked line,
radius 926m (0·5M), centred on:

(a) above

II

4165 ITALY - West Coast - Wrecks.

Source: Italian Notice 12.2/26

Chart 351 (Panel E, Approaches to Imperia) [*previous update 3009/26*] MONTE MARIO 1940 DATUM

Insert



(a) 43° 54'·53N., 8° 07'·81E.

Delete

++ , close SW of:

(a) above

Chart 1913 [*previous update 3679/26*] WGS84 DATUM

Insert



(a) 43° 54'·57N., 8° 07'·79E.

Delete

++ , close SW of:

(a) above

II

4168 ITALY - Sicilia - Depth.

Source: Italian Notice 14.21/26

Chart 973 [*previous update 5201/25*] WGS84 DATUM

Replace depth, *172*, with depth, *161*

37° 02'·82N., 15° 20'·06E.

II

4173 ITALY - West Coast - Buoy.

Source: Italian Notice 12.5/26

Chart 166 [*previous update 3324/26*] WGS84 DATUM

Delete



Fl(5)Y ODAS

43° 18'·1N., 9° 38'·0E.

Chart 167 (INT 305) [*previous update 3739/26*] WGS84 DATUM

Delete



Fl(5)Y ODAS

43° 18'·1N., 9° 38'·0E.

II

4187 CROATIA - Marine farms. Depths.

Source: ENC HR50013B

Chart 1426 (Panel E, Zaljev Raša) [*previous update 4099/26*] WGS84 DATUM

Insert



44° 59'·38N., 14° 04'·66E.

45° 00'·67N., 14° 03'·31E.

45° 01'·04N., 14° 03'·46E.

(a) 45° 01'·21N., 14° 03'·07E.

(a) above

(b) 45° 01'·03N., 14° 03'·33E.

(b) above

(c) 45° 01'·00N., 14° 03'·18E.

(c) above

45° 00'·88N., 14° 03'·28E.

45° 01'·18N., 14° 03'·20E.

depth, 129

Delete depth, 135, close NW of:

Insert depth, 133

Delete depth, 166, close SE of:

Insert depth, 139

Delete depth, 147, close SW of:

Insert depth, 162

Replace depth, 145, with depth, 134

II

4149 MOROCCO - West Coast - Wreck.

Source: French Notice 30/154/26

Chart 856 [*previous update 229/26*] WGS84 DATUM

Insert



Wk

33° 43'·52N., 7° 30'·81W.

Chart 860 [*previous update 229/26*] WGS84 DATUM


Insert

wreck out of position,  Wk PA

33° 43'·52N., 7° 30'·81W.

Chart 3132 [*previous update 229/26*] WGS84 DATUM

Insert



Wk

33° 43'·5N., 7° 30'·8W.

II

4117* QATAR - Anchorage areas. Legends.

Source: Qatar Energy

Chart 2523 (INT 7250) [*previous update 3224/26*] WGS84 DATUM

Insert	semi-circular limit of anchorage area, radius 1M, pecked line, centred on 25° 50'·30S., 51° 38'·60W., joining:	(a) 25° 50'·01N., 51° 37'·54E. (b) 25° 50'·01N., 51° 39'·66E.
	legend,  <i>Small Craft</i> , within:	(a)-(b) above
Delete	former circular limit of anchorage area, radius 1M, pecked line, and associated legend,  <i>Small Craft</i> , centred on:	25° 52'·00N., 51° 42'·00E.

Chart 2886 (INT 7243) [*previous update 3224/26*] WGS84 DATUM

Insert	circular limit of anchorage area, radius 1M, pecked line, centred on:	(a) 25° 50'·3N., 51° 38'·6E.
	 , within:	(a) above
Delete	former circular limit of anchorage area, radius 1M, pecked line, and associated symbol,  , centred on:	25° 52'·0N., 51° 42'·0E.

Chart 3772 (INT 7249) [*previous update 3005/26*] WGS84 DATUM

Insert	circular limit of anchorage area, radius 1M, pecked line, centred on:	(a) 25° 50'·30N., 51° 38'·60E.
	legend,  <i>Small Craft</i> , within:	(a) above
Delete	former circular limit of anchorage area, radius 1M, pecked line, and associated legend,  <i>Small Craft</i> , centred on:	25° 52'·00N., 51° 42'·00E.

Chart 3950 (INT 7244) [*previous update 3224/26*] WGS84 DATUM

Insert	circular limit of anchorage area, radius 1M, pecked line, centred on:	(a) 25° 50'·30N., 51° 38'·60E.
	legend,  <i>Small Craft</i> , within:	(a) above
Delete	former circular limit of anchorage area, radius 1M, pecked line, and associated legend,  <i>Small Craft</i> , centred on:	25° 52'·00N., 51° 42'·00E.

II

4124 IRAN - Buoy.

Source: ENC IR303081

Chart 2441 (INT 7233) [*previous update 3802/26*] WGS84 DATUM

Insert



Fl(2)6s

26° 27′·82N., 55° 31′·38E.

Chart 2887 (INT 7232) [*previous update New Edition 25/06/2026*] WGS84 DATUM

Insert



Fl(2)6s

26° 27′·8N., 55° 31′·4E.

Chart 2888 (INT 7199) [*previous update 3381/26*] WGS84 DATUM

Insert



Fl(2)6s

26° 27′·8N., 55° 31′·4E.

Chart 3174 (INT 7209) [*previous update 5000/24*] WGS84 DATUM

Insert



Fl(2)6s

26° 27′·82N., 55° 31′·38E.

II

4133* UNITED ARAB EMIRATES - Platform.

Source: Dubai Petroleum

Chart 2442 [*previous update 32/26*] WGS84 DATUM

Insert

 T-03

25° 34'·78N., 54° 25'·47E.

Chart 3413 (INT 7227) (Panel B, Fateh) [*previous update 2258/26*] WGS84 DATUM

Insert

 T-03

25° 34'·78N., 54° 25'·47E.

II

4134* IRAQ - Platform. Light. Tide gauge.

Source: Daewoo E&C

Chart 1229 (INT 7285) [*previous update 3838/26*] WGS84 DATUM

Replace ☐ with ★ Fl.15s6m6M Tide gauge

29° 47′·82N., 48° 35′·22E.

Chart 1235 (INT 7289) [*previous update 4076/26*] WGS84 DATUM

Replace ☐ with ★ Fl.15s6m6M Tide gauge

29° 47′·82N., 48° 35′·22E.

29° 44′·78N., 48° 40′·64E.

II

4128 CHINA - South Coast - NM Blocks. Spoil grounds. Legends.

Source: UKHO

Chart 341 [previous update 4057/26] WGS84 DATUM

Insert the accompanying block, centred on: 21° 58'·7N., 113° 37'·0E.

Chart 1555 [previous update New Edition 16/07/2026] CGCS 2000 DATUM

Insert the accompanying block, centred on: 21° 52'·2N., 113° 30'·1E.

limit of spoil ground, pecked line, joining: (a) 21° 55'·5N., 114° 16'·0E.

(b) 21° 55'·5N., 114° 17'·5E.

(c) 21° 54'·0N., 114° 17'·5E.

(d) 21° 54'·0N., 114° 16'·0E.

legend, *Spoil Ground*, close E of: (a)-(d) above

Chart 1568 [previous update 4060/26] CGCS 2000 DATUM

Insert limit of spoil ground, pecked line, joining: (a) 21° 45'·37N., 113° 20'·00E.

(b) 21° 45'·37N., 113° 22'·37E.

(c) 21° 43'·50N., 113° 22'·37E.

(d) 21° 43'·50N., 113° 20'·00E.

legend, *Spoil Ground*, within: (a)-(d) above

Amend legend to, *Spoil Ground*, centred on: 21° 44'·17N., 113° 10'·01E.

Chart 1962 [previous update 3455/26] WGS84 DATUM

Insert limit of spoil ground, pecked line, joining: (a) 21° 55'·5N., 114° 16'·0E.

(b) 21° 55'·5N., 114° 17'·5E.

(c) 21° 54'·0N., 114° 17'·5E.

(d) 21° 54'·0N., 114° 16'·0E.

legend, *Spoil Ground*, close E of: (a)-(d) above

Chart 3026 [previous update 4057/26] WGS84 DATUM

Insert the accompanying block, centred on: 21° 54'·5N., 113° 37'·6E.

II

4155 INDONESIA - Jawa - Wreck.

Source: Indonesian Notice 30/205/26

Chart 933 [*previous update 4003/26*] WGS84 DATUM

Insert



Wk

5° 54'·41S., 106° 42'·14E.

Chart 2056 [*previous update 4022/26*] WGS84 DATUM

Insert



Wk

5° 54'·41S., 106° 42'·14E.

Chart 3729 [*previous update 1826/26*] WGS84 DATUM

Insert



Wk

5° 54'·41S., 106° 42'·14E.

II

4118 AUSTRALIA - New South Wales - Obstruction.

Source: Australian Notice 16/663/26

Chart Aus 807 [*previous update 2574/26*] WGS84 DATUM

Delete



36° 11'·50S., 150° 14'·00E.

II

4119 AUSTRALIA - Victoria - Wreck.

Source: Australian Notice 16/680/26

Chart Aus 143 [*previous update 2789/26*] WGS84 DATUM

Delete



38° 19'·87S., 144° 38'·80E.

II

4120 AUSTRALIA - Queensland - Legend.

Source: Australian Notice 16/665/26

Chart Aus 827 [*previous update 3193/26*] WGS84 DATUM

Delete legend, Connors Island, centred on:

19° 25'·15S., 147° 08'·83E.

II

4122 AUSTRALIA - Queensland - Depths.

Source: Australian Notice 16/669/26

Chart Aus 700 [*previous update 3532/25*] WGS84 DATUM

Insert depth, 22, and extend 5m contour SE to enclose

(a) 10° 49'·38S., 142° 20'·71E.

Delete depth, 27, close NE of:

(a) above

Chart Aus 839 [*previous update 856/26*] WGS84 DATUM

Insert depth, 22, and extend 5m contour SE to enclose

(a) 10° 49'·38S., 142° 20'·71E.

Delete depth, 27, close NE of:

(a) above

II

4123 AUSTRALIA - Queensland - Depth.

Source: Australian Notice 16/671/26

Chart Aus 833 [*previous update 4207/25*] WGS84 DATUM

Insert depth, 20, enclosed by 20m contour

14° 05'·77S., 144° 02'·44E.

II

4158 AUSTRALIA - Northern Territory - Depths.

Source: Australian Notice 16/673/26

Chart 4603 (INT 603) [*previous update 3986/26*] WGS84 DATUM

Insert	30m contour, joining:	(a)	11° 31'·8S., 134° 58'·3E. 11° 29'·1S., 135° 15'·1E.
		(b)	11° 31'·5S., 135° 21'·9E.
Delete	former 30m contour, joining:	(a)	above 11° 15'·9S., 135° 13'·4E.
		(b)	above 11° 18'·0S., 135° 13'·0E.
	depth, 26		

II

4177 AUSTRALIA - Queensland - NM Blocks.

Source: Australian Notice 16/667/26

Chart Aus 832 [*previous update 3446/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	14° 29'·8S., 144° 51'·4E.
	the accompanying block B, centred on:	14° 39'·1S., 145° 07'·3E.

II

4193 AUSTRALIA - Western Australia - NM Block.

Source: Australian Notice 16/676/26

Chart Aus 60 [*previous update 3255/26*] WGS84 DATUM

Insert the accompanying block, centred on:

20° 36′·8S., 116° 41′·0E.

II

4136 ARGENTINA - Buoyage. Light-beacon. Depths.

Source: ENC AR401360

Chart 1324 (Panel B, Puerto Zárate) [previous update 3813/26] WGS84 DATUM

Insert  Fl(5)Y.20s Km 107.1 34° 05'·981S., 59° 00'·571W.

Chart 1324 (Panel A, Continuation of Río Paraná) [previous update 3813/26] WGS84 DATUM

Insert  Fl.R.1.5s Km119.9 34° 02'·27S., 59° 05'·85W.

 Fl(4)G.16s Km 126.5 (a) 33° 59'·80S., 59° 08'·73W.

Delete  Fl(4)G.16s Km 126.5, close SE of: (a) above

Insert depth, 27, and extend 5m contour SW to enclose (b) 33° 58'·48S., 59° 10'·16W.

Delete depth, 65, close NE of: (b) above

Chart 1325 [previous update 2222/26] WGS84 DATUM

Insert  Fl(4)G.16s Km 126.5 (a) 33° 59'·80S., 59° 08'·73W.

Delete  Fl(4)G.16s Km 126.5, close SE of: (a) above

Insert depth, 27, and extend 5m contour SW to enclose (b) 33° 58'·48S., 59° 10'·16W.

Delete depth, 65, close NE of: (b) above

Replace depth, 17, with depth, 15 33° 57'·62S., 59° 11'·23W.

Delete  Fl(4)G.16s Km 139.3 33° 57'·00S., 59° 14'·62W.

II

4167 UNITED STATES OF AMERICA - Gulf of Mexico - Light.
Source: ENC US5LCHHA

Chart 3190 (Panel A) [*previous update 4104/26*] NAD83 DATUM

Amend light to, Q.21ft

29° 48'·92N., 93° 21'·00W.

II

4170* **WEST INDIES - Jamaica - Wreck.**

Source: mv Ocean Kingston Pride

Chart 454 [*previous update 2634/26*] WGS84 DATUM

Insert



17° 57'·66N., 76° 50'·45W.

II

4107 **UNITED STATES OF AMERICA - East Coast - Buoy.**
Source: ENC US5PVDEC

Chart 2730 [*previous update 1535/26*] NAD83 DATUM

Insert



Fl(2+1)G.6s 'DV'

41° 36'·62N., 71° 24'·25W.

II

4116 **UNITED STATES OF AMERICA - East Coast - Light.**
Source: ENC US5MA1WH

Chart 1227 [*previous update 2430/26*] NAD83 DATUM

Insert

★ FL.R.2·5s25ft3M

42° 53'·69N., 70° 48'·48W.

II

4169 UNITED STATES OF AMERICA - East Coast - Depth. Dolphins. Obstruction. Pile.

Source: ENC US5JAXEC and US5JAXFD

Chart 2808 (Panel B) [*previous update 3867/24*] NAD83 DATUM

Replace	depth, 8, with depth, 6	30° 24'·04N., 81° 31'·53W.
	☐ with  <i>Obstn</i>	(a) 30° 21'·82N., 81° 36'·83W.
Delete	•	30° 21'·82N., 81° 36'·85W.
	☐	30° 21'·84N., 81° 36'·85W.
		(a) above

II

4192 **UNITED STATES OF AMERICA - East Coast - Buoy.**

Source: ENC US5PWMDD

Chart 2488 [*previous update 567/26*] NAD83 DATUM

Insert symbol, orange and white pillar light-buoy, *Fl.2.5s 'B'*

43° 41' · 14N., 70° 11' · 24W.

II

4115(P)/26 ENGLAND - East Coast - Submarine cable. Submarine pipeline. Works.

Source: Northern Endurance Partnership Notice 36/26

1. Submarine cable and pipeline laying operations are taking place in the vicinity of the following positions:

54° 37'·51N., 1° 06'·37W.
54° 39'·17N., 1° 00'·08W.
54° 39'·07N., 0° 58'·81W.
54° 37'·71N., 0° 55'·37W.
54° 37'·42N., 0° 53'·53W.
54° 36'·96N., 0° 44'·23W.
54° 36'·42N., 0° 41'·50W.
54° 32'·73N., 0° 30'·56W.
54° 20'·15N., 0° 29'·63E.
54° 19'·51N., 0° 36'·09E.
54° 14'·96N., 0° 53'·29E.
54° 13'·82N., 0° 58'·55E.
54° 12'·72N., 1° 01'·22E.

2. and

54° 14'·96N., 0° 53'·29E.
54° 15'·07N., 0° 58'·84E.
54° 13'·24N., 1° 01'·31E.
54° 12'·72N., 1° 01'·22E.

3. Mariners are advised to navigate with caution in the area.
4. Charts will be updated when works are complete.
(ETRS89 DATUM)

**Charts affected - 134 - 152 (INT 1549) - 1191 (INT 1507) - 2182A (INT 1043) - 2182B (INT 1042) - 2566 (INT 1552)
- 2567 - 5615_1 - 5615_23 - 5615_4**

II

4135(T)/26 IRELAND - East Coast - Works. Restricted area.

Source: Belfast Harbour Notice 15/26

1. Harbour works are taking place at Oil Berth 3 in the vicinity of position 54° 37'·056N., 5° 53'·237W.
2. A 'No Wake Zone' has been established in an area bounded by the following positions

54° 37'·114N., 5° 53'·213W.
54° 37'·000N., 5° 53'·223W.
54° 37'·000N., 5° 53'·352W.
54° 37'·113N., 5° 53'·352W.
3. Works are expected to last until mid 2027.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1752 (INT 1664) - 5612_13

II

4143(T)/26 SCOTLAND - East Coast - Buoy.

Source: Port of Cromarty Firth NM 15/2026

1. A yellow special purpose buoy, *Fl.Y.5s*, has been temporarily established, until October 2026, in position 57° 41'·61N., 4° 03'·17W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1077 - 1889 (INT 1540)

II

4160(P)/26 SCOTLAND - West Coast - Depths.

Source: mv Northern Gale

1. Recent survey information has shown that numerous depths less than charted exist between Stanton Banks and the Passage of Tiree. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
6m	56° 18'·19N., 7° 11'·74W.
2·5m	56° 17'·85N., 7° 10'·79W.
6·1m	56° 29'·02N., 7° 00'·82W.
9·4m	56° 26'·21N., 7° 00'·40W.
25·8m	56° 24'·85N., 6° 51'·17W.
*4·3m	56° 26'·53N., 6° 58'·38W.
*7·8m	56° 21'·55N., 7° 00'·09W.
*8·1m	56° 28'·28N., 6° 51'·48W.
*18·7m	56° 25'·71N., 6° 51'·62W.

2. Charts will be updated when full details are available.
3. Mariners are advised to navigate with caution in the area.
4. *Former Notice 4050(P)/26 is cancelled.
*Indicates new or revised entry.
(ETRS89 DATUM)

Charts affected - 1778 - 2722 (INT 1604)

II

4172(P)/26 ENGLAND - South Coast - Restricted areas.

Source: DEFRA

1. Highly Protected Marine Areas (HPMAs) in English waters have been designated in the following areas:

Dolphin Head

50° 11'·18N., 1° 00'·00W.

50° 16'·89N., 0° 26'·10W.

50° 09'·46N., 0° 24'·97W.

50° 07'·43N., 0° 30'·08W.

50° 08'·40N., 1° 00'·08W.

North East of Farnes Deep

55° 51'·93N., 0° 46'·75W.

55° 52'·40N., 0° 27'·93W.

55° 38'·90N., 0° 26'·95W.

55° 38'·43N., 0° 45'·58W.

2. Management measures including byelaws will be notified by the Marine Management Organisation in due course.
3. Charts will be updated when full details are available.
4. *Former Notice 2438(P)/23 is cancelled.
*Indicates new or revised entry.
(ETRS89 DATUM)

Charts affected - 268 - 1192 (INT 1506) - 1407 (INT 1505) - 2182A (INT 1043) - 2182B (INT 1042) - 2450 (INT 1703) - 2613 (INT 1705) - 2656 - 2675 (INT 1070) - 5500 - 5604_1 - 5605_1 - 5615_2 - 5615_23

II

4144(T)/26 SWEDEN - West Coast - Marine farm.

Source: Swedish Notice 1131/20298(T)/26

1. Parts of a marine farm is adrift in the vicinity of 58° 14'·40N., 11° 35'·00E. Some parts may have spread to nearby areas.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 869 (INT 1311)

II

4176(T)/26 BELGIUM - Buoy. Measuring instrument.

Source: Belgian Notice 17/129(T)/26

1. A yellow special purpose spar light-buoy, *Fl(5)Y.20s, MP 6*, marking a measuring instrument, has been established in position $51^{\circ} 21' \cdot 10\text{N.}$, $4^{\circ} 14' \cdot 37\text{E.}$
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - BE 106 (INT 1478)

II

4179(T)/26 NETHERLANDS - General information.

Source: Netherlands Notice 33/190(T)/26

1. Due to low water levels, the operating hours of the locks at Terneuzen are adjusted until further notice, canal entrance position 51° 20'·743N., 3° 48'·775E. For more up to date information, please contact the Terneuzen authorities on VHF channels 3 and 11.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 114 (INT 1476)

II

4180(T)/26 NORTH SEA - Netherlands Sector - Buoy.

Source: Netherlands Notice 33/184(T)/26

1. A west cardinal pillar light-buoy, *VQ(9)10s ZS-MV*, has been deployed, in position 51° 58'·20N., 3° 56'·88E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 122 (INT 1472)

II

4181(P)/26 NORTH SEA - United Kingdom Sector - Wind turbine. Offshore installation. Moorings. Submarine cable. Works.

Source: Neo Next Plus and Northern Lighthouse Board

1. A floating wind turbine is planned to be installed in the Culzean Field in position 57° 11'·49N., 1° 52'·59E. between 25th August and the end of September 2026.
2. Installation operations will take place within the area bounded by the following positions:

57° 11'·98N., 1° 51'·65E.
57° 12'·01N., 1° 55'·53E.
57° 11'·09N., 1° 55'·56E.
57° 11'·06N., 1° 51'·68E.
3. Three permanent moorings, with mooring lines extending approximately 630 metres from the floating wind turbine, will be installed in the following positions:

57° 11'·40N., 1° 51'·99E.
57° 11'·82N., 1° 52'·74E.
57° 11'·25N., 1° 53'·04E.
4. A cable will be installed between the floating wind turbine and the Culzean Field in the following positions:

57° 11'·48N., 1° 54'·58E.
57° 11'·40N., 1° 54'·71E.
57° 11'·38N., 1° 54'·68E.
57° 11'·21N., 1° 54'·15E.
57° 11'·22N., 1° 54'·06E.
57° 11'·24N., 1° 53'·95E.
57° 11'·41N., 1° 53'·09E.
57° 11'·48N., 1° 52'·87E.
57° 11'·49N., 1° 52'·59E.
5. Mariners are advised to avoid entering the control area and to navigate with caution within the vicinity of the works.
(WGS84 DATUM)

Charts affected - 272 - 274 - 278 - 1405 (INT 1400)

II

4152(T)/26 PORTUGAL - West Coast - Buoyage.

Source: Portuguese Notices 6/222(T)-224(T)/26

1. The following light-buoys have been temporarily moved:

<i>Characteristic</i>	<i>Designation</i>	<i>Former Position</i>	<i>New Position</i>
<i>VQ(6)+LFl.10s3M</i>	<i>MC1</i>	38° 41'·338N., 9° 25'·076W.	38° 41'·334N., 9° 24'·976W.
<i>VQ(6)+LFl.10s3M</i>	<i>MC3</i>	38° 41'·544N., 9° 24'·834W.	38° 41'·484N., 9° 24'·823W.

2. The South Cardinal buoy *MC2*, *VQ(6)+LFl.10s3M*, in position 38° 41'·428N., 9° 24'·963W. has been removed.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3220 (INT 1875)

II

4130(T)/26 BLACK SEA - Wrecks. Restricted area.

Source: UKHO

1. A wreck, depth less than 20m, exists in each of the following positions:

45° 05'·02N., 36° 32'·26E.

45° 04'·31N., 36° 31'·86E.

45° 03'·59N., 36° 32'·28E.

2. An area dangerous for navigation, radius 5 cables, has been established centred on each of the wrecks above.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2216 - 2233 - 2242

II

4137(T)/26 CHINA - East Coast - Breakwater. Works.

Source: Chinese Notice 27/784(T)/26

1. Breakwater construction works are taking place within an area bounded by the following positions:

30° 38'·54N., 122° 02'·25E.

30° 38'·58N., 122° 02'·20E.

30° 38'·40N., 122° 02'·02E.

30° 38'·15N., 122° 02'·50E.

30° 38'·13N., 122° 02'·58E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Charts affected - 1144 - 1303

II

4162(T)/26 VIETNAM - Dredging area. Works.

Source: Vietnam Maritime Safety Corporation Notice 108(P)/26 and ENC V14N0008

1. Dredging works are taking place in the area bounded by the following positions:

20° 49'·66N., 106° 48'·70E.

20° 49'·85N., 106° 48'·70E.

20° 49'·79N., 106° 49'·26E.

20° 49'·39N., 106° 49'·84E.

20° 49'·39N., 106° 49'·58E.

20° 49'·65N., 106° 49'·16E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 3881 - 3882

II

4163(P)/26 CAMBODIA - Works.

Source: UKHO

1. Major port development works are taking place at Sihanoukville, with a new terminal being constructed in an area bounded by the following positions:

10° 39'·35N., 103° 30'·29E.
10° 39'·59N., 103° 30'·39E.
10° 39'·30N., 103° 31'·20E.
10° 39'·04N., 103° 31'·07E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated as further details become available.
(WGS84 DATUM)

Chart affected - 2103

II

4174(P)/26 CHINA - Yellow Sea Coast - Traffic separation schemes. Precautionary areas.

Source: Chinese Bulletin Section 1 29/26

1. New Traffic Separation Schemes in the Northern part of the Yellow Sea, Bohai Sea and Liaodong Wan were implemented on 15 August 2026.

2. The Northern Part of Yellow Sea Vessel Routeing Scheme has been established. The changes are as follows:

3. A. A separation line of the No 1 Traffic Separation Scheme has been established joining the following positions:

38° 41' 0N., 121° 46' 0E.

38° 30' 0N., 121° 43' 1E.

4. B. The limits of the No 1 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

38° 39' 8N., 121° 47' 8E.

38° 30' 0N., 121° 45' 2E.

Western Limits

38° 43' 8N., 121° 44' 7E.

38° 30' 0N., 121° 41' 0E.

5. C. A separation line of the No 2 Traffic Separation Scheme has been established joining the following positions:

38° 39' 2N., 121° 50' 2E.

38° 30' 0N., 121° 53' 8E.

6. D. The limits of the No 2 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

38° 39' 4N., 121° 52' 1E.

38° 30' 0N., 121° 55' 8E.

Western Limits

38° 39' 7N., 121° 48' 0E.

38° 30' 0N., 121° 51' 8E.

7. E. A separation line of the No 3 Traffic Separation Scheme has been established joining the following positions:

38° 40' 8N., 121° 55' 0E.

38° 30' 0N., 122° 03' 6E.

8. F. The limits of the No 3 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

38° 42' 7N., 121° 56' 2E.

38° 30' 0N., 122° 08' 2E.

Western Limits

38° 39' 6N., 121° 53' 0E.

38° 30' 0N., 121° 59' 4E.

9. G. A separation line of the No 4 Traffic Separation Scheme has been established joining the following positions:

38° 44' 1N., 121° 56' 4E.

38° 35' 0N., 122° 10' 0E.

38° 55' 04N., 123° 21' 58E.

10. H. The limits of the No 4 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

38° 46' 3N., 121° 55' 5E.

38° 36' 7N., 122° 10' 4E.

38° 42' 2N., 122° 30' 1E.

38° 41' 9N., 122° 30' 8E.

38° 56' 34N., 123° 22' 43E.

Southern Limits

38° 42' 7N., 121° 56' 2E.

38° 41' 4N., 121° 57' 5E.

38° 33' 3N., 122° 09' 6E.

38° 39' 3N., 122° 31' 2E.

38° 40' 0N., 122° 31' 6E.

38° 54' 03N., 123° 21' 78E.

11. I. A separation line of the No 5 Traffic Separation Scheme has been established joining the following positions:

38° 53' 35N., 123° 22' 39E.

38° 49' 53N., 123° 19' 68E.

38° 30' 00N., 123° 03' 65E.

12. J. The limits of the No 5 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

38° 52' 96N., 123° 23' 13E.

38° 49' 05N., 123° 20' 80E.

38° 30' 00N., 123° 05' 16E.

Western Limits

38° 53' 98N., 123° 21' 81E.

38° 30' 00N., 123° 02' 13E.

II

4174(P)/26 CHINA - Yellow Sea Coast - Traffic separation schemes. Precautionary areas. (continued)

13. K. A separation line of the No 6 Traffic Separation Scheme has been established joining the following positions:

38° 52'·82N., 123° 24'·55E.
38° 48'·68N., 123° 22'·66E.
38° 30'·00N., 123° 16'·72E.

14. L. The limits of the No 6 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

38° 53'·56N., 123° 26'·20E.
38° 30'·00N., 123° 18'·62E.

Western Limits

38° 52'·96N., 123° 23'·13E.
38° 49'·05N., 123° 20'·80E.
38° 30'·00N., 123° 14'·84E.

15. M. A separation line of the No 7 Traffic Separation Scheme has been established joining the following positions:

39° 20'·62N., 123° 47'·33E.
38° 56'·58N., 123° 25'·51E.

16. N. The limits of the No 7 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

39° 19'·75N., 123° 48'·91E.
38° 55'·29N., 123° 26'·71E.

Western Limits

39° 21'·48N., 123° 45'·74E.
38° 56'·75N., 123° 23'·33E.

17. O. A separation line of the No 8 Traffic Separation Scheme has been established joining the following positions:

39° 30'·96N., 123° 46'·76E.
39° 30'·96N., 123° 43'·86E.
39° 25'·53N., 123° 32'·38E.

18. P. The limits of the No 8 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

39° 32'·02N., 123° 46'·76E.
39° 32'·02N., 123° 44'·23E.
39° 26'·17N., 123° 31'·88E.

Southern Limits

39° 29'·91N., 123° 46'·76E.
39° 29'·90N., 123° 43'·48E.
39° 24'·89N., 123° 32'·89E.

19. Q. A separation line of the No 9 Traffic Separation Scheme has been established joining the following positions:

39° 22'·91N., 123° 29'·03E.
39° 15'·20N., 123° 12'·75E.
39° 10'·0N., 122° 53'·3E.

20. R. The limits of the No 9 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

39° 24'·21N., 123° 28'·06E.
39° 18'·63N., 123° 16'·39E.
39° 17'·93N., 123° 16'·17E.
39° 16'·11N., 123° 12'·21E.
39° 11'·0N., 122° 52'·9E.

Southern Limits

39° 21'·61N., 123° 30'·00E.
39° 16'·05N., 123° 18'·38E.
39° 16'·22N., 123° 17'·49E.
39° 14'·29N., 123° 13'·29E.
39° 09'·1N., 122° 53'·7E.

21. S. A separation line of the No 10 Traffic Separation Scheme has been established joining the following positions:

39° 08'·4N., 122° 47'·2E.
39° 07'·9N., 122° 45'·2E.
39° 06'·9N., 122° 42'·6E.

22. T. The limits of the No 10 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

39° 09'·4N., 122° 46'·8E.
39° 08'·8N., 122° 44'·7E.
39° 07'·8N., 122° 42'·0E.

Southern Limits

39° 07'·5N., 122° 47'·6E.
39° 07'·0N., 122° 45'·7E.
39° 06'·0N., 122° 43'·3E.

23. U. A separation line of the No 11 Traffic Separation Scheme has been established joining the following positions:

39° 03'·3N., 122° 33'·4E.
38° 47'·7N., 121° 53'·8E.

II

4174(P)/26 CHINA - Yellow Sea Coast - Traffic separation schemes. Precautionary areas. (continued)

24. V. The limits of the No 11 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

39° 04'·1N., 122° 32'·8E.
38° 58'·2N., 122° 17'·8E.
38° 58'·4N., 122° 16'·9E.
38° 48'·4N., 121° 51'·2E.

Southern Limits

39° 02'·4N., 122° 34'·0E.
38° 56'·4N., 122° 18'·8E.
38° 55'·7N., 122° 18'·5E.
38° 46'·6N., 121° 55'·2E.

25. W. Precautionary Area No 1 has been established, centred on 38° 43'·8N., 121° 50'·5E., within a circular area with a radius of 4·5 nautical miles.

26. X. Precautionary Area No 2 has been established, centred on 38° 54'·83N., 123° 24'·17E., within a circular area with a radius of 2 nautical miles.

27. Y. Precautionary Area No 3 has been established, within an area bounded by the following positions:

39° 24'·21N., 123° 28'·06E.
39° 21'·61N., 123° 30'·00E.
39° 23'·91N., 123° 31'·13E.
39° 24'·89N., 123° 32'·89E.
39° 26'·17N., 123° 31'·88E.

28. Z. Precautionary Area No 4 has been established, within an area bounded by the following positions:

39° 11'·0N., 122° 52'·9E.
39° 09'·4N., 122° 46'·8E.
39° 07'·5N., 122° 47'·6E.
39° 09'·1N., 122° 53'·7E.

29. AA. Precautionary Area No 5 has been established, within an area bounded by the following positions:

39° 04'·1N., 122° 32'·8E.
39° 02'·4N., 122° 34'·0E.
39° 06'·0N., 122° 43'·3E.
39° 07'·8N., 122° 42'·0E.

30. The Laotie Shan Channel to Northern Part of Bohai Sea Vessel Routeing Scheme has been established. The changes are as follows:

A. A separation line of the No 1 Traffic Separation Scheme has been established joining the following positions:

39° 04'·4N., 120° 52'·5E.
38° 56'·0N., 120° 51'·4E.
38° 41'·4N., 120° 51'·4E.

31. B. A No 1 separation zone, up to 1 nautical mile wide, has been established, within an area bounded by the following positions:

39° 04'·4N., 120° 52'·5E.
39° 05'·0N., 120° 53'·3E.
39° 24'·7N., 120° 55'·8E.
39° 24'·7N., 120° 54'·5E.
39° 05'·2N., 120° 52'·0E.

32. C. The limits of the No 1 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

39° 24'·5N., 120° 59'·1E.
39° 04'·8N., 120° 56'·4E.
39° 04'·1N., 120° 55'·5E.
38° 55'·9N., 120° 54'·4E.
38° 41'·4N., 120° 54'·3E.
38° 40'·9N., 120° 54'·2E.

Western Limits

39° 25'·0N., 120° 51'·3E.
39° 05'·4N., 120° 48'·8E.
39° 04'·7N., 120° 49'·6E.
38° 56'·0N., 120° 48'·5E.
38° 40'·9N., 120° 48'·5E.

II

4174(P)/26 CHINA - Yellow Sea Coast - Traffic separation schemes. Precautionary areas. (continued)

33. D. A No 2 separation zone, up to 1 nautical mile wide, has been established, within an area bounded by the following positions:

39° 36'·62N., 121° 01'·46E.
39° 36'·03N., 121° 02'·51E.
39° 55'·24N., 121° 21'·08E.
39° 57'·82N., 121° 22'·75E.
39° 55'·78N., 121° 19'·94E.

34. E. A separation line of the No 2 Traffic Separation Scheme has been established joining the following positions:

40° 08'·57N., 121° 25'·42E.
39° 57'·82N., 121° 22'·75E.

35. F. The limits of the No 2 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

40° 08'·65N., 121° 27'·43E.
39° 53'·95N., 121° 23'·84E.
39° 34'·54N., 121° 05'·12E.

Western Limits

40° 09'·31N., 121° 23'·62E.
39° 58'·81N., 121° 20'·99E.
39° 57'·09N., 121° 17'·14E.
39° 38'·09N., 120° 58'·84E.

36. G. A separation line of the No 3 Traffic Separation Scheme has been established joining the following positions:

40° 32'·00N., 121° 05'·00E.
40° 15'·03N., 121° 21'·93E.
40° 13'·02N., 121° 23'·20E.

37. H. The limits of the No 3 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

40° 32'·91N., 121° 06'·56E.
40° 15'·82N., 121° 23'·61E.
40° 13'·98N., 121° 24'·77E.

Western Limits

40° 31'·09N., 121° 03'·44E.
40° 14'·24N., 121° 20'·26E.
40° 10'·32N., 121° 22'·73E.

38. I. A separation line of the No 4 Traffic Separation Scheme has been established joining the following positions:

40° 41'·88N., 121° 01'·98E.
40° 38'·20N., 121° 15'·28E.
40° 36'·84N., 121° 21'·14E.
40° 33'·90N., 121° 27'·00E.
40° 14'·14N., 121° 27'·00E.

39. J. The limits of the No 4 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

40° 42'·35N., 121° 02'·23E.
40° 38'·66N., 121° 15'·49E.
40° 37'·64N., 121° 21'·44E.
40° 33'·92N., 121° 28'·94E.
40° 13'·29N., 121° 28'·94E.

Western Limits

40° 41'·39N., 121° 01'·82E.
40° 36'·44N., 121° 20'·02E.
40° 33'·93N., 121° 25'·01E.
40° 14'·05N., 121° 25'·08E.

40. K. A separation line of the No 5 Traffic Separation Scheme has been established joining the following positions:

40° 32'·08N., 121° 28'·93E.
40° 26'·95N., 121° 40'·35E.
40° 25'·15N., 121° 43'·15E.

41. L. The limits of the No 5 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

40° 32'·66N., 121° 28'·93E.
40° 27'·36N., 121° 40'·73E.
40° 25'·53N., 121° 43'·57E.

Southern Limits

40° 31'·48N., 121° 28'·94E.
40° 26'·54N., 121° 39'·97E.
40° 24'·77N., 121° 42'·73E.

II

4174(P)/26 CHINA - Yellow Sea Coast - Traffic separation schemes. Precautionary areas. (continued)

42. M. A separation line of the No 6 Traffic Separation Scheme has been established joining the following positions:

40° 20'·22N., 121° 42'·98E.

40° 11'·94N., 121° 29'·86E.

43. N. The limits of the No 6 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

40° 21'·37N., 121° 41'·74E.

40° 13'·29N., 121° 28'·94E.

Southern Limits

40° 19'·06N., 121° 44'·23E.

40° 09'·40N., 121° 28'·94E.

44. O. A separation line of the No 7 Traffic Separation Scheme has been established joining the following positions:

38° 47'·73N., 121° 07'·08E.

38° 47'·58N., 121° 06'·68E.

38° 47'·42N., 121° 05'·53E.

38° 47'·42N., 121° 00'·47E.

38° 40'·65N., 120° 54'·76E.

45. P. The limits of the No 7 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

38° 47'·28N., 121° 07'·36E.

38° 47'·12N., 121° 06'·93E.

38° 47'·12N., 121° 00'·98E.

38° 40'·35N., 120° 55'·28E.

Western Limits

38° 48'·18N., 121° 06'·80E.

38° 48'·06N., 121° 06'·48E.

38° 47'·92N., 121° 05'·48E.

38° 47'·92N., 121° 00'·12E.

38° 40'·89N., 120° 54'·21E.

46. Q. Precautionary Area No 1 has been established, within an area bounded by the following positions:

39° 25'·0N., 120° 51'·3E.

39° 24'·5N., 120° 59'·1E.

39° 28'·9N., 120° 59'·6E.

39° 34'·54N., 121° 05'·12E.

39° 38'·09N., 120° 58'·84E.

39° 34'·10N., 120° 54'·97E.

39° 33'·30N., 120° 49'·20E.

39° 33'·73N., 120° 48'·28E.

39° 31'·2N., 120° 46'·1E.

39° 28'·3N., 120° 47'·1E.

39° 28'·0N., 120° 51'·7E.

47. R. Precautionary Area No 2 has been established, centred on 40° 11'·36N., 121° 26'·22E., within a circular area with a radius of 2·85 nautical miles.

48. The Laotie Shan Channel to Southern Part of Bohai Sea Vessel Routeing Scheme has been established. The changes are as follows:

49. A. A separation line of the No 1 Traffic Separation Scheme has been established joining the following positions:

38° 48'·97N., 120° 44'·84E.

38° 40'·20N., 120° 47'·18E.

50. B. The No 1 separation zone, up to 1 nautical mile wide, has been established, within an area bounded by the following positions:

38° 48'·97N., 120° 44'·84E.

38° 54'·8N., 120° 42'·2E.

39° 03'·7N., 120° 33'·7E.

39° 03'·1N., 120° 32'·7E.

38° 54'·2N., 120° 41'·1E.

II

4174(P)/26 CHINA - Yellow Sea Coast - Traffic separation schemes. Precautionary areas. (continued)

51. C. The limits of the No 1 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

39° 05'·7N., 120° 37'·2E.
38° 56'·0N., 120° 45'·0E.
38° 50'·0N., 120° 48'·5E.
38° 40'·88N., 120° 48'·46E.

Western Limits

39° 01'·2N., 120° 29'·4E.
38° 53'·0N., 120° 38'·3E.
38° 39'·45N., 120° 46'·26E.

52. D. The No 2 separation zone, up to 1 nautical mile wide, has been established, centred on a line joining the following positions:

39° 29'·0N., 120° 04'·4E.
39° 08'·6N., 120° 26'·4E.

53. E. The limits of the No 2 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

39° 30'·9N., 120° 07'·3E.
39° 10'·6N., 120° 29'·3E.

Western Limits

39° 27'·1N., 120° 01'·4E.
39° 06'·6N., 120° 23'·5E.

54. F. A separation line of the No 3 Traffic Separation Scheme has been established joining the following positions:

39° 44'·66N., 120° 17'·28E.
39° 18'·7N., 120° 26'·3E.
39° 11'·5N., 120° 30'·8E.

55. G. The limits of the No 3 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

39° 44'·47N., 120° 19'·35E.
39° 19'·3N., 120° 28'·2E.
39° 12'·6N., 120° 32'·4E.

Western Limits

39° 44'·86N., 120° 15'·20E.
39° 18'·2N., 120° 24'·5E.
39° 10'·6N., 120° 29'·3E.

56. H. A separation line of the No 4 Traffic Separation Scheme has been established joining the following positions:

39° 52'·37N., 120° 14'·55E.
39° 47'·24N., 120° 16'·37E.

57. I. The limits of the No 4 Traffic Separation Scheme have been established joining the following positions:

Eastern Limits

39° 52'·50N., 120° 15'·19E.
39° 47'·37N., 120° 16'·99E.

Western Limits

39° 52'·24N., 120° 13'·91E.
39° 47'·11N., 120° 15'·73E.

58. J. A separation line of the No 5 Traffic Separation Scheme has been established joining the following positions:

39° 45'·33N., 120° 20'·07E.
39° 39'·88N., 120° 31'·55E.

59. K. The limits of the No 5 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

39° 46'·19N., 120° 20'·73E.
39° 40'·74N., 120° 32'·17E.

Southern Limits

39° 44'·47N., 120° 19'·35E.
39° 39'·05N., 120° 30'·83E.

60. L. A separation line of the No 6 Traffic Separation Scheme has been established joining the following positions:

39° 44'·50N., 120° 00'·00E.
39° 37'·98N., 120° 30'·43E.

61. M. The limits of the No 6 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

39° 45'·46N., 120° 00'·34E.
39° 39'·05N., 120° 30'·83E.

Southern Limits

39° 43'·54N., 119° 59'·65E.
39° 37'·04N., 120° 30'·08E.

II

4174(P)/26 CHINA - Yellow Sea Coast - Traffic separation schemes. Precautionary areas. (continued)

62. N. A separation line of the No 7 Traffic Separation Scheme has been established joining the following positions:

39° 38'·14N., 120° 33'·32E.

39° 36'·01N., 120° 39'·71E.

39° 32'·47N., 120° 47'·15E.

63. O. The limits of the No 7 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

39° 39'·75N., 120° 34'·27E.

39° 37'·40N., 120° 40'·48E.

39° 33'·73N., 120° 48'·28E.

Southern Limits

39° 36'·53N., 120° 32'·35E.

39° 34'·62N., 120° 38'·93E.

39° 31'·2N., 120° 46'·0E.

64. P. A separation line of the No 8 Traffic Separation Scheme has been established joining the following positions:

39° 29'·8N., 120° 46'·6E.

39° 24'·4N., 120° 26'·4E.

39° 23'·3N., 120° 22'·7E.

39° 14'·7N., 120° 08'·2E.

65. Q. The limits of the No 8 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

39° 31'·2N., 120° 46'·1E.

39° 24'·9N., 120° 22'·2E.

39° 15'·8N., 120° 06'·9E.

Southern Limits

39° 28'·3N., 120° 47'·1E.

39° 22'·9N., 120° 26'·9E.

39° 21'·7N., 120° 23'·3E.

39° 13'·5N., 120° 09'·3E.

66. R. A separation line of the No 9 Traffic Separation Scheme has been established joining the following positions:

38° 46'·6N., 120° 15'·6E.

38° 42'·63N., 120° 29'·59E.

38° 38'·79N., 120° 45'·67E.

67. S. The limits of the No 9 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

38° 48'·3N., 120° 15'·2E.

38° 39'·45N., 120° 46'·26E.

Southern Limits

38° 44'·9N., 120° 16'·1E.

38° 41'·22N., 120° 28'·92E.

38° 38'·06N., 120° 45'·31E.

68. T. A Precautionary Area has been established, within an area bounded by the following positions:

39° 06'·6N., 120° 23'·5E.

39° 01'·2N., 120° 29'·4E.

39° 05'·7N., 120° 37'·2E.

39° 12'·6N., 120° 32'·4E.

69. U. A Connecting Point for the No 2 and No 8 Traffic Separation Schemes exists in an area bounded by the following positions:

39° 18'·2N., 120° 11'·0E.

39° 15'·9N., 120° 13'·5E.

39° 19'·6N., 120° 19'·6E.

39° 21'·9N., 120° 17'·2E.

70. V. A Connecting Point for the No 3 and No 8 Traffic Separation Schemes exists in an area bounded by the following positions:

39° 24'·9N., 120° 22'·2E.

39° 21'·7N., 120° 23'·3E.

39° 22'·9N., 120° 26'·9E.

39° 25'·9N., 120° 25'·9E.

II

4174(P)/26 CHINA - Yellow Sea Coast - Traffic separation schemes. Precautionary areas. (continued)

71. W. A Connecting Point for the No 3 and No 6 Traffic Separation Schemes exists in an area bounded by the following positions:

39° 42'·07N., 120° 16'·15E.
39° 39'·84N., 120° 16'·95E.
39° 38'·90N., 120° 21'·30E.
39° 41'·15N., 120° 20'·51E.

72. X. A Connecting Point for the No 3, No 4 and No 5 Traffic Separation Schemes exists in an area bounded by the following positions:

39° 47'·11N., 120° 15'·73E.
39° 44'·86N., 120° 15'·20E.
39° 44'·47N., 120° 19'·35E.
39° 46'·19N., 120° 20'·73E.
39° 47'·37N., 120° 16'·99E.

73. Y. A Connecting Point for the No 5, No 6 and No 7 Traffic Separation Schemes exists in an area bounded by the following positions:

39° 36'·53N., 120° 32'·35E.
39° 39'·75N., 120° 34'·27E.
39° 40'·74N., 120° 32'·17E.
39° 39'·05N., 120° 30'·83E.
39° 37'·04N., 120° 30'·08E.

74. The Laotie Shan Channel to Western Part of Bohai Sea Vessel Routeing Scheme has been established. The changes are as follows:

75. A. The No 1 separation zone, up to 1 nautical mile wide, has been established, within an area bounded by the following positions:

38° 35'·91N., 120° 45'·00E.
38° 38'·75N., 120° 28'·58E.
38° 39'·8N., 120° 17'·4E.
38° 38'·7N., 120° 17'·7E.
38° 37'·75N., 120° 28'·45E.

76. B. The limits of the No 1 Traffic Separation Scheme have been established joining the following positions:

Northern Limits

38° 42'·3N., 120° 16'·8E.
38° 41'·22N., 120° 28'·92E.
38° 38'·06N., 120° 45'·31E.

Southern Limits

38° 36'·16N., 120° 18'·38E.
38° 33'·55N., 120° 46'·08E.

77. The Port of Dalian Dasan Shan Channel Vessel Routeing Scheme has been amended. The changes are as follows:

78. A. The separation line has been amended, centred on a line joining the following positions:

38° 57'·00N., 121° 46'·20E.
38° 55'·00N., 121° 46'·20E.

79. B. The separation zone, 0·3 nautical miles wide, has been amended, centred on a line joining the following positions:

38° 54'·40N., 121° 46'·18E.
38° 51'·00N., 121° 46'·18E.

80. C. The limits of the Traffic Separation Scheme have been amended joining the following positions:

Eastern Limits

38° 54'·40N., 121° 48'·00E.
38° 51'·00N., 121° 48'·50E.

Western Limits

38° 54'·40N., 121° 44'·00E.
38° 52'·95N., 121° 44'·00E.
38° 51'·00N., 121° 43'·00E.

81. D. The Precautionary Area has been amended, centred on 38° 54'·45N., 121° 46'·20E., within a northern semicircle with a radius of 0·6 nautical miles.

82. The Laotie Shan Channel Vessel Routeing Scheme has been amended. The changes are as follows:

II

4174(P)/26 CHINA - Yellow Sea Coast - Traffic separation schemes. Precautionary areas. (continued)

83. A. The limits of the southern boundary of the Traffic Separation Scheme have been amended joining the following positions:

38° 31'·90N., 120° 54'·10E.

38° 27'·20N., 121° 04'·10E.

84. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

85. Charts will be updated when full details are available.

(CGCS 2000 DATUM)

Charts affected - 1206 - 1249 - 1250 - 1251 - 1252 - 1255 - 1256 - 3697

II

4159(T)/26 PHILIPPINE ISLANDS - Luzon - Wreck.

Source: NAMRIA NAVPHIL 150/26

1. A dangerous wreck has been reported in position 14° 37'·00N., 120° 53'·33E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3931 - 4491

II

4171(P)/26 INDONESIA - Kalimantan - Depths. Wrecks. Jetties. Submarine pipelines. Turning Circles. Buoyage. Anchorage areas. Pilot boarding place.

Source: ENC's ID300130, ID400157 and ID500543

- Depths less than charted exist within Teluk Balikpapan and Approaches. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
3m	1° 13'·04S., 116° 46'·14E.
7·4m	1° 13'·13S., 116° 45'·11E.
4·9m	1° 13'·33S., 116° 45'·47E.
15·1m	1° 14'·14S., 117° 02'·56E.
0·9m	0° 55'·39S., 117° 26'·41E.

- Wrecks exist in the following positions:

<i>Depth</i>	<i>Position</i>
5·5m	1° 14'·02S., 116° 46'·57E.
20·7m	1° 14'·19S., 116° 46'·73E.

- Jetties have been established, joining the following positions:

1° 11'·90S., 116° 46'·98E.
 1° 11'·78S., 116° 46'·93E.
 1° 11'·59S., 116° 46'·95E.

- and

1° 12'·56S., 116° 47'·02E.
 1° 12'·51S., 116° 47'·01E.
 1° 12'·36S., 116° 47'·02E.
 1° 12'·24S., 116° 47'·04E.

- and

1° 15'·31S., 116° 48'·80E.
 1° 15'·36S., 116° 48'·78E.
 1° 15'·39S., 116° 48'·78E.
 1° 15'·43S., 116° 48'·79E.

- Water intake pipes have been established, joining the following positions:

1° 14'·83S., 116° 48'·76E.
 1° 14'·83S., 116° 48'·93E.

- and

1° 14'·94S., 116° 48'·76E.
 1° 14'·94S., 116° 48'·93E.

- A turning circle has been established centred on position 1° 15'·26S., 116° 48'·68E.

- The turning circle in position 1° 15'·44S., 116° 48'·58E. has been removed.

- The following yellow light-buoys have been moved:

<i>Characteristic</i>	<i>Former Position</i>	<i>New Position</i>
<i>Fl. Y. 2s</i>	1° 14'·43S., 116° 47'·51E.	1° 14'·29S., 116° 47'·44E.
<i>Fl. Y. 2s</i>	1° 14'·36S., 116° 47'·99E.	1° 14'·28S., 116° 47'·89E.
<i>Fl. Y. 2s</i>	1° 14'·89S., 116° 47'·96E.	1° 15'·01S., 116° 48'·23E.
<i>Fl. Y. 2s</i>	1° 14'·93S., 116° 47'·56E.	1° 14'·99S., 116° 47'·57E.

- A new anchorage area has been established, bounded by the following positions:

0° 59'·34S., 117° 20'·51E.
 0° 59'·06S., 117° 20'·79E.
 0° 59'·18S., 117° 20'·91E.
 0° 59'·45S., 117° 20'·62E.

II

4171(P)/26 INDONESIA - Kalimantan - Depths. Wrecks. Jetties. Submarine pipelines. Turning Circles. Buoyage. Anchorage areas. Pilot boarding place. (continued)

12. The anchorage area, bounded by the following positions, has been removed:

1° 29′·09S., 116° 47′·20E.

1° 26′·78S., 116° 47′·21E.

1° 26′·78S., 116° 49′·38E.

1° 29′·10S., 116° 49′·39E.

13. The pilot boarding place in position 1° 04′·85S., 117° 11′·75E. has been removed.

14. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

15. Chart 2893 will be updated by Notice to Mariners.

16. These changes will be included in a New Edition of Chart 2639 to be published late 2026.

(WGS84 DATUM)

Chart affected - 2639

II

4175(T)/26 INDONESIA - Kalimantan - Dredged area. Works.

Source: Indonesian Notice 29/199(T)/26

1. Dredging works are taking place in the area bounded by the following positions:

2° 07'·12S., 109° 47'·72E.

2° 07'·12S., 110° 10'·35E.

2° 20'·02S., 110° 10'·35E.

2° 19'·90S., 109° 47'·72E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 1312 - 2872 - 3757 - 3758

II

4109(T)/26 AUSTRALIA - Queensland - Light-beacon. Tidal gauge.

Source: Australian Notice 16/687(T)/26

1. A special light beacon that has a tide gauge, Fl.Y.2·5s, exists in position 19° 07′·88S., 146° 46′·68E.
(WGS84 DATUM)

Chart affected - Aus 827

II

4110(T)/26 AUSTRALIA - Victoria - Scientific instruments.

Source: Australian Notice 16/702(T)/26

1. Subsurface scientific instruments, 4m above seabed, exist in positions 38° 37'·5S., 146° 56'·7E. and 38° 13'·9S., 147° 25'·8E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 357

II

4111(T)/26 AUSTRALIA - Victoria - Scientific instruments.

Source: Australian Notice 16/701(T)/26

1. Subsurface scientific instruments, 2m above seabed, exist in the following positions:

38° 31'·6S., 147° 09'·0E.

38° 28'·1S., 147° 13'·6E.

38° 37'·2S., 147° 14'·5E.

2. Mariners are advised to navigate with caution in the area.
3. Former Notice 3436(T)/25 is cancelled.
(WGS84 DATUM)

Chart affected - Aus 357

II

4112(T)/26 AUSTRALIA - Tasmania - Buoyage.

Source: Australian Notice 16/705(T)/26

1. Two special light buoys, *Fl.Y.3s*, exist in the vicinity of each the following positions:

40° 33'·4S., 145° 34'·0E.

40° 38'·3S., 145° 35'·5E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 4601 (INT 601)

II

4121(T)/26 AUSTRALIA - Western Australia - Works. Submarine pipelines. Restricted area.

Source: Australian Notice 16/693(T)/26

1. On or about 15 August 2026, survey vessel *Lightning* and an AUV will begin conducting survey operations along the pipeline between the following positions:

20° 32'·8S., 115° 17'·0E.

20° 39'·5S., 115° 31'·9E.

2. and

20° 40'·5S., 115° 18'·7E.

20° 40'·3S., 115° 19'·5E.

3. and

20° 39'·1S., 115° 27'·5E.

20° 39'·6S., 115° 30'·8E.

4. A 500m safety exclusion zone exists around the vessels.
5. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4723 (INT 723) - Aus 327

II

4113(T)/26 PERU - Buoyage.

Source: Peruvian Notice 6/65(T)/26

1. Isolated danger buoys, *Fl.5s*, have been deployed until further notice, in the following positions:

12° 00'·15S., 77° 08'·89W.

12° 00'·06S., 77° 08'·87W.

12° 00'·08S., 77° 08'·83W.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1853

II

4114(T)/26 PANAMA - Panama Canal - Buoyage.

Source: UKHO

1. The following light buoys have been reported missing:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Oc. G</i>	<i>W-3</i>	Green pillar	9° 24'·302N., 79° 54'·989W.
<i>Oc. R</i>	<i>W-4</i>	Red pillar	9° 24'·303N., 79° 55'·273W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - CP 1

II

4182(T)/26 GUYANA - Buoy. Scientific instruments.

Source: Maritime Authority Suriname Notice 140/2026

1. The ODAS 3 Special Buoy marking subsea scientific instruments is expected to be deployed on or about 26th August 2026, until further notice, in position 7° 39'·1N., 56° 20'·2W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Charts affected - 517 - 2764 (INT 4191)

II

4145(T)/26 CANADA - Saint Lawrence River - Works.

Source: Canadian Notice 6/612(T)/26

1. Repair works are in progress from 1000 UTC to 2000 UTC at berth 16, in position 46° 19' 58.5"N., 72° 32' 44.5"W.
2. There is a safety boat on site.
3. Minimum wake requested.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(NAD83 DATUM)

Chart affected - 4789

II

4161(T)/26 CANADA - Saint Lawrence River - Works. Barge.

Source: Canadian Notice 6/611(T)/26

1. Construction and diving operations are taking place, Monday to Saturday from 1100 UTC to 2200 UTC, in the vicinity of position 48° 20' 10.4"N., 70° 52' 08.2"W.
2. Barges are remaining on scene.
3. Minimum wake requested.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(NAD83 DATUM)

Chart affected - 4780