

ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 38

17 September 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	ADMIRALTY Publications
58	INT 1110	NP 30
89	INT 1166	e-NP 30
194	INT 1403	NP 131
359	INT 1832	
1429	INT 1833	
2124	INT 7314	
2292		
2319		
2626		
2816		
2956		
3427		
3428		
3429		
3635		
3874		
3892		
4945		

THE GULF AND STRAIT OF HORMUZ NAVIGATIONAL INFORMATION

Amid ongoing developments, it is not always possible to ensure that all ADMIRALTY Products are completely up-to-date for new dangers or changes to aids to navigation and routing measures. Mariners are encouraged to pay close attention to navigational warnings in place and advised to exercise particular caution when navigating in The Gulf region and the Strait of Hormuz.

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 17 September 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙58 INT 7314	International Chart Series, Pakistan, Approaches to Karachi. On publication of this New Edition former Notice 3084(P)/26 is cancelled. This chart remains affected by Notices 3503(T)/20, 1276(T)/21, 4665(T)/23 and 1246(T)/26.	1:75,000	41	58
⊙89	Portugal - South coast, Cabo de São Vicente to Faro. This chart remains affected by Notice 1104(T)/26.	1:175,000	18	40
⊙194	Mediterranean Sea, Maltese Islands, Approaches to Malta and Ghawdex (Gozo). This chart remains affected by Notices 4404(T)/25 and 1092(T)/26.	1:100,000	24	44
⊙1429 INT 1403	International Chart Series, Norway - West Coast, Smøla to Sklinna. On publication of this New Edition former Notice 4298(T)/23 is cancelled. This chart remains affected by Notices 2338(T)/25 and 3846(P)/26.	1:350,000	13	38
⊙2124	Mediterranean Sea, Isola Di Lampedusa to Capo Passero Including Malta. This chart remains affected by Notice 5359(P)/24.	1:300,000	24	44
⊙2319	Colombia - West Coast, Bahía de Buenaventura. Puerto de Buenaventura. On publication of this New Edition former Notices 4153(T)/23, 4654(P)/25, 2992(T)/26 and 3473(P)/26 are cancelled. This chart remains affected by Notices 6272(T)/20, 1744(T)/26 and 1841(T)/26.	1:30,000 1:15,000	98	114
⊙2956 INT 1110	International Chart Series, Iceland - North Coast, Eyjafjörður. This chart remains affected by Notices 4223(T)/26.	1:100,000	15	28
⊙3635	Portugal - West Coast, Cabo Mondego to Cabo Espichel. This chart remains affected by Notices 4280(T)/22, 1716(T)/25, 2162(T)/25, 668(T)/26, 2194(T)/26, 2308(T)/26 and 4091(T)/26.	1:200,000	18	40
⊙3874	Vietnam - East Coast, Quy Nhon to Baie de Xuan Day. Quy Nhon. On publication of this New Edition former Notice 2917(P)/26 is cancelled. This chart remains affected by Notice 1471(P)/21.	1:76,000 1:37,500	47	76

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 17 September 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙3892	China - Nan Hai, Beihai Gang to Hailingshan Gang including Qiongzhou Haixia. On publication of this New Edition former Notice 3170(P)/26 is cancelled. This chart remains affected by Notices 4871(P)/24, 2403(T)/25, 2664(T)/25, 330(P)/26, 2010(T)/26, 2243(T)/26, 3094(P)/26 and 3730(P)/26.	1:300,000	47	76
⊙4945	Canada, British Columbia/Colombie - Britannique, Vancouver Island/Île De Vancouver, Approaches to / Approches À Juan De Fuca Strait. On publication of this New Edition former Notice 3384(P)/26 is cancelled. This chart remains affected by Notices 4603(P)/26.	1:150,000	90	110
⊙4947	Canada, British Columbia/ Colombie - Britannique, Vancouver Island/ Ile De Vancouver, Juan De Fuca Strait. On publication of this New Edition former Notice 3384(P)/26 is cancelled. This chart remains affected by Notices 4603(P)/26.	1:110,000	90	110

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP30 & e-NP30	ADMIRALTY Sailing Directions China Sea Pilot Volume 1 14th Edition (2026) ISBN: 978-0-70-774-9051	17/09/2026	Updated to Week 23/26 (21/05/26). First updates from NM Week 38/26. NP30 13th Edition (2024) is cancelled.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 01 OCTOBER 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
359	Mexico - East Coast, Dos Bocas Terminal. Port of Dos Bocas.	1:30,000 1:15,000	⊙359	83	122
2292 INT 1166	International Chart Series, Baltic Sea – Latvia, Port of Liepāja.	1:7,500	⊙2292 INT 1166	10	36
2626	Mexico - East Coast, Bay of Campeche. Ciudad Del Carmen.	1:300,000 1:50,000	⊙2626	83	122
2816	Baltic Sea, Southern Sheet.	1:750,000	⊙2816	10	20, 34, 36
3427 INT 1832	International Chart Series, France - West Coast, Approaches to Brest. Port de Camaret-sur-Mer.	1:22,500 1:10,000	⊙3427 INT 1832	16	21
3428 INT 1833	International Chart Series, France - West Coast, Brest.	1:7,500	⊙3428 INT 1833	16	21
3429	France - West Coast, Rade de Brest. Ⓐ Traverse de l'Hôpital. Ⓑ Rivière du Faou.	1:22,500 1:12,500 1:12,500	⊙3429	16	21

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
58 INT 7314	International Chart Series, Pakistan, Approaches to Karachi.	⊙58 INT 7314
89	Portugal - South coast, Cabo de São Vicente to Faro.	⊙89
194	Mediterranean Sea, Maltese Islands, Approaches to Malta and Ghawdex (Gozo).	⊙194
1429 INT 1403	International Chart Series, Norway - West Coast	⊙1429 INT 1403
2124	Mediterranean Sea, Isola Di Lampedusa to Capo Passero Including Malta.	⊙2124
2319	Colombia - West Coast, Bahía de Buenaventura.	⊙2319

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts (continued)

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
2956 INT 1110	International Chart Series, Iceland - North Coast, Eyjafjörður.	Ⓢ2956 INT 1110
3635	Portugal - West Coast, Cabo Mondego to Cabo Espichel.	Ⓢ3635
3874	Vietnam - East Coast, Quy Nhon to Baie de Xuan Day.	Ⓢ3874
3892	China - Nan Hai, Beihai Gang to Hailingshan Gang including Qiongzhou Haixia.	Ⓢ3892
4945	Canada - British columbia/Colombie - Britannique, Vancouver Island/ Ile De Vancouver, Approaches to / Approches A Juan De Fuca Strait.	Ⓢ4945
4947	Canada, British Columbia/ Colombie - Britannique, Vancouver Island/ Ile De Vancouver, Juan De Fuca Straight.	Ⓢ4947

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 1, Authorised ADMIRALTY Distributors, South Africa,

Amend:

CHARTS INTERNATIONAL		
Unit 23 Foregate Square Harbour Road Foreshore Cape Town		
T: +27 21 419 7700		
F: +27 21 419 0580		
info@chartsinternational.co.za		
www.chartsinternational.co.za		
DIGITAL	POD	PUBLICATIONS

Ⓢ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
15	4330	1335	4414
26	4324	1384	4384
67	4372	1385	4384
102	4308	1405	4299, 4394
110	4302T, 4405T	1408	4359, 4402
116	4302T, 4405T	1426	4293T
122	4302T, 4374, 4405T	1488	4386
124	4302T, 4405T	1495	4346
125	4302T, 4361, 4405T	1501	4430
127	4336, 4379T	1502	4403
130	4302T, 4374, 4405T	1506	4377
131	4381T	1541	4345
157	4330	1543	4338P
230	4393	1602	4316T, 4367T
266	4302T, 4383, 4405T	1621	4395
268	4383	1628	4397P
269	4304, 4332	1629	4397P
272	4299	1630	4302T, 4405T
273	4299	1631	4302T, 4361, 4405T
274	4394	1632	4302T, 4405T
295	4441	1633	4302T, 4405T
323	4292T	1636	4339
331	4406	1761	4392
343	4404	1792	4431P
356	4320T, 4435	1826	4325P
433	4337P	1834	4408
504	4427P	1913	4320T
515	4294	1929	4401
520	4389T	1964	4396T
556	4388T	1966	4397P
566	4375P	1978	4325P
595	4384	1981	4325P
761	4309T	1999	4381T
801	4400	2040	4411
811	4358T	2052	4338P
896	4379T	2136	4439
898	4368	2137	4396T, 4407
908	4425	2146	4439
913	4307	2148	4439
932	4391T	2151	4313
933	4391T	2182A	4383
963	4415	2182B	4299, 4383
964	4434	2182C	4394
1046	4372	2191	4393, 4397P
1066	4328T, 4396T	2192	4397P
1129	4310	2193	4397P
1143	4316T, 4367T	2230	4412
1144	4316T	2232	4412
1160	4311	2255	4442T
1173	4315	2257	4401
1174	4315	2258	4401
1183	4292T	2261	4297
1186	4300	2268	4442T
1199	4316T	2288	4411
1201	4429	2333	4376
1205	4303	2401	4392
1206	4444	2403	4420
1223	4380T	2443	4432
1229	4428	2444	4432
1249	4444	2451	4439
1250	4444	2470	4396T
1251	4319T	2482	4408
1255	4444	2488	4390
1256	4314T, 4444	2489	4409
1258	4314T	2492	4409
1270	4369	2523	4398T
1276	4401	2564	4440
1303	4316T, 4367T	2571	4341
1312	4396T	2613	4439

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2670	4291, 4409	4044	4340T, 4362
2677	4296	4061	4312
2693	4338P	4137	4329T
2695	4338P	4138	4329T
2712	4304	4209	4384
2773	4294, 4410	4400	4397P
2779	4318	4402	4397P
2794	4328T	4448	4413
2795	4328T	4506	4309T
2796	4328T	4603	4350T
2814	4443	4604	4309T, 4350T
2837	4398T	4605	4309T
2847	4398T	4606	4309T
2850	4437	4607	4309T
2860	4409	4615	4309T
2872	4396T	4617	4309T
2873	4396T, 4407	4618	4309T
2883	4398T	4619	4309T
2886	4398T	4622	4349T, 4350T
2888	4424	4624	4309T
2893	4399	4625	4309T
2919	4438	4626	4309T
2964	4330	4629	4309T
2966	4376	4632	4309T
3029	4328T	4653	4309T
3092	4401	4722	4351T, 4418
3136	4357	4723	4351T, 4352T, 4418
3173	4424	4746	4291
3178	4432	4763	4327T
3184	4373	4774	4343
3233	4317	4775	4343
3275	4436	4776	4343
3317	4305, 4433	4777	4343
3365	4307	4802	4309T
3390	4363	4808	4309T
3451	4326	4809	4309T
3455	4344	4811	4309T
3458	4385	5504	4298P
3480	4307, 4314T, 4371T	5524	4420
3490	4378	5525	4420
3568	4310	5601_8	4442T
3599	4424	5602_8	4324
3642	4370	5606_11	4408
3666	4379T	5607_5	4338P
3683	4306	5607_6	4338P
3715	4387	5607_8	4338P
3757	4396T	5608_5	4311
3778	4365T	5613_1	4325P
3790	4398T	5613_6	4378
3796	4365T	5613_7	4325P
3833	4420	5613_8	4325P
3837	4301	5613_9	4325P
3849	4333	5614_1	4338P
3851	4295	5615_23	4299, 4383
3852	4295	5620_14	4436
3945	4321		
3947	4420		
3950	4398T	Australian Chart No.	Notices
3966	4372		
3984	4388T		
4014	4384	Aus 57	4355
4021	4384	Aus 59	4356
4022	4384	Aus 327	4351T, 4352T, 4353
4030	4342	Aus 824	4347
4035	4323T	Aus 827	4348T
4036	4323T	Aus 832	4360
4038	4322T, 4342	Aus 833	4360
4039	4323T		
4040	4322T, 4323T, 4342		

II

INDEX OF CHARTS AFFECTED

Bangladeshi Chart No.	Notices	International Chart No.	Notices
BD 7510	4308	INT 400	4397P
Belgian Chart No.	Notices	INT 402	4397P
BE 101	4302T, 4405T	INT 506	4309T
German Chart No.	Notices	INT 603	4350T
DE 31	4419	INT 604	4309T, 4350T
DE 44	4416	INT 605	4309T
DE 46	4422	INT 606	4309T
DE 47	4417	INT 607	4309T
DE 50	4302T, 4405T	INT 617	4309T
DE 90	4302T, 4405T	INT 622	4349T, 4350T
DE 1671	4421	INT 624	4309T
Indian Chart No.	Notices	INT 625	4309T
IN 22	4382	INT 626	4309T
IN 32	4382	INT 629	4309T
IN 207	4386	INT 632	4309T
IN 221	4382	INT 653	4309T
IN 255	4382	INT 722	4351T, 4418
IN 260	4382	INT 723	4351T, 4352T, 4418
IN 292	4382	INT 752	4382
IN 2027	4366	INT 754	4382
IN 3028	4364P	INT 758	4330
IN 3039	4426	INT 802	4309T
New Zealand Chart No.	Notices	INT 809	4309T
NZ 43	4334	INT 811	4309T
NZ 681	4335	INT 1041	4394
NZ 5612	4331	INT 1042	4299, 4383
NZ 6821	4335	INT 1043	4383
Panamanian Chart No.	Notices	INT 1045	4302T, 4405T
CP 5	4298P	INT 1218	4411
Papua New Guinea Chart No.	Notices	INT 1239	4358T
PNG 386	4349T, 4354T	INT 1297	4296
PNG 387	4354T	INT 1354	4421
PNG 523	4349T	INT 1357	4419
Italian Chart No.	Notices	INT 1400	4299, 4394
IT 84	4423	INT 1416	4302T, 4405T
International Chart No.	Notices	INT 1417	4302T, 4405T
INT 14	4384	INT 1418	4302T, 4361, 4405T
INT 21	4384	INT 1420	4302T, 4405T
INT 22	4384	INT 1422	4302T, 4361, 4405T
INT 61	4312	INT 1423	4302T, 4374, 4405T
INT 209	4384	INT 1425	4313
		INT 1426	4300
		INT 1452	4416
		INT 1453	4422
		INT 1454	4417
		INT 1461	4302T, 4405T
		INT 1471	4302T, 4405T
		INT 1472	4302T, 4374, 4405T
		INT 1473	4302T, 4405T
		INT 1474	4302T, 4405T
		INT 1477	4302T, 4405T
		INT 1560	4338P
		INT 1561	4292T
		INT 1564	4292T
		INT 1570	4338P
		INT 1573	4408
		INT 1607	4325P
		INT 1643	4378
		INT 1651	4436
		INT 1704	4439
		INT 1705	4439
		INT 1724	4324
		INT 1725	4442T
		INT 1750	4439
		INT 1851	4315
		INT 2087	4384
		INT 2612	4329T
		INT 2613	4329T
		INT 2807	4384

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 2808	4384		
INT 3360	4320T, 4435		
INT 3386	4423		
INT 5251	4379T		
INT 5252	4307		
INT 5254	4307		
INT 5355	4379T		
INT 5362	4363		
INT 5363	4369		
INT 5364	4370		
INT 5709	4301		
INT 7006	4330		
INT 7017	4398T		
INT 7018	4398T		
INT 7021	4382		
INT 7143	4400		
INT 7154	4330		
INT 7199	4424		
INT 7224	4387		
INT 7226	4432		
INT 7238	4432		
INT 7239	4432		
INT 7243	4398T		
INT 7244	4398T		
INT 7250	4398T		
INT 7252	4398T		
INT 7260	4398T		
INT 7285	4428		
INT 7334	4382		
INT 7344	4386		
INT 7362	4382		
INT 7404	4364P		
INT 7427	4308		
INT 7428	4308		
INT 7736	4346		
INT 9313	4357		

II

4300* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 1186 (INT 1426) (Panel A, Canvey Island to Coalhouse Point) [*previous update 3577/26*] ETRS89 DATUM

Insert	depth, 86	(a)	51° 28'·424N., 0° 27'·332E.
Delete	depth, 87, close NW of:	(a)	above
Insert	depth, 87	(b)	51° 28'·591N., 0° 27'·404E.
Delete	former depth, 87, close SE of:	(b)	above
Replace	depth, 96, with depth, 94		51° 29'·157N., 0° 27'·642E.

II

4306* ENGLAND - East Coast - Depths.

Source: Peel Ports Medway

Chart 3683 (Panel, Sheerness) [*previous update 5311/25*] ETRS89 DATUM

Insert	depth, 162	(a)	51° 27′ ·031N., 0° 44′ ·179E.
Delete	depth, 175, close SE of:	(a)	above

Chart 3683 [*previous update 5311/25*] ETRS89 DATUM

Insert	depth, 162	(a)	51° 27′ ·031N., 0° 44′ ·179E.
Delete	depth, 175, close SE of:	(a)	above

II

4311* ENGLAND - Bristol Channel - Buoy.

Source: Bideford Harbour Authority Notice 01/06/26

Chart 1160 (Panel F, Barnstaple and Bideford) [*previous update New Edition 13/11/2025*] ETRS89 DATUM

Insert

 *Fl.Y.5s*

51° 04′·02N., 4° 11′·17W.

Chart 5608_5 (Panel A, Barnstaple and Bideford) [*previous update New Edition 08/01/2026*] ETRS89 DATUM

Insert

 *Fl.Y.5s*

51° 04′·02N., 4° 11′·17W.

II

4313* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 2151 (INT 1425) [*previous update 3765/26*] ETRS89 DATUM

Insert	depth, 75	51° 29'·036N., 0° 12'·394E.
	depth, 35	(a) 51° 28'·862N., 0° 13'·305E.
Delete	depth, 37, close NW of:	(a) above

Chart 2151 (INT 1425) (Panel A, Continuation at same scale) [*previous update 3765/26*] ETRS89 DATUM

Insert	depth, 75	51° 29'·036N., 0° 12'·394E.
	depth, 54	(a) 51° 30'·794N., 0° 06'·928E.
Delete	depth, 58, close SE of:	(a) above
Insert	depth, 47, and extend 5m contour NW to enclose	(b) 51° 30'·823N., 0° 06'·900E.
Delete	depth, 49, close SE of:	(b) above

II

4324* ENGLAND - South Coast - Buoyage.

Source: Teignmouth Harbour Commission

Chart 26 (INT 1724) (Panel C, Teignmouth Harbour) [*previous update 3761/26*] ETRS89 DATUM

Insert	 <i>Fl.R.2s</i>	50° 32'·358N., 3° 30'·011W.
	 <i>Fl.G.2s Den Point</i>	50° 32'·428N., 3° 30'·082W.

Chart 5602_8 (Panel C, Teignmouth) [*previous update 3761/26*] ETRS89 DATUM

Insert	 <i>Fl.R.2s</i>	50° 32'·357N., 3° 30'·007W.
	 <i>Fl.G.2s Den Point</i>	50° 32'·428N., 3° 30'·082W.

II

4341* ENGLAND - East Coast - Drying heights.

Source: Peel Ports Medway

Chart 2571 (Panel A, Faversham Creek) [*previous update 3566/20*] ETRS89 DATUM

Insert	drying height, <i>I</i> 3	(a) 51° 20′·633N., 0° 53′·946E.
Delete	drying height, <i>0</i> 3, close W of:	(a) above

Chart 2571 [*previous update 3566/20*] ETRS89 DATUM

Insert	drying height, <i>I</i> 3	(a) 51° 20′·633N., 0° 53′·946E.
Delete	drying height, <i>0</i> 3, close W of:	(a) above

II

4378* ENGLAND - West Coast - Depths. Drying heights.

Source: Peel Ports Liverpool

Chart 3490 (INT 1643) (Panel B, Tranmere to Garston and Eastham) [*previous update 4279/26*] ETRS89 DATUM

Insert	depth, 36	53° 21'·836N., 2° 58'·740W.
	depth, 6	53° 21'·831N., 2° 58'·164W.
	drying height, 21	(a) 53° 21'·711N., 2° 58'·640W.
Delete	drying height, 16, close SE of:	(a) above

Chart 5613_6 [*previous update 3320/26*] ETRS89 DATUM

Insert	depth, 36	53° 21'·836N., 2° 58'·740W.
	depth, 6	53° 21'·831N., 2° 58'·164W.
	drying height, 21	(a) 53° 21'·711N., 2° 58'·640W.
Delete	drying height, 16, close SE of:	(a) above

II

4408* ENGLAND - East Coast - Buoy.

Source: Peel Ports

Chart 1834 [*previous update 3554/26*] ETRS89 DATUM

Replace  *W Bulwark* with  *W Bulwark* 51° 25′·380N., 0° 39′·129E.

Chart 2482 (INT 1573) [*previous update 3554/26*] ETRS89 DATUM

Replace  *W Bulwark* with  *W Bulwark* 51° 25′·38N., 0° 39′·08E.

Chart 5606_11 (Panel A, Saltpan Reach to Chatham Reach) [*previous update 3554/26*] ETRS89 DATUM

Replace  *W Bulwark* with  *W Bulwark* 51° 25′·38N., 0° 39′·08E.

II

4436* WALES - South Coast - Beacons. Submarine power cable.

Source: Milford Haven Port Authority

Chart 3275 (INT 1651) [*previous update 4191/26*] ETRS89 DATUM

Insert	symbol, yellow unlit beacon with diamond topmark	51° 43' · 147N., 4° 52' · 619W.
		(a) 51° 42' · 997N., 4° 52' · 498W.
	submarine power cable,    , joining:	51° 43' · 144N., 4° 52' · 616W.
		(a) above

Chart 5620_14 (Panel A, River Cleddau) [*previous update 868/23*] ETRS89 DATUM

Insert	symbol, yellow unlit beacon with diamond topmark	51° 43' · 147N., 4° 52' · 619W.
		(a) 51° 42' · 997N., 4° 52' · 498W.
	submarine power cable,    , joining:	51° 43' · 143N., 4° 52' · 616W.
		(a) above

II

4310 FØROYAR - Landmark. Light.

Source: Faroese Notice 5/23/26

Chart 1129 [*previous update 1465/26*] WGS84 DATUM

Amend Akraberg light to, Fl(2)WRG.20-14M (Jul-May) 61° 23'·6N., 6° 40'·8W.

Chart 3568 [*previous update 3694/26*] WGS84 DATUM

Insert  (R Lts) (a) 61° 23'·86N., 6° 40'·98W.

Delete ★ Akraberg Radiomast Fl.R.1.5s 253m 10M (3 vert) and
associated all round red sector, close SW of: (a) above

II

4357 NORWEGIAN SEA - Svalbard - Rocks. Depth.

Source: Norwegian Notices 13/81998/26,13/82031/26 and 13/82036/26

Chart 3136 (INT 9313) [*previous update 5749/25*] WGS84 DATUM

Insert	+ (35)	80° 16′·4N., 18° 51′·8E.
	+ (25)	80° 18′·2N., 18° 55′·1E.
	+ (43)	80° 20′·5N., 18° 43′·2E.
	⚡	80° 20′·7N., 18° 38′·0E.
	+ (75)	80° 21′·5N., 18° 31′·8E.
	+ (97)	(a) 80° 23′·1N., 18° 33′·7E.
Delete	depth, 13, close S of: (a) above	

II

4376 RUSSIA - Barents Sea Coast - Buoy. Marine farms. Note.

Source: Russian Notices 28/2604-2605/26

Chart 2333 [*previous update 848/26*] WGS84 DATUM


Insert



69° 19'·93N., 34° 00'·76E.

Chart 2966 (Panel, Murmansk) [*previous update 2930/26*] WGS84 DATUM

Insert



68° 56'·74N., 33° 00'·72E.

Chart 2966 [*previous update 2930/26*] WGS84 DATUM

Insert



69° 17'·69N., 33° 23'·04E.

69° 17'·28N., 33° 43'·44E.

69° 12'·28N., 33° 34'·17E.

limit of marine farm, pecked line, joining:

(a) 69° 08'·56N., 33° 25'·36E.

(b) 69° 08'·83N., 33° 27'·23E.

(c) 69° 08'·74N., 33° 27'·62E.

(d) 69° 08'·64N., 33° 27'·42E.

(e) 69° 08'·27N., 33° 25'·45E.

(f) 69° 08'·33N., 33° 25'·34E.

, within:

(a)-(f) above

the accompanying note, MARINE FARMS, centred on:

69° 04'·23N., 33° 45'·55E.

II

4296 POLAND - Depths.

Source: Polish chart 47

Chart 2677 (INT 1297) [*previous update 3931/26*] WGS84 DATUM

Insert depth, *116*

(a) 53° 43'·34N., 14° 27'·35E.

Delete depth, *128*, close NW of:

(a) above

II

4411 POLAND - Note.

Source: Polish Notice 26/312/26

Chart 2040 (INT 1218) [*previous update 4237/26*] WGS84 DATUM

Replace	the existing note, GAS (55°24'N 18°14'E), with the accompanying note, GAS (55°24'N 18°14'E) (55°05'N 18°37' 'E), centred on:	54° 26'·87N., 20° 57'·97E.
---------	--	----------------------------

Chart 2288 [*previous update 4096/26*] WGS84 DATUM

Replace	the existing note, GAS (55°24'N 18°14'E), with the accompanying note, GAS (55°10'N 18°21'E) (55°10'N, 18°39' 'E), centred on:	54° 50'·1N., 20° 25'·5E.
---------	---	--------------------------


II

4419* GERMANY - Baltic Coast - Obstruction.

Source: WSA Ostsee 261/26

Chart DE 31 (INT 1357) [*previous update 3729/26*] WGS84 DATUM

Insert



54° 20′·82N., 11° 05′·03E.

II

4421* GERMANY - Baltic Coast - Buoyage.

Source: WSA Ostsee 255/26

Chart DE 1671 (INT 1354) [*previous update 4140/26*] WGS84 DATUM

Insert



Fl(5)Y.20s ODAS 143

54° 14′·01N., 11° 47′·95E.



Fl(5)Y.20s ODAS 144

54° 13′·95N., 11° 47′·95E.

II

4299* NORTH SEA - United Kingdom Sector - Moored storage tanker. Radar beacon. Obstruction. Restricted area.

Source: Ithaca Energy

Chart 272 [previous update 3629/26] WGS84 DATUM

- Replace  FPF-1 and associated radar beacon, *Racon(T)*, with  *Obstn* (a) 56° 46'·85N., 2° 06'·54E.
- Delete circular limit of restricted area, radius 500m (0·27M), ,
centred on: (a) above

Chart 273 [previous update 3526/26] WGS84 DATUM

- Replace  FPF-1 and associated radar beacon, *Racon(T)*, with  *Obstn* (a) 56° 46'·85N., 2° 06'·54E.
- Delete circular limit of restricted area, radius 500m (0·27M), ,
centred on: (a) above

Chart 1405 (INT 1400) [previous update 3989/26] WGS84 DATUM

- Replace  and associated radar beacon, *Racon(T)*, with  *Obstn* (a) 56° 46'·8N., 2° 06'·5E.
- Delete circular limit of restricted area, radius 500m (0·27M), ,
centred on: (a) above

Chart 2182B (INT 1042) [previous update 3629/26] WGS84 DATUM

- Replace  and associated radar beacon, *Racon(T)*, with  *Obstn* 56° 46'·8N., 2° 06'·5E.

Chart 5615_23 [previous update 3195/26] WGS84 DATUM

- Replace  and associated radar beacon, *Racon(T)*, with  *Obstn* 56° 46'·8N., 2° 06'·5E.

II

4359 NORTH SEA - Netherlands Sector - Buoyage.

Source: Netherlands Notice 35/204/26

Chart 1408 [*previous update 4195/26*] WGS84 DATUM

Replace	 Fl.Y.3s HKW 6A with  Fl.Y.5s HKW 6	52° 35′·8N., 3° 40′·4E.
Delete	 Fl.Y.5s HKW 6	52° 40′·1N., 3° 45′·9E.

II

4361 NORTH SEA - Netherlands Sector - Buoyage.

Source: Netherlands Notice 35/204/26

Chart 125 (INT 1422) [*previous update 4200/26*] WGS84 DATUM

Replace  *Fl.Y.3s HKW 6A* with  *Fl.Y.5s HKW 6* 52° 35'·83N., 3° 40'·44E.

Chart 1631 (INT 1418) [*previous update 4200/26*] WGS84 DATUM

Replace  *Fl.Y.3s HKW 6A* with  *Fl.Y.5s HKW 6* 52° 35'·83N., 3° 40'·44E.

Delete  *Fl.Y.5s HKW 6* 52° 40'·06N., 3° 45'·83E.

II

4374 NETHERLANDS - Depths.

Source: Netherlands Notice 35/206/26

Chart 122 (INT 1472) [*previous update 4164/26*] WGS84 DATUM

Insert	depth, 132	52° 08′·48N., 4° 07′·26E.
	depth, 93, enclosed by 10m contour	52° 03′·85N., 4° 05′·98E.

Chart 130 (INT 1423) [*previous update 4164/26*] WGS84 DATUM

Insert	depth, 132	52° 08′·48N., 4° 07′·26E.
	depth, 93, enclosed by 10m contour	52° 03′·85N., 4° 05′·98E.

II

4383* NORTH SEA - United Kingdom Sector - Wrecks.

Source: Silaz McCormick

Chart 266 [*previous update 3944/26*] WGS84 DATUM

Insert		55° 15'·85N., 2° 03'·67E.
		55° 14'·14N., 1° 56'·97E.
		55° 10'·78N., 1° 55'·45E.

Chart 268 [*previous update New Edition 16/07/2026*] WGS84 DATUM

Insert		55° 15'·85N., 2° 03'·67E.
		55° 14'·14N., 1° 56'·97E.
		55° 10'·78N., 1° 55'·45E.

Chart 2182A (INT 1043) [*previous update 3818/26*] WGS84 DATUM

Insert		55° 15'·9N., 2° 03'·7E.
		55° 14'·1N., 1° 57'·0E.
		55° 10'·8N., 1° 55'·5E.

Chart 2182B (INT 1042) [*previous update 4299/26*] WGS84 DATUM

Insert		55° 15'·9N., 2° 03'·7E.
		55° 14'·1N., 1° 57'·0E.
		55° 10'·8N., 1° 55'·5E.

Chart 5615_23 [*previous update 4299/26*] WGS84 DATUM

Insert		55° 15'·9N., 2° 03'·7E.
		55° 14'·1N., 1° 57'·0E.
		55° 10'·8N., 1° 55'·5E.

II

4394 NORTH SEA - Norwegian Sector - Danger line. Legend.

Source: Norwegian HO

Chart 274 [*previous update 3989/26*] WGS84 DATUM

Insert	circular limit of danger line, radius 2500m (1·35M), dotted line, centred on: legend, <i>Obstn</i> , within:	(a) 58° 46′·12N., 2° 45′·65E. (a) above
--------	---	--

Chart 1405 (INT 1400) [*previous update 4299/26*] WGS84 DATUM

Insert	circular limit of danger line, radius 2500m (1·35M), dotted line, centred on: legend, <i>Obstn</i> , within:	(a) 58° 46′·1N., 2° 45′·6E. (a) above
--------	---	--

Chart 2182C (INT 1041) [*previous update 3989/26*] WGS84 DATUM

Insert	circular limit of danger line, radius 2500m (1·35M), dotted line, centred on: legend, <i>Obstn</i> , within:	(a) 58° 46′·1N., 2° 45′·6E. (a) above
--------	---	--

II

4402 NORTH SEA - Netherlands Sector - Virtual aid to navigation.

Source: Netherlands Chart 1035

Chart 1408 [*previous update 4359/26*] WGS84 DATUM

Delete symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position

52° 54′·5N., 3° 24′·7E.

II

4416* GERMANY - North Sea Coast - Foul. Rock.

Source: WSA Elbe-Nordsee 272/26

Chart DE 44 (INT 1452) [*previous update 4039/26*] WGS84 DATUM

Replace $\#$ with $\begin{array}{c} + \\ \hline \end{array}$ (17)

53° 57'·96N., 8° 34'·43E.

II

4417* GERMANY - North Sea Coast - Signal station. Light.

Source: BSH N2/26

Chart DE 47 (INT 1454) (Panel C, Bützfleth and Stadersand) [*previous update 4141/26*] WGS84 DATUM

Delete

☉ SS(Traffic)(occas)

53° 38′·950N., 9° 30′·796E.

★ F.G.6m2M (F Fog)(occas) and associated sector

53° 38′·919N., 9° 30′·776E.

Chart DE 47 (INT 1454) [*previous update 4141/26*] WGS84 DATUM

Delete

☉ SS(Traffic)(occas)

53° 38′·95N., 9° 30′·80E.

II

4422* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee LP31526/26

Chart DE 46 (INT 1453) [*previous update 3965/26*] WGS84 DATUM

Insert depth, *84*

(a) 53° 52'·14N., 9° 15'·53E.

Delete depth, *9*, close E of:

(a) above

II

4441* NORTH SEA - United Kingdom Sector - Maritime limits.
Source: TAQA

Chart 295 [*previous update 3989/26*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a)	61° 14'·05N., 1° 22'·32E. 61° 14'·07N., 1° 08'·11E. 61° 14'·66N., 1° 08'·05E.
		(b)	61° 16'·80N., 1° 24'·21E.
Delete	former maritime limit, pecked line, joining:	(a)	above 61° 14'·38N., 1° 08'·99E. 61° 14'·58N., 1° 08'·98E.
		(b)	above

II

4315 SPAIN - North Coast - Buoyage.

Source: Spanish Notices 31/176-177/26

Chart 1173 (INT 1851) [*previous update 2095/26*] WGS84 DATUM

Delete

 *Fl.Y.5s1M*

43° 20'·780N., 3° 03'·064W.

Chart 1174 [*previous update 4251/26*] WGS84 DATUM

Delete

buoy out of position,  *Fl(5)Y.20s3M*

43° 22'·90N., 3° 07'·83W.

 *Fl(5)Y.20s1M ODAS*

43° 22'·92N., 3° 07'·82W.

II

4439 FRANCE - North Coast - Wrecks. NM Blocks.

Source: French Notice 31/46/26

Chart 2136 [*previous update 4238/26*] WGS84 DATUM

Replace	 <i>Wk</i> with  <i>Wk</i>	49° 24'·71N., 0° 15'·47W.
	 <i>Wk</i> with  <i>Wk</i>	49° 25'·59N., 0° 15'·06W.
	 <i>Wk</i> with  <i>Wk</i>	49° 25'·27N., 0° 12'·93W.

Chart 2146 (INT 1750) [*previous update 4238/26*] WGS84 DATUM

Replace	 <i>Wk</i> with  <i>Wk</i>	49° 24'·71N., 0° 15'·47W.
	 <i>Wk</i> with  <i>Wk</i>	49° 25'·59N., 0° 15'·06W.
	 <i>Wk</i> with  <i>Wk</i>	49° 25'·27N., 0° 12'·93W.

Chart 2148 [*previous update 3201/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	50° 01'·8N., 0° 27'·5E.
Replace	depth,  and associated danger line and legend, <i>Wks</i> with  <i>Wk</i>	49° 59'·71N., 1° 02'·43E.

Chart 2451 (INT 1704) [*previous update 3201/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	50° 02'·0N., 0° 27'·7E.
Replace	 <i>Wk</i> with  <i>Wk</i>	49° 59'·71N., 1° 02'·43E.

Chart 2613 (INT 1705) [*previous update 3528/26*] WGS84 DATUM

Replace	 <i>Wk</i> with  <i>Wk</i>	49° 24'·71N., 0° 15'·47W.
	 <i>Wk</i> with  <i>Wk</i>	49° 25'·59N., 0° 15'·06W.
	 <i>Wk</i> with  <i>Wk</i>	49° 25'·27N., 0° 12'·93W.

II

4294 CROATIA - Depths. Obstruction.

Source: ENC HR400032

Chart 515 [previous update 3885/26] WGS84 DATUM

Insert	depth, 194, and extend 20m contour E to enclose	(a)	44° 13'·10N., 14° 54'·65E.
Delete	depth, 26, close NW of:	(a)	above
Insert	depth, 35, enclosed by 50m contour	(b)	44° 11'·27N., 14° 53'·03E.
Delete	depth, 66, close W of:	(b)	above
Insert	depth, 31, and extend 50m contour SW to enclose		44° 09'·06N., 14° 55'·29E.
	depth, 36, enclosed by 50m contour		44° 07'·55N., 14° 58'·40E.
	depth, 225	(c)	44° 08'·77N., 15° 01'·91E.
Delete	depth, 30, close SE of:	(c)	above
Insert	depth, 25	(d)	44° 09'·98N., 15° 00'·51E.
Delete	depth, 30, close SW of:	(d)	above
Insert	depth, 49, enclosed by 50m contour	(e)	44° 10'·82N., 15° 03'·77E.
Delete	depth, 55, close W of:	(e)	above
Insert	depth, 27	(f)	44° 11'·48N., 15° 01'·71E.
Delete	depth, 31, close S of:	(f)	above
Replace	depth, 29, with depth, 191, enclosed by 20m contour		44° 14'·68N., 14° 52'·41E.
	depth, 132, enclosed by 20m contour, with  Obstr		44° 06'·20N., 15° 01'·20E.

Chart 2773 (Panel E, Sedmovraće) [previous update 4024/26] WGS84 DATUM

Insert	depth, 116	(a)	44° 13'·50N., 14° 54'·25E.
Delete	depth, 14, close SW of:	(a)	above
Insert	depth, 194, and extend 20m contour E to enclose	(b)	44° 13'·10N., 14° 54'·65E.
Delete	depth, 26, close NW of:	(b)	above
Insert	depth, 35, enclosed by 50m contour		44° 11'·27N., 14° 53'·03E.
	depth, 31, enclosed by 50m contour	(c)	44° 09'·06N., 14° 55'·29E.
Delete	depth, 62, close SW of:	(c)	above

II

4303 ITALY - Sardegna - Restricted area. Marine farm. Buoyage. Legend.

Source: Italian Notice 14.7/26

Chart 1205 (Panel, Oristano) [*previous update 3440/23*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	39° 52'·51N., 8° 30'·28E. 39° 52'·40N., 8° 30'·40E. 39° 52'·25N., 8° 30'·20E. 39° 52'·35N., 8° 30'·07E.
	limit of marine farm, pecked line, joining::	(a) 39° 52'·47N., 8° 30'·28E. (b) 39° 52'·40N., 8° 30'·35E. (c) 39° 52'·29N., 8° 30'·20E. (d) 39° 52'·35N., 8° 30'·12E.
	 , within:	(a)-(d) above
		(a) above (b) above (c) above
	 Fl.Y.3s	(d) above

Chart 1205 [*previous update 3440/23*] WGS84 DATUM

Insert		(a) 39° 52'·38N., 8° 30'·24E.
	legend, (<i>buoyed</i>), close E of:	(a) above

II

4304 CROATIA - Depths. Jetties. Floating barriers. Outfall.

Source: ENC HR50047E

Chart 269 (Panel E, Split) [*previous update 3572/26*] WGS84 DATUM

Insert	depth, <i>108</i>	(a)	43° 32'·647N., 16° 24'·193E.
Delete	depth, <i>64</i> , close NW of:	(a)	above
Insert	depth, <i>134</i>	(b)	43° 32'·591N., 16° 24'·311E.
Delete	depth, <i>139</i> , close NW of:	(b)	above
Insert	jetty, double firm line, width 9m, joining:		43° 32'·677N., 16° 24'·235E.
			43° 32'·612N., 16° 24'·234E.
			and
			43° 32'·680N., 16° 24'·169E.
			43° 32'·625N., 16° 24'·168E.
	boom, pecked line, joining:		43° 32'·175N., 16° 28'·008E.
			43° 32'·161N., 16° 28'·006E.
			and
			43° 32'·199N., 16° 28'·059E.
			43° 32'·192N., 16° 28'·087E.
			43° 32'·175N., 16° 28'·108E.
	outfall,  , joining:		43° 30'·071N., 16° 27'·807E.
			43° 29'·914N., 16° 28'·024E.

Chart 2712 [*previous update 3990/26*] WGS84 DATUM

Insert	outfall,  , joining:	43° 30'·07N., 16° 27'·81E.
		43° 29'·91N., 16° 28'·02E.

II

4305 GEORGIA - Buoy.

Source: ENC GE510110

Chart 3317 (Panel C, Bat'umi) [*previous update 4289/26*] WGS84 DATUM

Insert



ODAS

41° 40′·039N., 41° 39′·915E.

II

4332 CROATIA - Buoy.

Source: Croatian Notice 7/14/26

Chart 269 (Panel E, Split) [*previous update 4304/26*] WGS84 DATUM

Insert



43° 29'·34N., 16° 27'·68E.

II

4339 GREECE - Aegean Sea Coast - Light-beacons. Leading line. Legend.

Source: ENC GR542S01

Chart 1636 (Panel, Lágos and Approaches) [*previous update 2364/26*] ED50 DATUM

Insert	symbol, white light-beacon with cone point down topmark, F.Y.7m3M	(a) 41° 00′·53N., 25° 07′·81E.
	leading line, pecked line for 550m then firm line for 1540m, extending in direction 203·5°, from:	(a) above
	legend, 23°-203·5°, seaward end of:	(a) above
	 F.Y.6m3M	41° 00′·44N., 25° 07′·75E.

II

4345 GREECE - Aegean Sea Coast - Legend.

Source: Greek Notice 7/131/26

Chart 1541 (Panel E, Nísos Thíra) [*previous update 3448/26*] WGS84 DATUM

Insert legend, Works in progress (2026), centred on: 36° 20′ · 12N., 25° 25′ · 47E.

II

4410 CROATIA - Note. Legend.

Source: Croatian Notice 5/7/26

Chart 2773 (Panel A, Šibenik and Approaches) [*previous update 4294/26*] WGS84 DATUM

Insert	the accompanying note, NAVIGATION REGULATIONS, centred on:	43° 45'·44N., 15° 47'·87E.
	legend, <i>Navigation Regulations (see Note)</i> , centred on:	43° 43'·39N., 15° 51'·98E.

II

4412 ROMANIA - Wreck.

Source: Romanian HO

Chart 2230 [*previous update 3097/26*] WGS84 DATUM

Insert



44° 36'·2N., 29° 46'·8E.

Chart 2232 [*previous update 3097/26*] WGS84 DATUM

Insert



44° 36'·2N., 29° 46'·8E.

II

4415 ITALY - Sicilia - Alongside depths. Depths. Obstruction. Rock.

Source: Italian Notice 14.17/26

Chart 963 (Panel D, Porto di Termini Imerese) [*previous update 2212/26*] WGS84 DATUM

Insert	alongside depth, •(81)	(a)	37° 59′·19N., 13° 42′·52E.
Delete	depth, 66, close NE of:	(a)	above
Insert	depth, 93	(b)	37° 59′·28N., 13° 42′·43E.
Delete	depth, 89, close NE of:	(b)	above
Insert	alongside depth, •(89)		37° 59′·21N., 13° 42′·26E.
	depth, 84		37° 59′·38N., 13° 42′·29E.
	alongside depth, •(78)	(c)	37° 59′·42N., 13° 42′·58E.
Delete	 Obstn, close SE of:	(c)	above
Insert	depth, 8	(d)	37° 59′·31N., 13° 42′·79E.
Delete	depth, 62, close SE of:	(d)	above
Insert	depth, 92	(e)	37° 59′·17N., 13° 43′·11E.
Delete	depth, 66, close NW of:	(e)	above
Insert	depth, 66		37° 59′·07N., 13° 43′·11E.
Replace	 , with depth, 62		37° 59′·17N., 13° 42′·66E.
	depth, 45, with depth, 39		37° 59′·17N., 13° 42′·59E.

II

4423 ITALY - West Coast - Light.

Source: Italian Notice 15.14/26

Chart IT 84 (INT 3386) [*previous update 3113/26*] WGS84 DATUM

Delete

★ F.RG(vert)3M

40° 50′·528N., 14° 16′·538E.

II

4425 ITALY - West Coast - Rock.

Source: Italian Notice 15.15/26

Chart 908 [*previous update 4094/26*] WGS84 DATUM

Insert

 with seabed type, *R*

40° 44'·16N., 13° 50'·90E.

II

4433 GEORGIA - Buoyage. Reported anchorages. Foul. Wreck.
Source: ENC's GE410325 and GE610301

Chart 3317 (Panel B, P'ot'i) [*previous update 4305/26*] WGS84 DATUM

Move	 <i>Fl.G.3s</i> , from:	42° 09'·747N., 41° 38'·400E.
	to:	42° 09'·765N., 41° 38'·543E.
Delete	 <i>No I</i>	42° 09'·600N., 41° 38'·300E.

Chart 3317 (Panel A, Approaches to P'ot'i) [*previous update 4305/26*] WGS84 DATUM

Insert	 <i>No I</i>	42° 09'·60N., 41° 38'·00E.
Delete	former,  <i>No I</i>	42° 09'·60N., 41° 38'·30E.
	#	42° 09'·10N., 41° 37'·10E.
		42° 09'·42N., 41° 36'·37E.
	 <i>Wk</i>	42° 10'·46N., 41° 36'·04E.

II

4434 ITALY - Sicilia - NM Block.

Source: Italian Notices 15.18-19/26

Chart 964 (Panel F, Mazara del Vallo) [*previous update 3737/26*] WGS84 DATUM

Insert the accompanying block, centred on: 37° 38'·8N., 12° 35'·0E.

II

4435 ITALY - West Coast - Depths.

Source: Italian Chart 106

Chart 356 (INT 3360) [*previous update 2902/26*] WGS84 DATUM

Insert depth, *152*

(a) 44° 20'·93N., 8° 56'·30E.

Delete depth, *175*, close NW of:

(a) above

II

4384 BENIN - Light.

Source: French Notice 22/170/26

Chart 595 (INT 2087) [*previous update 964/26*] WGS84 DATUM

Delete

★ Fl.20M

6° 21'·0N., 2° 26'·5E.

Chart 1384 (INT 2807) [*previous update 924/26*] WGS84 DATUM

Delete

★ Fl.20M and associated circular white arc

6° 21'·1N., 2° 26'·5E.

Chart 1385 (INT 2808) [*previous update 1202/26*] WGS84 DATUM

Delete

★ Fl.20M

6° 21'·1N., 2° 26'·6E.

Chart 4014 (INT 14) [*previous update 3425/26*] WGS84 DATUM

Delete

★

6° 19'·5N., 2° 26'·3E.

Chart 4021 (INT 21) [*previous update 1644/26*] WGS84 DATUM

Delete

★

6° 19'·4N., 2° 26'·0E.

Chart 4022 (INT 22) [*previous update 1644/26*] WGS84 DATUM

Delete

★

6° 19'·5N., 2° 26'·6E.

Chart 4209 (INT 209) [*previous update 964/26*] WGS84 DATUM

Delete

★

6° 22'·2N., 2° 25'·7E.

II

4330 SAUDI ARABIA - Red Sea Coast - Depths. Danger line.
Source: ENC S14R0158

Chart 15 (INT 7154) [*previous update 3815/26*] WGS84 DATUM

Insert	depth, 48	(a)	16° 26'·00N., 41° 35'·39E.
Delete	depth, 64, close SE of:	(a)	above
Insert	depth, 53	(b)	16° 28'·28N., 41° 31'·42E.
Delete	depth, 64, close SE of:	(b)	above
Insert	depth, 32		16° 33'·54N., 41° 34'·81E.
	depth, 192, enclosed by 20m contour	(c)	16° 36'·78N., 41° 41'·56E.
Delete	depth, 35, close SE of:	(c)	above
Insert	depth, 285	(d)	16° 36'·58N., 41° 51'·29E.
Delete	depth, 46, close NW of:	(d)	above
Insert	depth, 51	(e)	16° 36'·36N., 41° 52'·72E.
Delete	depth, 71, close SE of:	(e)	above
Insert	depth, 26	(f)	16° 36'·03N., 41° 57'·06E.
Delete	depth, 27, close S of:	(f)	above
Insert		(g)	16° 27'·58N., 41° 56'·72E.
Delete	depth, 146, close SE of:	(g)	above

Chart 157 (INT 7006) [*previous update 3815/26*] WGS84 DATUM

Insert	depth, 26	(a)	16° 36'·0N., 41° 57'·1E.
Delete	depth, 27, close SW of:	(a)	above
Insert	depth, 53	(b)	16° 28'·3N., 41° 31'·4E.
Delete	depth, 64, close SE of:	(b)	above
Replace	depth, 71, with depth, 51		16° 36'·4N., 41° 52'·7E.

Chart 2964 (INT 758) [*previous update 3025/25*] WGS84 DATUM

Insert	depth, 53	(a)	16° 28'·3N., 41° 31'·4E.
Delete	depth, 64, close SE of:	(a)	above

II

4387* UNITED ARAB EMIRATES - Light-beacons. Buoyage.

Source: AD Ports Group

Chart 3715 (INT 7224) [*previous update 4037/26*] WGS84 DATUM

Insert	 Fl. Y. 5s	(a) 24° 26'·59N., 54° 30'·17E.
Delete	 Fl. R. 3s, close SE of:	(a) above
Amend	designation of buoy to, <i>YAS-2</i>	24° 28'·97N., 54° 29'·25E.
	designation of buoy to, <i>YAS-4</i>	24° 28'·88N., 54° 29'·60E.
	designation of buoy to, <i>YAS-6</i>	24° 28'·82N., 54° 30'·22E.
	designation of buoy to, <i>YAS-8</i>	24° 28'·85N., 54° 30'·70E.
	designation of buoy to, <i>YAS-10</i>	24° 28'·75N., 54° 31'·18E.
	designation of buoy to, <i>YAS-12</i>	24° 28'·47N., 54° 31'·85E.
	designation of buoy to, <i>YAS-11</i>	24° 28'·40N., 54° 31'·77E.
	designation of buoy to, <i>YAS-9</i>	24° 28'·67N., 54° 31'·13E.
	designation of buoy to, <i>YAS-7</i>	24° 28'·75N., 54° 30'·70E.
	designation of buoy to, <i>YAS-5</i>	24° 28'·72N., 54° 30'·22E.
	designation of buoy to, <i>YAS-3</i>	24° 28'·78N., 54° 29'·58E.
	designation of buoy to, <i>YAS-1</i>	24° 28'·72N., 54° 29'·38E.

II

4400 JORDAN - Pilot boarding places.

Source: Jordan Maritime Commission

Chart 801 (INT 7143) (Panel B, Eilat and Al 'Aqabah) [*previous update 4094/25*] WGS84 DATUM

Insert	① <i>Container Terminal</i>	29° 27'·40N., 34° 57'·50E.
Delete	former ① <i>Container Terminal</i>	29° 27'·79N., 34° 57'·89E.

Chart 801 (INT 7143) (Panel A, Approaches to Eilat and Al 'Aqabah) [*previous update 4094/25*] WGS84 DATUM

Move	① <i>Container Terminal</i> , from:	29° 27'·79N., 34° 57'·88E.
	to:	29° 27'·40N., 34° 57'·50E.

II

4424 IRAN - Wreck. Light-beacon.

Source: Iranian Notice 19/26

Chart 2888 (INT 7199) [*previous update 4124/26*] WGS84 DATUM

Insert



Fl(2)6s, close W of:

(a) 27° 01'·7N., 56° 15'·0E.

(a) above

Chart 3173 [*previous update 3428/26*] WGS84 DATUM

Insert



Fl(2)6s, close W of:

(a) 27° 01'·71N., 56° 14'·98E.

(a) above

Chart 3599 [*previous update 3428/26*] WGS84 DATUM

Insert



Fl(2)6s, close W of:

(a) 27° 01'·71N., 56° 14'·98E.

(a) above

II

4428* IRAQ - Buoyage.

Source: Daewoo E&C

Chart 1229 (INT 7285) [*previous update 4134/26*] WGS84 DATUM

Delete

 *Q.R*

29° 50′·09N., 48° 28′·68E.

29° 50′·09N., 48° 28′·82N.

29° 49′·97N., 48° 28′·68N.

29° 49′·97N., 48° 28′·82E.

II

4432* UNITED ARAB EMIRATES - Platform.

Source: UKHO and ADNOC

Chart 2443 (INT 7238) [*previous update 2258/26*] WGS84 DATUM

Delete



24° 54'·06N., 53° 18'·21E.

Chart 2444 (INT 7239) [*previous update New Edition 28/05/2026*] WGS84 DATUM

Delete



24° 54'·06N., 53° 18'·21E.

Chart 3178 (INT 7226) [*previous update New Edition 27/08/2026*] WGS84 DATUM

Delete



24° 54'·06N., 53° 18'·21E.

II

4308 BANGLADESH - Depths.

Source: ENC BD507427

Chart 102 (INT 7427) [*previous update 1997/26*] WGS84 DATUM

Insert	depth, 59	(a)	22° 07'·47N., 91° 49'·22E.
Delete	depth, 72, close SE of:	(a)	above
Insert	depth, 89	(b)	22° 05'·37N., 91° 48'·97E.
Delete	depth, 94, close NW of:	(b)	above

Chart BD 7510 (INT 7428) [*previous update New Chart 02/04/2026*] WGS84 DATUM

Insert	depth, 59	(a)	22° 07'·47N., 91° 49'·22E.
Delete	depth, 69, close SW of:	(a)	above
Insert	depth, 89	(b)	22° 05'·37N., 91° 48'·97E.
Delete	depth, 98, close SW of:	(b)	above

II

4346 INDIAN OCEAN - La Réunion - Obstruction. Depth. Floating dock. Legend. Buoy.

Source: French Notice 31/184/26

Chart 1495 (INT 7736) (Panel A, Port de Saint-Gilles les Bains) [*previous update 3817/26*] WGS84 DATUM

Insert	 <i>Obstn</i>	21° 03'·318S., 55° 13'·433E.
Replace	depth, 2, with depth, 07	21° 03'·332S., 55° 13'·386E.

Chart 1495 (INT 7736) (Panel B, Port Réunion (Pointe des Galets) Port Ouest) [*previous update 3817/26*] WGS84 DATUM

Insert	floating dock, single firm line, joining:	(a) 20° 56'·325S., 55° 17'·141E.
		(b) 20° 56'·327S., 55° 17'·157E.
		(c) 20° 56'·392S., 55° 17'·147E.
		(d) 20° 56'·389S., 55° 17'·129E.
		(e) 20° 56'·325S., 55° 17'·140E.
	legend, <i>TITAN</i> , close NE of:	(a)-(e) above
Delete	charted detail, within:	(a)-(e) above
Move	 <i>Q.G.</i> , from:	20° 56'·225S., 55° 17'·034E.
	to:	20° 56'·214S., 55° 17'·012E.

II

4366 INDIA - West Coast - Anchorage areas.

Source: Indian Notice 12/99/26

Chart IN 2027 [*previous update 2001/24*] WGS84 DATUM

Insert limit of anchorage area, pecked line, joining:

22° 43'·00N., 69° 57'·88E.

22° 42'·99N., 69° 57'·88E.

22° 42'·92N., 70° 00'·35E.

22° 43'·00N., 70° 00'·35E.

and

22° 43'·00N., 70° 00'·39E.

22° 42'·92N., 70° 00'·39E.

22° 43'·00N., 70° 00'·52E.

II

4382 INDIA - West Coast - Depths. Wrecks.

Source: Indian Notice 13/105/26

Note: Former Notices 2593(T)/26 and 2667(T)/26 are cancelled.

Chart IN 22 (INT 752) [*previous update 3892/26*] WGS84 DATUM

Insert	 PA	(a) 19° 04'·9N., 72° 44'·9E.
Delete	depth, 91, close NE of:	(a) above
Insert	 PA	(b) 8° 58'·0N., 76° 28'·0E.
Delete	depth, 174, close SE of:	(b) above

Chart IN 32 (INT 754) [*previous update 3550/26*] WGS84 DATUM

Insert	 PA	(a) 8° 58'·0N., 76° 28'·0E.
Delete	depth, 174, close SE of:	(a) above

Chart IN 221 [*previous update 3295/26*] WGS84 DATUM

Insert	 PA	8° 58'·00N., 76° 28'·00E.
--------	--	---------------------------

Chart IN 255 (INT 7334) [*previous update 3295/26*] WGS84 DATUM

Insert	 PA	19° 04'·9N., 72° 44'·9E.
--------	--	--------------------------

Chart IN 260 (INT 7362) [*previous update 3295/26*] WGS84 DATUM

Insert	 PA	8° 58'·0N., 76° 28'·0E.
--------	--	-------------------------

Chart IN 292 (INT 7021) [*previous update 3472/26*] WGS84 DATUM

Insert	 PA	19° 04'·9N., 72° 44'·9E.
--------	--	--------------------------

II

4386 INDIA - West Coast - Buoyage.

Source: Indian Notices 14/108/26 and 15/114/26

Chart IN 207 [*previous update 5653/24*] WGS84 DATUM

Replace  Fl.2s, with  Fl.2s 20° 55'·31N., 71° 31'·18E.

Chart 1488 (INT 7344) (Panel, Port Pipāvāv) [*previous update 844/26*] WGS84 DATUM

Insert  Fl.2s (a) 20° 55'·33N., 71° 31'·18E.

Delete  Oc.G.6s No11, close NW of: (a) above

 Fl.2s , close S of: (a) above

Chart 1488 (INT 7344) [*previous update 844/26*] WGS84 DATUM

Insert  (a) 20° 55'·33N., 71° 31'·18E.

Delete  , close NW of: (a)above

 , close S of: (a)above

II

4426 INDIA - East Coast - NM Block.

Source: Indian Notice 13/103/26

Note: Former Notice 2515(P)/26 is cancelled.

Chart IN 3039 [*previous update 209/21*] WGS84 DATUM

Insert the accompanying block, centred on:

13° 18′·8N., 80° 21′·0E.

II

4318 INDONESIA - Sumatera - Rock.

Source: ENC ID4178R1

Chart 2779 [*previous update 2730/26*] UNDETERMINED DATUM

Insert



0° 49'·8N., 97° 22'·6E.

II

4321 MALAYSIA - Peninsular Malaysia, West Coast - Buoy. Radar beacon.

Source: National Hydrographic Centre, Malaysia and UKHO

Note: ***Certain Copies Only***

Chart 3945 [*previous update 3083/26*] WGS84 DATUM

Delete



Q(9)15s

radar beacon, Racon(P), at light

3° 13′·77N., 101° 12′·61E.

3° 13′·78N., 101° 12′·81E.

II

4342* SINGAPORE - Buoy.

Source: Maritime and Port Authority of Singapore

Chart 4030 [*previous update 2749/26*] WGS84 DATUM

Delete

 *Fl.Y.4s (sync) F3-PHBJV-1*

1° 14'·398N., 103° 37'·402E.

Chart 4038 [*previous update 2749/26*] WGS84 DATUM

Delete

 *Fl.Y.4s F3-PHBJV-1*

1° 14'·40N., 103° 37'·40E.

Chart 4040 [*previous update 3068/26*] WGS84 DATUM

Delete

 *Fl.Y.4s F3-PHBJV-1*

1° 14'·40N., 103° 37'·40E.

II

4362* SINGAPORE - NM Block.

Source: Maritime and Port Authority of Singapore

Chart 4044 [*previous update 1027/26*] WGS84 DATUM

Insert the accompanying block, centred on:

1° 27′·4N., 103° 46′·7E.

II

4420 MALAYSIA - Peninsular Malaysia, West Coast - Harbour limits. Legends.

Source: Malaysian Notice 5/138/26

Chart 2403 [previous update 4257/26] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a) 1° 21'·80N., 103° 25'·89E.
		(b) 1° 21'·80N., 103° 20'·89E.
	legend, <i>Batu Pahat Harbour Limit</i> , along N side of:	(a)-(b) above

Chart 3833 [previous update 3615/26] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a) 1° 21'·80N., 103° 25'·89E.
		(b) 1° 21'·80N., 103° 19'·16E.
		(c) 1° 23'·44N., 103° 17'·51E.
	legend, <i>Batu Pahat Harbour Limit</i> , along N side of:	(a)-(b) above
	legend, <i>Batu Pahat Harbour Limit</i> , along NE side of:	(b)-(c) above

Chart 3947 [previous update 4248/26] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a) 1° 21'·80N., 103° 25'·93E.
		(b) 1° 21'·80N., 103° 19'·16E.
		(c) 1° 25'·72N., 103° 15'·20E.
		(d) 1° 31'·90N., 103° 08'·10E.
		(e) 1° 38'·68N., 103° 00'·18E.
		(f) 1° 48'·00N., 102° 39'·43E.
		1° 51'·22N., 102° 42'·62E.
	legend, <i>Batu Pahat Harbour Limit</i> , along N side of:	(a)-(b) above
	legend, <i>Batu Pahat Harbour Limit</i> , along NE side of:	(c)-(d) above
		(e)-(f) above

Chart 5524 [previous update 2093/26] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	1° 24'·11N., 103° 16'·83E.
		1° 24'·26N., 103° 16'·67E.
		and
		1° 21'·80N., 103° 20'·23E.
		1° 21'·80N., 103° 19'·91E.

Chart 5525 [previous update 3083/26] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	1° 21'·8N., 103° 25'·9E.
		1° 21'·8N., 103° 19'·2E.
		(a) 1° 25'·7N., 103° 15'·2E.
		(b) 1° 31'·9N., 103° 08'·1E.
		(c) 1° 38'·7N., 103° 00'·2E.
		(d) 1° 48'·0N., 102° 39'·4E.
		1° 51'·2N., 102° 42'·6E.
	legend, <i>Batu Pahat Harbour Limit</i> , along NE side of:	(a)-(c) above
		(c)-(d) above

II

4317 TAIWAN - Depths. Rocks.

Source: UKHO

Chart 3233 [*previous update New Edition 06/08/2026*] WGS84 DATUM

Insert	 with seabed type, <i>R</i>	22° 39'·75N., 121° 30'·95E.
	 with seabed type, <i>R</i>	(a) 22° 39'·40N., 121° 30'·94E.
Delete	depth, 30 , close N of:	(a) above
Replace	depth, 225 , with  with seabed type, <i>R</i>	22° 39'·37N., 121° 31'·41E.

II

4372 THAILAND - Gulf of Thailand Coast - Buoy.

Source: Thai Notice 9/2569 (2026)

Note: Fog signal remains unchanged

Chart 67 [*previous update New Edition 23/07/2026*] WGS84 DATUM

Amend	light-buoy to, <i>Mo(U)15s</i>	12° 29′·3N., 101° 11′·7E.
-------	--------------------------------	---------------------------

Chart 1046 [*previous update 3129/26*] WGS84 DATUM

Amend	light-buoy to, <i>Mo(U)15s5M</i>	12° 29′·31N., 101° 11′·75E.
-------	----------------------------------	-----------------------------

Chart 3966 [*previous update New Edition 23/07/2026*] WGS84 DATUM

Amend	light-buoy to, <i>Mo(U)15s5M</i>	12° 29′·30N., 101° 11′·73E.
-------	----------------------------------	-----------------------------

II

4377 CHINA - Yellow Sea Coast - Legend.

Source: Chinese Notice 28/829(T)/26

Chart 1506 [*previous update 2464/24*] CGCS 2000 DATUM

Insert legend, Works in progress (2026), centred on:

36° 01'·178N., 120° 13'·230E.

II

4392 CHINA - East Coast - Legends. Light-beacons. Radar beacons.

Source: Chinese Notice 27/764/26 and UKHO

Chart 1761 [*previous update New Edition 13/08/2026*] WGS84 DATUM

Insert	 Mo(C)Y.12s22m5M	(a) 25° 53'·4N., 120° 02'·9E.
	radar beacon, Racon(X), at light-beacon	(a) above
	 Mo(C)Y.12s22m5M 70	25° 51'·0N., 120° 03'·0E.
	 Mo(C)Y.12s22m5M	(b) 25° 50'·4N., 119° 57'·0E.
Delete	radar beacon, Racon(N), at light-beacon	(b) above
	 Mo(C)Y.12s22m5M 51	25° 49'·0N., 120° 01'·9E.
	legend, Under construction (2021), centred on:	25° 50'·4N., 120° 01'·1E.
	legend, Wind farms marked by yellow lights, centred on:	25° 50'·2N., 120° 05'·4E.

Chart 2401 [*previous update 3001/26*] CGCS 2000 DATUM

Delete	legend, Under construction (2021), centred on:	25° 50'·80N., 120° 00'·46E.
--------	--	-----------------------------

II

4395 CHINA - East Coast - Pilot boarding places.

Source: Chinese Notices 28/795-796/26

Chart 1621 (Panel A, Dagang to Shi'er Wei) [*previous update New Edition 12/06/2025*] CGCS 2000 DATUM

Delete

① *No 19*

32° 15'·80N., 119° 27'·27E.

Chart 1621 (Panel B, Yizheng Shi to Nanjing) [*previous update New Edition 12/06/2025*] CGCS 2000 DATUM

Delete

① *No 24*

32° 11'·03N., 119° 00'·26E.

II

4403 CHINA - Yellow Sea Coast - Maritime limit. Pilot boarding place.
Source: Chinese Notice 27/745/26

Chart 1502 [*previous update 4070/26*] CGCS 2000 DATUM

Insert maritime limit, pecked line, joining:

35° 53'·60N., 120° 17'·60E.

35° 52'·30N., 120° 17'·60E.

35° 51'·40N., 120° 16'·30E.

35° 52'·80N., 120° 16'·30E.

II

4404 CHINA - South Coast - Legend. Spoil ground.

Source: UKHO

Chart 343 [*previous update 3951/26*] CGCS 2000 DATUM

Insert limit of spoil ground, pecked line, joining:

(a) 22° 30'·00N., 113° 40'·00E.

(b) 22° 27'·30N., 113° 40'·00E.

(c) 22° 27'·30N., 113° 43'·17E.

(d) 22° 30'·00N., 113° 43'·17E.

legend, *Spoil Ground (disused)* , within:

(a) - (d) above

II

4429 CHINA - Yellow Sea Coast - Maritime limits. Pilot boarding places.
Source: Chinese Notice 27/746/26

Chart 1201 [*previous update 2316/26*] CGCS 2000 DATUM

Insert maritime limit, pecked line, joining:

35° 27'·18N., 119° 52'·35E.
35° 25'·68N., 119° 53'·97E.
35° 24'·61N., 119° 52'·49E.
35° 26'·11N., 119° 50'·86E.
and
35° 20'·30N., 119° 59'·80E.
35° 18'·75N., 120° 01'·42E.
35° 17'·68N., 119° 59'·93E.
35° 19'·18N., 119° 58'·32E.

II

4430 CHINA - Yellow Sea Coast - NM Block. Maritime limit. Pilot boarding place.

Source: Chinese Notice 27/746/26

Chart 1501 [*previous update 1380/26*] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	35° 27'·7N., 119° 50'·7E.
	maritime limit, pecked line, joining:	35° 20'·30N., 119° 59'·80E.
		35° 18'·75N., 120° 01'·42E.
		35° 17'·68N., 119° 59'·93E.
		35° 19'·18N., 119° 58'·32E.

II

4444 CHINA - Bo Hai - NM Blocks. Virtual aid to navigation. Notes.

Source: Chinese Notice 25/662/26 and UKHO

Chart 1206 [*previous update 3839/26*] CGCS 2000 DATUM

Insert	the accompanying block A, centred on:	38° 42'·1N., 120° 28'·2E.
	the accompanying block B, centred on:	38° 42'·9N., 120° 55'·3E.
	symbol, Virtual aid to navigation, port lateral topmark, V-AIS	38° 33'·55N., 120° 46'·14E.
	the accompanying note, AUTOMATIC IDENTIFICATION SYSTEMS, centred on	37° 38'·09N., 120° 47'·93E.
Delete	note, AUTOMATIC IDENTIFICATION SYSTEMS, centred on:	37° 31'·80N., 120° 40'·61E.

Chart 1249 [*previous update 3891/26*] CGCS 2000 DATUM

Insert	the accompanying block A, centred on:	38° 46'·0N., 120° 43'·1E.
	the accompanying block B, centred on:	39° 32'·4N., 118° 56'·7E.

Chart 1250 [*previous update 4234/26*] CGCS 2000 DATUM

Insert	the accompanying block A, centred on:	38° 45'·6N., 120° 33'·1E.
	the accompanying block B, centred on:	37° 43'·6N., 118° 18'·7E.

Chart 1255 [*previous update 4221/26*] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	38° 46'·7N., 120° 43'·2E.
Replace	the existing note with the accompanying note, AUTOMATIC IDENTIFICATION SYSTEMS, centred on	37° 29'·1N., 121° 16'·8E.

Chart 1256 [*previous update 4221/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	38° 47'·8N., 120° 30'·8E.
--------	-------------------------------------	---------------------------

II

4307 KOREA - West Coast - Buoyage.

Source: Korean Notices 21/295/26 and 28/389/26

Chart 913 (INT 5254) [*previous update 3599/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s*

34° 53'·63N., 125° 44'·75E.

Chart 3365 (INT 5252) [*previous update 3599/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s*

34° 53'·63N., 125° 44'·75E.

Chart 3480 [*previous update New Edition 30/07/2026*] WGS84 DATUM

Delete

 *Fl(5)Y.8s ODAS*

34° 52'·2N., 125° 41'·6E.

II

4336 KOREA - South Coast - Buoy.

Source: Korean Notice 29/412/26

Chart 127 [*previous update 4053/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s ODAS*

34° 26′·0N., 127° 40′·8E.

II

4363 KOREA - South Coast - Buoyage.

Source: Korean Notice 28/386/26

Chart 3390 (INT 5362) [*previous update 3871/26*] WGS84 DATUM

Delete



Fl(4)Y.8s C

34° 53'·64N., 127° 47'·95E.



Fl(4)Y.8s B

34° 53'·53N., 127° 48'·03E.



Fl(4)Y.8s A

34° 53'·18N., 127° 48'·05E.

II

4368 KOREA - East Coast - Light.

Source: Korean Notice 29/410/26

Chart 898 (Panel B, Pohang and Approaches) [*previous update 3281/26*] WGS84 DATUM

Insert

★ Iso.4s21m7M

36° 03′·04N., 129° 22′·55E.

II

4369 KOREA - West Coast - Beacon. Light-beacon.

Source: Korean Notice 28/390/26

Chart 1270 (INT 5363) [*previous update New Edition 23/04/2026*] WGS84 DATUM

Insert



Fl.R.5s9m3M No 6

(a) 37° 24′·70N., 126° 27′·79E.

Delete



No 6 , close SW of:

(a) above

II

4370 KOREA - West Coast - Buoyage.

Source: Korean Notice 29/414/26

Chart 3642 (INT 5364) [*previous update 3796/26*] WGS84 DATUM

Delete

 *Fl(4)Y.8s A*

37° 27'·477N., 126° 36'·055E.

 *Fl(4)Y.8s B*

37° 27'·400N., 126° 36'·087E.

II

4301 MALAYSIA - Sarawak - Fish haven.

Source: Marine Department, Sarawak Notice 109/26

Note: Former Notice 3882(P)/26 is cancelled.

Chart 3837 (INT 5709) [*previous update 4261/26*] WGS84 DATUM

Insert



3° 42′·77N., 113° 22′·53E.

II

4399 INDONESIA - Kalimantan - NM Block. Depths.

Source: ENC ID300130

Chart 2893 [*previous update 4222/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	1° 26′·9S., 116° 48′·1E.
	depth, 66, and extend 10m contour E to enclose	(a) 0° 48′·6S., 117° 39′·3E.
Delete	depth, 156, close N of:	(a) above


II

4407 INDONESIA - Java Sea - Wreck.

Source: Indonesian Notice 31/217/26

Chart 2137 [*previous update 2263/26*] WGS84 DATUM

Insert



3° 11'·37S., 107° 16'·69E.

Chart 2873 [*previous update 3540/26*] WGS84 DATUM

Insert



3° 11'·4S., 107° 16'·7E.

II

4413 MALAYSIA - Sabah - NM Block.

Source: Malaysian Notice 5/144/26

Chart 4448 [*previous update 2236/26*] WGS84 DATUM

Insert the accompanying block, centred on:

5° 08′·2N., 119° 13′·3E.

II

4347 AUSTRALIA - Queensland - Depth.

Source: Australian Notice 17/709/26

Chart Aus 824 [*previous update 4031/26*] WGS84 DATUM

Insert depth, 18, enclosed by 20m contour

20° 43'·14S., 149° 17'·31E.

II

4353 AUSTRALIA - Western Australia - Depth.

Source: Australian Notice 17/713/26

Chart Aus 327 [*previous update 3972/26*] WGS84 DATUM

Insert depth, *14*, and extend 15m contour W to enclose

20° 41'·2S., 115° 24'·3E.

II

4355 AUSTRALIA - Western Australia - Depth.

Source: Australian Notice 17/717/26

Chart Aus 57 [*previous update 3527/26*] WGS84 DATUM

Replace depth, 42, with depth, 38

20° 31'·6S., 116° 30'·6E.

II

4356 AUSTRALIA - Western Australia - Light-beacons.
Source: Australian Notice 17/716/26

Chart Aus 59 [*previous update 3255/26*] WGS84 DATUM

Amend	light-beacon to, Iso.4s & F.Bu	20° 37'·95S., 116° 45'·41E.
	light-beacon to, Q & F.Bu	20° 37'·95S., 116° 45'·34E.

II

4360 AUSTRALIA - Queensland - Depths.

Source: Australian Notices 17/708/26 and 17/711/26

Chart Aus 832 [*previous update 4177/26*] WGS84 DATUM

Insert	depth, 98, enclosed by 10m contour	14° 27'·17S., 144° 43'·09E.
	depth, 122, enclosed by 15m contour	(a) 14° 34'·76S., 145° 14'·13E.
Delete	former depth, 122, and associated 15m contour, close NE of:	(a) above
Insert	depth, 124	(b) 14° 34'·5S., 145° 15'·2E.
Delete	depth, 131, close NW of:	(b) above
Insert	depth, 133	(c) 14° 36'·5S., 145° 14'·4E.
Delete	depth, 135, close NW of:	(c) above

Chart Aus 833 [*previous update 4123/26*] WGS84 DATUM

Insert	depth, 98, enclosed by 10m contour	14° 27'·17S., 144° 43'·09E.
--------	------------------------------------	-----------------------------

II

4418 AUSTRALIA - Western Australia - NM Blocks.

Source: Australian Notice 17/714/26

Chart 4722 (INT 722) [*previous update 4027/26*] WGS84 DATUM

Insert the accompanying block, centred on:

20° 14'·8S., 118° 03'·6E.

Chart 4723 (INT 723) [*previous update 3972/26*] WGS84 DATUM

Insert the accompanying block, centred on:

20° 19'·2S., 116° 50'·3E.

II

4331 NEW ZEALAND - North Island - Wreck.

Source: New Zealand Notice 17/55/26

Chart NZ 5612 [*previous update 2518/26*] WGS84 DATUM

Insert



39° 26′·79S., 176° 56′·97E.

II

4334 NEW ZEALAND - North Island - Depths.

Source: New Zealand Notice 17/53/26

Chart NZ 43 [*previous update 3576/24*] WGS84 DATUM

Insert depth, *81*, and extend 10m contour N to enclose

(a) $38^{\circ} 58' \cdot 7\text{S}$, $174^{\circ} 22' \cdot 5\text{E}$.

Delete depth, *107*, close NE of:

(a) above

II

4335 NEW ZEALAND - South Island - Buoy. Automatic Identification System.

Source: New Zealand Notice 17/52/26

Note: Former Notice 5439(T)/25 is cancelled.

Chart NZ 681 [*previous update 1760/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s*

(a) 46° 38'·00S., 168° 22'·07E.

Automatic Identification System, *AIS*, at light-buoy

(a) above

Chart NZ 6821 [*previous update 5454/25*] WGS84 DATUM

Insert

 *Fl(5)Y.20s*

(a) 46° 38'·00S., 168° 22'·05E.

Automatic Identification System, *AIS*, at light-buoy

(a) above

II

4312 SOUTH PACIFIC OCEAN - Depth, Danger line.

Source: UKHO

Note: This update is included in New Edition 4060, published mid 2026.

Chart 4061 (INT 61) [*previous update 2966/26*] WGS84 DATUM

Insert



19° 16'·1S., 177° 19'·7W.

II

4401 PANAMA - Pacific Ocean Coast - Submarine cables.

Source: Alcatel Submarine Networks

Chart 1276 [*previous update 2936/26*] WGS84 DATUM

Insert submarine cable, , joining:

11° 01'·34N., 74° 56'·09W.
 11° 01'·53N., 74° 56'·30W.
 11° 02'·09N., 75° 01'·20W.
 11° 02'·46N., 75° 02'·00W.

Chart 1929 [*previous update 643/25*] WGS84 DATUM

Insert submarine cable, , joining:

9° 00'·5N., 79° 28'·8W.
 8° 45'·0N., 79° 12'·7W.
 8° 05'·3N., 79° 11'·3W.
 7° 41'·9N., 78° 49'·4W.
 7° 35'·7N., 78° 47'·7W.

Chart 2257 (Panel, Continuation to Golfo de Guayaquil) [*previous update 3092/26*] WGS84 DATUM

Insert submarine cable, , joining:

2° 18'·0S., 80° 54'·4W.
 2° 22'·1S., 81° 01'·0W.
 2° 20'·3S., 81° 06'·1W.
 2° 18'·1S., 81° 07'·5W.
 2° 17'·2S., 81° 09'·0W.
 2° 16'·9S., 81° 10'·7W.

Chart 2258 [*previous update 3092/26*] WGS84 DATUM

Insert submarine cable, , joining:

9° 00'·4N., 79° 28'·8W.
 8° 45'·0N., 79° 12'·7W.
 8° 05'·3N., 79° 11'·3W.
 7° 42'·1N., 78° 49'·6W.
 7° 32'·3N., 78° 46'·7W.
 7° 30'·6N., 78° 46'·5W.

Chart 3092 [*previous update 5490/25*] WGS84 DATUM

Insert submarine cable, , joining:

2° 18'·0S., 80° 54'·4W.
 2° 22'·1S., 81° 01'·0W.
 2° 20'·3S., 81° 06'·1W.
 2° 18'·1S., 81° 07'·5W.
 2° 17'·2S., 81° 09'·0W.
 2° 16'·9S., 81° 10'·6W.

II

4406 BRAZIL - North Coast - Pier. Depth.

Source: ENC BR400304

Chart 331 [*previous update 1389/26*] WGS84 DATUM

Insert	pier, double firm line, width 80m, joining:	1° 16′ · 34S., 48° 29′ · 20W. 1° 16′ · 19S., 48° 29′ · 14W.
Delete	depth, <i>34</i>	1° 16′ · 29S., 48° 29′ · 18W.

II

4414 ARGENTINA - Buoyage.

Source: Argentine Notice 8/100/26

Chart 1335 (Panel A, Continuation of Río Paraná) [*previous update 1342/26*] WGS84 DATUM

Amend	designation of buoy to, <i>Km 508·7</i>	32° 15'·17S., 60° 40'·65W.
	designation of buoy to, <i>Km 507·6</i>	32° 15'·80S., 60° 40'·57W.

II

4295 UNITED STATES OF AMERICA - Gulf of Mexico - Buoyage.

Source: ENC US3FL1FA, US3FL1GA, US4FL1FB

Chart 3851 [*previous update 3867/26*] NAD83 DATUM

Insert	 <i>F.Y 9</i>	30° 04'·6N., 86° 46'·9W.
	 <i>F.Y 10</i>	30° 02'·9N., 86° 44'·6W.
	 <i>F.Y 11</i>	30° 02'·3N., 86° 43'·2W.
	 <i>F.Y 12</i>	30° 01'·6N., 86° 41'·3W.
	 <i>F.Y 13</i>	30° 00'·8N., 86° 39'·5W.
	 <i>F.Y 14</i>	30° 00'·0N., 86° 37'·5W.
	 <i>F.Y 15</i>	29° 59'·3N., 86° 34'·2W.
	 <i>F.Y 16</i>	29° 59'·4N., 86° 31'·5W.

Chart 3852 [*previous update 873/26*] NAD83 DATUM

Insert	 <i>F.Y 9</i>	30° 04'·6N., 86° 46'·9W.
	 <i>F.Y 10</i>	30° 02'·9N., 86° 44'·6W.
	 <i>F.Y 11</i>	30° 02'·3N., 86° 43'·2W.
	 <i>F.Y 12</i>	30° 01'·6N., 86° 41'·3W.
	 <i>F.Y 13</i>	30° 00'·8N., 86° 39'·5W.
	 <i>F.Y 14</i>	30° 00'·0N., 86° 37'·5W.
	 <i>F.Y 15</i>	29° 59'·3N., 86° 34'·2W.
	 <i>F.Y 16</i>	29° 59'·4N., 86° 31'·5W.
	 <i>Fl.Y.4s</i>	29° 44'·7N., 86° 13'·5W.
		29° 02'·9N., 85° 18'·2W.


II

4297 COLOMBIA - Caribbean Sea Coast - Obstruction.

Source: Colombian Notice 184/26

Chart 2261 (Panel B, Puerto Barranquilla) [*previous update 423/26*] WGS84 DATUM


Delete



11° 06′·80N., 74° 51′·49W.

Chart 2261 (Panel A, Approaches to Puerto Barranquilla) [*previous update 423/26*] WGS84 DATUM

Delete



11° 06′·80N., 74° 51′·49W.

II

4333 **UNITED STATES OF AMERICA - Gulf of Mexico - Buoy.**
Source: ENC US3TX1CB

Chart 3849 [*previous update 3956/26*] NAD83 DATUM

Insert

 *Fl.Y.2.5s 'C'*

27° 50'·5N., 96° 30'·0W.

II

4373 UNITED STATES OF AMERICA - Gulf of Mexico - Buoyage.

Source: ENC US5CRPCH

Chart 3184 (Panel A, Port Aransas to Corpus Christi) [*previous update 3956/26*] NAD83 DATUM

Insert

 *Fl.Y.2.5s 'A'*

27° 50'·70N., 97° 00'·00W.

 *Fl.Y.2.5s 'B'*

27° 50'·94N., 97° 00'·00W.

II

4393 VENEZUELA - Buoy.

Source: ENC VE400410

Chart 230 [*previous update 3148/26*] WGS84 DATUM

Delete



Iso.10s

10° 07′·47N., 64° 50′·76W.

Chart 2191 [*previous update New Edition 20/08/2026*] WGS84 DATUM

Delete



Iso.10s

10° 07′·5N., 64° 50′·8W.

II

4291 CANADA - Nova Scotia - Obstructions.

Source: Canadian Notice 6/4011/26

Chart 2670 [*previous update 3386/26*] WGS84 DATUM

Insert



42° 39'·4N., 66° 27'·8W.
42° 39'·6N., 66° 20'·5W.
42° 34'·0N., 66° 27'·5W.
42° 34'·2N., 66° 20'·2W.
42° 34'·4N., 66° 12'·9W.
42° 34'·6N., 66° 05'·6W.
42° 28'·8N., 66° 20'·0W.
42° 29'·0N., 66° 12'·7W.
42° 29'·2N., 66° 05'·4W.
42° 29'·4N., 65° 58'·1W.
42° 29'·6N., 65° 50'·8W.

Chart 4746 [*previous update 3386/26*] NAD83 DATUM

Insert



42° 39'·4N., 66° 27'·8W.
42° 39'·6N., 66° 20'·5W.
42° 34'·0N., 66° 27'·5W.
42° 34'·2N., 66° 20'·2W.
42° 34'·4N., 66° 12'·9W.
42° 34'·6N., 66° 05'·6W.
42° 28'·8N., 66° 20'·0W.
42° 29'·0N., 66° 12'·7W.
42° 29'·2N., 66° 05'·4W.
42° 29'·4N., 65° 58'·1W.
42° 29'·6N., 65° 50'·8W.

II

4326 UNITED STATES OF AMERICA - East Coast - Submarine cables.
Source: ENC US5NYCFH

Chart 3451 [*previous update 3547/26*] NAD83 DATUM

Insert submarine cable, , joining:

40° 48'·274N., 73° 55'·742W.

40° 48'·293N., 73° 55'·811W.

40° 48'·372N., 73° 55'·882W.

40° 48'·419N., 73° 55'·903W.

40° 48'·549N., 73° 55'·997W.

40° 48'·664N., 73° 56'·015W.

and

40° 48'·677N., 73° 56'·018W.

40° 48'·700N., 73° 56'·023W.

II

4343 CANADA - Saint Lawrence River - Submarine cables.

Source: Canadian Notices 6/1220-1221/26, 6/1236/26 and 6/4026/26

Chart 4774 [*previous update 4241/25*] NAD83 DATUM

Insert submarine cable, , joining:

49° 07'·5N., 66° 30'·6W.
49° 08'·7N., 66° 31'·2W.
49° 37'·7N., 66° 20'·0W.
50° 09'·2N., 66° 15'·3W.
50° 10'·7N., 66° 16'·9W.
50° 11'·2N., 66° 18'·3W.
50° 12'·3N., 66° 18'·7W.

Chart 4775 [*previous update New Edition 20/02/2025*] NAD83 DATUM

Insert submarine cable, , joining:

50° 04'·38N., 66° 16'·00W.
50° 02'·12N., 66° 16'·19W.
49° 49'·00N., 66° 18'·45W.

Chart 4776 [*previous update 3058/25*] NAD83 DATUM

Insert submarine cable, , joining:

50° 12' 13·8"N., 66° 18' 38·6"W.
50° 11' 29·2"N., 66° 18' 25·5"W.
50° 11' 07·4"N., 66° 18' 07·0"W.
50° 10' 41·0"N., 66° 16' 52·4"W.
50° 09' 19·7"N., 66° 15' 29·8"W.
50° 08' 05·0"N., 66° 15' 24·8"W.
50° 06' 49·4"N., 66° 15' 37·5"W.
50° 05' 57·0"N., 66° 16' 03·5"W.
50° 04' 50·2"N., 66° 15' 56·9"W.
50° 04' 24·0"N., 66° 15' 59·6"W.

Chart 4777 [*previous update 3429/26*] NAD83 DATUM

Insert submarine cable, , joining:

49° 07'·52N., 66° 30'·55W.
49° 08'·69N., 66° 31'·22W.
49° 15'·82N., 66° 28'·49W.

II

4344 UNITED STATES OF AMERICA - East Coast - Danger line. Legend. Depth.

Source: ENC US5NYCDG

Chart 3455 [*previous update 3334/26*] NAD83 DATUM

Insert	danger line, dotted line, joining:	(a) 40° 43'·275N., 73° 58'·373W. (b) 40° 43'·273N., 73° 58'·352W. (c) 40° 43'·222N., 73° 58'·350W. (d) 40° 43'·183N., 73° 58'·356W. (e) 40° 43'·187N., 73° 58'·394W.
Delete	legend, <i>Obstn</i> , close E of: depth, 13, and associated 18ft contour and associated 18ft approximate contour	(a)-(e) above 40° 43'·239N., 73° 58'·364W.

II

4385 UNITED STATES OF AMERICA - East Coast - Depths.

Source: ENC US5NYCAC

Chart 3458 [*previous update 4062/26*] NAD83 DATUM

Insert	depth, 24	(a)	40° 29'·816N., 74° 15'·704W.
Delete	depth, 28, close SE of:	(a)	above
Insert	depth, 7	(b)	40° 29'·677N., 74° 15'·886W.
		(c)	40° 29'·561N., 74° 15'·995W.
		(d)	40° 29'·357N., 74° 15'·794W.
Delete	depth, 9, close SW of:	(b)	above
	depth, 13, close SW of:	(c)	above
	depth, 11, close SE of:	(d)	above
Insert	depth, 3, enclosed by 6ft contour	(e)	40° 29'·139N., 74° 15'·637W.
Delete	depth, 10, close W of:	(e)	above
Insert	depth, 23	(f)	40° 29'·421N., 74° 15'·430W.
Delete	depth, 29, close NW of:	(f)	above

II

4390 **UNITED STATES OF AMERICA - East Coast - Buoy.**
Source: ENC US5PWMDD

Chart 2488 [*previous update 4192/26*] NAD83 DATUM

Insert

 '3'

43° 40'·34N., 70° 11'·47W.

II

4409 UNITED STATES OF AMERICA - East Coast - Light.

Source: ENC US5MA1GT

Chart 2489 [*previous update 73/25*] NAD83 DATUM

Amend light to, Fl(2)10s80ft14M & Fl.Y.2·5s62ft11M (occas) 41° 40'·29N., 69° 57'·00W.

Chart 2492 [*previous update 2941/26*] NAD83 DATUM

Amend range of light to, 14M 41° 40'·2N., 69° 57'·0W.

Chart 2670 [*previous update 4291/26*] WGS84 DATUM

Amend range of light to, 14M 41° 40'·4N., 69° 57'·1W.

Chart 2860 [*previous update 2941/26*] NAD83 DATUM

Amend range of light to, 14M 41° 40'·3N., 69° 57'·0W.

II

4437 **UNITED STATES OF AMERICA - East Coast - Buoy.**

Source: ENC US5BALCA

Chart 2850 (Panel, Baltimore Harbor) [*previous update 3555/26*] NAD83 DATUM

Delete



39° 15′·33N., 76° 35′·83W.

II

4438 **UNITED STATES OF AMERICA - East Coast - Seaplane operating area.**

Source: ENC US4VA1CF

Chart 2919 [*previous update 3045/26*] NAD83 DATUM

Insert symbol, seaplane operating area, centred on: 37° 16'·24N., 76° 01'·61W.

II

4440 **UNITED STATES OF AMERICA - East Coast - Buoy.**
Source: ENC US4NJ1BC

Chart 2564 [*previous update 4996/25*] NAD83 DATUM

Insert symbol, orange and white can buoy, 'A'

39° 04'·67N., 74° 54'·97W.

II

4443 UNITED STATES OF AMERICA - East Coast - Seaplane operating area.

Source: ENC US5ORFBC

Chart 2814 [*previous update 5481/25*] NAD83 DATUM

Insert	limit of seaplane operating area, pecked line, joining:	36° 51'·00N., 76° 18'·12W.
		36° 50'·55N., 76° 17'·72W.
		36° 50'·52N., 76° 17'·77W.
		36° 50'·98N., 76° 18'·17W.

II

4292(T)/26 ENGLAND - South East Coast - Light-vessel. Fog signal. Radar beacon. Automatic Identification System.

Source: Trinity House Notice 16/26

1. The Foxtrot 3 light vessel, *Fl.10s12m15M, Horn(1)10s, Racon (T), AIS*, in position 51° 24'·15N., 2° 00'·38E. is reported to be out of position approximately 200m South-east of its charted position.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 323 (INT 1564) - 1183 (INT 1561)

II

4325(P)/26 ENGLAND - West Coast - Depths. Obstruction. Wreck.

Source: mV Northern Gale

1. Recent survey information has shown that depths less than charted exist near the mouth of the River Ribble. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
9·6m	53° 47'·88N., 3° 09'·33W.
1·4m	53° 36'·63N., 3° 05'·74W.

2. *An obstruction, depth 3·8 m, exists in position 53° 37'·89N., 3° 08'·41W.
3. A wreck, depth 1·8m, exists in position 53° 40'·41N., 3° 07'·05W.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
5. Charts will be updated when full details are available.
6. *Former Notice 3957(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1826 (INT 1607) - 1978 - 1981 - 5613_1 - 5613_7 - 5613_8 - 5613_9

II

4338(P)/26 ENGLAND - East Coast - Wrecks. Obstructions. Depths. Drying heights.

Source: mv Northern Gale, mv Northern Breeze, mv Northern Wind

1. Dangerous wrecks and obstructions exist in the following positions:

<i>Feature</i>	<i>Depth</i>	<i>Position</i>
Wreck	8·2m	51° 59'·77N., 1° 27'·19E.
Obstruction	9·3m	52° 04'·44N., 1° 33'·34E.
Wreck	10·3m	52° 02'·92N., 1° 31'·31E.

2. A dangerous wreck with the least depth 3·4m is reported to exist in lieu of the 4·4m obstruction in position 51° 59'·86N., 1° 26'·47E.
3. *A dangerous wreck with the least depth 1·8m is reported to exist in lieu of the 2·4m wreck in position 51° 58'·55N., 1° 26'·97E.
4. A depth of 6·3m is reported to exist in position 52° 01'·74N., 1° 28'·89E.
5. *Depths and drying heights less than charted exist from Orford Ness to Deben Mouth. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
1·8m	52° 05'·24N., 1° 35'·00E.
Drying 0·3m	52° 02'·09N., 1° 27'·74E.
0·5m	52° 01'·97N., 1° 27'·75E.
4·0m	52° 01'·81N., 1° 28'·81E.
1·8m	52° 01'·53N., 1° 31'·20E.
4·9m	51° 59'·09N., 1° 27'·79E.
4·5m	51° 58'·98N., 1° 27'·70E.
4·6m	51° 58'·62N., 1° 27'·44E.
3·6m	51° 58'·34N., 1° 27'·25E.
4·0m	51° 58'·19N., 1° 27'·21E.
Drying 0·3m	51° 58'·69N., 1° 23'·91E.
2·0m	51° 58'·30N., 1° 23'·43E.
2·6m	51° 58'·21N., 1° 23'·43E.

6. Mariners are advised to navigate with caution in the area.
7. Charts will be updated when full details are available.
8. *Former Notice 3390(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1543 - 2052 (INT 1560) - 2693 (INT 1570) - 2695 - 5607_5 - 5607_6 - 5607_8 - 5614_1

II

4442(T)/26 ENGLAND - South Coast - Restricted area. Submarine cable. Works.

Source: Portland Harbour Authority

1. A restricted area, deployment of seabed equipment and cable laying, has been established bounded by the following positions:

50° 35'·972N., 2° 26'·862W.

50° 35'·971N., 2° 26'·801W.

50° 35'·820N., 2° 26'·698W.

50° 35'·740N., 2° 26'·434W.

50° 35'·709N., 2° 26'·247W.

50° 35'·666N., 2° 26'·202W.

50° 35'·631N., 2° 26'·213W.

50° 35'·527N., 2° 26'·517W.

50° 35'·552N., 2° 26'·539W.

50° 35'·594N., 2° 26'·495W.

50° 35'·663N., 2° 26'·506W.

50° 35'·727N., 2° 26'·562W.

50° 35'·775N., 2° 26'·729W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 2255 (INT 1725) - 2268 - 5601_8

II

4358(T)/26 SWEDEN - East Coast - Fairway. Bridge.

Source: Swedish Notice 1133/20317(T)/26

1. Between the period of September 29, 06:00 – October 1, 24:00, 2026, the fairway that passes under the Skansbron Bridge at 59° 18'·208N., 18° 04'·792E. is closed for maritime traffic that require the bridge opening when passing.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 811 (INT 1239)

II

4302(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 50'·88N., 3° 52'·02E.	110
51° 59'·87N., 3° 16'·20E.	110
*51° 25'·60N., 3° 23'·85E.	116
*51° 25'·65N., 3° 23'·85E.	116
*51° 26'·03N., 3° 22'·14E.	116
*51° 26'·08N., 3° 22'·94E.	116
51° 55'·70N., 3° 39'·80E.	122
52° 07'·72N., 3° 55'·98E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
52° 28'·300N., 4° 35'·530E.	124
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
52° 46'·14N., 3° 49'·49E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
*54° 39'·0N., 4° 41'·6E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50

II

4302(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
54° 25'·9N., 4° 20'·4E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
* 51° 25'·61N., 3° 19'·22E.	BE101
* 51° 25'·82N., 3° 20'·05E.	BE101
* 51° 25'·99N., 3° 21'·21E.	BE101
* 51° 26'·13N., 3° 20'·07E.	BE101
* 51° 26'·18N., 3° 20'·07E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 3754(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

4405(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 50'·88N., 3° 52'·02E.	110
51° 59'·87N., 3° 16'·20E.	110
51° 25'·60N., 3° 23'·85E.	116
51° 25'·65N., 3° 23'·85E.	116
51° 26'·03N., 3° 22'·14E.	116
51° 26'·08N., 3° 22'·94E.	116
51° 55'·70N., 3° 39'·80E.	122
52° 07'·72N., 3° 55'·98E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
52° 28'·300N., 4° 35'·530E.	124
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
52° 46'·14N., 3° 49'·49E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·6E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50

II

4405(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
54° 25'·9N., 4° 20'·4E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 25'·61N., 3° 19'·22E.	BE101
51° 25'·82N., 3° 20'·05E.	BE101
51° 25'·99N., 3° 21'·21E.	BE101
51° 26'·13N., 3° 20'·07E.	BE101
51° 26'·18N., 3° 20'·07E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 4302(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

4293(T)/26 CROATIA - Buoy.

Source: Croatian Notice 7/2(T)/26

1. A special light-buoy, *Fl.Y.3s*, has been established, until further notice, in position 44° 52'·89N., 13° 47'·62E.
2. Former Notice 3900(T)/26 is cancelled.
(WGS84 DATUM)

Chart affected - 1426

II

4320(T)/26 ITALY - West Coast - Restricted area. Buoyage.

Source: Italian Notices 14.2-3/26

1. A restricted area, entry prohibited, marked by yellow light-buoys, has been established bounded by the following positions:

- * 44° 23'·33N., 8° 56'·27E.
- * 44° 23'·29N., 8° 56'·26E.
- * 44° 22'·85N., 8° 56'·25E.
- * 44° 22'·75N., 8° 55'·45E.
- * 44° 23'·00N., 8° 54'·53E.
- * 44° 23'·16N., 8° 54'·00E.
- * 44° 23'·34N., 8° 53'·45E.
- * 44° 23'·51N., 8° 52'·91E.
- * 44° 23'·77N., 8° 52'·69E.
- * 44° 24'·03N., 8° 52'·49E.
- * 44° 24'·11N., 8° 52'·42E.

2. *Former Notice 3199(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 356 (INT 3360) - 1913

II

4381(T)/26 ITALY - West Coast - Submarine cables. Works.

Source: Italian Notice 14.37(T)/26

1. Submarine cables are being laid, joining the following positions:

42° 55'·88N., 10° 24'·01E.
42° 56'·00N., 10° 22'·22E.
42° 55'·77N., 10° 20'·45E.
42° 55'·35N., 10° 18'·72E.
42° 55'·3N., 10° 15'·1E.
42° 55'·3N., 10° 13'·3E.
42° 54'·5N., 10° 11'·8E.
42° 52'·6N., 10° 08'·9E.
42° 51'·3N., 10° 05'·6E.
42° 50'·5N., 10° 03'·9E.
42° 49'·3N., 10° 02'·6E.
42° 46'·6N., 10° 00'·5E.
42° 43'·5N., 9° 58'·9E.
42° 42'·4N., 9° 53'·6E.
42° 41'·8N., 9° 52'·0E.
42° 39'·6N., 9° 49'·1E.
42° 37'·4N., 9° 47'·0E.

2. and

42° 54'·56N., 10° 26'·86E.
42° 54'·20N., 10° 25'·11E.
42° 53'·89N., 10° 21'·53E.
42° 53'·89N., 10° 19'·73E.
42° 53'·86N., 10° 17'·94E.
42° 53'·8N., 10° 16'·1E.
42° 53'·6N., 10° 14'·4E.
42° 53'·6N., 10° 12'·6E.
42° 52'·9N., 10° 11'·0E.
42° 52'·3N., 10° 09'·3E.
42° 51'·6N., 10° 07'·6E.
42° 51'·1N., 10° 05'·9E.
42° 50'·3N., 10° 04'·3E.
42° 49'·2N., 10° 02'·9E.
42° 46'·4N., 10° 00'·7E.
42° 44'·9N., 10° 01'·4E.
42° 43'·5N., 10° 00'·2E.
42° 42'·8N., 9° 58'·6E.
42° 41'·0N., 9° 53'·5E.
42° 40'·1N., 9° 52'·0E.
42° 38'·1N., 9° 49'·1E.
42° 36'·2N., 9° 47'·1E.

3. Mariners are advised to navigate with caution in the area and maintain a safe clearance distance of 1000m from vessels involved in the works.
(WGS84 DATUM)

Charts affected - 131 - 1999

II

4329(T)/26 NAMIBIA - Buoyage.

Source: South African Notices 7/70(T)-71(T)/26

1. A yellow mooring buoy has been established, in position $22^{\circ} 54' \cdot 03\text{S.}$, $14^{\circ} 27' \cdot 27\text{E.}$
2. An isolated danger light-buoy, *Fl(2)*, has been established in position $22^{\circ} 54' \cdot 13\text{S.}$, $14^{\circ} 27' \cdot 53\text{E.}$
3. The safe water light-buoy, *LFl. 10s Fairway*, in position $22^{\circ} 50' \cdot 59\text{S.}$, $14^{\circ} 29' \cdot 22\text{E.}$, is reported off station in position $22^{\circ} 50' \cdot 82\text{S.}$, $14^{\circ} 29' \cdot 42\text{E.}$
4. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4137 (INT 2612) - 4138 (INT 2613)

II

4365(T)/26 UNITED ARAB EMIRATES - Buoyage. Dredging area. Reclamation area. Works.

Source: MENAS Nav Warning 337/2025

1. Dredging and reclamation works are taking place in the vicinity of SHT-II, centred on 24° 08'·001N., 52° 47'·146E.
2. Positions of existing lateral buoyage in the vicinity of the dredging and reclamation works will change as the project progresses.
3. Mariners are advised to navigate with caution in the area and contact Ruwais VTIS for the latest information.
4. *Former Notice 1952(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 3778 - 3796

II

4380(T)/26 KUWAIT - Works. Buoyage.

Source: MENAS Navtex 158/26

1. Construction works are taking place in the Petroleum Products Pier, in an area bounded by the following positions:

29° 02'·457N., 48° 10'·302E.
29° 02'·624N., 48° 10'·200E.
29° 02'·736N., 48° 10'·432E.
29° 02'·650N., 48° 10'·484E.
29° 02'·798N., 48° 10'·795E.
29° 02'·443N., 48° 11'·020E.
29° 02'·348N., 48° 10'·821E.
29° 02'·542N., 48° 10'·703E.
29° 02'·433N., 48° 10'·473E.
2. The construction area is marked with special yellow light-buoys *Fl. Y. 4s*.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1223

II

4398(T)/26 QATAR - Buoyage.

Source: MENAS Notice 149/26

1. Metocean light-buoys, *Mo(O)Y.12s*, have been temporarily established in the following positions:

<i>Designation</i>	<i>Position</i>
<i>STPM-14</i>	26° 31'·69N., 51° 06'·83E.
<i>STPM-15</i>	26° 56'·1N., 51° 16'·4E.
<i>STPM-16/17</i>	24° 58'·89N., 52° 14'·23E.

(WGS84 DATUM)

Charts affected - 2523 (INT 7250) - 2837 (INT 7017) - 2847 (INT 7018) - 2883 (INT 7260) - 2886 (INT 7243) - 3790 (INT 7252) - 3950 (INT 7244)

II

4364(P)/26 INDIA - East Coast - Pilot boarding places. Buoyage. Turning Circles. Dredged areas.

Source: ENC IN63028E and Indian Notice 16/122/26

1. Significant changes to charted detail have taken place within Kamarajar Port and its approaches.
2. The pilot boarding area, centred on position 13° 12'·200N., 80° 23'·099E., has been removed.
3. A new pilot boarding area, radius 180m, has been established, centred on position 13° 11'·190N., 80° 23'·350E.
4. The safe water light-buoy, *Fl.5s Fairway*, in position 13° 12'·100N., 80° 23'·600E. has been removed.
5. The following light-buoys have been established:

<i>Characteristic</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl.R.3s</i>	Port lateral	13° 12'·081N., 80° 22'·685E.
<i>Fl.G.3s</i>	Starboard lateral	13° 12'·166N., 80° 22'·806E.

6. The Turning Circle, centred on position 13° 16'·342N., 80° 20'·674E., now has a dredged depth of 19·5m (2026).
7. The Turning Circle, centred on position 13° 15'·956N., 80° 20'·726E., now has a dredged depth of 20·5m (2026).
8. The dredged area in the vicinity of 13° 15'·670N., 80° 20'·530E., has been changed to 20·5m (2026).
9. New dredged areas have been established as follows:

<i>Depth</i>	<i>Year</i>	<i>Position</i>
19·5m	2026	13° 15'·744N., 80° 20'·108E.
		13° 15'·744N., 80° 20'·296E.
		13° 15'·718N., 80° 20'·296E.
		13° 15'·717N., 80° 20'·108E.
19·5m	2026	13° 15'·593N., 80° 20'·109E.
		13° 15'·593N., 80° 20'·304E.
		13° 15'·566N., 80° 20'·304E.
		13° 15'·565N., 80° 20'·109E.

10. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
11. These changes will be included in the next New Edition of Chart IN3028.
12. Charts IN3001 and IN0313 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - IN 3028 (INT 7404)

II

4322(T)/26 SINGAPORE - Buoy.

Source: Maritime and Port Authority of Singapore

1. The starboard conical light-buoy, *Fl.G.4s HV B-09*, in position 1° 16'·345N., 103° 36'·463E. is reported missing.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4038 - 4040

II

4323(T)/26 SINGAPORE - Buoyage.

Source: Maritime and Port Authority of Singapore

1. The following special purpose buoys have been established:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl.Y.3s (sync)</i>	<i>AC-BPRP-01</i>	Yellow pillar with X-Shape topmark	1° 12'·642N., 103° 46'·827E.
<i>Fl.Y.3s (sync)</i>	<i>AC-BPRP-02</i>	Yellow pillar with X-Shape topmark	1° 12'·590N., 103° 46'·887E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4035 - 4036 - 4039 - 4040

II

4340(T)/26 SINGAPORE - Alongside depth. Berth.

Source: Maritime and Port Authority of Singapore

1. Least depth alongside exists at the following berth:

<i>Berth</i>	<i>Depth Alongside (Year Surveyed)</i>	<i>Position</i>
OSSGJ	6.4m (2026)	1° 28' 30N., 103° 48' 47E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 4044

II

4316(T)/26 CHINA - East Coast - Works.

Source: Chinese Notice 27/783(T)/26

1. Offshore operations are taking place within an area, 400m wide, centred along a line joining the following positions:

30° 51'·00N., 121° 51'·00E.

30° 35'·47N., 121° 58'·00E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Charts affected - 1143 - 1144 - 1199 - 1303 - 1602

II

4319(T)/26 CHINA - Yellow Sea Coast - Works. Dredging areas.

Source: Chinese Notice 27/782(T)/26

1. Dredging works are taking place in areas bounded by the following positions:

39° 50'·63N., 124° 09'·96E.
39° 50'·10N., 124° 09'·75E.
39° 50'·11N., 124° 09'·64E.
39° 49'·53N., 124° 09'·55E.
39° 49'·52N., 124° 09'·51E.
39° 50'·12N., 124° 09'·60E.
39° 50'·65N., 124° 09'·82E.

and

39° 49'·27N., 124° 08'·99E.
39° 49'·03N., 124° 09'·20E.
39° 48'·79N., 124° 09'·14E.
39° 48'·67N., 124° 09'·24E.
39° 48'·66N., 124° 09'·39E.
39° 48'·20N., 124° 09'·39E.
39° 48'·51N., 124° 09'·23E.
39° 48'·52N., 124° 09'·14E.
39° 48'·86N., 124° 08'·84E.
39° 48'·93N., 124° 08'·85E.
39° 48'·99N., 124° 08'·80E.
39° 49'·19N., 124° 08'·85E.

and

39° 47'·89N., 124° 08'·78E.
39° 47'·54N., 124° 08'·89E.
39° 47'·20N., 124° 09'·32E.
39° 47'·12N., 124° 09'·48E.
39° 47'·15N., 124° 09'·67E.
39° 47'·07N., 124° 09'·69E.
39° 46'·62N., 124° 09'·64E.
39° 47'·05N., 124° 09'·34E.
39° 47'·78N., 124° 08'·38E.
39° 48'·11N., 124° 08'·30E.
39° 48'·19N., 124° 08'·40E.

and

39° 44'·68N., 124° 08'·67E.
39° 44'·89N., 124° 08'·80E.
39° 44'·99N., 124° 09'·18E.
39° 44'·38N., 124° 08'·81E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Chart affected - 1251

II

4367(T)/26 CHINA - East Coast - Submarine power cables. Works.

Source: Chinese Notice 28/832(T)/26

1. Submarine power cable laying works are taking place within an area bounded by the following positions:

30° 50′·81N., 121° 46′·05E.

30° 46′·65N., 121° 46′·10E.

30° 46′·80N., 121° 47′·20E.

30° 43′·00N., 121° 47′·80E.

30° 42′·60N., 121° 46′·10E.

30° 46′·60N., 121° 45′·70E.

30° 46′·62N., 121° 45′·83E.

30° 50′·80N., 121° 45′·78E.

2. Mariners are advised to navigate with caution in the area and maintain a safe distance from any vessels involved in the works.

(CGCS 2000 DATUM)

Charts affected - 1143 - 1303 - 1602

II

4431(P)/26 CHINA - South Coast - Platforms. Submarine power cables. Wind farm.

Source: Chinese Notices 39/1170/25, 50/1559/25, 29/850-851/26 and 30/898-899/26

1. Submarine power cables have been laid, joining the following positions:

23° 14'·21N., 116° 48'·33E.

23° 13'·08N., 116° 52'·91E.

23° 13'·09N., 116° 56'·61E.

23° 14'·06N., 116° 57'·54E.

23° 16'·61N., 117° 02'·79E.

and

23° 13'·09N., 116° 56'·61E.

23° 13'·45N., 116° 59'·11E.

and

23° 14'·07N., 116° 57'·54E.

23° 14'·96N., 116° 58'·36E.

23° 15'·18N., 116° 58'·85E.

2. Lit platforms, have been established the following positions:

23° 15'·18N., 116° 58'·85E.

23° 16'·61N., 117° 02'·81E.

3. An unlit platform has been established in position: 23° 13'·45N., 116° 59'·11E.

4. Wind farms have been established, within areas bounded by the following positions:

23° 13'·95N., 117° 04'·66E.

23° 13'·95N., 116° 57'·62E.

23° 11'·99N., 116° 55'·86E.

23° 11'·62N., 116° 55'·85E.

23° 11'·63N., 117° 02'·55E.

and

23° 17'·88N., 117° 01'·16E.

23° 14'·86N., 116° 58'·42E.

23° 14'·86N., 117° 05'·29E.

23° 17'·90N., 117° 05'·32E.

5. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

6. These changes will be included in the next New Edition of Chart 1792 to be published late 2026.

7. Charts 1760, 1784 and 1962 will be updated by Notice to Mariners.

(CGCS 2000 DATUM)

Chart affected - 1792

II

4314(T)/26 KOREA - West Coast - Buoy.

Source: Korean Notice 28/407(T)/26

1. The *ODAS A* light-buoy, *Fl(5)Y.20s*, in position 36° 50'·17N., 125° 39'·92E. has been temporarily extinguished.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1256 - 1258 - 3480

II

4371(T)/26 KOREA - South Coast - Buoy.

Source: Korean Notice 29/419(T)/26

1. The *ODAS* light-buoy, *Fl(5)Y.20s*, in position 32° 50'·0N., 124° 44'·0E. has been temporarily extinguished.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3480

II

4379(T)/26 KOREA - East Coast - Buoy.

Source: Korean Notice 30/430(T)/26

1. A yellow light-buoy, *Fl(5)Y.20s (ODAS)*, has been established in position: 35° 17'·71N., 129° 28'·54E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 127 - 896 (INT 5355) - 3666 (INT 5251)

II

4328(T)/26 INDONESIA - Java Sea - Wreck.

Source: HYDROPAC 2417/26

1. A dangerous wreck has been reported in position 4° 14'·7S., 113° 44'·3E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1066 - 2794 - 2795 - 2796 - 3029

II

4391(T)/26 INDONESIA - Jawa - Buoyage.

Source: Indonesian Notice 31/219(T)/26

1. Isolated Danger buoys have been deployed, until further notice, in the following positions:

6° 04'·49S., 106° 50'·07E.

and

6° 02'·14S., 106° 46'·61E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 932 - 933

II

4396(T)/26 INDONESIA - Java Sea - Buoyage.

Source: Indonesian Notice 31/220(T)/26

1. Isolated Danger buoys have been deployed, until further notice, in the following positions:

3° 35'·76S., 106° 55'·23E.

3° 30'·95S., 110° 09'·98E.

3° 32'·79S., 107° 41'·56E.

2° 53'·19S., 107° 12'·62E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 1066 - 1312 - 1964 - 2137 - 2470 - 2872 - 2873 - 3757

II

4348(T)/26 AUSTRALIA - Queensland - Dredging area.

Source: Australian Notice 17/727(T)/26

1. The dredge *Brisbane* is conducting dredging operations in the Sea Channel, Platypus Channel and the swing basins between positions 19° 07'·02S., 146° 53'·86E. and 19° 15'·18S., 146° 49'·93E.
2. The dredge will display appropriate lights and shapes and monitor VHF Ch 16.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 827

II

4349(T)/26 PAPUA NEW GUINEA - Light.

Source: Australian Notice 17/731(T)/26

1. The light, Fl.6s 20m 10M (6° 39′·36S., 147° 51′·79E.), is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4622 (INT 622) - PNG 386 - PNG 523

II

4350(T)/26 PAPUA NEW GUINEA - Light.

Source: Australian Notice 17/729(T)/26

1. The light, Fl.14M ($2^{\circ} 13' \cdot 0S.$, $148^{\circ} 11' \cdot 8E.$), is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4603 (INT 603) - 4604 (INT 604) - 4622 (INT 622)

II

4351(T)/26 AUSTRALIA - Western Australia - Works. Wells.

Source: Australian Notice 17/739(T)/26

1. On or about 27 August 2026, vessel *Skandi Hercules* will begin conducting wellhead removal works in the vicinity of the following positions:

19° 27'·3S., 116° 29'·5E.

19° 37'·8S., 116° 23'·8E.

19° 35'·1S., 116° 06'·8E.

19° 40'·6S., 115° 53'·8E.

19° 41'·6S., 115° 53'·8E.

19° 41'·6S., 115° 51'·0E.

19° 46'·1S., 115° 53'·2E.

19° 47'·2S., 115° 46'·9E.

19° 50'·9S., 115° 47'·3E.

20° 05'·0S., 115° 10'·6E.

20° 09'·1S., 115° 04'·0E.

2. Survey operations will be conducted in the vicinity of positions 19° 39'·1S., 115° 55'·8E. and 19° 44'·7S., 115° 44'·2E.
3. Mariners are advised to navigate with caution in the area. 500m clearance requested.
(WGS84 DATUM)

Charts affected - 4722 (INT 722) - 4723 (INT 723) - Aus 327

II

4352(T)/26 AUSTRALIA - Western Australia - Submarine cable.

Source: Australian Notice 17/735(T)/26

1. Vessel Nexans Aurora is conducting cable laying operations between the following positions:

20° 41'·5S., 115° 25'·0E.

19° 52'·7S., 114° 36'·5E.

2. Mariners are advised to navigate with caution in the area. 1M clearance requested.
(WGS84 DATUM)

Charts affected - 4723 (INT 723) - Aus 327

II

4354(T)/26 PAPUA NEW GUINEA - Light-beacon.

Source: Australian Notice 17/730(T)/26

1. The light beacon, F(2)8s 10M ($5^{\circ} 55' \cdot 0S.$, $148^{\circ} 07' \cdot 8E.$), is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - PNG 386 - PNG 387

II

4309(T)/26 NORTH PACIFIC OCEAN - Data buoys.

Source: NOAA

1. The National Oceanic and Atmospheric Administration (NOAA) maintains an array of buoys called Tropical Atmosphere Ocean (TAO) in the Pacific Ocean.
2. The TAO buoys, grey, 2 metre toroid buoys with radar reflectors, which make up the array are located in the following revised positions:

<i>Designation</i>	<i>Position</i>
*52013	10° 00'·0N., 165° 00'·0E.
*52006	8° 00'·0N., 165° 00'·0E.
*52003	5° 00'·0N., 165° 00'·0E.
*52001	2° 00'·0N., 165° 00'·0E.
*52321	0° 00'·0N., 165° 00'·0E.
*52002	2° 00'·0S., 165° 00'·0E.
*52004	5° 00'·0S., 165° 00'·0E.
*52007	8° 00'·0S., 165° 00'·0E.
*52315	8° 00'·0N., 180° 00'·0E.
*52309	5° 00'·0N., 180° 00'·0E.
*52310	2° 00'·0N., 180° 00'·0E.
*52311	0° 00'·0N., 180° 00'·0E.
*52312	2° 00'·0S., 180° 00'·0E.
*52313	5° 00'·0S., 180° 00'·0E.
*52316	8° 00'·0S., 180° 00'·0E.
*51312	10° 00'·0N., 170° 00'·0W.
*51309	8° 00'·0N., 170° 00'·0W.
*51303	5° 00'·0N., 170° 00'·0W.
*51305	2° 00'·0N., 170° 00'·0W.
*51010	0° 00'·0N., 170° 00'·0W.
*51306	2° 00'·0S., 170° 00'·0W.
*51304	5° 00'·0S., 170° 00'·0W.
*51310	8° 00'·0S., 170° 00'·0W.
*51301	8° 00'·0N., 155° 00'·0W.

3. and

*51020	5° 00'·0N., 155° 00'·0W.
*51021	2° 00'·0N., 155° 00'·0W.
*51023	0° 00'·0N., 155° 00'·0W.
*51022	2° 00'·0S., 155° 00'·0W.
*51019	5° 00'·0S., 155° 00'·0W.
*51302	8° 00'·0S., 155° 00'·0W.
*51006	9° 00'·0N., 140° 00'·0W.
*51007	5° 00'·0N., 140° 00'·0W.
*51008	2° 00'·0N., 140° 00'·0W.
*51024	1° 00'·0N., 140° 00'·0W.
*51311	0° 00'·0N., 140° 00'·0W.
*51025	1° 00'·0S., 140° 00'·0W.
*51009	2° 00'·0S., 140° 00'·0W.
*51014	5° 00'·0S., 140° 00'·0W.
*51307	8° 00'·0N., 125° 00'·0W.
*51015	5° 00'·0N., 125° 00'·0W.
*51016	2° 00'·0N., 125° 00'·0W.
*51011	0° 00'·0N., 125° 00'·0W.
*51017	2° 00'·0S., 125° 00'·0W.
*51018	5° 00'·0S., 125° 00'·0W.
*51308	8° 00'·0S., 125° 00'·0W.
*43013	10° 00'·0N., 110° 00'·0W.
*43001	8° 00'·0N., 110° 00'·0W.
*32315	5° 00'·0N., 110° 00'·0W.
*32316	2° 00'·0N., 110° 00'·0W.

II

4309(T)/26 NORTH PACIFIC OCEAN - Data buoys. (continued)

4. and

*32323	0° 00'·0N., 110° 00'·0W.
*32317	2° 00'·0S., 110° 00'·0W.
*32318	5° 00'·0S., 110° 00'·0W.
*32319	8° 00'·0S., 110° 00'·0W.
*43301	8° 00'·0N., 95° 00'·0W.
*32303	5° 00'·0N., 95° 00'·0W.
*32320	2° 00'·0N., 95° 00'·0W.
*32321	0° 00'·0N., 95° 00'·0W.
*32322	2° 00'·0S., 95° 00'·0W.
*32304	5° 00'·0S., 95° 00'·0W.
*32305	8° 00'·0S., 95° 00'·0W.

5. Mariners are advised to give all TAO buoys a 5 nautical mile wide berth.

6. *Further information and up to date positions are available on the National Data Buoy Centre website <https://www.ndbc.noaa.gov/>

7. *Former Notice 6384(T)/19 is cancelled.

*Indicates new or revised entry.

(WGS84 DATUM)

Charts affected - 761 - 4506 (INT 506) - 4604 (INT 604) - 4605 (INT 605) - 4606 (INT 606) - 4607 (INT 607) - 4615 - 4617 (INT 617) - 4618 - 4619 - 4624 (INT 624) - 4625 (INT 625) - 4626 (INT 626) - 4629 (INT 629) - 4632 (INT 632) - 4653 (INT 653) - 4802 (INT 802) - 4808 - 4809 (INT 809) - 4811 (INT 811)

II

4298(P)/26 PANAMA - Pacific Ocean Coast - Depths. Anchorage areas. Anchor berths. Waiting area. Swinging circle. Bridge. Buoy. Virtual aid to navigation.

Source: ENC's PA5CP005, PA6CP002 and US4PE3Q0

1. Significant changes have taken place in the Panama Canal Pacific entrance and approaches.
2. Depths less than charted exist within Puerto de Balboa. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
12·5m	8° 57'·79N., 79° 34'·34W.
14·4m	8° 57'·76N., 79° 34'·22W.

3. New anchorage areas have been established and there have been extensive changes to existing anchor berths in the approaches to the Panama Canal, within and around the Merchant Anchorage, Explosive Anchorage, and the Pacific Anchorage Expansion.
4. A semi-circular waiting area has been established, with a radius of 3615m, centred on 8° 51'·87N., 79° 29'·93W., joining:
8° 50'·32N., 79° 28'·73W.
8° 53'·40N., 79° 31'·19W.
5. A swinging circle, with a radius of 920m, and minimum depth of 16·6m, has been established, centred on:
8° 52'·32N., 79° 30'·02W.
6. A bridge, with a vertical clearance of 80m, is under construction, joining the following positions:
8° 56'·87N., 79° 33'·96W.
8° 56'·57N., 79° 34'·40W.
7. The light buoy, *FL.Y(5)20s 'ODAS-P'* has been moved from 8° 53'·42N., 79° 31'·25W. to 8° 53'·58N., 79° 31'·16W.
8. A virtual aid to navigation (V-AIS), starboard lateral topmark, has been established in position 8° 57'·10N., 79° 34'·09W.
9. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
10. These and other changes will be included in the next New Editions of Charts CP5 and 5504.
11. Former Notice 4470(P)/23 is cancelled.
(WGS84 DATUM)

Charts affected - 5504 - CP 5

II

4337(P)/26 BRAZIL - South Coast - Wreck.

Source: Brazilian Notice 12/S 63(P)/26

1. A dangerous wreck has been reported in position 23° 04'·01S., 44° 21'·76W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 433

II

4375(P)/26 BRAZIL - South Coast - Depths.

Source: Brazilian Notice 12/S 61(P)/26

1. Depths less than charted exist within Rio de Janeiro harbour. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
4·8m	22° 52'·67S., 43° 11'·62W.
14·5m	22° 52'·36S., 43° 12'·10W.
14·7m	22° 52'·85S., 43° 12'·55W.

2. Shoaling, with minimum depth 8·6m, has been reported within the area joining the following positions:

22° 53'·42S., 43° 11'·15W.
22° 53'·36S., 43° 11'·10W.
22° 53'·39S., 43° 10'·90W.
22° 53'·49S., 43° 10'·95W.

3. Mariners are advised to navigate with caution in the area.
4. *Former Notice 5239(P)/24 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 566

II

4388(T)/26 BRAZIL - South Coast - Buoy. Automatic Identification System.

Source: NAVAREA V Warning 436/26

1. An ODAS buoy, *Fl(5)Y.20s*, with a radar reflector and Automatic Information System, *AIS*, has been established in position 32° 52'·9S., 50° 50'·6W.
2. Mariners are requested to maintain a distance of 500 metres from this light-buoy and to navigate with caution in the area. (WGS84 DATUM)

Charts affected - 556 - 3984

II

4389(T)/26 BRAZIL - North Coast - Buoy.

Source: NAVAREA V Warning 440/26

1. An ODAS buoy, *Fl(5)Y.20s*, has been established in position 4° 02'·3N., 47° 43'·7W.
2. Mariners are requested to maintain a distance of 500 metres from this light-buoy and to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 520

II

4427(P)/26 **BRAZIL - East Coast - Depths.**

Source: Brazilian Local Navigational Warning E 7826/26

1. Depths less than charted are reported to exist within the approaches to Porto De Natal. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
9·3m	5° 45'·26S., 35° 11'·99W.
3·8m	5° 45'·34S., 35° 11'·97W.
1·9m	5° 45'·38S., 35° 12'·03W.

2. Mariners are advised to navigate with caution in the area.
3. Chart 504 will be updated when full details are available.
4. *Former Notice 624(P)/25 is cancelled.
*Indicates new or revised entry.
(WGS84 DATUM)

Chart affected - 504

II

4397(P)/26 VENEZUELA - Depths. Virtual aids to navigation.

Source: Venezuelan Notice 33(P)/26

1. Due to the 2026 earthquake, dangerous drifting objects and changes to depths may occur along the coast between the following approximate positions:

11° 29'·3N., 69° 22'·9W.

10° 12'·1N., 65° 37'·6W.

2. Depths may be less than charted.
3. Harbour facilities and aids to navigation may be damaged, extinguished, moved or destroyed.
4. Mariners are advised to navigate with caution in the area and consult the relevant local port authorities for the latest information.
5. Charts will be updated when full details are available.
(WGS84 DATUM)

Charts affected - 1628 - 1629 - 1966 - 2191 - 2192 - 2193 - 4400 (INT 400) - 4402 (INT 402)

II

4327(T)/26 CANADA - Newfoundland and Labrador - Buoy.

Source: French Notice 26/10(T)/26

1. A temporary light, *Q(9)15s6M*, has been added to the west cardinal buoy, in position 47° 01'·9N., 56° 31'·7W.
2. Former Notice 1585(T)/26 is cancelled.
(NAD83 DATUM)

Chart affected - 4763