

# Game Theory 13-01

## Review: Games of Complete Information

BCSE Game Theory

Jan. 13, 2026

# Part 1: Static Games of Complete Information

## IESDS Nash Equilibrium

# Review: Strategic Form Games

1. **Dominance:** A strategy is strictly dominated if another strategy always yields a strictly higher payoff, regardless of opponents' actions.
2. **IESDS:** Rational players will never play strictly dominated strategies. We can iteratively remove them to simplify the game.
3. **Nash Equilibrium (NE):** A profile where no player has an incentive to deviate unilaterally.
  - ▶ IESDS preserves NE. If IESDS leads to a unique outcome, that is the unique NE.
  - ▶ If not, we solve for NE in the simplified game.

## Exercise 1: 4x4 Game

### Problem

Consider the following game between Player 1 (Row) and Player 2 (Col).

|     | $L$  | $C$  | $R$  | $X$  |
|-----|------|------|------|------|
| $T$ | 2, 3 | 5, 2 | 1, 2 | 2, 0 |
| $M$ | 2, 1 | 8, 8 | 3, 6 | 9, 3 |
| $B$ | 3, 0 | 9, 6 | 2, 8 | 0, 5 |
| $Y$ | 1, 1 | 0, 2 | 0, 1 | 1, 1 |

## Exercise 1: 4x4 Game (Questions)

### Task

#### Questions:

1. Apply **IESDS** to reduce this matrix to a 2x2 game. State clearly which strategy dominated which in each step.
2. Find all **Pure Strategy Nash Equilibria (PSNE)** in the reduced game.
3. Find the **Mixed Strategy Nash Equilibrium** in the reduced game.

## Ex 1: Solution (IESDS Step 1-2)

|          | <i>L</i> | <i>C</i> | <i>R</i> | <i>X</i> |
|----------|----------|----------|----------|----------|
| <i>T</i> | 2, 3     | 5, 2     | 1, 2     | 2, 0     |
| <i>M</i> | 2, 1     | 8, 8     | 3, 6     | 9, 3     |
| <i>B</i> | 3, 0     | 9, 6     | 2, 8     | 0, 5     |
| <i>Y</i> | 1, 1     | 0, 2     | 0, 1     | 1, 1     |

1. **Row Dominance:** Compare *Y* with *T*.
  - ▶ *T* pays {2, 5, 1, 2}, *Y* pays {1, 0, 0, 1}.
  - ▶  $T > Y$  in all cases. **Eliminate** *Y*.
2. **Col Dominance:** Compare *X* with *C*.
  - ▶ Remaining rows *T, M, B*: *C* pays {1, 8, 6}, *X* pays {0, 3, 5}.
  - ▶  $C > X$  strictly. **Eliminate** *X*.

## Ex 1: Solution (IESDS Step 3-4)

Remaining:  $T, M, B$  vs  $L, C, R$ .

|     | $L$  | $C$  | $R$  |
|-----|------|------|------|
| $T$ | 2, 3 | 5, 2 | 1, 2 |
| $M$ | 2, 1 | 8, 8 | 3, 6 |
| $B$ | 3, 0 | 9, 6 | 2, 8 |

### 3. Row Dominance: Compare $T$ and $B$ .

- ▶  $B(3, 9, 2)$  vs  $T(2, 5, 1)$ .
- ▶  $B$  strictly dominates  $T$  ( $3 > 2, 9 > 5, 2 > 1$ ). **Eliminate  $T$ .**

### 4. Col Dominance: Compare $L$ with $C$ .

- ▶ Remaining rows  $M, B$ :  $C(8, 6)$  vs  $L(1, 0)$ .
- ▶  $C > L$  strictly. **Eliminate  $L$ .**

## Ex 1: Solution (Reduced 2x2)

After eliminating  $Y, X, T, L$ , we are left with:

|     | $C$  | $R$  |
|-----|------|------|
| $M$ | 8, 8 | 3, 6 |
| $B$ | 9, 6 | 2, 8 |

**Note:** This 2x2 matrix matches the inputs for the Nash Equilibrium calculation in the next slide (labeled  $U, D$  vs  $L, R$ ).



## Ex 1: Solution (Reduced 2x2 PSNE)

**Final 2x2 Game: Final 2x2 Game:**

|     | $L$  | $R$  |
|-----|------|------|
| $U$ | 9, 6 | 2, 8 |
| $D$ | 8, 8 | 3, 6 |

(Using  $U, D$  vs  $L, R$  for clarity).

### 2. Pure Nash Equilibria:

- ▶  $L$ :  $U(9) > D(8)$ . P1 picks  $U$ . P2 response to  $U$ ?  
 $R(8) > L(6)$ .  $\rightarrow (U, R)$ .
- ▶  $R$ :  $D(3) > U(2)$ . **Check:**  $U(2)$  vs  $D(3)$ . P1 picks  $D$ .
- ▶ Response to  $D$ ?  $L(8) > R(6)$ .  $\rightarrow (D, L)$ .
- ▶ Cycle:  $U \rightarrow R \rightarrow D \rightarrow L \rightarrow U$ .
- ▶ **No Pure Strategy Nash Equilibrium.**

## Ex 1: Solution (Mixed Strategy NE)

Since there is no PSNE, we look for MSNE. Let P1 play  $U$  with prob  $p$ , P2 play  $L$  with prob  $q$ .

### 1. P2's Indifference:

$$\begin{aligned}E[U_2(L)] &= E[U_2(R)] \\6p + 8(1 - p) &= 8p + 6(1 - p) \\8 - 2p &= 2p + 6 \\2 &= 4p \Rightarrow p = 0.5\end{aligned}$$

### 2. P1's Indifference:

$$\begin{aligned}E[U_1(U)] &= E[U_1(D)] \\9q + 2(1 - q) &= 8q + 3(1 - q) \\7q + 2 &= 5q + 3 \\2q &= 1 \Rightarrow q = 0.5\end{aligned}$$

**Result:** Mixed Strategy NE is  $((0.5, 0.5), (0.5, 0.5))$ .

## Part 2: Static Games of Complete Information

### 3-Firm Cournot Competition

# Review: Dynamic Games Subgames

- ▶ **Game Tree (Extensive Form):**
  - ▶ **Nodes:** Decision points and terminal endpoints.
  - ▶ **Information Sets:** Collection of nodes where a player cannot distinguish which node allowed.
- ▶ **Subgame:** A part of the game that:
  - ▶ Starts at a singleton information set (initial node).
  - ▶ Includes all successors of that node.
  - ▶ Does not cut across information sets.

# Review: Subgame Perfect Equilibrium (SPE)

## Why Nash Equilibrium is insufficient?

NE allows for **non-credible threats**: optimal actions in subgames that are never reached (off-equilibrium path), which may not be rational if reached.

## Subgame Perfect Equilibrium (SPE):

- ▶ A strategy profile that induces a Nash Equilibrium in **every subgame** (reached or not).
- ▶ **Backward Induction**: The algorithm to find SPE in finite games of perfect information.

# Review: Cournot Competition

- ▶ **Model:** Firms compete on **Quantity** ( $q_i$ ) **simultaneously**.
- ▶ **Inverse Demand:**  $P(Q) = A - Q$ , where  $Q = \sum q_i$ .
- ▶ **Nash Equilibrium:** Each firm sets  $q_i$  to maximize profit given  $q_{-i}$ .
- ▶ The intersection of reaction functions gives the Cournot-Nash Equilibrium.

## Exercise 2: 3-Firm Cournot

### Problem

Demand:  $P = 120 - Q$ , where  $Q = q_1 + q_2 + q_3$ . Marginal Costs:  $c_1, c_2, c_3$ .

1. Write down the profit function for Firm 1.
2. Derive the Reaction Function (Best Response) for Firm 1,  $q_1^*(q_2, q_3)$ .
3. Solve for the equilibrium quantities  $q_1^*, q_2^*, q_3^*$  in terms of  $c_1, c_2, c_3$ .
4. Calculate the numerical values if  $c_1 = c_2 = c_3 = 20$ .

## Ex 2: Solution (1 & 2)

### 1. Profit Function:

$$\pi_1 = (P - c_1)q_1 = (120 - (q_1 + q_2 + q_3) - c_1)q_1$$

### 2. Reaction Function: FOC w.r.t $q_1$ :

$$\frac{\partial \pi_1}{\partial q_1} = 120 - 2q_1 - q_2 - q_3 - c_1 = 0$$

$$2q_1 = 120 - c_1 - (q_2 + q_3)$$

$$q_1^*(q_{-1}) = \frac{120 - c_1 - q_2 - q_3}{2}$$

Or,

$$q_1^* + Q = 120 - c_1$$



## Ex 2: Solution (3)

By symmetry of the equations, we have:

$$q_1 + Q = 120 - c_1$$

$$q_2 + Q = 120 - c_2$$

$$q_3 + Q = 120 - c_3$$

$$4Q = 360 - \sum c_i$$

$$Q = 90 - \frac{\sum c_i}{4}$$

Now use Eq(1):  $q_1 + Q = 120 - c_1 \Rightarrow q_1 = 120 - c_1 - Q$ .  
Substitute  $Q$ :

$$q_1^* = 120 - c_1 - \left(90 - \frac{\sum c_i}{4}\right) = 30 - c_1 + \frac{\sum c_i}{4}$$

## Ex 2: Solution (4)

If  $c_1 = c_2 = c_3 = 20$ :

$$q_1^* = \frac{120 - 4c_1 + \sum c_i}{4} = \frac{120 - 80 + 60}{4} = 25$$

Symmetry:  $q_1^* = q_2^* = q_3^* = 25$ .

**Verification:**

- ▶ Total  $Q = 75 \Rightarrow$  Price  $P = 120 - 75 = 45$ .  $MC = 20$ .
- ▶ Firm 1's residual demand:  $P(Q) = (120 - q_2 - q_3) - q_1 = 70 - q_1$ .
- ▶ Total Revenue:  $TR = (70 - q_1)q_1$ .
- ▶ Marginal Revenue:  $MR = 70 - 2q_1$ .
- ▶ Optimality:  $MR = MC \Rightarrow 70 - 2q_1 = 20 \Rightarrow q_1 = 25$ . **Correct.**

## Part 3: Dynamic Games of Complete Information

### 2-Firm Stackelberg Competition

## Exercise 3: 2-Firm Stackelberg

### Problem: Dynamic Quantity Competition

Demand:  $P = 120 - Q$ , where  $Q = q_1 + q_2$ . Costs  $c_1 = c_2 = 20$ .

#### Timing:

1. **Stage 1:** Firm 1 (Leader) chooses  $q_1 \geq 0$ .
2. **Stage 2:** Firm 2 (Follower) observes  $q_1$  and chooses  $q_2$ .

#### Questions:

1. Solve for the Subgame Perfect Equilibrium (SPE).
2. Compare the Leader's profit to the Follower's. Does moving first help?

## Ex 3: Solution (Stage 2: Follower)

**Backward Induction:** Start from the last stage (Stage 2). Given  $q_1$ , Firm 2 maximizes profit on residual demand:

$$\pi_2 = (P - c_2)q_2 = ((120 - q_1) - q_2 - 20)q_2 = (100 - q_1 - q_2)q_2$$

FOC w.r.t  $q_2$ :

$$\frac{\partial \pi_2}{\partial q_2} = 100 - q_1 - 2q_2 = 0$$

Follower's Best Response function:

$$q_2^*(q_1) = \frac{100 - q_1}{2}$$

## Ex 3: Solution (Stage 1: Leader)

Firm 1 anticipates the follower's response. Total Output

$$Q = q_1 + q_2^* = q_1 + \frac{100 - q_1}{2} = \frac{100 + q_1}{2}. \text{ Price}$$

$$P = 120 - Q = 120 - \frac{100 + q_1}{2} = \frac{140 - q_1}{2}. \text{ Firm 1 Profit}$$

$$\pi_1 = (P - 20)q_1:$$

$$\pi_1 = \left( \frac{140 - q_1}{2} - 20 \right) q_1 = \frac{100 - q_1}{2} q_1$$

Max w.r.t  $q_1$ :

$$\frac{d\pi_1}{dq_1} = \frac{100 - 2q_1}{2} = 0 \Rightarrow q_1^* = 50$$

## Ex 3: Results & First Mover Advantage

### Equilibrium Quantities:

- ▶ Leader:  $q_1^* = 50$ .
- ▶ Follower:  $q_2^* = \frac{100-50}{2} = 25$ .

### Profits:

- ▶ Total  $Q = 75$ . Price  $P = 120 - 75 = 45$ .
- ▶ Margin  $P - c = 45 - 20 = 25$ .
- ▶ Leader:  $\pi_1 = 25 \times 50 = 1250$ .
- ▶ Follower:  $\pi_2 = 25 \times 25 = 625$ .

### Conclusion

**First Mover Advantage:** The Leader commits to a high quantity (50), forcing the Follower to produce less (25). Compare to symmetric Cournot: each would produce  $\frac{100}{3} \approx 33.3$ .

## Part 4: Capacity Constraints

### Bertrand Paradox Resolution



## Exercise 4: Bertrand with Capacity

### Problem

Two firms compete in prices. Demand  $D(p) = 100 - p$ .

- ▶ Firm A: MC  $c_A = 10$ . Capacity  $K_A = 30$ .
- ▶ Firm B: MC  $c_B = 12$ . Unlimited Capacity. (**Asymmetric Costs**).

### Questions:

1. Consider Firm B's best response if Firm A sets a high price  $p_A$ . Should B undercut or accept residual demand?
2. Find the Nash equilibrium price  $p^*$  where B is indifferent between undercutting and residual monopoly.
3. Calculate Firm A's profit at this equilibrium.
4. Suppose Firm A expands capacity to  $K_A = 100$ . What is the new equilibrium and profit?

## Ex 4: Solution (1: Firm B's Choice)

Suppose A sets price  $p_A$ . B has two main strategies:

1. **Residual Monopoly**: Accept A fills  $K_A = 30$ .

▶ Residual:  $D_r(p) = (100 - p) - 30 = 70 - p$ .

▶ Max  $\pi_B^{Res} = (p - 12)(70 - p)$ .

▶ FOC  $\Rightarrow p^* = 41$ . Profit:  
 $(41 - 12)(70 - 41) = 29 \times 29 = 841$ .

2. **Price War (Undercut)**: Set  $p_B = p_A - \epsilon$ .

▶ B captures whole market  $D(p_A)$ .

▶ Profit  $\pi_B^{Cut} \approx (p_A - 12)(100 - p_A)$ .

**Comparison at  $p_A = 41$ :**

$\pi_B^{Cut}(41) = (41 - 12)(100 - 41) = 29 \times 59 = 1711$ . Since  $1711 > 841$ , B will undercut!  $p_A = 41$  is **not** an equilibrium.


## Ex 4: Graphical Analysis

Firm A must lower  $p_A$  until B prefers (or is indifferent to) Residual Monopoly.

$$\pi_B^{Cut}(p) \leq \pi_B^{Res} \Rightarrow (p - 12)(100 - p) \leq 841$$

$$-p^2 + 112p - 1200 \leq 841 \Rightarrow p^2 - 112p + 2041 \geq 0$$

**Profit Difference:**  $\Delta(p) = \pi_B^{Cut}(p) - \pi_B^{Res} = (p - 12)(100 - p) - 841$



**Interpretation:** B prefers Residual Monopoly when  $p \in [22.9, 89.1]$ .

## Ex 4: Solution (2: Equilibrium)

$$\text{Roots: } p = \frac{112 \pm \sqrt{112^2 - 4 \times 2041}}{2} = \frac{112 \pm \sqrt{12544 - 8164}}{2} = \frac{112 \pm \sqrt{4380}}{2}.$$

$$\sqrt{4380} \approx 66.18. \text{ Lower stable root: } p \approx \frac{112 - 66.18}{2} = \frac{45.82}{2} \approx 22.91.$$

- ▶ **Equilibrium:**  $p_A = p_B \approx 22.9$ .
- ▶ A sells 30 units (capacity). B sells residual.
- ▶ **A's Profit:**  $\pi_A = (22.9 - 10) \times 30 = 12.9 \times 30 = 387$ .

## Ex 4: Solution (3: The Paradox)

**What if A expands capacity to  $K_A = 100$  (Unconstrained)?**

- ▶ A has cost advantage ( $10 < 12$ ) and sufficient capacity to serve the whole market (Max Demand  $\leq 100$ ).
- ▶ **Standard Asymmetric Bertrand:** A undercuts B to  $p \approx c_B = 12$ .
- ▶ A serves entire market  $D(12) = 100 - 12 = 88$ .
- ▶ **New Profit for A:**

$$\pi'_A = (12 - 10) \times 88 = 2 \times 88 = 176$$

### Conclusion

**Profit Drop:**  $387 \rightarrow 176$ . Expansion causes a loss. Even with a cost advantage, the "Aggression" needed to fill the larger capacity destroys margins. Being "Small and Efficient" was better than "Big and Efficient" in this strategic context.