

INT201 Decision, Computation and Language

Tutorial 3


Dr Yushi Li



Xi'an Jiaotong-Liverpool University

西交利物浦大學

1. An NFA over alphabet $A = \{0, 1\}$ is given by the diagram below. Convert it to the equivalent DFA by filling the entries of the table and pointing out the accepting states.



	0	1
{p}		
{p, q}		
{p, r}		
{p, q, r}		
{p, q, s}		
{p, q, r, s}		
{p, r, s}		
{p, s}		



2. Give NFAs with the specified number of states recognizing each of the following languages. In all cases, the alphabet is $\Sigma = \{0, 1\}$.

- (a) The language $\{ w \in \Sigma^* \mid w \text{ ends with } 00 \}$ with three states.
- (b) The language $\{ w \in \Sigma^* \mid w \text{ contains the substring } 0101, \text{ i.e., } w = x0101y \text{ for some } x, y \in \Sigma^* \}$ with five states.
- (c) The language $0^*1^*0^*0$ with three states.



Solutions

1.

	0	1
{p}	{p, q}	{p}
{p, q}	{p, q, r}	{p, r}
{p, r}	{p, q, s}	{p}
{p, q, r}	{p, q, r, s}	{p, r}
{p, q, s}	{p, q, r, s}	{p, r, s}
{p, q, r, s}	{p, q, r, s}	{p, r, s}
{p, r, s}	{p, q, s}	{p, s}
{p, s}	{p, q, s}	{p, s}


initial state: {p}


accepting states: {p, q, s}, {p, s}, {p, q, r, s}, {p, r, s}

The language accepted by the NFA consists of strings containing 010 or 000.



2.





THANK YOU



Xi'an Jiaotong-Liverpool University
西交利物浦大學

XJTLU | SCHOOL OF
FILM AND
TV ARTS