




NotifiED: Personal Campus Information Hub

Group 2 - Charles' Angels

OUR TEAM



Charles



Cristian



Gabrielle



Patricia



Mr. Gonzalo Gumogda

Project Adviser




TABLE OF CONTENTS

- Midterms Panelist Comments Matrix
- Statement of the Problem
- Objectives
- Use Case Diagram
- Activity diagrams with swim-lanes
- Updated Test Cases
- Entity Relationship Diagram - ERD
- Cloud Hosted Prototype



COMMENT MATRIX



Panel Name	Project Section	Comment	Action Taken
Manuel Calimlim, Jr.	Objectives	Number 1 objective is wrong as it does not answer/solve the problem Objectives should be S.M.A.R.T Don't explain the objectives	Objectives updated Removed explanation of the statement of the problem and objectives in the documentation
	AI Implementation	AI chatbot implementation is considered too shallow / limited as an AI feature for the project.	Added a new AI feature for interpreting datas coming the the other team and made the AI an actor
Carl Dominique Bueno	Fully Dressed Use Case Diagram	Main flow should have actor response and system response	Fully Dressed Use Case Diagram updated

STATEMENT OF THE PROBLEM

OBJECTIVES



Difficulty Managing Fragmented
Campus Information



To centralize campus announcements,
events, and updates, reducing difficulty
tracking them from 70% to at most 30%

Difficulty in Accessing Event
Information




To improve retrievability of
complete event details, increasing
access from 65% to at least 85%


Poor User Experience in Existing
Information Channels





To reduce information overload via
AI-assisted filtering and
summarization, from 60% to at
most 25%


USE CASE DIAGRAM








































C4 MODEL DIAGRAM


LAYER 1 - SYSTEM CONTEXT DIAGRAM



LAYER 2 - CONTAINER DIAGRAM




Component Diagram - UI / Presentation Layer (Version 5)




SWIMLANE



UC-01 & UC-02: Log In (includes Authenticates User)




UC-03 & UC-04: Edit Profile (includes Retrieves Profile Data)






UC-05: Log Out







UC-06 to UC-08: View Calendar (includes Retrieve Calendar, Retrieve Upcoming Campus Event)



UC-09 & UC-10: View Emails (includes Redirects to Outlook)




UC-11 to UC-13: Browse Organization (Filter Organization, View Organization Details)






UC-15 & UC-19: Register for Event (includes Confirm Registration)




UC-16: Scan QR






UC-17: View Registration Status






UC-18: Browse Events (includes Retrieve Data)







UC-20: Access Dashboard




UC-21: View Notification



UC-22 to UC-25: Interprets Data (Classify Data, Summarize Data, Retrieve Data)



ENTITY RELATIONSHIP DIAGRAM - ERD



FULLY DRESSED USE CASE

UC-01: LOG IN

Use Case ID	UC-01
Use Case Name	Log In
Module	Manage User Account Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	Microsoft Identity Platform
Goal / Description	To allow a student to sign in to NotifiED using their institutional Microsoft account so they can access personalized campus information.
Actions / Short Summary	• Student selects Sign In on the landing screen • System includes Authenticates User to verify the student's institutional identity • System establishes an authorized session • System loads the main NotifiED Dashboard
Trigger	Students select "Sign In" from the landing screen because no active session exists.
Assumptions	• The student has a valid institutional Microsoft account (@student.apc.edu.ph). • The device has an active internet connection.
Preconditions	• The NotifiED application is installed and launched. • The student is not currently authenticated.
Postconditions	Success: Student is authenticated, an active session is established, and the main Dashboard loads. Failure: No session is established; student remains on the sign-in screen.
Related Use Cases	Includes Authenticates User (UC-02). Access Dashboard (UC-20) extends this use case once sign-in succeeds.

UC-02: AUTHENTICATES USER

Use Case ID	UC-02
Use Case Name	Authenticates User
Module	Manage User Account Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagnan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	Microsoft Identity Platform
Goal / Description	To verify the student's institutional credentials through the Microsoft Identity Platform and issue an authorization token to NotifiED.
Actions / Short Summary	• System redirects the sign-in request to the Microsoft Identity Platform • Student enters institutional credentials • Microsoft Identity Platform validates the credentials and confirms the account domain • Microsoft Identity Platform issues an authorization token
Trigger	Included by Log In (UC-01) whenever the student attempts to sign in.
Assumptions	• The Microsoft Identity Platform service is reachable. • The authorized-student domain check (isAuthorizedStudent) is enforced by the System.
Preconditions	• Log In (UC-01) has been initiated. • The student has institutional credentials to enter.
Postconditions	Success: Student identity is verified, and an authorization token is issued to NotifiED. Failure: No token is issued; the student remains unauthenticated.
Related Use Cases	Included by Log In (UC-01).

UC-03: EDIT PROFILE

Use Case ID	UC-03
Use Case Name	Edit Profile
Module	Manage User Account Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	None
Goal / Description	To allow the student to set up a new NotifiED profile or update an existing one (school, program, year level, section, and organization preferences).
Actions / Short Summary	• Student opens the Profile section • System includes Retrieves Profile Data to load any existing profile • Student enters or updates profile information and submits • System validates and saves the profile
Trigger	Student selects Edit Profile or is routed here automatically after a first sign-in with no saved profile.
Assumptions	• Profile fields have defined validation rules.
Preconditions	• The student has successfully signed in (UC-01). • The application has an active internet connection.
Postconditions	Success: The profile is created or updated and stored by the System. Failure: The profile is not saved; prior information remains unchanged.
Related Use Cases	Includes Retrieves Profile Data (UC-04).

UC-04: RETRIEVES PROFILE DATA

Use Case ID	UC-04
Use Case Name	Retrieves Profile Data
Module	Manage User Account Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	None
Goal / Description	To retrieve the student's existing NotifiED profile or confirm that none exists yet.
Actions / Short Summary	- System queries the student's profile record - System returns the stored profile data, if any - System passes the result back to Edit Profile
Trigger	Included by Edit Profile (UC-03).
Assumptions	None.
Preconditions	The student is authenticated.
Postconditions	Success: Existing profile data is returned and displayed, or the System confirms that no profile exists. Failure: Profile data cannot be retrieved.
Related Use Cases	Included by Edit Profile (UC-03).

UC-05: LOG OUT

Use Case ID	UC-05
Use Case Name	Log Out
Module	Manage User Account Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	None
Goal / Description	To allow the student to end their authenticated session and return to the sign-in screen.
Actions / Short Summary	- Student selects Log Out - Student confirms the action - System clears the local session and cached tokens - System returns to the sign-in screen
Trigger	Student selects Log Out from the account menu.
Assumptions	None.
Preconditions	The student has an active session.
Postconditions	Success: The session and locally cached authorization tokens are cleared; the student returns to the sign-in screen. Failure: The session persists; an error is shown.
Related Use Cases	None.

UC-06: VIEW CALENDAR

Use Case ID	UC-06
Use Case Name	View Calendar
Module	View Calendar Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	None
Goal / Description	To give the student a consolidated calendar combining their personal institutional schedule with admin-curated campus events.
Actions / Short Summary	• Student opens View Calendar • System includes Retrieve Calendar for personal events • System includes Retrieve Upcoming Campus Event for campus events • System merges and displays both event sets
Trigger	Student selects Calendar from the Dashboard or navigation menu.
Assumptions	• The student has granted calendar read access during sign-in.
Preconditions	• The student is authenticated.
Postconditions	Success: A merged calendar view with personal and campus events is displayed. Failure: The calendar fails to load and an error is shown.
Related Use Cases	Includes Retrieve Calendar (UC-07) and Retrieve Upcoming Campus Event (UC-08). Extends Access Dashboard (UC-20).

UC-07: RETRIEVE CALENDAR

Use Case ID	UC-07
Use Case Name	Retrieve Calendar
Module	View Calendar Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	Microsoft Identity Platform
Goal / Description	To retrieve the student's personal institutional calendar events through the Microsoft Identity Platform.
Actions / Short Summary	- System requests calendar data using the student's authorization token - Microsoft Identity Platform validates the token and permissions - Microsoft Identity Platform returns the calendar events
Trigger	Included by View Calendar (UC-06).
Assumptions	The student granted calendar-read consent during sign-in.
Preconditions	- The student is authenticated. - The Microsoft Identity Platform is reachable.
Postconditions	Success: The student's personal calendar events are returned. Failure: Personal calendar events are not retrieved.

UC-08: RETRIEVE UPCOMING CAMPUS EVENT

Use Case ID	UC-08
Use Case Name	Retrieve Upcoming Campus Event
Module	View Calendar Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Admin
Goal / Description	To retrieve admin-curated upcoming campus events for display on the student's calendar.
Actions / Short Summary	- System requests upcoming campus events curated by the NotifiED Admin - The admin-managed data store returns matching approved events - System passes the event list back to View Calendar
Trigger	Included by View Calendar (UC-06).
Assumptions	None.
Preconditions	The student is authenticated.
Postconditions	Success: Upcoming campus events are returned. Failure: Campus events are not retrieved.
Related Use Cases	Included by View Calendar (UC-06).

UC-09: VIEW EMAILS

Use Case ID	UC-09
Use Case Name	View Emails
Module	Redirect Email Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	None
Goal / Description	To let the student open their institutional email from within NotifiED. (Shown on the Dashboard as the "View Email" shortcut.)
Actions / Short Summary	• Student selects View Emails • System includes Redirects to Outlook • System confirms the hand-off to Outlook
Trigger	Student selects Email/Mail from the Dashboard or navigation menu.
Assumptions	None.
Preconditions	• The student is authenticated.
Postconditions	Success: The student is redirected into their institutional mailbox. Failure: The mailbox cannot be opened.
Related Use Cases	Includes Redirects to Outlook (UC-10). Extends Access Dashboard (UC-20), shown there as the "View Email" shortcut.

UC-10: REDIRECTS TO OUTLOOK

UC-10: Redirects to Outlook

Use Case ID	UC-10
Use Case Name	Redirects to Outlook
Module	Redirect Email Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	Microsoft Identity Platform
Goal / Description	To hand off the student's verified institutional identity to Microsoft Outlook via single sign-on, without a second login.
Actions / Short Summary	- System requests an SSO redirect via the Microsoft Identity Platform - Microsoft Identity Platform authorizes the Outlook session - System launches Outlook already authenticated
Trigger	Included by View Emails (UC-09).
Assumptions	None.
Preconditions	- The student is authenticated. - The Outlook app or a browser is available on the device.
Postconditions	Success: The student is redirected into Outlook already signed in. Failure: The redirect does not occur.
Related Use Cases	Included by View Emails (UC-09).

UC-11: BROWSE ORGANIZATION

Use Case ID	UC-11
Use Case Name	Browse Organization
Module	Browse Organization Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	AI
Goal / Description	To let the student discover campus organizations, narrow the directory, and view organization profiles enriched with AI-interpreted highlights.
Actions / Short Summary	• Student opens the Organization Directory • Student narrows the list via Filter Organization and/or opens a specific organization via View Organization Details • System includes Interprets Data for AI highlights • System displays the directory or the selected profile
Trigger	Student opens the Organizations tab.
Assumptions	None.
Preconditions	• The student is authenticated. • Organization data is available.
Postconditions	Success: The student browses, filters, or views organization profiles. Failure: The directory fails to load.
Related Use Cases	Includes Interprets Data (UC-22); realized through Filter Organization (UC-12) and View Organization Details (UC-13).

UC-12: FILTER ORGANIZATION

Use Case ID	UC-12
Use Case Name	Filter Organization
Module	Browse Organization Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	None
Goal / Description	To let the student narrow the organization's directory by category or keyword.
Actions / Short Summary	• Student enters a keyword or selects a category filter • System applies the filter criteria • System includes View Organization Details to render each matching entry • System displays the filtered results
Trigger	Student enters a search keyword or selects a category filter.
Assumptions	None.
Preconditions	• Organization directory data is loaded.
Postconditions	Success: A filtered list of organizations is displayed. Failure: The filter cannot be applied due to a data error.
Related Use Cases	Includes View Organization Details (UC-13) to render each matching organization's entry.

UC-13: VIEW ORGANIZATION DETAILS

Use Case ID	UC-13
Use Case Name	View Organization Details
Module	Browse Organization Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	AI
Goal / Description	To display a specific organization's full profile—description, category, and activities—enhanced by an AI-generated highlight.
Actions / Short Summary	• Student selects an organization • System includes Interprets Data for an AI-generated highlight • System displays the organization's profile
Trigger	Student selects an organization from the directory, or from Filter Organization's results.
Assumptions	None.
Preconditions	• The organization exists in the directory.
Postconditions	Success: The organization profile with AI-generated highlights is displayed. Failure: Organization details cannot be loaded.
Related Use Cases	Included by Filter Organization (UC-12). Includes Interprets Data (UC-22).

UC-14: MANAGE EVENTS

Use Case ID	UC-14
Use Case Name	Manage Events
Module	Manage Events Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	AI
Goal / Description	To give the student a single hub to browse, register for, and track campus events, assisted by the AI actor.
Actions / Short Summary	• Student opens the Events hub • Student browses, registers, or scans an event QR • Student checks registration status • System includes Interprets Data for AI highlights/recommendations
Trigger	Students open the Events tab.
Assumptions	None.
Preconditions	• The student is authenticated.
Postconditions	Success: The student successfully browses, registers for, or tracks events. Failure: The Events hub fails to load.
Related Use Cases	Includes Interprets Data (UC-22); realized through Browse Events (UC-18), Register for Event (UC-15), Scan QR (UC-16), and View Registration Status (UC-17).

UC-15: REGISTER FOR EVENT

Use Case ID	UC-15
Use Case Name	Register for Event
Module	Manage Events Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	AI
Goal / Description	To let the student register for a campus event and have the registration confirmed and tracked, with the AI actor assisting eligibility checks.
Actions / Short Summary	• Student selects Register for Event • AI actor checks profile eligibility and pre-fills fields • System includes Confirm Registration • System displays the resulting status
Trigger	Student selects Register for Event on the Event Details screen (reached via Browse Events or Scan QR).
Assumptions	None.
Preconditions	• The student is authenticated. • The selected event exists in NotifiED and is open for registration. • The student has a completed profile with the required registration information.
Postconditions	Success: A registration record is created or confirmed in the System. Failure: Registration is not processed; the attendee state remains unchanged.
Related Use Cases	Includes Confirm Registration (UC-19). Associated with AI, which assists eligibility checks and field pre-fill.

UC-16: SCAN QR

Use Case ID	UC-16
Use Case Name	Scan QR
Module	Manage Events Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	None
Goal / Description	To let the student quickly access campus event information and proceed to registration using an event QR code.
Actions / Short Summary	• Student selects Scan QR and scans an event code • System validates the code and retrieves event information • System displays event details • Student may proceed to Register for Event
Trigger	Student selects Scan QR from the NotifiED application.
Assumptions	None.
Preconditions	• The student is authenticated. • Device camera permission is granted. • A valid NotifiED event QR code is available.
Postconditions	Success: The event associated with the QR code is identified and displayed; the student may proceed to register if open. Failure: No event information is retrieved; the student remains on the scanning interface or event screen.
Related Use Cases	May lead into Register for Event (UC-15).

UC-17: VIEW REGISTRATION STATUS

Use Case ID	UC-17
Use Case Name	View Registration Status
Module	Manage Events Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Admin
Goal / Description	To let the student check the status of their registration for a specific event.
Actions / Short Summary	• Student selects a registered event • System requests the registration record • System displays the current status
Trigger	Student selects an event they registered for, or arrives here from Register for Event (UC-15).
Assumptions	None.
Preconditions	• The student is authenticated.
Postconditions	Success: The current registration status is displayed. Failure: The registration status cannot be retrieved.
Related Use Cases	May be reached from Register for Event (UC-15).

UC-18: BROWSE EVENTS

Use Case ID	UC-18
Use Case Name	Browse Events
Module	Manage Events Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	None
Goal / Description	To let the student discover approved campus events they may participate in.
Actions / Short Summary	• Student selects Browse Events • System includes Retrieve Data to load approved events • System displays event listings
Trigger	Student selects Browse Events within the Events hub.
Assumptions	None.
Preconditions	• The student is authenticated.
Postconditions	Success: The student browses approved campus events. Failure: The event directory fails to load; an error view is shown.
Related Use Cases	Includes Retrieve Data (UC-25).

UC-19: CONFIRM REGISTRATION

Use Case ID	UC-19
Use Case Name	Confirm Registration
Module	Manage Events Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Admin
Goal / Description	To finalize a student's event registration by recording it and returning a confirmation.
Actions / Short Summary	- System sends the registration request - The admin-managed record store verifies capacity and eligibility - The record is created and confirmed - System updates the UI
Trigger	Included by Register for Event (UC-15).
Assumptions	None.
Preconditions	The student has initiated a registration request for an open event.
Postconditions	Success: The registration record is created and confirmed. Failure: The registration is not recorded.
Related Use Cases	Included by Register for Event (UC-15).

UC-20: ACCESS DASHBOARD

Use Case ID	UC-20
Use Case Name	Access Dashboard
Module	Access Dashboard Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagnan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	AI
Goal / Description	To give the student a quick, AI-assisted overview of relevant campus information (calendar preview, notifications, and email access) on one landing screen.
Actions / Short Summary	• Student arrives at the Dashboard • System includes View Notification for the notification preview • System loads calendar and email preview shortcuts • System includes Interprets Data, so the AI actor summarizes the feed • System renders the dashboard
Trigger	Access Dashboard extends Manage User Account (UC-01) immediately after a successful sign-in, or the student navigates to Dashboard directly.
Assumptions	None.
Preconditions	• The student is authenticated.
Postconditions	Success: The student views active or cached dashboard items. Failure: The dashboard feed fails to load; an error screen is shown.
Related Use Cases	Extends Manage User Account (realized as Log In, UC-01). Includes Interprets Data (UC-22). Extends into the View Calendar (UC-06) and View Emails (UC-09) shortcuts and contains View Notification (UC-21).

UC-21: VIEW NOTIFICATION

Use Case ID	UC-21
Use Case Name	View Notification
Module	Access Dashboard Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagnan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	Student
Secondary Actor(s)	AI
Goal / Description	To alert the student to timely updates and schedule changes, routing them to the linked item, with AI-classified relevance.
Actions / Short Summary	- System triggers a notification - Student opens the notification - System includes Interprets Data to classify/summarize the linked item - System routes the student to the target page
Trigger	A push notification is received, or the student opens the in-app notification center.
Assumptions	None.
Preconditions	The student is authenticated and notifications are enabled.
Postconditions	Success: The student views the linked notification details or navigates to the target item. Failure: The linked notification content fails to load.
Related Use Cases	Includes Interprets Data (UC-22).

UC-22: INTERPRETS DATA

Use Case ID	UC-22
Use Case Name	Interprets Data
Module	Interprets Data Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	AI
Secondary Actor(s)	None
Goal / Description	To serve as NotifiED's single AI actor — the merged data interpreter and AI agent — that classifies and summarizes campus data on demand for any requesting module.
Actions / Short Summary	- Calling use case sends content to the AI actor - AI actor classifies and/or summarizes the content - AI actor returns the interpreted result
Trigger	Included by Browse Organization (UC-11), View Organization Details (UC-13), Manage Events (UC-14), Access Dashboard (UC-20), or View Notification (UC-21) whenever AI-generated insight is needed.
Assumptions	- The AI actor is a single merged role: the same engine that classifies/summarizes campus data also functions as the AI agent supporting student-facing modules. - The AI service is active.
Preconditions	The calling use case has content available to interpret.
Postconditions	Success: The interpreted (classified and/or summarized) result is returned to the calling use case. Failure: Interpretation cannot be produced.
Related Use Cases	Includes Retrieve Data (UC-25); realized through Classify Data (UC-23) and Summarize Data (UC-24).

UC-23: CLASSIFY DATA

Use Case ID	UC-23
Use Case Name	Classify Data
Module	Interprets Data Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	AI
Secondary Actor(s)	None
Goal / Description	To automatically categorize a retrieved item (announcement type, event category, urgency) so calling modules can filter, badge, or route it correctly.
Actions / Short Summary	- AI actor includes Retrieve Data - AI actor analyzes the record - AI actor assigns a category/priority label
Trigger	Included by Interprets Data (UC-22).
Assumptions	None.
Preconditions	Source data has been retrieved.
Postconditions	Success: The data is labeled with a category and/or priority. Failure: The item is left unclassified or given a default category.
Related Use Cases	Includes Retrieve Data (UC-25).

UC-24: SUMMARIZE DATA

Use Case ID	UC-24
Use Case Name	Summarize Data
Module	Interprets Data Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagnan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	AI
Secondary Actor(s)	None
Goal / Description	To produce a concise, human-readable summary of a retrieved item for display in dashboards, notifications, or detail views.
Actions / Short Summary	- AI actor includes Retrieve Data - AI actor analyzes the record - AI actor generates a concise summary
Trigger	Included by Interprets Data (UC-22).
Assumptions	None.
Preconditions	Source data has been retrieved.
Postconditions	Success: A concise summary is produced. Failure: The summary cannot be generated.
Related Use Cases	Includes Retrieve Data (UC-25).

UC-25: RETRIEVE DATA

Use Case ID	UC-25
Use Case Name	Retrieve Data
Module	Interprets Data Module
Author(s)	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan, and Cristian Saldua
Date Updated	09/23/2026
Primary Actor	AI
Secondary Actor(s)	NotifiED Admin
Goal / Description	A shared use case that fetches campus data (announcements, events, organization records) curated by the NotifiED Admin, on behalf of the requesting use case.
Actions / Short Summary	- Calling use case sends a data request - System forwards the request to the admin-managed data store - The data store returns matching records
Trigger	Included by Classify Data (UC-23), Summarize Data (UC-24), and Browse Events (UC-18).
Assumptions	None.
Preconditions	The requesting use case specifies the data needed.
Postconditions	Success: The requested data is returned. Failure: The data cannot be retrieved.
Related Use Cases	Included by Classify Data (UC-23), Summarize Data (UC-24), and Browse Events (UC-18).

TEST CASES

UC-01: LOG IN

Test Case ID	TC-01-01
Use Case	UC-01: Log In
Test Scenario	Log In — Main: Student Signs In Successfully
Preconditions	The NotifiED application is installed and launched. The student is not currently authenticated.
Test Steps	1. Selects "Sign In" on the landing screen. 2. Includes Authenticates User (UC-02) to verify the student's institutional identity. 3. Receives a verified identity and authorization token from UC-02. 4. Establishes an authorized session for the student. 5. Loads and displays the main NotifiED Dashboard.
Test Data	Valid institutional Microsoft credentials
Expected Result	Student is authenticated, an active session is established, and the main Dashboard loads.
Priority	High
Status	Not Executed

Test Case ID	TC-01-02
Use Case	UC-01: Log In
Test Scenario	Log In — A1: Returning Student with a Cached Session
Preconditions	The NotifiED application is installed and launched. The student is not currently authenticated.
Test Steps	1. Detects a valid cached session token when the app opens. 2. Skips the sign-in prompt and loads the Dashboard directly; resumes at Step 5 of the base flow.
Test Data	N/A
Expected Result	System detects the valid cached session token, skips the sign-in prompt, and loads the Dashboard directly.
Priority	Medium
Status	Not Executed

Test Case ID	TC-01-03
Use Case	UC-01: Log In
Test Scenario	Log In — E1: Authentication Cancelled or Dismissed
Preconditions	The NotifiED application is installed and launched. The student is not currently authenticated.
Test Steps	1. Cancels or dismisses the sign-in prompt while Authenticates User (UC-02) is running. 2. Cancels the authentication attempt and displays a cancellation message. 3. Remains on the sign-in screen. Use case ends in failure.
Test Data	N/A
Expected Result	System cancels authentication, shows a cancellation message, and remains on the sign-in screen.
Priority	Medium
Status	Not Executed

UC-02: AUTHENTICATES USER

Test Case ID	TC-02-01
Use Case	UC-02: Authenticates User
Test Scenario	Authenticates User — Main: Successful Authentication with Valid Credentials
Preconditions	Log In (UC-01) has been initiated. The student has institutional credentials to enter.
Test Steps	1. Redirects the authentication request to the Microsoft Identity Platform. 2. Enters institutional Microsoft credentials. 3. Validates the submitted credentials. 4. Confirms the account domain is an authorized student domain. 5. Issues an authorization token to NotifiED.
Test Data	Valid institutional username/password
Expected Result	Microsoft Identity Platform issues an authorization token to NotifiED; student identity is verified.
Priority	High
Status	Not Executed

Test Case ID	TC-02-02
Use Case	UC-02: Authenticates User
Test Scenario	Authenticates User — A1: Invalid Credentials, Then Successful Retry
Preconditions	Log In (UC-01) has been initiated. The student has institutional credentials to enter.
Test Steps	1. Rejects the submitted credentials and returns an error. 2. Displays the error message to the student. 3. Enters valid credentials on retry; use case resumes at Step 3 of the base flow.
Test Data	Invalid credentials, then valid credentials
Expected Result	Platform rejects the first attempt and an error is shown; on retry with valid credentials, a token is issued.
Priority	High
Status	Not Executed

Test Case ID	TC-02-03
Use Case	UC-02: Authenticates User
Test Scenario	Authenticates User — E1: Account Domain Not Authorized
Preconditions	Log In (UC-01) has been initiated. The student has institutional credentials to enter.
Test Steps	1. Determines the account domain is not an authorized student domain. 2. Displays "This account is not an authorized APC student account" and denies the token. Use case ends in failure.
Test Data	Non-institutional or unauthorized-domain account
Expected Result	System denies the token and displays an unauthorized-account message.
Priority	High
Status	Not Executed

Test Case ID	TC-03-02
Use Case	UC-03: Edit Profile
Test Scenario	Edit Profile — A1: Profile Information Is Invalid
Preconditions	The student has successfully signed in (UC-01). The application has an active internet connection.
Test Steps	1. Detects invalid or incomplete fields and displays inline error indicators. 2. Corrects the flagged fields and resubmits; use case resumes at Step 5 of the base flow.
Test Data	Incomplete/invalid profile fields
Expected Result	System flags invalid fields and blocks saving until they are corrected.
Priority	Medium
Status	Not Executed

Test Case ID	TC-03-04
Use Case	UC-03: Edit Profile
Test Scenario	Edit Profile — E1: Save Fails During Submission
Preconditions	The student has successfully signed in (UC-01). The application has an active internet connection.
Test Steps	1. The save request fails or times out. 2. Displays an error message informing the student the update could not be saved.
Test Data	N/A (save failure simulated)
Expected Result	System displays a save-failure message; the existing profile remains unchanged.
Priority	Medium
Status	Not Executed

UC-04: RETRIEVES PROFILE DATA

Test Case ID	TC-04-01
Use Case	UC-04: Retrieves Profile Data
Test Scenario	Retrieves Profile Data — Main: Existing Profile Found and Returned
Preconditions	The student is authenticated.
Test Steps	1. Queries the student's profile record. 2. Confirms a profile exists for the student. 3. Returns the stored profile data. 4. Passes the retrieved profile to Edit Profile (UC-03) for display.
Test Data	Student with an existing saved profile
Expected Result	The existing profile data is returned and displayed for editing.
Priority	High
Status	Not Executed

Test Case ID	TC-04-02
Use Case	UC-04: Retrieves Profile Data
Test Scenario	Retrieves Profile Data — A1: No Existing Profile
Preconditions	The student is authenticated.
Test Steps	1. Finds no profile record for the student. 2. Returns an empty result; Edit Profile (UC-03) displays a blank Profile Setup form.
Test Data	New student with no saved profile
Expected Result	System confirms no profile exists and Edit Profile shows a blank setup form.
Priority	Medium
Status	Not Executed

Test Case ID	TC-04-03
Use Case	UC-04: Retrieves Profile Data
Test Scenario	Retrieves Profile Data — E1: Data Retrieval Failure
Preconditions	The student is authenticated.
Test Steps	1. The profile query fails or times out. 2. Reports the failure to Edit Profile (UC-03); editing is blocked until retried.
Test Data	N/A (retrieval failure simulated)
Expected Result	System displays an error and prevents editing until the request is retried.
Priority	Medium
Status	Not Executed

UC-05: LOG OUT

Test Case ID	TC-05-01
Use Case	UC-05: Log Out
Test Scenario	Log Out — Main: Student Successfully Logs Out
Preconditions	The student has an active session.
Test Steps	1. Selects Log Out from the account menu. 2. Prompts the student to confirm. 3. Confirms the log-out request. 4. Clears the local session and cached authorization tokens. 5. Returns the student to the sign-in screen.
Test Data	N/A
Expected Result	Session and cached tokens are cleared and the student returns to the sign-in screen.
Priority	High
Status	Not Executed

Test Case ID	TC-05-02
Use Case	UC-05: Log Out
Test Scenario	Log Out — A1: Student Cancels the Log-Out Confirmation
Preconditions	The student has an active session.
Test Steps	1. Selects Cancel on the confirmation prompt. 2. Returns to the previous screen; the session remains active.
Test Data	N/A
Expected Result	The log-out is cancelled and the active session is unaffected.
Priority	Low
Status	Not Executed

Test Case ID	TC-05-03
Use Case	UC-05: Log Out
Test Scenario	Log Out — E1: Session Clear Failure
Preconditions	The student has an active session.
Test Steps	1. Fails to clear the local session or cached tokens. 2. Displays an error and forces the session to clear on the next app launch.
Test Data	N/A (clear failure simulated)
Expected Result	System reports the failure and ensures the session is cleared on next launch.
Priority	Low
Status	Not Executed

UC-05: LOG OUT

Test Case ID	TC-06-01
Use Case	UC-06: View Calendar
Test Scenario	View Calendar — Main: Calendar Loads with Personal and Campus Events
Preconditions	The student is authenticated.
Test Steps	1. Opens View Calendar. 2. Includes Retrieve Calendar (UC-07) to fetch the student's institutional calendar events. 3. Includes Retrieve Upcoming Campus Event (UC-08) to fetch admin-curated campus events. 4. Merges personal and campus events into a unified view. 5. Displays the merged calendar to the student.
Test Data	Student with institutional events and at least one published campus event
Expected Result	The merged calendar displays both personal and campus events for the selected range.
Priority	High
QA	Not applicable

Test Case ID	TC-06-02
Use Case	UC-06: View Calendar
Test Scenario	View Calendar — A1: No Events in the Selected Range
Preconditions	The student is authenticated.
Test Steps	1. Finds no personal or campus events for the selected date range. 2. Displays an empty-sta
Test Data	Date range with no scheduled items
Expected Result	System shows an empty-state message instead of a blank screen.
Priority	Low
Status	Not Executed

Test Case ID	TC-06-03
Use Case	UC-06: View Calendar
Test Scenario	View Calendar — E1: One Event Source Fails, the Other Loads
Preconditions	The student is authenticated.
Test Steps	1. Retrieve Calendar (UC-07) or Retrieve Upcoming Campus Event (UC-08) fails while the other succeeds. 2. Displays the available data with a partial-load notice.
Test Data	N/A (one source failure simulated)
Expected Result	Available events are shown along with a notice that one source did not load.
Priority	Medium
Status	Not Executed

Test Case ID	TC-06-04
Use Case	UC-06: View Calendar
Test Scenario	View Calendar — E2: Both Event Sources Fail
Preconditions	The student is authenticated.
Test Steps	1. Both Retrieve Calendar (UC-07) and Retrieve Upcoming Campus Event (UC-08) fail. 2. Displays a calendar loading error with a Retry option.
Test Data	N/A (total failure simulated)
Expected Result	System shows a loading error with a Retry option.
Priority	Medium
Status	Not Executed

UC-07: RETRIEVE CALENDAR

Test Case ID	TC-07-01
Use Case	UC-07: Retrieve Calendar
Test Scenario	Retrieve Calendar — Main: Personal Calendar Events Retrieved Successfully
Preconditions	The student is authenticated. The Microsoft Identity Platform is reachable.
Test Steps	1. Requests calendar data from the Microsoft Identity Platform using the student's token. 2. Validates the token and calendar permission scope. 3. Returns the student's calendar events. 4. Passes the events back to View Calendar (UC-06).
Test Data	Valid token with calendar-read scope
Expected Result	The student's personal calendar events are returned to View Calendar.
Priority	High
Status	Not Executed

Test Case ID	TC-07-02
Use Case	UC-07: Retrieve Calendar
Test Scenario	Retrieve Calendar — A1: Token Expired, Re-Authentication Required
Preconditions	The student is authenticated. The Microsoft Identity Platform is reachable.
Test Steps	1. Requests re-authentication because the token has expired. 2. Re-authenticates; use case resumes Step 1 of the base flow.
Test Data	Expired token
Expected Result	Platform prompts re-authentication and, once completed, calendar retrieval proceeds.
Priority	Medium
Status	Not Executed

Test Case ID	TC-07-03
Use Case	UC-07: Retrieve Calendar
Test Scenario	Retrieve Calendar — E1: Calendar Access Denied or Revoked
Preconditions	The student is authenticated. The Microsoft Identity Platform is reachable.
Test Steps	1. Denies access because calendar consent was revoked. 2. Notifies View Calendar (UC-06) that personal events are unavailable.
Test Data	Revoked calendar consent
Expected Result	System reports that personal calendar events are unavailable.
Priority	Medium
Status	Not Executed

UC-19: REGISTER FOR EVENTS

Test Case ID	TC-07-04
Use Case	UC-07: Retrieve Calendar
Test Scenario	Retrieve Calendar — E2: Identity Service Unreachable
Preconditions	The student is authenticated. The Microsoft Identity Platform is reachable.
Test Steps	1. Fails to connect to the Microsoft Identity Platform. 2. Reports the failure to View Calendar (
Test Data	N/A (service outage simulated)
Expected Result	System reports the connection failure to View Calendar.
Priority	Medium
Status	Not Executed

UC-08: RETRIEVE UPCOMING CAMPUS EVENT

Test Case ID	TC-08-01
Use Case	UC-08: Retrieve Upcoming Campus Event
Test Scenario	Retrieve Upcoming Campus Event — Main: Upcoming Campus Events Retrieved Successfully
Preconditions	The student is authenticated.
Test Steps	1. Requests upcoming campus events curated by the NotifiED Admin. 2. Admin-managed data store returns matching approved events within the display window. 3. Passes the event list back to View Calendar (UC-06).
Test Data	At least one admin-approved event within the calendar window
Expected Result	Approved upcoming campus events are returned to View Calendar.
Priority	High
Status	Not Executed

Test Case ID	TC-08-02
Use Case	UC-08: Retrieve Upcoming Campus Event
Test Scenario	Retrieve Upcoming Campus Event — A1: No Upcoming Events Published
Preconditions	The student is authenticated.
Test Steps	1. Data store returns an empty list for the display window. 2. View Calendar (UC-06) shows no camp events for the range.
Test Data	No approved events for the window
Expected Result	An empty campus-event list is returned without error.
Priority	Low
Status	Not Executed

Test Case ID	TC-08-03
Use Case	UC-08: Retrieve Upcoming Campus Event
Test Scenario	Retrieve Upcoming Campus Event — E1: Data Retrieval Failure
Preconditions	The student is authenticated.
Test Steps	1. The request to the admin-managed data store fails or times out. 2. Reports the failure to View Calendar (UC-06).
Test Data	N/A (retrieval failure simulated)
Expected Result	System reports the failure to View Calendar.
Priority	Medium
Status	Not Executed

UC-09: VIEW EMAILS

Test Case ID	TC-09-01
Use Case	UC-09: View Emails
Test Scenario	View Emails — Main: Student Opens Institutional Email Successfully
Preconditions	The student is authenticated.
Test Steps	1. Selects View Emails from the Dashboard or navigation menu. 2. Includes Redirects to Outlook (UC-10) to hand off to the student's mailbox. 3. Confirms the redirect and opens Outlook.
Test Data	Authenticated student session
Expected Result	The student is redirected into Outlook already signed in.
Priority	High
Status	Not Executed

Test Case ID	TC-09-02
Use Case	UC-09: View Emails
Test Scenario	View Emails — A1: Outlook App Not Installed
Preconditions	The student is authenticated.
Test Steps	1. Detects that the Outlook app is not installed on the device. 2. Opens Outlook Web Access in the in-app browser instead; resumes at Step 3 of the base flow.
Test Data	Device without the Outlook app installed
Expected Result	System falls back to Outlook Web Access in-browser.
Priority	Medium
Status	Not Executed

Test Case ID	TC-09-03
Use Case	UC-09: View Emails
Test Scenario	View Emails — E1: Redirect Fails
Preconditions	The student is authenticated.
Test Steps	1. Cannot launch Outlook (app or web). 2. Displays an error message with a retry option.
Test Data	N/A (launch failure simulated)
Expected Result	System displays an error with a retry option.
Priority	Medium
Status	Not Executed

UC-10: REDIRECTS TO OUTLOOK

Test Case ID	TC-10-01
Use Case	UC-10: Redirects to Outlook
Test Scenario	Redirects to Outlook — Main: Single Sign-On Redirect Succeeds
Preconditions	The student is authenticated. The Outlook app or a browser is available on the device.
Test Steps	1. Requests a single sign-on redirect via the Microsoft Identity Platform using the student's token. 2. Validates the token and authorizes the Outlook session. 3. Launches Outlook (installed app, else Outlook Web Access) already authenticated.
Test Data	Valid authorization token
Expected Result	Outlook opens with the student already signed in.
Priority	High
Status	Not Executed

Test Case ID	TC-10-02
Use Case	UC-10: Redirects to Outlook
Test Scenario	Redirects to Outlook — A1: Token Refresh Required Before Handoff
Preconditions	The student is authenticated. The Outlook app or a browser is available on the device.
Test Steps	1. Requires the token to be refreshed before authorizing the session. 2. Silently refreshes the token; use case resumes at Step 1 of the base flow.
Test Data	Near-expiry token
Expected Result	Token is refreshed automatically and the redirect proceeds without prompting the student.
Priority	Medium
Status	Not Executed

Test Case ID	TC-10-03
Use Case	UC-10: Redirects to Outlook
Test Scenario	Redirects to Outlook — E1: SSO Handoff Fails
Preconditions	The student is authenticated. The Outlook app or a browser is available on the device.
Test Steps	1. Cannot authorize the Outlook session. 2. Displays an error and offers a manual sign-in link to Outlook.
Test Data	N/A (authorization failure simulated)
Expected Result	System shows an error and a manual Outlook sign-in link.
Priority	Medium
Status	Not Executed

UC-11: BROWSE ORGANIZATION

Test Case ID	TC-11-01
Use Case	UC-11: Browse Organization
Test Scenario	Browse Organization — Main: Student Browses the Organization Directory
Preconditions	The student is authenticated. Organization data is available.
Test Steps	1. Opens the Organization Directory. 2. Narrows the list via Filter Organization (UC-12) and/or opens View Organization Details (UC-13) for a specific organization. 3. Includes Interprets Data (UC-22) to generate AI highlights for the displayed organizations. 4. Displays the directory, filtered results, or the selected organization's enriched profile.
Test Data	Organization directory with published records
Expected Result	The student successfully browses, filters, or opens organization profiles with AI highlights.
Priority	High
Status	Not Executed

Test Case ID	TC-11-02
Use Case	UC-11: Browse Organization
Test Scenario	Browse Organization — A1: Search Yields Zero Matches
Preconditions	The student is authenticated. Organization data is available.
Test Steps	1. Enters a query that matches no organization records. 2. Displays "No organizations found matching your search."
Test Data	Non-matching keyword
Expected Result	System displays a no-results message.
Priority	Low
Status	Not Executed

Test Case ID	TC-11-03
Use Case	UC-11: Browse Organization
Test Scenario	Browse Organization — E1: Organization Directory Data Failure
Preconditions	The student is authenticated. Organization data is available.
Test Steps	1. The directory data source returns an error. 2. Displays a notification stating the directory is unavailable.
Test Data	N/A (data failure simulated)
Expected Result	System shows a directory-unavailable notification.
Priority	Medium
Status	Not Executed

UC-12: FILTER ORGANIZATION

Test Case ID	TC-12-01
Use Case	UC-12: Filter Organization
Test Scenario	Filter Organization — Main: Directory Successfully Filtered
Preconditions	Organization directory data is loaded.
Test Steps	1. Enters a search keyword or selects a category filter. 2. Applies the filter criteria to the loaded directory. 3. Includes View Organization Details (UC-13) to render the entry for each matching organization. 4. Displays the filtered results.
Test Data	Category filter, e.g. "Academic Organizations"
Expected Result	The directory is narrowed to matching organizations and displayed.
Priority	High
Status	Not Executed

Test Case ID	TC-12-02
Use Case	UC-12: Filter Organization
Test Scenario	Filter Organization — A1: Search Yields Zero Matches
Preconditions	Organization directory data is loaded.
Test Steps	1. The filter criteria match no organizations. 2. Displays "No organizations found matching your search."
Test Data	Non-matching keyword
Expected Result	System displays a no-results message.
Priority	Low
Status	Not Executed

Test Case ID	TC-12-03
Use Case	UC-12: Filter Organization
Test Scenario	Filter Organization — E1: Filter Processing Error
Preconditions	Organization directory data is loaded.
Test Steps	1. Local filtering fails, e.g. due to a corrupted dataset. 2. Reverts to the unfiltered directory and shows a warning.
Test Data	N/A (processing error simulated)
Expected Result	System reverts to the full directory and warns the student that filtering failed.
Priority	Low
Status	Not Executed

UC-13: VIEW ORGANIZATION DETAILS

Test Case ID	TC-13-01
Use Case	UC-13: View Organization Details
Test Scenario	View Organization Details — Main: Organization Profile Displayed with AI Highlight
Preconditions	The organization exists in the directory.
Test Steps	1. Selects an organization from the directory or filtered results. 2. Includes Interprets Data (UC-22) to generate an AI-interpreted highlight of the organization's activity. 3. Displays the organization's name, logo, description, category, and AI-generated highlight. 4. May navigate to an associated event's details.
Test Data	Existing organization record
Expected Result	The organization's profile is displayed with an AI-generated highlight.
Priority	High
Status	Not Executed

Test Case ID	TC-13-02
Use Case	UC-13: View Organization Details
Test Scenario	View Organization Details — A1: AI Highlight Unavailable
Preconditions	The organization exists in the directory.
Test Steps	1. Interprets Data (UC-22) cannot produce a highlight. 2. Displays the base profile without the AI-generated highlight.
Test Data	N/A (AI unavailable simulated)
Expected Result	The organization profile still displays without the AI highlight section.
Priority	Low
Status	Not Executed

Test Case ID	TC-13-03
Use Case	UC-13: View Organization Details
Test Scenario	View Organization Details — E1: Organization No Longer Available
Preconditions	The organization exists in the directory.
Test Steps	1. The selected organization record is missing or has been removed. 2. Displays "This organization is longer available."
Test Data	Deleted/removed organization record
Expected Result	System shows an unavailability message instead of a broken profile.
Priority	Medium
Status	Not Executed

UC-14: MANAGE EVENTS

Test Case ID	TC-14-01
Use Case	UC-14: Manage Events
Test Scenario	Manage Events — Main: Student Uses the Events Hub Successfully
Preconditions	The student is authenticated.
Test Steps	1. Opens the Events hub. 2. Browses approved events via Browse Events (UC-18). 3. Registers for a selected event via Register for Event (UC-15), or scans an event QR via Scan QR (UC-16). 4. Checks enrollment via View Registration Status (UC-17). 5. Includes Interprets Data (UC-22) to surface AI-generated highlights or recommended events.
Test Data	Authenticated student with at least one open event
Expected Result	The student browses, registers for, and tracks events successfully, with AI-highlighted recommendations.
Priority	High

Test Case ID	TC-14-02
Use Case	UC-14: Manage Events
Test Scenario	Manage Events — A1: No Active Events Available
Preconditions	The student is authenticated.
Test Steps	1. Finds no active approved events. 2. Displays "No active events available."
Test Data	No published events
Expected Result	System shows an empty-state message for the Events hub.
Priority	Low
Status	Not Executed

Test Case ID	TC-14-03
Use Case	UC-14: Manage Events
Test Scenario	Manage Events — E1: Events Hub Fails to Load
Preconditions	The student is authenticated.
Test Steps	1. The backend/data source for the Events hub returns an error. 2. Displays a loading error with a R option.
Test Data	N/A (data failure simulated)
Expected Result	System displays a loading error with a Retry option.
Priority	Medium
Status	Not Executed

UC-15: REGISTER FOR EVENT

Test Case ID	TC-15-01
Use Case	UC-15: Register for Event
Test Scenario	Register for Event — Main: Student Registers for an Event Successfully
Preconditions	The student is authenticated. The selected event exists in NotifiED and is open for registration. The student has a completed profile with the required registration information.
Test Steps	1. Selects Register for Event from the Event Details screen. 2. Cross-checks the student's profile and pre-fills applicable registration fields. 3. Includes Confirm Registration (UC-19) to process the enrollment. 4. Displays the resulting registration status to the student.
Test Data	Open event, complete student profile
Expected Result	The registration is created/confirmed and its status is displayed to the student.
Priority	High
Status	Not Executed

Test Case ID	TC-15-02
Use Case	UC-15: Register for Event
Test Scenario	Register for Event — A1: Duplicate Registration Recovery
Preconditions	The student is authenticated. The selected event exists in NotifiED and is open for registration. The student has a completed profile with the required registration information.
Test Steps	1. Detects an existing registration record for the student and event. 2. Displays "Already Registered / View Ticket." Use case ends in success.
Test Data	Student who already registered for the event
Expected Result	System shows the existing registration instead of creating a duplicate.
Priority	Medium
Status	Not Executed

Test Case ID	TC-15-03
Use Case	UC-15: Register for Event
Test Scenario	Register for Event — E1: Event Full or Registration Closed
Preconditions	The student is authenticated. The selected event exists in NotifiED and is open for registration. The student has a completed profile with the required registration information.
Test Steps	1. Determines event capacity is reached, or the registration period has ended. 2. Notifies the student that registration is closed.
Test Data	Event at capacity
Expected Result	Student is informed that registration is closed; no record is created.
Priority	High
Status	Not Executed

Test Case ID	TC-15-04
Use Case	UC-15: Register for Event
Test Scenario	Register for Event — E2: Network Submission Error
Preconditions	The student is authenticated. The selected event exists in NotifiED and is open for registration. The student has a completed profile with the required registration information.
Test Steps	1. The submission request times out. 2. Alerts the student that registration failed to submit.
Test Data	N/A (network timeout simulated)
Expected Result	System alerts the student that registration failed to submit.
Priority	Medium
Status	Not Executed

UC-16: SCAN QR

Test Case ID	TC-16-01
Use Case	UC-16: Scan QR
Test Scenario	Scan QR — Main: Event Identified from a Valid QR Code
Preconditions	The student is authenticated. Device camera permission is granted. A valid NotifiED event QR code is available.
Test Steps	1. Selects Scan QR from the NotifiED application. 2. Opens the device camera and activates the QR scanner. 3. Scans the QR code associated with a campus event. 4. Validates the scanned QR code. 5. Retrieves the corresponding event information. 6. Displays the event details to the student. 7. Selects Register for Event (UC-15) if the event is open for registration.
Test Data	Valid event QR code
Expected Result	The scanned event's details are displayed and the student may proceed to register.
Priority	High

Test Case ID	TC-16-02
Use Case	UC-16: Scan QR
Test Scenario	Scan QR — A1: Invalid QR Code
Preconditions	The student is authenticated. Device camera permission is granted. A valid NotifiED event QR code is available.
Test Steps	1. Determines the scanned code is invalid or unsupported. 2. Displays "Invalid QR Code" and prompts another scan; resumes at Step 2 of the base flow.
Test Data	Malformed or unsupported QR code
Expected Result	System prompts the student to scan another code.
Priority	Medium
Status	Not Executed

Test Case ID	TC-16-03
Use Case	UC-16: Scan QR
Test Scenario	Scan QR — A2: Event Registration Unavailable
Preconditions	The student is authenticated. Device camera permission is granted. A valid NotifiED event QR code is available.
Test Steps	1. The selected event is no longer open for registration. 2. Displays the event information and indicates registration is closed. Use case ends in success without proceeding to Register for Event.
Test Data	Event past its registration deadline
Expected Result	Event details display with a closed-registration indicator.
Priority	Low
Status	Not Executed

Test Case ID	TC-16-04
Use Case	UC-16: Scan QR
Test Scenario	Scan QR — E1: Camera Permission Denied
Preconditions	The student is authenticated. Device camera permission is granted. A valid NotifiED event QR code is available.
Test Steps	1. Denies camera access when prompted. 2. Informs the student that camera permission is required to scan a QR code.
Test Data	Camera permission denied
Expected Result	System informs the student that camera access is required.
Priority	Medium
Status	Not Executed

Test Case ID	TC-16-05
Use Case	UC-16: Scan QR
Test Scenario	Scan QR — E2: Event Not Found
Preconditions	The student is authenticated. Device camera permission is granted. A valid NotifiED event QR code is available.
Test Steps	1. Cannot find an event matching the scanned code. 2. Displays "Event Not Found." Use case ends in failure.
Test Data	QR code with no matching event
Expected Result	System displays an event-not-found message.
Priority	Medium
Status	Not Executed

Test Case ID	TC-16-06
Use Case	UC-16: Scan QR
Test Scenario	Scan QR — E3: Network Error Retrieving Event
Preconditions	The student is authenticated. Device camera permission is granted. A valid NotifiED event QR code is available.
Test Steps	1. Cannot retrieve event information due to a network or server error. 2. Displays an error message with an option to retry.
Test Data	N/A (network error simulated)
Expected Result	System displays an error with a retry option.
Priority	Medium
Status	Not Executed

UC-17: VIEW REGISTRATION STATUS

Test Case ID	TC-17-01
Use Case	UC-17: View Registration Status
Test Scenario	View Registration Status — Main: Registration Status Displayed Successfully
Preconditions	The student is authenticated.
Test Steps	1. Selects an event they have registered for. 2. Requests the registration record maintained under the NotifiED Admin's data store. 3. Records return the current status (Confirmed, Waitlisted, or Cancelled). 4. Displays the status to the student.
Test Data	Student with a confirmed registration
Expected Result	The current registration status is displayed accurately.
Priority	High
Status	Not Executed

Test Case ID	TC-17-02
Use Case	UC-17: View Registration Status
Test Scenario	View Registration Status — E1: Status Retrieval Failure
Preconditions	The student is authenticated.
Test Steps	1. The request for the registration record fails. 2. Displays "Status unavailable" with a Retry op
Test Data	N/A (retrieval failure simulated)
Expected Result	System shows a status-unavailable message with a retry option.
Priority	Medium
Status	Not Executed

UC-18: BROWSE EVENTS

Test Case ID	TC-18-01
Use Case	UC-18: Browse Events
Test Scenario	Browse Events — Main: Student Browses Approved Events
Preconditions	The student is authenticated.
Test Steps	1. Selects Browse Events. 2. Includes Retrieve Data (UC-25) to load admin-approved events. 3. Displa event listings; student applies category filters or opens a specific event.
Test Data	At least one admin-approved event
Expected Result	The student sees a browsable, filterable list of approved events.
Priority	High
Status	Not Executed

Test Case ID	TC-18-02
Use Case	UC-18: Browse Events
Test Scenario	Browse Events — A1: External Event Registration Redirect
Preconditions	The student is authenticated.
Test Steps	1. Selects an event hosted on an external platform. 2. Redirects the student to the external registr URL/browser tab. 3. Returns to NotifiED; use case resumes at Step 3 of the base flow.
Test Data	Event with an external registration link
Expected Result	The student is redirected externally and can return to Browse Events afterward.
Priority	Low
Status	Not Executed

Test Case ID	TC-18-03
Use Case	UC-18: Browse Events
Test Scenario	Browse Events — A2: Zero Approved Events Available
Preconditions	The student is authenticated.
Test Steps	1. The backend returns an empty event list. 2. Displays "No active events available." Use case ends success.
Test Data	No approved events
Expected Result	System shows an empty-state message.
Priority	Low
Status	Not Executed

Test Case ID	TC-18-04
Use Case	UC-18: Browse Events
Test Scenario	Browse Events — E1: Event Data Retrieval Failure
Preconditions	The student is authenticated.
Test Steps	1. The network request to Retrieve Data (UC-25) fails. 2. Displays an event loading error with a Retry button.
Test Data	N/A (network failure simulated)
Expected Result	System displays a loading error with a retry option.
Priority	Medium
Status	Not Executed

UC-19: CONFIRM REGISTRATION

Test Case ID	TC-19-01
Use Case	UC-19: Confirm Registration
Test Scenario	Confirm Registration — Main: Registration Confirmed Successfully
Preconditions	The student has initiated a registration request for an open event.
Test Steps	1. Sends the registration request to the record store maintained under the NotifiED Admin. 2. Data store verifies event capacity and registration eligibility. 3. Creates the registration record. 4. Receives the confirmation. 5. Updates the UI to reflect the confirmed registration.
Test Data	Open event within capacity
Expected Result	A registration record is created and the UI reflects the confirmed status.
Priority	High
Status	Not Executed

Test Case ID	TC-19-02
Use Case	UC-19: Confirm Registration
Test Scenario	Confirm Registration — A1: Duplicate Registration Recovery
Preconditions	The student has initiated a registration request for an open event.
Test Steps	1. Data store detects an existing registration record for the student. 2. Updates the UI to display "Already Registered."
Test Data	Student who already has a registration record
Expected Result	System reflects the existing registration without duplicating it.
Priority	Medium
Status	Not Executed

Test Case ID	TC-19-03
Use Case	UC-19: Confirm Registration
Test Scenario	Confirm Registration — E1: Event Full or Registration Closed
Preconditions	The student has initiated a registration request for an open event.
Test Steps	1. Data store determines capacity is reached or the registration period has ended. 2. Notifies the student that registration is closed.
Test Data	Event at capacity
Expected Result	Student is informed that registration is closed; no record is created.
Priority	High
Status	Not Executed

Test Case ID	TC-19-04
Use Case	UC-19: Confirm Registration
Test Scenario	Confirm Registration — E2: Network Submission Error
Preconditions	The student has initiated a registration request for an open event.
Test Steps	1. The request to the record store times out. 2. Alerts the student that registration failed to s
Test Data	N/A (network timeout simulated)
Expected Result	System alerts the student that registration failed to submit.
Priority	Medium
Status	Not Executed

UC-20: ACCESS DASHBOARD

Test Case ID	TC-20-01
Use Case	UC-20: Access Dashboard
Test Scenario	Access Dashboard — Main: Dashboard Loads with Live Data
Preconditions	The student is authenticated.
Test Steps	1. Arrives at (or navigates to) the Dashboard. 2. Includes View Notification (UC-21) to load the notification preview. 3. Loads the calendar and email preview shortcuts via View Calendar (UC-06) and View Emails (UC-09). 4. Includes Interprets Data (UC-22) so the AI actor summarizes and classifies items for the feed. 5. Renders the dashboard sections. 6. Reviews the summary feeds and selects individual items for detailed views.
Test Data	Authenticated student with active announcements/events
Expected Result	The Dashboard renders calendar, email, and notification previews with AI-generated summaries.
Priority	High

Test Case ID	TC-20-02
Use Case	UC-20: Access Dashboard
Test Scenario	Access Dashboard — A1: Fallback to Local Cached Data
Preconditions	The student is authenticated.
Test Steps	1. Live data retrieval fails or times out. 2. Detects available local cached dashboard data. 3. Displays cached items with an offline/cached-mode banner; resumes at Step 6 of the base flow.
Test Data	N/A (live retrieval failure simulated)
Expected Result	Cached dashboard data displays with a clear offline/cached indicator.
Priority	Medium
Status	Not Executed

Test Case ID	TC-20-03
Use Case	UC-20: Access Dashboard
Test Scenario	Access Dashboard — A2: No Announcements or Events Available
Preconditions	The student is authenticated.
Test Steps	1. The backend returns an empty dataset. 2. Renders empty-state placeholders encouraging the student to check back later; resumes at Step 6.
Test Data	No active announcements or events
Expected Result	Dashboard shows empty-state placeholders instead of blank sections.
Priority	Low
Status	Not Executed

Test Case ID	TC-20-04
Use Case	UC-20: Access Dashboard
Test Scenario	Access Dashboard — A3: Manual Dashboard Refresh
Preconditions	The student is authenticated.
Test Steps	1. Performs a pull-to-refresh action. 2. Sends a fresh data request and updates the displayed feed; resumes at Step 6.
Test Data	N/A
Expected Result	Dashboard content updates after a manual refresh.
Priority	Low
Status	Not Executed

Test Case ID	TC-20-05
Use Case	UC-20: Access Dashboard
Test Scenario	Access Dashboard — E1: Network Error with No Cached Data
Preconditions	The student is authenticated.
Test Steps	1. The connection fails and no local cached data is available. 2. Displays a full-screen network error with a Retry option.
Test Data	N/A (offline, no cache simulated)
Expected Result	System shows a full-screen network error with a Retry option.
Priority	Medium
Status	Not Executed

UC-21: VIEW NOTIFICATION

Test Case ID	TC-21-01
Use Case	UC-21: View Notification
Test Scenario	View Notification — Main: Student Opens a Notification Successfully
Preconditions	The student is authenticated and notifications are enabled.
Test Steps	1. Triggers a notification from NotifiED Admin-sourced content. 2. Receives the notification on their device. 3. Opens/selects the notification. 4. Includes Interprets Data (UC-22) so the AI actor classifies and summarizes the linked item. 5. Routes the student to the relevant announcement or event detail page.
Test Data	Active push notification linked to an announcement/event
Expected Result	The student is routed to the relevant detail page with AI-classified context.
Priority	High
Status	Not Executed

Test Case ID	TC-21-02
Use Case	UC-21: View Notification
Test Scenario	View Notification — A1: In-App Processing When Push Is Disabled
Preconditions	The student is authenticated and notifications are enabled.
Test Steps	1. Opens the application manually because push delivery is suppressed. 2. Highlights unread, AI-ran alerts in the in-app notification center; resumes at Step 3 of the base flow.
Test Data	Push notifications disabled in device settings
Expected Result	Unread alerts are still visible and ranked in the in-app notification center.
Priority	Low
Status	Not Executed

Test Case ID	TC-21-03
Use Case	UC-21: View Notification
Test Scenario	View Notification — E1: Linked Content Deleted or Expired
Preconditions	The student is authenticated and notifications are enabled.
Test Steps	1. The student selects a notification whose linked item was deleted. 2. Displays "Linked content no longer available" and redirects to the Dashboard.
Test Data	Notification pointing to a deleted item
Expected Result	System shows an unavailability message and redirects to the Dashboard.
Priority	Medium
Status	Not Executed

Test Case ID	TC-21-04
Use Case	UC-21: View Notification
Test Scenario	View Notification — E2: Offline Notification Launch
Preconditions	The student is authenticated and notifications are enabled.
Test Steps	1. Opens the notification without internet access. 2. Detects offline status and displays a connection error screen.
Test Data	Device offline
Expected Result	System shows a connection error screen instead of failing silently.
Priority	Medium
Status	Not Executed

UC-22: INTERPRETS DATA

Test Case ID	TC-22-01
Use Case	UC-22: Interprets Data
Test Scenario	Interprets Data — Main: Content Interpreted and Returned Successfully
Preconditions	The calling use case has content available to interpret.
Test Steps	1. Sends raw content (announcement, event, organization, or email data) to the AI actor. 2. Performs Classify Data (UC-23) and/or Summarize Data (UC-24) as needed. 3. Produces the interpreted result (category label, priority, and/or summary). 4. Returns the interpreted result to the calling use case for display.
Test Data	Sample announcement/event content
Expected Result	The calling use case receives a classified and/or summarized result.
Priority	High
Status	Not Executed

Test Case ID	TC-22-02
Use Case	UC-22: Interprets Data
Test Scenario	Interprets Data — E1: Insufficient Context to Interpret
Preconditions	The calling use case has content available to interpret.
Test Steps	1. Determines the available data is insufficient to form a result. 2. Reports "context insufficient" to the calling use case, which displays the raw item instead.
Test Data	Very short/empty source content
Expected Result	Calling use case falls back to the raw, un-interpreted item.
Priority	Medium
Status	Not Executed

Test Case ID	TC-22-03
Use Case	UC-22: Interprets Data
Test Scenario	Interprets Data — E2: AI Service Failure
Preconditions	The calling use case has content available to interpret.
Test Steps	1. The AI service is unreachable or times out. 2. Reports the failure to the calling use case, which displays a fallback message.
Test Data	N/A (service outage simulated)
Expected Result	Calling use case is informed the AI service is temporarily unavailable.
Priority	Medium
Status	Not Executed

UC-23: CLASSIFY DATA

Test Case ID	TC-23-01
Use Case	UC-23: Classify Data
Test Scenario	Classify Data — Main: Record Classified Successfully
Preconditions	Source data has been retrieved.
Test Steps	1. Includes Retrieve Data (UC-25) to obtain the source record. 2. Analyzes the record's content. 3. Assigns a category/priority label. 4. Returns the labeled record to Interprets Data (UC-22).
Test Data	Sample announcement record
Expected Result	The record is returned with an assigned category/priority label.
Priority	High
Status	Not Executed

Test Case ID	TC-23-02
Use Case	UC-23: Classify Data
Test Scenario	Classify Data — A1: Ambiguous Content Below Confidence Threshold
Preconditions	Source data has been retrieved.
Test Steps	1. Determines classification confidence is below the threshold. 2. Assigns a default "General" category and flags the item for admin review.
Test Data	Ambiguous/borderline content
Expected Result	Item receives a default category and is flagged for admin review.
Priority	Medium
Status	Not Executed

Test Case ID	TC-23-03
Use Case	UC-23: Classify Data
Test Scenario	Classify Data — E1: Classification Failure
Preconditions	Source data has been retrieved.
Test Steps	1. A model error or timeout occurs during analysis. 2. Returns the record unclassified with a failure flag.
Test Data	N/A (model error simulated)
Expected Result	The record is returned unclassified with a failure flag rather than blocking the caller.
Priority	Low
Status	Not Executed

UC-24: SUMMARIZE DATA

Test Case ID	TC-24-01
Use Case	UC-24: Summarize Data
Test Scenario	Summarize Data — Main: Record Summarized Successfully
Preconditions	Source data has been retrieved.
Test Steps	1. Includes Retrieve Data (UC-25) to obtain the source record. 2. Analyzes the record's content. 3. Generates a concise natural-language summary. 4. Returns the summary to Interprets Data (UC-22)
Test Data	Sample event/announcement record
Expected Result	A concise, accurate summary of the record is returned.
Priority	High
Status	Not Executed

Test Case ID	TC-24-02
Use Case	UC-24: Summarize Data
Test Scenario	Summarize Data — E1: Insufficient Content to Summarize
Preconditions	Source data has been retrieved.
Test Steps	1. The record is too short or empty to summarize. 2. Returns the original content unsummarized
Test Data	Very short record
Expected Result	The original content is returned unchanged rather than a fabricated summary.
Priority	Low
Status	Not Executed

Test Case ID	TC-24-03
Use Case	UC-24: Summarize Data
Test Scenario	Summarize Data — E2: AI Generation Failure
Preconditions	Source data has been retrieved.
Test Steps	1. A model error or timeout occurs during summary generation. 2. Reports the failure to Interprets Data (UC-22).
Test Data	N/A (model error simulated)
Expected Result	Interprets Data is informed the summary could not be generated.
Priority	Medium
Status	Not Executed

UC-25: RETRIEVE DATA

Test Case ID	TC-25-01
Use Case	UC-25: Retrieve Data
Test Scenario	Retrieve Data — Main: Data Retrieved Successfully
Preconditions	The requesting use case specifies the data needed.
Test Steps	1. Sends a data request specifying the information needed. 2. Forwards the request to the data store maintained by the NotifiED Admin. 3. Data store returns the matching records. 4. Passes the data back to the calling use case.
Test Data	Valid data request for an existing record type
Expected Result	The calling use case receives the requested records.
Priority	High
Status	Not Executed

Test Case ID	TC-25-02
Use Case	UC-25: Retrieve Data
Test Scenario	Retrieve Data — A1: Fallback to Local Cached Data
Preconditions	The requesting use case specifies the data needed.
Test Steps	1. Live retrieval fails or times out. 2. Returns cached data along with a stale-data flag.
Test Data	N/A (live retrieval failure simulated)
Expected Result	Cached data is returned with a clear stale-data indicator.
Priority	Medium
Status	Not Executed

Test Case ID	TC-25-03
Use Case	UC-25: Retrieve Data
Test Scenario	Retrieve Data — E1: No Cached Data Available
Preconditions	The requesting use case specifies the data needed.
Test Steps	1. Live retrieval fails and no cached data exists. 2. Reports the failure to the calling use case.
Test Data	N/A (no cache scenario simulated)
Expected Result	The calling use case is informed that no data could be retrieved.
Priority	Medium
Status	Not Executed

CLOUD BASED PROTOTYPE DEMO

LINKS TO:

MS SHAREPOINT PROJECT SITE - HOME


GITHUB - HERE

CAPAGNGAN, CHARLES



- PAPER REVISION
- C4 DIAGRAM LAYER 1 REVISION
- CODING / DEVELOPMENT
- ERD
- UCD
- TEST CASE REVISION
- FULLY DRESSED USE CASE REVISION
- POWERPOINT PRESENTATION

SALDUA, CRISTIAN



- C4 DIAGRAM LAYER 2 REVISION
- C4 DIAGRAM LAYER 3 REVISION
- CODING / DEVELOPMENT
- ERD
- POWERPOINT PRESENTATION

CALIBO, GABRIELLE




- **CODING / DEVELOPMENT**
- **SWIMLANE DIAGRAM**
- **FULLY DRESSED USE CASE**
- **DOCUMENTATION**
- **POWERPOINT PRESENTATION**

VALERA, PATRICIA



- CODING / DEVELOPMENT
- SWIMLANE DIAGRAM
- FULLY DRESSED USE CASE
- DOCUMENTATION
- POWERPOINT PRESENTATION



NotifiED: Personal Campus Information Hub

Group 2 - Charles' Angels