

Use Case Full Description

This section presents the fully dressed use case descriptions for NotifiED, organized by module. Each module corresponds to a boundary in the multi-module use case diagram; every ellipse shown in the approved diagram has a corresponding use case below.

Manage User Account Module

UC-01: Log In

Use Case ID	UC-01
Use Case Name	Log In
Author	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	Microsoft Identity Platform
Description	Allows a student to sign in to NotifiED using their institutional Microsoft account so they can access personalized campus information.
Preconditions	Student has a valid institutional account supported by the system. The application has an active internet connection.
Postconditions	Success: Student is authenticated with an active session established; main dashboard loads. Failure: No session is established; student remains on the sign-in screen.
Main Flow	1. Student opens the NotifiED mobile application and selects Sign In. 2. System includes Authenticates User (UC-02) to verify the student's identity. 3. System establishes an authorized user session. 4. System loads and displays the main NotifiED Dashboard.
Alternate Flow	A1 - Returning Student with Cached Session 1. Student opens the application within an active session window. 2. System detects a valid cached session token. 3. System skips the sign-in prompt and loads the dashboard directly.
Exception Flow	E1 - Authentication Cancelled or Dismissed 1. At Step 2, the student cancels authentication or closes the sign-in prompt. 2. System terminates authentication and displays a cancellation message. 3. System remains on the sign-in landing screen. Use case ends in failure.

UC-02: Authenticates User

Use Case ID	UC-02
Use Case Name	Authenticates User
Author	Gabrielle Calibo, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	Microsoft Identity Platform
Description	Verifies the student's institutional credentials through the Microsoft Identity Platform and issues an authorization token. Included by Log In (UC-01).
Preconditions	The Microsoft Identity Platform is available. Students have valid institutional credentials.
Postconditions	Success: Student identity is verified, and an authorization token is issued. Failure: No token is issued; student remains unauthenticated.
Main Flow	1. System redirects the authentication request to the Microsoft Identity Platform. 2. Student enters institutional credentials. 3. Microsoft Identity Platform validates the credentials. 4. Microsoft Identity Platform issues an authorization token to Notified.
Alternate Flow	N/A
Exception Flow	E1 - Invalid Credentials 1. Student enters invalid credentials. 2. Microsoft Identity Platform rejects authentication; system displays an error message. 3. Student enters valid credentials on retry; use case resumes at Step 3. E2 - Authentication Service Unavailable 1. System fails to connect to the Microsoft Identity Platform. 2. System displays a service error message prompting the student to try again later.

UC-03: Edit Profile

Use Case ID	UC-03
Use Case Name	Edit Profile
Author	Charles Capagngan, Cristian Saldua, Patricia Marie Valera and Gabrielle Calibo
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Allows the student to set up a new NotifiED profile or update an existing one, including their name, student ID, year level, section, and program.
Preconditions	The student has successfully authenticated through the institutional Microsoft account. The NotifiED application has an active internet connection. The NotifiED Web Team backend is available to retrieve or store the student's profile information.
Postconditions	Success: Student profile is created or updated and stored in the NotifiED backend. Failure: Profile information is not saved; existing profile information remains unchanged.
Main Flow	1. Student accesses the Profile section. 2. System includes Retrieves Profile Data (UC-04) to check for and load any existing profile. 3. Student enters or updates their profile information and preferences. 4. Student submits the profile information. 5. System validates the provided information. 6. System sends the profile information to the NotifiED Web Team for storage or updating. 7. NotifiED Web Team saves the profile information. 8. System confirms that the profile has been saved and displays the updated profile.
Alternate Flow	A1 - Profile Information Is Invalid 1. At Step 4, the student submits incomplete or invalid information. 2. System detects invalid fields, displays error indicators, and prompts correction. 3. Student corrects the invalid fields and resubmits; use case resumes at Step 5. A2 - Student Cancels Profile Editing 1. At any point before Step 4, the student selects Cancel or navigates away. 2. System discards unsaved changes and restores the previous screen.
Exception Flow	E1 - Backend Unavailable During Submission 1. At Step 6, the request to the NotifiED Web Team fails or times out. 2. System displays an error message informing the student that the update could not be saved.

UC-04: Retrieves Profile Data

Use Case ID	UC-04
Use Case Name	Retrieves Profile Data
Author	Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Retrieves the student's existing NotifiED profile information from the backend or confirms none exists. Included by Edit Profile (UC-03).
Preconditions	Student is authenticated. NotifiED Web Team backend is available.
Postconditions	Success: Existing profile data is returned and displayed, or the system confirms no profile exists. Failure: Profile data cannot be retrieved.
Main Flow	1. System sends a request to the NotifiED Web Team for the student's profile record. 2. NotifiED Web Team checks whether a profile exists for the student. 3. If a profile exists, NotifiED Web Team returns the stored profile data. 4. System displays the retrieved profile for editing.
Alternate Flow	A1 - No Existing Profile 1. NotifiED Web Team finds no profile record for the student. 2. System displays a blank Profile Setup form instead.
Exception Flow	E1 - Backend Unavailable 1. Request to the NotifiED Web Team times out or fails. 2. System displays an error message and prevents editing until retried.

UC-05: Log Out

Use Case ID	UC-05
Use Case Name	Log Out
Author	Patricia Marie Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	N/A
Description	Allows the student to end their authenticated session and return to the sign-in screen.
Preconditions	Students have an active session.
Postconditions	Success: Session and locally cached authorization tokens are cleared; student returns to the sign-in screen. Failure: Session remains active.
Main Flow	1. Student selects Log Out from the Manage User Account section. 2. System prompts the student to confirm. 3. Student confirms. 4. System clears the local session and authorization token. 5. System returns the student to the sign-in screen.
Alternate Flow	A1 - Student Cancels Log Out 1. Student select Log Out. 2. System prompts confirmation. 3. Student selects Cancel; system dismisses the prompt, and the session remains active.
Exception Flow	E1 - Token Clear Failure 1. System attempts to clear the local session token, and the operation fails due to a device storage error. 2. System retries automatically and forces the sign-in screen regardless, to prevent leaving a stale session active.

View Calendar Module

UC-06: View Calendar

Use Case ID	UC-06
Use Case Name	View Calendar
Author	Gabrielle Calibo and Patricia Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	Microsoft Identity Platform, NotifiED Web Team
Description	Displays the student's personal schedule alongside upcoming campus events so they can understand their availability.
Preconditions	The student is authenticated. Calendar information is authorized and available.
Postconditions	Success: Student views consolidated or partial personal schedules and campus events. Failure: Calendar view fails to retrieve data from all endpoints.
Main Flow	1. Students select Calendar. 2. System includes Retrieve Calendar (UC-07) for personal schedule data. 3. System includes Retrieve Upcoming Campus Event (UC-08) for institutional event data. 4. System integrates and organizes personal schedules alongside campus events chronologically. 5. Student browses calendar entries by date.
Alternate Flow	A1 - Partial Source Degradation 1. At Step 2 or 3, one supporting actor fails while the other responds. 2. System renders the successfully retrieved schedule of items. 3. System displays a warning banner informing the student that partial data was loaded; use case resumes at Step 5.
Exception Flow	E1 - Total Retrieval Failure 1. Requests to both endpoints fail. 2. System displays a calendar error screen with a Retry option.

UC-07: Retrieve Calendar

Use Case ID	UC-07
Use Case Name	Retrieve Calendar
Author	Gabrielle Calibo, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	Microsoft Identity Platform
Description	Retrieves the student's personal institutional schedule directly from the Microsoft Identity Platform. Included by View Calendar (UC-06).
Preconditions	Student is authenticated. Calendar access has been authorized.
Postconditions	Success: Personal schedule data is returned to the calendar view. Failure: Personal schedule data is unavailable.
Main Flow	1. System sends a calendar request to the Microsoft Identity Platform using the student's access token. 2. Microsoft Identity Platform verifies the token. 3. Microsoft Identity Platform returns the student's personal schedule entries. 4. System passes the schedule data back to View Calendar for display.
Alternate Flow	A1 - Session Re-authorization Required 1. Token verification fails. 2. System prompts the student to re-authorize their Microsoft account. 3. Student completes re-authentication; use case resumes at Step 1.
Exception Flow	E1 - Retrieval Failure 1. Request the Microsoft Identity Platform times out. 2. System reports the failure to View Calendar so a partial-data warning can be shown.

UC-08: Retrieve Upcoming Campus Event

Use Case ID	UC-08
Use Case Name	Retrieve Upcoming Campus Event
Author	Patricia Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Retrieves approved upcoming campus events from the NotifiED Web Team for display alongside the student's personal schedule. Included by View Calendar (UC-06).
Preconditions	Student is authenticated.
Postconditions	Success: Upcoming approved campus events are returned. Failure: Campus event data is unavailable.
Main Flow	1. System sends a request to the NotifiED Web Team for upcoming approved events. 2. NotifiED Web Team retrieves events within the requested date range. 3. NotifiED Web Team returns the event list. 4. System passes the event data back to View Calendar for display.
Alternate Flow	N/A
Exception Flow	E1 - Retrieval Failure 1. Request to the NotifiED Web Team fails or times out. 2. System reports the failure to View Calendar so a partial-data warning can be shown.

View Email Module

UC-09: View Email

Use Case ID	UC-09
Use Case Name	View Email
Author	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	Microsoft Identity Platform
Description	Provides the student a quick access point to their institutional email without displaying email content inside NotifiED.
Preconditions	Student is authenticated in NotifiED. Institutional email service is available. Student has access to their institutional email account.
Postconditions	Success: Student is redirected to and can access their institutional email service. Failure: Student remains in NotifiED and cannot access their institutional email through the application.
Main Flow	1. Student opens the Email section in NotifiED. 2. System provides an option to access the student's institutional email. 3. Student selects Open Email. 4. System includes Redirects to Outlook (UC-10) to open the institutional email service. 5. Student views their emails through the institutional email service.
Alternate Flow	N/A
Exception Flow	E1 - Retrieval Failure / Network Error 1. At Step 2, connection times out or fails. 2. System displays an offline error message with a Retry button.

UC-10: Redirects to Outlook

Use Case ID	UC-10
Use Case Name	Redirects to Outlook
Author	Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	Microsoft Identity Platform
Description	Opens the student's institutional email using the authenticated Microsoft account. Included by View Email (UC-09).
Preconditions	Student is authenticated. Institutional email service is available.
Postconditions	Success: Student is redirected to their institutional email service. Failure: Redirect fails and student remains in NotifiED.
Main Flow	1. System requests the redirect target from the Microsoft Identity Platform using the student's authenticated session. 2. System opens the institutional email app or webmail (e.g. Outlook) using the authenticated account.
Alternate Flow	A1 - Student Is Not Signed In to the Email Service Separately 1. The institutional email service requires its own sign-in. 2. Student is redirected to the email service's sign-in page. 3. Student authenticates using their institutional credentials; email service grants access to the inbox.
Exception Flow	E1 - Redirect Failure 1. System is unable to open the institutional email app or webmail. 2. System displays an error message with a Retry option.

Browse Organization Module

UC-11: Browse Organization

Use Case ID	UC-11
Use Case Name	Browse Organization
Author	Gabrielle Calibo and Patricia Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Allows the student to discover and explore campus organizations and their associated activities.
Preconditions	The student is authenticated. Organization information is available through the backend.
Postconditions	Success: Student browses organization profiles and details. Failure: Directory fails to fetch organization data.
Main Flow	1. Student opens Organization Directory. 2. Student includes Filter Organization (UC-12) or View Organization Details (UC-13) as needed. 3. System includes Retrieve Organizations (UC-14) to load directory data. 4. Student browses, filters, or views specific organization details and associated activities.
Alternate Flow	A1 - Search Yields Zero Matches 1. Student enters a query yielding no matching organization records. 2. System displays 'No organizations found matching your search.' 3. Student clears the search query; use case resumes at Step 4.
Exception Flow	E1 - Organization Directory Data Failure 1. Backend service returns an error. 2. System displays an error notification stating the directory is unavailable.

UC-12: Filter Organization

Use Case ID	UC-12
Use Case Name	Filter Organization
Author	Gabrielle Calibo, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Allows the student to narrow the organization directory by category or keyword. Included by Browse Organization (UC-11).
Preconditions	Organization directory data is loaded.
Postconditions	Success: A filtered list of organizations is displayed. Failure: Filters produce no results.
Main Flow	1. Student enters a search keyword or selects a category filter. 2. System applies the filter criteria to the loaded organization list. 3. System includes Retrieve Organizations (UC-14) if a fresh dataset is needed. 4. System displays the filtered results.
Alternate Flow	A1 - Search Yields Zero Matches 1. Filter criteria match no organizations. 2. System displays 'No organizations found matching your search.'
Exception Flow	N/A

UC-13: View Organization Details

Use Case ID	UC-13
Use Case Name	View Organization Details
Author	Patricia Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	Notified Web Team
Description	Displays the full profile of a selected organization, including its description, category, and associated events. Included by Browse Organization (UC-11).
Preconditions	The organization exists in the directory.
Postconditions	Success: Organization profile details are displayed. Failure: Organization details cannot be loaded.
Main Flow	1. Student selects an organization from the directory. 2. System includes Retrieve Organizations (UC-14) to fetch the organization's full profile if not already cached. 3. System displays the organization's name, logo, description, category, and associated events. 4. Student may navigate to an associated event's details.
Alternate Flow	N/A
Exception Flow	E1 - Organization No Longer Available 1. Selected organization record is missing or has been removed. 2. System displays a 'This organization is no longer available' message.

UC-14: Retrieve Organizations

Use Case ID	UC-14
Use Case Name	Retrieve Organizations
Author	Gabrielle Calibo, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Requests organization directory data from the NotifiED Web Team. Included by Filter Organization (UC-12) and View Organization Details (UC-13).
Preconditions	Student is authenticated.
Postconditions	Success: Organization data is returned. Failure: Organization directory data is unavailable.
Main Flow	1. System sends a request to the NotifiED Web Team for organization directory data. 2. NotifiED Web Team retrieves matching organization records. 3. NotifiED Web Team returns the organization list or profile. 4. System passes the data back to the requesting use case.
Alternate Flow	N/A
Exception Flow	E1 - Organization Directory Data Failure 1. Backend service returns an error. 2. System displays a notification stating the directory is unavailable.

Access Dashboard Module

UC-15: Access Dashboard

Use Case ID	UC-15
Use Case Name	Access Dashboard
Author	Gabrielle Calibo, Patricia Marie Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Provides the student a quick overview of relevant campus information: calendar preview, notifications, and email access, in one landing screen.
Preconditions	The student is authenticated.
Postconditions	Success: Student successfully views active or cached dashboard items. Failure: Dashboard feed fails to load; system displays an error screen.
Main Flow	1. Student navigates to the Dashboard. 2. System includes View Notification (UC-16) to load the notification preview. 3. NotifiED Web Team endpoint retrieves and supplies active data (announcements, events, schedules). 4. System formats and renders dashboard sections. 5. Student views summary feeds and selects individual items for detailed views.
Alternate Flow	A1 - Fallback to Local Cached Data 1. Live backend data retrieval fails or times out. 2. System detects available local cached dashboard data. 3. System displays cached dashboard items with a warning banner indicating offline/cached mode; use case resumes at Step 5. A2 - No Announcements or Events Available 1. The backend returns an empty dataset. 2. System renders empty-state placeholders encouraging the student to check back later; use case resumes at Step 5. A3 - Manual Dashboard Refresh (Pull-to-Refresh) 1. Student performs a pull-to-refresh action. 2. System sends a fresh data request to the backend and updates the displayed feed; use case resumes at Step 5.
Exception Flow	E1 - Network Error with No Cached Data 1. Connection fails, and no local cached data is available. 2. System displays a full-screen network error with a Retry option.

UC-16: View Notification

Use Case ID	UC-16
Use Case Name	View Notification
Author	Gabrielle Calibo and Patricia Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Alerts the student to timely updates and schedule changes and routes them to the linked announcement or event detail page.
Preconditions	Students are authenticated and notifications are enabled.
Postconditions	Success: Student views linked notification details or navigates to target items. Failure: Linked notification content fails to load.
Main Flow	1. NotifiED Web Team triggers a push notification. 2. Student receives the notification on their mobile device. 3. Student opens/selects the notification. 4. System includes Retrieve Data (UC-17) to load the related information. 5. System routes the student directly to the relevant announcement or event detail page.
Alternate Flow	A1 - In-App Notification Center Processing (Push Disabled) 1. Push delivery is suppressed by system permission settings. 2. Student opens the application manually. 3. System highlights unread alerts in the in-app notification center; use case resumes at Step 3.
Exception Flow	E1 - Linked Content Deleted or Expired 1. At Step 3, the student selects a push notification whose linked item was deleted. 2. System displays 'Linked content no longer available' and redirects to the main Dashboard. E2 - Offline Notification Launch 1. Student opens the notification without internet access. 2. System detects offline status and displays a connection error screen.

UC-17: Retrieve Data

Use Case ID	UC-17
Use Case Name	Retrieve Data
Author	Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	A shared supporting use case that requests general campus data (announcements, notifications, or event summaries) from the NotifiED Web Team on behalf of the calling use case. Included by View Notification (UC-16) and Browse Events (UC-18).
Preconditions	Student is authenticated.
Postconditions	Success: Requested data is returned to the calling use case. Failure: Requested data cannot be retrieved.
Main Flow	1. Calling use case sends a data request specifying the type of information needed. 2. System forwards the request to the NotifiED Web Team. 3. NotifiED Web Team retrieves and returns the requested data. 4. System passes the data back to the calling use case for display.
Alternate Flow	A1 - Fallback to Local Cached Data 1. Live retrieval fails or times out. 2. System detects available local cached data. 3. System returns the cached data along with a stale-data flag.
Exception Flow	E1 - No Cached Data Available 1. Live retrieval fails, and no cached data exists. 2. System reports the failure to the calling use case.

Manage Events Module

UC-18: Browse Events

Use Case ID	UC-18
Use Case Name	Browse Events
Author	Gabrielle Calibo, Patricia Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Lets the student discover activities and identify approved campus events they may participate in.
Preconditions	The student is authenticated.
Postconditions	Success: Student browses approved campus events. Failure: Event directory fails to load; system displays an error view.
Main Flow	1. Student selects the Events module. 2. System includes Retrieve Data (UC-17) to load approved campus events. 3. NotifiED Web Team delivers active, approved campus events. 4. Student browses event listings, applies category filters, or views specific event details.
Alternate Flow	A1 - External Event Registration Redirect 1. At Step 4, student selects an event hosted on an external platform. 2. System redirects the student to the external registration URL or browser tab. 3. Student returns to NotifiED; use case resumes at Step 4. A2 - Zero Approved Events Available 1. Backend returns an empty event array. 2. System displays 'No active events available.' Use case ends in success.
Exception Flow	E1 - Event Data Retrieval Failure 1. Network request fails. 2. System displays an event loading error with a Retry button.

UC-19: Register for Event

Use Case ID	UC-19
Use Case Name	Register for Event
Author	Gabrielle Calibo, Patricia Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Allows the student to register for a campus event and track their registration status.
Preconditions	Student is authenticated. The selected event is available in NotifiED. The event is open for registration. The student has a completed profile containing the required registration information.
Postconditions	Success: Student registration record is created/confirmed in the backend database. Failure: Student registration is not processed; backend attendee state remains unchanged.
Main Flow	1. Student selects Register for Event from the Event Details screen. 2. System includes Confirm Registration (UC-20) to process the enrollment. 3. System includes View Registration Status (UC-22) to display the resulting status.
Alternate Flow	A1 - Duplicate Registration Recovery 1. Backend detects an existing registration record. 2. System updates the UI to display 'Already Registered / View Ticket.' Use case ends in success.
Exception Flow	E1 - Event Full / Registration Closed 1. Backend determines event capacity is reached, or the registration period has ended. 2. System notifies the student that registration is closed. E2 - Network Submission Error 1. Network request times out during submission. 2. System alerts the student that registration failed to submit.

UC-20: Confirm Registration

Use Case ID	UC-20
Use Case Name	Confirm Registration
Author	Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Finalizes a student's event registration by recording it in the backend and returning a confirmation. Included by Register for Event (UC-19).
Preconditions	Student has initiated a registration request for an open event.
Postconditions	Success: Registration record is created and confirmed. Failure: Registration is not recorded.
Main Flow	1. System sends the registration request to the NotifiED Web Team. 2. NotifiED Web Team verifies event capacity and registration eligibility. 3. NotifiED Web Team creates the registration record. 4. NotifiED Web Team returns a confirmation to the system. 5. System updates the UI to reflect the confirmed registration.
Alternate Flow	A1 - Duplicate Registration Recovery 1. NotifiED Web Team detects an existing registration record for the student. 2. System updates the UI to display 'Already Registered.'
Exception Flow	E1 - Event Full or Registration Closed 1. NotifiED Web Team determines event capacity is reached or the registration period has ended. 2. System notifies the student that registration is closed. E2 - Network Submission Error 1. Request to the NotifiED Web Team times out. 2. System alerts the student that registration failed to submit.

UC-21: Scan QR

Use Case ID	UC-21
Use Case Name	Scan QR
Author	Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Allows the student to quickly access campus event information and proceed to registration using an event QR code.
Preconditions	Student is authenticated. Student has access to the NotifiED mobile application. A valid NotifiED event QR code is available. Device camera permission is granted.
Postconditions	Success: The event associated with the QR code is identified and displayed; student may proceed to Register for Event (UC-19) if registration is available. Failure: No event information is retrieved; student remains on the QR scanning interface or event screen.
Main Flow	1. Student selects Scan QR from the NotifiED application. 2. System opens the device camera and activates the QR code scanner. 3. Student scans the QR code associated with a campus event. 4. System validates the scanned QR code. 5. System retrieves the corresponding event information from the NotifiED Web Team. 6. System displays the event details to the student. 7. Student selects Register for Event (UC-19) if the event is open for registration.
Alternate Flow	A1 - Invalid QR Code 1. At Step 4, the system determines the scanned QR code is invalid or unsupported. 2. System displays an 'Invalid QR Code' message and prompts the student to scan another; use case resumes at Step 2. A2 - Event Not Available 1. At Step 5, the NotifiED Web Team cannot find the event associated with the QR code. 2. System displays an 'Event Not Found' message. Use case ends in failure. A3 - Event Registration Unavailable 1. At Step 7, the selected event is no longer open for registration. 2. System displays the event information and indicates registration is closed. Use case ends in success without proceeding to Register for Event.
Exception Flow	E1 - Camera Permission Denied 1. At Step 2, the student denies camera access. 2. System informs the student that camera permission is required to scan a QR code. E2 - Network Error 1. At Step 5, the system cannot retrieve the event information due to a network or server error. 2. System displays an error message and provides an option to retry.

UC-22: View Registration Status

Use Case ID	UC-22
Use Case Name	View Registration Status
Author	Patricia Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Allows the student to check the status of their registration for a specific event. Included by Register for Event (UC-19).
Preconditions	Student is authenticated.
Postconditions	Success: Current registration status is displayed. Failure: Registration status cannot be retrieved.
Main Flow	1. Student selects an event they have registered for. 2. System requests the registration record from the NotifiED Web Team. 3. NotifiED Web Team returns the current status (e.g., Confirmed, Waitlisted, Cancelled). 4. System displays the status to the student.
Alternate Flow	N/A
Exception Flow	E1 - Status Retrieval Failure 1. Request to the NotifiED Web Team fails. 2. System displays a 'Status unavailable' message with a Retry option.

AI Chatbot Module

UC-23: Ask Question

Use Case ID	UC-23
Use Case Name	Ask Question
Author	Gabrielle Calibo and Patricia Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Allows the student to submit a natural-language question to the AI Assistant and receive a campus-related answer.
Preconditions	Student is authenticated; AI feature is active.
Postconditions	Success: Student receives an AI-generated answer. Failure: AI service fails to generate a response; error message shown.
Main Flow	1. Student submits a question through the AI Chatbot. 2. System routes the request through the NotifiED Web Team to retrieve supporting context. 3. AI Assistant processes the data and generates a natural-language answer. 4. System presents the answer to the student.
Alternate Flow	A1 - Out-of-Scope / Irrelevant Prompt Handled 1. Student submits an out-of-scope or non-campus query. 2. System detects the query boundary restrictions. 3. AI Assistant prompts the student to rephrase toward campus topics; use case resumes at Step 2 once a valid query is entered.
Exception Flow	E1 - Context or Information Unavailable 1. The AI engine determines the available context is insufficient to form an answer. 2. System displays a message stating context is insufficient. E2 - AI Service Failure 1. Connection to the AI service times out or fails. 2. System displays 'AI Assistant temporarily unavailable.'

UC-24: Summarize Information

Use Case ID	UC-24
Use Case Name	Summarize Information
Author	Patricia Valera, Charles Capagngan and Cristian Saldua
Date Updated	08/16/2026
Primary Actor	Student
Secondary Actor(s)	NotifiED Web Team
Description	Allows the student to request an AI-generated summary of a specific item, such as an event, announcement, or email.
Preconditions	Student is authenticated; AI feature is active. The item to summarize is available.
Postconditions	Success: Student receives a concise AI-generated summary. Failure: Summary cannot be generated; error message shown.
Main Flow	1. Student selects Summarize Information on an item. 2. System routes the item's content through the NotifiED Web Team to retrieve supporting context. 3. AI Assistant generates a concise summary. 4. System presents the summary to the student.
Alternate Flow	N/A
Exception Flow	E1 - Context or Information Unavailable 1. The AI engine determines that the available context is insufficient to summarize. 2. System displays a message stating context is insufficient. E2 - AI Service Failure 1. Connection to the AI service times out or fails. 2. System displays 'AI Assistant temporarily unavailable.'