

# Requirements and Analysis Document

*Legend of Chalmers*

Kevin Hoogendijk  
Alexander Håkansson  
Alexander Karlsson  
Maxim Goretskyy

Version: 1.2

Date: 2/4-15

Author: Kevin Hoogendijk, Alexander Håkansson, Alexander Karlsson, Maxim Goretskyy

This version overrides all previous versions.

---

## Table of content

### [1. Introduction](#)

#### [1.1 Purpose of application](#)

#### [1.2 General characteristics of application](#)

#### [1.3 Scope of application](#)

#### [1.4 Objectives and success criteria of the project](#)

#### [1.5 Definitions, acronyms and abbreviations](#)

### [2. Requirements](#)

#### [2.1 Functional requirements](#)

#### [2.2 Non-functional requirements](#)

##### [2.2.1 Usability](#)

##### [2.2.2 Reliability](#)

##### [2.2.3 Performance](#)

##### [2.2.4 Supportability](#)

##### [2.2.5 Implementation](#)

##### [2.2.6 Packaging and installation](#)

##### [2.2.7 Legal](#)

#### [2.3 Application models](#)

##### [2.3.1 Use case model](#)

##### [2.3.2 Use cases priority](#)

##### [2.3.3 Domain model](#)

##### [2.3.4 User interface](#)

### [APPENDIX](#)

#### [1. Use cases](#)

##### [1.1 Dialog with NPC](#)

###### [1.1.1 Summary](#)

###### [1.1.2 Priority](#)

###### [1.1.3 Participators](#)

###### [1.1.4 UC Tables](#)

###### [1.1.4.1 Normal flow of events](#)

##### [1.2 Move player](#)

###### [1.2.1 Summary](#)

###### [1.2.2 Priority](#)

###### [1.2.3 Participators](#)

###### [1.2.4 UC Tables](#)

###### [1.2.4.1 Normal flow of events](#)

###### [1.2.4.2 Next tile in direction is collidable](#)

##### [1.3 Save game](#)

###### [1.3.1 Summary](#)

###### [1.3.2 Priority](#)

###### [1.3.3 Participators](#)

###### [1.3.4 UC Tables](#)

###### [1.3.4.1 Normal flow of events](#)

###### [1.3.4.2 Player is in a non-savable area](#)

##### [1.4 Pick up beverage](#)

Version: 1.2

Date: 2/4-15

Author: Kevin Hoogendijk, Alexander Håkansson, Alexander Karlsson, Maxim Goretskyy

This version overrides all previous versions.

---

[1.4.1 Summary](#)

[1.4.2 Priority](#)

[1.4.3 Participator](#)

[1.4.4 UC Tables](#)

[1.4.4.1 Normal flow of events](#)

[2. GUI](#)

[3. Domain model](#)

# 1. Introduction

This section gives a brief overview of the project

## 1.1 Purpose of application

The application is for pure entertainment and is targeted at students at Chalmers University of Technology.

## 1.2 General characteristics of application

Legend of Chalmers is a game where you walk around campus and discover different minigames where you earn hec (higher education credits). The game is a standalone desktop application for Windows, Linux and Mac. It is a top-down styled 2D game where the player walks around in a world and encounters mini-games as s/he explores the world. The mini-games is an interpretation of the different problems students stumble upon during their time at Chalmers. The game is a single-player game but will be created in a way that enables for a future multi-player implementation. The game is real-time and grid based. The goal of the game is for the player to earn enough credits to get their exam (300 hec).

## 1.3 Scope of application

A 2D game where you walk around Chalmers campus Johanneberg and do mini-games to earn hec. You will not be able to walk inside building or outside of campus. There will only be about 2 minigames implemented but it will be easy to add new ones.

## 1.4 Objectives and success criteria of the project

The objective is to create a world map that will simulate Chalmer's campus and to be able to walk freely and participate in mini-games. The project will be considered done when it is possible for the player to walk around at least some part of the campus and collect hec. There should be at least 2 minigames.

## 1.5 Definitions, acronyms and abbreviations

- LoC = Legend of Chalmers
- hec = Higher education credits
- FPS = Frames per second
- NPC = Non-playable character

# 2. Requirements

## 2.1 Functional requirements

Create a list of high level functions here (from the use cases).

## 2.2 Non-functional requirements

Possible NA (not applicable).

Version: 1.2

Date: 2/4-15

Author: Kevin Hoogendijk, Alexander Håkansson, Alexander Karlsson, Maxim Goretskyy

This version overrides all previous versions.

---

## 2.2.1 Usability

It should be easy to start and have intuitive controls.

## 2.2.2 Reliability

N/A

## 2.2.3 Performance

The game should run without any noticeable lag - should run with over 30 FPS at all times.

## 2.2.4 Supportability

The game should be able to run on Mac, Windows and Linux.

## 2.2.5 Implementation

## 2.2.6 Packaging and installation

N/A

## 2.2.7 Legal

## 2.3 Application models

### 2.3.1 Use case model

See appendix for use case document.

### 2.3.2 Use cases priority

1. Move player
2. Pick up beverage
3. Dialog with NPC
4. Save game

### 2.3.3 Domain model

See appendix for the domain model.

### 2.3.4 User interface

The screen resolution is going to be 1024x576, that is 32 tiles in width, and 18 tiles in height giving a 16:9 aspect ratio. There will be a menu where the player can navigate and perform several actions. Menu is hidden by default. Dialogs with NPCs are shown in the bottom of the screen and they are only shown when there is a conversation going on between the player and a NPC. The points are always shown in the top left corner. See appendix for mockup of the user interface.

# Appendix

## 1. Use cases

### 1.1 Dialog with NPC

#### 1.1.1 Summary

The game allows for interaction with non-playable characters (NPCs) which typically means a conversation. A dialog with an NPC gives information for the player and sometimes allows for making simple choices.

#### 1.1.2 Priority

Medium

#### 1.1.3 Participators

The human player

#### 1.1.4 UC Tables

##### 1.1.4.1 Normal flow of events

#	Player	System
1	Player stands next to NPC and faces in the direction of the NPC.	
2	The player presses SPACE	
3		The NPC turns to face the player.
4		A message from the NPC is shown to the player in the bottom of the screen.
5	Player presses SPACE to continue the dialog.	
6		The message disappears

Version: 1.2

Date: 2/4-15

Author: Kevin Hoogendijk, Alexander Håkansson, Alexander Karlsson, Maxim Goretskyy

This version overrides all previous versions.

---

## 1.2 Move player

### 1.2.1 Summary

This is how the player navigates in the world.

### 1.2.2 Priority

Highest

### 1.2.3 Participators

The human player

### 1.2.4 UC Tables

#### 1.2.4.1 Normal flow of events

#	Player	System
1	Presses UP, DOWN, LEFT or RIGHT arrow key.	
2		Player moves one tile in the pressed direction

#### 1.2.4.2 Next tile in direction is collidable

#	Player	System
1	Presses UP, DOWN, LEFT or RIGHT arrow key.	
2		Player stays in the same position but faces the direction pressed.

Version: 1.2

Date: 2/4-15

Author: Kevin Hoogendijk, Alexander Håkansson, Alexander Karlsson, Maxim Goretskyy

This version overrides all previous versions.

---

## 1.3 Save game

### 1.3.1 Summary

The player should be able to save the game's progress so it can be resumed at a later time.

### 1.3.2 Priority

Low

### 1.3.3 Participators

Human player

### 1.3.4 UC Tables

#### 1.3.4.1 Normal flow of events

#	Player	System
1	User presses ESC, P or ENTER key to open menu.	
2		Player interaction is disabled. (i.e. the player can't move or talk to NPCs).
3		A menu is shown in the top right corner and shows menu options in a list format
4	The player selects the save option using UP or DOWN key to navigate the menu.	
5	Player confirms the option using the SPACE key.	
6		Game is saved. Confirmation message is shown and menu stays open.

#### 1.3.4.2 Player is in a non-savable area

#	Player	System
1	User presses ESC, P or ENTER key to open menu.	
2		Game is just paused instead of showing the menu.



Version: 1.2

Date: 2/4-15

Author: Kevin Hoogendijk, Alexander Håkansson, Alexander Karlsson, Maxim Goretskyy

This version overrides all previous versions.

---

## 1.4 Pick up beverage

### 1.4.1 Summary

Points (higher education credits) can be earned by picking up beverages placed on various locations of the map. These beverages are collected by the player by walking on them.

### 1.4.2 Priority

High

### 1.4.3 Participator

The human player

### 1.4.4 UC Tables

#### 1.4.4.1 Normal flow of events

#	Player	System
1	Player moves to a tile which has a beverage on it.	
2		A sound is played.
3		The beverage disappears from the tile.
4		Points are gained.

Version: 1.2

Date: 2/4-15


Author: Kevin Hoogendijk, Alexander Håkansson, Alexander Karlsson, Maxim Goretskyy

This version overrides all previous versions.

---

## 2. GUI

Mockup of user interface. Also found in “mockup.pdf”.



## 3. Domain model

Also found in “domain-model.pdf”.

