

Sheet: Power

File: power.sch

Sheet: User 10

File: User.sch

Sheet: SD Card

File: sdcard.sch

Sheet: CPU

File: cpu.sch

Sheet: Audio

File: audio.sch

Sheet: LCD

File: lcd.sch

Sheet: USB

File: usb.sch

File: lyre.sch

Sheet: /

Title:


Size: A4


Date: 1 dec 2014



KiCad E.D.A.	eeschema (2013-07-07 BZR 4022)-stable
--------------	---------------------------------------

Rev:


Id: 1/8









File: User.sch		
Sheet: /User IO/		
Title:		
Size: A4	Date: 1 dec 2014	Rev:
KiCad E.D.A. eeschema (2013-07-07 BZR 4022)-stable		Id: 4/8



2.8" LCD with 8/16 bit i/f and SPI Touch panel, SD card socket



2.4" LCD with SPI i/f and Touch i/f




2.2" LCD with SPI i/f




SD card socket on LCD


File: lcd.sch		
Sheet: /LCD/		
Title:		
Size: A4	Date: 1 dec 2014	Rev:
KiCad E.D.A. eeschema (2013-07-07 BZR 4022)-stable		Id: 5/8



File: power.sch		
Sheet: /Power/		
Title:		
Size: A4	Date: 1 dec 2014	Rev:
KiCad E.D.A. eschema (2013-07-07 BZR 4022)-stable		Id: 6/8



File: audio.sch		
Sheet: /Audio/		
Title:		
Size: A4	Date: 1 dec 2014	Rev:
KiCad E.D.A. eschema (2013-07-07 BZR 4022)-stable		Id: 7/8



Micro SD with 4 bit SDIO interface

File: sdcardsch		
Sheet: /SD Card/		
Title:		
Size: A4	Date: 1 dec 2014	Rev:
KiCad E.D.A. eeschema (2013-07-07 BZR 4022)-stable		Id: 8/8