Norsat International Inc.

Innovative Communication Solutions

# ELMTBKU008T-SF

## ELEMENT 8W Ku-Band MINIBUC (High Temperature Range)

**Frequency:** S: 14.00 - 14.50 GHz
**Input Connector:** F-Connector
**Input Voltage + M&C** +18V to +60V DC via
**Function:** IFL

## KEY SPECIFICATIONS

| | |
|---|---|
| **Band** | Ku-Band |
| **External Ref Freq** | 10 MHz (sine-wave), - 5 to +5 dBm |
| **Input Frequency Band 1** | 950 - 1450 MHz |
| **LO Frequency 1** | 13.05 GHz |
| **Output Frequency Band 1** | 14.00 - 14.50 GHz |
| **Output Power Rated** | 8W |

## RF SPECIFICATIONS

| | |
|---|---|
| **Gain Flatness (40mhz)** | ≤ 1.5 dB p-p |
| **Gain Flatness (over Full Band)** | ≤ 4 dB p-p |
| **Gain Flatness (over Temperature)** | ≤ 4 dB p-p |
| **Input VSWR** | 2.0 : 1 max. |
| **Linear Gain Max** | 70 dB |
| **Linear Gain Min** | 60 dB |
| **Linear Gain Typ** | 65 dB |
| **Output P1db** | 39 dBm min. |
| **Output Psat** | 39.5 dBm min. |
| **Output Spurious In Band** | ≤ -60 dBc |
| **Output Spurious Out Of Band** | ≤ -50 dBc |
| **Output VSWR** | 2.0 : 1 max. |
| **Phase Noise 0.1khz Offset Max** | -60 dBc/Hz |
| **Phase Noise 1khz Offset Max** | -70 dBc/Hz |
| **Phase Noise 10khz Offset Max** | -80 dBc/Hz |
| **Phase Noise 100khz Offset Max** | -90 dBc/Hz |

## ELECTRICAL SPECIFICATIONS


© Copyright Norsat International Inc. All Rights Reserved. Specifications are subject to change without notice. Final product may not be as illustrated. The information contained herein does not constitute part of any order or contract.

| | |
|---|---|
| **Input Power** | via IFL |
| **Power Consumption** | 75W max. |
| **Power Requirements** | +18 to +60V DC |

## INTERFACE SPECIFICATIONS

| | |
|---|---|
| **IF Connector** | F-Connector |
| **Output Connector** | WR-75 waveguide grooved |

## ENVIRONMENTAL SPECIFICATIONS

| | |
|---|---|
| **Humidity** | 0-100% condensing |
| **IP Rating** | IP 67 |
| **Temperature Operational** | -40°C to +60°C |

## PHYSICAL SPECIFICATIONS

| | |
|---|---|
| **Enclosed Accessories** | Screws, Gasket |
| **Product Height** | 101 mm |
| **Product Length** | 175.9 mm |
| **Product Weight** | 2.7 kg |
| **Product Width** | 169 mm |

## LOGISTICS SPECIFICATIONS

| HS Code | Country of Origin | Ex Works | ECCN Number | Unit Package |
|---|---|---|---|---|
| 8543700000 | Made in the Republic of Korea | Hong Kong | EAR99 | 270 mm x 225 mm x 160 mm \| 4 kg |

## HOW TO ORDER




## MECHANICAL DIAGRAMS



© Copyright Norsat International Inc. All Rights Reserved. Specifications are subject to change without notice. Final product may not be as illustrated. The information contained herein does not constitute part of any order or contract.






© Copyright Norsat International Inc. All Rights Reserved. Specifications are subject to change without notice. Final product may not be as illustrated. The information contained herein does not constitute part of any order or contract.