UPS 2025 EXECUTIVE DASHBOARD

Page map and measure placement

Every report page drawn to scale against the 1280 × 720 canvas, with the exact field wells behind each visual. Generated from the layout definition itself, not written alongside it.

8	70	49	112
REPORT PAGES	VISUALS	MEASURES PLACED	MEASURES DEFINED

1	Executive Overview	11 visuals
2	Service Performance	5 visuals
3	Cost and Volume	8 visuals
4	Claims and Exceptions	11 visuals
5	Account and Location	6 visuals
6	Annual Recommendation	10 visuals
7	Accessorial and Cost Drivers	6 visuals
8	Data Quality	13 visuals

How to read this

Card / KPI | Chart | Table | Slicer | Text box (static) | Measure | Table[Column]

The wireframe is 1:1

Boxes are drawn at the exact X, Y, width and height the visual takes on the report canvas. Power BI's canvas is 1280 × 720 at 16:9, so a box measuring 620 × 320 here is 620 × 320 there. Set **View** → **Page view** → **Actual size** and the two match.

You do not have to place anything by eye. Select a visual, open the **Format** pane, expand **General** → **Properties** → **Size** and **Position**, and type the four numbers from the binding sheet. That is faster than dragging and it is the only way the pages line up with each other.

Field wells are ordered

Fields are listed in the order they must be dropped. For a table the order is the column order left to right. For a chart with two series, the order sets which one draws first and therefore which colour it takes from the theme. Dropping them in a different order gives a different-looking report.

Blue chips are measures — all of them live in the _**Measures** table. Grey chips are columns, shown as **Table[Column]**.

Titles marked *ƒ* are measure-driven

A handful of titles are bound to a measure rather than typed. Set them under **Format** → **General** → **Title** → **Text** → **fx** → **Field value** and pick the named measure. These titles restate the filters in force, so a screenshot of a filtered page cannot be read as an annual number.

Every page carries the basis banner

Visual 1 on every page is the same card, bound to **Data Basis Banner**, and visual 2 is a static note specific to that page. Build them once, then copy the pair onto each new page before anything else — they occupy the top 48 px and everything else is positioned below them.

> **Reliability rests on one month.** On-time delivery is 40% of the recommendation score, and Time-in-Transit currently covers March only. The banner says so on screen. Treat every OTD figure as provisional until a second month is loaded — the December extract has a transit tab and would be the one to add.

Page 1 Executive Overview

LAYOUT — 11 VISUALS

1 CARD **Reporting basis** Data Basis Banner

2 TEXT BOX Cost conclusions rest on all loaded months. Reliability rests on the months Time-in-Transit covers - see the b…

3 CARD **Total shipments**
Total Shipments
###

4 CARD **Net spend**
Total Net Spend
###

5 CARD **On-time delivery**
On-Time Delivery %
###

6 CARD **Loss claims / 10k**
Loss Claim Rate per 10k
###

7 CARD **Net spend / shipment**
Avg Net Spend per Shipment
###

8 LINE CHART **On-time delivery by month**
Dim_Date[MonthYearLabel] On-Time Delivery %



9 CARD **Recommendation**
Recommendation Callout
###

10 TABLE **ƒ Title - Service Scorecard**
Dim_Service[ServiceGroup] Rankable Shipments On-Time Delivery % OTD Wilson Lower Bound Avg Net Spend per Shipment Avg Net Spend per Billed Lb +2 more

11 DONUT CHART **Volume mix by service**
Dim_Service[ServiceGroupShort] Rankable Shipments

Page 1 Executive Overview

#	VISUAL	X, Y / SIZE	TITLE	FIELD WELLS — DROP THESE IN THIS ORDER
1	**Card** KPI	16, 8 700 × 40	Reporting basis	VALUES Data Basis Banner
2	**Text box** STATIC	724, 8 540 × 40	—	**Cost conclusions rest on all loaded months. Reliability rests on the months Time-in-Transit covers - see the banner.**
3	**Card** KPI	16, 56 242 × 92	Total shipments	VALUES Total Shipments
4	**Card** KPI	268, 56 242 × 92	Net spend	VALUES Total Net Spend
5	**Card** KPI	519, 56 242 × 92	On-time delivery	VALUES On-Time Delivery %
6	**Card** KPI	771, 56 242 × 92	Loss claims / 10k	VALUES Loss Claim Rate per 10k
7	**Card** KPI	1022, 56 242 × 92	Net spend / shipment	VALUES Avg Net Spend per Shipment
8	**Line chart** TREND	16, 158 760 × 240	On-time delivery by month	AXIS Dim_Date[MonthYearLabel] VALUES On-Time Delivery %
9	**Card** KPI	786, 158 478 × 240	Recommendation	VALUES Recommendation Callout
10	**Table** DETAIL	16, 408 900 × 296	ƒ Title - Service Scorecard (dynamic)	VALUES Dim_Service[ServiceGroup] Rankable Shipments On-Time Delivery % OTD Wilson Lower Bound Avg Net Spend per Shipment Avg Net Spend per Billed Lb Service Consistency Score Qualification Status SORT Service Consistency Score DESC
11	**Donut chart** MIX	926, 408 338 × 296	Volume mix by service	AXIS Dim_Service[ServiceGroupShort] VALUES Rankable Shipments

Page 2 Service Performance

LAYOUT — 5 VISUALS

1 CARD **Reporting basis** Data Basis Banner

2 TEXT BOX Bars show the observed rate; compare against the confidence floor column before ranking on any of them.

3 BAR CHART **On-time delivery by service**

Dim_Service[ServiceGroup] On-Time Delivery %



4 COLUMN CHART **Lateness severity - missed day vs missed time window**

Dim_Date[MonthYearLabel] Late by Day Late by Time

5 TABLE **Service reliability detail - confidence and qualification**

Dim_Service[ServiceGroup] Rankable Shipments Packages Measured On-Time Delivery % OTD Wilson Lower Bound OTD Confidence Label +3 more

Page 2 Service Performance

#	VISUAL	X, Y / SIZE	TITLE	FIELD WELLS — DROP THESE IN THIS ORDER
1	**Card** KPI	16, 8 700 × 40	Reporting basis	VALUES: Data Basis Banner
2	**Text box** STATIC	724, 8 540 × 40	—	**Bars show the observed rate; compare against the confidence floor column before ranking on any of them.**
3	**Bar chart** COMPARE	16, 56 620 × 320	On-time delivery by service	AXIS: Dim_Service[ServiceGroup] VALUES: On-Time Delivery % SORT: On-Time Delivery % DESC
4	**Column chart** COMPARE	646, 56 618 × 320	Lateness severity - missed day vs missed time window	AXIS: Dim_Date[MonthYearLabel] VALUES: Late by Day, Late by Time
5	**Table** DETAIL	16, 386 1248 × 318	Service reliability detail - confidence and qualification	VALUES: Dim_Service[ServiceGroup], Rankable Shipments, Packages Measured, On-Time Delivery %, OTD Wilson Lower Bound, OTD Confidence Label, Late by Day %, OTD Volatility (pp), Qualification Status SORT: On-Time Delivery % DESC

Page 3 Cost and Volume

LAYOUT — 8 VISUALS

1 CARD **Reporting basis** Data Basis Banner

2 TEXT BOX Read both cost views. Per-shipment cost is not comparable across services of different package weight.

3 COLUMN CHART **Shipment volume by month**

Dim_Date[MonthYearLabel] Rankable Shipments



4 COLUMN CHART **Net spend by month**

Dim_Date[MonthYearLabel] Total Net Spend

5 BAR CHART **Cost per shipment**

Dim_Service[ServiceGroupShort] Avg Net Spend per Shipment



6 BAR CHART **Cost per billed pound - the comparable view**

Dim_Service[ServiceGroupShort] Avg Net Spend per Billed Lb



7 TEXT BOX

Why two cost charts

Services carry very different package weights. Ground averages roughly 16 lb per piece against roughly 2 lb for 2nd Day Air, so per-shipment cost compares the price of two different things and makes them look almost identically priced.

Per billed pound, Ground is about seven times cheaper. Read the right chart before concluding that upgrading volume to a faster service is cheap. The consistency score uses the per-pound view.

8 TABLE **Cost bridge by service**

Dim_Service[ServiceGroup] Rankable Shipments Total Net Spend Avg Billed Weight per Shipment Avg Net Spend per Shipment Avg Net Spend per Billed Lb +1 more



Page 3 Cost and Volume

#	VISUAL	X, Y / SIZE	TITLE	FIELD WELLS — DROP THESE IN THIS ORDER
1	**Card** KPI	16, 8 700 × 40	Reporting basis	VALUES: Data Basis Banner
2	**Text box** STATIC	724, 8 540 × 40	—	**Read both cost views. Per-shipment cost is not comparable across services of different package weight.**
3	**Column chart** COMPARE	16, 56 620 × 290	Shipment volume by month	AXIS: Dim_Date[MonthYearLabel] VALUES: Rankable Shipments
4	**Column chart** COMPARE	646, 56 618 × 290	Net spend by month	AXIS: Dim_Date[MonthYearLabel] VALUES: Total Net Spend
5	**Bar chart** COMPARE	16, 356 400 × 210	Cost per shipment	AXIS: Dim_Service[ServiceGroupShort] VALUES: Avg Net Spend per Shipment SORT: Avg Net Spend per Shipment DESC
6	**Bar chart** COMPARE	426, 356 400 × 210	Cost per billed pound - the comparable view	AXIS: Dim_Service[ServiceGroupShort] VALUES: Avg Net Spend per Billed Lb SORT: Avg Net Spend per Billed Lb DESC
7	**Text box** STATIC	836, 356 428 × 210	—	**Why two cost charts** *Services carry very different package weights. Ground averages roughly 16 lb per piece against roughly 2 lb for 2nd Day Air, so per-shipment cost compares the price of two different things and makes them look almost identically priced.* *Per billed pound, Ground is about seven times cheaper. Read the right chart before concluding that upgrading volume to a faster service is cheap. The consistency score uses the per-pound view.*
8	**Table** DETAIL	16, 576 1248 × 128	Cost bridge by service	VALUES: Dim_Service[ServiceGroup], Rankable Shipments, Total Net Spend, Avg Billed Weight per Shipment, Avg Net Spend per Shipment, Avg Net Spend per Billed Lb, Service Spend Mix % SORT: Total Net Spend DESC

Page 4 Claims and Exceptions

LAYOUT — 11 VISUALS

1 CARD **Reporting basis** Data Basis Banner

2 TEXT BOX Account grain only. Claims carry no service key.

3 TEXT BOX

Claims cannot be attributed to a service.

The claims extract carries sub-parent, account and claims category - no product, service or tracking number. Every figure on this page is at account grain, and the Service Group slicer deliberately does nothing here. Adding a service or tracking field to this export is the single highest-value

4 CARD **Claims issued**
Issued Claims Pkgs
###

5 CARD **Loss claims**
Loss Claims
###

6 CARD **Recovery rate**
Claims Recovery Rate
###

7 CARD **Paid claims**
Paid Claims Amount
###

8 CARD **Worst-account share of loss**
Top Account Share of Loss Claims
###

9 BAR CHART **Claims by category - issued vs paid**
Fact_Claims[ClaimsCategory] | Issued Claims Pkgs | Paid Claims Pkgs



10 LINE CHART **Claims per 10,000 shipments by month**
Dim_Date[MonthYearLabel] | Claims Rate per 10k



11 TABLE *ƒ* **Title - Claims**
Dim_Account[AccountName] | Rankable Shipments | Loss Claims | Issued Claims Pkgs | Loss Claim Rate per 10k | Loss Rate Index vs Firm | +2 more

Page 4 Claims and Exceptions

#	VISUAL	X, Y / SIZE	TITLE	FIELD WELLS — DROP THESE IN THIS ORDER
1	**Card** KPI	16, 8 700 × 40	Reporting basis	VALUES: Data Basis Banner
2	**Text box** STATIC	724, 8 540 × 40	—	**Account grain only. Claims carry no service key.**
3	**Text box** STATIC	16, 56 1248 × 62	—	**Claims cannot be attributed to a service.** *The claims extract carries sub-parent, account and claims category - no product, service or tracking number. Every figure on this page is at account grain, and the Service Group slicer deliberately does nothing here. Adding a service or tracking field to this export is the single highest-value change available to this model.*
4	**Card** KPI	16, 126 242 × 86	Claims issued	VALUES: Issued Claims Pkgs
5	**Card** KPI	268, 126 242 × 86	Loss claims	VALUES: Loss Claims
6	**Card** KPI	519, 126 242 × 86	Recovery rate	VALUES: Claims Recovery Rate
7	**Card** KPI	771, 126 242 × 86	Paid claims	VALUES: Paid Claims Amount
8	**Card** KPI	1022, 126 242 × 86	Worst-account share of loss	VALUES: Top Account Share of Loss Claims
9	**Bar chart** COMPARE	16, 222 400 × 250	Claims by category - issued vs paid	AXIS: Fact_Claims[ClaimsCategory] VALUES: Issued Claims Pkgs, Paid Claims Pkgs
10	**Line chart** TREND	426, 222 838 × 250	Claims per 10,000 shipments by month	AXIS: Dim_Date[MonthYearLabel] VALUES: Claims Rate per 10k
11	**Table** DETAIL	16, 482 1248 × 222	ƒ Title - Claims (dynamic)	VALUES: Dim_Account[AccountName], Rankable Shipments, Loss Claims, Issued Claims Pkgs, Loss Claim Rate per 10k, Loss Rate Index vs Firm, Paid Claims Amount, Loss Risk Flag SORT: Loss Rate Index vs Firm DESC

Page 5 Account and Location

LAYOUT — 6 VISUALS

1 CARD **Reporting basis** Data Basis Banner

2 TEXT BOX An account with volume and no transit coverage is invisible in every reliability figure - the right-hand table na…

3 TABLE **Account scorecard**

Dim_Account[SubName] Dim_Account[AccountName] Dim_Account[State] Rankable Shipments On-Time Delivery % Loss Rate Index vs Firm +1 more

4 BAR CHART **Volume by region**

Dim_Account[Region] Rankable Shipments



5 BAR CHART **On-time delivery by state**

Dim_Account[State] On-Time Delivery %



6 TABLE **Transit data coverage by account**

Dim_Account[AccountName] Dim_Account[HasTransitData] Rankable Shipments Packages Measured

Page 5 Account and Location

#	VISUAL	X, Y / SIZE	TITLE	FIELD WELLS — DROP THESE IN THIS ORDER
1	**Card** KPI	16, 8 700 × 40	Reporting basis	VALUES: Data Basis Banner
2	**Text box** STATIC	724, 8 540 × 40	—	**An account with volume and no transit coverage is invisible in every reliability figure - the right-hand table names them.**
3	**Table** DETAIL	16, 56 820 × 320	Account scorecard	VALUES: Dim_Account[SubName], Dim_Account[AccountName], Dim_Account[State], Rankable Shipments, On-Time Delivery %, Loss Rate Index vs Firm, Avg Net Spend per Shipment SORT: Rankable Shipments DESC
4	**Bar chart** COMPARE	846, 56 418 × 320	Volume by region	AXIS: Dim_Account[Region] VALUES: Rankable Shipments SORT: Rankable Shipments DESC
5	**Bar chart** COMPARE	16, 386 620 × 318	On-time delivery by state	AXIS: Dim_Account[State] VALUES: On-Time Delivery % SORT: On-Time Delivery % ASC
6	**Table** DETAIL	646, 386 618 × 318	Transit data coverage by account	VALUES: Dim_Account[AccountName], Dim_Account[HasTransitData], Rankable Shipments, Packages Measured SORT: Rankable Shipments DESC

Page 6 Annual Recommendation

LAYOUT — 10 VISUALS

1 CARD **Reporting basis** Data Basis Banner

2 TEXT BOX Controlled page. Month and Account slicers are deliberately absent - an annual policy sliced to one month is …

3 CARD Recommendation

Recommendation Callout

###

4 CARD Score basis - the weights actually used

Score Basis

###

5 TABLE Recommendation matrix

Dim_Service[ServiceGroup] | Dim_Service[ServiceTier] | Rankable Shipments | Service Consistency Score | Service Rank | Recommendation Category

6 SLICER Minimum annual shipments to qualify

Volume Threshold[Volume Threshold]

7 SLICER Minimum share of volume to qualify

Share Threshold[Share Threshold]

8 SLICER Domestic / International

Dim_Service[Scope]

9 BAR CHART Score components (normalised 0-1 across qualified services)

Dim_Service[ServiceGroup] | Score - Reliability | Score - Cost

10 TEXT BOX

Reading this page

The ranking answers 'which service performs best'. The policy question is 'which service should we default to'. On this data those have different answers: the volume anchor carries the majority of shipments at a fraction of the cost per pound, and is evaluated on whether its performance is acceptable and stable - not on whether something else scores higher.

Move the threshold sliders to test how sensitive the ranking is. Setting the volume threshold to zero shows why the threshold exists.

Page 6 Annual Recommendation

#	VISUAL	X, Y / SIZE	TITLE	FIELD WELLS — DROP THESE IN THIS ORDER
1	**Card** KPI	16, 8 700 × 40	Reporting basis	VALUES: Data Basis Banner
2	**Text box** STATIC	724, 8 540 × 40	—	**Controlled page. Month and Account slicers are deliberately absent - an annual policy sliced to one month is not one.**
3	**Card** KPI	16, 56 830 × 120	Recommendation	VALUES: Recommendation Callout
4	**Card** KPI	856, 56 408 × 120	Score basis - the weights actually used	VALUES: Score Basis
5	**Table** DETAIL	16, 186 830 × 300	Recommendation matrix	VALUES: Dim_Service[ServiceGroup], Dim_Service[ServiceTier], Rankable Shipments, Service Consistency Score, Service Rank, Recommendation Category SORT: Service Consistency Score DESC
6	**Slicer** CONTROL	856, 186 408 × 96	Minimum annual shipments to qualify	VALUES: Volume Threshold[Volume Threshold]
7	**Slicer** CONTROL	856, 292 408 × 96	Minimum share of volume to qualify	VALUES: Share Threshold[Share Threshold]
8	**Slicer** CONTROL	856, 398 408 × 88	Domestic / International	VALUES: Dim_Service[Scope]
9	**Bar chart** COMPARE	16, 496 620 × 208	Score components (normalised 0-1 across qualified services)	AXIS: Dim_Service[ServiceGroup] VALUES: Score - Reliability, Score - Cost
10	**Text box** STATIC	646, 496 618 × 208	—	**Reading this page** *The ranking answers 'which service performs best'. The policy question is 'which service should we default to'. On this data those have different answers: the volume anchor carries the majority of shipments at a fraction of the cost per pound, and is evaluated on whether its performance is acceptable and stable - not on whether something else scores higher.* *Move the threshold sliders to test how sensitive the ranking is. Setting the volume threshold to zero shows why the threshold exists.*

1 CARD **Reporting basis** Data Basis Banner

2 TEXT BOX Charge-level detail. This table reconciles to net spend - see the Data Quality page.

3 BAR CHART **Net spend by charge category**

Fact_Accessorial[ChargeCategory] Accessorial Net Spend

4 TABLE **Charge detail**

Fact_Accessorial[ChargeCategory] Fact_Accessorial[IsAccessorial] Accessorial Net Spend



5 COLUMN CHART **Charge spend by month**

Dim_Date[MonthYearLabel] Accessorial Net Spend



6 TEXT BOX

Avoidable cost

Address Correction is charged per package, and every unit is a package that shipped to a bad address the firm supplied. It is fully avoidable through address validation at the point of shipment - a process fix, not a negotiation.

Filter the charge category slicer to Address Correction to size it.

Page 7 Accessorial and Cost Drivers

#	VISUAL	X, Y / SIZE	TITLE	FIELD WELLS — DROP THESE IN THIS ORDER
1	**Card** KPI	16, 8 700 × 40	Reporting basis	VALUES: Data Basis Banner
2	**Text box** STATIC	724, 8 540 × 40	—	**Charge-level detail. This table reconciles to net spend - see the Data Quality page.**
3	**Bar chart** COMPARE	16, 56 760 × 400	Net spend by charge category	AXIS: Fact_Accessorial[ChargeCategory] VALUES: Accessorial Net Spend SORT: Accessorial Net Spend DESC
4	**Table** DETAIL	786, 56 478 × 400	Charge detail	VALUES: Fact_Accessorial[ChargeCategory] Fact_Accessorial[IsAccessorial] Accessorial Net Spend SORT: Accessorial Net Spend DESC
5	**Column chart** COMPARE	16, 466 760 × 238	Charge spend by month	AXIS: Dim_Date[MonthYearLabel] VALUES: Accessorial Net Spend
6	**Text box** STATIC	786, 466 478 × 238	—	**Avoidable cost** *Address Correction is charged per package, and every unit is a package that shipped to a bad address the firm supplied. It is fully avoidable through address validation at the point of shipment - a process fix, not a negotiation.* *Filter the charge category slicer to Address Correction to size it.*

Page 8 Data Quality

LAYOUT — 13 VISUALS

1 CARD **Reporting basis** Data Basis Banner

2 TEXT BOX This page accounts for every row the report excludes.

3 CARD **Months loaded** Months Loaded

###

4 CARD **Annual completeness** Annual Completeness %

###

5 CARD **Spend reconciliation** Reconciliation Status

###

6 CARD **Measured vs billed** Measured vs Billed Coverage %

###

7 CARD **Unattributed spend** Unattributed Spend %

###

8 CARD **Source coverage** Coverage Summary

###

9 CARD **Completed months not yet loaded** Missing Months List

###

10 TABLE **Coverage by month and source**

Dim_Date[MonthYearLabel] Dim_Date[IsCompletedMonth] Dim_Date[IsLoaded] Dim_Date[IsReportable] Total Shipments Packages Measured +1 more

11 TABLE **Service mapping inventory - both source vocabularies**

Dim_ServiceMapping[SourceSystem] Dim_ServiceMapping[RawProduct] Dim_ServiceMapping[ServiceGroup] Dim_ServiceMapping[IncludeInRank…

12 MULTI-ROW CARD **Exclusions - counted, never silent**

Excluded Adjustment Spend Spend-Only Adjustment Rows Spend-Only Adjustment Value Unmapped Product Rows Masked Sub-Parent Volume

###

13 TEXT BOX

Known limitations

Claims carry no service key, so the loss (30%) and exception (20%) components of the recommendation score cannot be computed at service grain. Their weight is reallocated, and the score reports its own effective weights.

Time-in-Transit is a Shipper View population; Volume & Spend is a Payor View population. A consistent gap between measured packages and billed volume is expected and is not an error. They are never used as the same denominator.

Cost per shipment is not comparable across services without controlling for package weight.

Page 8 Data Quality

#	VISUAL	X, Y / SIZE	TITLE	FIELD WELLS — DROP THESE IN THIS ORDER
1	**Card** KPI	16, 8 700 × 40	Reporting basis	VALUES Data Basis Banner
2	**Text box** STATIC	724, 8 540 × 40	—	**This page accounts for every row the report excludes.**
3	**Card** KPI	16, 56 242 × 92	Months loaded	VALUES Months Loaded
4	**Card** KPI	268, 56 242 × 92	Annual completeness	VALUES Annual Completeness %
5	**Card** KPI	519, 56 242 × 92	Spend reconciliation	VALUES Reconciliation Status
6	**Card** KPI	771, 56 242 × 92	Measured vs billed	VALUES Measured vs Billed Coverage %
7	**Card** KPI	1022, 56 242 × 92	Unattributed spend	VALUES Unattributed Spend %
8	**Card** KPI	16, 158 620 × 80	Source coverage	VALUES Coverage Summary
9	**Card** KPI	646, 158 618 × 80	Completed months not yet loaded	VALUES Missing Months List
10	**Table** DETAIL	16, 248 620 × 220	Coverage by month and source	VALUES Dim_Date[MonthYearLabel] Dim_Date[IsCompletedMonth] Dim_Date[IsLoaded] Dim_Date[IsReportable] Total Shipments Packages Measured Issued Claims Pkgs
11	**Table** DETAIL	646, 248 618 × 220	Service mapping inventory - both source vocabularies	VALUES Dim_ServiceMapping[SourceSystem] Dim_ServiceMapping[RawProduct] Dim_ServiceMapping[ServiceGroup] Dim_ServiceMapping[IncludeInRanking]
12	**Multi-row card** KPI	16, 478 620 × 226	Exclusions - counted, never silent	VALUES Excluded Adjustment Spend Spend-Only Adjustment Rows Spend-Only Adjustment Value Unmapped Product Rows Masked Sub-Parent Volume
13	**Text box** STATIC	646, 478 618 × 226	—	**Known limitations** *Claims carry no service key, so the loss (30%) and exception (20%) components of the recommendation score cannot be computed at service grain. Their weight is reallocated, and the score reports its own effective weights.* *Time-in-Transit is a Shipper View population; Volume & Spend is a Payor View population. A consistent gap between measured packages and billed volume is expected and is not an error. They are never used as the same denominator.* *Cost per shipment is not comparable across services without controlling for package weight.*

MEASURE	DISPLAY FOLDER	ON PAGE(S)
Accessorial Net Spend	5 Data Quality and Narrative › Reconciliation	7
Annual Completeness %	5 Data Quality and Narrative › Coverage	8
Avg Billed Weight per Shipment	1 Volume, Spend and Cost › Cost efficiency	3
Avg Net Spend per Billed Lb	1 Volume, Spend and Cost › Cost efficiency	1, 3
Avg Net Spend per Shipment	1 Volume, Spend and Cost › Cost efficiency	1, 3, 5
Claims Rate per 10k	3 Claims and Loss Risk › Tier B: supported claim measures (account grain)	4
Claims Recovery Rate	3 Claims and Loss Risk › Tier B: supported claim measures (account grain)	4
Coverage Summary	5 Data Quality and Narrative › Exclusions	8
Data Basis Banner	5 Data Quality and Narrative › Banner narrative	1, 2, 3, 4, 5, 6, 7, 8
Excluded Adjustment Spend	5 Data Quality and Narrative › Exclusions	8
Issued Claims Pkgs	3 Claims and Loss Risk › Tier B: supported claim measures (account grain)	4, 8
Late by Day	2 Reliability	2
Late by Day %	2 Reliability	2
Late by Time	2 Reliability	2
Loss Claim Rate per 10k	3 Claims and Loss Risk › Tier B: supported claim measures (account grain)	1, 4
Loss Claims	3 Claims and Loss Risk › Tier B: supported claim measures (account grain)	4
Loss Rate Index vs Firm	3 Claims and Loss Risk › Concentration	4, 5
Loss Risk Flag	3 Claims and Loss Risk › Concentration	4
Masked Sub-Parent Volume	5 Data Quality and Narrative › Reconciliation	8
Measured vs Billed Coverage %	5 Data Quality and Narrative › Banner narrative	8
Missing Months List	5 Data Quality and Narrative › Coverage	8

MEASURE	DISPLAY FOLDER	ON PAGE(S)
Months Loaded	5 Data Quality and Narrative › Coverage	8
OTD Confidence Label	2 Reliability › Coverage	2
OTD Volatility (pp)	2 Reliability › Trend and stability	2
OTD Wilson Lower Bound	2 Reliability › Statistical confidence	1, 2
On-Time Delivery %	2 Reliability	1, 2, 5
Packages Measured	2 Reliability	2, 5, 8
Paid Claims Amount	3 Claims and Loss Risk › Tier B: supported claim measures (account grain)	4
Paid Claims Pkgs	3 Claims and Loss Risk › Tier B: supported claim measures (account grain)	4
Qualification Status	4 Scoring and Recommendation › 1. Qualification	1, 2
Rankable Shipments	1 Volume, Spend and Cost › Shipment volume	1, 2, 3, 4, 5, 6
Recommendation Callout	4 Scoring and Recommendation › 4. Recommendation categories	1, 6
Recommendation Category	4 Scoring and Recommendation › 4. Recommendation categories	6
Reconciliation Status	5 Data Quality and Narrative › Reconciliation	8
Score - Cost	4 Scoring and Recommendation › 3. Weighted blend with reallocation	6
Score - Reliability	4 Scoring and Recommendation › 2. Normalised component scores	6
Score Basis	4 Scoring and Recommendation › 3. Weighted blend with reallocation	6
Service Consistency Score	4 Scoring and Recommendation › 3. Weighted blend with reallocation	1, 6
Service Rank	4 Scoring and Recommendation › 4. Recommendation categories	6
Service Spend Mix %	1 Volume, Spend and Cost › Mix	3
Spend-Only Adjustment Rows	5 Data Quality and Narrative › Exclusions	8
Spend-Only Adjustment Value	5 Data Quality and Narrative › Exclusions	8
Title - Claims	5 Data Quality and Narrative › Dynamic titles	4

MEASURE	DISPLAY FOLDER	ON PAGE(S)
Title - Service Scorecard	5 Data Quality and Narrative › Dynamic titles	1
Top Account Share of Loss Claims	3 Claims and Loss Risk › Concentration	4
Total Net Spend	1 Volume, Spend and Cost › Spend	1, 3

MEASURE	DISPLAY FOLDER	ON PAGE(S)
Total Shipments	1 Volume, Spend and Cost › Shipment volume	1, 8
Unattributed Spend %	5 Data Quality and Narrative › Exclusions	8
Unmapped Product Rows	5 Data Quality and Narrative › Exclusions	8

Appendix B Measures defined but not placed

63 AVAILABLE

These are built by the model and ready to use, but no visual references them. They exist for drill-through pages, tooltip pages, and the ad-hoc questions that follow a leadership meeting — a reader can drag any of them onto a new visual without writing DAX. Nothing here is dead weight: several are intermediate steps the placed measures depend on.

1 VOLUME, SPEND AND COST › SHIPMENT VOLUME 3

Shipments PY · Shipments YoY % · YTD Shipments

1 VOLUME, SPEND AND COST › SPEND 6

Incentive % · Net Spend PY · Shipments LY (Source) · Total Gross Spend · Total Incentive · YTD Net Spend

1 VOLUME, SPEND AND COST › COST EFFICIENCY 2

Net Spend YoY % · Total Billed Weight

1 VOLUME, SPEND AND COST › MIX 3

Account Volume Mix % · Service Volume Mix % · Weight-Adjusted Cost Premium

2 RELIABILITY 4

Late Delivery % · Late by Time % · On-Time Packages · Total Late

2 RELIABILITY › TREND AND STABILITY 4

OTD % Annual Benchmark · OTD % Delta MoM · OTD % PM · Severity Mix (Day Share of Late)

2 RELIABILITY › STATISTICAL CONFIDENCE 2

OTD Confidence Gap (pp) · Worst OTD Month

2 RELIABILITY › COVERAGE 3

Has Transit Data · Months with Transit Data · Transit Coverage %

3 CLAIMS AND LOSS RISK › TIER B: SUPPORTED CLAIM MEASURES (ACCOUNT GRAIN) 7

Avg Paid per Claim · Claims Declared Value · Damage Claims · Exception / Claims Rate · Loss Claim Rate · Loss Claims Paid Amount · Registered Claims Pkgs

3 CLAIMS AND LOSS RISK › CONCENTRATION 2

Claims Cost per 1k Shipments · Firm-wide Loss Rate per 10k

3 CLAIMS AND LOSS RISK › TIER C: ALLOCATED SERVICE PROXY - HANDLE WITH CARE 4

Claims Attribution Warning · Loss Claim Rate per 10k (Allocated Proxy) · Loss Claims (Allocated Proxy) · Top Account by Loss Claims

4 SCORING AND RECOMMENDATION › 1. QUALIFICATION 6

Annual Qualification Flag · Minimum Measured Packages · Minimum Shipment Threshold · Minimum Volume Share · Qualified Service Count · Service Volume Share

4 SCORING AND RECOMMENDATION › 2. NORMALISED COMPONENT SCORES 3

Claims Service Key Available · Score - Exception Risk · Score - Loss Risk

4 SCORING AND RECOMMENDATION › 3. WEIGHTED BLEND WITH REALLOCATION 5

Effective Weight Total · Weight - Cost · Weight - Exception Risk · Weight - Loss Risk · Weight - Reliability

5 DATA QUALITY AND NARRATIVE › COVERAGE 5

Claims Months Covered · Completed Months Loaded · Missing Months · Transit Months Covered · Volume Months Covered

5 DATA QUALITY AND NARRATIVE › EXCLUSIONS 1

Excluded Adjustment Spend %

5 DATA QUALITY AND NARRATIVE › RECONCILIATION 1

Spend Reconciliation Variance

5 DATA QUALITY AND NARRATIVE › DYNAMIC TITLES 2

Data Basis Banner Colour · Title - Executive Overview