

Grade 6 Arithmetic Recovery & Powers Foundation Exam (Set 2)

Name:

Class:

Student ID:

Time: 35 Mins

Total: 100 Pts

Score:

Section 1: Daily 5-Minute Decimal Arithmetic Sprint (2.5 pts each, 30 pts total)

Score: _____

Observe the operators and decimal points carefully. Write your answers directly (Time limit: 6 mins):

(1) $0.9 + 0.1 =$ _____

(2) $3.8 + 0.2 =$ _____

(3) $1 - 0.25 =$ _____

(4) $5 - 0.8 =$ _____

(5) $5.4 \div 0.6 =$ _____

(6) $30 \div 0.5 =$ _____

(7) $0.36 \div 0.09 =$ _____

(8) $2.5 \times 0.4 =$ _____

(9) $1.2 \times 0.5 =$ _____

(10) $0.7 \times 0.8 =$ _____

(11) $4.2 \div 0.7 =$ _____

(12) $100 \times 0.035 =$ _____

Section 2: Powers as Repeated Multiplication (25 pts total)

Score: _____

1. [Mandatory Expanded Form Table] (1 pt per blank, 15 pts total)

⚠ You MUST write the expanded repeated multiplication in the middle column!

Index Form	Expanded Form (Repeated Multiplication)	Final Evaluated Value
2^1	2	2
2^2	2×2	4
2^3	$2 \times 2 \times 2$	8 (⚠ NOT 6!)
2^4		
2^5		
3^2		
3^3		
3^4		
4^3		
5^3		

2. [Powers vs Multiplication Comparison] Fill in each blank with ">", "<", or "=": (2 pts each, 6 pts total)

$$2^3 \text{ ______ } 2 \times 3$$

$$3^4 \text{ ______ } 3 \times 4$$

$$5^2 \text{ ______ } 5 \times 2$$

3. [Product of Powers Rule] Simplify $10^4 \times 10^5$. (4 pts)

$$10^4 \times 10^5 = 10^{\text{---} + \text{---}} = 10^{\text{---}}.$$

(⚠ Warning: Exponents are added! Never multiply them to get $10^{4 \times 5} = 10^{20}$!)

Section 3: Three-Step Structured Problem Solving (12.5 pts each, 25 pts total)

Score: _____

4. [Six-Digit Divisibility Problem · Three-Step Full Solution]

The six-digit number $\overline{91X93Y}$ is divisible by both 8 and 9. Write the complete solution:

Step 1 Use the last 3 digits to find Y:

Because the number is divisible by 8, its last 3 digits $\overline{93Y}$ must be divisible by 8.

$$930 \div 8 = 116 \text{ remainder } 2.$$

So $20 + Y$ must be a multiple of 8. For a single digit Y , $20 + Y = 24$,

Therefore: $Y = \underline{\hspace{2cm}}$ (✓ Y is solved!)

Step 2 Use the sum of digits to find X (Student B's Focus: DO NOT STOP HERE!):

Now the six-digit number is $\overline{91X93Y}$.

Because the number is divisible by 9, the sum of all digits must be a multiple of 9.

$$\text{Sum of digits} = 9 + 1 + X + 9 + 3 + (\) = \underline{\hspace{2cm}}$$

Since $X \in \{0, 1, \dots, 9\}$, for the sum to be divisible by 9,

Therefore: $X = \underline{\hspace{2cm}}$ (✓ X is solved!)

Step 3 State the final answer:

Answer: $X = \underline{\hspace{2cm}}$, $Y = \underline{\hspace{2cm}}$, the six-digit number is $\underline{\hspace{2cm}}$.

5. [Bilingual Word Problem · Speed and Distance]

Leo cycles at an average speed of 15 km/h. He rides for 40 minutes. How far does he ride?

Step 1 Identify units and convert:

Speed is in km/h, but time is given as 40 minutes. You MUST convert minutes to hours!

$$\text{Time } t = 40 \text{ minutes} = \frac{40}{60} \text{ hours} = \frac{\underline{\hspace{1cm}}}{\underline{\hspace{1cm}}} \text{ hours.}$$

Step 2 Apply the distance formula:

Formula: Distance = Speed $\times$ Time

$$S = 15 \times \frac{\underline{\hspace{1cm}}}{\underline{\hspace{1cm}}} = \underline{\hspace{2cm}} \text{ km.}$$

Step 3 Conclude with units:

Answer: Leo rides $\underline{\hspace{2cm}}$ km.

Section 4: Smart Fraction Comparison (5 pts each, 20 pts total)

Score: _____

6. Fill in each blank with ">" or "<", and write a one-sentence reason:

(a) $\frac{7}{12}$ _____ $\frac{7}{15}$

Reason (Same numerators):

(b) $\frac{5}{9}$ _____ $\frac{7}{9}$

Reason (Same denominators):

(c) $\frac{13}{15}$ _____ $\frac{17}{19}$

Reason (Distance to 1 benchmark):

(d) $\frac{5}{8}$ _____ $\frac{7}{12}$

Reason (Common denominator 24):



[Student B Set 1] Answer Key & Scoring Guide (For Review)

Section 1: Daily Decimal Sprint (30 pts, 2.5 pts each)

- (1) 1.0 (or 1) (2) 4.0 (or 4) (3) 0.75 (4) 4.2 (5) 9 (6) 60
(7) 4 (8) 1.0 (or 1) (9) 0.6 (10) 0.56 (11) 6 (12) 3.5

Section 2: Powers as Repeated Multiplication (25 pts)

1. (14 pts)

- $2^4 = 2 \times 2 \times 2 \times 2 = 16$

- $2^5 = 2 \times 2 \times 2 \times 2 \times 2 = 32$

- $3^2 = 3 \times 3 = 9$

- $3^3 = 3 \times 3 \times 3 = 27$

- $3^4 = 3 \times 3 \times 3 \times 3 = 81$ (⚠ NOT 18!)

- $4^3 = 4 \times 4 \times 4 = 64$

- $5^3 = 5 \times 5 \times 5 = 125$

2. (6 pts) $2^3 > 2 \times 3$ ($8 > 6$); $3^4 > 3 \times 4$ ($81 > 12$); $5^2 > 5 \times 2$ ($25 > 10$).

3. (5 pts) $10^4 \times 10^5 = 10^{4+5} = 10^9$.

Section 3: Three-Step Structured Solving (25 pts)

4. (12.5 pts)

Step 1: $Y = 6$ (4 pts);

Step 2: Sum of digits $= 9 + 1 + X + 9 + 3 + 6 = 28 + X$. For $28 + X$ to be divisible by 9, $X = 8$ (5.5 pts);

Step 3: Answer: $X = 8$, $Y = 6$, number is 918936 (3 pts).

5. (12.5 pts)

Step 1: Time $t = \frac{40}{60} = \frac{2}{3}$ hours (4 pts);

Step 2: $S = 15 \times \frac{2}{3} = 10$ km (5.5 pts);

Step 3: Answer: 10 km (3 pts).

Section 4: Smart Fraction Comparison (20 pts, 5 pts each)

(a) $>$. Reason: With identical numerators, smaller denominators represent larger parts.

(b) $<$. Reason: With identical denominators, greater numerators indicate greater values.

(c) $<$. Reason: $1 - \frac{13}{15} = \frac{2}{15}$, $1 - \frac{17}{19} = \frac{2}{19}$. Since $\frac{2}{15} > \frac{2}{19}$, the distance to 1 is larger, so the value is smaller.

(d) $>$. Reason: With common denominator 24, $\frac{5}{8} = \frac{15}{24}$ and $\frac{7}{12} = \frac{14}{24}$. Since $15 > 14$, $\frac{5}{8} > \frac{7}{12}$.