CITYU STUDYNOTES

CS5489 · 期中题目册

Midterm Questions

中文讲解 · English terminology · 双语题答

A4 单栏 · 根据已下载教师材料整理

本资料用于课程学习与复习，保留原材料、历史题源与教学补充的身份。

模板：ElegantBook 4.7；版式与构建由 CityU-StudyNotes 维护。

2026-10-16

收录六套历年期中卷，78 个原题位置按实质内容去重后为 67 题。同题跨年只排一次，全部出处保留；条件、选项或要求有实质区别时分别保留。

英文题干保留原题内容，数学符号按原卷核对排版；中文帮助理解。MT 编号属于本题库，与原卷 Q 编号不同。2021B* 存在封面年份冲突，按配套解答归档。

各组按概念、示范、判断与应用逐步展开，阅读次序不按 MT 编号大小排列。按一整套卷练习可用原卷索引。模拟题、期末题和 QE 不混入本册。旧题规则不代表本学期考试规定。

目录

学习流程与模型诊断 **5**
MT011 · 识别过拟合，并提出可操作的改进 . . . 5
MT004 · CV 选完参数后，为什么还要重新训练？ . . . 6
MT028 · 训练误差低、测试误差高：可能原因 . . . 7
MT002 · 训练准、测试差：哪些改进值得尝试？ . . . 8
MT020 · 数据很多，训练和测试仍都差 . . . 9
MT022 · 五万客户、需要解释：选择哪种分类器？ . . . 10

Bayes、Naive Bayes 与模型比较 **11**
MT040 · Bayes 规则和 Naive Bayes 的关系 . . . 11
MT052 · 生成式分类器学了什么 . . . 12
MT046 · 完整讲出 Gaussian NB . . . 13
MT015 · NB 的最优性、独立性与边界 . . . 14
MT032 · Bayesian classifier 的性质 . . . 15
MT005 · NB 的学习、不确定性和正则化 . . . 16
MT034 · 无限数据能消除分类错误吗 . . . 17
MT014 · 生成式与判别式的区别 . . . 18
MT033 · 用图像特征解释两种建模方式 . . . 19
MT059 · LR 与共享方差 Gaussian NB . . . 20
MT021 · 同为线性分类器，学习原则有何不同 . . . 21
MT017 · 哪些模型能产生不同形状的边界 . . . 22
MT027 · 连续特征能否使用 NB：混合选择题 . . . 23
MT058 · 智能笔上的文本 NB 如何改进 . . . 24

逻辑回归与参数正则 **25**
MT041 · Logistic 的概率、多分类与最优解 . . . 25
MT047 · 解释 Logistic 目标中的两项 . . . 26
MT024 · 损失与正则项：α 从哪里来？ . . . 27
MT018 · 为什么在线性分类器上加 L2？ . . . 28
MT012 · L1 逻辑回归：写目标并画边界 . . . 29
MT001 · Logistic 训练：哪些说法不成立？ . . . 30
MT053 · LR 与生成式模型：混合选择题 . . . 31

SVM 与核方法 **32**
MT042 · SVM 的基本特点 . . . 32
MT048 · 用一个例子讲清 Kernel Trick . . . 33
MT016 · 核 SVM：变换、存储与非向量输入 . . . 34
MT031 · RBF 距离与带宽：看近点和远点 . . . 35
MT055 · 判断五个候选核是否合法 . . . 36
MT060 · 二次核 SVM：大 C 与小 C 的边界 . . . 37
MT054 · C、支持向量与 RBF 的零训练误差 . . . 38
MT043 · 核 SVM 怎样处理非线性？ . . . 39
MT029 · 哪些 SVM 说法错误？ . . . 40

MT010 · 同一张分布图，Gaussian Bayes 与二次核 SVM 如何判断？ . . . 41
MT009 · 十万维特征、两千样本：SVM 怎样提速？ . . . 42
MT061 · 预测内存：线性 SVM 与 RBF SVM . . . 43

回归、特征选择与残差损失 **44**
MT019 · Ridge、LASSO 与零系数 . . . 44
MT045 · 特征选择：零系数、Ridge 与 OMP . . . 45
MT030 · L1/L2 回归的益处与措辞边界 . . . 46
MT057 · 同时使用 L1 与 L2：Elastic Net . . . 47
MT025 · 绝对残差损失对异常值有什么影响？ . . . 48
MT063 · Huber 损失：画图并解释好处 . . . 49
MT013 · 残差 L1 + 权重 L2，各自在做什么？ . . . 50
MT050 · 缺车比车多更糟：设计非对称损失 . . . 51
MT037 · 线性回归为何与均值预测器表现相近？ . . . 52

集成学习 **53**
MT006 · Bagging 与 Boosting 的基本区别 . . . 53
MT044 · 随机森林与 Boosting 的用途 . . . 54
MT062 · 随机森林：树多了为什么仍有共同误差？ . . . 55
MT056 · 集成方法：树深、并行与后续轮次 . . . 56
MT038 · 100 核部署：RF 与 AdaBoost 如何并行预测？ . . . 57
MT049 · 在线更新 AdaBoost：速度与异常值 . . . 58
MT064 · 综合题：Bagging/Boosting 与 Huber . . . 59

分类损失图与错误代价 **60**
MT008 · 平方形分类损失为什么惩罚“太正确”？ . . . 60
MT026 · V 形损失：最优点为何在 z=1？ . . . 61
MT051 · 负间隔也零损失：分类器会放过什么？ . . . 62
MT039 · 饱和的非凸分类损失 . . . 63
MT065 · 比较 Logistic、Hinge 和 Exponential 损失 . . . 64
MT007 · 筛查任务：漏诊比误报更贵 . . . 65
MT023 · 1000 名受试者中只有 50 名阳性 . . . 66
MT035 · 正常邮件被大量拦截怎么办？ . . . 67

神经网络与链式法则 **68**
MT067 · 链式求导与两层网络反传 . . . 68
MT066 · 梯度消失：为什么深度和激活函数有关？ . . . 69

历史范围拓展：Gaussian Process **70**
MT003 · 历史拓展：Gaussian Process 的假设 . . . 70
MT036 · 历史拓展：音乐地理回归，GP 还是 RF？ . . . 71
原卷索引 / Original-paper index . . . 72

MT011 · 识别过拟合，并提出可操作的改进

简答题 / Written response · **解释、提出办法** 题目（本册 p.5）· 答案（解析册 p.5）

考点：学习流程与模型诊断

出处： 2020B 期中 Quiz Q11，原卷第 5 页（10 分）

English question

What is overfitting? How do we know when it happens? Write down and describe several methods to address the problem of overfitting.

中文题意

什么是过拟合？怎样发现它？列举并说明几种解决过拟合的方法。

MT004 · CV 选完参数后，为什么还要重新训练？

选择题（多选）/ Multiple select 题目（本册 p.6）· 答案（解析册 p.6）

考点：学习流程与模型诊断

出处： 2020B 期中 Quiz Q4，原卷第 2–3 页（5 分）

English question

Which statements about cross-validation are correct? (select all that apply)

A) The validation set for cross-validation is a part of the training data.

B) The best parameters are found through comparing the performance on the testing set.

C) In logistic regression, the corresponding w and b of the best C in the cross-validation stage might be different from the w and b in the training stage with the best C.

D) If the final testing score is still low with the best parameters selected through cross- validation, the reason could be that the step for the parameter selection is too large.

中文题意

关于交叉验证，哪些说法正确？多选。

A）CV 的验证部分来自训练数据。B）通过比较最终测试集表现选择最优参数。C）逻辑回归选出最佳 C 后，重训练得到的 w、b 可能与 CV 阶段不同。D）最佳 CV 设置的最终测试分数仍低，可能因为超参数搜索步长太大。

MT028 · 训练误差低、测试误差高：可能原因

选择题（多选） / Multiple select 题目（本册 p.7）· 答案（解析册 p.7）

考点：学习流程与模型诊断

出处： 2021B* 期中 Q2，原卷第 2 页（5 分）

English question

Suppose you are working on a classification problem. Your classifier gives low training error but high testing error. The reasons could be: (select all that apply)

A) The training set is too small.

B) The testing set is too large.

C) The distributions of the training set and testing set are different.

D) The classifier is too strong and overfits on the training set.

E) The classifier is too weak to fit on the testing set.

中文题意

分类器训练误差低、测试误差高，可能的原因有哪些？多选。

A）训练集太小。B）测试集太大。C）训练与测试分布不同。D）分类器过强，过拟合训练集。E）分类器太弱，无法拟合测试集。

MT002 · 训练准、测试差：哪些改进值得尝试？

选择题（多选） / Multiple select 题目（本册 p.8）· 答案（解析册 p.8）

考点：学习流程与模型诊断

出处： 2020B 期中 Quiz Q2，原卷第 2 页（5 分）

English question

Suppose you have trained a classifier for binary classification task. It gives high accuracy on the training set, but the accuracy is low on the test set. Which methods could be adopted to improve the test accuracy? (select all that apply)

A) Delete some training samples randomly.

B) Employ more complex classifiers.

C) Increase the regularization.

D) Employ Cross-validation on the training set.

E) Train an ensemble of classifiers using bagging.

中文题意

二分类器训练集准确率高、测试集准确率低，哪些方法可能改善测试表现？多选。

A）随机删除训练样本。B）换更复杂的模型。C）加强正则。D）在训练集内部使用交叉验证。E）用 bagging 训练集成分类器。

MT020 · 数据很多，训练和测试仍都差

简答题 / Written response · **诊断问题、提出办法** 题目（本册 p.9）· 答案（解析册 p.9）

考点：学习流程与模型诊断

出处： 2021A 期中 Q7，原卷第 3 页（10 分）

English question

Consider a situation where you have trained a linear classification model to diagnose mental disorders patients from symptom checklist data. You have 100,000 training examples, which is sufficient data for learning. However, your model performs poorly on both training and testing datasets. What is the main problem that cause this situation? How to correct the problem? List 2 potential solutions.

中文题意

用症状清单训练线性分类器诊断精神障碍。已有 100,000 个训练样本，题设认为数据量充分，但训练和测试表现都很差。主要问题可能是什么？提出两种解决办法。

MT022 · 五万客户、需要解释：选择哪种分类器？

简答题 / Written response · **比较、提出办法** 题目（本册 p.10）· 答案（解析册 p.10）

考点：学习流程与模型诊断

出处： 2021A 期中 Q9，原卷第 3 页（10 分）

English question

Suppose you are a global market analyst who needs to analyse a product line (a group of similar products with different prices) and get some insight. You want to classify your 50,000 clients according to the product they brought. You have collected 25 features on your clients, e.g. age, income, educational level, frequency of using the product, their scores on other similar products. Among Logistic Regression, kernel SVM and random forest, which classifier will you prefer to use? List 2 reasons for using your selected classifier, and 1 reason for each of the other unselected classifiers.

中文题意

你是一名全球市场分析师，要分析一个产品系列（一组价格不同的相似产品），并获得业务洞见。你希望根据购买的产品，对 50,000 名客户进行分类。每位客户有 25 个特征，例如年龄、收入、教育程度、产品使用频率，以及对其他类似产品的评分。在逻辑回归、核 SVM 和随机森林中，你更倾向于选择哪一种？列出两个选择理由，并为另外两种模型各给出一个不选的理由。

MT040 · Bayes 规则和 Naive Bayes 的关系

选择题（多选） / Multiple select 题目（本册 p.11）· 答案（解析册 p.12）

考点： Bayes、Naive Bayes 与模型比较

出处： 2023A 期中 Q1，原卷第 2 页（5 分）；2025A 期中 Q1，原卷第 2 页（5 分）

English question

Which of the following statements accurately describe the relationship between the Bayesian decision rule and Naïve Bayes (NB) classifiers? (select all that apply)

A) Naïve Bayes classifiers are a specific implementation of the Bayesian decision rule.

B) For a binary classification task with feature x and $y \in \{0, 1\}$ as the class labels, according to Bayesian decision rule, if $p(x \mid y = 0) > p(x \mid y = 1)$, then choose Class 0.

C) Naïve Bayes classifiers assume each feature dimension is modeled independently.

D) The Bayesian decision rule is more computationally efficient than Naïve Bayes classifiers.

E) The Bayesian decision rule is only applicable to binary classification tasks.

中文题意

哪些说法准确描述 Bayes 决策规则与 NB 的关系？多选。

A）NB 是 Bayes 决策规则的一种具体实现。B）对特征为 x、标签为 $y \in \{0, 1\}$ 的二分类任务，按 Bayes 决策规则，只要 $p(x \mid y = 0) > p(x \mid y = 1)$，就选择类 0。C）NB 对各特征维独立建模。D）Bayes 决策规则比 NB 计算更高效。E）Bayes 决策规则只能用于二分类。

MT052 · 生成式分类器学了什么

选择题（多选） / Multiple select 题目（本册 p.12）· 答案（解析册 p.13）

考点： Bayes、Naive Bayes 与模型比较

出处： 2023B 期中 Q1，原卷第 2 页（5 分）

English question

Which statements about generative classification model are correct? (select all that apply)

A) They estimate probability distributions of features from each class.

B) It is hard to add prior knowledge to the classifier.

C) It can only work with binary classification problems.

D) Selecting different probability distributions can obtain different classification performance.

E) They predict the class with the largest class conditional densities.

中文题意

关于生成式分类模型，哪些说法正确？多选。

A）估计每一类中特征的概率分布。B）难以向分类器加入先验知识。C）只能处理二分类。D）选择不同分布可能得到不同分类表现。E）预测类条件密度最大的类别。

MT046 · 完整讲出 Gaussian NB

简答题 / Written response · **解释** 题目（本册 p.13）· 答案（解析册 p.14）

考点： Bayes、Naive Bayes 与模型比较

出处： 2023A 期中 Q7，原卷第 4 页（10 分）；2025A 期中 Q11，原卷第 8 页（10 分）

English question

Consider the Naïve Bayes Gaussian classifier with feature vector $x \in \mathbb{R}^d$ and binary class label $y \in \{0, 1\}$.

(a) What are the assumptions of this classification model?

(b) What are the probability distributions in this model, and what form do they have?

(c) Given a feature vector x, what is the rule for performing classification with this model?

中文题意

考虑特征向量 $x \in \mathbb{R}^d$、类别 $y \in \{0, 1\}$ 的 Gaussian NB 分类器。（a）模型有什么假设？（b）涉及哪些概率分布，各自是什么形式？（c）给定 x，怎样分类？

MT015 · NB 的最优性、独立性与边界

选择题（多选） / Multiple select 题目（本册 p.14）· 答案（解析册 p.16）

考点： Bayes、Naive Bayes 与模型比较

出处： 2021A 期中 Q2，原卷第 2 页（5 分）

English question

Which of the following statements are correct about Naïve Bayes (NB) classifiers? (select all that apply)

A) NB classifiers will minimize the probability of making an error.

B) Because NB classifiers do not model correlations between features, the decision boundaries are always aligned with the axes.

C) NB classifiers do not directly learn the posterior probability of the class.

D) NB classifiers cannot overfit to the training data.

E) The NB classifier accuracy highly depends on the correct selection of the CCD.

中文题意

关于 NB，哪些说法正确？多选。

A）NB 会最小化出错概率。B）NB 不建模特征相关性，所以边界总与坐标轴对齐。C）NB 不直接学习类别后验。D）NB 不会过拟合。E）NB 的准确率很依赖类条件分布（CCD）的选择。

MT032 · Bayesian classifier 的性质

选择题（多选） / Multiple select 题目（本册 p.15）· 答案（解析册 p.17）

考点： Bayes、Naive Bayes 与模型比较

出处： 2021B* 期中 Q6，原卷第 3 页（5 分）

English question

Which statements are true about Bayesian classifiers? (select all that apply)

A) Naïve Bayes classifiers can only model linear decision surfaces.

B) Bayesian classifiers explicitly define the posterior $p(y \mid x)$.

C) Bayesian classifiers cannot overfit the training data.

D) Bayesian classifiers minimize the probability of making a prediction error.

E) In Bayesian classifiers, the class probability $p(y)$ does not affect the classifier.

中文题意

关于 Bayesian 分类器，哪些说法正确？多选。

A）NB 只能表示线性决策面。B）Bayesian 分类器显式定义后验 $p(y \mid x)$。C）Bayesian 分类器不会过拟合。D）Bayesian 分类器最小化预测错误概率。E）类别概率 $p(y)$ 不影响分类器。

MT005 · NB 的学习、不确定性和正则化

选择题（多选）/ Multiple select 题目（本册 p.16）· 答案（解析册 p.18）

考点： Bayes、Naive Bayes 与模型比较

出处： 2020B 期中 Quiz Q5，原卷第 3 页（5 分）

English question

Which statements about the naive Bayes classifiers are correct? (select all that apply)

A) Learning a Bayesian classifier is equivalent to estimating the posterior distribution.

B) A Bayes classifier that has a large prediction variance around the decision boundary has a good uncertainty property.

C) If the generative distribution is not Gaussian, the naive Bayesian classifier can be nonlinear.

D) Both naive Bayes classifier and logistic regression can learn model parameters by maximum likelihood estimation.

E) There is no regularization in a naive Bayes classifier.

中文题意

关于 NB，哪些说法正确？多选。

A）学习 Bayesian 分类器等价于估计后验分布。B）在决策边界附近有较大预测方差，体现了合理的不确定性。C）生成分布非高斯时，NB 可以是非线性分类器。D）NB 与逻辑回归都可用最大似然估计参数。E）NB 没有正则化。

MT034 · 无限数据能消除分类错误吗

简答题 / Written response · **判断并说明** 题目（本册 p.17）· 答案（解析册 p.19）

考点： Bayes、Naive Bayes 与模型比较

出处： 2021B* 期中 Q8，原卷第 3 页（10 分）

English question

Consider the following statement: If we train a Bayes classifier using infinite training data that satisfies all of the modeling assumptions (e.g., data is from the class-conditional densities, and sampled independently), then it will achieve zero training error over these training examples.

Is this statement true or false? Give your reasons.

中文题意

判断下述说法是否正确，并说明理由：如果用无限多、满足全部建模假设的训练数据来训练 Bayes 分类器（例如，数据来自相应的类条件分布，且各样本独立采集），那么它在这些训练样本上的错误率将为 0。

MT014 · 生成式与判别式的区别

选择题（多选） / Multiple select · **选不正确项** / Select incorrect statements 题目（本册 p.18）· 答案（解析册 p.20）

考点： Bayes、Naive Bayes 与模型比较

出处： 2021A 期中 Q1，原卷第 2 页（5 分）

English question

Which statements about generative and discriminative classifiers are not correct? (select all that apply)

A) New feature dimensions can be added to generative classifiers without re-training the model.

B) Generative classifiers are trained by learning the class-conditional and prior distributions.

C) Discriminative classifiers can learn from unlabelled training data.

D) Generative classifiers highly depend on prior probability distributions and Gaussian distribution is always better than other distributions when using Generative classifiers.

E) Bayes' classifier is a generative classifier, while SVM, logistic regression, AdaBoost, XGBoost and Random Forest are discriminative classifiers.

中文题意

关于生成式与判别式分类器，哪些说法不正确？多选。

A）生成式分类器增加新特征维度不需要重新训练。B）生成式分类器学习类条件分布与类别先验。C）判别式分类器可用无标签训练数据学习。D）生成式分类器高度依赖先验概率分布，而且高斯分布总比其他分布好。E）Bayes 分类器属于生成式；SVM、逻辑回归、AdaBoost、XGBoost 和随机森林属于判别式。

MT033 · 用图像特征解释两种建模方式

简答题 / Written response · **比较、解释** 题目（本册 p.19）· 答案（解析册 p.22）

考点： Bayes、Naive Bayes 与模型比较

出处： 2021B* 期中 Q7，原卷第 3 页（10 分）

English question

Consider the classification problem of predicting a person's gender from an image of their face. Discuss the differences between adopting a discriminative classifier or a generative model for classification. How would you interpret the learned generative classifier and learned discriminative classifier?

中文题意

原题要求根据人脸图像预测题中记录的性别标签。比较采用判别式分类器与生成式模型的区别，并解释各自学到的模型表示什么。

MT059 · LR 与共享方差 Gaussian NB

简答题 / Written response · **比较**

题目（本册 p.20）· 答案（解析册 p.23）

考点： Bayes、Naive Bayes 与模型比较

出处： 2023B 期中 Q8，原卷第 5 页（10 分）

English question

Describe the major similarities and differences between logistic regression and naïve Bayes Gaussian classifier with shared variance parameter. List at least 5 similarities/differences (5 total).

中文题意

比较逻辑回归与共享方差参数的 Gaussian NB，合计列出至少 5 项主要相同点或不同点。

MT021 · 同为线性分类器，学习原则有何不同

简答题 / Written response · **比较**

题目（本册 p.21）· 答案（解析册 p.24）

考点： Bayes、Naive Bayes 与模型比较

出处： 2021A 期中 Q8，原卷第 3 页（10 分）

English question

We have seen several types of linear classifiers, such as Logistic Regression, SVM, and Naïve Bayes with Gaussian CCDs with the same variance, which can all be expressed as learning the same function $f(x) = w^T x + b$. How are these linear classifiers different? Which linear classifier is best in terms of accuracy?

中文题意

逻辑回归、SVM、各类共享方差的 Gaussian NB 都能写成学习 $f(x) = w^T x + b$。它们的区别是什么？哪一种的准确率最好？

MT017 · 哪些模型能产生不同形状的边界

选择题（多选）/ Multiple select 题目（本册 p.22）· 答案（解析册 p.26）

考点： Bayes、Naive Bayes 与模型比较

出处： 2021A 期中 Q4，原卷第 2 页（5 分）

English question

For a binary classification problem with input feature dimension $d > 2$, which of the following classifiers in principle could learn both linear and non-linear classification boundaries on different datasets? (select all that apply)

A) Naïve Bayes with the Gaussian distribution as the CCD.

B) SVM with the RBF kernel.

C) AdaBoost with the decision stump as the weak learner, and the number of weak learners is at least 3.

D) SVM with the polynomial kernel of degree=2, $k(x, x') = (x^T x')^2$.

E) Logistic regression for some specific α.

中文题意

二分类输入维数 $d > 2$。哪些模型原则上能在不同数据集上学出线性或非线性边界？多选。A）Gaussian NB；B）RBF 核 SVM；C）至少 3 个决策树桩的 AdaBoost；D）齐次二次核 $k(x, x') = (x^T x')^2$ 的 SVM；E）选取某个 α 的逻辑回归。

MT027 · 连续特征能否使用 NB：混合选择题

选择题（多选） / Multiple select 题目（本册 p.23）· 答案（解析册 p.27）

考点： Bayes、Naive Bayes 与模型比较

出处： 2021B* 期中 Q1，原卷第 2 页（5 分）

English question

Which statements are correct? (select all that apply)

A) One SVM model can be used for a three-class classification problem.

B) Logistic regression only forms a linear decision surface.

C) Normalization of features must be done before training a Logistic Regression.

D) Naive Bayes is not appropriate for continuous valued variables.

E) Lasso Regularization can be used for variable selection in Linear Regression.

中文题意

哪些说法正确？多选。A）一个 SVM 模型可用于三分类。B）逻辑回归只形成线性决策面。C）训练逻辑回归前必须归一化特征。D）NB 不适合连续变量。E）线性回归中的 LASSO 可用于变量选择。

MT058 · 智能笔上的文本 NB 如何改进

简答题 / Written response · **提出办法**

题目（本册 p.24）· 答案（解析册 p.28）

考点： Bayes、Naive Bayes 与模型比较

出处： 2023B 期中 Q7，原卷第 4 页（10 分）

English question

You are working for a "smart pen" company, which can scan text using a handheld pen device. Your job is to build a model to classify the text the pen reads into different sentiment categories, such as "happy", "sad", "neutral", which will then turn on different lights on the pen as a special effect. Because of the limited processing power on the pen, you will use a generative model classifier with bag-of-words model. A training set is provided, consisting of 5000 sentences and their class labels. Your initial classifier is Naïve Bayes Bernoulli model, but the performance is poor. How could you improve the model performance? (List 4 improvements)

中文题意

智能笔扫描文字后，要把它分成 happy、sad、neutral 等情绪类别，并点亮不同的灯。设备算力有限，采用词袋和生成式分类器。已有 5000 句带类别标签的训练文本，初始 Bernoulli NB 表现较差。提出 4 项改进。

MT041 · Logistic 的概率、多分类与最优解

选择题（多选）/ Multiple select 题目（本册 p.25）· 答案（解析册 p.30）

考点： 逻辑回归与参数正则

出处： 2023A 期中 Q2，原卷第 2 页（5 分）；2025A 期中 Q2，原卷第 2 页（5 分）

English question

Which statements are correct about the logistic regression? (select all that apply)

A) It estimates the probability of an input belonging to a particular class by dividing the likelihood of the class by the prior probability of the input.

B) The sigmoid function is commonly used in logistic regression to squeeze the output between 0 and 1.

C) In a ”One-vs-Rest” (OVR) strategy for multiclass classification with three classes, only two decision boundaries are required to classify all three classes.

D) The output of logistic regression can be interpreted as a direct probability.

E) It is guaranteed that logistic regression will always converge to a unique solution for any dataset.

中文题意

关于逻辑回归，哪些说法正确？多选。

A）用类别似然除以输入的先验概率，估计类别概率。B）常用 sigmoid 将输出压到 0 与 1 之间。C）三分类的 one-vs-rest 只需两个分类边界。D）输出可解释为类别概率。E）对任何数据都保证收敛到唯一解。

MT047 · 解释 Logistic 目标中的两项

简答题 / Written response · **解释** 题目（本册 p.26）· 答案（解析册 p.31）

考点： 逻辑回归与参数正则

出处： 2023A 期中 Q8，原卷第 5 页（10 分）；2025A 期中 Q8，原卷第 5 页（10 分）

English question

For binary classification, the logistic regression model is trained using the following objective function:

$$(w^*, b^*) = \arg\min_{w,b} \left\{ \alpha w^T w + \sum_{i=1}^{N} \log(1 + \exp[-y_i f(x_i)]) \right\}.$$

(a) Explain the purpose of each term in the objective function.

(b) Discuss the meaning of the hyperparameter α in logistic regression. How does varying α influence the values of weights w and the performance of the model?

中文题意

二分类逻辑回归的训练目标为

$$(w^*, b^*) = \arg\min_{w,b} \left\{ \alpha w^T w + \sum_{i=1}^{N} \log(1 + \exp[-y_i f(x_i)]) \right\}.$$

(a) 分别解释每项的作用。(b) 解释 α 的意义及其变化对 w 和模型表现的影响。

MT024 · 损失与正则项：α 从哪里来？

简答题 / Written response · **解释**

题目（本册 p.27）· 答案（解析册 p.32）

考点： 逻辑回归与参数正则

出处： 2021A 期中 Q11，原卷第 4 页（10 分）

English question

The goal of supervised training is to find the weights that best fit the training data (X,Y). To determine what we mean by best fit, we introduce a loss function L and the goal is to find the weights that minimize:

$$\hat{w} = \arg\min_{w} \{L(X, Y) + \alpha \|w\|^2\}.$$

(a) What is the purpose of the term $\|w\|^2$?

(b) How is α determined?

(c) Suppose we replace $\|w\|^2$ with $\|w\|_1$. What will be the effect when training the classifier?

中文题意

监督训练的目标是找到最能拟合训练数据 (X, Y) 的权重。用损失函数 L 衡量拟合程度，训练目标为

$$\hat{w} = \arg\min_{w} \{L(X, Y) + \alpha \|w\|^2\}.$$

(a) $\|w\|^2$ 这一项的目的是什么？(b) 怎样确定 α？(c) 将 $\|w\|^2$ 换成 $\|w\|_1$，对分类器的训练会有什么影响？

MT018 · 为什么在线性分类器上加 L2？

选择题（多选）/ Multiple select 题目（本册 p.28）· 答案（解析册 p.33）

考点： 逻辑回归与参数正则

出处： 2021A 期中 Q5，原卷第 3 页（5 分）

English question

What is/are the purpose(s) of using L2 regularization on the weights in linear classifiers? (select all that apply)

A) L2 regularization will encourage some weights to be large.

B) L2 regularization will prevent overfitting.

C) In SVM, L2 regularization is equivalent to minimizing the margin distance.

D) In Logistic Regression, L2 regularization is equivalent to a Gaussian prior distribution on the weights.

E) L2 regularization is only used to stabilize the training, and it has no effects on the weights.

中文题意

在线性分类器权重上使用 L2 正则，有哪些目的？多选。

A）鼓励某些权重变大。B）防止过拟合。C）在 SVM 中等价于最小化间隔距离。D）在逻辑回归中等价于对权重施加高斯先验。E）只稳定训练，对权重没有影响。

MT012 · L1 逻辑回归：写目标并画边界

简答题 / Written response · **列式、作图、解释** 题目（本册 p.29）· 答案（解析册 p.34）


考点： 逻辑回归与参数正则

出处： 2020B 期中 Quiz Q12，原卷第 6 页（10 分）

English question

(a) Consider a logistic regression classifier using L1 regularization instead of L2 regularization? Write down the optimization problem for learning the classifier.

(b) Suppose we have the data in the figure below. Draw the most likely decision boundary for the L1-regularized logistic regression classifier. You can move/reshape the red line provided below. Explain why this should be the decision boundary.



原卷提供一条可调整红线；按题意自行移动或重画。/ The original supplies an adjustable red line.

中文题意

(a) 将逻辑回归的 L2 正则换成 L1，写出训练优化问题。

(b) 观察题图，画出最可能的 L1 正则逻辑回归边界，并解释。可以移动或调整图中给出的红线。

MT001 · Logistic 训练：哪些说法不成立？

选择题（多选） / Multiple select · **选不正确项** / Select incorrect statements 题目（本册 p.30）· 答案（解析册 p.36）

考点： 逻辑回归与参数正则

出处： 2020B 期中 Quiz Q1，原卷第 2 页（5 分）

English question

Which statements are not true about Logistic Regression? (select all that apply)

A) When training a Logistic Regression model, we have only one local optimum solution.

B) When training a Logistic Regression model, we should fix the learning rate (η) to obtain the local optimum.

C) When training a Logistic Regression model with L2-norm regularization, while increasing the hyper-parameter C, the training error will increase and testing error will decrease.

D) When performing classification with Logistic Regression, we can use different decision function (e.g., sigmoid, sign) in training and testing process.

中文题意

关于逻辑回归，选择所有不正确的说法。

A）训练时只有一个局部最优解。B）必须固定学习率 η 才能取得局部最优。C）使用 L2 正则时，增大 C 会使训练错误率上升、测试错误率下降。D）训练和测试可使用不同的决策函数，例如训练用 sigmoid、测试用 sign。

MT053 · LR 与生成式模型：混合选择题

选择题（多选）/ Multiple select 题目（本册 p.31）· 答案（解析册 p.37）

考点： 逻辑回归与参数正则

出处： 2023B 期中 Q2，原卷第 2 页（5 分）

English question

Which statements are correct about the logistic regression? (select all that apply)

A) Logistic regression has a closed-form solution based on the MLE formulation, and thus it can be efficiently solved.

B) To prevent overfitting, we can add a prior distribution on its parameters using a Gaussian distribution.

C) Logistic regression is used for modelling the class posterior probability, which is different from generative classifiers that model the class-conditional distribution.

D) The regularization parameter of the logistic regression function can be selected via cross-validation.

E) L2 regularization is only used to stabilize the training, and it has no effects on the weights.

中文题意

关于逻辑回归，哪些说法正确？多选。A）MLE 有闭式解，因此求解高效。B）为抑制过拟合，可给参数加高斯先验。C）LR 建模类别后验，而生成式分类器建模类条件分布。D）可用交叉验证选正则化参数。E）L2 只稳定训练，不影响权重。

MT042 · SVM 的基本特点

选择题（多选） / Multiple select 题目（本册 p.32）· 答案（解析册 p.39）

考点： SVM 与核方法

出处： 2023A 期中 Q3，原卷第 2 页（5 分）；2025A 期中 Q3，原卷第 2 页（5 分）

English question

Which of the following are characteristics of Support Vector Machines (SVMs)? (select all that apply)

A) SVMs can work on non-separable data by adding slack variables.

B) SVMs find the hyperplane that maximizes the margin between classes.

C) SVMs are sensitive to outliers in the training data.

D) SVMs are unsuitable for high-dimensional data.

E) SVMs use k-means clustering to separate data.

中文题意

关于 SVM，哪些说法成立？多选。

A）可通过松弛变量处理不可分数据。B）寻找最大间隔超平面。C）SVM 对训练异常值敏感。D）SVM 不适合高维数据。E）SVM 用 k-means 聚类分开数据。

MT048 · 用一个例子讲清 Kernel Trick

简答题 / Written response · **解释、举例** 题目（本册 p.33）· 答案（解析册 p.40）

考点： SVM 与核方法

出处： 2023A 期中 Q9，原卷第 6 页（10 分）

English question

Explain the concept of the ”kernel trick” in Support Vector Machines (SVMs) and provide an intuitive example (e.g., using a figure).

中文题意

解释 SVM 中的 kernel trick，并给一个直观例子，可以画图。

MT016 · 核 SVM：变换、存储与非向量输入

选择题（多选）/ Multiple select 题目（本册 p.34）· 答案（解析册 p.41）

考点： SVM 与核方法

出处： 2021A 期中 Q3，原卷第 2 页（5 分）

English question

Which statements are true about kernel SVM? (select all that apply)

A) The kernel SVM is equivalent to learning a linear SVM on transformed inputs.

B) The training data is no longer necessary after learning the kernel SVM.

C) Any function that outputs positive values is a valid kernel function.

D) The kernel SVM can be applied to non-vector input data, like strings and sets.

E) The kernel trick can reduce both the memory and computation requirements, compared to an explicit transformation and inner-product.

中文题意

关于核 SVM，哪些说法正确？多选。

A）等价于在变换后的输入上训练线性 SVM。B）训练完成后不再需要训练数据。C）输出为正的任意函数都是合法核。D）可用于字符串、集合等非向量输入。E）相比显式变换再求内积，核技巧可能减少内存与计算。

MT031 · RBF 距离与带宽：看近点和远点

选择题（多选）/ Multiple select 题目（本册 p.35）· 答案（解析册 p.43）

考点： SVM 与核方法

出处： 2021B* 期中 Q5，原卷第 3 页（5 分）

English question

Suppose we have the points x, y, and z below. We compute the Gaussian RBF kernel between the points, k(x,y) and k(x,z), using inverse bandwidth γ. Which statements are correct? (select all that apply)


A) For some choice of γ, both k(x,y) and k(x,z) will be close to 1.

B) For some choice of γ, both k(x,y) and k(x,z) will be close to 0.

C) For any choice of γ>0, $k(x, y) \geq k(x, z)$.

D) If k(x,y) is close to 1, then k(x,z) is also close to 1.

E) If k(x,y) is close to 0, then k(x,z) is also close to 0.



中文题意

题图中 x 离 y 较近、离 z 较远。用逆带宽 γ 计算 Gaussian RBF 核 $k(x, y)$ 和 $k(x, z)$，哪些说法正确？多选。

A）某些 γ 可使两者都接近 1。B）某些 γ 可使两者都接近 0。C）对任意 γ>0 都有 $k(x, y) \geq k(x, z)$。D）若前者接近 1，后者也接近 1。E）若前者接近 0，后者也接近 0。

MT055 · 判断五个候选核是否合法

选择题（多选）/ Multiple select 题目（本册 p.36）· 答案（解析册 p.44）

考点： SVM 与核方法

出处： 2023B 期中 Q4，原卷第 3 页（5 分）

English question

Which of the following are valid positive semi-definite kernel functions? (select all that apply)

A) $k(x, z) = x^T z/(\|x\|\|z\|)$.

B) $k(x, y) = \int p(x \mid z)p(y \mid z)p(z)\, dz$, where $p(x \mid z)$ and $p(y \mid z)$ are conditional distributions, and $p(z)$ is a marginal distribution.

C) $k(x, y) = 1$ if $-1 < x^T y < 1$, and 0 otherwise.

D) $k(x, y) = \sin(x^T y)$.

E) $k(x, y) = \tanh(x^T y)$.

中文题意

下面哪些函数是合法的半正定核？多选。各输入是实向量。

A）$k(x, z) = x^T z/(\|x\|\|z\|)$。

B）$k(x, y) = \int p(x \mid z)p(y \mid z)p(z)\, dz$，前两项为条件分布，$p(z)$ 为边缘分布。

C）当 $-1 < x^T y < 1$ 时 $k(x, y) = 1$，否则为 0。

D）$k(x, y) = \sin(x^T y)$。

E）$k(x, y) = \tanh(x^T y)$。

MT060 · 二次核 SVM：大 C 与小 C 的边界


简答题 / Written response · **作图、比较、解释** 题目（本册 p.37）· 答案（解析册 p.46）

考点： SVM 与核方法

出处： 2023B 期中 Q9，原卷第 6 页（10 分）

English question

Consider the training data in the below figure, and the kernel SVM with quadratic polynomial kernel function. (a) Draw the decision boundary when C → ∞? (b) Draw the decision boundary for C → 0? (c) Which decision boundary would be better on the test data? For each part, give your reasons.



中文题意

给定题图训练点，使用二次多项式核 SVM。(a) C 趋于无穷时画边界。(b) C 趋于 0 时画边界。(c) 哪个在测试数据上可能更好？每问说明理由。

MT054 · C、支持向量与 RBF 的零训练误差

选择题（多选）/ Multiple select 题目（本册 p.38）· 答案（解析册 p.49）

考点： SVM 与核方法

出处： 2023B 期中 Q3，原卷第 2 页（5 分）

English question

Which statements about support vector machines (SVMs) are correct? (select all that apply)

A) If the hyperparameter C is set to infinity, all the training points will be classified correctly if they are linearly separable.

B) Assuming there are three support vectors, the boundary will not change when one of the support vectors is moved.

C) If an SVM underfits the training data, then mapping the data to a lower-dimensional feature space will improve the classification performance.

D) The basic form of SVM is a convex quadratic programming problem.

E) The training data can always be correctly classified with a kernel SVM with RBF kernel function.

中文题意

关于 SVM，哪些说法正确？多选。

A）线性可分时，C 设为无穷可使训练点全部分类正确。B）三个支持向量之一移动，边界不会改变。C）欠拟合时，映射到更低维空间会改善表现。D）基本 SVM 是凸二次规划。E）RBF 核 SVM 总能把训练数据完全分类正确。

MT043 · 核 SVM 怎样处理非线性？

选择题（多选）/ Multiple select 题目（本册 p.39）· 答案（解析册 p.50）

考点： SVM 与核方法

出处： 2023A 期中 Q4，原卷第 3 页（5 分）；2025A 期中 Q4，原卷第 2 页（5 分）

题头差异：2023A 含 “kernel”，2025A 省略该词；以下采用 2023A 题头，两卷选项相同。/ The 2023A heading is used below; the 2025A heading omits “kernel”. The options are identical.

English question

Which statements about kernel support vector machines (SVMs) are correct? (select all that apply)

A) Support Vector Machines (SVM) can directly handle non-linearly separable data.

B) Radial basis functions are a commonly used type of kernel function.

C) Kernel methods can transform non-linear problem into a more efficient problem in the feature space.

D) The dual problem for SVM mainly involves selecting support vectors.

E) Using kernels can reduce the memory and computation requirements via explicit feature transformation and inner product calculations.

中文题意

关于核 SVM，哪些说法成立？多选。

A）SVM 可以直接处理线性不可分的数据。B）径向基函数是常用核。C）核方法把非线性问题变成特征空间里更高效的问题。D）SVM 对偶问题主要涉及选择支持向量。E）通过显式特征变换和内积，核可以降低内存与计算。

MT029 · 哪些 SVM 说法错误？

选择题（多选） / Multiple select · **选不正确项** / Select incorrect statements 题目（本册 p.40）· 答案（解析册 p.51）

考点： SVM 与核方法

出处： 2021B* 期中 Q3，原卷第 2 页（5 分）

English question

Which statements about support vector machines are NOT correct? (select all that apply)

A) Kernel SVM cannot handle linearly separable data.

B) Data points lying around the regression tube boundary in support vector regression are called support vectors.

C) Kernel SVM can be interpreted as learning a linear classifier in a high-dimensional space.

D) The kernel function is limited to vector data only.

E) Because SVM only needs support vectors to estimate model parameters, it has good scalability to large datasets.

中文题意

关于 SVM，选择所有不正确的说法。

A）核 SVM 不能处理线性可分数据。B）SVR 中回归容忍带边界附近的点称为支持向量。C）核 SVM 可理解成在高维空间中学习线性分类器。D）核函数只能用于向量输入。E）SVM 只需要支持向量估计模型参数，所以对大数据扩展性很好。

MT010 · 同一张分布图，Gaussian Bayes 与二次核 SVM 如何判断？

简答题 / Written response · **读图或公式、比较**


题目（本册 p.41）· 答案（解析册 p.52）

考点： SVM 与核方法

出处： 2020B 期中 Quiz Q10，原卷第 5 页（10 分）

English question

Consider the data distribution shown in the figure below. If you train a Bayes Gaussian classifier, which class will be predicted for data point D? If we change the classifier to an SVM with polynomial kernel of degree 2, which class will be predicted? Explain why.



中文题意

依据题图的两类训练数据，Gaussian Bayes 分类器会将点 D 判为哪一类？换成二次多项式核 SVM 后呢？分别解释。红点为 +1，绿点为 −1。

MT009 · 十万维特征、两千样本：SVM 怎样提速？

简答题 / Written response · **提出办法、解释** 题目（本册 p.42）· 答案（解析册 p.54）

考点： SVM 与核方法

出处： 2020B 期中 Quiz Q9，原卷第 4 页（10 分）

English question

Your friend is training a linear SVM on a patient data from a hospital. There are 2000 patients, and each patient has 100,000 features extracted from their time in the hospital. Your friend complains that training the linear SVM takes too long. What suggestions do you give your friend to speed up the training?

中文题意

医院数据有 2000 名患者，每人 100,000 维特征。朋友训练线性 SVM 很慢，你建议怎样提速？说明理由。

MT061 · 预测内存：线性 SVM 与 RBF SVM

简答题 / Written response · **排序、解释** 题目（本册 p.43）· 答案（解析册 p.55）

考点： SVM 与核方法

出处： 2023B 期中 Q10，原卷第 7 页（10 分）

English question

Consider a binary classification problem where the input feature space is d=1,000 dimensions, and we have 2,000 training samples. Rank the following classifiers based on their memory usage (from lowest to highest) when implementing their respective prediction functions: linear SVM with C=0.1, linear SVM with C=1000, RBF kernel SVM with C=0.1, RBF kernel SVM with C=1000. Explain the reasons for your rankings.

中文题意

二分类输入 1000 维、训练样本 2000 条。按预测函数的内存从小到大排列：线性 SVM(C=0.1)、线性 SVM(C=1000)、RBF SVM(C=0.1)、RBF SVM(C=1000)。解释排序。

MT019 · Ridge、LASSO 与零系数

选择题（多选）/ Multiple select 题目（本册 p.44）· 答案（解析册 p.57）

考点： 回归、特征选择与残差损失

出处： 2021A 期中 Q6，原卷第 3 页（5 分）

English question

Which statements about linear regression are correct? (select all that apply)

A) Overfitting is more likely when you have large amount of training data.

B) Some of the weight coefficients will approach zero, but not absolutely zero, when applying very large penalty α in LASSO regression.

C) LASSO can be used for feature selection.

D) Some of the weight coefficients will approach zero, but not absolute zero, when applying very large penalty α in Ridge Regression.

E) OLS is a special case of both LASSO and Ridge regression.

中文题意

关于线性回归，哪些说法正确？多选。

A）训练数据越多越容易过拟合。B）LASSO 的惩罚 α 很大时，某些系数只接近零而不会恰为零。C）LASSO 可用于特征选择。D）Ridge 的惩罚 α 很大时，某些系数会接近零，但不会恰好为零。E）OLS 是 LASSO 和 Ridge 的特殊情形。

MT045 · 特征选择：零系数、Ridge 与 OMP

选择题（多选） / Multiple select 题目（本册 p.45）· 答案（解析册 p.58）

考点： 回归、特征选择与残差损失

出处： 2023A 期中 Q6，原卷第 3 页（5 分）

English question

Which of the following statements is correct about linear regression and feature selection? (select all that apply)?

A) Feature selection can be achieved by encouraging some linear weights to go to zero.

B) Ridge regression is effective for feature selection because it uses L2 norm to regularize the weights.

C) Orthogonal matching pursuit (OMP) can find the global optimal set of features for a given sparsity level.

D) The same set of features will always give the same set of linear weights, regardless of the features selection method used with linear regression.

E) L1 regularization is good at encouraging sparse weights because of the "corners" in its contours.

中文题意

关于线性回归和特征选择，哪些说法正确？多选。

A）鼓励部分权重为零可做特征选择。B）Ridge 因使用 L2 而能有效自动选择特征。C）OMP 能找到给定稀疏度下的全局最优特征集合。D）只要特征集合相同，无论选择方法如何都会得到同一组系数。E）L1 等高线的尖角有利于产生稀疏权重。

MT030 · L1/L2 回归的益处与措辞边界

选择题（多选） / Multiple select 题目（本册 p.46）· 答案（解析册 p.59）

考点： 回归、特征选择与残差损失

出处： 2021B* 期中 Q4，原卷第 2 页（5 分）

English question

What are the benefits of adding regularization terms (L1 or L2) to a linear regression model? (select all that apply)

A) Both L1 and L2 can make the regression model easier to optimize.

B) Both L1 and L2 can make the matrix inversion well-conditioned.

C) Both L1 and L2 make the regression model more robust to outliers.

D) Adding L1 or L2 term can encourage some weights to be close to zero so as to select features.

E) Both L1 and L2 can penalize the training loss of the regression model and prevent overfitting.

中文题意

给线性回归加 L1 或 L2 正则，哪些说法成立？多选。

A）两者都能让优化更容易。B）两者都能使矩阵求逆更良态。C）两者都使模型更抗异常值。D）两者可使某些权重接近零，从而选择特征。E）两者都可以为模型增加惩罚、抑制过拟合。

MT057 · 同时使用 L1 与 L2：Elastic Net

选择题（多选） / Multiple select 题目（本册 p.47）· 答案（解析册 p.60）

考点： 回归、特征选择与残差损失

出处： 2023B 期中 Q6，原卷第 3 页（5 分）；2025A 期中 Q6，原卷第 3 页（5 分）

English question

Considering linear regression using both L1 and L2 as regularization terms:

$$\min_{w,b}\left\{\alpha\|w\|_1+\beta\|w\|_2^2+\sum_{i=1}^{N}[y_i-f(x_i)]^2\right\}.$$

Which properties does it have? (select all that apply)

A) It treats all weights equally.

B) The penalty term focuses more on reducing large weights.

C) It has a closed-form solution.

D) It can perform feature selection and shrinkage simultaneously.

E) The elements of w are always positive.

中文题意

线性回归采用

$$\min_{w,b}\left\{\alpha\|w\|_1+\beta\|w\|_2^2+\sum_{i=1}^{N}[y_i-f(x_i)]^2\right\}.$$

它有哪些性质？多选。A）对所有权重一视同仁。B）惩罚更侧重压低大权重。C）存在闭式解。D）可同时做特征选择与收缩。E）w 各元素总为正。

MT025 · 绝对残差损失对异常值有什么影响？

简答题 / Written response · **解释**

题目（本册 p.48）· 答案（解析册 p.61）

考点： 回归、特征选择与残差损失

出处： 2021A 期中 Q12，原卷第 4 页（10 分）

English question

Consider a linear regression function $f(x) = w^T x + b$, which is trained on the data (x_i, y_i), i=1,⋯,N, using the following optimization problem, where the absolute prediction error is the loss function:

$$(\hat{w}, \hat{b}) = \arg\min_{w,b} \sum_{i=1}^{N} |f(x_i) - y_i|.$$

What will be the effect of using this loss during training? Why?

中文题意

考虑线性回归函数 $f(x) = w^T x + b$，在数据 (x_i, y_i)、$i = 1, \ldots, N$ 上训练，以预测误差的绝对值作为损失：

$$(\hat{w}, \hat{b}) = \arg\min_{w,b} \sum_{i=1}^{N} |f(x_i) - y_i|.$$

使用这种损失会怎样影响训练？为什么？

MT063 · Huber 损失：画图并解释好处

简答题 / Written response · **作图、解释**

题目（本册 p.49）· 答案（解析册 p.62）

考点： 回归、特征选择与残差损失

出处： 2023B 期中 Q12，原卷第 9 页（10 分）

English question

Consider linear regression using the Huber loss function:

$$L(f(x_i), y_i) = \begin{cases} \frac{1}{2}[y_i - f(x_i)]^2, & |y_i - f(x_i)| < 1, \\ |y_i - f(x_i)| - \frac{1}{2}, & \text{otherwise.} \end{cases}$$

(a) Draw a plot of the loss function.

(b) Explain one benefit of using Huber loss for linear regression.

中文题意

令残差 $r = y_i - f(x_i)$，线性回归使用

$$L(r) = \begin{cases} \frac{1}{2}r^2, & |r| < 1, \\ |r| - \frac{1}{2}, & \text{otherwise.} \end{cases}$$

(a) 画出损失函数。(b) 解释使用 Huber 损失的一个好处。

MT013 · 残差 L1 + 权重 L2，各自在做什么？

简答题 / Written response · **解释**

题目（本册 p.50）· 答案（解析册 p.64）

考点： 回归、特征选择与残差损失

出处： 2020B 期中 Quiz Q13，原卷第 6 页（10 分）

English question

Your friend has designed a new regression algorithm that minimizes the L1 norm of the error and L2 norm of the weights, given by the following optimization problem:

$$w^* = \arg\min_w \left\{ \sum_{i=1}^{N} |w^T x_i - y_i| + \lambda \|w\|_2^2 \right\}.$$

What properties would you expect this regression algorithm to have? Explain why.

中文题意

某回归方法同时最小化残差的 L1 范数与权重的 L2 平方：

$$w^* = \arg\min_w \left\{ \sum_{i=1}^{N} |w^T x_i - y_i| + \lambda \|w\|_2^2 \right\}.$$

预期它有什么性质？解释原因。

MT050 · 缺车比车多更糟：设计非对称损失

简答题 / Written response · **设计、作图、解释** 题目（本册 p.51）· 答案（解析册 p.65）

考点： 回归、特征选择与残差损失

出处： 2023A 期中 Q12，原卷第 9 页（10 分）；2025A 期中 Q12，原卷第 9 页（10 分）

English question

You are working for a bike-sharing company, and your job is to predict the number of bicycles that will be borrowed from a popular bike-sharing station each day. This prediction will be used to inform the logistics team about how many bikes should be sent to the station. The CEO tells you that it is okay to have too many bikes sent to the station, but it is not good if the station runs out of bikes, since the customers will use other bike-sharing companies.

You have a training dataset (x_i, y_i), i=1,⋯,N, of historical data that contains feature vectors x_i, and number of bikes borrowed y_i. Consider a linear regression function $f(x) = w^T x + b$, which is trained with the following optimization problem:

$$(\hat{w}, \hat{b}) = \arg\min_{w,b} \sum_{i=1}^{N} L(f(x_i), y_i).$$

Design a loss function that can help you to do the regression according to the requirements, and draw a plot. Explain how your loss achieves the desired requirements.

中文题意

你在一家共享单车公司工作，需要预测一个热门站点每天的借车量，供调度团队决定向该站点运送多少辆车。公司认为多送一些车可以接受，但缺车会让顾客转用其他公司的单车。

已有历史训练数据 (x_i, y_i)、$i = 1, \ldots, N$，其中 x_i 是特征向量，y_i 是借车量。线性回归函数 $f(x) = w^T x + b$ 通过下式训练：

$$(\hat{w}, \hat{b}) = \arg\min_{w,b} \sum_{i=1}^{N} L(f(x_i), y_i).$$

设计一个符合上述要求的损失函数，并画图。解释该损失怎样实现公司的要求。

MT037 · 线性回归为何与均值预测器表现相近？

简答题 / Written response · **提出办法、解释** 题目（本册 p.52）· 答案（解析册 p.67）

考点： 回归、特征选择与残差损失

出处： 2021B* 期中 Q11，原卷第 4 页（10 分）

English question

Your friend wants to predict the number of taxis used in HK in one hour from various features, such as weather, time of day, day of year, etc. Your friend uses linear regression to fit the data, but finds that the mean squared error (MSE) on the validation set is about the same as a "dummy" regressor that just predicts the mean of the training data. What two pieces of advice would you give to your friend to improve their regressor? Explain why.

中文题意

你的朋友想用天气、一天中的时段、一年中的日期等特征，预测香港一小时内的出租车使用量。他用线性回归拟合数据，却发现模型在验证集上的均方误差（MSE），与一个始终预测训练数据平均值的"基线"回归器相近。你会提出哪两个改进建议？分别说明原因。

MT006 · Bagging 与 Boosting 的基本区别

选择题（多选）/ Multiple select 题目（本册 p.53）· 答案（解析册 p.69）

考点：集成学习

出处： 2020B 期中 Quiz Q6，原卷第 3 页（5 分）

English question

Which statements are true about bagging and boosting? (select all that apply)

A) Bagging and boosting are both ensemble methods.

B) Bagging is based on iteratively building classifiers, while boosting makes the classifiers faster.

C) Bagging and boosting are only based on decision trees or decision stumps.

D) Bagging and boosting both overfit when adding too many classifiers.

E) Bagging and boosting can be combined together.

中文题意

关于 bagging 和 boosting，哪些说法正确？多选。

A）二者都是集成方法。B）bagging 是迭代建分类器，boosting 的作用是让分类器更快。C）二者只能使用树或树桩。D）二者都会因为增加太多分类器而过拟合。E）二者可以组合。

MT044 · 随机森林与 Boosting 的用途

选择题（多选）/ Multiple select 题目（本册 p.54）· 答案（解析册 p.70）

考点：集成学习

出处： 2023A 期中 Q5，原卷第 3 页（5 分）；2025A 期中 Q5，原卷第 3 页（5 分）

English question

Which of the following is/are true about Random Forest and Boosting ensemble methods? (select all that apply)

A) An individual tree in the random forest is built on a subset of the features.

B) Random forests use learning rate as of one of its hyperparameters.

C) Both methods can be used for the regression task.

D) Random Forest is only used for regression whereas gradient boosting is only used for classification.

E) None of the above.

中文题意

关于随机森林与 boosting，哪些说法正确？多选。

A）随机森林的单棵树基于部分特征建立。B）随机森林有学习率超参数。C）两者都可用于回归。D）RF 只用于回归，gradient boosting 只用于分类。E）以上均不对。

MT062 · 随机森林：树多了为什么仍有共同误差？

简答题 / Written response · **读图或公式、提出办法** 题目（本册 p.55）· 答案（解析册 p.71）

考点： 集成学习

出处： 2023B 期中 Q11，原卷第 8 页（10 分）

English question

For a random forest F of n trees, suppose the variance of the error of a decision tree f is σ^2, and the correlation coefficient between the errors of two trees is ρ. We will have the error variance of F as:

$$\operatorname{var}(F) = \operatorname{var}\left(\frac{1}{n}\sum_{i=1}^{n} f_i\right) = \frac{\sigma^2}{n} + \frac{n-1}{n}\rho\sigma^2.$$

(a) Explain the relationship between the number of trees and the correlation coefficient and the ability of F to reduce overfitting.

(b) For a fixed number of trees n, explain some concrete methods to reduce the error variance of F.

中文题意

随机森林 F 由 n 棵树组成。单棵决策树 f 的误差方差为 σ^2，两棵不同树的误差相关系数为 ρ。森林取各树预测的平均，其误差方差为

$$\operatorname{Var}(F) = \operatorname{Var}\left(\frac{1}{n}\sum_{i=1}^{n} f_i\right) = \frac{\sigma^2}{n} + \frac{n-1}{n}\rho\sigma^2.$$

(a) 解释树的数量、误差相关系数与森林减少过拟合能力的关系。

(b) 固定树的数量 n 时，说明几种降低森林误差方差的具体方法。

MT056 · 集成方法：树深、并行与后续轮次

选择题（多选）/ Multiple select 题目（本册 p.56）· 答案（解析册 p.72）

考点：集成学习

出处： 2023B 期中 Q5，原卷第 3 页（5 分）

English question

Which statements are true about ensemble methods? (select all that apply)

A) Using fewer decision trees with higher depth is better than using more "stumps" for weak learners in Adaboost.

B) Using linear classifiers like logistic regression for bagging is a good choice because they have low computation cost.

C) Random Forest can be parallelized in both training and testing.

D) In the Adaboost training process, once a data point is correctly classified in the weak learner ht(x), it will be neglected by the successive weak learners ht+1, ht+2, ···

E) For a random forest model, increasing the number of decision trees generally helps with reduce overfitting.

中文题意

关于集成方法，哪些说法正确？多选。

A）AdaBoost 用更少的深树一定优于更多树桩。B）LR 计算便宜，所以是 bagging 的好选择。C）随机森林训练和预测都可以并行。D）AdaBoost 中某点一旦被一轮分对，后续轮次就忽略它。E）增加 RF 树数通常有助于减少过拟合。

MT038 · 100 核部署：RF 与 AdaBoost 如何并行预测？

简答题 / Written response · **比较、提出办法** 题目（本册 p.57）· 答案（解析册 p.73）

考点：集成学习

出处： 2021B* 期中 Q12，原卷第 4 页（10 分）

English question

You are working for Tesla on their self-driving car software for their new model. Your goal is to classify objects from the radar scanner. After extensive testing, you find that AdaBoost and Random Forest classifiers both perform equally well at the task. They also both use equal amount of computation (flops). The Random Forest uses 10 trees with depth 10, while Adaboost has 100 weak learners. The new Tesla model has a special 100-core processor for running the self-driving car software. Which classifier do you recommend for implementation in the new car? Explain why.

中文题意

雷达目标分类中，RF 与 AdaBoost 准确率相同、总计算量相同。RF 有 10 棵深度 10 的树，AdaBoost 有 100 个弱学习器；部署芯片有 100 个核心。推荐哪种？解释理由。

MT049 · 在线更新 AdaBoost：速度与异常值

简答题 / Written response · **提出办法、判断并说明** 题目（本册 p.58）· 答案（解析册 p.74）

考点：集成学习

出处： 2023A 期中 Q11，原卷第 8 页（10 分）

English question

You are working on an online self-driving system that employs the Adaboost model for real-time decision making. The Adaboost model will be updated with newly collected data in the real-world while the system is running, which requires the model to converge fast. (a) How would you adjust the model or hyperparameters to make this real-time system? (b) Is using Adaboost a good choice in this situation? Why or why not?

中文题意

自动驾驶系统用 AdaBoost 实时决策，运行期间还要用新采集数据更新模型，因此希望快速收敛。(a) 怎样调整模型或超参数？(b) AdaBoost 是否适合这种情境？解释。

MT064 · 综合题：Bagging/Boosting 与 Huber

简答题 / Written response · **比较、作图、解释** 题目（本册 p.59）· 答案（解析册 p.75）

考点：集成学习

出处： 2025A 期中 Q7，原卷第 4 页（10 分）

English question

(a) [5 marks] Explain the association and difference between boosting and bagging.

(b) [5 marks] Consider linear regression using the Huber loss function:

$$L(f(x_i), y_i) = \begin{cases} \frac{1}{2}[y_i - f(x_i)]^2, & |y_i - f(x_i)| < 1, \\ |y_i - f(x_i)| - \frac{1}{2}, & \text{otherwise.} \end{cases}$$

Draw a plot of the loss function and answer whether the loss is robust to outliers with reason.

中文题意

(a) [5 分] 解释 boosting 与 bagging 的联系和区别。

(b) [5 分] 线性回归使用 Huber 损失：当 $|y_i - f(x_i)| < 1$ 时为 $\frac{1}{2}[y_i - f(x_i)]^2$，否则为 $|y_i - f(x_i)| - \frac{1}{2}$。画图，判断是否对异常值稳健并说明理由。

MT008 · 平方形分类损失为什么惩罚“太正确”？


简答题 / Written response · **读图或公式、判断并说明** 题目（本册 p.60）· 答案（解析册 p.77）

考点： 分类损失图与错误代价

出处： 2020B 期中 Quiz Q8，原卷第 4 页（10 分）

English question

Consider a classifier with the loss function in the below figure. Using this loss function, describe some expected properties of this classifier and explain why. Will this be a good classifier or a bad classifier? Why?



中文题意

观察题图中的分类损失。描述使用这种损失训练的分类器会有什么性质，并解释原因。你认为它是好的还是不好的分类损失？图中横轴为 $z_i = y_i f(x_i)$。

MT026 · V 形损失：最优点为何在 z=1？


简答题 / Written response · **读图或公式、判断并说明** 题目（本册 p.61）· 答案（解析册 p.78）

考点：分类损失图与错误代价

出处： 2021A 期中 Q13，原卷第 4 页（10 分）

English question

Consider the following classification loss function. Describe the properties of the classifier learned with this loss function. Will this be a good classifier? Why or why not? Note: z = y*f(x).



中文题意

读题图中的分类损失，描述所得分类器的性质。它是好的分类器吗？说明理由。横轴 $z = yf(x)$，图中两侧均为直线，在 z=1 处达到最小值。

MT051 · 负间隔也零损失：分类器会放过什么？


简答题 / Written response · **读图或公式、判断并说明、作图** 题目（本册 p.62）· 答案（解析册 p.79）

考点： 分类损失图与错误代价

出处： 2023A 期中 Q13，原卷第 10 页（10 分）

English question

Consider the following classification loss function. Describe the properties of the classifier learned with this loss function. Will this be a good classifier? Why or why not? Draw a figure of an example of a linear classifier trained with this loss. Note: z = y*f(x).



中文题意

描述题图所示分类损失训练出的分类器性质，判断它是否合适并说明理由。再画一幅采用此损失的线性分类器例子。横轴 $z = yf(x)$；曲线在 z=−1 处降至 0，之后为 0。

MT039 · 饱和的非凸分类损失


简答题 / Written response · **读图或公式** 题目（本册 p.63）· 答案（解析册 p.81）

考点： 分类损失图与错误代价

出处： 2021B* 期中 Q13，原卷第 4 页（10 分）

English question

Consider the following classification loss function. Describe the properties of the classifier learned with this loss function. Note: z = y*f(x).



中文题意

描述题图所示损失训练出来的分类器会有哪些性质。横轴 $z = yf(x)$；z≥1 后损失为 0，向很负的 z 方向，曲线逐渐变平。

MT065 · 比较 Logistic、Hinge 和 Exponential 损失

简答题 / Written response · **比较、排序** 题目（本册 p.64）· 答案（解析册 p.82）


考点： 分类损失图与错误代价

出处： 2025A 期中 Q9，原卷第 6 页（10 分）

English question

Logistic Regression and Support Vector Machine (SVM), and Adaboost are all commonly used classifiers.

1. What is the key difference in the optimization objective of Logistic Regression and SVM? [6 marks]
2. Given this picture, please describe the three algorithms' sensitivity to outliers in descending order, and explain why. [4 marks]



按原卷曲线重绘并去掉手写批注；保留原图中 LR 的相对缩放，比较以题图为准。/ Clean redraw preserving the displayed relative scaling.

中文题意

Logistic Regression、SVM 和 AdaBoost 都是常见分类器。

6 分 LR 与 SVM 的优化目标主要有什么区别?

4 分 根据题图，将三种算法对异常点的敏感程度从高到低排序，并解释。图中横轴为有符号分数 z，负值表示错分，正值表示分对。

MT007 · 筛查任务：漏诊比误报更贵

简答题 / Written response · **提出办法、解释** 题目（本册 p.65）· 答案（解析册 p.84）

考点：分类损失图与错误代价

出处： 2020B 期中 Quiz Q7，原卷第 3 页（10 分）；2023B 期中 Q13，原卷第 10 页（10 分）

English question

You have been asked to build a classifier for an early screening test for diagnosing cancer. After the screening test, a more expensive advanced test will be used to confirm the result. For the screening test, you are given a feature vector, and the goal is to predict whether or not the person has cancer (positive or negative). Since it is a screening test, the classifier should classify all people with cancer as positive, while it is okay for some people without cancer to be misclassified as positive. Discuss two methods for getting this desired behavior from the classifier.

中文题意

设计癌症早期筛查二分类器。输入是特征向量，输出阳性或阴性；阳性者还会做更昂贵的确诊检查。目标是将所有癌症患者判为阳性，不漏掉病例，允许部分健康者被误报。讨论两种达到这种偏好的方法。

MT023 · 1000 名受试者中只有 50 名阳性

简答题 / Written response · **诊断问题、提出办法** 题目（本册 p.66）· 答案（解析册 p.85）

考点：分类损失图与错误代价

出处： 2021A 期中 Q10，原卷第 4 页（10 分）；2023A 期中 Q10，原卷第 7 页（10 分）

English question

You are working for a hospital to build a classifier as a cost-effective screening test for a lung disease based on the patient’s demographic data and saliva sample. If the classifier predicts positive, then the patient will do a follow-up CT scan that is more costly and very accurate. You have collected a dataset of 1000 patients, of which 50 have the lung disease. What are the key issues to consider when training and testing your classifier? How do you address these key issues during training and testing?

中文题意

医院用人口信息和唾液样本做肺病筛查，阳性者再做更贵且准确的 CT。数据共 1000 人，50 人患病。训练和测试应考虑哪些关键问题？怎样处理？

MT035 · 正常邮件被大量拦截怎么办？

简答题 / Written response · **提出办法、解释** 题目（本册 p.67）· 答案（解析册 p.86）

考点： 分类损失图与错误代价

出处： 2021B* 期中 Q9，原卷第 4 页（10 分）

English question

You have been asked to build a classifier for detecting junk email. You are given a training dataset, which has more junk email than regular email. You trained the model with logistic regression. However, your classification model predicts most emails as spam, so that you will hardly receive any email at all. What are two approaches to fix this problem? Give reasons why these approaches will work.

中文题意

邮件分类训练集中垃圾邮件多于正常邮件。逻辑回归把大多数邮件都判成垃圾，几乎收不到邮件。提出两种修复方法并说明理由。

MT067 · 链式求导与两层网络反传

简答题 / Written response · **计算推导**

题目（本册 p.68）· 答案（解析册 p.88）

考点： 神经网络与链式法则

出处： 2025A 期中 Q13，原卷第 10 页（10 分）

English question


(a) Warm-up question (you need to give detailed steps; you may define intermediate variables accordingly): calculate the derivative of y with respect to x using the chain rule.

$$y = \left(1 + e^{\sqrt[3]{3x^2}+\tan(5x)}\right)^{-1}.$$

(b) Please first explain the forward process with respect to the graph below and then calculate

$$\frac{\partial L}{\partial a_i}, \qquad \frac{\partial L}{\partial g_1}, \qquad \frac{\partial L}{\partial w_j}.$$

Hint: $A \in \mathbb{R}^{m\times m}$ and $W \in \mathbb{R}^{m\times n}$ are matrices; a_i and w_j are general representations of each weight vector in A and W, respectively. For $g_1 \to z$ and $g_2 \to f$, any proper functions are fine.



按原卷重绘的前向结构示意图；省略原图中的反向梯度提示，保留本题所需节点与参数箭头。/ *Simplified forward graph redrawn from the exam; backward-gradient annotations are omitted, while the required nodes and parameter arrows are retained.*

中文题意

(a) 用链式法则求下式对 x 的导数，给出详细步骤，可定义中间变量：

$$y = \left(1 + e^{\sqrt[3]{3x^2}+\tan(5x)}\right)^{-1}.$$

(b) 解释题图的前向过程，然后求 $\partial L/\partial a_i$、$\partial L/\partial g_1$ 和 $\partial L/\partial w_j$。题设 $A \in \mathbb{R}^{m\times m}$、$W \in \mathbb{R}^{m\times n}$；$a_i, w_j$ 分别表示相应矩阵中的权重向量。允许为 $g_1 \to z$、$g_2 \to f$ 选择合适函数。

MT066 · 梯度消失：为什么深度和激活函数有关？

简答题 / Written response · **解释、计算推导** 题目（本册 p.69）· 答案（解析册 p.91）

考点：神经网络与链式法则

出处： 2025A 期中 Q10，原卷第 7 页（10 分）

English question

(a) [4 marks] Explain what is the "vanishing gradient" problem.

(b) [3 marks] Explain mathematically why "deeper" networks are more prone to this problem. You may use equations or a mathematical description.

(c) [3 marks] Compared with the Sigmoid activation function, why can the ReLU activation function alleviate this problem?

中文题意

(a) [4 分] 解释梯度消失问题。(b) [3 分] 用数学说明为什么更深网络更容易出现这个问题。(c) [3 分] 相比 Sigmoid，ReLU 为什么能缓解它？

MT003 · 历史拓展：Gaussian Process 的假设

选择题（多选）/ Multiple select 题目（本册 p.70）· 答案（解析册 p.93）

考点：历史范围拓展：Gaussian Process

出处： 2020B 期中 Quiz Q3，原卷第 2 页（5 分）

历史期中原题；需要高斯过程背景，不作为当前 Lecture 1–5 已完整讲授的内容。

English question

Which statements about Gaussian Process regression (GPR) are correct? (select all that apply)

A) GPR is defined as the Bayesian linear regression whose linear kernel is replaced by the Gaussian/RBF kernel.

B) GPR only has a closed form solution when the observation noise is Gaussian.

C) One assumption in the Gaussian process prior is that two function values are more correlated when the corresponding inputs are close together.

D) The reason why GPR is not good for large datasets is that it only has a few parameters and thus limited model complexity.

E) GPR assumes the input data points are i.i.d. (independently and identically distributed).

中文题意

关于高斯过程回归 GPR，哪些说法正确？多选。

A）GPR 被定义为：将贝叶斯线性回归的线性核换成 Gaussian/RBF 核。B）只有观测噪声为高斯时，GPR 才有闭式解。C）高斯过程先验的一个假设是，输入越近，对应函数值的相关性越高。D）GPR 不适合大数据是因为参数少、模型复杂度有限。E）GPR 假设输入数据点独立同分布。

MT036 · 历史拓展：音乐地理回归，GP 还是 RF？

简答题 / Written response · **比较**

题目（本册 p.71）· 答案（解析册 p.94）

考点：历史范围拓展：Gaussian Process

出处： 2021B* 期中 Q10，原卷第 4 页（10 分）

历史期中原题；GPR 属于本轮讲义主线之外的背景。

English question

Geographical origins of music are related to the audio features in music. Suppose we have 10,597 music segments from different regions of the world, where each audio segment is represented by a 68-dimensional vector, and the region is denoted by latitude and longitude coordinates. We know there are some outliers in the dataset and some regions have apparently more music data than others. Suppose we want to choose Gaussian process regression or random forest regression to predict the region coordinates from the audio feature vector. For this specific regression task, what are the advantages and disadvantages of using these Gaussian process regression or random forest regression?

中文题意

共有 10,597 段世界各地音乐，每段 68 维音频特征，目标是经纬度。存在异常值，且部分地区样本远多于其他地区。比较 Gaussian Process Regression 与 Random Forest Regression 在这个任务中的优缺点。

原卷索引 / Original-paper index

按原卷题号查找本册位置；不同年份的重复题指向同一 MT 编号。2021B* 保留题纸与配套答案的年份冲突。

2020B 期中 Quiz

原题	本册题号与页码	分值
Q1	MT001（本册 p.30）	5
Q2	MT002（本册 p.8）	5
Q3	MT003（本册 p.70）	5
Q4	MT004（本册 p.6）	5
Q5	MT005（本册 p.16）	5
Q6	MT006（本册 p.53）	5
Q7	MT007（本册 p.65）	10
Q8	MT008（本册 p.60）	10
Q9	MT009（本册 p.42）	10
Q10	MT010（本册 p.41）	10
Q11	MT011（本册 p.5）	10
Q12	MT012（本册 p.29）	10
Q13	MT013（本册 p.50）	10

2021A 期中

原题	本册题号与页码	分值
Q1	MT014（本册 p.18）	5
Q2	MT015（本册 p.14）	5
Q3	MT016（本册 p.34）	5
Q4	MT017（本册 p.22）	5
Q5	MT018（本册 p.28）	5
Q6	MT019（本册 p.44）	5
Q7	MT020（本册 p.9）	10
Q8	MT021（本册 p.21）	10
Q9	MT022（本册 p.10）	10
Q10	MT023（本册 p.66）	10
Q11	MT024（本册 p.27）	10
Q12	MT025（本册 p.48）	10
Q13	MT026（本册 p.61）	10

2021B* 期中

原题	本册题号与页码	分值
Q1	MT027（本册 p.23）	5
Q2	MT028（本册 p.7）	5
Q3	MT029（本册 p.40）	5
Q4	MT030（本册 p.46）	5
Q5	MT031（本册 p.35）	5
Q6	MT032（本册 p.15）	5
Q7	MT033（本册 p.19）	10
Q8	MT034（本册 p.17）	10
Q9	MT035（本册 p.67）	10
Q10	MT036（本册 p.71）	10
Q11	MT037（本册 p.52）	10
Q12	MT038（本册 p.57）	10
Q13	MT039（本册 p.63）	10

2023A 期中

原题	本册题号与页码	分值
Q1	MT040（本册 p.11）	5
Q2	MT041（本册 p.25）	5
Q3	MT042（本册 p.32）	5
Q4	MT043（本册 p.39）	5
Q5	MT044（本册 p.54）	5
Q6	MT045（本册 p.45）	5
Q7	MT046（本册 p.13）	10
Q8	MT047（本册 p.26）	10
Q9	MT048（本册 p.33）	10
Q10	MT023（本册 p.66）	10
Q11	MT049（本册 p.58）	10
Q12	MT050（本册 p.51）	10
Q13	MT051（本册 p.62）	10

2023B 期中

原题	本册题号与页码	分值
Q1	MT052（本册 p.12）	5
Q2	MT053（本册 p.31）	5
Q3	MT054（本册 p.38）	5
Q4	MT055（本册 p.36）	5
Q5	MT056（本册 p.56）	5

原题	本册题号与页码	分值
Q6	MT057（本册 p.47）	5
Q7	MT058（本册 p.24）	10
Q8	MT059（本册 p.20）	10
Q9	MT060（本册 p.37）	10
Q10	MT061（本册 p.43）	10
Q11	MT062（本册 p.55）	10
Q12	MT063（本册 p.49）	10
Q13	MT007（本册 p.65）	10

2025A 期中

原题	本册题号与页码	分值
Q1	MT040（本册 p.11）	5
Q2	MT041（本册 p.25）	5
Q3	MT042（本册 p.32）	5
Q4	MT043（本册 p.39）	5
Q5	MT044（本册 p.54）	5
Q6	MT057（本册 p.47）	5
Q7	MT064（本册 p.59）	10
Q8	MT047（本册 p.26）	10
Q9	MT065（本册 p.64）	10
Q10	MT066（本册 p.69）	10
Q11	MT046（本册 p.13）	10
Q12	MT050（本册 p.51）	10
Q13	MT067（本册 p.68）	10