

Project Source Code

File: db.php

```
<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "college_event";

// Create connection
$conn = new mysqli($servername, $username, $password);

// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

// Create database if it doesn't exist
$sql = "CREATE DATABASE IF NOT EXISTS $dbname";
if ($conn->query($sql) === TRUE) {
    $conn->select_db($dbname);
} else {
    die("Error creating database: " . $conn->error);
}

// Function to sanitize input
function sanitize($conn, $input) {
    return htmlspecialchars(strip_tags(trim($conn->real_escape_string($input))));
}
?>
```

File: index.php

```
<?php
session_start();
// Do not auto-redirect, let user choose
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>College Tech Event Certificate Management System</title>
    <link rel="stylesheet" href="style.css">
</head>
<body class="login-page" style="flex-direction: column; height: auto; min-height: 100vh; padding: 20px;">

<div class="container" style="text-align: center; margin-bottom: 30px; background: transparent; border: none; box-shadow: none;">
    <h1 style="color: #2c3e50; font-size: 2.5rem; margin-bottom: 10px;">Certificate Management System</h1>
```

Project Source Code

```
<p style="font-size: 1.2rem; color: #555; max-width: 600px; margin: 0 auto;">
    A centralized platform for managing and distributing tech event certificates.
    Admins can generate and issue certificates, while participants can easily view
and download their awards.
</p>
</div>

<div class="login-container">
    <?php if (isset($_SESSION['user_id'])): ?>
        <div style="text-align: center;">
            <h2>Welcome Back, <?php echo htmlspecialchars($_SESSION['name']); ?>!</h2>
            <p>You are already logged in.</p>
            <div style="margin-top: 20px;">
                <?php if ($_SESSION['role'] == 'admin'): ?>
                    <a href="admin/dashboard.php" class="button" style="width: 100%;
display: block; box-sizing: border-box;">Go to Admin Dashboard</a>
                <?php else: ?>
                    <a href="user/dashboard.php" class="button" style="width: 100%;
display: block; box-sizing: border-box;">Go to My Profile</a>
                <?php endif; ?>
                <br>
                <a href="logout.php" class="button" style="background-color: #e74c3c;
width: 100%; display: block; box-sizing: border-box;">Logout</a>
            </div>
        </div>
    <?php else: ?>
        <h2>Login</h2>
        <?php if (isset($_GET['error'])): ?>
            <div class="error"><?php echo htmlspecialchars($_GET['error']); ?></div>
        <?php endif; ?>
        <form action="login_action.php" method="POST">
            <div class="form-group">
                <label for="username">Username</label>
                <input type="text" id="username" name="username" required>
            </div>
            <div class="form-group">
                <label for="password">Password</label>
                <input type="password" id="password" name="password" required>
            </div>
            <button type="submit" style="width: 100%;">Login</button>
        </form>
    <?php endif; ?>
</div>

</body>
</html>
```

File: login_action.php

```
<?php
session_start();
```

Project Source Code

```
require_once 'db.php';

if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $username = sanitize($conn, $_POST['username']);
    $password = $_POST['password']; // Plain text password as per requirements

    if (empty($username) || empty($password)) {
        header("Location: index.php?error=All fields are required");
        exit();
    }

    $sql = "SELECT id, username, password, role, name FROM users WHERE username = '$username'";
    $result = $conn->query($sql);

    if ($result->num_rows == 1) {
        $row = $result->fetch_assoc();
        // Direct comparison for plain text passwords
        if ($password === $row['password']) {
            $_SESSION['user_id'] = $row['id'];
            $_SESSION['username'] = $row['username'];
            $_SESSION['role'] = $row['role'];
            $_SESSION['name'] = $row['name'];

            if ($row['role'] == 'admin') {
                header("Location: admin/dashboard.php");
            } else {
                header("Location: user/dashboard.php");
            }
            exit();
        } else {
            header("Location: index.php?error=Invalid password");
            exit();
        }
    } else {
        header("Location: index.php?error=User not found");
        exit();
    }
} else {
    header("Location: index.php");
    exit();
}
?>
```

File: logout.php

```
<?php
session_start();
session_unset();
session_destroy();
header("Location: index.php");
```

Project Source Code

```
exit();
?>
```

File: view_cert.php

```
<?php
require_once 'db.php';

if (!isset($_GET['id'])) {
    die("Certificate ID not specified.");
}

$id = intval($_GET['id']);
$sql = "SELECT c.*, u.name, u.roll_number, u.class, u.department
        FROM certificates c
        JOIN users u ON c.user_id = u.id
        WHERE c.id = $id";
$result = $conn->query($sql);

if ($result->num_rows == 0) {
    die("Certificate not found.");
}

$cert = $result->fetch_assoc();
$template_file = "templates/template_" . $cert['template_id'] . ".php";

if (!file_exists($template_file)) {
    die("Template file not found.");
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Certificate - <?php echo htmlspecialchars($cert['event_name']); ?></title>
    <link rel="stylesheet" href="templates/cert_style.css">
    <style>
        @media print {
            .no-print { display: none; }
            body { margin: 0; padding: 0; background: white; }
            .certificate-container { box-shadow: none; margin: 0; width: 100%; height:
100vh; page-break-after: always; }
        }
        body {
            background: #555;
            display: flex;
            flex-direction: column;
            align-items: center;
            min-height: 100vh;
            margin: 0;

```

Project Source Code

```
        padding: 20px;
    }
    .controls {
        margin-bottom: 20px;
        background: white;
        padding: 10px 20px;
        border-radius: 5px;
        box-shadow: 0 2px 5px rgba(0,0,0,0.2);
    }
</style>
</head>
<body>

<div class="controls no-print" style="text-align: center;">
    <button onclick="window.print()" class="button" style="font-size: 1.1rem; padding:
12px 30px; background-color: #2ecc71;">Save as PDF</button>
    <a href="./user/dashboard.php" class="button" style="font-size: 1.1rem; padding:
12px 30px; background-color: #95a5a6; margin-left: 10px;"><button> Back</button></a>
</div>

<?php include $template_file; ?>

</body>
</html>
```

File: admin\add_user.php

```
<?php
session_start();
require_once '../db.php';

if (!isset($_SESSION['user_id']) || $_SESSION['role'] != 'admin') {
    header("Location: ../index.php");
    exit();
}

$msg = "";

if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $username = sanitize($conn, $_POST['username']);
    $password = $_POST['password'];
    $name = sanitize($conn, $_POST['name']);
    $roll_number = sanitize($conn, $_POST['roll_number']);
    $class = sanitize($conn, $_POST['class']);
    $department = sanitize($conn, $_POST['department']);

    if (empty($username) || empty($password) || empty($name) || empty($roll_number)) {
        $msg = "<div class='error'>All fields are required.</div>";
    } else {
        $sql = "INSERT INTO users (username, password, name, roll_number, class,
department, role)
```

Project Source Code

```
VALUES ('$username', '$password', '$name', '$roll_number', '$class',
'$department', 'user');"

    if ($conn->query($sql) === TRUE) {
        $msg = "<div class='success'>User added successfully!</div>";
    } else {
        $msg = "<div class='error'>Error: " . $conn->error . "</div>";
    }
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Add User - Admin</title>
    <link rel="stylesheet" href="../../style.css">
</head>
<body>

<div class="navbar admin">
    <div class="logo">Admin Dashboard</div>
    <div class="menu">
        <a href="dashboard.php">Dashboard</a>
        <a href="../../logout.php" class="button logout-btn">Logout</a>
    </div>
</div>

<div class="container">
    <h2>Add New User</h2>
    <?php echo $msg; ?>
    <form method="POST" action="">
        <div class="form-group">
            <label>Username</label>
            <input type="text" name="username" required>
        </div>
        <div class="form-group">
            <label>Password</label>
            <input type="password" name="password" required>
        </div>
        <div class="form-group">
            <label>Full Name</label>
            <input type="text" name="name" required>
        </div>
        <div class="form-group">
            <label>Roll Number</label>
            <input type="text" name="roll_number" required>
        </div>
        <div class="form-group">
            <label>Class</label>
            <input type="text" name="class" required>
        </div>
    </form>
</div>
```

Project Source Code

```
</div>
<div class="form-group">
    <label>Department</label>
    <input type="text" name="department" required>
</div>
<button type="submit">Add User</button>
    <a href="dashboard.php" class="button" style="background-color: #95a5a6;
margin-left: 10px;">Back</a>
</form>
</div>

</body>
</html>
```

File: admin\dashboard.php

```
<?php
session_start();
if (!isset($_SESSION['user_id']) || $_SESSION['role'] != 'admin') {
    header("Location: ../index.php");
    exit();
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Admin Dashboard</title>
    <link rel="stylesheet" href="../style.css">
</head>
<body>

<div class="navbar admin">
    <div class="logo">Admin Dashboard</div>
    <div class="menu">
        <span>Welcome, <?php echo htmlspecialchars($_SESSION['name']); ?></span>
        <a href="../logout.php" class="button logout-btn">Logout</a>
    </div>
</div>

<div class="container">
    <h2>User Management</h2>
    <div class="dashboard-grid">
        <div class="card">
            <h3>Manage Users</h3>
            <p>Add or remove users.</p>
            <div class="actions">
                <a href="add_user.php" class="button">Add New User</a>
                <div style="margin-top: 10px;"></div>
                <a href="manage_users.php" class="button" style="background-color:
```

Project Source Code

```
#95a5a6;">View/Delete Users</a>
    </div>
</div>
</div>

<h2 style="margin-top: 50px;">Certificate Management</h2>
<div class="dashboard-grid">
    <div class="card">
        <h3>Generate Certificate</h3>
        <p>Create and assign certificates.</p>
        <div class="actions">
            <a href="generate_cert.php" class="button">Create Certificate</a>
        </div>
    </div>
    <div class="card">
        <h3>View Certificates</h3>
        <p>List all issued certificates.</p>
        <div class="actions">
            <a href="view_certs.php" class="button">View All</a>
        </div>
    </div>
    <div class="card">
        <h3>Correction Requests</h3>
        <p>Review user requests.</p>
        <div class="actions">
            <a href="requests.php" class="button">View Requests</a>
        </div>
    </div>
</div>
</div>

</body>
</html>
```

File: admin\generate_cert.php

```
<?php
session_start();
require_once '../db.php';

if (!isset($_SESSION['user_id']) || $_SESSION['role'] != 'admin') {
    header("Location: ../index.php");
    exit();
}

$msg = "";

// Fetch users for dropdown
$users_result = $conn->query("SELECT id, name, roll_number FROM users WHERE role='user'
ORDER BY name");
```

Project Source Code

```
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $user_id = intval($_POST['user_id']);
    $event_name = sanitize($conn, $_POST['event_name']);
    $event_description = sanitize($conn, $_POST['event_description']);
    $category = sanitize($conn, $_POST['category']);
    $template_id = intval($_POST['template_id']);
    $issue_date = date('Y-m-d');

    if (empty($user_id) || empty($event_name) || empty($category) ||
empty($template_id)) {
        $msg = "<div class='error'>All fields are required.</div>";
    } else {
        // Check for duplicates
        $check_sql = "SELECT id FROM certificates WHERE user_id = $user_id AND
event_name = '$event_name'";
        $check_result = $conn->query($check_sql);

        if ($check_result->num_rows > 0) {
            $msg = "<div class='error'>Error: Certificate for this user and event
already exists.</div>";
        } else {
            $sql = "INSERT INTO certificates (user_id, event_name, event_description,
category, template_id, issue_date)
VALUES ($user_id, '$event_name', '$event_description', '$category',
$template_id, '$issue_date')";

            if ($conn->query($sql) === TRUE) {
                $msg = "<div class='success'>Certificate generated successfully!</div>";
            } else {
                $msg = "<div class='error'>Error: " . $conn->error . "</div>";
            }
        }
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Generate Certificate - Admin</title>
    <link rel="stylesheet" href="../style.css">
</head>
<body>

<div class="navbar admin">
    <div class="logo">Admin Dashboard</div>
    <div class="menu">
        <a href="dashboard.php">Dashboard</a>
        <a href="../logout.php" class="button logout-btn">Logout</a>
    </div>
</div>
```

Project Source Code

```
<div class="container">
    <h2>Generate Certificate</h2>
    <?php echo $msg; ?>
    <form method="POST" action="">
        <div class="form-group">
            <label>Select User</label>
            <select name="user_id" required>
                <option value="">-- Select User --</option>
                <?php while($user = $users_result->fetch_assoc()): ?>
                    <option value="<?php echo $user['id']; ?>">
                        <?php echo htmlspecialchars($user['name'] . " (" .
$user['roll_number'] . ")"); ?>
                    </option>
                <?php endwhile; ?>
            </select>
        </div>
        <div class="form-group">
            <label>Event Name</label>
            <input type="text" name="event_name" required>
        </div>
        <div class="form-group">
            <label>Event Description</label>
            <textarea name="event_description" rows="3"></textarea>
        </div>
        <div class="form-group">
            <label>Category</label>
            <select name="category" required>
                <option value="Winner">Winner</option>
                <option value="Runner">Runner</option>
                <option value="Participant">Participant</option>
            </select>
        </div>
        <div class="form-group">
            <label>Template Design</label>
            <select name="template_id" required>
                <option value="1">Template 1 (Winner Style)</option>
                <option value="2">Template 2 (Runner Style)</option>
                <option value="3">Template 3 (Participant Style)</option>
                <option value="4">Template 4 (Abstract Variation 1)</option>
                <option value="5">Template 5 (Abstract Variation 2)</option>
            </select>
        </div>
        <button type="submit">Generate & Send</button>
        <a href="dashboard.php" class="button" style="background-color: #95a5a6;
margin-left: 10px;">Back</a>
    </form>
</div>

</body>
</html>
```

Project Source Code

File: admin\manage_users.php

```
<?php
session_start();
require_once '../db.php';

if (!isset($_SESSION['user_id']) || $_SESSION['role'] != 'admin') {
    header("Location: ../index.php");
    exit();
}

if (isset($_GET['delete'])) {
    $id = intval($_GET['delete']);
    $conn->query("DELETE FROM users WHERE id=$id AND role!='admin'");
    header("Location: manage_users.php");
    exit();
}

$sql = "SELECT * FROM users WHERE role='user' ORDER BY id DESC";
$result = $conn->query($sql);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Manage Users - Admin</title>
    <link rel="stylesheet" href="../style.css">
</head>
<body>

<div class="navbar admin">
    <div class="logo">Admin Dashboard</div>
    <div class="menu">
        <a href="dashboard.php">Dashboard</a>
        <a href="../logout.php" class="button logout-btn">Logout</a>
    </div>
</div>

<div class="container">
    <h2>Manage Users</h2>
    <a href="add_user.php" class="button">Add New User</a>
    <table>
        <thead>
            <tr>
                <th>ID</th>
                <th>Name</th>
                <th>Roll No</th>
                <th>Dept</th>
                <th>Action</th>
            </tr>
        </thead>
```

Project Source Code

```
<tbody>
  <?php while($row = $result->fetch_assoc()): ?>
    <tr>
      <td><?php echo $row['id']; ?></td>
      <td><?php echo htmlspecialchars($row['name']); ?></td>
      <td><?php echo htmlspecialchars($row['roll_number']); ?></td>
      <td><?php echo htmlspecialchars($row['department']); ?></td>
      <td>
        <a href="manage_users.php?delete=<?php echo $row['id']; ?>"
onclick="return confirm('Are you sure? This will delete all certificates for this
user.');" style="color: red;">Delete</a>
      </td>
    </tr>
  <?php endwhile; ?>
</tbody>
</table>
<div style="margin-top: 20px;">
  <a href="dashboard.php" class="button" style="background-color: #95a5a6;">Back
to Dashboard</a>
</div>
</div>

</body>
</html>
```

File: admin\requests.php

```
<?php
session_start();
require_once '../db.php';

if (!isset($_SESSION['user_id']) || $_SESSION['role'] != 'admin') {
  header("Location: ../index.php");
  exit();
}

if (isset($_POST['update_status'])) {
  $req_id = intval($_POST['req_id']);
  $status = sanitize($conn, $_POST['status']);
  $conn->query("UPDATE correction_requests SET status='$status' WHERE id=$req_id");
  header("Location: requests.php");
  exit();
}

$sql = "SELECT r.*, c.event_name, u.name, u.roll_number
FROM correction_requests r
JOIN certificates c ON r.certificate_id = c.id
JOIN users u ON r.user_id = u.id
ORDER BY r.created_at DESC";
$result = $conn->query($sql);
?>
```

Project Source Code

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Correction Requests - Admin</title>
    <link rel="stylesheet" href="../../style.css">
</head>
<body>

<div class="navbar admin">
    <div class="logo">Admin Dashboard</div>
    <div class="menu">
        <a href="dashboard.php">Dashboard</a>
        <a href="../../logout.php" class="button logout-btn">Logout</a>
    </div>
</div>

<div class="container">
    <h2>Correction Requests</h2>
    <table>
        <thead>
            <tr>
                <th>User</th>
                <th>Event</th>
                <th>Message</th>
                <th>Status</th>
                <th>Action</th>
            </tr>
        </thead>
        <tbody>
            <?php if ($result->num_rows > 0): ?>
                <?php while($row = $result->fetch_assoc()): ?>
                    <tr>
                        <td><?php echo htmlspecialchars($row['name']); ?></td>
                        <td><?php echo htmlspecialchars($row['event_name']); ?></td>
                        <td><?php echo htmlspecialchars($row['message']); ?></td>
                        <td>
                            <?php
                                $color = 'black';
                                if($row['status']=='pending') $color='orange';
                                if($row['status']=='approved') $color='green';
                                if($row['status']=='rejected') $color='red';
                            ?>
                            <span style="color: <?php echo $color; ?>;
font-weight:bold;"><?php echo ucfirst($row['status']); ?></span>
                        </td>
                        <td>
                            <?php if($row['status'] == 'pending'): ?>
                                <form method="POST" style="display:inline;">
                                    <input type="hidden" name="req_id" value="<?php echo
$row['id']; ?>">
```

Project Source Code

```

        <button type="submit" name="update_status" value="approved"
style="background:green; padding:5px 10px; font-size:12px;">Approve</button>
        <button type="submit" name="update_status" value="rejected"
style="background:red; padding:5px 10px; font-size:12px;">Reject</button>
    </form>
    <?php else: ?>
        -
    <?php endif; ?>
    <br>
    <a href="../view_cert.php?id=<?php echo $row['certificate_id'];
?>" target="_blank" style="font-size:12px;">View Cert</a>
    </td>
</tr>
    <?php endwhile; ?>
<?php else: ?>
    <tr><td colspan="5">No requests found.</td></tr>
<?php endif; ?>
</tbody>
</table>
<div style="margin-top: 20px;">
    <a href="dashboard.php" class="button" style="background-color: #95a5a6;">Back
to Dashboard</a>
</div>
</div>

</body>
</html>
```

File: admin/view_cert.php

```
<?php
require_once '../db.php';

if (!isset($_GET['id'])) {
    die("Certificate ID not specified.");
}

$id = intval($_GET['id']);
$sql = "SELECT c.*, u.name, u.roll_number, u.class, u.department
        FROM certificates c
        JOIN users u ON c.user_id = u.id
        WHERE c.id = $id";
$result = $conn->query($sql);

if ($result->num_rows == 0) {
    die("Certificate not found.");
}

$cert = $result->fetch_assoc();
$template_file = "../templates/template_" . $cert['template_id'] . ".php";
```

Project Source Code

```
if (!file_exists($template_file)) {
    die("Template file not found.");
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Certificate - <?php echo htmlspecialchars($cert['event_name']); ?></title>
    <link rel="stylesheet" href="../templates/cert_style.css">
    <style>
        @media print {
            .no-print { display: none; }
            body { margin: 0; padding: 0; background: white; }
            .certificate-container { box-shadow: none; margin: 0; width: 100%; height:
100vh; page-break-after: always; }
        }
        body {
            background: #555;
            display: flex;
            flex-direction: column;
            align-items: center;
            min-height: 100vh;
            margin: 0;
            padding: 20px;
        }
        .controls {
            margin-bottom: 20px;
            background: white;
            padding: 10px 20px;
            border-radius: 5px;
            box-shadow: 0 2px 5px rgba(0,0,0,0.2);
        }
    </style>
</head>
<body>

<div class="controls no-print" style="text-align: center;">
    <button onclick="window.print()" class="button" style="font-size: 1.1rem; padding:
12px 30px; background-color: #2ecc71;">Save as PDF</button>
    <a href="view_certs.php" class="button" style="font-size: 1.1rem; padding: 12px
30px; background-color: #95a5a6; margin-left: 10px;">Back</a>
</div>

<?php include $template_file; ?>

</body>
</html>
```

Project Source Code

```
<?php
session_start();
require_once '../db.php';

if (!isset($_SESSION['user_id']) || $_SESSION['role'] != 'admin') {
    header("Location: ../index.php");
    exit();
}

$filter_category = isset($_GET['category']) ? sanitize($conn, $_GET['category']) : '';

$sql = "SELECT c.*, u.name, u.roll_number, u.class, u.department
        FROM certificates c
        JOIN users u ON c.user_id = u.id";

if ($filter_category) {
    $sql .= " WHERE c.category = '$filter_category'";
}

$sql .= " ORDER BY c.issue_date DESC";
$result = $conn->query($sql);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>View Certificates - Admin</title>
    <link rel="stylesheet" href="../style.css">
</head>
<body>

<div class="navbar admin">
    <div class="logo">Admin Dashboard</div>
    <div class="menu">
        <a href="dashboard.php">Dashboard</a>
        <a href="../logout.php" class="button logout-btn">Logout</a>
    </div>
</div>

<div class="container">
    <h2>All Certificates</h2>

    <div style="margin-bottom: 20px;">
        <strong>Filter by Category: </strong>
        <a href="view_certs.php">All</a> |
        <a href="view_certs.php?category=Winner">Winner</a> |
        <a href="view_certs.php?category=Runner">Runner</a> |
        <a href="view_certs.php?category=Participant">Participant</a>
    </div>

    <table>
```

Project Source Code

```
<thead>
  <tr>
    <th>ID</th>
    <th>User</th>
    <th>Event</th>
    <th>Category</th>
    <th>Date</th>
    <th>Actions</th>
  </tr>
</thead>
<tbody>
  <?php if ($result->num_rows > 0): ?>
    <?php while($row = $result->fetch_assoc()): ?>
      <tr>
        <td><?php echo $row['id']; ?></td>
        <td>
          <?php echo htmlspecialchars($row['name']); ?><br>
          <small><?php echo htmlspecialchars($row['roll_number']);
?></small>
        </td>
        <td><?php echo htmlspecialchars($row['event_name']); ?></td>
        <td><?php echo htmlspecialchars($row['category']); ?></td>
        <td><?php echo htmlspecialchars($row['issue_date']); ?></td>
        <td>
          <a href="view_cert.php?id=<?php echo $row['id']; ?>"
target="_blank">View</a>
          <!-- Add edit/delete if needed -->
        </td>
      </tr>
    <?php endwhile; ?>
  <?php else: ?>
    <tr><td colspan="6">No certificates found.</td></tr>
  <?php endif; ?>
</tbody>
</table>
<div style="margin-top: 20px;">
  <a href="dashboard.php" class="button" style="background-color: #95a5a6;">Back
to Dashboard</a>
</div>
</div>

</body>
</html>
```

File: templates\template_1.php

```
<div class="certificate-container" style="border: 10px solid #f1c40f;">
  <!-- Abstract Shapes -->
  <div class="shape circle" style="width: 300px; height: 300px; background: rgba(241,
196, 15, 0.1); top: -50px; left: -50px;"></div>
  <div class="shape circle" style="width: 200px; height: 200px; background: rgba(241,
196, 15, 0.2); bottom: -50px; right: -50px;"></div>
```

Project Source Code

```
<div class="cert-content">
  <h1 class="cert-title" style="color: #d35400;">Certificate of Achievement</h1>
  <p class="cert-subtitle">This certificate is proudly presented to</p>

  <div class="cert-name"><?php echo htmlspecialchars($cert['name']); ?></div>

  <div class="cert-body">
    <p>Roll No: <?php echo htmlspecialchars($cert['roll_number']); ?> | Class:
<?php echo htmlspecialchars($cert['class']); ?></p>
    <p>For securing the <strong>WINNER</strong> position in the event</p>
    <p class="cert-event"><?php echo htmlspecialchars($cert['event_name']);
?></p>
    <p><?php echo htmlspecialchars($cert['event_description']); ?></p>
  </div>

  <div class="cert-footer">
    <div class="signature">
      <div class="signature-line"></div>
      <strong>Event Coordinator</strong>
    </div>
    <div class="signature">
      <div class="signature-line"></div>
      <strong>Principal</strong>
    </div>
  </div>

  <p style="margin-top: 30px; font-size: 14px; color: #777;">Issued on: <?php echo
htmlspecialchars($cert['issue_date']); ?></p>
</div>
</div>
```

File: templates\template_2.php

```
<div class="certificate-container" style="border: 10px solid #95a5a6;">
  <!-- Abstract Shapes -->
  <div class="shape" style="width: 100%; height: 20px; background: #95a5a6; top: 20px;
left: 0;"></div>
  <div class="shape" style="width: 100%; height: 20px; background: #95a5a6; bottom:
20px; left: 0;"></div>

  <div class="cert-content">
    <h1 class="cert-title" style="color: #7f8c8d;">Certificate of Appreciation</h1>
    <p class="cert-subtitle">Awarded to</p>

    <div class="cert-name"><?php echo htmlspecialchars($cert['name']); ?></div>

    <div class="cert-body">
      <p>Roll No: <?php echo htmlspecialchars($cert['roll_number']); ?> |
Department: <?php echo htmlspecialchars($cert['department']); ?></p>
      <p>For securing the <strong>RUNNER UP</strong> position in</p>
```

Project Source Code

```
<p class="cert-event"><?php echo htmlspecialchars($cert['event_name']);
?></p>
<p><?php echo htmlspecialchars($cert['event_description']); ?></p>
</div>

<div class="cert-footer">
  <div class="signature">
    <div class="signature-line"></div>
    <strong>Event Head</strong>
  </div>
  <div class="signature">
    <div class="signature-line"></div>
    <strong>Director</strong>
  </div>
</div>

<p style="margin-top: 30px; font-size: 14px; color: #777;">Date: <?php echo
htmlspecialchars($cert['issue_date']); ?></p>
</div>
</div>
```

File: templates\template_3.php

```
<div class="certificate-container" style="border: 10px double #3498db;">
  <!-- Abstract Shapes -->
  <div class="shape" style="width: 150px; height: 150px; border: 5px solid #3498db;
transform: rotate(45deg); top: -75px; left: -75px;"></div>
  <div class="shape" style="width: 150px; height: 150px; border: 5px solid #3498db;
transform: rotate(45deg); bottom: -75px; right: -75px;"></div>

  <div class="cert-content">
    <h1 class="cert-title" style="color: #2980b9;">Certificate of Participation</h1>
    <p class="cert-subtitle">This is to certify that</p>

    <div class="cert-name"><?php echo htmlspecialchars($cert['name']); ?></div>

    <div class="cert-body">
      <p>Student of <?php echo htmlspecialchars($cert['class']); ?>, <?php echo
htmlspecialchars($cert['department']); ?></p>
      <p>Has actively participated in the event</p>
      <p class="cert-event"><?php echo htmlspecialchars($cert['event_name']);
?></p>
      <p><?php echo htmlspecialchars($cert['event_description']); ?></p>
    </div>

    <div class="cert-footer">
      <div class="signature">
        <div class="signature-line"></div>
        <strong>Organizer</strong>
      </div>
      <div class="signature">
```

Project Source Code

```
        <div class="signature-line"></div>
        <strong>HOD</strong>
    </div>
</div>
```

```
        <p style="margin-top: 30px; font-size: 14px; color: #777;">Given on: <?php echo
htmlspecialchars($cert['issue_date']); ?></p>
    </div>
</div>
```

File: templates\template_4.php

```
<div class="certificate-container" style="background: linear-gradient(135deg, #fff 80%,
#e8f8f5 100%); border: 2px solid #1abc9c;">
    <!-- Abstract Shapes -->
    <div class="shape" style="width: 100%; height: 10px; background: #1abc9c; top: 50px;
left: 0;"></div>
    <div class="shape circle" style="width: 100px; height: 100px; background: #1abc9c;
top: 5px; left: 50%; transform: translateX(-50%);"></div>

    <div class="cert-content" style="margin-top: 40px;">
        <h1 class="cert-title" style="color: #16a085; font-family: 'Courier New',
Courier, monospace;">CERTIFICATE</h1>
        <p class="cert-subtitle">OF EXCELLENCE</p>

        <div class="cert-name" style="border-bottom: none; text-decoration:
underline;"><?php echo htmlspecialchars($cert['name']); ?></div>

        <div class="cert-body">
            <p>We hereby acknowledge the outstanding performance of the above named
student from <?php echo htmlspecialchars($cert['department']); ?>.</p>
            <p>Event: <strong class="cert-event"><?php echo
htmlspecialchars($cert['event_name']); ?></strong></p>
            <p>Category: <strong><?php echo htmlspecialchars($cert['category']);
?></strong></p>
        </div>

        <div class="cert-footer">
            <div class="signature">
                <div class="signature-line"></div>
                <strong>Signature</strong>
            </div>
        </div>

        <p style="margin-top: 30px; font-size: 14px; color: #777;"><?php echo
htmlspecialchars($cert['issue_date']); ?></p>
    </div>
</div>
```

File: templates\template_5.php

Project Source Code

```
<div class="certificate-container" style="border: 5px solid #9b59b6; border-radius: 20px;">
    <!-- Abstract Shapes -->
    <div class="shape" style="width: 200px; height: 200px; border-right: 5px solid #9b59b6; border-bottom: 5px solid #9b59b6; bottom: 20px; right: 20px;"></div>
    <div class="shape" style="width: 200px; height: 200px; border-left: 5px solid #9b59b6; border-top: 5px solid #9b59b6; top: 20px; left: 20px;"></div>

    <div class="cert-content">
        <h1 class="cert-title" style="color: #8e44ad; font-family: 'Trebuchet MS', sans-serif;">Certificate</h1>
        <p class="cert-subtitle">PROUDLY PRESENTED TO</p>

        <div class="cert-name" style="color: #8e44ad; border-color: #8e44ad;"><?php echo htmlspecialchars($cert['name']); ?></div>

        <div class="cert-body">
            <p>For their valuable contribution and participation in</p>
            <p class="cert-event" style="font-size: 30px; color: #8e44ad;"><?php echo htmlspecialchars($cert['event_name']); ?></p>
            <p>Category: <?php echo htmlspecialchars($cert['category']); ?></p>
        </div>

        <div class="cert-footer">
            <div class="signature">
                <div class="signature-line" style="border-color: #8e44ad;"></div>
                <strong>Authority</strong>
            </div>
        </div>

        <p style="margin-top: 30px; font-size: 14px; color: #777;">Issued: <?php echo htmlspecialchars($cert['issue_date']); ?></p>
    </div>
</div>
```

File: user\dashboard.php

```
<?php
session_start();
require_once '../db.php';

if (!isset($_SESSION['user_id']) || $_SESSION['role'] != 'user') {
    header("Location: ../index.php");
    exit();
}

$user_id = $_SESSION['user_id'];
$sql = "SELECT * FROM certificates WHERE user_id = $user_id ORDER BY issue_date DESC";
$result = $conn->query($sql);
?>
<!DOCTYPE html>
```

Project Source Code

```
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>User Dashboard</title>
    <link rel="stylesheet" href="../../style.css">
</head>
<body>

<div class="navbar user">
    <div class="logo">User Dashboard</div>
    <div class="menu">
        <span>Welcome, <?php echo htmlspecialchars($_SESSION['name']); ?></span>
        <a href="../../logout.php" class="button logout-btn">Logout</a>
    </div>
</div>

<div class="container">
    <h2>My Certificates</h2>
    <div class="dashboard-grid">
        <?php if ($result->num_rows > 0): ?>
            <?php while($row = $result->fetch_assoc()): ?>
                <div class="card">
                    <h3><?php echo htmlspecialchars($row['event_name']); ?></h3>
                    <p><strong>Category:</strong> <?php echo
htmlspecialchars($row['category']); ?></p>
                    <p><strong>Date:</strong> <?php echo
htmlspecialchars($row['issue_date']); ?></p>
                    <div class="actions">
                        <a href="../../view_cert.php?id=<?php echo $row['id']; ?>"
target="_blank" class="button">View / Download</a>
                        <div style="margin-top: 10px;"></div>
                        <a href="request_correction.php?cert_id=<?php echo $row['id']; ?>"
class="button" style="background-color: orange; font-size: 14px;">Request Correction</a>
                    </div>
                </div>
            <?php endwhile; ?>
        <?php else: ?>
            <p>No certificates found.</p>
        <?php endif; ?>
    </div>
</div>

</body>
</html>
```

File: user/request_correction.php

```
<?php
session_start();
require_once '../../db.php';
```

Project Source Code

```
if (!isset($_SESSION['user_id']) || $_SESSION['role'] != 'user') {
    header("Location: ../index.php");
    exit();
}

$msg = "";
$cert_id = isset($_GET['cert_id']) ? intval($_GET['cert_id']) : 0;

if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $cert_id = intval($_POST['cert_id']);
    $message = sanitize($conn, $_POST['message']);
    $user_id = $_SESSION['user_id'];

    if (empty($message)) {
        $msg = "<div class='error'>Please describe the issue.</div>";
    } else {
        $sql = "INSERT INTO correction_requests (certificate_id, user_id, message)
VALUES ($cert_id, $user_id, '$message')";
        if ($conn->query($sql) === TRUE) {
            $msg = "<div class='success'>Request sent successfully!</div>";
        } else {
            $msg = "<div class='error'>Error: " . $conn->error . "</div>";
        }
    }
}

// Get cert details for display
$cert_sql = "SELECT event_name FROM certificates WHERE id = $cert_id AND user_id = " .
$_SESSION['user_id'];
$cert_result = $conn->query($cert_sql);
$cert_name = ($cert_result->num_rows > 0) ? $cert_result->fetch_assoc()['event_name'] :
"Unknown Certificate";

?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Request Correction</title>
    <link rel="stylesheet" href="../style.css">
</head>
<body>

<div class="navbar user">
    <div class="logo">User Dashboard</div>
    <div class="menu">
        <a href="dashboard.php">Dashboard</a>
        <a href="../logout.php" class="button logout-btn">Logout</a>
    </div>
</div>
```

Project Source Code

```
<div class="container">
  <h2>Request Correction</h2>
  <p>Certificate: <strong><?php echo htmlspecialchars($cert_name); ?></strong></p>
  <?php echo $msg; ?>
  <form method="POST" action="">
    <input type="hidden" name="cert_id" value="<?php echo $cert_id; ?>">
    <div class="form-group">
      <label>Describe the mistake</label>
      <textarea name="message" rows="5" required></textarea>
    </div>
    <button type="submit">Submit Request</button>
    <a href="dashboard.php" class="button" style="background-color: #95a5a6;
margin-left: 10px;">Back</a>
  </form>
</div>

</body>
</html>
```