

ASTM D 95 - ISO 3733 - IP 74

SCOPE

Standard Test Method for Water in Petroleum Products and Bituminous Materials by Distillation.

WATER IN PETROLEUM PRODUCTS & BITUMOUS MATERIALS BY DISTILLATION -REF 21454-

MAIN CHARACTERISTICS

Complete assembly with:

- Electric mantle and energy regulator
- 500 ml capacity borosilicate glass flask short necked with standard ground joint Liebig condenser, straight tube type with
- standard ground joint and 400 mm jacket
- 5 ml Dean stark graduation 1/10

SCOPE OF DELIVERY

The apparatus is delivered ready for use with:

REF 12852	Round bottom flask CN 24/29 (500 ml)
REF 13142	Liebig condenser CN 24/29 (400 mm)
REF 14571	Heating mantle 500 ml (230 V / 225 W)
REF 16252	Clamp
REF 16324	Stand with rod 12 x 800 mm
REF 16329	Universal boss for assembly
REF 21003	Pulse regulator (2200 W)
REF 21455	5ml: 1/10 Dean Stark with round bottom
REF 11048	Lift holder
REF 14094	Silicon tube Ø10x14mm (/1m)

OPTIONAL ACCESSORIES

REF 21456	25 ml: 1/5 Dean Stark with conical bottom
REF 19357	Dean Stark trap (10 ml : 1/10)
RFF 19413	2ml · 1/20 Dean Stark with round bottom



CONTACT : sales@normalab.com

NORMALAB FRANCE SAS

ZA Caux Multipôles 1 - F-76 190 Valliquerville

Tel.: +33 232 700 100 Fax: +33 232 704 732

DISTRIBUTED BY

www.normalab.com Ref 21454 Leaflet 15