

ID : WIDGET2024050


Name : Swapnil Jadhav



Task

Use BDD framework to test the following features and scenario Feature: Login Action

GitHub Link : <https://github.com/Creative2709/BDD-login>

Screenshots :





```
<terminated> TestRunner (1) [JUnit] C:\Users\jadha\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64.17.0.10.v20240120-1143\jre\bin\javaw.exe (31-Mar-2024, 6:43:02 pm - 6:43:56 pm)

Scenario Outline: Login with valid and Invalid Credentials # src/test/resources/Features/login.feature:31
Opening Browser...
  Given User is on Home Page # stepDefinitions.login_steps.user_is_on_home_page()
  When User navigate to Login Page # stepDefinitions.login_steps.user_navigate_to_login_page()
  Then User enters "student" and "Password123" # stepDefinitions.login_steps.user_enters_and(java.lang.String,java.lang.String)
  And Keeping case as Valid # stepDefinitions.login_steps.keeping_case_as_valid()
  Then User should get logged in # stepDefinitions.login_steps.user_should_get_logged_in()
  And Message displayed Login Successfully # stepDefinitions.login_steps.message_displayed_login_successfully()
  Then User enters "student" and "Password123" # stepDefinitions.login_steps.user_enters_and(java.lang.String,java.lang.String)
  org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'scrollIntoView')
  (Session info: chrome=123.0.6312.59)
Build info: version: '4.19.1', revision: 'abe0ee07dc'
System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [09febd2f5c2b50d5abf85184fd01e57c, executeScript (script=document.getElementById('username').scrollIntoView();, args=[])]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 122.0.6261.111 (9d4c1072da6
Session ID: 09febd2f5c2b50d5abf85184fd01e57c
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)
    at stepDefinitions.login_steps.user_enters_and(login_steps.java:45)
    at *.User enters "student" and "Password123"(file:///C:/Users/jadha/eclipse-workspace/BDD-login/src/test/resources/Features/login.feature:19)

eclipse-workspace - BDD-login/src/test/java/stepDefinitions/TestRunner.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer JUnit X
Login Action - Login with valid and Invalid Credentials #2
Runs: 2/2 Errors: 1 Failures: 0
stepDefinitions.TestRunner (Runner: JUnit 4)
  Login Action
    Login with valid and Invalid Credentials #1 [26.35s]
    Login with valid and Invalid Credentials #2
login.feature login_steps.java TestRunner.java
1 package stepDefinitions;
2 import io.cucumber.junit.Cucumber;
3
4 @RunWith(Cucumber.class)
5 @CucumberOptions(
6     features = "src/test/resources/Features",
7     glue = {"stepDefinitions"}
8 )
9
10
11 public class TestRunner {
12
13 }
14
TestRunner [JUnit] C:\Users\jadha\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64.17.0.10
Opening Browser...
Mar 31, 2024 6:00:33 PM org.openqa.selenium.devtools.CdpVersionFinder.findNearestM
WARNING: Unable to find an exact match for CDP version 123, returning the closest
Opening Browser...
Mar 31, 2024 6:00:47 PM org.openqa.selenium.devtools.CdpVersionFinder.findNearestM
WARNING: Unable to find an exact match for CDP version 123, returning the closest
```