

Input sequence: 7 − (−5) =				Predicted output: 12.06					
Attention	7	-	-5	7 → -	- → 7	7 → -5	-5 → 7	- → -5	-5 → -
	+0.08	+0.04	+0.00	+0.96	+0.92	+0.00	+0.00	+0.86	+0.00
Shapley values	7	-	-5						
	+7.25	+2.48	+2.35						
Meta-Shapley values	7	-	-5	7 → -	- → 7	7 → -5	-5 → 7	- → -5	-5 → -
	+7.47	-0.01	-0.32	-0.20	-0.20	-0.02	-0.02	+2.69	+2.69
Serial Shapley values	7	-	-5	7 , -	- , 7	7 , -5	-5 , 7	- , -5	-5 , -
	+7.35	+1.23	+1.01	-0.10	-0.10	-0.01	-0.01	+1.35	+1.35
Bivariate Shapley values	7	-	-5	7 → -	- → 7	7 → -5	-5 → 7	- → -5	-5 → -
	+8.84	+6.01	+5.91	+3.53	+1.60	+3.58	+1.62	+2.56	+2.52
Asymmetric Shapley Inter.				7 , -	- , 7	7 , -5	-5 , 7	- , -5	-5 , -
				-0.18	-0.18	-0.00	-0.00	+2.72	+2.72
Shapley interactions	7	-	-5	7 , -		7 , -5		- , -5	
	+7.47	-0.01	-0.32	-0.40		-0.05		+5.39	
Integrated gradients	7	-	-5						
	+8.15	+1.62	+2.30						
Meta-Integrated gradients	7	-	-5	7 → -	- → 7	7 → -5	-5 → 7	- → -5	-5 → -
	+7.48	-0.01	-0.32	-1.08	+0.56	+0.11	+0.11	+2.52	+2.71
Integrated Hessians	7	-	-5	7 , -	- , 7	7 , -5	-5 , 7	- , -5	-5 , -
	+7.36	-0.43	+0.63	+0.59	+0.59	+0.21	+0.21	+1.46	+1.46
AttnLRP (≈ input×gradient)	7	-	-5						
	+2.45	-5.69	+8.85						
Meta-AttnLRP	7	-	-5	7 → -	- → 7	7 → -5	-5 → 7	- → -5	-5 → -
	+4.20	-2.23	+3.46	-1.50	-1.59	-0.05	-0.16	+5.43	-1.96