

SOFT7008

Lab05 –Form Processing and PHP Templates



PHP Programming with MySQL


AUTHORS: Gosselin/Kokoska/Easterbrooks -

©2011

ISBN10: 0-538-46814-9 ISBN13: 978-0-538-46814-5

How to run your PHP programs:

1. Double click the XAMPP icon on your desktop. The XAMPP control panel will be displayed:



- 2. Click the **Start** button beside the **Apache** module. The status should display Running.
- 3. Edit and save your PHP code file.
- 4. Copy your PHP code file to the \XAMPP\htdocs folder.
- 5. Launch your browser.
- 6. Enter localhost/myCode.phpError! Bookmark not defined. into the address bar to execute the program.

PHP All – in – One Form

1. Open Notepad++ and create an HTML file with embedded PHP as follows:

```
<!DOCTYPE html PUBLIC>
 !<head>
 <title>Number Form</title>
 <meta charset="utf-8" />
 </head>
 l<body>
 <?php
 $DisplayForm = TRUE;// flag
 $Number = "";
 if (isset($ POST['Submit']))
 1{
      $Number = $ POST['Number'];
      if (is numeric($Number))
      {
           // data valid
           $DisplayForm = FALSE;
      } else
           // data entered is not a number
           echo "You need to enter a numeric
                value.\n";
           $DisplayForm = TRUE;
Q
```

```
if ($DisplayForm)
] [
?>
<form name="NumberForm" action="NumberForm.php" method="post">
   <!-- make Number field sticky -->
    Enter a number: <input type="text" name="Number"</p>
                          value="<?php echo $Number; ?>" />
    <input type="reset" value="Clear Form" />&nbsp;
                   <input type="submit" name="Submit" value="Send Form" />
    </form>
!<?php</pre>
else // data is valid - no need to redisplay the form
} [
     echo "Thank you for entering a number.\n";
     echo "Your number, $Number, squared is " .
         ($Number*$Number) . ".\n ";
     echo "<a href=\"NumberForm.php\">Try
        again?</a>\n";
?>
</body>
</html>
```

2. Save the file as NumberForm.php and copy the file into your XAMP\htdocs folder.

To run your program:

- 3. Open your default browser.
- 4. Enter http://localhost/NumberForm. php into the address bar and hit Enter.

Display Dynamic Content Based on URL Token

1. Open Notepad++ and create an HTML file with embedded PHP as follows:

```
<!DOCTYPE html PUBLIC>
∃<head>
<title>Appending Hyperlink Data</title>
 <meta charset="utf-8" />
</head>
∃<body>
⇒<?php
 $id = 0;
if (isset ($ GET['id']))
‡{
     $id = $ GET['id'];
     // display a different message based on hyperlink selected
     switch ($id)
         case 1: echo 'Cow selected. <hr>'; break;
         case 2: echo 'Dog selected. <hr> '; break;
         case 3: echo 'Goat selected. <hr>'; break;
echo '<h1>Select a buddy</h1>';
echo ' <a href="HyperLink.php?id=1">Cow</a>|';
echo '<a href="HyperLink.php?id=2">Dog</a>|';
echo '<a href="HyperLink.php?id=3">Goat</a>|';
?>
</body>
</html>
```

2. Save the file as HyperLink.php.. Copy the file into your XAMP\htdocs folder.

To run your program:


- 3. Open your default browser.
- 4. Enter http://localhost/HyperLink.php into the address bar and hit Enter.

The browser display should be as follows:



Click the Dog hyperlink and verify that the browser display reflects the selection.

Also – verify that the URL query string is as follows:



Include Files

1. Open Notepad++ and create an HTML file with embedded PHP as follows:

```
<!DOCTYPE html>
!<head>
<title>Web Template</title>
<meta charset="utf-8" />
</head>
l<body>
<?php include ("inc header.html"); ?>
    <div style = "width:20%; text-align:center; float:left">
<?php include ("inc buttonnav.html"); ?>
</div>
<!-- Start of Dynamic Content section -->
l<?php
if (isset($_GET['content']))
1 {
     switch ($ GET['content'])
          case 'About Me':
               include('inc about.html');
               break;
          case 'Contact Me':
               include('inc contact.html');
               break;
          case 'Home': // A value of 'Home' means to
                       // display the default page
          default:
                include('inc home.html');
               break;
else // No button has been selected
    include('inc home.html');
?>
<!-- End of Dynamic Content section -->
<?php include ("inc footer.html.php"); ?>
</body>
</html>
```

2. Create a folder called SimpleIncludes. Save the file as index.php into this folder.

3. Create a new file in Notepad++ and enter the following code:

```
<h2>About Me</h2>
This is the page that tells about me and my web site.
```

- 4. Save the file as inc about.html into your SimpleIncludes folder.
- 5. Create a new file in Notepad++ and enter the following code:

```
<h2>Contact Me</h2>
This is the page where people can use a Web form to send
me an e-mail.
```

- 6. Save the file as inc contact.html into your SimpleIncludes folder.
- 7. Create a new file in Notepad++ and enter the following code:

```
<h2>Home Page</h2>
This is the default home page that displays whenever a
new visitor comes to the site
```

- 8. Save the file as inc home.html into your SimpleIncludes folder.
- 9. Create a new file in Notepad++ and enter the following code:

```
Today's Date: <?php echo date('r'); ?>
```

- 10. Save the file as inc footer.html.php into your SimpleIncludes folder
- 11. Create a new file in Notepad++ and enter the following code:

```
<form action="index.php" method="get">
<input type="submit" name="content" value="Home" /><br />
<input type="submit" name="content" value="About Me"
/><br />
<input type="submit" name="content" value="Contact Me"
/><br />
<input type="submit" name="content" value="Contact Me"
/><br />
</form>
```

- 8. Save the file as inc buttonnav.html to your SimpleIncludes folder.
- 9. Your SimpleIncludes folder should contain the following files:

Name	Date modified
inc_about.html	01/09/2009 04:30
inc_buttonnav.html	25/02/2014 10:24
inc_contact.html	01/09/2009 04:30
inc_header.html	01/09/2009 04:30
inc_home.html	01/09/2009 04:30
inc_footer.html.php	24/02/2014 17:18
index.php	25/02/2014 10:03

- 10. Create a SimpleIncludes folder off the XAMP\htdocs folder.
- 11. Copy the files to the **XAMP\htdocs\SimpleIncludes** folder.

To run your program:

- 12. Open your default browser.
- 13. Enter http://localhost/simpleincludes into the address bar and hit Enter.



Verify that the Home, About Me and Contact Me buttons are working correctly.