
A quiet orbit on the Windows surface.

Copilot Reel opens one neutral plate at the pointer. Apps sit on a single orbit; the center stays silent until a name helps.



Light · Main, idle



Dark · Main, Claude selected

1 Windows-neutral surface

The system flyout surface, #F9F9F9 or #2C2C2C: one soft shadow, a 1 DIP rim, frosted when transparency is on.

2 One orbit

Every item sits on the 112 DIP orbit, slot 1 at 12 o'clock, clockwise, an equal step apart. Slots never reflow; icons never rotate.

3 A quiet center

Idle Main shows a faint ring and submenus a back chevron. Hover shows exactly one name, never a title, caption or hint.

4 Selection is a seat

A 48 DIP seat tinted with the system accent replaces the tile fill. Command glyphs and EN/ZH stay foreground.

5 Marks stay true


Vendor marks keep their own color and proportion. Plated marks fill the 40 DIP tile; open marks sit on a 28 DIP keyline.

6 Brief motion


83 to 250 ms, no overshoot, scaled from the plate center. Reduced motion and high contrast settle at once.

Every dimension, in DIP.

One canvas, one plate, one orbit. The selection seat is concentric with the tile; the center holds one line of text.



Slot 1 at 12 o'clock, clockwise; step 360/n (45° for n = 8).
Shadow: blur 16, offset y 8, inside the 24 DIP canvas margin.
Rim: 1 DIP, inset 0.5 (high contrast 2).
Pixel grid: centers, tiles and seats snap to device pixels; hairlines ≥ 1 px.




Idle Main
ring 1, ringIdle

Idle submenu
back chevron em 14

Edge-gated
ring 1.5 + dot r 2


Disabled
tile and art at 0.36

Tile and seat




High contrast: seat stroke 2.5. Vector fallback glyph stroke 1.75 (2).

Artwork




Open marks sit on the keyline; plated marks fill the tile.

Preferred badge



Accent disc, plate-colored cutout ring, path check.

Language tile



EN / ZH monogram; chevrons and A / D switch in place.

Roles, not colors.

Neutral surfaces from tokens, the accent from the Windows ramp, high contrast from live system colors.

	Light	Dark	High contrast COLOR_* system colors
plate	#F9F9F9	#2C2C2C	WINDOW
foreground	#1B1B1B	#FFFFFF	WINDOWTEXT
secondary	#5D5D5D	#CFCFCF	WINDOWTEXT
tile	#FFFFFF · frosted 70%	#FFFFFF · 10%	WINDOW, WINDOWTEXT 1 stroke
tileStroke	#000000 · 8%	#FFFFFF · 8%	WINDOWTEXT
plateStroke	#000000 · 8%	#FFFFFF · 10%	WINDOWTEXT, 2 DIP
ringIdle	#000000 · 10%	#FFFFFF · 10%	WINDOWTEXT
accent	AccentDark1 · #005FB8	AccentLight2 · #60CDFF	HIGHLIGHT
accentText	AccentDark2 · #003E92	AccentLight3 · #99EBFF	HIGHLIGHT
textOnAccent	#FFFFFF	#000000	HIGHLIGHTTEXT
selection	Mix(plate, accent, 0.1)	Mix(plate, accent, 0.18)	HIGHLIGHT, HIGHLIGHTTEXT 2.5 stroke
selectionText	foreground	foreground	HIGHLIGHTTEXT
outline	#CCCCCC · editor only	#4A4A4A · editor only	WINDOWTEXT
shadowOpacity	14%	26%	none

Accent is a role

Fill and text accents come from UISettings ramp steps, never the raw Accent. Fallbacks apply only when the ramp is unavailable.

The seat carries selection


Command glyphs and EN/ZH stay foreground on the seat. High contrast paints the seat COLOR_HIGHLIGHT and selected glyphs selectionText.

One mix rule

Mix(a, b, t) = a + (b - a) * t per channel, opaque. Translucent roles composite over the plate; frosted tiles use frostedTileAlpha.

System accent ramp

Sample: Windows default blue (capture machine)



Fallbacks when the ramp is unavailable: #005FB8 / #003E92 (light), #60CDFF / #99EBFF (dark). Scenes here use them.

Contrast (WCAG 2.2)

	Light	Dark	Need
Label, glyphs on plate	**16.36**	**13.97**	4.5:1
Glyphs on tile	**17.22**	**10.19**	4.5:1
Glyphs on seat	**14.09**	**9.43**	4.5:1
Chevrons on plate	**6.25**	**8.96**	3:1
Seat stroke on plate	**5.99**	**7.76**	3:1
Badge check on disc	**6.31**	**11.67**	3:1

High Contrast Black sample: text 21.0:1, selection 14.4:1.

In use




Light Dark High contrast

One name, centered on its cap height.

Segoe UI Variable Text 600 for Latin, Microsoft YaHei UI for Chinese. One line, never a second.

Segoe UI Variable Text · 600 · 14 DIP



Microsoft YaHei UI · Bold, the face DirectWrite picks for 600 · 14 DIP



Box 132 × 20 on the plate center. Baseline = center + capHeight × size / 2, capHeight 0.70 em from the Latin face, also for Chinese.



The language is the icon

EN / ZH names the interface language. Built-in labels are localized; user app names never are.

Truncation

One line in 132 DIP; character ellipsis trimming. Widths measured with the product face.

Visual Studio Code	119.7 DIP	fits
Windows Settings	114.1 DIP	fits
IntelliJ IDEA Ultim...	134.2 DIP	trimmed with ...
DeepSeek Harness...	158.6 DIP	trimmed with ...

Type tokens


Label	14 DIP / 600, 1 line, 132 × 20, foreground
Monogram	EN / ZH, 16 DIP / 600, cap-height centered, foreground
Latin	Segoe UI Variable Text (WWS); fallback Segoe UI
Chinese	Microsoft YaHei UI, zh-CN; then the system fallback
CJK ranges	U+2E80-2FDF, U+3000-303F, U+3400-4DBF U+4E00-9FFF, U+F900-FAFF, U+FF00-FFEF
Locales	en-US default, zh-CN; the formats rebuild on switch
Never drawn	page titles, captions, helper copy A/D hints, Move here, a second label line

Four kinds of mark, one tile.

Command glyphs from Segoe Fluent Icons, open marks on a keyline, plated marks at full bleed, and one generic window.

Command

em 24 · ink 19.5



Segoe Fluent Icons at em 24, centered on the glyph's ink bounds, in foreground. Vector fallback strokes 1.75 DIP (high contrast 2), round caps and joins.

Glyph

keyline 28 × 0.96 = 26.9



An open mark on the neutral tile. Its long ink side fits the 28 DIP keyline × opticalScale. Also Notepad, Settings and custom apps via their Shell icons.

Plated


cover 40, clip r 10, hairline on top



A mark with its own filled plate: cropped to the plate, scaled to cover 40 DIP, clipped to r 10, hairline on top. No neutral tile beneath.

Generic

U+E737 at em 24



No artwork at all: window with a title bar (E737) on the neutral tile. Initials are never generated.

Command glyph map

Segoe Fluent Icons code points from tokens iconography.commandGlyphs; fallback Segoe MDL2 Assets, then vector paths. The badge check is always a path.




Add
U+E710
Add · em 24



Manage
U+F0E2
GridView · em 24



Preferred
U+E930
Completed · em 24



Sun
U+E706
Brightness · em 24



Moon
U+E708
QuietHours · em 24



Edit
U+E70F
Edit · em 24



Remove
U+E74D
Delete · em 24



Previous
U+E76B
ChevronLeft · em 24



Next
U+E76C
ChevronRight · em 24



ChevronLeftSmall
U+E76B
ChevronLeft · em 14



ChevronRightSmall
U+E76C
ChevronRight · em 14

BackChevron
U+E76B
ChevronLeft · em 14




GenericApp
U+E737
window · em 24

Vendor marks, never redrawn.


Each mark keeps its own color and proportion. The per-brand treatment is tokens iconography.brands, shown here at 1.25×.



JetBrains Air
`air`
plated · cover, clip r10




Antigravity
`antigravity`
glyph · 28.0 DIP (1)
`content 0.124, 0.156, 0.872, 0.844`




ChatGPT
`chatgpt-light / -dark`
glyph · 26.9 DIP (0.96)
`content 0.004, 0.008, 0.996, 0.992`




Claude
`claude`
plated · cover, clip r10




CLion
`clion`
glyph · 24.1 DIP (0.86)




DeepSeek Harness
`dsh`
plated · cover, clip r10
`content 0.031, 0.031, 0.969, 0.969`




Gemini
`gemini`
glyph · 29.1 DIP (1.04)
`content 0.041, 0.041, 0.959, 0.959`



GoLand
`goland`
glyph · 24.1 DIP (0.86)



IntelliJ IDEA
`intellij-idea`
glyph · 24.1 DIP (0.86)




JetBrains
`jetbrains`
glyph · 24.1 DIP (0.86)




Junie
`junie`
glyph · 25.8 DIP (0.92)




Perplexity
`perplexity`
plated · cover, clip r10




PhpStorm
`phpstorm`
glyph · 24.1 DIP (0.86)




PyCharm
`pycharm`
glyph · 24.1 DIP (0.86)




Rider
`rider`
glyph · 24.1 DIP (0.86)



RubyMine
`rubymine`
glyph · 24.1 DIP (0.86)



RustRover
`rustrover`
glyph · 24.1 DIP (0.86)



Toolbox
`toolbox`
glyph · 25.2 DIP (0.9)
`content 0.072, 0, 0.928, 1`



Visual Studio Code
`vscode`
glyph · 25.2 DIP (0.9)
`content 0, 0.002, 1, 0.998`




WebStorm
`webstorm`
glyph · 24.1 DIP (0.86)



ZCode
`zcode`
plated · cover, clip r10



Notepad
`notepad` · `Shell icon`
glyph · 28.0 DIP (1) · measured
`content 0.125, 0, 0.875, 1`



Windows Settings
`settings` · `Shell icon`
glyph · 28.0 DIP (1) · measured
`content 0, 0.027, 1, 0.969`




Custom app, no icon
`GenericApp glyph`
U+E737, em 24

Sources: the assets/brands PNGs the runtime decodes (SVG originals alongside); owner, source and hash in assets/brands/provenance.json. Content rects are normalized to the source canvas; "measured" = runtime alpha analysis.

Seven states in every appearance.

Each cell is the slice from the plate center to the item at 3 o'clock. Selection is only ever the seat.



VECTOR Vector scenes from tokens.json; light and dark match the native captures (page 15). Frosted rows are tonal illustrations over a sample wallpaper. High contrast shows the High Contrast Black sample; the runtime paints with live GetSysColor values.

One orbit for one to nine items.

Slot 1 at 12 o'clock, then clockwise in equal steps of 360/n. At capacity the Add slot stays, disabled.




n = 1 · 360°
Preferred agent, one app



n = 2 · 180°
App actions, last app



n = 3 · 120°
App actions



n = 4 · 90°
Main, three apps



n = 5 · 72°
The + hub



n = 6 · 60°
Main, five apps



n = 7 · 51.4°
Presets, first page



n = 8 · 45°
Presets, middle page




n = 9 · 40°
Main at capacity, 8 apps



n = 5 · 72°
Hub at 8 apps: Add disabled

Main, then one +.

Main holds the apps and a single +. Everything else hangs off the + hub; the center or Esc returns one level.




Deeper
DrillIn: the tapped tile travels to the center (200 ms) and becomes the back chevron.

Back
Center or Esc: DrillOut, one level; Main closes. Saving a choice also returns.

Paging
Previous / Next swap pages in place (120 ms).

Centered on the pointer; clamped only at edges.

The pointer is the plate center whenever the canvas fits. At an edge the reel moves inward just enough, and waits.




Interior

Pointer = plate center. Choose a direction at once.

Zero offset

Interior: pointer offset 0; no line from the pointer, no cursor warp.




Screen edge

The 384 DIP footprint moves inward to the work area. Selection waits.

Minimal clamp

Clamp the whole canvas, shadow margin included (24 DIP); keep order, angles, radius and icon size.




Corner

Both axes clamp minimally; the circle, order and angles stay.

Gate

Only when clamping leaves the pointer outside r 44: selection waits for center entry; early release cancels.



Armed


Entering the center zone arms selection; the ring settles in 167 ms.


Small screens


If the canvas cannot fit, scale it uniformly; text and targets shrink with it.


Brief, smooth, from the plate center.


Full tier on Windows.UI.Composition: no app frame timers, no overshoot, every property from its current value.











Never

- Staggered item entrances
- Hover magnification or neighbor falloff
- Overshoot or elastic curves
- A rim direction notch
- Pointer-anchored transform origins
- Perimeter stroke animation


Origin: plate center (root CenterPoint); never the pointer.

Reduced motion and high contrast: the same code path with every duration 1 ms; completion still fires. Language EN ↔ ZH: only the monogram crossfades (83 ms).

The same motion, captured.

Frames from Windows Graphics Capture of the native 0.3.4 window (dark, solid). Times are capture timestamps.

Open
open requested at 300 ms



Close
cancel at 51 ms



Seat
appears on Claude, then travels to Gemini




Drill in
+ clicked at 300 ms: handoff to the back chevron



Drill out
Esc at 850 ms




Commit
click at 300 ms



NATIVE output/runtime/v0.3.4/motion-open-select.png, motion-drill.png, motion-commit.png (frame strips at about 48 fps).

Solid by default, frosted when Windows allows.

Transparency off: the opaque neutral plate. Transparency on: luminosity acrylic over the host backdrop, with the same tiles.



Light solid

VECTOR


plate #F9F9F9, opaque
shadow 14%, blur 16, y +8
rim #000000 · 8%



Dark solid

VECTOR

plate #2C2C2C, opaque
shadow 26%, blur 16, y +8
rim #FFFFFF · 10%



Light frosted

TONAL

tint #FCFCFC, tint opacity 0
luminosity opacity 0.85
tile white at 0.7; fallback #F9F9F9



Dark frosted

TONAL

tint #2C2C2C, tint opacity 0.15
luminosity opacity 0.96
tile white at 0.1; fallback #2C2C2C

Acrylic recipe

Host backdrop	→	Luminosity blend	→	Color blend	→	Noise	→	Plate
blurred by the shell; no extra blur		tint RGB at luminosity opacity		tint at tint opacity		256 px tile, 2%, wrap, made once		transparent fill; rim and tiles on top

Solid whenever

- CompositionCapabilities reports effects unsupported or slow
- The backdrop cannot be created
- High contrast is on
- Energy saver is on

Rebuilt only when dark, transparency, high contrast or capabilities change.


Layers, back to front

shadow · backdrop · plate + rim · ring / gate · seat · page items · handoff · labels ×2

Less, and only what the product draws.


Six mistakes the native renderer cannot make, and the design it draws instead.

One plate




No plate inside the plate: no inner disc, panel or second rim.

The name owns the center




The ring hides while a name shows; never draw a label over the ring.

No captions, no helper copy




No titles, tile captions, hints or second lines. One name, on hover.

No sweep, no connector




No accent perimeter stroke and no line from the pointer. The plate simply appears.

Marks stay true



Never recolor, outline or redraw a vendor mark (shown here schematically).


Glyphs stay foreground




The seat carries selection; no accent glyphs, no dot under the selection.

Verified in the native 0.3.4 build.


Windows Graphics Capture of the app window with the visual override; alpha background; 2x unless noted.



Light, Main



Light, Claude selected



Light, hub, Language



Dark, Claude selected




Dark, hub, Appearance



Dark, edge-gated



Contrast path*, Claude



Contrast path*, Appearance

NATIVE

* Contrast path: the high-contrast code path with this machine's current system colors (not a High Contrast theme).

One tile at 100, 150 and 200 %

Dark, hub, Appearance selected; each crop enlarged to the same size, nearest neighbour.



100 % · 96 DPI



150 % · 144 DPI



200 % · 192 DPI

Evidence folder: output/runtime/v0.3.4 (per-variant states, contact sheets, motion strips).
Validation log: docs/validation.md.

Runtime-verified

– Light and dark solid plates: tiles, seat, badge, chevrons, name, ring and gate

– The high-contrast code path (seat in COLOR_HIGHLIGHT) with current system colors

– Rendering at 100, 150 and 200 % through the DPI override

– Motion strips: open, cancel, seat appear and travel, drill in with handoff, drill out, commit

– EN / ZH: idle Main pixel-identical; the hub differs only inside the monogram

– Placement: zero interior offset, minimal clamp at eight edge and corner positions, no cursor warp

Not verified yet

– The live frosted backdrop over real content (window capture omits the DWM host backdrop)

– Real High Contrast themes (Aquatic, Desert, Dusk, Night sky)

– Acrylic blend-mode mapping: tokens blendModeVerified is "pending"

– Physical Copilot-key timing (tap versus hold) on hardware

– Reduced motion, 144 / 240 Hz smoothness and GPU cost