
Less copy. A clearer point of origin.

Copilot Reel visual identity v0.8 - one + entry, stateful icons, and restrained native motion.



MAIN REEL

Agents and one +. The center stays quiet.



UNIFIED + HUB

Add, manage, language, appearance, preference.

One + combines adding and settings.

Keep the center stable through navigation. A center chevron or Esc returns one radial level.



Main **Unified hub** **Preferred agent**

PRIMARY

One structural command

Main contains configured agents and a single +. The separate Settings gear is removed.

SECONDARY

Five clear icon actions

EN/ZH, appearance, preferred agent, app management, and adding. Text entry still uses a focused native editor.

The language is the icon.

EN and ZH identify the active interface language. Small chevrons and A / D switch it in place.



EN

English

ZH

Simplified Chinese


Hover the tile or either arrow to see Language at the center. EN/ZH still conveys the active value. The label is one line, with no explanation beneath it; the idle hub returns to its back chevron.

40 x 40 DIP arrow hit regions; small unfilled chevrons.


The icon changes immediately after a successful save. User-defined app names stay untouched.

Adding and editing stay in the same family.

The hub branches into existing apps or presets. A native editor appears only for text and launch details.



Manage apps



Agent presets



App actions

HOVER RECOGNITION

Name the item under the pointer

A selected application or secondary command shows one concise functional name at the center. Idle Main stays empty; submenu idle state keeps only the back chevron.

MISSING INSTALLATION

Keep the intended identity

Missing presets use the focused editor. A missing short-tap target uses a native executable/shortcut picker. Neither flow substitutes a website.

Official marks, in a common visual container.

Preserve vendor silhouettes, proportions, and recognizable color. The launcher supplies a consistent frame.



ChatGPT / Codex

Verified vendor artwork



Claude Desktop

Verified vendor artwork



Claude for Science

Verified vendor artwork




Antigravity

Verified vendor artwork



ZCode

Verified vendor artwork




DeepSeek Harness

Verified vendor artwork



VS Code

Verified vendor artwork




Gemini

Verified vendor artwork



Perplexity

Verified vendor artwork




JetBrains

Verified vendor artwork



Junie

Verified vendor artwork



IntelliJ IDEA

Verified vendor artwork

Gemini and Perplexity retain their official artwork. Windows Settings and Notepad use recognized native system glyphs. Claude for Science shares Claude artwork; resolve actual launch targets before saving.

A name appears only when it helps.

Keep idle centers quiet. Hovering a command reveals its function without a fixed caption or second line.



Appearance



Manage apps



Preferred agent

IDENTITY

One functional name

Use the same name for pointer and keyboard selection. Hovering the language arrows selects Language. Idle submenus return to their small back chevron.


TYPE

14 DIP; one line

Keep the selected name centered within 132 DIP. Ellipsis handles unusually long app names. Do not add an instruction or subtitle.


Inside the work area, the pointer is the center.

Only an actual boundary conflict moves the circle. There is no nominal offset and no opening connector.




Interior

Zero offset. Choose a direction immediately.



Screen edge

Move only as far inward as the footprint requires.



Screen corner


Move only as far inward as the footprint requires.

Never warp the pointer. If edge clamping leaves it outside the final center zone, keep selection unarmed until center entry. The interior path needs no extra center-entry movement.

MOTION / QUIET ARRIVAL


A short dissolve and a small change in scale.

The circle appears at its final location. No extending line, perimeter sweep, or rotating artwork competes with selection.




Initial

0 ms




Arriving

80 ms



Ready

160 ms



Closing

60 ms

OPEN / 160 MS

Opacity 0 to 1; scale 0.96 to 1

Ease into the final state without overshoot. The pointer remains at the center in the normal interior case.


CLOSE / 120 MS

Reverse, then detach

Reverse opacity and scale. Interruption starts from the current presentation value; reduced motion is immediate.

Let Windows determine the base surface.

Neutral light/dark bases, with a subtle boundary. Frost is optional and never replaces readable content.



Light / Solid | **Light / Frosted** | **Dark / Solid** | **Dark / Frosted**

Transparency off: opaque neutral base with no backdrop sampling. Transparency on: a frosted backdrop when available. High contrast, effects capability, and energy saver take precedence. Reduced motion skips the transition.

Frost previews illustrate tone only. Actual host-backdrop blur requires native runtime validation.

Stable sizes, anchored to the actual pointer.

Native vector geometry is shared by layout, drawing, and hit testing at the active monitor DPI.

Reel diameter / icon orbit	**336 / 112 DIP**
Center cancellation zone	**88 DIP diameter**
Tile / artwork / corner	**40 / 28 / 10 DIP**
Selection seat	**60 x 64 DIP**
Language arrow hit / glyph	**40 x 40 / 5 x 10 DIP**
Hover name / icon monogram	**14 / 16 DIP**
Interior pointer-to-center offset	**0 DIP**
Entry / exit timeline	**160 / 120 ms**

COPILOT SHORT TAP

Open the local application

Use the preferred installed app. If unavailable, a native picker requests an executable or shortcut. Never open a website as the tap fallback.

COPILOT HOLD

Open at the pointer

Windows supplies the approximately 300 ms threshold. Move outward to select; release opens once or enters the hub.

HUB CONTEXT

Stay open to adjust

The + hub accepts deliberate clicks and A / D language changes. Center or Esc returns one level.

The visual layer remains event driven.

Cached content and compositor timelines follow presentation cadence; measured behavior remains the acceptance test.

INPUT

Selection owns the action

Each release resolves at most once. Animation cannot change the selected target or repeat a launch. Pointer traffic is reduced to meaningful state changes.

DRAWING

Static content stays cached

Redraw for selection, menu, theme, DPI, or device changes. Decode official assets before the gesture. No permanent 60 Hz application loop.

ACCESS

Respect Windows preferences

High contrast uses system surfaces and clear target outlines. Disabled animations skip motion. Semantic action names remain in the model even when visual captions are absent.

DISPLAY

Validate the presentation

Test 60 / 144 / 240 Hz, mixed DPI, multiple monitors, energy saver, hidden wakeups, and rapid interruption. Renderer API success is not a performance result.

Small work areas and accessibility

If the complete canvas cannot fit, scale the whole circle uniformly. Very small work areas reduce text and targets; accessibility and icon discoverability require explicit validation.

Quiet structure, explicit implementation rules.

The v0.8 specification refines the native radial product. Focused native editors remain for text entry only.

IMPLEMENTATION CONTRACT

One + hub; hover names

Main: configured agents and +. Hub: language, appearance, preferred agent, management, and adding. Idle centers stay quiet; a hovered action gets one concise functional name.

LOCAL LAUNCH CONTRACT

Resolve the application first

Defaults discover installed apps. A missing short-tap target opens the native application picker. Only known base-URL defaults migrate, with a backup; custom URLs remain deliberate wheel actions.

Windows motion

learn.microsoft.com/en-us/windows/apps/design/signature-experiences/motion

Composition animation

learn.microsoft.com/en-us/windows/uwp/composition/composition-animation

Windows materials

learn.microsoft.com/en-us/windows/apps/design/signature-experiences/materials

Radial precedent: Kando

kando.menu/config-files/#warpmouse

Radial precedent: Blender

docs.blender.org/manual/en/latest/editors/preferences/interface.html

Asset provenance

assets/brands/provenance.json

Specification date: 2026-10-20. Runtime evidence and remaining limits belong in docs/validation.md.