

Supplementary Material S3

Documentary Sources of the Ethical and Clinical Quality Appraisal of the Datasets

Facial Emotion Recognition through Machine Learning in Children with Autism Spectrum Disorder:

A systematic scoping review of open-access computational evidence and of the gaps toward therapeutic monitoring

1. Purpose and procedure

This document supports the table of ethical and clinical quality appraisal of the datasets in the manuscript (Section 2.6), providing the primary documentary source of each judgement. The instrument of eight domains is operationally defined in Section 2.6 of the manuscript.

Two reviewers independently appraised the primary documentation of each dataset (descriptive publication, official repository page, published licence terms or cohort article). Discrepancies were resolved through structured discussion. Where the available documentation derived from works that reused the dataset and not from a primary publication, the domain was judged P (partial) and this is stated accordingly.

Scale: Y = satisfied with verifiable primary documentation; P = partial or documented only by third parties; N = not satisfied; N/A = not applicable (the dataset does not declare an ASD population); CT = cannot tell from the public documentation.

2. Kaggle datasets on childhood autism

Includes “Autistic Children Facial Data Set” (user imrankhan77), “autism-image-data” (user cihan063) and “Autistic Children Emotions” (attributed to F. M. Talaat).

D1 Provenance (N). The original dataset was created by downloading photographs of children from sites dedicated to autism, together with a control set of images collected from the internet. The origin of each individual sample is not traceable: it is not possible to confirm the diagnostic status of any child represented. Kaggle withdrew the original dataset for violation of its terms of service.

D2 Consent (N). The retraction notes of PLOS ONE (26 December 2025) state that the consent of legal guardians for the distribution of the images in a public dataset or for their use in academic research is not on record, nor is any ethics committee approval documented.

D3 Diagnostic verification (N). The retraction notes of Scientific Reports indicate that the internet images were collected without documented clinical history or confirmation of an actual ASD diagnosis. The labels are inferred from the web source of the image.

D4 Demographics (N). No metadata on age, sex, ethnicity or geographic origin.

D5 Licence (N). No verifiable declared licence; the original dataset was withdrawn from the platform.

D6 Identification risk (N). Identifiable faces of minors without any de-identification.

D7 Subject separation (N). No subject identifiers.

D8 Clinical applicability (N). None.

Sources: official retraction notes of PLOS ONE (DOI 10.1371/journal.pone.0340338) and of Scientific Reports for the studies documented in Section 2.7 of the manuscript.

3. FER-2013

D1 (P). Created by P.-L. Carrier and A. Courville for the ICML 2013 Workshop on Challenges in Representation Learning. Described in Goodfellow et al. (2013), *Neural Networks* 64:59–63 (2015). Images retrieved through Google Image Search using 184 emotion terms; cropped to 48x48 pixels in greyscale. A descriptive publication exists, but the origin of each individual sample is not traceable.

D2 (N). No consent or ethical approval; collection through search engines.

D3 (N/A). Does not declare an ASD population.

D4 (N). No demographic metadata.

D5 (N). Distributed through the Kaggle competition without a formally declared licence; requires verification per replica.

D6 (N). No formal de-identification.

D7 (N). No subject identifiers.

D8 (N). General non-ASD population; requires domain transfer.

Source: Goodfellow, I. J., et al. (2015). Challenges in representation learning: A report on three machine learning contests. *Neural Networks*, 64, 59–63.

4. FERAC

D1 (P). 770 images of children’s faces. The available documentation derives from works that reused the dataset, not from a primary publication. Those works describe it as a modification of a previous dataset hosted on Kaggle, produced in collaboration with clinical personnel from an autism development centre.

D2 (N). No mention of parental consent or of ethics committee approval appears in the available documentation.

D3 (CT). No standardised diagnostic instrument is identified.

D4 (P). The distribution by emotional class is documented, but not the demographic composition.

D5 (CT). Described as an open-access resource, without a specific licence cited.

D6 (N). Images of minors without de-identification.

D7 (CT). Not documented.

D8 (P). Population declared as ASD, but without primary diagnostic verification.

Source: Radočaj, P., & Martinović, G. (2025). *Applied Sciences*, 15(17), 9555, which describes the provenance of the dataset.

5. CK+ (Extended Cohn-Kanade)

D1 (Y). Lucey et al. (2010), IEEE CVPRW. 593 sequences from 123 adult subjects aged 18 to 50, collected in a laboratory under an instructed protocol.

D2 (P). Laboratory collection with adult volunteer participants; the details of the consent form are not set out in the publication.

D3 (N/A). Adult population without ASD.

D4 (Y). Documented: 18–30 years, 69% women, 81% Euro-American, 13% Afro-American, 6% other groups.

D5 (Y). Signed use agreement. Restricted to non-commercial research; expressly prohibits providing any portion of the dataset to third parties.

D6 (N). Identifiable adult faces without anonymisation.

D7 (Y). 123 subject identifiers; supports cross-validation leaving one subject out.

D8 (N). Adult population; requires domain transfer.

Sources: Lucey, P., et al. (2010). The Extended Cohn-Kanade Dataset (CK+). *IEEE CVPRW*. Use agreement published by the team responsible for the dataset.

6. CAFE (Child Affective Facial Expression set)

D1 (Y). LoBue & Thrasher, Rutgers University. Validation published in *Frontiers in Psychology* 5:1532 (2015). Children aged 2 to 8 in a laboratory under an imitation paradigm. Deposit documented in Databrary.

D2 (Y). Laboratory collection with minors; distribution requires guardian authorisation and institutional mediation.

D3 (N/A). Typically developing children.

D4 (Y). Documented: 154 children; 90 female and 64 male; 27 Afro-American, 16 Asian, 77 Caucasian, 23 Latino, 11 South Asian. Racial bias relative to the general population declared.

D5 (Y). Access through Databrary; requires registration and authorisation as an accredited researcher.

D6 (P). Images of minors without anonymisation, but restricted access mitigates distribution.

D7 (Y). 154 children identifiable as subjects.

D8 (N). Typically developing population; useful as a control, requires domain transfer.

Sources: LoBue, V., & Thrasher, C. (2015). *Frontiers in Psychology*, 5, 1532. Registration in Databrary, DOI 10.17910/B7301K.

7. DREAM

D1 (Y). Billing et al. (2020), *PLOS ONE*, DOI 10.1371/journal.pone.0236939. EU-FP7 DREAM project. 61 children with ASD; 3,121 robot-assisted therapy sessions and 306 hours recorded at Babeş-Bolyai University, Cluj-Napoca.

D2 (Y). Consent letter signed by at least one parent before the start of the study. Ethical approval from the Scientific Council of Babeş-Bolyai University, registration no. 30664 (10 February 2017). Trial pre-registered at ClinicalTrials.gov, NCT03323931.

D3 (Y). Diagnosis appraised through ADOS, with initial scores between 7 and 20; the ADOS metadata are included in the database.

D4 (Y). Documented: 61 children aged approximately 3 to 6, with age, gender and diagnostic variables.

D5 (Y). Open publication under Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0), DOI 10.5281/zenodo.3571008.

D6 (Y). The open publication does not include video recordings or personal information; only three-dimensional processed and anonymised data.

D7 (Y). 61 subjects identified with their respective sessions.

D8 (P). Paediatric ASD population in a therapeutic context, but the open publication contains three-dimensional behavioural data and not facial images. Facial expressiveness monitoring would require access to the unpublished video recordings.

Source: Billing, E., et al. (2020). The DREAM Dataset. *PLOS ONE*, 15(8), e0236939.

8. ABIDE (Autism Brain Imaging Data Exchange)

D1 (Y). ABIDE I: Di Martino et al. (2014), *Molecular Psychiatry*, 19(6), 659–667; 17 sites, 1,112 datasets. ABIDE II: Di Martino et al. (2017), *Scientific Data*; 19 sites, 1,114 datasets.

D2 (Y). Each site confirms approval from its local ethics committee both for the initial collection and for the diffusion of the de-identified version. Written informed consent obtained at all sites.

D3 (P). Variable by site: clinical judgement, ADOS or ADI-R, or a combination of both. Diagnostic information is included in the phenotypic data, but the procedure is not homogeneous across sites.

D4 (Y). Documented: age, sex, intelligence quotient and diagnosis. Male predominance declared explicitly.

D5 (Y). Distributed under the protocols of the 1000 Functional Connectomes Project and INDI, in accordance with health privacy regulations.

D6 (Y). Anonymisation with removal of identifiers, including suppression of facial information from the structural images.

D7 (Y). Subject-level identifier; longitudinal data retain the original identifiers.

D8 (N). Neuroimaging, not facial images. Not applicable to facial emotional expressiveness monitoring.

Sources: Di Martino, A., et al. (2014). *Molecular Psychiatry*, 19(6), 659–667. Di Martino, A., et al. (2017). *Scientific Data*, 4, 170010.

9. AffectNet

D1 (P). Mollahosseini, Hasani & Mahoor, *IEEE Transactions on Affective Computing*, 10(1), 2019. More than one million images collected through three search engines with 1,250 emotion terms in six languages. A descriptive publication exists, but the individual origin is not traceable.

D2 (N). No consent; collection through search engines.

D3 (N/A). Does not declare an ASD population.

D4 (P). The original dataset has no demographic metadata; a subsequent extension adds automatically estimated demographic attributes. Class imbalance declared.

D5 (Y). Academic licence agreement; access restricted to principal investigators or laboratory heads.

D6 (N). Identifiable faces without anonymisation; may include unidentified minors.

D7 (N). No subject identifiers.

D8 (N). General population; requires domain transfer.

Source: Mollahosseini, A., Hasani, B., & Mahoor, M. H. (2019). AffectNet. *IEEE Transactions on Affective Computing*, 10(1), 18–31.

10. JEMImE

D1 (Y). ANR CONTINT project no. ANR-13-CORD-0004. Documented in Dapogny et al. (2019), *Frontiers in Computer Science*, and Grossard et al. (2018), *Frontiers in Psychology*, 9, 446. 3,875 videos of 157 typically developing children aged 6 to 11, recruited in French state schools between January 2015 and January 2016. A subgroup of 36 children with ASD was recruited in two hospitals.

D2 (Y). Written consent obtained from parents and children before inclusion. Ethics committee approval under reference 15-HPNCL-02.

D3 (P). The principal group is typically developing. The ASD subgroup was recruited and clinically characterised in a hospital setting, but the specific diagnostic instrument is not stated in the documentation consulted.

D4 (Y). Documented: 157 children aged 6 to 11 years, 52% male; origin 77.1% Caucasian, 8.3% African, 7% Asian, 7% Maghrebi. Geographic bias between the two centres declared.

D5 (CT). The associated publications are open access, but the access conditions to the video dataset are not publicly declared.

D6 (P). Video of minors' faces without anonymisation; access mediated by the project.

D7 (Y). 157 children in the principal group plus 36 in the ASD subgroup, identifiable as subjects with multiple videos each.

D8 (Y). Built explicitly to train children to produce expressions appropriate to the social context, with a clinically characterised paediatric ASD subgroup. It is the dataset in the corpus with the greatest direct applicability to the objective of this review.

Sources: Dapogny, A., et al. (2019). *Frontiers in Computer Science*, 1, 5. Grossard, C., et al. (2018). *Frontiers in Psychology*, 9, 446.

11. ALSPAC

D1 (Y). British population longitudinal cohort, University of Bristol. Initial recruitment of approximately 14,000 pregnant women resident in Avon with an expected delivery date between April 1991 and December 1992.

D2 (Y). Approval from the ALSPAC Ethics and Law Committee, reference IRB00003312, and from local ethics committees. Informed consent obtained, with the minors' assent where appropriate and the possibility of withdrawal at any time.

D3 (N/A). Population cohort: autistic traits are measured with population instruments and do not correspond to cases with a verified clinical diagnosis.

D4 (Y). Documented, with explicit declaration of over-representation of favoured socio-economic strata and under-representation of ethnic minorities relative to the British population.

D5 (Y). Controlled access through the cohort's access policy; bespoke datasets are shared after formal approved request.

D6 (Y). Strict separation between personnel with access to identified data and those who analyse the linked data.

D7 (Y). Participant identifiers followed longitudinally.

D8 (N). Contains no reusable facial images; employs emotion recognition tests, not computer-administered systems. Useful for epidemiological analysis, not for facial expressiveness monitoring.

Source: Reed, Z. E., et al. (2021). *Journal of Child Psychology and Psychiatry*, 62(11), 1330–1338, and cohort access documentation.

12. Generic facial expression datasets on Kaggle

Heterogeneous category of facial expression recognition datasets hosted on Kaggle, distinct from FER-2013 and from the autism datasets. They score N in D1, D2, D4, D6, D7 and D8, and CT in D5, as they typically correspond to republications or aggregations of pre-existing datasets without documentation of provenance, without declared consent, without subject identifiers and with licence labels varying between replicas. D3 is N/A for not declaring an ASD population.

13. Warning on licence verification

The licence labels on the Kaggle pages corresponding to FERAC and to the childhood autism emotion datasets could not be verified through automated consultation. They are judged CT and must be inspected manually before any reuse. No permissive licence should be presumed in the absence of an explicit declaration.