ACADEMIA DE STUDII ECONOMICE BUCUREȘTI
FACULTATEA DE CIBERNETICĂ, STATISTICĂ ȘI INFORMATICĂ ECONOMICĂ

PROIECT BAZE DE DATE

~ GESTIUNE HOTELIERĂ ~

Coordonator ştiinţific:
Corbea Alexandra-Maria-Ioana

Student: Anin Andreea-Cristina
Anul II

CUPRINS:

1. Descrierea temei economice alese
2. Schema conceptuală pentru modelarea temei alese
3. Construirea bazei de date
4. Exemple cu operaţii de actualizare a datelor
5. Exemple de interogări

1. Descrierea temei economice alese

Proiectul are ca obiectiv analizarea activității unui hotel. Se urmărește monitorizarea activităților propriei întreprinderi, dar și relațiile cu clienții, prin gestionarea datelor personale a tuturor persoanelor implicate în anumite activități.

Această bază de date are drept scop oferirea unei imagini de ansamblu a gestionării unui hotel, punându-se accent pe datele de contact atât ale angajaților cât și ale clienților, pentru o transparență cât mai mare.

Se urmărește stocarea și gestionarea următoarelor informații:

- informații despre hoteluri cum ar fi detalii despre facilități și locații, pentru a ajuta potențialii clienți în luarea unei decizii
- înregistrarea și gestionarea rezervărilor clienților, evidențiind perioadele de ocupare și disponibilitatea camerelor
- datele de contact ale clienților, pentru a oferi servicii personalizate, pentru a menține o comunicare eficientă sau pentru a solicita feedback asupra serviciilor
- informații despre angajați, pentru a facilita atribuirea responsabilităților, urmărirea performanței angajaților și gestionarea generală a forței de muncă
- stocarea detaliilor despre facturile emise clienților, inclusiv informații despre plăți și data facturării; acestea ajută la gestionarea financiară a afacerii, inclusiv urmărirea veniturilor, cheltuielilor și generarea rapoartelor financiare.

Prin utilizarea acestei baze de date, este posibilă gestionarea diverselor aspecte ale operațiunilor unui hotel, precum administrarea eficientă a resurselor, îmbunătățirea experienței clienților și asigurarea succesului general al afacerii. Legăturile logice dintre elementele principale ale proiectului corespund nevoilor organizatorice ale hotelurilor.

2.Schema conceptuală pentru modelarea temei alese



3.Construirea bazei de date

```
--Sa se creeze tabela Anin_CLIENTI
CREATE TABLE Anin_CLIENTI
(id_client NUMBER(6) PRIMARY KEY,
prenume_client VARCHAR2(20),
nume_client VARCHAR2(20),
telefon VARCHAR2(20),
email_client VARCHAR2(30)
);
```



Column Name	Data Type	Nullable	Default	Primary Key	Comment	Identity
ID_CLIENT	NUMBER(6,0)	N		1		
PRENUME_CLIENT	VARCHAR2(20 BYTE)	Y				
NUME_CLIENT	VARCHAR2(20 BYTE)	Y				
TELEFON	VARCHAR2(20 BYTE)	Y				
EMAIL_CLIENT	VARCHAR2(30 BYTE)	Y				



Constraint	Type	Search Condition	Related Constraint	Columns	Delete Rule	Status	Last Change
SYS_C00152268295	Primary			ID_CLIENT		ENABLED	12/28/2023

```
--Sa se creeze tabela Anin_HOTEL
CREATE TABLE Anin_HOTEL
(id_hotel NUMBER(6) PRIMARY KEY,
nume_hotel VARCHAR2(50),
adresa VARCHAR2(80),
numar_stele NUMBER(3),
telefon VARCHAR2(20)
);
```



Column Name	Data Type	Nullable	Default	Primary Key	Comment	Identity
ID_HOTEL	NUMBER(6,0)	N		1		
NUME_HOTEL	VARCHAR2(50 BYTE)	Y				
ADRESA	VARCHAR2(80 BYTE)	Y				
NUMAR_STELE	NUMBER(3,0)	Y				
TELEFON	VARCHAR2(20 BYTE)	Y				



Constraint	Type	Search Condition	Related Constraint	Columns	Delete Rule	Status	Last Change
SYS_C00152314140	Primary			ID_HOTEL		ENABLED	12/30/2023

--Sa se creeze tabela Anin_CCAMERE

CREATE TABLE Anin_CCAMERE

(id_camera NUMBER(6) PRIMARY KEY,

numar_camera VARCHAR2(10),

tip_camera VARCHAR2(20),

pret_noapte NUMBER(10,2),

id_hotel NUMBER(6)

);

--Sa se adauge o cheie externa care leaga tabela Anin_CCAMERE de tabela Anin_HOTEL

ALTER TABLE Anin_CCAMERE

ADD CONSTRAINT Anin_CCAMERE_FK FOREIGN KEY (id_hotel) REFERENCES Anin_HOTEL (id_hotel);



Column Name	Data Type	Nullable	Default	Primary Key	Comment	Identity
ID_CAMERA	NUMBER(6,0)	N		1		
NUMAR_CAMERA	VARCHAR2(10 BYTE)	Y				
TIP_CAMERA	VARCHAR2(20 BYTE)	Y				
PRET_NOAPTE	NUMBER(10,2)	Y				
ID_HOTEL	NUMBER(6,0)	Y				



Constraint	Type	Search Condition	Related Constraint	Columns	Delete Rule	Status	Last Change
ANIN_CCAMERE_FK	Foreign		SYS_C0015314140 (WKSP_C...	ID_HOTEL	NO ACTION	ENABLED	12/30/2023
SYS_C0015314188	Primary			ID_CAMERA		ENABLED	12/30/2023

```
--Sa se creeze tabela Anin_RREZERVARI
CREATE TABLE Anin_RREZERVARI
(id_rezervare NUMBER(6) PRIMARY KEY,
data_check_in TIMESTAMP,
data_check_out TIMESTAMP,
id_client NUMBER(6),
id_camera NUMBER(6),
CONSTRAINT Anin_REZERVARI_FK FOREIGN KEY(id_client) REFERENCES Anin_CLIENTI(id_client),
CONSTRAINT Anin_REZERVARI_FK1 FOREIGN KEY(id_camera) REFERENCES Anin_CCAMERE(id_camera)
);
```



Column Name	Data Type	Nullable	Default	Primary Key	Comment	Identity
ID_REZERVARE	NUMBER(6,0)	N		1		
DATA_CHECK_IN	TIMESTAMP(6)	Y				
DATA_CHECK_OUT	TIMESTAMP(6)	Y				
ID_CLIENT	NUMBER(6,0)	Y				
ID_CAMERA	NUMBER(6,0)	Y				



Constraint	Type	Search Condition	Related Constraint	Columns	Delete Rule	Status	Last Change
ANIN_REZERVARI_FK	Foreign		SYS_C00152268295 (WKSP_C...	ID_CLIENT	NO ACTION	ENABLED	12/30/2023
ANIN_REZERVARI_FK1	Foreign		SYS_C00152314188 (WKSP_CS...	ID_CAMERA	NO ACTION	ENABLED	12/30/2023
SYS_C00152314322	Primary			ID_REZERVARE		ENABLED	12/30/2023

--Sa se creeze tabela Anin_AANGAJATI.

CREATE TABLE Anin_AANGAJATI

(id_angajat NUMBER(6) PRIMARY KEY,

nume_angajat VARCHAR2(20),

prenume_angajat VARCHAR2(20),

functie VARCHAR2(50),

salariul NUMBER(8,2),

comision NUMBER(2,2),

id_manager NUMBER(8),

id_hotel NUMBER(6)

);

--Sa se adauge o cheie externa care leaga tabela Anin_AANGAJATI de tabela Anin_HOTEL

ALTER TABLE Anin_AANGAJATI

ADD CONSTRAINT Anin_AANGAJATI_FK FOREIGN KEY (id_hotel) references Anin_HOTEL (id_hotel);

--Sa se stearga coloana functie

ALTER TABLE Anin_AANGAJATI DROP COLUMN functie;

--Sa se adauge coloana varsta

ALTER TABLE Anin_AANGAJATI ADD varsta NUMBER(2);

--Sa se adauge o cheie externa pentru tabela Anin_AANGAJATI care face referire tot la aceasta

ALTER TABLE Anin_AANGAJATI

ADD CONSTRAINT ANG_MANAGER_FK1 FOREIGN KEY (id_manager) REFERENCES Anin_AANGAJATI (id_angajat);



Column Name	Data Type	Nullable	Default	Primary Key	Comment	Identity
ID_ANGAJAT	NUMBER(6,0)	N		1		
NUME_ANGAJAT	VARCHAR2(20 BYTE)	Y				
PRENUME_ANGAJAT	VARCHAR2(20 BYTE)	Y				
SALARIUL	NUMBER(8,2)	Y				
COMISION	NUMBER(2,2)	Y				
ID_MANAGER	NUMBER(8,0)	Y				
ID_HOTEL	NUMBER(6,0)	Y				
VARSTA	NUMBER(2,0)	Y				



Constraint	Type	Search Condition	Related Constraint	Columns	Delete Rule	Status	Last Change
ANG_MANAGER_FK1	Foreign		SYS_C00152314456 (WKSP_C...	ID_MANAGER	NO ACTION	ENABLED	12/31/2023
ANIN_AANGAJATI_FK	Foreign		SYS_C00152314140 (WKSP_C...	ID_HOTEL	NO ACTION	ENABLED	12/30/2023
SYS_C00152314456	Primary			ID_ANGAJAT		ENABLED	12/30/2023

```
--Sa se creeze tabela Anin_FACTURI
CREATE TABLE Anin_FACTURI
(id_facutura NUMBER(6) PRIMARY KEY,
data_emitere DATE,
total_plata NUMBER(5),
id_rezervare NUMBER(6),
CONSTRAINT Anin_FACTURI_FK FOREIGN KEY (id_rezervare) REFERENCES Anin_RREZERVARI (id_rezervare)
);
```

--Sa se stearga coloana id_facutura

ALTER TABLE Anin_FACTURI DROP COLUMN id_facutura;

--Sa se adauge coloana id_factura

ALTER TABLE Anin_FACTURI ADD id_factura NUMBER(6) PRIMARY KEY;



Column Name	Data Type	Nullable	Default	Primary Key	Comment	Identity
DATA_EMITERE	DATE	Y				
TOTAL_PLATA	NUMBER(5,0)	Y				
ID_REZERVARE	NUMBER(6,0)	Y				
ID_FACTURA	NUMBER(6,0)	N		1		



Constraint	Type	Search Condition	Related Constraint	Columns	Delete Rule	Status	Last Change
ANIN_FACTURI_FK	Foreign		SYS_C00152314322 (WKSP_C...	ID_REZERVARE	NO ACTION	ENABLED	12/30/2023
SYS_C00152342748	Primary			ID_FACTURA		ENABLED	12/31/2023

--Sa se adauge o restrictie pe coloana pret_noapte din tabela Anin_CCAMERE

ALTER TABLE Anin_CCAMERE

ADD CONSTRAINT check_pret CHECK(pret_noapte IS NOT NULL);

--Sa se dezactiveze restrictia anterioara

ALTER TABLE Anin_CCAMERE

DISABLE CONSTRAINT check_pret;

--Sa se stearga restrictia anterioara

ALTER TABLE Anin_CCAMERE

DROP CONSTRAINT check_pret;



Popularea tabelelor

--Tabela Anin_CLIENTI

INSERT INTO Anin_CLIENTI (id_client, prenume_client, nume_client, telefon, email_client) VALUES (1, 'Andreea', 'Anin', '0721551642', 'aninandreea27@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (2, 'Ion', 'Popescu', '0721348975', 'ion.popescu@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (3, 'Ana', 'Ionescu', '0743201684', 'ana.ionescu@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (4, 'Mihai', 'Dumitrescu', '0732169045', 'mihai.dumitrescu@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (5, 'Elena', 'Gheorghe', '0723108746', 'elena.gheorghe@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (6, 'George', 'Dumitrache', '0755123964', 'george.dumitrache@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (7, 'Roxana', 'Vasilescu', '0743128095', 'roxana.vasilescu@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (8, 'Diana', 'Popovici', '0764532801', 'diana.popovici@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (9, 'Razvan', 'Mihai', '0786450201', 'razvan.mihai@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (10, 'Laura', 'Dobre', '0796854102', 'laura.dobre@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (11, 'Radu', 'Cosmin', '0766411123', 'radu.cosmin@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (12, 'Alexandru', 'Daniel', '0711222349', 'alexandru.daniel@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (13, 'Adelin', 'Baciu', '0755556662', 'adelin.baciu@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (14, 'Diana', 'Andrei', '0783346555', 'diana.andrei@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (15, 'Stefan', 'Baciu', '0795595544' , 'stefan.baciu@gmail.com');

```
INSERT INTO Anin_CLIENTI VALUES (16, 'Robert', 'Rotaru', '0766779812', 'robert.rotaru@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (17, 'Matei', 'Rotariu', '0784567834', 'matei.rotariu@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (18, 'Maria', 'Rogojina', '0756789445', 'maria.rogojina@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (19, 'Dan', 'Daniel', '0799988832', 'dan.daniel@gmail.com');

INSERT INTO Anin_CLIENTI VALUES (20, 'Vitoria', 'Lipan', '0725639065', 'vitoria.lipan@gmail.com');



--Tabela Anin_HOTEL

INSERT INTO Anin_HOTEL VALUES(100,'ASTORIA','Iasi, Romania' ,3, '0232709636');

INSERT INTO Anin_HOTEL VALUES(200, 'EUPHORIA', 'Craiova, Romania' , 2, '0257602325');

INSERT INTO Anin_HOTEL VALUES(300, 'RINA CERBUL' , 'Sinaia, Romania', 4, '0214107451');

INSERT INTO Anin_HOTEL VALUES(400, 'IZA' , 'Maramures, Romania', 1, '0250837241');


--Tabela Anin_CCAMERE

INSERT INTO Anin_CCAMERE VALUES (21, '101', 'Single', 120.00, 100);

INSERT INTO Anin_CCAMERE VALUES (22, '102', 'Double', 180.00, 100);

INSERT INTO Anin_CCAMERE VALUES (23, '103', 'Suite', 250.00, 100);

INSERT INTO Anin_CCAMERE VALUES (24, '104', 'Apartament', 300.00, 100);

INSERT INTO Anin_CCAMERE VALUES (25, '105', 'Luxury Room', 350.00, 100);
```

```
INSERT INTO Anin_CCAMERE VALUES (26, '106', 'Single', 130.00, 200);
INSERT INTO Anin_CCAMERE VALUES (27, '107', 'Double', 190.00, 200);
INSERT INTO Anin_CCAMERE VALUES (28, '108', 'Suite', 260.00, 200);
INSERT INTO Anin_CCAMERE VALUES (29, '109', 'Apartament', 310.00, 200);
INSERT INTO Anin_CCAMERE VALUES (30, '110', 'Luxury Room', 360.00, 200);

INSERT INTO Anin_CCAMERE VALUES (31, '111', 'Single', 140.00, 300);
INSERT INTO Anin_CCAMERE VALUES (32, '112', 'Double', 200.00, 300);
INSERT INTO Anin_CCAMERE VALUES (33, '113', 'Suite', 270.00, 300);
INSERT INTO Anin_CCAMERE VALUES (34, '114', 'Apartament', 320.00, 300);
INSERT INTO Anin_CCAMERE VALUES (35, '115', 'Luxury Room', 370.00, 300);

INSERT INTO Anin_CCAMERE VALUES (36, '116', 'Single', 150.00, 400);
INSERT INTO Anin_CCAMERE VALUES (37, '117', 'Double', 210.00, 400);
INSERT INTO Anin_CCAMERE VALUES (38, '118', 'Suite', 280.00, 400);
INSERT INTO Anin_CCAMERE VALUES (39, '119', 'Apartament', 330.00, 400);
INSERT INTO Anin_CCAMERE VALUES (40, '120', 'Luxury Room', 380.00, 400);

INSERT INTO Anin_CCAMERE VALUES (41, '121', 'Suite', 290.00, 400);
INSERT INTO Anin_CCAMERE VALUES (42, '122', 'Double', 220.00, 400);
INSERT INTO Anin_CCAMERE VALUES (43, '123', 'Single', 160.00, 400);

--Tabela Anin_RREZERVARI
INSERT INTO Anin_RREZERVARI VALUES (110, to_timestamp('01-02-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('05-02-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 1, 21);
```

INSERT INTO Anin_RREZERVARI VALUES (120, to_timestamp('05-03-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('10-03-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 2, 22);

INSERT INTO Anin_RREZERVARI VALUES (130, to_timestamp('10-04-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('11-04-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 3, 23);

INSERT INTO Anin_RREZERVARI VALUES (140, to_timestamp('12-04-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('16-04-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 4, 24);

INSERT INTO Anin_RREZERVARI VALUES (150, to_timestamp('12-04-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('14-04-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 5, 25);

INSERT INTO Anin_RREZERVARI VALUES (160, to_timestamp('16-04-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('20-04-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 6, 26);

INSERT INTO Anin_RREZERVARI VALUES (170, to_timestamp('20-04-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('21-04-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 7, 27);

INSERT INTO Anin_RREZERVARI VALUES (180, to_timestamp('21-04-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('25-04-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 8, 28);

INSERT INTO Anin_RREZERVARI VALUES (190, to_timestamp('01-05-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('07-05-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 9, 29);

INSERT INTO Anin_RREZERVARI VALUES (210, to_timestamp('06-05-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('07-05-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 10, 30);

INSERT INTO Anin_RREZERVARI VALUES (220, to_timestamp('07-05-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('09-05-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 11, 31);

INSERT INTO Anin_RREZERVARI VALUES (230, to_timestamp('10-07-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('15-07-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 12, 32);

INSERT INTO Anin_RREZERVARI VALUES (240, to_timestamp('20-07-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('23-07-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 13, 33);

INSERT INTO Anin_RREZERVARI VALUES (250, to_timestamp('25-07-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('28-07-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 14, 34);

INSERT INTO Anin_RREZERVARI VALUES (260, to_timestamp('25-07-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('28-07-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 15, 35);

INSERT INTO Anin_RREZERVARI VALUES (270, to_timestamp('25-07-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('26-07-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 16, 36);

INSERT INTO Anin_RREZERVARI VALUES (280, to_timestamp('08-08-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('10-08-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 17, 37);

INSERT INTO Anin_RREZERVARI VALUES (290, to_timestamp('12-08-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('15-08-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 18, 38);

INSERT INTO Anin_RREZERVARI VALUES (310, to_timestamp('20-09-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('27-09-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 19, 39);

INSERT INTO Anin_RREZERVARI VALUES (320, to_timestamp('20-09-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('27-09-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 20, 40);

INSERT INTO Anin_RREZERVARI VALUES (330, to_timestamp('05-03-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('10-03-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 1, 25);

INSERT INTO Anin_RREZERVARI VALUES (340, to_timestamp('05-03-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('10-03-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 6, 38);

INSERT INTO Anin_RREZERVARI VALUES (350, to_timestamp('05-03-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('10-03-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 12, 26);

INSERT INTO Anin_RREZERVARI VALUES (360, to_timestamp('20-04-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('21-04-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 8, 25);

INSERT INTO Anin_RREZERVARI VALUES (370, to_timestamp('20-04-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('21-04-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 12, 40);

INSERT INTO Anin_RREZERVARI VALUES (380, to_timestamp('07-05-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('09-05-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 17, 22);

INSERT INTO Anin_RREZERVARI VALUES (390, to_timestamp('07-05-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('09-05-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 4, 31);

INSERT INTO Anin_RREZERVARI VALUES (410, to_timestamp('25-07-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('28-07-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 10, 23);

INSERT INTO Anin_RREZERVARI VALUES (420, to_timestamp('08-08-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('10-08-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 18, 30);

INSERT INTO Anin_RREZERVARI VALUES (430, to_timestamp('08-08-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('10-08-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 20, 40);

INSERT INTO Anin_RREZERVARI VALUES (440, to_timestamp('08-08-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('10-08-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 14, 30);

INSERT INTO Anin_RREZERVARI VALUES (450, to_timestamp('12-08-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('15-08-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 5, 38);

INSERT INTO Anin_RREZERVARI VALUES (460, to_timestamp('12-08-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('15-08-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 15, 26);

INSERT INTO Anin_RREZERVARI VALUES (470, to_timestamp('12-08-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('15-08-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 12, 35);

INSERT INTO Anin_RREZERVARI VALUES (480, to_timestamp('20-09-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('27-09-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 14, 22);

INSERT INTO Anin_RREZERVARI VALUES (490, to_timestamp('25-09-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('27-09-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 2, 39);

INSERT INTO Anin_RREZERVARI VALUES (510, to_timestamp('25-09-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('27-09-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 3, 33);

INSERT INTO Anin_RREZERVARI VALUES (520, to_timestamp('28-09-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('29-09-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 6, 33);

INSERT INTO Anin_RREZERVARI VALUES (530, to_timestamp('05-10-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('10-10-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 1, 40);

INSERT INTO Anin_RREZERVARI VALUES (540, to_timestamp('11-10-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('13-10-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 4, 35);

INSERT INTO Anin_RREZERVARI VALUES (550, to_timestamp('01-01-2024 12:00:00', 'dd-mm-yyyy HH:MI:SS'), to_timestamp('05-01-2024 10:00:00', 'dd-mm-yyyy HH:MI:SS'), 4, 35);

--Tabela Anin_FACTURI

INSERT INTO Anin_FACTURI VALUES (to_date('01-02-2024', 'dd-mm-yyyy'), 480, 110, 600);

INSERT INTO Anin_FACTURI VALUES (to_date('05-03-2024', 'dd-mm-yyyy'), 900, 120, 601);

INSERT INTO Anin_FACTURI VALUES (to_date('10-04-2024', 'dd-mm-yyyy'), 250, 130, 602);

INSERT INTO Anin_FACTURI VALUES (to_date('12-04-2024', 'dd-mm-yyyy'), 1200, 140, 603);

INSERT INTO Anin_FACTURI VALUES (to_date('12-04-2024', 'dd-mm-yyyy'), 700, 150, 604);

INSERT INTO Anin_FACTURI VALUES (to_date('16-04-2024', 'dd-mm-yyyy'), 520, 160, 605);

INSERT INTO Anin_FACTURI VALUES (to_date('20-04-2024', 'dd-mm-yyyy'), 190, 170, 606);

INSERT INTO Anin_FACTURI VALUES (to_date('21-04-2024', 'dd-mm-yyyy'), 1200, 180, 607);

INSERT INTO Anin_FACTURI VALUES (to_date('01-05-2024', 'dd-mm-yyyy'), 1860, 190, 608);

INSERT INTO Anin_FACTURI VALUES (to_date('06-05-2024', 'dd-mm-yyyy'), 360, 210, 609);

INSERT INTO Anin_FACTURI VALUES (to_date('07-05-2024', 'dd-mm-yyyy'), 400, 220, 700);

INSERT INTO Anin_FACTURI VALUES (to_date('10-07-2024', 'dd-mm-yyyy'), 1000, 230, 701);

INSERT INTO Anin_FACTURI VALUES (to_date('20-07-2024', 'dd-mm-yyyy'), 1000, 240, 702);

INSERT INTO Anin_FACTURI VALUES (to_date('25-07-2024', 'dd-mm-yyyy'), 960, 250, 703);

INSERT INTO Anin_FACTURI VALUES (to_date('25-07-2024', 'dd-mm-yyyy'), 1110, 260, 704);

INSERT INTO Anin_FACTURI VALUES (to_date('25-07-2024', 'dd-mm-yyyy'), 150, 270, 705);

INSERT INTO Anin_FACTURI VALUES (to_date('08-08-2024', 'dd-mm-yyyy'), 600, 280, 706);

INSERT INTO Anin_FACTURI VALUES (to_date('12-08-2024', 'dd-mm-yyyy'), 840, 290, 707);

INSERT INTO Anin_FACTURI VALUES (to_date('20-09-2024', 'dd-mm-yyyy'), 3000, 310, 708);

INSERT INTO Anin_FACTURI VALUES (to_date('20-09-2024', 'dd-mm-yyyy'), 4000, 320, 709);

INSERT INTO Anin_FACTURI VALUES (to_date('05-03-2024', 'dd-mm-yyyy'), 1750, 330, 800);

INSERT INTO Anin_FACTURI VALUES (to_date('05-03-2024', 'dd-mm-yyyy'), 1400, 340, 801);

INSERT INTO Anin_FACTURI VALUES (to_date('05-03-2024', 'dd-mm-yyyy'), 1400, 350, 802);

INSERT INTO Anin_FACTURI VALUES (to_date('20-04-2024', 'dd-mm-yyyy'), 350, 360, 803);

INSERT INTO Anin_FACTURI VALUES (to_date('20-04-2024', 'dd-mm-yyyy'), 380, 370, 804);

INSERT INTO Anin_FACTURI VALUES (to_date('07-05-2024', 'dd-mm-yyyy'), 500, 380, 805);

INSERT INTO Anin_FACTURI VALUES (to_date('07-05-2024', 'dd-mm-yyyy'), 500, 390, 806);

INSERT INTO Anin_FACTURI VALUES (to_date('25-07-2024', 'dd-mm-yyyy'), 750, 410, 807);

INSERT INTO Anin_FACTURI VALUES (to_date('08-08-2024', 'dd-mm-yyyy'), 1000, 420, 808);

INSERT INTO Anin_FACTURI VALUES (to_date('08-08-2024', 'dd-mm-yyyy'), 1300, 430, 809);

INSERT INTO Anin_FACTURI VALUES (to_date('08-08-2024', 'dd-mm-yyyy'), 720, 440, 900);

INSERT INTO Anin_FACTURI VALUES (to_date('12-08-2024', 'dd-mm-yyyy'), 840, 450, 901);

INSERT INTO Anin_FACTURI VALUES (to_date('12-08-2024', 'dd-mm-yyyy'), 900, 460, 902);

INSERT INTO Anin_FACTURI VALUES (to_date('12-08-2024', 'dd-mm-yyyy'), 1110, 470, 903);

INSERT INTO Anin_FACTURI VALUES (to_date('20-09-2024', 'dd-mm-yyyy'), 1260, 480, 904);

INSERT INTO Anin_FACTURI VALUES (to_date('25-09-2024', 'dd-mm-yyyy'), 660, 490, 905);

INSERT INTO Anin_FACTURI VALUES (to_date('25-09-2024', 'dd-mm-yyyy'), 540, 510, 906);

INSERT INTO Anin_FACTURI VALUES (to_date('28-09-2024', 'dd-mm-yyyy'), 270, 520, 907);

INSERT INTO Anin_FACTURI VALUES (to_date('05-10-2024', 'dd-mm-yyyy'), 1900, 530, 908);

INSERT INTO Anin_FACTURI VALUES (to_date('11-10-2024', 'dd-mm-yyyy'), 1900, 540, 909);

INSERT INTO Anin_FACTURI VALUES (to_date('01-01-2024', 'dd-mm-yyyy'), 1400, 550, 910);

--Tabela Anin_AANGAJATI

INSERT INTO Anin_AANGAJATI VALUES (1000, 'Doroftei', 'Maria', 2500, 0.3, NULL, 100, 20);

INSERT INTO Anin_AANGAJATI VALUES (1001, 'Costan', 'Elena', 2700, 0.2, 1000, 100, 21);

INSERT INTO Anin_AANGAJATI VALUES (1002, 'Garoafa', 'Alex', 3000, 0.5, 1000, 100, 33);

INSERT INTO Anin_AANGAJATI VALUES (1003, 'Mugur', 'Ramona', 2000, 0.1, 1002, 100, 19);

INSERT INTO Anin_AANGAJATI VALUES (1004, 'Istrate', 'Vasile', 3500, 0.3, 1003, 100, 35);

INSERT INTO Anin_AANGAJATI VALUES (1005, 'Dragomir', 'Andreea', 3850, 0.4, 1003, 100, 33);

INSERT INTO Anin_AANGAJATI VALUES (1006, 'Ionescu', 'Lucian', 4600, 0.5, 1003, 100, 40);

INSERT INTO Anin_AANGAJATI VALUES (1007, 'Ichim', 'Adriana', 3500, 0.5, 1003, 100, 27);

INSERT INTO Anin_AANGAJATI VALUES (1008, 'Ghita', 'Andreea', 2900, 0.1, 1001, 100, 20);

INSERT INTO Anin_AANGAJATI VALUES (1009, 'Rizan', 'Stefania', 5000, 0.2, 1008, 100, 44);

INSERT INTO Anin_AANGAJATI VALUES (2000, 'Constantin', 'Andrada', 2500, 0.1, NULL, 200, 22);

INSERT INTO Anin_AANGAJATI VALUES (2001, 'Grigore', 'Andrei', 3700, NULL, 2000, 200, 30);

INSERT INTO Anin_AANGAJATI VALUES (2002, 'Luca', 'Gabriel', 3850, 0.1, 2000, 200, 31);

INSERT INTO Anin_AANGAJATI VALUES (2003, 'Diaconu', 'Denisa', 3000, 0.3, 2002, 200, 22);

INSERT INTO Anin_AANGAJATI VALUES (2004, 'Florea', 'Miruna', 4320, 0.2, 2002, 200, 37);

INSERT INTO Anin_AANGAJATI VALUES (2005, 'Avadani', 'Ana', 2500, NULL, 2002, 200, 20);

INSERT INTO Anin_AANGAJATI VALUES (2006, 'Colea', 'Andreea', 2000, 0.4, 2004, 200, 22);

INSERT INTO Anin_AANGAJATI VALUES (2007, 'Lupu', 'Daniela', 3860, 0.5, 2004, 200, 32);

INSERT INTO Anin_AANGAJATI VALUES (2008, 'Mirica', 'Paula', 2900, 0.1, 2007, 200, 28);

INSERT INTO Anin_AANGAJATI VALUES (2009, 'Zaharia', 'Elena', 2840, 0.5, 2007, 200, 25);

INSERT INTO Anin_AANGAJATI VALUES (3000, 'Burada', 'Mihaela', 5000, 0.1, NULL, 300, 40);

INSERT INTO Anin_AANGAJATI VALUES (3001, 'Popescu', 'Alexandru', 3300, 0.2, 3000, 300, 29);

INSERT INTO Anin_AANGAJATI VALUES (3002, 'Dumitru', 'Vlad', 3860, 0.2, 3000, 300, 31);

INSERT INTO Anin_AANGAJATI VALUES (3003, 'Vasilescu', 'Adrian', 2450, 0.1, 3002, 300, 23);

INSERT INTO Anin_AANGAJATI VALUES (3004, 'Radulescu', 'Elena', 2560, 0.3, 3002, 300, 24);

INSERT INTO Anin_AANGAJATI VALUES (3005, 'Stan', 'Ioana', 2560, 0.3, 3002, 300, 27);

INSERT INTO Anin_AANGAJATI VALUES (3006, 'Popa', 'Larisa', 2100, 0.1, 3005, 300, 22);

INSERT INTO Anin_AANGAJATI VALUES (3007, 'Neagu', 'Stefan', 2450, 0.5, 3005, 300, 21);

INSERT INTO Anin_AANGAJATI VALUES (3008, 'Tudor', 'Paula', 4100, 0.4, 3000, 300, 33);

INSERT INTO Anin_AANGAJATI VALUES (3009, 'Moldovan', 'Catalin', 3000, 0.1, 3008, 300, 25);

INSERT INTO Anin_AANGAJATI VALUES (4000, 'Enescu', 'Bogdan', 5500, 0.5, NULL, 400, 39);

INSERT INTO Anin_AANGAJATI VALUES (4001, 'Diaconu', 'Ruxandra', 4500, 0.4, 4000, 400, 30);

INSERT INTO Anin_AANGAJATI VALUES (4002, 'Baciu', 'Irena', 4800, 0.4, 4000, 400, 37);

INSERT INTO Anin_AANGAJATI VALUES (4003, 'Marinescu', 'Alina', 3670, 0.1, 4002, 400, 34);

INSERT INTO Anin_AANGAJATI VALUES (4004, 'Cojocaru', 'Razvan', 3670, 0.1, 4002, 400, 24);

INSERT INTO Anin_AANGAJATI VALUES (4005, 'Preda', 'Vlad', 3540, 0.3, 4003, 400, 24);

INSERT INTO Anin_AANGAJATI VALUES (4006, 'Marin', 'Ioana', 3600, 0.2, 4003, 400, 31);

INSERT INTO Anin_AANGAJATI VALUES (4007, 'Ilie', 'Bianca', 3200, 0.1, 4006, 400, 29);

INSERT INTO Anin_AANGAJATI VALUES (4008, 'Stoica', 'Andrei', 3000, 0.5, 4006, 400, 26);

INSERT INTO Anin_AANGAJATI VALUES (4009, 'Radu', 'Larisa', 2100, NULL, 4008, 400, 20);

4. Exemple cu operaţii de actualizare a datelor

--Sa se afiseze numele si prenumele clientului cu id-ul 1.

```
SELECT prenume_client, nume_client
FROM Anin_CLIENTI
WHERE id_client=1;
```

Results | Explain | Describe | Saved SQL | History

PRENUME_CLIENT	NUME_CLIENT
Andreea	Anin

1 rows returned in 0.01 seconds Download

--Sa se creasca cu 100 pretul camerei cu id-ul 41.

```
UPDATE Anin_CCAMERE
SET pret_noapte=pret_noapte+100
WHERE id_camera=41;
SELECT * FROM Anin_CCAMERE WHERE id_camera=41;
```

Results | Explain | Describe | Saved SQL | History

ID_CAMERA	NUMAR_CAMERA	TIP_CAMERA	PRET_NOAPTE	ID_HOTEL
41	121	Suite	390	400

1 rows returned in 0.01 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se mai aduge o camera in hotelul cu id-ul 200.

```
INSERT INTO Anin_CCAMERE VALUES (44, '124', 'Single', 140.00, 200);
```

44	124	Single	140	200

--Sa se scoata din functiune camera cu id-ul 44.

```
DELETE FROM Anin_CCAMERE
WHERE id_camera=44;
SELECT id_camera FROM Anin_CCAMERE WHERE id_camera=44;
```

ANIN_CCAMERE

Columns | Data | Indexes | Constraints | Grants | Statistics | Triggers | Dependencies | DDL | Sample Queries

+ Insert Row | Columns... | Filter... | Count Rows | Load Data | Download | Refresh

ID_CAMERA	NUMAR_CAMERA	TIP_CAMERA	PRET_NOAPTE	ID_HOTEL
23	103	Suite	250	100
24	104	Apartament	300	100
40	120	Luxury Room	380	400
21	101	Single	120	100
28	108	Suite	260	200
31	111	Single	140	300
32	112	Double	200	300
36	116	Single	150	400
26	106	Single	130	200
27	107	Double	190	200
30	110	Luxury Room	360	200
33	113	Suite	270	300
29	109	Apartament	310	200
34	114	Apartament	320	300
35	115	Luxury Room	370	300
37	117	Double	210	400
22	102	Double	180	100
25	105	Luxury Room	350	100
39	119	Apartament	330	400
41	121	Suite	290	400
38	118	Suite	280	400

Activate Windows

--Sa se concedieze angajatii care au id_manager egal cu 4008.

DELETE FROM Anin_AANGAJATI

WHERE id_manager=4008;

SELECT nume_angajat, prenume_angajat FROM Anin_AANGAJATI WHERE id_manager=4008;

Results | Explain | Describe | Saved SQL | History

no data found

Activate Windows
Go to Settings to activate Windows.

Copyright © 1999, 2023, Oracle and/or its affiliates.

5. Exemple de interogări

--Sa se afiseze angajatii care au salariul cuprins intre 1500 si 3200.

```
SELECT id_angajat, nume_angajat, prenume_angajat, salariul
FROM Anin_AANGAJATI
WHERE salariul>=1500 AND salariul<=3200;
```

Results | Explain | Describe | Saved SQL | History

ID_ANGAJAT	NUME_ANGAJAT	PRENUME_ANGAJAT	SALARIUL
2000	Constantin	Andrada	2500
2003	Diaconu	Denisa	3000
3004	Radulescu	Elena	2560
3007	Neagu	Stefan	2450
1003	Mugur	Ramona	2000
1008	Ghita	Andreea	2900
2006	Colea	Andreea	2000
2008	Mirica	Paula	2900
3003	Vasilescu	Adrian	2450
3006	Popa	Larisa	2100

More than 10 rows available. Increase rows selector to view more rows.

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com | csiebazededate | en | Copyright © 1999, 2023, Oracle and/or its affiliates. | Oracle APEX 23.2.1

--Sa se afiseze angajatii care au comisionul null.

```
SELECT id_angajat, nume_angajat, prenume_angajat, comision
FROM Anin_AANGAJATI
WHERE comision IS NULL;
```

Results | Explain | Describe | Saved SQL | History

ID_ANGAJAT	NUME_ANGAJAT	PRENUME_ANGAJAT	COMISION
2001	Grigore	Andrei	-
2005	Avadani	Ana	-

2 rows returned in 0.01 seconds Download

--Sa se afiseze angajatii a caror prenume incep cu litera 'A'.

```
SELECT id_angajat, prenume_angajat
FROM Anin_AANGAJATI
WHERE prenume_angajat LIKE 'A%';
```

Results Explain Describe Saved SQL History

ID_ANGAJAT	PRENUME_ANGAJAT
2000	Andrada
1005	Andreea
1008	Andreea
2001	Andrei
2006	Andreea
3003	Adrian
4008	Andrei
1002	Alex
1007	Adriana
4003	Alina

More than 10 rows available. Increase rows selector to view more rows.

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se afiseze facturile emise in a doua jumatate a lunii iulie.

```
SELECT id_factura, data_emitere
FROM Anin_FACTURI
WHERE data_emitere BETWEEN TO_DATE('15-07-2024', 'dd-mm-yyyy') AND
TO_DATE('31-07-2024', 'dd-mm-yyyy');
```

Results Explain Describe Saved SQL History

ID_FACTURA	DATA_EMITERE
704	07/25/2024
705	07/25/2024
703	07/25/2024
807	07/25/2024
702	07/20/2024

5 rows returned in 0.03 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se afiseze camerele care nu sunt in hotelurile cu id-urile egale cu 400 si 100.

```
SELECT id_camera, id_hotel
FROM Anin_CCAMERE
WHERE id_hotel NOT IN(100, 400);
```

Results | Explain | Describe | Saved SQL | History

ID_CAMERA	ID_HOTEL
28	200
31	300
32	300
26	200
27	200
30	200
33	300
29	200
34	300
35	300

10 rows returned in 0.01 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se selecteze rezervarile facute de clientul cu id-ul egal cu 12.

```
SELECT r.id_rezervare, c.id_client, c.prenume_client, c.nume_client
FROM Anin_RREZERVARI r, Anin_CLIENTI c
WHERE c.id_client=r.id_client AND c.id_client=12;
```

Results | Explain | Describe | Saved SQL | History

ID_REZERVARE	ID_CLIENT	PRENUME_CLIENT	NUME_CLIENT
350	12	Alexandru	Daniel
230	12	Alexandru	Daniel
470	12	Alexandru	Daniel
370	12	Alexandru	Daniel

4 rows returned in 0.01 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se afiseze id-urile camerelor si tipul acestora chiar daca nu au fost rezervate.

```
SELECT cc.id_camera, cc.tip_camera
FROM Anin_CCAMERE cc, Anin_RREZERVARI r
WHERE cc.id_camera=r.id_camera(+) AND r.id_camera IS NULL;
```

Results Explain Describe Saved SQL History

ID_CAMERA	TIP_CAMERA
42	Double
43	Single
41	Suite

3 rows returned in 0.02 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se selecteze id-ul, numele, prenumele angajatiilor care sunt in acelasi hotel cu angajatul Dumitru.

SELECT id_angajat, nume_angajat, prenume_angajat, id_hotel

FROM Anin_AANGAJATI

WHERE id_hotel IN (SELECT id_hotel FROM Anin_AANGAJATI WHERE INITCAP(nume_angajat)='Dumitru');

Results Explain Describe Saved SQL History

ID_ANGAJAT	NUME_ANGAJAT	PRENUME_ANGAJAT	ID_HOTEL
3004	Radulescu	Elena	300
3007	Neagu	Stefan	300
3000	Burada	Mihaela	300
3002	Dumitru	Vlad	300
3003	Vasilescu	Adrian	300
3006	Popa	Larisa	300
3005	Stan	Ioana	300
3008	Tudor	Paula	300
3009	Moldovan	Catalin	300
3001	Popescu	Alexandru	300

10 rows returned in 0.04 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se afiseze id_angajat, numele angajatilor concatenat cu varsta acestora si lungimea prenumelui, salariul numai pentru clientii a caror salariu incepe cu '2'.

SELECT id_angajat, CONCAT(nume_angajat, varsta), LENGTH(prenume_angajat), salariul

FROM Anin_AANGAJATI

WHERE SUBSTR(salariul, 1, 1)='2';

Results Explain Describe Saved SQL History

ID_ANGAJAT	CONCAT(NUME_ANGAJAT,VARSTA)	LENGTH(PRENUME_ANGAJAT)	SALARIUL
2000	Constantin22	7	2500
3004	Radulescu24	5	2560
3007	Neagu21	6	2450
1003	Mugur19	6	2000
1008	Ghita20	7	2900
2006	Colea22	7	2000
2008	Mirica28	5	2900
3003	Vasilescu23	6	2450
3006	Popa22	6	2100
1000	Doroftei20	5	2500

More than 10 rows available. Increase rows selector to view more rows.

Activate Windows
Go to Settings to activate Windows.

--Sa se afiseze rezervarile care sunt in prezent active, cat si detalii despre clienti si camere.

```
SELECT r.id_rezervare, r.data_check_in, r.data_check_out, c.id_client, c.nume_client,
c.prenume_client, cc.id_camera

FROM Anin_RREZERVARI r, Anin_CLIENTI c, Anin_CCAMERE cc

WHERE r.id_client=c.id_client AND r.id_camera=cc.id_camera AND r.data_check_in
<= SYSDATE AND r.data_check_out >= SYSDATE;
```

Results Explain Describe Saved SQL History

ID_REZERVARE	DATA_CHECK_IN	DATA_CHECK_OUT	ID_CLIENT	NUME_CLIENT	PRENUME_CLIENT	ID_CAMERA
550	01-JAN-24 12.00.00.000000 PM	05-JAN-24 10.00.00.000000 AM	4	Dumitrescu	Mihai	35

1 rows returned in 0.01 seconds Download

--Sa se afiseze facturile si data emiterii in formatul initial si in format "MM/YY".

```
SELECT id_factura, data_emitere, TO_CHAR(data_emitere, 'MM/YY')
data_emiterii_facturii

FROM Anin_FACTURI;
```

Results Explain Describe Saved SQL History

ID_FACTURA	DATA_EMITERE	DATA_EMITERII_FACTURII
904	09/20/2024	09/24
704	07/25/2024	07/24
809	08/08/2024	08/24
905	09/25/2024	09/24
801	03/05/2024	03/24
802	03/05/2024	03/24
803	04/20/2024	04/24
701	07/10/2024	07/24
902	08/12/2024	08/24
600	02/01/2024	02/24

More than 10 rows available. Increase rows selector to view more rows.

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

```
--Sa se afiseze facturile care au fost emise in lunile mai si iunie.
SELECT id_factura, data_emitere
FROM Anin_FACTURI
WHERE EXTRACT(MONTH FROM data_emitere) IN(5,7);
```

Results Explain Describe Saved SQL History

ID_FACTURA	DATA_EMITERE
704	07/25/2024
701	07/10/2024
705	07/25/2024
703	07/25/2024
807	07/25/2024
608	05/01/2024
805	05/07/2024
609	05/06/2024
700	05/07/2024
806	05/07/2024

More than 10 rows available. Increase rows selector to view more rows.

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

```
/*Sa se extraga informatii despre facturi si sa se afiseze urmatoarele mesaje:
-daca totalul platii este mai mic decat 1000 atunci este "Plata mica"
-daca totalul platii este cuprins intre 1000 si 1500 atunci este "Plata medie"
Pentru celelalte totaluri este "Plata mare". */
```

```
SELECT id_factura, id_rezervare, total_plata,
CASE WHEN total_plata < 1000 THEN 'Plată mică'
        WHEN total_plata >= 1000 AND total_plata <= 1500 THEN 'Plată medie'
         ELSE 'Plată mare'
END categorie_plata
FROM Anin_FACTURI;
```

Results | Explain | Describe | Saved SQL | History

ID_FACTURA	ID_REZERVARE	TOTAL_ROTUNJIT	CATEGORIE_PLATA
904	480	1260	Plată medie
704	260	1110	Plată medie
809	430	1300	Plată medie
905	490	660	Plată mică
801	340	1400	Plată medie
802	350	1400	Plată medie
803	360	350	Plată mică
701	230	1000	Plată medie
902	460	900	Plată mică
600	110	480	Plată mică

More than 10 rows available. Increase rows selector to view more rows.

Activate Windows
Go to Settings to activate Windows.

```
--Sa se afiseze venitul total al fiecarui angajat.
SELECT nume_angajat, prenume_angajat, salariul, salariul*NVL(comision, 0)
valoare_comision, salariul*(1+NVL(comision, 0)) venit_total
FROM Anin_AANGAJATI;
```

Results | Explain | Describe | Saved SQL | History

NUME_ANGAJAT	PRENUME_ANGAJAT	SALARIUL	VALOARE_COMISION	VENIT_TOTAL
Istrate	Vasile	3500	1050	4550
Constantin	Andrada	2500	250	2750
Diaconu	Denisa	3000	900	3900
Florea	Miruna	4320	864	5184
Lupu	Daniela	3860	1930	5790
Radulescu	Elena	2560	768	3328
Neagu	Stefan	2450	1225	3675
Diaconu	Ruxandra	4500	1800	6300
Mugur	Ramona	2000	200	2200
Dragomir	Andreea	3850	1540	5390

More than 10 rows available. Increase rows selector to view more rows.

10 rows returned in 0.02 seconds Download

Activate Windows
Go to Settings to activate Windows.

Copyright © 1999, 2023, Oracle and/or its affiliates.

--Sa se afiseze angajatii care au comison(1) si pe cei care nu au comision(0).

SELECT nume_angajat, NVL2(comision, 1, 0)

FROM Anin_AANGAJATI;

Results | Explain | Describe | Saved SQL | History

NUME_ANGAJAT	NVL2(COMISION,1,0)
Istrate	1
Constantin	1
Diaconu	1
Florea	1
Lupu	1
Radulescu	1
Neagu	1
Diaconu	1
Mugur	1
Dragomir	1

More than 10 rows available. Increase rows selector to view more rows.

Activate Windows
Go to Settings to activate Windows.

Copyright © 1999, 2023, Oracle and/or its affiliates.

/*Sa se afiseze numele, salariul si categoria fiecarui angajat din hotelul 'Rina Cerbul', conform regulilor:

-daca salariul e 2100, atunci e entry-level

-daca salariul e 3300, atunci e mid-level

-daca salariul e 5000, atunci e senior. */

SELECT a.nume_angajat, a.salariul, h.nume_hotel, DECODE(salariul, 2100, 'entry-level', 3300, 'mid-level', 5000, 'senior') rang

FROM Anin_AANGAJATI a, Anin_HOTEL h

WHERE h.id_hotel=a.id_hotel AND UPPER(nume_hotel)='RINA CERBUL';

Results | Explain | Describe | Saved SQL | History

NUME_ANGAJAT	SALARIUL	NUME_HOTEL	RANG
Radulescu	2560	RINA CERBUL	-
Neagu	2450	RINA CERBUL	-
Burada	5000	RINA CERBUL	senior
Dumitru	3860	RINA CERBUL	-
Vasilescu	2450	RINA CERBUL	-
Popa	2100	RINA CERBUL	entry-level
Stan	2560	RINA CERBUL	-
Tudor	4100	RINA CERBUL	-
Moldovan	3000	RINA CERBUL	-
Popescu	3300	RINA CERBUL	mid-level

10 rows returned in 0.01 seconds Download

Activate Windows
Go to Settings to activate Windows.

Copyright © 1999, 2023, Oracle and/or its affiliates.

--Sa se calculeze pentru fiecare hotel suma totala corespunzatoare salariilor angajatilor.

```
SELECT nume_hotel, SUM(salariul+salariul*NVL(comision, 0)) total_salarii
FROM Anin_AANGAJATI a, Anin_HOTEL h
WHERE h.id_hotel=a.id_hotel
GROUP BY nume_hotel;
```

Results | Explain | Describe | Saved SQL | History

NUME_HOTEL	TOTAL_SALARII
EUPHORIA	38309
ASTORIA	44470
RINA CERBUL	38468
IZA	46286

4 rows returned in 0.00 seconds Download

Activate Windows
Go to Settings to activate Windows.

Copyright © 1999, 2023, Oracle and/or its affiliates.

--Sa se calculeze numarul de clienti care au rezervat camere de tipul 'Single' si 'Double'.

```
SELECT tip_camera, COUNT(*) nr_clienti
FROM Anin_CLIENTI c, Anin_CCAMERE cc, Anin_RREZERVARI r
WHERE c.id_client=r.id_client AND cc.id_camera=r.id_camera
AND tip_camera IN('Single', 'Double')
GROUP BY tip_camera;
```

Results | Explain | Describe | Saved SQL | History

TIP_CAMERA	NR_CLIENTI
Double	6
Single	7

2 rows returned in 0.03 seconds Download

Activate Windows
Go to Settings to activate Windows.

Copyright © 1999, 2023, Oracle and/or its affiliates.

--Sa se afiseze doar hotelurile care platesc salarii totale cu valoarea mai mare de 3000. Sa se calculeze pentru acestea salariul mediu pe hotel.

```
SELECT id_hotel, ROUND(AVG(salariul)) salariul_mediu

FROM Anin_AANGAJATI

GROUP BY id_hotel

HAVING SUM(salariul)>32000

ORDER BY id_hotel;
```

Results | Explain | Describe | Saved SQL | History

ID_HOTEL	SALARIUL_MEDIU
100	3355
400	3942

2 rows returned in 0.00 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se afiseze hotelurile in ordine descrescatoare, care au cel putin o camera cu un pret minim peste 130 RON si un pret maxim sub 400 RON.

```
SELECT h.id_hotel, h.nume_hotel, MIN(cc.pret_noapte) pret_minim,
MAX(cc.pret_noapte) pret_maxim

FROM Anin_CCAMERE cc, Anin_HOTEL h

WHERE h.id_hotel=cc.id_hotel

GROUP BY h.id_hotel, h.nume_hotel

HAVING MIN(cc.pret_noapte) > 130 AND MAX(cc.pret_noapte) < 400

ORDER BY id_hotel DESC;
```

Results | Explain | Describe | Saved SQL | History

ID_HOTEL	NUME_HOTEL	PRET_MINIM	PRET_MAXIM
400	IZA	150	390
300	RINA CERBUL	140	370

2 rows returned in 0.01 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

/*Sa se obtina o lista a clientilor care au facut rezervari, să afiseze numele si numarul total de rezervari ale fiecarui client, mai putin cei care au o singura rezervare. */

```
SELECT c.id_client, c.nume_client, COUNT(r.id_rezervare) nr_rezervari

FROM Anin_CLIENTI c, Anin_RREZERVARI r

WHERE c.id_client=r.id_client

GROUP BY c.id_client, c.nume_client

MINUS

SELECT c.id_client, c.nume_client, COUNT(r.id_rezervare) nr_rezervari

FROM Anin_CLIENTI c, Anin_RREZERVARI r

WHERE c.id_client=r.id_client

GROUP BY c.id_client, c.nume_client

HAVING COUNT(r.id_rezervare)=1;
```

Results | Explain | Describe | Saved SQL | History

ID_CLIENT	NUME_CLIENT	NR_REZERVARI
1	Anin	3
2	Popescu	2
3	Ionescu	2
4	Dumitrescu	4
5	Gheorghe	2
6	Dumitrache	3
8	Popovici	2
10	Dobre	2
12	Daniel	4
14	Andrei	3

More than 10 rows available. Increase rows selector to view more rows.

Activate Windows
Go to Settings to activate Windows.

Copyright © 1999, 2023, Oracle and/or its affiliates.

--Sa se afiseze facturile ale caror rezervare au ziua din data_check_in egala cu 20 impreuna cu cele care au totalul de plata mai mic decat media platilor.

```
SELECT f.id_factura, f.total_plata, r.id_rezervare

FROM Anin_FACTURI f, Anin_RREZERVARI r

WHERE r.id_rezervare=f.id_rezervare AND EXTRACT(DAY FROM data_check_in)=20

GROUP BY f.id_factura, r.id_rezervare, total_plata
```

UNION

SELECT f.id_factura, f.total_plata, r.id_rezervare

FROM Anin_FACTURI f, Anin_RREZERVARI r

WHERE r.id_rezervare=f.id_rezervare AND f.total_plata < (SELECT AVG(total_plata) FROM Anin_FACTURI)

GROUP BY f.id_factura, r.id_rezervare, total_plata;

Results Explain Describe Saved SQL History

ID_FACTURA	TOTAL_PLATA	ID_REZERVARE
600	480	110
601	900	120
602	250	130
604	700	150
605	520	160
606	190	170
609	360	210
700	400	220
701	1000	230
702	1000	240

More than 10 rows available. Increase rows selector to view more rows.

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se afizese camerele care nu au fost rezervate o singura data sau de trei ori si, in celasi timp, cele care au pretul pe noapte intre 100 si 300.

SELECT cc.id_camera, cc.pret_noapte, COUNT(r.id_rezervare) nr_rezervari

FROM Anin_CCAMERE cc, Anin_RREZERVARI r

WHERE cc.id_camera=r.id_camera

GROUP BY cc.id_camera, cc.pret_noapte

HAVING COUNT(r.id_rezervare) NOT IN(1, 3)

INTERSECT

SELECT cc.id_camera, cc.pret_noapte, COUNT(r.id_rezervare) nr_rezervari

FROM Anin_CCAMERE cc, Anin_RREZERVARI r

WHERE cc.id_camera=r.id_camera AND cc.pret_noapte BETWEEN 100 AND 300

GROUP BY cc.id_camera, cc.pret_noapte;

Results Explain Describe Saved SQL History

ID_CAMERA	PRET_NOAPTE	NR_REZERVARI
23	250	2
31	140	2

2 rows returned in 0.10 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se afiseze toti angajatii care nu fac parte din hotelurile cu id-urile 100 si 400.

```
SELECT nume_angajat, prenume_angajat, id_hotel
FROM Anin_AANGAJATI
WHERE id_hotel NOT IN(SELECT id_hotel FROM Anin_HOTEL WHERE id_hotel IN(100, 400));
```

Results Explain Describe Saved SQL History

NUME_ANGAJAT	PRENUME_ANGAJAT	ID_HOTEL
Constantin	Andrada	200
Diaconu	Denisa	200
Florea	Miruna	200
Lupu	Daniela	200
Grigore	Andrei	200
Luca	Gabriel	200
Colea	Andreea	200
Mirica	Paula	200
Avadani	Ana	200
Zaharia	Elena	200

More than 10 rows available. Increase rows selector to view more rows.

10 rows returned in 0.04 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se afiseze angajatii cu varsta mai mica decat varsta medie.

```
SELECT nume_angajat, prenume_angajat, varsta
FROM Anin_AANGAJATI
WHERE varsta<(SELECT avg(varsta) FROM Anin_AANGAJATI);
```

Results | Explain | Describe | Saved SQL | History

NUME_ANGAJAT	PRENUME_ANGAJAT	VARSTA
Constantin	Andrada	22
Diaconu	Denisa	22
Radulescu	Elena	24
Neagu	Stefan	21
Mugur	Ramona	19
Ghita	Andreea	20
Colea	Andreea	22
Mirica	Paula	28
Vasilescu	Adrian	23
Popa	Larisa	22

More than 10 rows available. Increase rows selector to view more rows.

10 rows returned in 0.01 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se actualizeze pretul camerei cu id-ul 43 cu pretul camerei cu id-ul 42.

```
UPDATE Anin_CCAMERE

SET pret_noapte=(SELECT pret_noapte FROM Anin_CCAMERE WHERE id_camera=42)

WHERE id_camera=43;

SELECT * FROM Anin_CCAMERE WHERE id_camera IN(43,42);
```

Results | Explain | Describe | Saved SQL | History

ID_CAMERA	NUMAR_CAMERA	TIP_CAMERA	PRET_NOAPTE	ID_HOTEL
42	122	Double	220	400
43	123	Single	220	400

2 rows returned in 0.01 seconds Download

--Sa se afiseze superiorii angajatilor aflati pe ultimul nivel de subordonare.

```
SELECT nume_angajat, LEVEL -1 Numar_Superiori, SYS_CONNECT_BY_PATH(nume_angajat, '/') Nume_Superiori

FROM Anin_AANGAJATI

START WITH id_angajat=1000

CONNECT BY PRIOR id_angajat=id_manager

ORDER BY LEVEL desc;
```

Results Explain Describe Saved SQL History

NUME_ANGAJAT	NUMAR_SUPERIORI	NUME_SUPERIORI
Dragomir	3	/Doroftei/Garoafa/Mugur/Dragomir
Ionescu	3	/Doroftei/Garoafa/Mugur/Ionescu
Rizan	3	/Doroftei/Costan/Ghita/Rizan
Ichim	3	/Doroftei/Garoafa/Mugur/Ichim
Istrate	3	/Doroftei/Garoafa/Mugur/Istrate
Ghita	2	/Doroftei/Costan/Ghita
Mugur	2	/Doroftei/Garoafa/Mugur
Costan	1	/Doroftei/Costan
Garoafa	1	/Doroftei/Garoafa
Doroftei	0	/Doroftei

10 rows returned in 0.01 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se afiseze toti subordonatii lui 'Constantin' si cei ai lui 'Luca'.

```
SELECT id_angajat, nume_angajat, id_manager, LEVEL FROM Anin_AANGAJATI
CONNECT BY PRIOR id_angajat=id_manager
START WITH nume_angajat='Luca' OR nume_angajat='Florea'
ORDER BY LEVEL;
```

Results Explain Describe Saved SQL History

ID_ANGAJAT	NUME_ANGAJAT	ID_MANAGER	LEVEL
2002	Luca	2000	1
2004	Florea	2002	1
2003	Diaconu	2002	2
2006	Colea	2004	2
2005	Avadani	2002	2
2007	Lupu	2004	2
2004	Florea	2002	2
2008	Mirica	2007	3
2007	Lupu	2004	3
2006	Colea	2004	3

More than 10 rows available. Increase rows selector to view more rows.

10 rows returned in 0.01 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se afiseze toti superiorii lui 'Marin'.

```
SELECT id_angajat, nume_angajat, id_manager, LEVEL FROM Anin_AANGAJATI
CONNECT BY id_angajat=PRIOR id_manager
START WITH nume_angajat='Marin';
```

Results Explain Describe Saved SQL History

ID_ANGAJAT	NUME_ANGAJAT	ID_MANAGER	LEVEL
4006	Marin	4003	1
4003	Marinescu	4002	2
4002	Baciu	4000	3
4000	Enescu	-	4

4 rows returned in 0.02 seconds Download

Activate Windows
Go to Settings to activate Windows.

Copyright © 1999, 2023, Oracle and/or its affiliates.

--Sa se afiseze toti subordonatii lui 'Dumitru', mai putin cei care au varsta egala cu 20 si 30.

```
SELECT id_angajat, nume_angajat, id_manager, varsta, LEVEL FROM Anin_AANGAJATI

WHERE varsta NOT IN(20, 30)

CONNECT BY PRIOR id_angajat=id_manager

START WITH nume_angajat='Dumitru'

ORDER BY LEVEL;
```

Results Explain Describe Saved SQL History

ID_ANGAJAT	NUME_ANGAJAT	ID_MANAGER	VARSTA	LEVEL
3002	Dumitru	3000	31	1
3003	Vasilescu	3002	23	2
3004	Radulescu	3002	24	2
3005	Stan	3002	27	2
3006	Popa	3005	22	3
3007	Neagu	3005	21	3

6 rows returned in 0.02 seconds Download

Activate Windows
Go to Settings to activate Windows.

Copyright © 1999, 2023, Oracle and/or its affiliates.

--Sa se afiseze toti superiorii lui 'Zaharia', care au salariul mai mic decat 4000.

```
SELECT id_angajat, nume_angajat, id_manager, salariul, LEVEL FROM Anin_AANGAJATI

WHERE salariul<4000

CONNECT BY id_angajat=PRIOR id_manager

START WITH nume_angajat='Zaharia'

ORDER BY LEVEL desc;
```

Results | Explain | Describe | Saved SQL | History

ID_ANGAJAT	NUME_ANGAJAT	ID_MANAGER	SALARIUL	LEVEL
2000	Constantin	-	2625	5
2002	Luca	2000	3850	4
2007	Lupu	2004	3860	2
2009	Zaharia	2007	2982	1

4 rows returned in 0.01 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se afiseze toti subordonatii incepand cu nivelul 3 doar din hotelul cu id-ul 100.

```
SELECT id_hotel, id_angajat, nume_angajat, id_manager, LEVEL FROM Anin_AANGAJATI

WHERE LEVEL >=3 AND id_hotel=100

CONNECT BY PRIOR id_angajat=id_manager

ORDER BY LEVEL;
```

Results | Explain | Describe | Saved SQL | History

ID_HOTEL	ID_ANGAJAT	NUME_ANGAJAT	ID_MANAGER	LEVEL
100	1004	Istrate	1003	3
100	1007	Ichim	1003	3
100	1006	Ionescu	1003	3
100	1005	Dragomir	1003	3
100	1009	Rizan	1008	3
100	1003	Mugur	1002	3
100	1008	Ghita	1001	3
100	1007	Ichim	1003	4
100	1006	Ionescu	1003	4
100	1005	Dragomir	1003	4

More than 10 rows available. Increase rows selector to view more rows.

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com | csiebazededate | en

Copyright © 1999, 2023, Oracle and/or its affiliates.

Oracle APEX 23.2.1

--Sa se creeze o tabela virtuala pe baza tabelei Anin_AANGAJATI, care sa contina doar id-ul, numele si varsta angajatului.

CREATE VIEW vw_Angajati AS

SELECT id_angajat, nume_angajat, varsta

FROM Anin_AANGAJATI;

SELECT nume_angajat, varsta FROM vw_Angajati WHERE id_angajat=2000;

Workshop | Team Development | Gallery | Search | AA Andreea Anin csiebazededate

Schema WKSP_CSIEBAZEDEDATE

VW_ANGAJATI

Columns | Code | Data | Errors | Grants | Dependencies | DDL

Compile | Drop | Comment | Refresh

Column Name	Data Type	Nullable	Comment
ID_ANGAJAT	NUMBER(6,0)	N	
NUME_ANGAJAT	VARCHAR2(20 BYTE)	Y	
VARSTA	NUMBER(2,0)	Y	

--Sa se creeze o secventa pentru tabela Anin_HOTEL si apoi sa se adauge.

CREATE SEQUENCE seq_hotel

START WITH 1

INCREMENT BY 1

MAXVALUE 10

NOCYCLE;

INSERT INTO Anin_HOTEL (id_hotel, nume_hotel) VALUES (seq_hotel.NEXTVAL, 'ROBERTO');



Workshop | Team Development | Gallery | Search | Andreea Anin csiebazededate

Schema WKSP_CSIEBAZEDEDATE

ANIN_HOTEL

Columns | Data | Indexes | Constraints | Grants | Statistics | Triggers | Dependencies | DDL | Sample Queries

+ Insert Row | Columns... | Filter... | Count Rows | Load Data | Download | Refresh

ID_HOTEL	NUME_HOTEL	ADRESA	NUMAR_STELE	TELEFON
100	ASTORIA	Iasi, Romania	3	0232709636
200	EUPHORIA	Craiova, Romania	2	0257602325
400	IZA	Maramures, Romania	2	0250837241
300	RINA CERBUL	Sinaia, Romania	4	0214107451
1	ROBERTO			

--Sa se creeze un sinonim pentru tabela Anin_AANGAJATI.

```
CREATE SYNONYM ang FOR Anin_AANGAJATI;
SELECT id_angajat, nume_angajat, id_hotel
FROM ang
WHERE id_hotel=300;
```

Results | Explain | Describe | Saved SQL | History

ID_ANGAJAT	NUME_ANGAJAT	ID_HOTEL
3004	Radulescu	300
3007	Neagu	300
3000	Burada	300
3002	Dumitru	300
3003	Vasilescu	300
3006	Popa	300
3005	Stan	300
3008	Tudor	300
3009	Moldovan	300
3001	Popescu	300

10 rows returned in 0.02 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com | csiebazededate | en

Copyright © 1999, 2023, Oracle and/or its affiliates.

Oracle APEX 23.2.1

--Sa se creeze un index pentru numele clientilor.

CREATE INDEX idx_nume ON Anin_CLIENTI(nume_client);





4. Exemple cu operaţii de actualizare a datelor

--Modificati in 'Matei' prenumele angajatului cu id_angajat egal cu 1009.

UPDATE Anin_AANGAJATI

SET prenume_angajat='Matei'

WHERE id_angajat=1009;

SELECT nume_angajat, prenume_angajat FROM Anin_AANGAJATI WHERE id_angajat=1009;

Results Explain Describe Saved SQL History

NUME_ANGAJAT	PRENUME_ANGAJAT
Rizan	Matei

1 rows returned in 0.01 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se creasca cu 5% salariile angajatilor care au in prezent salariul mai mic decât 3000.

UPDATE Anin_AANGAJATI

SET salariul= salariul + (5/100) * salariul

WHERE salariul<3000;

SELECT nume_angajat, prenume_angajat, salariul FROM Anin_AANGAJATI WHERE salariul<3000;

Results Explain Describe Saved SQL History

NUME_ANGAJAT	PRENUME_ANGAJAT	SALARIUL
Constantin	Andrada	2625
Radulescu	Elena	2688
Neagu	Stefan	2572.5
Mugur	Ramona	2100
Colea	Andreea	2100
Vasilescu	Adrian	2572.5
Popa	Larisa	2205
Doroftei	Maria	2625
Stan	Ioana	2688
Costan	Elena	2835

More than 10 rows available. Increase rows selector to view more rows.

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se mai adauge o stea hotelului cu numele 'Iza'.

UPDATE Anin_HOTEL

SET numar_stele=numar_stele+1

WHERE UPPER(nume_hotel)='IZA'

SELECT nume_hotel, numar_stele FROM Anin_HOTEL WHERE UPPER(nume_hotel)='IZA';

Results Explain Describe Saved SQL History

NUME_HOTEL	NUMAR_STELE
IZA	2

1 rows returned in 0.01 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se stearga facturile emise in data de '01-01-2024'.

DELETE FROM Anin_FACTURI

WHERE data_emitere=to_date('01-01-2024', 'dd-mm-yyyy');

SELECT * FROM Anin_FACTURI WHERE data_emitere=to_date('01-01-2024', 'dd-mm-yyyy');

Results Explain Describe Saved SQL History

no data found

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1

--Sa se mai aduge o factura pentru rezervarea cu id_ul 110.

INSERT INTO Anin_FACTURI VALUES (to_date('01-02-2024', 'dd-mm-yyyy'), 245.56, 110, 911);

--Sa se rotunjeasca pretul facturii cu id-ul 911.

UPDATE Anin_FACTURI

SET total_plata=ROUND(total_plata, 1)

WHERE id_factura=911;

SELECT id_factura, total_plata FROM Anin_FACTURI WHERE id_factura=911;

Results Explain Describe Saved SQL History

ID_FACTURA	TOTAL_PLATA
911	246

1 rows returned in 0.00 seconds Download

Activate Windows
Go to Settings to activate Windows.

aninandreea27@gmail.com csiebazededate en Copyright © 1999, 2023, Oracle and/or its affiliates. Oracle APEX 23.2.1