

CÓDIGO FUENTE Bloques de elementos

SAP ABAP Programación



grama z pantallas_l100000 ac	tivo	
Símbolos de texto Textos de selección Cabeceras de la	sta	
Sig.número libre	1 / 10	
Sím Texto	Long.	Máx.
B01 Solicitud de alta	17	17
B02 Datos del empleado	18	18
B03 Datos relativos a la solicitud	30	30
B04 Tipo de contrato	16	16
B05 Beneficios	10	10
B06 Permisos	8	8
C01 Ticket restaurant	17	17
C02 Seguro médico	13	13
C03 Formación profesional	21	21
	0	0
	0	0

TABLES: trdir, tstc.

SELECTION-SCREEN BEGIN OF BLOCK block1 WITH FRAME TITLE text-b01.

SELECTION-SCREEN SKIP.

SELECTION-SCREEN BEGIN OF BLOCK block2 WITH FRAME TITLE text-b02.

SELECTION-SCREEN SKIP.

* Fecha de nacimiento

PARAMETERS p_fechan TYPE sydatum.

* N° de documento identificativo

PARAMETERS p dni TYPE c LENGTH 15 OBLIGATORY.

* Domicilio

PARAMETERS p_domici TYPE c LENGTH 50.

* Correo electrónico

```
PARAMETERS p email TYPE c LENGTH 30.
SELECTION-SCREEN END OF BLOCK block2.
*&DATOS RELATIVOS A LA SOLICITUD DE ALTA
SELECTION-SCREEN BEGIN OF BLOCK block3 WITH FRAME TITLE text-b03.
*&TIPO DE CONTRATO Y BENEFICIOS
SELECTION-SCREEN SKIP.
SELECTION-SCREEN BEGIN OF BLOCK block4 WITH FRAME TITLE text-b04.
* Tipo de contrato
PARAMETERS: p cntr i RADIOBUTTON GROUP cntr, " Indefinido
             p cntr t RADIOBUTTON GROUP cntr, " Temporal
             p_cntr_p RADIOBUTTON GROUP cntr. " Prácticas
SELECTION-SCREEN END OF BLOCK block4.
SELECTION-SCREEN SKIP.
* Beneficios
SELECTION-SCREEN BEGIN OF BLOCK block5 WITH FRAME TITLE text-b05.
SELECTION-SCREEN BEGIN OF LINE.
PARAMETERS p tik r TYPE c AS CHECKBOX DEFAULT 'X'. " Ticket restaurant
SELECTION-SCREEN COMMENT (22) c tik r.
PARAMETERS p seg m TYPE c AS CHECKBOX. " Seguro Médico
SELECTION-SCREEN COMMENT (22) c seg m.
PARAMETERS p frm p TYPE c AS CHECKBOX. " Formación profesional
SELECTION-SCREEN COMMENT (22) c frm p.
SELECTION-SCREEN END OF LINE.
SELECTION-SCREEN END OF BLOCK block5.
*& DATOS RELATIVOS A LA ACTIVIDAD LABORAL
SELECTION-SCREEN SKIP.
PARAMETERS: p horas TYPE i, " Horas Semanales
            p sal m TYPE i. " Salario Mensual
```

^{*} Fecha de alta

```
PARAMETERS p fechaa TYPE sydatum.
SELECTION-SCREEN SKIP.
* Permisos
SELECTION-SCREEN BEGIN OF BLOCK block6 WITH FRAME TITLE text-b06.
SELECT-OPTIONS: s prog FOR trdir-name, " Programas
                  s tcode FOR tstc-tcode. " Códigos de transacción
SELECTION-SCREEN SKIP.
SELECTION-SCREEN END OF BLOCK block6.
SELECTION-SCREEN END OF BLOCK block3.
SELECTION-SCREEN END OF BLOCK block1.
INITIALIZATION.
  p_fechaa = sy-datum.
* Asignar valores a los comments
  c\_tik\_r = text-c01. " Ticket restaurant c\_seg\_m = text-c02. " Seguro médico
  c frm p = text-c03. " Formación profesional
AT SELECTION-SCREEN ON p ape1.
* IF p apel IS INITIAL.
* MESSAGE e001(z1100000).
* ENDIF.
  IF p ape1 CA '0123456789'.
    MESSAGE e000(z1100000).
  ENDIF.
AT SELECTION-SCREEN ON p ape2.
  IF p_ape2 CA '0123456789'.
    MESSAGE e000(z1100000).
  ENDIF.
AT SELECTION-SCREEN ON p_nombre.
  IF p nombre CA '0123456789'.
    MESSAGE e000(z1100000).
  ENDIF.
START-OF-SELECTION.
```

WRITE 'Ejecución del programa'.