

# Comprehensive Symptom Tracker

A whole-picture tracker for the days when pain is only one witness and the rest of the body is speaking too.

Routing Note

- Need:** Pain is often only one witness. This tracker is for the fuller pattern when fatigue, fog, sleep, GI symptoms, and mood are all in the room.
- Tool:** Use it when the condition moves in clusters and a pain-only sheet keeps flattening what is actually happening.
- Rule:** Do not track everything. Track what changes decisions, function, or survival.

Patient Information

Name: \_\_\_\_\_

Date Range: \_\_\_\_\_

Condition(s): \_\_\_\_\_

Current Medications: \_\_\_\_\_

1. Rating Guide — Use These Scales Consistently

Rate each symptom 0-10 daily. Anchor to function, not just feeling. Consistency matters more than precision.

| Scale      | 0         | 2                | 4                  | 6                  | 8                 | 10             |
|------------|-----------|------------------|--------------------|--------------------|-------------------|----------------|
| Pain       | None      | Mild, ignorable  | Distracting        | Dominates thinking | Barely functional | Worst possible |
| Fatigue    | Energised | Slight tiredness | Need rest breaks   | Activity very hard | Mostly in bed     | Cannot move    |
| Sleep Qual | Refreshed | Mostly rested    | Woke several times | Poor, unrefreshing | Barely slept      | No sleep       |
| Brain Fog  | Clear     | Slightly slow    | Can't concentrate  | Frequent mistakes  | Can't read/follow | Disoriented    |
| Mood       | Great     | Mostly okay      | Noticeably low     | Struggling         | Very distressed   | In crisis      |

2. Daily Symptom Log — Core Symptoms

Rate each symptom at the same time daily (evening recommended). Use the 0-10 scales above.

| Date | Pain (0-10) | Fatigue (0-10) | Sleep Hrs | Sleep Qual (0-10) | Brain Fog (0-10) | Mood (0-10) | Energy (0-10) |
|------|-------------|----------------|-----------|-------------------|------------------|-------------|---------------|
|      |             |                |           |                   |                  |             |               |
|      |             |                |           |                   |                  |             |               |
|      |             |                |           |                   |                  |             |               |
|      |             |                |           |                   |                  |             |               |
|      |             |                |           |                   |                  |             |               |
|      |             |                |           |                   |                  |             |               |
|      |             |                |           |                   |                  |             |               |

### 3. Additional Physical Symptoms

Track symptoms specific to your condition. Rate 0-10 or use checkboxes. Add your own in the blank rows.

| Date | Stiffness | Numbness / Tingling | Dizziness | Nausea / GI | Headache | _____ | _____ |
|------|-----------|---------------------|-----------|-------------|----------|-------|-------|
|      |           |                     |           |             |          |       |       |
|      |           |                     |           |             |          |       |       |
|      |           |                     |           |             |          |       |       |
|      |           |                     |           |             |          |       |       |
|      |           |                     |           |             |          |       |       |
|      |           |                     |           |             |          |       |       |

### 4. Functional Impact — Rate Difficulty (0-5)

0 = No problem | 1 = Mild difficulty | 2 = Moderate | 3 = Significant | 4 = Very difficult | 5 = Could not do

| Date | Self-Care | Housework | Walking | Work / Tasks | Social | Exercise |
|------|-----------|-----------|---------|--------------|--------|----------|
|      |           |           |         |              |        |          |
|      |           |           |         |              |        |          |
|      |           |           |         |              |        |          |
|      |           |           |         |              |        |          |
|      |           |           |         |              |        |          |
|      |           |           |         |              |        |          |

### 5. Medication & Treatment Log

Track medications, therapies, and interventions. Note which symptoms they helped or worsened.

| Date | Medication / Treatment | Dose | Symptom Targeted | Relief (0-10) | Side Effects |
|------|------------------------|------|------------------|---------------|--------------|
|      |                        |      |                  |               |              |
|      |                        |      |                  |               |              |
|      |                        |      |                  |               |              |
|      |                        |      |                  |               |              |
|      |                        |      |                  |               |              |

## 6. Trigger & Correlation Tracker

Check potential triggers present each day. Review weekly to spot patterns.

| Date | Poor Sleep | High Stress | Weather Change | Overexertion | Hormonal | Food Trigger | Other |
|------|------------|-------------|----------------|--------------|----------|--------------|-------|
|      |            |             |                |              |          |              |       |
|      |            |             |                |              |          |              |       |
|      |            |             |                |              |          |              |       |
|      |            |             |                |              |          |              |       |
|      |            |             |                |              |          |              |       |
|      |            |             |                |              |          |              |       |
|      |            |             |                |              |          |              |       |

## 7. Symptom Cluster Reference

Chronic illness symptoms cluster together. Use this guide to identify YOUR patterns.

| Cluster                  | Core Symptoms                               | Common In               | What to Watch For                                   |
|--------------------------|---------------------------------------------|-------------------------|-----------------------------------------------------|
| <b>Pain Cluster</b>      | Pain, stiffness, tension, swelling          | Arthritis, fibro, CRPS  | When pain rises, do stiffness and tension follow?   |
| <b>Fatigue Cluster</b>   | Fatigue, crash, sleepiness, exercise intol. | ME/CFS, fibro, lupus    | Post-exertional malaise the day after activity?     |
| <b>Cognitive Cluster</b> | Brain fog, concentration, memory, word-find | Fibro, ME/CFS, MS       | Does brain fog correlate with poor sleep nights?    |
| <b>Mood Cluster</b>      | Anxiety, depression, irritability           | Any chronic condition   | Bidirectional with pain -- each amplifies the other |
| <b>Autonomic Cluster</b> | Dizziness, nausea, temperature dysreg.      | POTS, EDS, dysautonomia | Postural triggers? Time-of-day patterns?            |

## 8. Weekly Summary

Complete at the end of each week. This is what you bring to your doctor.

Week of: \_\_\_\_\_

Average pain this week (0-10): \_\_\_\_\_

Average fatigue this week (0-10): \_\_\_\_\_

Average sleep quality (0-10): \_\_\_\_\_

Worst symptom this week: \_\_\_\_\_

Best day — what was different? \_\_\_\_\_

Worst day — what triggered it? \_\_\_\_\_

Symptom clusters noticed: \_\_\_\_\_

Medication changes or effects: \_\_\_\_\_

## Questions for Doctor / Observations / Correlations Noticed

---

---

---

---

---

### Whole-Picture Rules

Track at the same time when possible. On collapse days, record the core symptoms and move on.

Do not over-track. Pick the symptoms that change function, care, or pattern logic.

Better days matter because they show baseline and what held. | [paintracker.ca](https://paintracker.ca)