

- Text as data
- Text representations

Statistical analysis of textual data

Måns Magnusson Department of Statistics Uppsala University

June 10, 2024

1/14



- Text as data
- Text representations

Section 1

Text as data





- Text as data
- Text representations



• Large textual corpora are (or are becoming) digital



- Text as data
- Text representations



- Large textual corpora are (or are becoming) digital
- We want to study meaning and semantics to draw conclusions about society: treating text as data.
- Interest in inference from data



- Text as data
- Text representations

Example of problems

 Concept history: The changing meaning of "information" and "propaganda"



- Text as data
- Text representations

Example of problems

- Concept history: The changing meaning of "information" and "propaganda"
- Sociology: How do public discourses on immigration form and change over time?



- Text as data
- Text representations

Example of problems

- Concept history: The changing meaning of "information" and "propaganda"
- Sociology: How do public discourses on immigration form and change over time?
- Law: What affects the outcome of a court case? (Outcome prediction)



- Text as data
- Text representations

The quick brown fox jumps over the lazy dog.

• What is the difference regarding text as data?



- Text as data
- Text representations

- What is the difference regarding text as data?
- The structure of language and statistical inference
 - Hierarchical, discrete, sparse, high-dimensional
 - Long distant relations/context, syntax, noisy (errors)



- Text as data
- Text representations

- What is the difference regarding text as data?
- The structure of language and statistical inference
 - Hierarchical, discrete, sparse, high-dimensional
 - Long distant relations/context, syntax, noisy (errors)
- Very large corpora



- Text as data
- Text representations

- What is the difference regarding text as data?
- The structure of language and statistical inference
 - Hierarchical, discrete, sparse, high-dimensional
 - Long distant relations/context, syntax, noisy (errors)
- Very large corpora
- Very large models



- Text as data
- Text representations

- What is the difference regarding text as data?
- The structure of language and statistical inference
 - Hierarchical, discrete, sparse, high-dimensional
 - Long distant relations/context, syntax, noisy (errors)
- Very large corpora
- Very large models
- Challenges in analysis of textual data today:
 - Scalability of statistical methods
 - Causal inference
 - Drawing conclusions about society from textual data



- Text as data
- Text representations

- What is the difference regarding text as data?
- The structure of language and statistical inference
 - Hierarchical, discrete, sparse, high-dimensional
 - Long distant relations/context, syntax, noisy (errors)
- Very large corpora
- Very large models
- Challenges in analysis of textual data today:
 - Scalability of statistical methods
 - Causal inference
 - Drawing conclusions about society from textual data
- We know that all models are wrong.



- Text as data
- Text representations

- What is the difference regarding text as data?
- The structure of language and statistical inference
 - Hierarchical, discrete, sparse, high-dimensional
 - Long distant relations/context, syntax, noisy (errors)
- Very large corpora
- Very large models
- Challenges in analysis of textual data today:
 - Scalability of statistical methods
 - Causal inference
 - Drawing conclusions about society from textual data
- We know that all models are wrong.
 But some models can be useful.



- Text as data
- Text representations

How to measure and estimate meaning

Closing arguments were heard yesterday in the Federal bankruptcy fraud trial of Stephen J. Sabbeth, whose legal problems have raised doubts about his ability to continue as leader of the Nassau County Democratic Party.

• The distributional hypothesis (see Sahlgren, 2008) a word is characterized by the company it keeps (Firth, 1957)



- Text as data
- Text representations

How to measure and estimate meaning

Closing arguments were heard yesterday in the Federal bankruptcy fraud trial of Stephen J. Sabbeth, whose legal problems have raised doubts about his ability to continue as leader of the Nassau County Democratic Party.

- The distributional hypothesis (see Sahlgren, 2008) a word is characterized by the company it keeps (Firth, 1957)
- The context of words:
 - word windows
 - "documents"
 - left context (predict the next word)



- Text as data
- Text representations

The most common model classes

- Latent semantic models
 - topic models (documents)
 - word embeddings (word windows)



- Text as data
- Text representations

The most common model classes

- Latent semantic models
 - topic models (documents)
 - word embeddings (word windows)
- Transformer Neural Networks
 - Encoder models (word windows, masked language models)
 - Decoder models (left context, next word prediction)



- Text as data
- Text representations

How should we do it? The Box process




Figure: The Box approach (Box, 1976, Blei, 2014)



- Text as data
- Text representations

Section 2

Text representations



- Text as data
- Text representations

Computational text representation

- The tidy data format
 - Each variable is a column
 - Each observation is a row
 - Each type of observational unit is a table
- For text: a table with one-token-per-row
- A token is discrete unit of interest

Example:

pos	$word_{-}type$	sentence
1	The	1
2	quick	1
3	brown	1



- Text as data
- Text representations

Other representations and aggregations

- Other representations
 - characters
 - vectors/lists of characters



- Text as data
- Text representations

Other representations and aggregations

- Other representations
 - characters
 - vectors/lists of characters
 - Aggregating text
 - document-term matrices
 - term-term matrices
- Commonly used in simple text classification

Example:

The quick brown fox jumps over the lazy dog. That was quick! ...

	sentence1	sentence2	
the	2	0	
quick	1	1	
brown	1	0	



- Text as data
- Text representations

Aggregation using tidy text

The quick brown fox jumps over the lazy dog. That was quick! ...

pos	$word_{\perp}type$	sentence	r
1	The	1	2
2	quick	1	1
3	brown	1	1



- Text as data
- Text representations

The quick brown fox jumps over the 13 lazy dogs.

• Simple tokenization: Word-based



- Text as data
- Text representations

- Simple tokenization: Word-based
 - Difficult in some languages (e.g. Chinese)



- Text as data
- Text representations

- Simple tokenization: Word-based
 - Difficult in some languages (e.g. Chinese)
 - Generate large vocabularies with many different words



- Text as data
- Text representations

- Simple tokenization: Word-based
 - Difficult in some languages (e.g. Chinese)
 - Generate large vocabularies with many different words
 - Out-of-vocabulary problem



- Text as data
- Text representations

- Simple tokenization: Word-based
 - Difficult in some languages (e.g. Chinese)
 - Generate large vocabularies with many different words
 - Out-of-vocabulary problem
- Training tokenizers on a given corpus:



- Text as data
- Text representations

- Simple tokenization: Word-based
 - Difficult in some languages (e.g. Chinese)
 - Generate large vocabularies with many different words
 - Out-of-vocabulary problem
- Training tokenizers on a given corpus:
- Byte-pair encoding (BPE):
 Combine most common characters until predefined vocabulary is reached
 The quick brown fox jump ##s over the 13 lazy dog ##s



- Text as data
- Text representations

- Simple tokenization: Word-based
 - Difficult in some languages (e.g. Chinese)
 - Generate large vocabularies with many different words
 - Out-of-vocabulary problem
- Training tokenizers on a given corpus:
- Byte-pair encoding (BPE):
 Combine most common characters until predefined vocabulary is reached
 The quick brown fox jump ##s over the 13 lazy dog ##s
- Wordpiece encoding (WE):
 Simplary to BPE, but uses a language model to score which to merge



- Text as data
- Text representations

- Simple tokenization: Word-based
 - Difficult in some languages (e.g. Chinese)
 - Generate large vocabularies with many different words
 - Out-of-vocabulary problem
- Training tokenizers on a given corpus:
- Byte-pair encoding (BPE):
 Combine most common characters until predefined vocabulary is reached
 The quick brown fox jump ##s over the 13 lazy dog ##s
- Wordpiece encoding (WE):
 Simplary to BPE, but uses a language model to score which to merge
- Unigram tokenizer:
 Like WE, but start with a large vocabulary and trim it down.



- Text as data
- Text representations

The quick brown fox jumps over the 13 lazy dogs.

Lemmatizing/stemming (text normalization)
 The quick brown fox jump over the 13 lazy dog.



- Text as data
- Text representations

- Lemmatizing/stemming (text normalization)
 The quick brown fox jump over the 13 lazy dog.
- Lower casing the quick brown fox jump over the 13 lazy dog.



- Text as data
- Text representations

- Lemmatizing/stemming (text normalization)
 The quick brown fox jump over the 13 lazy dog.
- Lower casing the quick brown fox jump over the 13 lazy dog.
- Remove numbers and punctuation the quick brown fox jump over the NN lazy dog



- Text as data
- Text representations

- Lemmatizing/stemming (text normalization)
 The quick brown fox jump over the 13 lazy dog.
- Lower casing the quick brown fox jump over the 13 lazy dog.
- Remove numbers and punctuation the quick brown fox jump over the NN lazy dog
- Stop words and rare words (Zipfs distribution/law, freq vs. rank) quick brown fox jump NN lazy dog