



push_swap / 2,814 successful trials
Session 20261002_122609 • running • sizes 2-600 • seed 42


Winning moves & observed spread




Total seconds Mean




Moves Mean




Seconds Mean




Mean extra moves vs best









Sampling coverage



Winning result by input size
Session 20261002_122609 • running • sizes 2-600 • seed 42




Winning result by input size
Session 20261002_122609 • running • sizes 2-600 • seed 42




— Winning result







Winning result by input size
Session 20261002_122609 • running • sizes 2-600 • seed 42



Winning result by input size
Session 20261002_122609 • running • sizes 2-600 • seed 42




Algorithm comparison
Session 20261002_122609 • running • sizes 2-600 • seed 42









Seed + greedy · 08460e/d5a57b LIS + greedy · 08460e/d5a57b LIS + batch opening · 08460e/d5a57b
BFS optimum · 08460e/d5a57b LIS + lookahead · 08460e/d5a57b LIS + single opening · 08460e/d5a57b

Algorithm comparison
Session 20261002_122609 • running • sizes 2-600 • seed 42









Algorithm comparison
Session 20261002_122609 • running • sizes 2-600 • seed 42




Seed + greedy · 08460e/d5a57b LIS + greedy · 08460e/d5a57b LIS + batch opening · 08460e/d5a57b
BFS optimum · 08460e/d5a57b LIS + lookahead · 08460e/d5a57b LIS + single opening · 08460e/d5a57b

Algorithm comparison
Session 20261002_122609 • running • sizes 2-600 • seed 42




Seed + greedy · 08460e/d5a57b LIS + greedy · 08460e/d5a57b LIS + batch opening · 08460e/d5a57b
BFS optimum · 08460e/d5a57b LIS + lookahead · 08460e/d5a57b LIS + single opening · 08460e/d5a57b


Algorithm comparison
Session 20261002_122609 • running • sizes 2-600 • seed 42



Algorithm comparison
Session 20261002_122609 • running • sizes 2-600 • seed 42




Algorithm comparison
Session 20261002_122609 • running • sizes 2-600 • seed 42









Seed + greedy · 08460e/d5a57b LIS + greedy · 08460e/d5a57b LIS + batch opening · 08460e/d5a57b
BFS optimum · 08460e/d5a57b LIS + lookahead · 08460e/d5a57b LIS + single opening · 08460e/d5a57b

Individual candidate measurements
Session 20261002_122609 • running • sizes 2-600 • seed 42









Individual candidate measurements
Session 20261002_122609 • running • sizes 2-600 • seed 42




Legend:

- BFS optimum · 08460e
- Seed + greedy · 08460e
- LIS + greedy · 08460e
- LIS + lookahead · 08460e
- LIS + single opening · 08460e
- LIS + batch opening · 08460e

Individual candidate measurements
Session 20261002_122609 • running • sizes 2-600 • seed 42



● BFS optimum · 08460e ● LIS + greedy · 08460e ● LIS + single opening · 08460e
● Seed + greedy · 08460e ● LIS + lookahead · 08460e ● LIS + batch opening · 08460e



Session details & interpretation

Evaluation benchmarks – n=100 and n=500
Input size: 100 | Runs: 5 | Average moves: 508.200 | Minimum moves: 486 | Maximum moves: 521 | Average solver seconds: 205.411845
Input size: 500 | Runs: 4 | Average moves: 4955.250 | Minimum moves: 4897 | Maximum moves: 5024 | Average solver seconds: 384.561767
Evaluation benchmarks – n=100 and n=500
Session: Status | Value: running
Session: Workers for this invocation | Value: 11
Session: Successful runs | Value: 2814
Session: Master seed | Value: 42
Session: Input size | Value: variable
Session: Size mode | Value: loop
Session: Minimum size | Value: 2
Session: Maximum size | Value: 600
Session: Next generation ID | Value: 2814
Session: Updated | Value: 2026-10-06T17:24:50.428686+08:00
Session: Session prefix | Value: 20261002_122609
Session: Generator | Value: python-mt19937-shuffle-sha256-v1
Session: Python version | Value: 3.10.12
Sweep progress
Field: Inputs per sweep | Value: 599
Field: Completed sweeps | Value: 4
Field: Current sweep | Value: 5
Field: Completed inputs in current sweep | Value: 418
Field: Next input size | Value: 420
Averages
Metric / algorithm: Winning solution | Runs: 2814 | Average: 2550.168 | Minimum: 0 | Maximum: 6951 | Unit: moves
Metric / algorithm: (BFS Brute-Force Optimum Moves) | Runs: 39 | Average: 8.487 | Minimum: 1 | Maximum: 17 | Unit: moves
Metric / algorithm: (3-element seed + local greedy) | Runs: 2808 | Average: 2647.441 | Minimum: 1 | Maximum: 6951 | Unit: moves
Metric / algorithm: (Circular LIS + local greedy) | Runs: 2408 | Average: 2029.541 | Minimum: 3 | Maximum: 5197 | Unit: moves
Metric / algorithm: (Circular LIS + lookahead greedy) | Runs: 2408 | Average: 2082.984 | Minimum: 3 | Maximum: 5397 | Unit: moves
Metric / algorithm: (Circular LIS + opening only 1 insertion with extra lookahead greedy) | Runs: 2408 | Average: 2081.852 | Minimum: 3 | Maximum: 5440 | Unit: moves
Metric / algorithm: (Circular LIS + opening batch moves from extra lookahead greedy) | Runs: 2408 | Average: 2084.789 | Minimum: 3 | Maximum: 5422 | Unit: moves
Metric / algorithm: Solver runtime | Runs: 2814 | Average: 121.273 | Minimum: 0.001402 | Maximum: 885.898457 | Unit: seconds
Executable versions
Binary SHA-256: 08460e7ad94ba0ef385b18a4a656cb97d6b4c2181feadbbe895df321ae44d32d | Runs: 2814
Executable settings (distinct configurations)
{ "BENCHMARK_SCHEDULER": 2, "BENCHMARK_WORKERS": 11, "BRUTE_MAX_N": 10, "DEBUG": 0, "ENABLE_OPENING_LOOKAHEAD": 1, "EXECUTE_LIMIT_100": 10, "EXECUTE_LIMIT_500": 5, "EXECUTE_LIMIT_FIRST_MOVE": 5, "GREEDY_PATH_CAPACITY": 12, "LOOKAHEAD_DEPTH_100": 12, "LOOKAHEAD_DEPTH_500": 7, "LOOKAHEAD_DEPTH_FIRST_MOVE": 12, "SKIP_OTHER_ALGO_AFTER_BFS": 0 }
Source prose and saved-run references
Push_swap test summary
Evaluation benchmarks – n=100 and n=500
Sizes with zero runs have not been sampled yet.
Sweep progress
A sweep tests each configured size once; it does not exhaust all permutations or certify evaluation coverage.
Averages
Winning result by input size

Session details & interpretation

```
## Algorithm comparison
## Per-run algorithm data
Rows contain only algorithms that actually ran. Comparisons are grouped by binary, settings and input size. Sample SD measures observed variability; CV is SD/mean; SEM is SD/sqrt(n), not a prediction interval. Quantiles use linear interpolation. Missing historical measurements are marked —. Chosen wins use the first minimum, matching solver tie-breaking. rr and rrr are shared forward/reverse rotations; rotation actions count each shared move twice. Counts describe emitted instructions, including possible no-ops. Timing covers candidate execution, excluding instrumentation output and candidate initialization; total solver time includes process launch, parsing, initialization, reporting and output. RSS is Linux process-wide peak memory at candidate completion, not memory owned by that algorithm; later rows inherit earlier peaks. Runtime is measured, asymptotic complexity is not. All candidate rows belong to runs whose winning output passed the reference checker; individual candidates are not independently checker-validated by this runner.
## Saved runs
- [Runs 1–10](20261002_122609_output_000001.md)
- [Runs 11–20](20261002_122609_output_000002.md)
- [Runs 21–30](20261002_122609_output_000003.md)
- [Runs 31–40](20261002_122609_output_000004.md)
- [Runs 41–50](20261002_122609_output_000005.md)
- [Runs 51–60](20261002_122609_output_000006.md)
- [Runs 61–70](20261002_122609_output_000007.md)
- [Runs 71–80](20261002_122609_output_000008.md)
- [Runs 81–90](20261002_122609_output_000009.md)
- [Runs 91–100](20261002_122609_output_000010.md)
- [Runs 101–110](20261002_122609_output_000011.md)
- [Runs 111–120](20261002_122609_output_000012.md)
- [Runs 121–130](20261002_122609_output_000013.md)
- [Runs 131–140](20261002_122609_output_000014.md)
- [Runs 141–150](20261002_122609_output_000015.md)
- [Runs 151–160](20261002_122609_output_000016.md)
- [Runs 161–170](20261002_122609_output_000017.md)
- [Runs 171–180](20261002_122609_output_000018.md)
- [Runs 181–190](20261002_122609_output_000019.md)
- [Runs 191–200](20261002_122609_output_000020.md)
- [Runs 201–210](20261002_122609_output_000021.md)
- [Runs 211–220](20261002_122609_output_000022.md)
- [Runs 221–230](20261002_122609_output_000023.md)
- [Runs 231–240](20261002_122609_output_000024.md)
- [Runs 241–250](20261002_122609_output_000025.md)
- [Runs 251–260](20261002_122609_output_000026.md)
- [Runs 261–270](20261002_122609_output_000027.md)
- [Runs 271–280](20261002_122609_output_000028.md)
- [Runs 281–290](20261002_122609_output_000029.md)
- [Runs 291–300](20261002_122609_output_000030.md)
- [Runs 301–310](20261002_122609_output_000031.md)
- [Runs 311–320](20261002_122609_output_000032.md)
- [Runs 321–330](20261002_122609_output_000033.md)
- [Runs 331–340](20261002_122609_output_000034.md)
- [Runs 341–350](20261002_122609_output_000035.md)
- [Runs 351–360](20261002_122609_output_000036.md)
- [Runs 361–370](20261002_122609_output_000037.md)
```

Session details & interpretation

- [Runs 371–380] (20261002_122609_output_000038.md)
- [Runs 381–390] (20261002_122609_output_000039.md)
- [Runs 391–400] (20261002_122609_output_000040.md)
- [Runs 401–410] (20261002_122609_output_000041.md)
- [Runs 411–420] (20261002_122609_output_000042.md)
- [Runs 421–430] (20261002_122609_output_000043.md)
- [Runs 431–440] (20261002_122609_output_000044.md)
- [Runs 441–450] (20261002_122609_output_000045.md)
- [Runs 451–460] (20261002_122609_output_000046.md)
- [Runs 461–470] (20261002_122609_output_000047.md)
- [Runs 471–480] (20261002_122609_output_000048.md)
- [Runs 481–490] (20261002_122609_output_000049.md)
- [Runs 491–500] (20261002_122609_output_000050.md)
- [Runs 501–510] (20261002_122609_output_000051.md)
- [Runs 511–520] (20261002_122609_output_000052.md)
- [Runs 521–530] (20261002_122609_output_000053.md)
- [Runs 531–540] (20261002_122609_output_000054.md)
- [Runs 541–550] (20261002_122609_output_000055.md)
- [Runs 551–560] (20261002_122609_output_000056.md)
- [Runs 561–570] (20261002_122609_output_000057.md)
- [Runs 571–580] (20261002_122609_output_000058.md)
- [Runs 581–590] (20261002_122609_output_000059.md)
- [Runs 591–600] (20261002_122609_output_000060.md)
- [Runs 601–610] (20261002_122609_output_000061.md)
- [Runs 611–620] (20261002_122609_output_000062.md)
- [Runs 621–630] (20261002_122609_output_000063.md)
- [Runs 631–640] (20261002_122609_output_000064.md)
- [Runs 641–650] (20261002_122609_output_000065.md)
- [Runs 651–660] (20261002_122609_output_000066.md)
- [Runs 661–670] (20261002_122609_output_000067.md)
- [Runs 671–680] (20261002_122609_output_000068.md)
- [Runs 681–690] (20261002_122609_output_000069.md)
- [Runs 691–700] (20261002_122609_output_000070.md)
- [Runs 701–710] (20261002_122609_output_000071.md)
- [Runs 711–720] (20261002_122609_output_000072.md)
- [Runs 721–730] (20261002_122609_output_000073.md)
- [Runs 731–740] (20261002_122609_output_000074.md)
- [Runs 741–750] (20261002_122609_output_000075.md)
- [Runs 751–760] (20261002_122609_output_000076.md)
- [Runs 761–770] (20261002_122609_output_000077.md)
- [Runs 771–780] (20261002_122609_output_000078.md)
- [Runs 781–790] (20261002_122609_output_000079.md)
- [Runs 791–800] (20261002_122609_output_000080.md)
- [Runs 801–810] (20261002_122609_output_000081.md)
- [Runs 811–820] (20261002_122609_output_000082.md)
- [Runs 821–830] (20261002_122609_output_000083.md)
- [Runs 831–840] (20261002_122609_output_000084.md)
- [Runs 841–850] (20261002_122609_output_000085.md)

Session details & interpretation

- [Runs 851–860] (20261002_122609_output_000086.md)
- [Runs 861–870] (20261002_122609_output_000087.md)
- [Runs 871–880] (20261002_122609_output_000088.md)
- [Runs 881–890] (20261002_122609_output_000089.md)
- [Runs 891–900] (20261002_122609_output_000090.md)
- [Runs 901–910] (20261002_122609_output_000091.md)
- [Runs 911–920] (20261002_122609_output_000092.md)
- [Runs 921–930] (20261002_122609_output_000093.md)
- [Runs 931–940] (20261002_122609_output_000094.md)
- [Runs 941–950] (20261002_122609_output_000095.md)
- [Runs 951–960] (20261002_122609_output_000096.md)
- [Runs 961–970] (20261002_122609_output_000097.md)
- [Runs 971–980] (20261002_122609_output_000098.md)
- [Runs 981–990] (20261002_122609_output_000099.md)
- [Runs 991–1000] (20261002_122609_output_000100.md)
- [Runs 1001–1010] (20261002_122609_output_000101.md)
- [Runs 1011–1020] (20261002_122609_output_000102.md)
- [Runs 1021–1030] (20261002_122609_output_000103.md)
- [Runs 1031–1040] (20261002_122609_output_000104.md)
- [Runs 1041–1050] (20261002_122609_output_000105.md)
- [Runs 1051–1060] (20261002_122609_output_000106.md)
- [Runs 1061–1070] (20261002_122609_output_000107.md)
- [Runs 1071–1080] (20261002_122609_output_000108.md)
- [Runs 1081–1090] (20261002_122609_output_000109.md)
- [Runs 1091–1100] (20261002_122609_output_000110.md)
- [Runs 1101–1110] (20261002_122609_output_000111.md)
- [Runs 1111–1120] (20261002_122609_output_000112.md)
- [Runs 1121–1130] (20261002_122609_output_000113.md)
- [Runs 1131–1140] (20261002_122609_output_000114.md)
- [Runs 1141–1150] (20261002_122609_output_000115.md)
- [Runs 1151–1160] (20261002_122609_output_000116.md)
- [Runs 1161–1170] (20261002_122609_output_000117.md)
- [Runs 1171–1180] (20261002_122609_output_000118.md)
- [Runs 1181–1190] (20261002_122609_output_000119.md)
- [Runs 1191–1200] (20261002_122609_output_000120.md)
- [Runs 1201–1210] (20261002_122609_output_000121.md)
- [Runs 1211–1220] (20261002_122609_output_000122.md)
- [Runs 1221–1230] (20261002_122609_output_000123.md)
- [Runs 1231–1240] (20261002_122609_output_000124.md)
- [Runs 1241–1250] (20261002_122609_output_000125.md)
- [Runs 1251–1260] (20261002_122609_output_000126.md)
- [Runs 1261–1270] (20261002_122609_output_000127.md)
- [Runs 1271–1280] (20261002_122609_output_000128.md)
- [Runs 1281–1290] (20261002_122609_output_000129.md)
- [Runs 1291–1300] (20261002_122609_output_000130.md)
- [Runs 1301–1310] (20261002_122609_output_000131.md)
- [Runs 1311–1320] (20261002_122609_output_000132.md)
- [Runs 1321–1330] (20261002_122609_output_000133.md)

Session details & interpretation

- [Runs 1331–1340] (20261002_122609_output_000134.md)
- [Runs 1341–1350] (20261002_122609_output_000135.md)
- [Runs 1351–1360] (20261002_122609_output_000136.md)
- [Runs 1361–1370] (20261002_122609_output_000137.md)
- [Runs 1371–1380] (20261002_122609_output_000138.md)
- [Runs 1381–1390] (20261002_122609_output_000139.md)
- [Runs 1391–1400] (20261002_122609_output_000140.md)
- [Runs 1401–1410] (20261002_122609_output_000141.md)
- [Runs 1411–1420] (20261002_122609_output_000142.md)
- [Runs 1421–1430] (20261002_122609_output_000143.md)
- [Runs 1431–1440] (20261002_122609_output_000144.md)
- [Runs 1441–1450] (20261002_122609_output_000145.md)
- [Runs 1451–1460] (20261002_122609_output_000146.md)
- [Runs 1461–1470] (20261002_122609_output_000147.md)
- [Runs 1471–1480] (20261002_122609_output_000148.md)
- [Runs 1481–1490] (20261002_122609_output_000149.md)
- [Runs 1491–1500] (20261002_122609_output_000150.md)
- [Runs 1501–1510] (20261002_122609_output_000151.md)
- [Runs 1511–1520] (20261002_122609_output_000152.md)
- [Runs 1521–1530] (20261002_122609_output_000153.md)
- [Runs 1531–1540] (20261002_122609_output_000154.md)
- [Runs 1541–1550] (20261002_122609_output_000155.md)
- [Runs 1551–1560] (20261002_122609_output_000156.md)
- [Runs 1561–1570] (20261002_122609_output_000157.md)
- [Runs 1571–1580] (20261002_122609_output_000158.md)
- [Runs 1581–1590] (20261002_122609_output_000159.md)
- [Runs 1591–1600] (20261002_122609_output_000160.md)
- [Runs 1601–1610] (20261002_122609_output_000161.md)
- [Runs 1611–1620] (20261002_122609_output_000162.md)
- [Runs 1621–1630] (20261002_122609_output_000163.md)
- [Runs 1631–1640] (20261002_122609_output_000164.md)
- [Runs 1641–1650] (20261002_122609_output_000165.md)
- [Runs 1651–1660] (20261002_122609_output_000166.md)
- [Runs 1661–1670] (20261002_122609_output_000167.md)
- [Runs 1671–1680] (20261002_122609_output_000168.md)
- [Runs 1681–1690] (20261002_122609_output_000169.md)
- [Runs 1691–1700] (20261002_122609_output_000170.md)
- [Runs 1701–1710] (20261002_122609_output_000171.md)
- [Runs 1711–1720] (20261002_122609_output_000172.md)
- [Runs 1721–1730] (20261002_122609_output_000173.md)
- [Runs 1731–1740] (20261002_122609_output_000174.md)
- [Runs 1741–1750] (20261002_122609_output_000175.md)
- [Runs 1751–1760] (20261002_122609_output_000176.md)
- [Runs 1761–1770] (20261002_122609_output_000177.md)
- [Runs 1771–1780] (20261002_122609_output_000178.md)
- [Runs 1781–1790] (20261002_122609_output_000179.md)
- [Runs 1791–1800] (20261002_122609_output_000180.md)
- [Runs 1801–1810] (20261002_122609_output_000181.md)

Session details & interpretation

- [Runs 1811–1820] (20261002_122609_output_000182.md)
- [Runs 1821–1830] (20261002_122609_output_000183.md)
- [Runs 1831–1840] (20261002_122609_output_000184.md)
- [Runs 1841–1850] (20261002_122609_output_000185.md)
- [Runs 1851–1860] (20261002_122609_output_000186.md)
- [Runs 1861–1870] (20261002_122609_output_000187.md)
- [Runs 1871–1880] (20261002_122609_output_000188.md)
- [Runs 1881–1890] (20261002_122609_output_000189.md)
- [Runs 1891–1900] (20261002_122609_output_000190.md)
- [Runs 1901–1910] (20261002_122609_output_000191.md)
- [Runs 1911–1920] (20261002_122609_output_000192.md)
- [Runs 1921–1930] (20261002_122609_output_000193.md)
- [Runs 1931–1940] (20261002_122609_output_000194.md)
- [Runs 1941–1950] (20261002_122609_output_000195.md)
- [Runs 1951–1960] (20261002_122609_output_000196.md)
- [Runs 1961–1970] (20261002_122609_output_000197.md)
- [Runs 1971–1980] (20261002_122609_output_000198.md)
- [Runs 1981–1990] (20261002_122609_output_000199.md)
- [Runs 1991–2000] (20261002_122609_output_000200.md)
- [Runs 2001–2010] (20261002_122609_output_000201.md)
- [Runs 2011–2020] (20261002_122609_output_000202.md)
- [Runs 2021–2030] (20261002_122609_output_000203.md)
- [Runs 2031–2040] (20261002_122609_output_000204.md)
- [Runs 2041–2050] (20261002_122609_output_000205.md)
- [Runs 2051–2060] (20261002_122609_output_000206.md)
- [Runs 2061–2070] (20261002_122609_output_000207.md)
- [Runs 2071–2080] (20261002_122609_output_000208.md)
- [Runs 2081–2090] (20261002_122609_output_000209.md)
- [Runs 2091–2100] (20261002_122609_output_000210.md)
- [Runs 2101–2110] (20261002_122609_output_000211.md)
- [Runs 2111–2120] (20261002_122609_output_000212.md)
- [Runs 2121–2130] (20261002_122609_output_000213.md)
- [Runs 2131–2140] (20261002_122609_output_000214.md)
- [Runs 2141–2150] (20261002_122609_output_000215.md)
- [Runs 2151–2160] (20261002_122609_output_000216.md)
- [Runs 2161–2170] (20261002_122609_output_000217.md)
- [Runs 2171–2180] (20261002_122609_output_000218.md)
- [Runs 2181–2190] (20261002_122609_output_000219.md)
- [Runs 2191–2200] (20261002_122609_output_000220.md)
- [Runs 2201–2210] (20261002_122609_output_000221.md)
- [Runs 2211–2220] (20261002_122609_output_000222.md)
- [Runs 2221–2230] (20261002_122609_output_000223.md)
- [Runs 2231–2240] (20261002_122609_output_000224.md)
- [Runs 2241–2250] (20261002_122609_output_000225.md)
- [Runs 2251–2260] (20261002_122609_output_000226.md)
- [Runs 2261–2270] (20261002_122609_output_000227.md)
- [Runs 2271–2280] (20261002_122609_output_000228.md)
- [Runs 2281–2290] (20261002_122609_output_000229.md)

Session details & interpretation

- [Runs 2291–2300] (20261002_122609_output_000230.md)
- [Runs 2301–2310] (20261002_122609_output_000231.md)
- [Runs 2311–2320] (20261002_122609_output_000232.md)
- [Runs 2321–2330] (20261002_122609_output_000233.md)
- [Runs 2331–2340] (20261002_122609_output_000234.md)
- [Runs 2341–2350] (20261002_122609_output_000235.md)
- [Runs 2351–2360] (20261002_122609_output_000236.md)
- [Runs 2361–2370] (20261002_122609_output_000237.md)
- [Runs 2371–2380] (20261002_122609_output_000238.md)
- [Runs 2381–2390] (20261002_122609_output_000239.md)
- [Runs 2391–2400] (20261002_122609_output_000240.md)
- [Runs 2401–2410] (20261002_122609_output_000241.md)
- [Runs 2411–2420] (20261002_122609_output_000242.md)
- [Runs 2421–2430] (20261002_122609_output_000243.md)
- [Runs 2431–2440] (20261002_122609_output_000244.md)
- [Runs 2441–2450] (20261002_122609_output_000245.md)
- [Runs 2451–2460] (20261002_122609_output_000246.md)
- [Runs 2461–2470] (20261002_122609_output_000247.md)
- [Runs 2471–2480] (20261002_122609_output_000248.md)
- [Runs 2481–2490] (20261002_122609_output_000249.md)
- [Runs 2491–2500] (20261002_122609_output_000250.md)
- [Runs 2501–2510] (20261002_122609_output_000251.md)
- [Runs 2511–2520] (20261002_122609_output_000252.md)
- [Runs 2521–2530] (20261002_122609_output_000253.md)
- [Runs 2531–2540] (20261002_122609_output_000254.md)
- [Runs 2541–2550] (20261002_122609_output_000255.md)
- [Runs 2551–2560] (20261002_122609_output_000256.md)
- [Runs 2561–2570] (20261002_122609_output_000257.md)
- [Runs 2571–2580] (20261002_122609_output_000258.md)
- [Runs 2581–2590] (20261002_122609_output_000259.md)
- [Runs 2591–2600] (20261002_122609_output_000260.md)
- [Runs 2601–2610] (20261002_122609_output_000261.md)
- [Runs 2611–2620] (20261002_122609_output_000262.md)
- [Runs 2621–2630] (20261002_122609_output_000263.md)
- [Runs 2631–2640] (20261002_122609_output_000264.md)
- [Runs 2641–2650] (20261002_122609_output_000265.md)
- [Runs 2651–2660] (20261002_122609_output_000266.md)
- [Runs 2661–2670] (20261002_122609_output_000267.md)
- [Runs 2671–2680] (20261002_122609_output_000268.md)
- [Runs 2681–2690] (20261002_122609_output_000269.md)
- [Runs 2691–2700] (20261002_122609_output_000270.md)
- [Runs 2701–2710] (20261002_122609_output_000271.md)
- [Runs 2711–2720] (20261002_122609_output_000272.md)
- [Runs 2721–2730] (20261002_122609_output_000273.md)
- [Runs 2731–2740] (20261002_122609_output_000274.md)
- [Runs 2741–2750] (20261002_122609_output_000275.md)
- [Runs 2751–2760] (20261002_122609_output_000276.md)
- [Runs 2761–2770] (20261002_122609_output_000277.md)

Session details & interpretation

- [Runs 2771–2780](20261002_122609_output_000278.md)
- [Runs 2781–2790](20261002_122609_output_000279.md)
- [Runs 2791–2800](20261002_122609_output_000280.md)
- [Runs 2801–2810](20261002_122609_output_000281.md)
- [Runs 2811–2814](20261002_122609_output_000282.md)

Executable versions

Averages include successful checks only. Resumed sessions may include different binaries; each run saves its exact input, settings, seed and generation ID.