



Cristian Lage Fernández


- Códigos en VSC HTML e CSS ben formateados e sen erros.



```
1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="utf-8">
5   <title>Visual Studio Code 1. Puesta en marcha</title>
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <link rel="stylesheet" href="vscode-1.css">
8 </head>
```



```
9
10 <body>
11   <h1>Puesta en marcha. Visual Studio Code 1</h1>
12   <p>Esta página web es una página HTML válida.</p>
13   <p>El resultado se actualiza a la vez que se escribe</p>
14 </body>
15 </html>
```



```
File Edit Selection View Go Run Terminal Help
vscodex2.html vscodex2.html
1 <html>
2 <!DOCTYPE html>
3 <head>
4   <meta charset="utf-8" charset="utf-8">
5   <link REL="stylesheet" href="">
6 </head>
7
8 <body>
9   <p id="a">Esta página web NO es una página HTML válida.</p>
10
11   <p id="a"> 5 > 4</p>
12
13   <p id="ad"></p>
14 </body>
15 </html>
```

```
File Edit Selection View Go Run Terminal Help
vscodex2.html vscodex1.html vscodex2.html
1 <html>
2 <!DOCTYPE html>
3 <head>
4   <meta charset="utf-8" charset="utf-8">
5   <link REL="stylesheet" href="">
6 </head>
7
8 <body>
9   <p id="a">Esta página web NO es una página HTML válida.</p>
10
11   <p id="a"> 5 > 4</p>
12
13   <p id="ad"></p>
14 </body>
15 </html>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL




No problems have been detected in the workspace.

```
File Edit Selection View Go Run Terminal Help
vscodex3.css vscodex1.html vscodex2.html vscodex3.css
1 @font-face {
2
3 @test {
4
5 p {
6   colour: black;
7   .webkit-flex: flex;
8 }
9
10 a {
11
12 #ab { color red;
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

vscodex3.css

- colon expected css(css-colonexpected) [Ln 12, Col 13]
- semi-colon expected css(css-semicolonexpected) [Ln 12, Col 17]
- @font-face rule must define 'src' and 'font-family' properties css(fontFaceProperties) [Ln 1, Col 1]
- Unknown at rule @test css(unknownAtRules) [Ln 3, Col 1]
- Unknown property: 'colour' css(unknownProperties) [Ln 6, Col 5]
- Also define the standard property 'flex' for compatibility css(vendorPrefix) [Ln 7, Col 5]
- Do not use empty rule sets css(emptyRules) [Ln 10, Col 1]



```
File Edit Selection View Go Run Terminal Help
vscode-1.html | vscode-1.html | vscode-4.html | vscode-5.html | vscode-2.html | vscode-3.css 7

1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="utf-8">
5   <title>Visual Studio Code 5. Puesta en marcha</title>
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <link rel="stylesheet" href="vscode-1.css">
8 </head>
9
10 <body>
11   h2-Puesta en marcha. Visual Studio Code 5</h2>
12
13   <p>Esta página web es una página HTML válida.</p>
14 </body>
15 </html>

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
Filter (e.g. text, **/*.ts, /**/nod...)
# vscode-3.css
colon expected css(css-colonexpected) [Ln 12, Col 13]
semi-colon expected css(css-semicolonexpected) [Ln 12, Col 17]
@font-face rule must define 'src' and 'font-family' properties css(fontFaceProperties) [Ln 1, Col 1]
Unknown at rule @test css(unknownAtRules) [Ln 3, Col 1]
Unknown property 'colour' css(unknownProperties) [Ln 6, Col 5]
Also define the standard property 'flex' for compatibility css(vendorPrefix) [Ln 7, Col 5]
Do not use empty rulesets css(emptyRules) [Ln 10, Col 1]
```

```
File Edit Selection View Go Run Terminal Help
Welcome | vscode-1.html | vscode-4.html | vscode-5.html | vscode-2.html | vscode-3.css 7

1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="utf-8">
5   <title>Visual Studio Code 5. Puesta en marcha</title>
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <link rel="stylesheet" href="vscode-1.css">
8 </head>
9
10 <body>
11   <h1>Puesta en marcha. Visual Studio Code 5</h1>
12
13   <p>Esta página web es una página HTML válida.</p>
14 </body>
15 </html>

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
Filter (e.g. text, **/*.ts, /**/nod...)
# vscode-3.css
colon expected css(css-colonexpected) [Ln 12, Col 13]
semi-colon expected css(css-semicolonexpected) [Ln 12, Col 17]
@font-face rule must define 'src' and 'font-family' properties css(fontFaceProperties) [Ln 1, Col 1]
Unknown at rule @test css(unknownAtRules) [Ln 3, Col 1]
Unknown property 'colour' css(unknownProperties) [Ln 6, Col 5]
Also define the standard property 'flex' for compatibility css(vendorPrefix) [Ln 7, Col 5]
Do not use empty rulesets css(emptyRules) [Ln 10, Col 1]
```

```
File Edit Selection View Go Run Terminal Help
Welcome | vscode-1.html | vscode-4.html | vscode-5.html | vscode-6.html | vscode-2.html | vscode-3.css 7

1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="utf-8">
5   <title>Visual Studio Code 5. Puesta en marcha</title>
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <link rel="stylesheet" href="vscode-1.css">
8 </head>
9
10 <body>
11   <h1>Puesta en marcha. Visual Studio Code 6</h1>
12
13   <p>Este es el logotipo del WHATWG.</p>
14
15   <p></p>
16 </body>
17 </html>

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
Filter (e.g. text, **/*.ts, /**/nod...)
# vscode-3.css
colon expected css(css-colonexpected) [Ln 12, Col 13]
semi-colon expected css(css-semicolonexpected) [Ln 12, Col 17]
@font-face rule must define 'src' and 'font-family' properties css(fontFaceProperties) [Ln 1, Col 1]
Unknown at rule @test css(unknownAtRules) [Ln 3, Col 1]
Unknown property 'colour' css(unknownProperties) [Ln 6, Col 5]
Also define the standard property 'flex' for compatibility css(vendorPrefix) [Ln 7, Col 5]
Do not use empty rulesets css(emptyRules) [Ln 10, Col 1]
```

```
File Edit Selection View Go Run Terminal Help
vscode-6.html vscode-1.html vscode-4.html vscode-5.html vscode-6.html vscode-2.html # vscode-3.css ?

1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4   <meta charset="utf-8">
5   <title>Visual Studio Code 5. Puesta en marcha</title>
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <link rel="stylesheet" href="vscode-1.css">
8 </head>
9
10 <body>
11   <h1>Puesta en marcha. Visual Studio Code 6</h1>
12
13   <p>Este es el logotipo del WHATWG</p>
14
15   <p></p>
16 </body>
17 </html>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

vscode-3.css

- colon expected css(css-colonexpected) [Ln 12, Col 13]
- semi-colon expected css(css-semicolonexpected) [Ln 12, Col 17]
- @font-face rule must define 'src' and 'font-family' properties css(fontFaceProperties) [Ln 1, Col 1]
- Unknown at rule @test css(unknownAtRules) [Ln 3, Col 1]
- Unknown property 'colour' css(unknownProperties) [Ln 6, Col 5]
- Also define the standard property 'flex' for compatibility css(vendorPrefix) [Ln 7, Col 5]
- Do not use empty rulesets css(emptyRules) [Ln 10, Col 1]

```
File Edit Selection View Go Run Terminal Help
vscode-1.html vscode-4.html vscode-5.html vscode-6.html vscode-7.css x vscode-2.html # vscode-3.css ?

1 body{
2   background-color: wheat;
3   font-family: sans-serif;
4 }
5 h1{
6   text-align: center;
7   text-transform: uppercase;
8 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

vscode-3.css

- colon expected css(css-colonexpected) [Ln 12, Col 13]
- semi-colon expected css(css-semicolonexpected) [Ln 12, Col 17]
- @font-face rule must define 'src' and 'font-family' properties css(fontFaceProperties) [Ln 1, Col 1]
- Unknown at rule @test css(unknownAtRules) [Ln 3, Col 1]
- Unknown property 'colour' css(unknownProperties) [Ln 6, Col 5]
- Also define the standard property 'flex' for compatibility css(vendorPrefix) [Ln 7, Col 5]
- Do not use empty rulesets css(emptyRules) [Ln 10, Col 1]