



# Exact solutions methods for large-scale discrete p-facility location problems

Thèse de doctorat de l'Institut Polytechnique de Paris préparée à l'Ecole Nationale Supérieure de Techniques Avancées

École doctorale n°574 Mathematiques Hadamard (EDMH) Spécialité de doctorat: mathématiques appliquées

Thèse présentée et soutenue à Palaiseau, le 23 janvier 2024, par

## Cristian Durán Mateluna

#### Composition du Jury:

Ivanna Ljubic

Professeur, ESSEC Business School, France. Rapporteusse

Francisco Saldanha da Gamma

Professeur, University of Sheffield, England. Rapporteur

Safia Kedad-Sidhoum

Professeur, CNAM, France. Examinatrice

Olvier Péton

Professeur, IMT Atlantique, France. Examinateur

Andrea Simonetto

Professeur, UMA, ENSTA Paris, France. Examinateur

Sourour Elloumi

Professeur, UMA, ENSTA Paris, France. Directrice de thèse

Zacharie Alès

Enseignant-chercheur, UMA, ENSTA Paris, France. Co-encadrant de thèse

## Acknowledgments

#### Synthèse (en français)

## Introduction

L'une des branches les plus importantes de la recherche opérationnelle et le sujet principal de cette thèse est l'étude des problèmes de localisation, en particulier les problèmes de localisation discrète. Ces problèmes de localisation sont présents dans une grande variété d'applications, telles que le clustering, le districting, le routage des transports, et la localisation d'installations telles que les entrepôts, les usines industrielles, les stations-service, les commissariats de police ou les centrales électriques. L'étude de ces problèmes contribue à améliorer l'allocation des ressources, à réduire les coûts et à améliorer les prestations de services dans diverses communautés et industries. De plus, l'inclusion de l'incertitude dans la modélisation de ces problèmes permet d'anticiper la prise de décision face à différents scénarios défavorables. C'est le cas dans le contexte de catastrophes naturelles telles que les tremblements de terre ou les ouragans, pour lesquelles ces problèmes peuvent aider à identifier les emplacements optimaux pour les abris temporaires, les centres médicaux et les points de distribution des fournitures essentielles.

La résolution des problèmes de localisation discrète peut se révéler difficile en raison de leur taille et de la complexité de calcul inhérente à leur structure combinatoire exponentielle, la plupart d'entre eux étant des problèmes NP-Difficiles. Bien qu'il existe plusieurs solveurs génériques, tels que CPLEX ou Gurobi, capables de résoudre bon nombre de ces problèmes, le temps de calcul devient rapidement trop grand à mesure que la taille de l'instance augmente. Dans ce contexte, plusieurs méthodes de résolution ont été développées pour faire face à ces limitations, mais la plupart d'entre elles sont des méthodes d'approximation. Ainsi, proposer de nouvelles méthodes exactes de résolution pour les instances à grande échelle est un défi permanent.

## Problèmes de localisation discrète de p installations

Chaque problème de localisation comporte quatre éléments : (1) les clients, généralement déjà localisés, (2) les installations à localiser, (3) un espace où les installations et les clients sont situés, et (4) une métrique qui indique le coût, le temps ou la distance entre les installations et les clients (ReVelle and Eiselt (2005)). Parmi les problèmes fondamentaux de localisation discrète figurent le Facility Location Problem (FLP), l'Uncapacitated Facility Location Problem (UFLP) et le Capacitated Facility Location Problem (CFLP) (Laporte et al. (2019b)). Le (FLP) consiste à sélectionner les emplacements optimaux d'un nombre prédéfini d'installations afin de satisfaire la demande des clients. L'objectif est de minimiser la somme des coûts de transport et de mise en

place. La (CFLP) est une variante de la (FLP) dans laquelle les installations ont des capacités limitées pour satisfaire les clients. Enfin, dans le (UFLP), ni les capacités des installations ni les demandes des clients ne sont prises en compte.

Cette recherche étudie les "problems de p-installations" dans lesquels il existe un nombre fixe de p installations à localiser, généralement sans tenir compte des coûts d'ouverture ou de fonctionnement. Nous exploitons cette structure particulière pour la solution exacte d'instances à grande échelle du problème p-median (PMP) et du problème p-centre (PCP). Ces deux problèmes ne diffèrent que par leur fonction objective. Le (PMP) consiste à localiser p installations de telle sorte que la somme des distances d'allocation de tous les clients à leur installation la plus proche soit minimisée. En revanche, le (PCP) cherche à minimiser la plus grande distance d'allocation.

La Figure 1 illustre les solutions optimales de ces deux problèmes pour une instance avec 40 clients et sites candidats, et p égal à 6. Cette instance est dite symétrique puisque les sites candidats et les emplacements des clients sont identiques. Notez que dans la solution (PCP) (Figure 1c) une installation est allouée à seulement 2 clients isolés afin de réduire la distance maximale d'allocation (la ligne rouge) de 33 à 24. En revanche, la somme des distances d'allocation passe de 530 à 586. Le (PCP) est considéré comme plus équitable car il réduit la disparité des distances d'allocation. D'autre part, le (PMP) est considéré comme plus efficace puisque la distance moyenne d'allocation est minimisée.




Figure 1: Comparaison des solutions optimales du (PMP) et du (PCP) pour la même instance (a) avec p=6.

### Portée et cadre théorique de la thèse

Dans cette thèse, nous proposons des modèles mathématiques et mettons en œuvre différentes méthodes de solutions exactes pour trois problèmes p-facilities. Le cadre théorique principal de cette recherche est l'optimisation combinatoire. Dans ce contexte, notre recherche se concentre sur l'étude de différentes formulations de problèmes de localisation discrète à l'aide de la programmation linéaire en nombres entiers mixtes (problèmes MILP).

Ce qui suit est une brève description des méthodes fondamentales de résolution des problèmes MILP, utilisées dans la littérature et que nous prenons également en compte.

- Branch-and-Bound (B&B) : Partitionner l'espace des solutions réalisables en sous-espaces plus petits (branches d'un arbre de recherche) et résoudre la relaxation linéaire à chaque nœud. Des solutions réalisables en nombres entiers sont progressivement trouvées au fur et à mesure du parcours de l'arbre de recherche. (B&B) incorpore des stratégies d'élagage pour éviter d'explorer des branches inutiles.
- Méthodes de plans coupants : Raffinement itératif de l'espace de solution à l'aide d'inégalités linéaires, appelées coupes.
- Branch-and-Cut (B&C): Une amélioration de l'approche (B&B) qui incorpore des plans coupants pour renforcer les relaxations linéaires à chaque nœud.
- Génération de colonnes : Résoudre d'abord le problème avec seulement un sous-ensemble de ses variables. Puis, de manière itérative, les variables susceptibles d'améliorer la fonction objective sont ajoutées au programme jusqu'à ce qu'aucune autre amélioration ne soit possible.
- Branch-and-Price (B&P) : Incorpore une génération de colonnes dans l'arbre de recherche branch-and-bound. À chaque nœud, la solution fractionnaire est évaluée pour déterminer si une nouvelle variable doit être ajoutée au problème.
- Décomposition de Benders: Divise le problème en un problème principal et un ou plusieurs sous-problèmes. Le problème principal est une relaxation du problème original, dans lequel certaines contraintes sont omises, ce qui le rend plus facile à résoudre. Les sous-problèmes tentent de fixer la valeur des variables omises en fonction de la solution du problème principal. Si cette solution n'est pas optimale, ils génèrent des coupes et le problème principal est à nouveau résolu.

Dans notre recherche, nous considérons également l'optimisation dans l'incertitude. Parmi les approches possibles, nous utilisons l'optimisation robuste. Cette approche considère que chaque paramètre incertain peut appartenir individuellement à un ensemble d'incertitude, puisqu'on ne dispose pas d'informations sur la distribution de probabilité. On vise à minimiser le coût du pire cas. En particulier, nous considérons une approche en deux étapes dans laquelle les décisions sont prises avant et après la révélation de l'incertitude.

#### Structure du manuscrit

La thèse est organisée comme suit. Tout d'abord, dans le Chapitre 2, nous présentons le cadre théorique de cette recherche avec les définitions et les méthodologies les plus importantes utilisées dans les autres chapitres. Dans le Chapitre 3, nous étudions une décomposition de Benders du problème p-median. Ce travail a été publié dans la revue European Journal of Operational Research (Duran-Mateluna et al. (2023a)). Le Chapitre 4 porte sur le problème p-center pour lequel la décomposition de Benders et une procédure de regroupement des clients sont étudiées. Dans le chapitre 5, nous étudions un problème robuste du p-center en deux étapes avec une incertitude sur les demandes et les distances des nœuds. Ce travail a été publié dans le numéro spécial de Recent Advances in Location Science de la revue Computers & Operations Research (Duran-Mateluna et al. (2023b)). Enfin, le Chapitre 6 présente une conclusion générale et examine certaines orientations pour la poursuite de la recherche.

L'introduction et les contributions avec les conclusions de chaque chapitre principal sont présentées ci-dessous.

# Méthode de décomposition de Benders efficace pour le problème du p-median

Parmi les problèmes de localisation discrète, le problème p-median (PMP) est l'un des problèmes fondamentaux (Laporte et al. (2019b)). Dans le (PMP), les p sites doivent être choisis parmi l'ensemble des sites candidats sans tenir compte des coûts d'installation. Plus formellement, étant donné un ensemble de N clients, un ensemble de M centres potentiels à ouvrir, et leur ensemble d'indices correspondant  $\mathbb{N} = \{1, ..., N\}$  et  $\mathbb{M} = \{1, ..., M\}$ , respectivement. Soit  $d_{ij}$  la distance entre le client  $i \in \mathbb{N}$  et le site  $j \in \mathbb{M}$  et  $p \in \mathbb{N}$  le nombre de sites à ouvrir. L'objectif est de trouver un ensemble S de p sites tel que la somme des distances entre chaque client et son site le plus proche dans S soit minimisée.

La Figure 2 illustre une comparaison des solutions (PMP) pour différentes valeurs de p en considérant la même instance symétrique que celle utilisée dans la Figure 1.1a. On peut voir comment différents groupes sont identifiés. Au fur et à mesure que p augmente, chaque groupe comporte moins de nœuds et la distance moyenne d'allocation diminue par conséquent.




Figure 2: Comparaison des solutions optimales du (PMP) pour une instance symétrique de 40 nœuds.

Le (PMP) est un problème NP-hard (Kariv and Hakimi (1979)) et conduit à des applications où les sites correspondent à des entrepôts, des usines, des abris, etc. Cela inclut les contextes de la logistique d'urgence et de l'aide humanitaire (An et al. (2014); Mu and Tong (2020); Takedomi

et al. (2022)). Une autre application importante est un problème particulier de regroupement, généralement appelé k-medoids problem lorsque l'ensemble des clients et des sites sont identiques. Dans ce problème, des sous-groupes d'objets, de variables, de personnes, etc. sont identifiés en fonction de critères définis de proximité ou de similarité (Klastorin (1985); Park and Jun (2009); Marín and Pelegrín (2019); Ushakov and Vasilyev (2021); Voevodski (2021)).

Un grand intérêt pour la résolution des problèmes de localisation de grande taille a conduit au développement de diverses heuristiques et méta-heuristiques dans la littérature. Toutefois, la solution exacte des instances de grande taille reste un défi. Certains problèmes de localisation ont récemment été résolus efficacement à l'aide de la méthode de décomposition de Benders dans le cadre d'une approche branch-and-cut (voir par exemple Fischetti et al. (2017); Cordeau et al. (2019); Gaar and Sinnl (2022)). Parmi eux, le problème (UFL), dans lequel le nombre de sites à ouvrir n'est pas fixé, mais un coût d'ouverture est associé à chaque site. Par conséquent, nous explorons une décomposition de Benders pour le (PMP).

#### Contribuions et conclusions

Une décomposition de Benders est effectuée sur la formulation la plus efficace du problème p-median. L'efficacité de la décomposition proposée provient d'un algorithme rapide pour la solution des sous-problèmes avec des améliorations dans la mise en œuvre d'une solution en deux étapes. Dans la première étape, les contraintes d'intégrité sont relâchées et dans la seconde étape, le problème est résolu par une approche efficace de type branch-and-cut. Notre approche est plus performante que les méthodes de l'état de l'art. Pour la première fois, des instances sont résolues avec jusqu'à 89600 et 238025 clients et sites des bibliothèques BIRCH et TSP, respectivement. L'algorithme de décomposition proposé est testé sur d'autres instances p-median : Les instances RW qui ne satisfont pas l'inégalité triangulaire et les instances ODM dans lesquelles il y a des allocations qui ne sont pas autorisées entre certains clients et sites. Pour les instances RW, il a été possible de résoudre des instances comptant jusqu'à 1000 clients avec une grande valeur de p. Pour les instances ODM avec 3773 clients, les instances précédemment non résolues ont été résolues en 10 heures. L'approche proposée a également été adaptée pour être testée sur les instances KG difficiles du problème (UFL), ce qui a permis d'obtenir des écarts d'optimalité relativement faibles.

Une des perspectives de cette recherche est d'exploiter ces résultats sur d'autres familles de problèmes de localisation. Il est également prévu d'utiliser d'autres stratégies de branchement qui permettent une plus grande efficacité lors du développement de l'algorithme branch-and-cut.

Algorithmes pour une nouvelle décomposition de Benders et un algorithme basé sur le regroupement pour le problème du p-centre.

Le problème du p-centre (PCP) est aussi un problème fondamental dans la science de la localisation Laporte et al. (2019b). Il consiste à choisir les p emplacements pour minimiser la distance maximale entre un client et l'établissement le plus proche. Les installations ouvertes p sont appelées centres. Formellement, le problème est défini comme suit. Étant donné un ensemble de N clients, un ensemble de M centres potentiels à ouvrir et leur ensemble d'indices correspondant  $\mathcal{N} = \{1, ..., N\}$  et  $\mathcal{M} = \{1, ..., M\}$ , respectivement. Soit  $d_{ij}$  la distance entre le client i et le centre j. Soit p un entier. L'objectif est de trouver un ensemble  $S \subseteq \mathcal{M}$  tel que  $|S| \leq p$  et la valeur  $z = \max_{i=1,...,N} \min_{j \in S} ; d_{ij}$ ) est minimisée. Cette distance z est appelée rayon. La Figure 3 illustre une comparaison des solutions (PCP) pour différentes valeurs de p en considérant la même instance symétrique que celle utilisée dans l'introduction ci-dessus. On peut noter que le rayon correspondant, indiqué en rouge, diminue à mesure que p augmente.




Figure 3: Comparaison des solutions du (PCP) optimales pour une instance symétrique de 40 nœuds.

Le problème du p-centre a des applications dans divers contextes, notamment la localisation des installations, la planification des services d'urgence, la conception des réseaux de

télécommunications, la planification des soins de santé et la gestion de la chaîne d'approvisionnement. Il permet de décider des meilleurs emplacements pour les centres, tels que les entrepôts ou les hôpitaux, afin de minimiser les distances ou les temps de réponse (Calik et al. (2019a)).

Il existe une variété de méthodes exactes et approximatives pour le problème classique et ses variantes. Ces dernières années, des progrès importants ont été réalisés dans la résolution d'instances à grande échelle. À notre connaissance, les meilleures méthodes exactes sont celles de Contardo et al. (2019) et de Gaar and Sinnl (2022). La première considère initialement un sous-ensemble de clients, résout le PCP associé à ce sous-ensemble, et ajoute de nouveaux clients jusqu'à l'obtention d'une solution optimale. La seconde méthode est basée sur une procédure spécialisée de branch-and-cut pour une décomposition de Benders. Les deux méthodes peuvent résoudre des instances à très grande échelle, car elles prennent en compte la propriété selon laquelle (PCP) peut être résolu en considérant un sous-ensemble de clients et en déterminant ensuite si la solution résultante est optimale pour les clients restants.

#### Contibution et onclusions

Il existe cinq formulations principales pour le (PCP), chacune ayant des performances différentes qui peuvent varier considérablement en fonction des paramètres du solveur, tels que le presolve. Parmi les formulations, (F4) et (F2) apparaissent être les meilleures options. Cependant, (F2) est plus performant que (F4) lorsque le presolve est désactivé, car il a moins de contraintes redondantes

Deux décompositions de Benders ont été étudiées pour la formulation (F2) en fonction de l'ensemble des variables à relaxer. Lorsque les variables de décision associées à la localisation des installations sont relâchées, nous obtenons une décomposition qui conduit à des problèmes de couverture d'ensemble comme sous-problème primaux et à des problèmes de cliques maximales comme sous-problèmes duaux. Cela montre une relation étroite avec l'une des méthodes classiques de solution exacte de (PCP), qui est la recherche binaire du rayon induisant la distance en résolvant les problèmes de recouvrement d'ensembles associés. Comme le problème maître est facile à résoudre, la décomposition de Benders peut être considérée comme une recherche linéaire de cette même distance, puisque pour chaque valeur de distance évaluée, nous vérifions s'il existe une solution réalisable de p sites. Notre implémentation permet d'obtenir des performances similaires pour les deux méthodes.

D'autre part, lorsque les variables associées à l'allocation des clients aux installations ouvertes sont relâchées, le sous-problème est facile à résoudre, ce qui permet une solution rapide. Nous

montrons que la décomposition sur (F2) permet d'avoir deux approches de séparation par une coupe unique, qui en variables continues conduisent à des valeurs différentes de relaxation linéaire pour le problème original. D'autre part, la relation entre cette décomposition de Benders (F1) et l'approche multi-coupes présentée dans Gaar and Sinnl (2022) est également mise en évidence. Toutes les approches ont été testées, et bien que notre décomposition de Benders nous permette d'obtenir de meilleures bornes inférieures de relaxation linéaire, avec notre implémentation actuelle, elle prend plus de temps que l'approche multi-coupe.

Enfin, une méthode exacte basée sur un regroupement des clients a été proposée, afin de résoudre le (PCP) itérativement pour l'ensemble des représentants associés et de les mettre à jour si nécessaire. Une première étape du problème (PCP) relaché a été considérée avant de passer à une seconde étape pour résoudre le (PCP) entier avec de bonnes bornes inférieures et supérieures. De plus, pour réduire le nombre de valeurs de distance différentes, nous considérons également une procédure itérative d'arrondis de la distance avec la fonction modulo. Toutes ces améliorations de l'implémentation permettent de dépasser l'état de l'art de Gaar and Sinnl (2022) et Contardo et al. (2019) sur les instances TSP de grande taille.

La Figure 4a montre la même instance de 40 nœuds précedente avec une répartition des clients en 8 groupes dans lesquels les représentants sont marqués par des étoiles. En appliquant notre algorithme, les clients sont retirés séquentiellement de ces groupes lorsque cela est nécessaire. La Figure 4b montre l'ensemble final des groupes. Par conséquent, avec l'ensemble final de représentants, nous pouvons trouver une solution optimale présentée dans 4c.

La perspective principale de la décomposition de Benders du (PCP) sur (F2) est d'améliorer notre implémentation pour tirer parti de la force des coupes uniques en termes de borne inférieure, contrairement à l'approche multi-coupes. Parallèlement, les très bons résultats de l'algorithme de clustering suggèrent qu'il peut être appliqué à d'autres problèmes de localisation discrète ou à d'autres types d'instances.





Figure 4: Illustration de la procédure de clustering pour le (PCP) sur l'instance de 40 nœuds avec p=6

## Formulations MILP et algorithmes exacts pour le problème robuste du p-centre en deux étapes

Le problème p-center (PCP) sous incertitude est bien étudié dans la littérature (Çalık et al. (2019b)). Ce problème se pose lorsque des paramètres, tels que les demandes ou les distances entre les nœuds de demande et les sites disponibles, varient dans le temps ou lorsque leur valeur exacte est incertaine. Dans l'optimisation robuste, l'incertitude est généralement représentée par des paramètres qui peuvent prendre n'importe quelle valeur dans un ensemble d'incertitude. Chaque réalisation de l'ensemble d'incertitude est appelée "scénario". Les ensembles les plus classiques sont la boîte, l'ellipsoïde et les ensembles d'incertitude budgétisés (voir, par exemple, Ben-Tal et al. (2009); Bertsimas and Sim (2004); Du and Zhou (2018); Paul and Wang (2019)).

Une fonction objective classique dans l'optimisation robuste est le regret que l'on a pour la décision initiale une fois que l'incertitude est révélée. La Figure 5 illustre comment la solution optimale d'un problème peut changer en fonction des valeurs de ses paramètres. Dans cet exemple, nous considérons un problème de p-centre dans lequel chaque client a une demande incertaine. La valeur de la demande est représentée par la taille des cercles. La Figure 5a 1a représente la valeur des paramètres initiaux et la solution optimale correspondante qui consiste à ouvrir les sites 1 et 2. Une fois l'incertitude révélée, les paramètres prennent la valeur représentée sur la Figure 5b.

On constate que cela modifie la solution optimale qui consiste désormais à ouvrir les sites 2 et 3. Dans ce contexte, le regret correspond à la différence entre les valeurs objectives des deux solutions lorsque les paramètres prennent les valeurs représentées dans la Figure 5b.






Figure 5: Exemple de regret des solutions optimales (RPCP) avant et après l'incertitude

L'incorporation de l'incertitude dans (PCP) a des applications importantes dans les problèmes de logistique d'urgence, où une réponse rapide au besoin urgent de secours est nécessaire dans les zones touchées immédiatement après une catastrophe (comme les tremblements de terre, les tsunamis, les glissements de terrain, entre autres). En raison des conséquences de ces catastrophes, il est difficile d'estimer avec précision la demande de matériel de secours ou les temps de déplacement entre les centres de secours et les zones sinistrées (Sheu (2007)).

Deux approches peuvent être envisagées selon que les allocations des nœuds de demande aux centres sont effectuées avant (voir par exemple Averbakh and Berman (1997), Lu (2013)) ou après (voir par exemple Du et al. (2020); Demange et al. (2020)) la révélation de l'incertitude. Le premier cas correspond à des problèmes à une étape, tandis que le second conduit à des problèmes à deux étapes dans lesquels les allocations des nœuds de demande sont des variables de recours. Dans ce contexte, la plupart des travaux se sont concentrés sur l'étude de la modélisation de la programmation en nombres entiers et des approches heuristiques de résolution (voir par exemple, Baron et al. (2011); Hasani and Mokhtari (2018); Paul and Wang (2015); Trivedi and Singh (2017, 2019)).

A notre connaissance, ce travail est le premier à étudier la solution exacte du problème robuste en

deux étapes du p-centre pondéré  $(RPCP_2)$ , avec p > 1, dans lequel l'incertitude sur les distance et les demandes des nœuds est modélisée par des ensembles d'incertitude par intervales.

#### Contribution et conclusions

Nous étudions la solution d'un problème robuste du p-centre, en tenant compte de l'incertitude dans les demandes de nœuds et les longueurs d'arêtes avec des ensembles d'intervalles d'incertitude. Deux variantes de ce problème sont possibles selon que les allocations des nœuds de demande aux centres sont effectuées après que l'incertitude a été révélée  $(RPCP_2)$  ou non  $(RPCP_1)$ .

De même que pour  $(RPCP_1)$ , il est prouvé que pour  $(RPCP_2)$  un sous-ensemble fini de scénarios de l'ensemble d'incertitude de la boîte peut être pris en compte sans perdre l'optimalité. Ce résultat est utilisé pour proposer cinq reformulations robustes basées sur différentes formulations MILP du problème du p-centre déterministe. Pour résoudre ces reformulations de manière optimale, un algorithme de génération de colonnes et de contraintes et un algorithme de branch-and-cut sont introduits. De plus, on identifie une borne inférieure sur la valeur optimale du problème déterministe du centre p associé au sous-ensemble fini de scénarios considérés. Ce résultat est utilisé pour réduire de manière significative le temps de résolution des algorithmes proposés. Enfin, il est souligné comment les méthodes proposées peuvent être adaptées pour résoudre de manière optimale  $(RPCP_1)$ .

Une étude numérique est présentée pour comparer les performances des algorithmes sur une étude de cas, sur des instances générées aléatoirement, et sur quelques instances de l'ORLIB. Il a été possible de résoudre de manière optimale les 68 instances considérées. L'algorithme génération de colonnes et de contraintes basé sur les formulations (RF3) et (RF5) est plus efficace que celui basé sur (RF1), (RF2) et (RF4). En effet, l'ajout d'un scénario ne nécessite pas l'ajout d'une variable. Cette formulation permet la mise en œuvre d'un algorithme de type branch-and-cut qui réduit considérablement le temps de résolution.

Dans les travaux futurs, l'analyse d'instances plus importantes avec d'autres ensembles d'incertitude de boîtes aléatoires pourrait être envisagée. Pour améliorer encore les performances de l'algorithme branch-and-cut, d'autres stratégies de branchement pourraient être évaluées et des coupes d'intégralité (UserCuts) pourraient être générées dynamiquement. Les algorithmes pourraient également être améliorés en résolvant le (PCP) déterministe à chaque itération avec une autre méthode exacte telle que celle de Contardo et al. (2019) ou Gaar and Sinnl (2022).

## Contents

Chapte	er 1 ]	Introduction	21
1.1	p-Fac	ility Discrete Location Problems	22
1.2	Contr	ributions and Structure of the manuscript	22
Chapte	er 2	Theoretical background	25
2.1	MILP	P problems	25
2.2	MILP	solutions methods	26
	2.2.1	Benders decomposition method	27
2.3	Optin	nization under uncertainty	30
Chapte	er <b>3</b> ]	Efficient Benders decomposition method for the p-median problem	33
3.1	Intro	duction	33
3.2	Litera	ature review	35
	3.2.1	MILP formulations	35
	3.2.2	Solution methods	37
3.3	Bende	ers decomposition for the $(PMP)$	38
	3.3.1	Formulation	38
	3.3.2	Separation problem	39
	3.3.3	Efficient separation algorithm	42
	3.3.4	Benders reformulation	43
	3.3.5	Decomposition algorithm implementation	44
3.4	Comp	outational study	46
	3.4.1	Benchmark instances	46
	3.4.2	Technical specifications	47
	3.4.3	Performance analysis	48
	3.4.4	Adaptation for the Uncapacitaded Facility Location problem	57
9.5	Consl	luciona	60

Chapter 4		New Benders decomposition and Clustering based algorithm for the		
		p-Center Problem	61	
4.1	Intro	oduction	61	
4.2	Liter	rature review	63	
	4.2.1	Mathematical formulations	63	
	4.2.2	2 Solutions methods	67	
4.3	Perf	ormance comparison of the MILP formulations	68	
4.4	First	Benders decomposition on formulation $(F2)$	71	
	4.4.1	Improved sub-problem formulation	72	
	4.4.2	2 Efficient master problem resolution algorithm	74	
	4.4.3	Binary search algorithm	74	
4.5	Seco	and Benders decomposition on formulation $(F2)$	76	
	4.5.1	Efficient sub-problem resolution algorithm	77	
	4.5.2	Representation of the cuts	79	
	4.5.3	B Lifting procedure	82	
	4.5.4	Separation algorithms	84	
4.6	Clus	tering decomposition algorithm	87	
	4.6.1	Clustering Procedure	87	
	4.6.2	Solving the corresponding (PCP)	90	
	4.6.3	Rounding the distances	91	
4.7	Com	putational experiments	92	
	4.7.1	Second Benders decomposition performance	92	
	4.7.2	Clustering performance	94	
4.8	Cone	clusions	97	
Chapte	er 5	MILP formulations and exact algorithms for the robust two-stage		
		p-center problem	98	
5.1	Intro	oduction	98	
5.2	Liter	rature review	100	
	5.2.1	MILP formulations of the deterministic weighted $p$ -center	100	
	5.2.2	Uncertainty representation and solution methods	101	
5.3	Rob	ust weighted vertex <i>p</i> -center problem	103	
	5.3.1	Problem definition	103	
	5.3.2	Reducing the number of scenarios	104	
	5.3.3	MILP formulations of the robust weighted vertex $p$ -center problem	107	

	5.3.4	Column-and-constraint generation algorithm
	5.3.5	Branch-and-cut algorithm
	5.3.6	Solving the deterministic p-center problems
	5.3.7	Adaptation to the single-stage problem
5.4	Compu	ntational study
	5.4.1	Case Study
	5.4.2	Randomly generated instances
	5.4.3	ORLIB instances
5.5	Compa	arison of results with Lu (2013)
5.6	Conclu	sions
Chapte	er 6 C	donclusion 123
6.1	Conclu	sions
6.2	Perspe	ctives

## List of Figures

1	Comparaison des solutions optimales du $(PMP)$ et du $(PCP)$ pour la meme	
	instance (a) avec $p = 6$	4
2	Comparaison des solutions optimales du $(PMP)$ pour une instance symétrique de	
	40 nœuds	7
3	Comparaison des solutions du $(PCP)$ optimales pour une instance symétrique de	
	40 nœuds	9
4	Illustration de la procédure de clustering pour le $(PCP)$ sur l'instance de 40 nœuds	
	avec $p=6$	12
5	Exemple de regret des solutions optimales (RPCP) avant et après l'incertitude   .  .	13
1.1	Comparison of optimal $(PMP)$ and $(PCP)$ solutions for same instance (a) with	
	p=6	23
3.1	PMP solutions with different $p$ values for a symmetric instance of 40 nodes	34
4.1	Comparison of optimal PCP solutions for a symmetric instance of 40 nodes	62
5.1	Example of the regret of optimal (RPCP) solutions before and after uncertainty	99

## List of Tables

3.1	Comparison between different (PMP) formulations with a time limit of 600 seconds.	44
3.2	Results on ORLIB instances for the proposed method and Zebra on our computer	50
3.3	Results on small TSP instances for the proposed method and Zebra on our	
	computer. $TL=36000$ seconds. The average total time is calculated with the	
	instances in which both methods solve the instances to optimality	51
3.4	Results on medium TSP instances for the proposed method and Zebra on our	
	computer. TL=36000 seconds. $\blacklozenge$ means that the computer ran out of memory.	
	The average total time is calculated with the instances in which both methods	
	solve the instances to optimality.	52
3.5	Results on large TSP instances for the proposed method and Zebra on our	
	computer. TL=36000 seconds. $\blacklozenge$ means that the computer ran out of memory.	
	The average total time is calculated with the instances in which both methods	
	solve the instances to optimality	53
3.6	Results on huge TSP instances for the proposed method and Zebra on our	
	computer. TL=36000 seconds. $\blacklozenge$ means that the computer ran out of memory.	
	The average total time is calculated with the instances in which both methods	
	solve the instances to optimality	54
3.7	Results on BIRCH instances for the proposed method and the results of	
	AvellaHeu reported in Avella et al. (2012).	55
3.8	Results on large BIRCH instances for the proposed method and the results of	
	IrawanHeu reported in Irawan and Salhi (2015b)	55
3.9	Results on RW instances for the proposed exact method and PopStar heuristic in	
	our computer. TL=36000 seconds	56
3.10	Results on ODM instances for the proposed method and the results of	
	AvellaB&C reported in Avella et al. (2007). TL2=360000 seconds	57
3.11	Results on KG instances for the proposed method and the results of BBC reported	
	in Fischetti et al. (2017) TL3=72000 seconds	59
4.1	Performance comparison of (PCP) formulations, TL=7200s.	69

List of Tables 20

4.2	Performance comparison of $(PCP)$ formulations without pre-solve. TL2=1800s 70
4.3	Results on ORLIB instance of the performance between Benders decompositions
	according to the cut separation approach. TL3=500s
4.4	Results in TSP instances of the performance between the algorithms based on the
	clustering approach. TL4=1800s
4.5	Results in large TSP instances of the performance between the algorithms based
	on the clustering approach. TL4=1800s
5.1	A summary of related work
5.2	Results of $C\&CG$ and $B\&C$ algorithms for the $(RPCP_2)$ on the case study instances.114
5.3	Results of $C\&CG$ and $B\&C$ algorithms on randomly generated $(RPCP_2)$ instances
	with $N = M \in \{15, 25, 40\}$ and $p = 2$ . TL2=600s
5.4	Results of $C\&CG$ and $B\&C$ algorithms on randomly generated $(RPCP_2)$ instances
	with $N = M \in \{15, 25, 40\}$ and $p = 3$ . TL2=600s
5.5	Results of $B\&C$ algorithm on randomly generated $(RPCP_2)$ instances with $N=$
	$M \in \{60, 80, 100\}$ and $p = 2$
5.6	Results of $B\&C$ algorithm on randomly generated $(RPCP_2)$ instances with $N=$
	$M \in \{60, 80, 100\}$ and $p = 3$
5.7	Results of $B\&C$ algorithm on randomly generated $(RPCP_2)$ instances with $N=$
	$M \in \{60, 80, 100\}$ and $p = 4$
5.8	Results of $B\&C$ algorithm on randomly generated $(RPCP_2)$ instances with $N=$
	$M \in \{60, 80, 100\}$ and $p = 5$ . TL3=9000s
5.9	Results of $B\&C$ algorithm on adapted ORLIB instances for the $(RPCP_2)$ with
	N = M = 100  and  p = 2.
5.10	Results of $B\&C$ algorithm on adapted ORLIB instances for the $(RPCP_2)$ with
	N = M = 100  and  p = 3.
5.11	Results of $B\&C$ algorithm on adapted ORLIB instances for the $(RPCP_2)$ with
	N = M = 100 and $p = 4$ . TL3=9000s
5.12	Comparison of the robustness cost of solutions obtained by the heuristic presented
	in Lu $(2013)$ and optimal solutions obtained by the branch-and-cut algorithm
	adapted for $(RPCP_1)$

## Chapter 1

## Introduction

One of the most important branches of *Operations Research* and the main topic of this thesis is the study of *location problems*, specifically *discrete* location problems. These location problems are present in a wide variety applications, such as clustering, districting, transportation routing, and the location of facilities such as warehouses, industrial plants, gas stations, police stations, or power plants. The study of these problems contributes to improve resource allocation, reduce costs and improve service provisions in various communities and industries. Moreover, including uncertainty in the modeling of these problems allows to anticipate decision making to face various adverse scenarios. That is the case in the context of natural disasters like earthquakes or hurricanes for which these problems can assist identifying optimal locations for temporary shelters, medical centers, and distribution points for essential supplies.

Solving discrete location problems can be challenging due to their size and computational complexity inherent to their exponential combinatorial structure, most of them are NP-Hard problems. Although there are several generic solvers such as CPLEX or Gurobi that can solve many of these problems, the computational complexity quickly becomes intractable as the instance size increases. In this context, several solution methods have been developed to deal with these limitations, but most of them are approximation methods. Thus, proposing new or improving existing exact solution methods for large-scale instances is constantly a challenge.

In this chapter, we present the discrete location problems studied in this research, the main contributions, and the outline of this thesis.

## 1.1 p-Facility Discrete Location Problems

There are four elements that describe every location problem: (1) clients, that presumably are previously located, (2) facilities to be located, (3) a space where facilities and clients are located, and (4) a metric that indicates cost, time or distance between facilities and clients (ReVelle and Eiselt (2005)). Among the fundamental discrete location problems are the Facility Location Problem (FLP), the Uncapacitated Facility Location Problem (UFLP), and the Capacitated Facility Location Problem (CFLP) (Laporte et al. (2019b)). (FLP) involves selecting the optimal locations of a predefined number of facilities to satisfy the demand of the clients. The objective is to minimize the sum of transportation and set-up costs. (CFLP) is a variant of (FLP) in which facilities have limited capacities to satisfy clients. Finally, in the (UFLP), neither facility capacities nor client demands are considered.

This research studies "p-facility problems" in which there is a fixed number of p facilities to be located usually without taking into account opening or operating costs. We exploit this particular structure for the exact solution of large-scale instances of the p-median problem (PMP) and the p-center problem (PCP). These two problems only differ in their objective function. The (PMP) consists in locating p facilities such that the sum of the allocation distances of all demand points to their closest facility is minimized. Instead, the (PCP) seeks to minimize the largest allocation distance. Figure 1.1 illustrates optimal solutions of both problems for a single instance with 40 clients and candidate sites, and p equal to 6. This instance is said to be symmetric since the candidate sites and the clients locations are identical. Note that in the (PCP) solution (Figure 1.1c) a facility is allocated to only 2 isolated clients to reduce the maximum allocation distance (the red line) of 33 to 24. In contrast, the sum of the allocation distances increases from 530 to 586. The (PCP) is said to be more equitable as it will reduce the disparity in allocation distances. On the other hand, (PMP) is said to be more efficient since the average allocation distance is minimized.

## 1.2 Contributions and Structure of the manuscript

In this thesis, we propose mathematical models and implement different exact solution methods for three p-facility problems. We have devoted a chapter to each of these problems, which are organized as follows.

Firstly in Chapter 2, we present theoretical framework of this research with the most important definitions and methodologies used throughout the other chapters. We provide a brief description




Figure 1.1: Comparison of optimal (PMP) and (PCP) solutions for same instance (a) with p=6

of the most relevant concepts of Mixed-Integer Linear Programming (MILP), MILP solution methods, and optimization under uncertainty.

In Chapter 3, we study the *p-median* problem. We focus on the most efficient MILP formulation. We develop an algorithm based on the Benders decomposition that outperforms the state-of-the-art exact methods. The algorithm considers a two-stage approach and an efficient algorithm for the separation of the Benders cuts. The computational results are presented on more than 230 benchmark instances with up to 238025 clients and sites. Many instances are solved optimally for the first time or their best known values are improved. We show that our implementation can also easily be applied to the uncapacitated facility location problem. This work has been published in the journal European Journal of Operational Research (Duran-Mateluna et al. (2023a)).

The *p-center* problem is considered in Chapter 4. We first compare the five main MILP formulations from the literature. We study two Benders decomposition on one of the most efficient formulations. We show that a new Benders reformulations with more general cuts can be derived form this decomposition. We also propose an alternative exact algorithm based on a clustering procedure using a feature relying on the structure of the problem. All proposed

and state-of-the-art methods are compared in benchmark instances. The obtained results are analyzed, highlighting the advantages and disadvantages of each method.

In Chapter 5, we study a two-stage robust p-center problem with uncertainty on the node demands and distances. We introduce the robust reformulation of the p-center problem based on the five main deterministic MILP formulations introduced in Chapter 4. We prove that only a finite subset of scenarios from the infinite box uncertainty set can be considered without losing optimality. We also propose a column-and-constraint generation algorithm and a branch-and-cut algorithm to efficiently solve this problem. We highlight how these algorithms can also be adapted to solve the robust single-stage problem. The different proposed formulations are tested on randomly generated instances and on a case study from the literature. This work has been published in the special issue on Recent Advances in Location Science of the journal Computers & Operations Research (Duran-Mateluna et al. (2023b)).

Finally, Chapter 6 provides a general conclusion and discusses some directions for further research.

## Chapter 2

## Theoretical background

The main theoretical framework of this research is *Combinatorial Optimization*. This chapter presents the necessary background on the solution techniques and approaches used throughout this thesis.

## 2.1 MILP problems

Our research focuses on the study of different formulations of discrete location problems using Mixed-Integer Linear Programming (MILP problems). The following are some basic definitions.

- **Polyhedron**: A polyhedron P is a set of points in  $\mathbb{R}^n$  satisfying a finite number of linear inequalities, i.e.  $P = \{x \in \mathbb{R}^n : Ax \ge b\}$ .
- **Polytope**: A polytope is a bounded polyhedron.
- Valid Inequality: Given a polyhedron P in  $\mathbb{R}^n$ . An inequality  $a^Tx \geq \alpha$  is valid for P if it is verified by every point of P,  $P \subseteq \{x \in \mathbb{R}^n : a^Tx \geq \alpha\}$ .
- Convex combination: Given a set of points  $S = \{x_1, ... x_k\}$  in  $\mathbb{R}^n$ . A point  $x \in \mathbb{R}^n$  can be obtained by convex combination of points of S if there exist positive scalars  $\lambda_1, ..., \lambda_k$  such that

$$x = \sum_{i=1}^{k} \lambda_i x_i$$
$$\sum_{i=1}^{k} \lambda_i = 1$$
$$\lambda_i \ge 0 \qquad i = 1, ..., k$$

• Convex set: A set of points in  $\mathbb{R}^n$  is convex if it contains all convex combinations of its

points.

- Convex hull: Given a set of points  $S = \{x_1, ... x_k\}$  in  $\mathbb{R}^n$ . The convex hull of the points of S noted by conv(S) is the smallest convex set that includes S.
- Affine independence: Given a set of points  $S = \{x_1, ... x_k\}$  in  $\mathbb{R}^n$ . These k points are said to be affinely independent if the following system

$$\sum_{i=1}^{k} \lambda_i x_i = 0$$

$$\sum_{i=1}^{k} \lambda_i = 0$$

has as its unique solution  $\lambda_i = 0$  for i = 1, ..., k.

- **Dimension**: A polyhedron P in  $\mathbb{R}^n$  is of dimension k, denoted dim(P) = k, if the maximum number of affinely independent points of P is k + 1.
- Face: Given a polyhedron  $P = \{x \in \mathbb{R}^n : Ax \geq B\}$  in  $\mathbb{R}^n$  and  $a^Tx \geq \alpha$  a valid inequality for P. The set  $F = \{x \in P : a^Tx = \alpha\}$  is said to be a face of P.
- Facet: A face F of a polyhedral P is a facet of P if dim(F) = dim(P) 1.
- Extreme Point: Given a polyhedron P. A point  $x \in P$  is an extreme point of P if it cannot be obtained as a convex combination of other points in P, x is a facet of P of dimension 0.
- Separation problem: The separation problem associated with a linear system  $Ax \leq b$  and a vector y consists in verifying whether y is a solution of  $Ax \leq b$  and if not in finding a constraint of this system violated by y.

#### 2.2 MILP solutions methods

The following are the fundamental methods for solving MILP problems, which are used in the literature and that we also consider.

• Branch-and-Bound (B&B): Partition the feasible solution space into smaller sub-spaces (branches in a search tree) and solve the linear relaxation at each node. Integer feasible solutions are progressively found as the search tree is narrowed down. (B&B) incorporates pruning strategies to avoid exploring unnecessary branches.

- Cutting Plane Methods: Iteratively refine the solution space with linear inequalities, called cuts.
- Branch-and-Cut (B&C): An enhancement of the (B&B) approach that incorporates cutting planes to strengthen the linear relaxations at each node.
- Column generation: First solve the problem with only a subset of its variables. Then iteratively, variables that have the potential to improve the objective function are added to the program until no further improvement is possible.
- Branch-and-Price (B&P): Embeds a column generation in the branch-and-bound search tree. At each node the fractional solution is evaluated to determine whether a new variable must be added to the problem.

#### 2.2.1 Benders decomposition method

Another classical exact method is the *Benders Decomposition*. Introduced by Benders (1962), it is particularly valuable for tackling complex problems involving a mix of integer and continuous variables. We explore the Benders decomposition in Chapters 3 and 4 for the MILP formulations of the *p*-median and *p*-center problems, respectively.

The core idea of Benders decomposition is to split the problem into a master problem and one or several sub-problems. The master problem is a relaxation of the original problem, where certain constraints are omitted, making it easier to solve. The sub-problem try to set the value of the omitted variables according to the solution of the master problem. If this solution was non optimal, they generate cuts and the master problem is solved again. Several improvements have been developed to accelerate the efficiency of this classical algorithm. A detailed literature review is presented in Rahmaniani et al. (2017).

The Benders decomposition showed good results on discrete location problems. It was already studied on the Uncapacitated Facility Location Problem (UFL) in Cornuejols et al. (1980) and Magnanti and Wong (1981). Most recently, Fischetti et al. (2017) propose a Benders decomposition method within a branch-and-cut approach to solve efficiently very large size instances of the (UFL). Cordeau et al. (2019) described Benders decomposition for two problems: the Maximal Covering Location Problem (MCLP), which requires finding a subset of facilities that maximizes the amount of client demands covered while respecting a budget constraint on the cost of the facilities; and the Partial Set Covering Location Problem (PSCLP), which minimizes the cost of the opened facilities while forcing a certain amount of client demand to be covered. They study a decomposition approach of the two problems based on

a branch-and-Benders-cut reformulation. Their approach is more efficient when the number of clients is much larger than the number of potential facility locations. Gaar and Sinnl (2022) also perform a Benders decomposition on the p-center problem (PCP) combined with other theoretical results that allow to solve large instances which up to 744710 nodes. This approach is highly efficient for small values of p.

The following is a brief formal presentation of the method. Let us consider a MILP problem (P) with n integer variables and m continuous variables of the following generic form.

$$(P) \begin{cases} \min & f^T y + c^T x \\ \text{s.t.} & By \ge b \end{cases}$$
$$Wx + Ty \ge h$$
$$y \in \mathbb{Z}_+^n$$
$$x \in \mathbb{R}_+^m$$

where  $f \in \mathbb{R}^n$ ,  $B \in \mathbb{R}^{k \times n}$ ,  $b \in \mathbb{R}^k$ ,  $c \in \mathbb{R}^m$ ,  $W \in \mathbb{R}^{l \times n}$ ,  $h \in \mathbb{R}^l$ ,  $T \in \mathbb{R}^{l \times n}$ . To solve (P) with the Benders decomposition method, it is necessary to introduce an auxiliary variable  $\theta$  to formulate the following master problem (MP).

$$(MP) \begin{cases} \min_{(y,\theta)} & f^T y + \theta \\ \text{s.t.} & By \ge b \end{cases}$$
$$\theta \ge \bar{\theta}$$
$$y \in \mathbb{Z}_+^n$$
$$\theta \in \mathbb{R}$$

where  $\bar{\theta}$  is a lower bound on  $\theta$  to ensure that the problem is bounded. The problem (MP) is less restricted than (P), henceforth its objective value defines lower bounds for (P).

Let  $\bar{y}$  be a solution of (MP). We can define the following sub-problem (SP)

$$(SP) \begin{cases} \min_{x} & c^{T} x \\ \text{s.t.} & Wx \ge h - T\bar{y} \end{cases}$$
$$x \in \mathbb{R}_{+}^{m}$$

which its dual problem is

$$(DSP) \begin{cases} \max_{v} & (h - T\bar{y})^{T} v \\ \text{s.t.} & W^{T} v \leq c \end{cases}$$
$$v \in \mathbb{R}_{+}^{l}$$

If the sub-problem is feasible for  $\bar{y}$ , its dual sub-problem is also feasible. Thus, the solution  $\bar{y}$  is a feasible solution to (P) and we can deduce an upper bound of the original problem (P). Moreover, since the feasible region of the dual sub-problem does not depend on the fixed value of  $\bar{y}$ . For any extreme points  $v^*$  of the polyhedron of (DSP), the following optimality cut is valid for the (MP).

$$\theta \ge (h - Ty)^T v^* \tag{2.1}$$

If the sub-problem is infeasible, its associated dual problem is not bounded. Therefore, there exists an extreme ray  $r^*$  of the polyhedron of (DSP), along the objective function can always be improved. In this case, the following feasibility cut can be added to the (MP).

$$0 \ge (h - Ty)^T r^* \tag{2.2}$$

Using the above optimality and feasibility cuts, the original problem (P) can be reformulated as:

$$(RP) \begin{cases} \min & f^T y + \theta \\ \text{s.t.} & By \ge b \end{cases}$$

$$\theta \ge (h - Ty)^T v^* \qquad \forall v^* \in \mathcal{P} \subseteq U$$

$$0 \ge (h - Ty)^T r^* \qquad \forall r^* \in \mathcal{R} \subseteq U$$

$$y \in Y$$

where  $\mathcal{P}$  and  $\mathcal{R}$  are respectively, the subsets of the extreme points and the extreme rays of polyhedron U of (DSP).

Generally there is an exponential number of extreme points and rays. So a direct solution of the (RP) is impractical. The classic Benders decomposition algorithm to solve (P) is presented in Algorithm 1. A solution of the master problem gives us a lower bound (LB), while a solution of the sub-problem gives us an upper bound (UB) on the optimal value of (P). Once the upper bound and the lower bound are close enough, the algorithm ends.

Algorithm 1: Clasic Benders decomposition algorithm

**input:** A MILP problem (P) 1  $(LB, UB) \leftarrow (-\infty, \infty)$ 2 while  $UB - LB > \epsilon$  do  $\bar{y} \leftarrow \text{Solve } (MP)$ if (MP) is infeasible then 4 return Infeasible 5  $LB \leftarrow \min(LB, (MP) \text{ solution value})$ 6 Solve (DSP) with the (MP) solution  $\bar{y}$ if (DSP) is unbounded then Find a ray  $r^*$ 9 Add a feasibility cut with  $r^*$  to the (MP)10

Find an extreme point  $v^*$  (the solution of the dual sub-problem)

15 return  $\hat{x}$  and  $\bar{y}$ 

else

11

12

13

14

## 2.3 Optimization under uncertainty

Add an optimality cut with  $v^*$  to the (MP)

 $UB \leftarrow \min(UB, (SP) \text{ solution value})$ 

The study of location problems under uncertainty is an important area of research (see e.g. An et al. (2014), Laporte et al. (2019a), and Cheng et al. (2021)). In Chapter 5, we study the *p*-center problem under uncertainty in two sets of parameters.

We refer to the work Bertsimas and Sim (2004), and Ben-Tal et al. (2009) for more details on the approaches, methods and algorithms for optimization under uncertainty. The following is a brief description of the most important modeling approaches. Let us consider the following deterministic linear problem.

min 
$$c^T x$$
  
s.t  $Ax \le b$   
 $x \in \mathbb{R}^n$ 

where (A, b, c) are the parameters of the problem.

The first aspect to consider in modeling uncertainty is whether the probability distribution of the uncertain parameters is available or can be estimated. If this is the case, the problem can be formulated through Stochastic Optimization by optimizing an expected objective value.

min 
$$\mathbb{E}_{w \in \mathcal{W}}[Q(x, w)]$$
 s.t 
$$Ax \leq b$$
 
$$x \in \mathbb{R}^n$$

where Q(x, w) corresponds to the cost of solution x under scenario w, which is the realization of the uncertain parameters from a given uncertainty set W. Stochastic programming allows decision-makers to explicitly consider the probabilities of various scenarios and make decisions that balance potential risks and rewards. It assumes that decision-makers are risk-neutral.

Another approach when the probability distribution is known is named the *Chance-Constrained Programming*. In this approach, optimization is performed subject to constraints that ensure a certain probability of meeting specified criteria.

min 
$$c^T x$$
 s.t 
$$\mathbb{P}\{a_i(w)x \leq b_i(w) \ \forall i=1,...,m\} \geq \alpha$$
 
$$x \in \mathbb{R}^n$$

here m is the number of linear constraints, and  $\alpha$  is the desired probability of occurrence. It is appropriate when the decision-makers want to avoid undesirable events or impose that a desirable event occurs with high probability, but it is usually difficult to solve.

When there is a set of possible probability distributions for the uncertain parameters, it is possible to consider the *Distributionally Robust Optimization* using the following formulation.

$$\min \quad \max_{\mathbb{P} \in \mathcal{P}} \qquad \qquad \mathbb{E}^{\mathbb{P}}_{w \in \mathcal{W}}[Q(x, w)]$$
 s.t 
$$Ax \leq b$$
 
$$x \in \mathbb{R}^n$$

where  $\mathcal{P}$  is a family of probability distributions. This approach seeks solutions that perform well across all distributions within  $\mathcal{P}$ .

Finally, when information on the probability distribution is not available or the decision makers are risk-averse, we can consider the *Robust Optimization*. Here, it is only known that each uncertain parameter can individually belong to an uncertainty set.

min 
$$\max_{c \in U_c}$$
  $c^T x$  s.t  $a_i(w)x \leq b_i(w)$   $\forall a_i \in U_{a_i}, \forall b_i \in U_{b_i}, \forall i=1,...,m$   $x \in \mathbb{R}^n$ 

where  $U_{a_i}, U_{b_i}, U_c$  are given uncertainty sets. The approach aims to minimize the cost of the worst-case scenario. Therefore, it is highly relevant in situations where the lives of people are at stake, for example.

An important aspect to the formulation of these optimization approaches is the moment at which decisions are taken concerning the occurrence of uncertainty. There exists three main approaches. In the *single-stage* optimization approach all decisions are taken before the uncertainty is revealed ("here-and-now" decisions). In the *two-stage* approach decisions are made before and after the uncertainty is revealed. The decision variables of the second stage are called "wait-and-see" decisions, associated to *recourse* variables. Lastly, the *multi-stage* approach is the generalization of the two-stage approach where the decision variables can be taken in more than two phases. This framework can address problems in which the uncertainty is progressively revealed in more than one step. The choice of the approach to be used depends on factors such as the complexity of the problem, the availability of information about the uncertainty, the risk attitude of decision-makers, and the desired trade-off between optimality and robustness.

## Chapter 3

# Efficient Benders decomposition method for the p-median problem

### 3.1 Introduction

The p-median problem (PMP) is one of the fundamental problems in Location Science (Laporte et al. (2019b)). In the (PMP), the p sites have to be chosen from the set of candidate sites without considering set-up costs. The allocation costs are usually equal to the distance or travel time between clients and sites. Figure 3.1 illustrates an optimal solution of (PMP) for different values of p considering a symmetric instance presented in Figure 1.1a. This shows how different clusters are being identified. As p increases, each cluster has fewer nodes, and thus the average allocation distance decreases.

More formally, we consider a set of N clients, a set of M potential centers to open, and their corresponding index set  $\mathcal{N} = \{1, ..., N\}$  and  $\mathcal{M} = \{1, ..., M\}$ . Let  $d_{ij}$  be the distance between client  $i \in \mathbb{N}$  and site  $j \in \mathbb{M}$  and let  $p \in \mathbb{N}$  be the number of sites to open. The objective is to find a set S of p sites such that the sum of the distances between each client and its closest site in S is minimized. The (PMP) is an NP-hard problem (Kariv and Hakimi (1979)) and leads to applications where the sites correspond to warehouses, plants, shelters, etc. This problem occurs in the contexts of emergency logistics and humanitarian relief (An et al. (2014); Mu and Tong (2020); Takedomi et al. (2022)). A well-known clustering problem called k-medoids problem is also a special case of the (PMP) in which the set of clients and sites are identical. In this problem, sub-groups of objects, variables, persons, etc. are identified according to defined criteria of proximity or similarity (Klastorin (1985); Park and Jun (2009); Marín and Pelegrín (2019); Ushakov and Vasilyev (2021); Voevodski (2021)).




Figure 3.1: PMP solutions with different p values for a symmetric instance of 40 nodes.

A great interest in solving large location problems has led to the development of various heuristics and meta-heuristics in the literature. However, the exact solution of large instances remains a challenge. As detailed in Section 2.2.1, some location problems have recently been efficiently solved using the Benders decomposition method within a branch-and-cut approach (see e.g., Fischetti et al. (2017); Cordeau et al. (2019); Gaar and Sinnl (2022)). Among them, the Uncapacitated Facility Location Problem (UFL). In the (UFL) the number of sites to be opened is not fixed, but an opening cost is associated with each site.

## Contribution

This chapter explore a Benders decomposition for the (PMP). We propose an efficient algorithm for the separation of its Benders cuts. We implement a two-phase Benders decomposition algorithm which provides better results than the best exact solution method in the literature Zebra (García et al. (2011)). The computational results are presented on about 230 benchmark (PMP) instances of different sizes (up to 238025 clients and sites) satisfying or not the triangle inequality. Finally, our solution method is extended to solve the (UFL).

The rest of the chapter is organized as follows: Section 3.2 presents the literature review of the

(PMP). Section 3.3 describes the proposed Benders decomposition method. Section 3.4 presents the computational results. In Section 3.5 some conclusions together with research perspectives are draw.

## 3.2 Literature review

The (PMP) was introduced by Hakimi (1964) where the problem was defined on a graph such that a client can only be allocated to an open neighbor site. Since then, exact and approximation methods have been developed to solve the problem, as well as a wide variety of variants and extensions. We refer to Marín and Pelegrín (2019) for more details and references. The following is a summary of the main formulations of this problem and its state-of-the-art exact solution methods.

#### 3.2.1 MILP formulations

The classical mathematical programming formulation for the (PMP) was proposed by ReVelle and Swain (1970) who formulated the problem with a binary variable  $y_j$  for each site  $j \in M$  that takes value of 1, if the site is open, and 0 otherwise; and a binary variable  $x_{ij}$  that takes value of 1 if client  $i \in N$  is allocated to site  $j \in M$  and 0 otherwise.

$$(F1) \begin{cases} \min & \sum_{i \in \mathbb{N}} \sum_{j \in \mathbb{M}} d_{ij} x_{ij} \\ \text{s.t.} & \sum_{j \in \mathbb{M}} y_j = p \\ & \sum_{j \in \mathbb{M}} x_{ij} = 1 \\ & x_{ij} \leq y_j \\ & x_{ij} \geq 0 \\ & x_{ij} \geq 0 \end{cases} \qquad (3.2)$$

$$(3.2)$$

$$x_{ij} \leq y_j \qquad i \in \mathbb{N}, \ j \in \mathbb{M}$$

$$x_{ij} \geq 0 \qquad i \in \mathbb{N}, \ j \in \mathbb{M}$$

$$y_j \in \{0, 1\} \qquad j \in \mathbb{M}$$

Constraint (3.2) fixes the number of open sites to p. Constraints (3.3) ensure that each client is allocated to exactly one site and Constraints (3.4) ensure that no client is allocated to a closed site. The binary variables  $x_{ij}$  can actually be relaxed as in Constraints (3.5).

An alternative formulation (F2) was proposed by Cornuejols et al. (1980) which orders for each client all its distinct distances to the sites. More formally, for any client  $i \in \mathcal{N}$ , let  $K_i \leq M$  be the number of different distances from i to any site. Let  $D_i^1 < D_i^2 < ... < D_i^{Ki}$  be these distances

sorted, and  $\mathcal{K}_i$  the corresponding index set. Formulation (F2) uses the same y variables as in formulation (F1) and introduces new binary variables z. For any client  $i \in \mathbb{N}$  and  $k \in \mathcal{K}_i$ ,  $z_i^k = 0$  if and only if there is an open site at distance at most  $D_i^k$  from client i.

$$(F2) \begin{cases} \min \sum_{i \in \mathbb{N}} \left( D_i^1 + \sum_{k=1}^{K_i - 1} (D_i^{k+1} - D_i^k) z_i^k \right) & (3.6) \\ \sum_{j \in \mathbb{M}} y_j = p & (3.7) \\ z_i^k + \sum_{j: d_{ij} \le D_i^k} y_j \ge 1 & i \in \mathbb{N}, \ k \in \mathcal{K}_i & (3.8) \\ z_i^k \ge 0 & i \in \mathbb{N}, \ k \in \mathcal{K}_i & (3.9) \\ y_j \in \{0, 1\} & j \in \mathbb{M} \end{cases}$$

Objective (3.6) minimizes the sum of the allocation distances over all clients. Constraints (3.8) ensure that variable  $z_i^k$  takes the value 1 if there is no site at a distance less than or equal to  $D_i^k$  of client  $i \in \mathbb{N}$ . In that case  $(D_i^{k+1} - D_i^k)$  is added to the objective. Otherwise, given the positive coefficients in the objective function,  $z_i^k$  takes the value 0. Here again, the binary variables  $z_i^k$  can be relaxed as in Constraints (3.9).

Formulation (F2) can be much smaller than (F1) and both have the same linear relaxation value (Cornuejols et al. (1980)). Formulation (F1) contains  $N \times M$  variables x and  $1+N+N\times M$  constraints while (F2) contains  $K = \sum_{i=1}^{N} K_i$  variables z and K+1 constraints. As  $K \leq N \times M$ , it follows that (F2) has at most as many variables and constraints as (F1). Usually K is significantly smaller than  $N \times M$ .

Elloumi (2010) introduced another formulation based on (F2). Given that, by definition,  $z_i^{k-1}$  equal to 0 implies that  $z_i^k$  is also equal to 0, Constraints (3.8) can be replaced by (3.12) and (3.13).

$$\begin{cases}
\min & \sum_{i \in \mathbb{N}} \left( D_i^1 + \sum_{k=1}^{K_i - 1} (D_i^{k+1} - D_i^k) z_i^k \right) \\
\text{s.t.} & \sum_{j \in \mathbb{M}} y_j = p \\
z_i^1 + \sum_{j:d_{ij} = D_i^1} y_j \ge 1 & i \in \mathbb{N} \\
z_i^k + \sum_{j:d_{ij} = D_i^k} y_j \ge z_i^{k-1} & i \in \mathbb{N}, \ k = 2, ..., K_i \\
z_i^k \ge 0 & i \in \mathbb{N}, \ k \in \mathcal{K}_i \\
y_j \in \{0, 1\} & j \in \mathbb{M}
\end{cases} \tag{3.10}$$

Constraints (3.12) correspond to Constraints (3.8) for k = 1. Constraints (3.13) ensure that

 $z_i^k$  takes the value 1 if  $z_i^{k-1} = 1$  and if there is no open site at distance  $D_i^k$  exactly from i. Formulations (F2) and (F3) use the same set of variables y and z, have exactly the same objective function, and have the same linear relaxation bound (Elloumi (2010)). However, (F3) has much more zeros in the constraint coefficient matrix, which makes it perform significantly better than (F2). Therefore, (F3) is considered for the Benders decomposition.

#### 3.2.2 Solution methods

The literature contains many solution methods for the (PMP). The main heuristics are presented in the following surveys: Reese (2006); Mladenović et al. (2007); Basu et al. (2015); Irawan and Salhi (2015a). In the following, only the most relevant exact solution methods are mentioned.

Galvão (1980) solved the (PMP) within a branch-and-bound framework solving many linear relaxations of sub-problems of size N=30 using formulation (F1). He then devised a method to efficiently obtain good lower bounds instead of optimally solving the relaxed continuous sub-problems.

Avella et al. (2007) designed a branch-and-cut-and-price algorithm also based on (F1) that was able to solve instances up to N=5535. Cuts were added based on valid inequalities called lifted odd hole and cycle inequalities. Pricing was carried out by solving a master problem to optimality and using dual variables to price out the variables of the initial problem that were not considered in the master, adding new variables if necessary. In this approach, Constraints (3.3) were also relaxed and incorporated to the master problem when the corresponding column was.

García et al. (2011) considered a cut and column generation algorithm based on formulation (F2). The main idea, also presented in Elloumi (2010) on formulation (F3) and implemented in Elloumi and Plateau (2010), relies on the property that the z variables satisfy  $z_i^k \geq z_i^{k+1}$  in any optimal solution of (F2) or its LP relaxation. Therefore, it is enough to solve these problems on a reduced subset of variables z, keep enlarging this subset, and stop as soon as one is sure that the remaining z variables can be set to zero to get an optimal solution. This idea is implemented within a branch-and-cut-and-price method that the authors name Zebra. It starts with a very small set of z variables and constraints, and adds more when necessary. Zebra is an exact solution method that performed well on instances up to N=85,900 with large values of p.

#### 3.3 Benders decomposition for the (PMP)

In this section, we present a Benders decomposition for the (PMP) based on formulation (F3). More details and references to this method are presented in the Section 2.2.1. We show that there is a finite number of Benders cuts and that they can be separated using a efficient algorithm.

#### **Formulation** 3.3.1

For a fixed value of the y variables, the problem decomposes into N sub-problems. Each one computes the allocation distance of a client. In the master problem, the z variables are removed and a new set of continuous variables  $\theta_i$  representing the allocation distance of each client  $i \in \mathcal{N}$ is introduced:

$$(MP) \begin{cases} \min & \sum_{i \in \mathcal{N}} \theta_i \\ \text{s.t.} & \sum_{j \in \mathcal{M}} y_j = p \\ & \theta_i \text{ satisfies } BD_i & i \in \mathcal{N} \\ & y_j \in \{0,1\} & j \in \mathcal{M} \end{cases}$$
 is the set of benders cuts associated to client  $i \in \mathcal{N}$ . This set

where  $BD_i$  is the set of benders cuts associated to client  $i \in \mathbb{N}$ . This set is initially empty and grows through the iterations.

The sub-problem for each client  $i \in \mathbb{N}$  associated to a feasible solution  $\bar{y}$  of (MP) is defined by:

$$(SP_i(\bar{y})) \begin{cases} \min & D_i^1 + \sum_{k=1}^{K_i-1} (D_i^{k+1} - D_i^k) z_i^k \\ \text{s.t.} & z_i^1 \geq 1 - \sum_{j:d_{ij} = D_i^1} \bar{y}_j \\ \\ z_i^k - z_i^{k-1} \geq - \sum_{j:d_{ij} = D_i^k} \bar{y}_j & k \in \{2, ..., K_i\} \end{cases}$$

and its corresponding dual sub-problem is:

$$(DSP_i(\bar{y})) \begin{cases} \max & D_i^1 + v_i^1 (1 - \sum_{j:d_{ij} = D_i^1} \bar{y}_j) - \sum_{k=2}^{K_i} v_i^k \sum_{j:d_{ij} = D_i^k} \bar{y}_j \\ \text{s.t.} & v_i^k - v_i^{k+1} \le D_i^{k+1} - D_i^k \\ & v_i^k \ge 0 & k \in \mathcal{K}_i \end{cases}$$

Note that  $(SP_i(\bar{y}))$  and  $(DSP_i(\bar{y}))$  are feasible for any  $\bar{y}$ . From an extreme point  $\bar{v}$  of  $(DSP_i(\bar{y}))$ ,

the following optimality Benders cut is obtained:

$$\theta_i \ge D_i^1 + \bar{v}_i^1 (1 - \sum_{j:d_{ij} = D_i^1} y_j) - \sum_{k=2}^{K_i} \bar{v}_i^k \sum_{j:d_{ij} = D_i^k} y_j$$
(3.16)

## 3.3.2 Separation problem

The performance of Benders decomposition lies on the resolution of the master problem and the sub-problems. In our decomposition we can have a large number of sub-problems to solve since it is equal to the number of clients at each iteration. Below, we show that the sub-problems can be solved efficiently.

**Lemma 3.3.1.** Given a solution  $\bar{y}$  of the master problem (MP) or of its LP-relaxation. The following solution  $\bar{z}_i$  is optimal for  $(SP_i(\bar{y}))$ :

$$\bar{z}_i^k = \max_{k \in \mathcal{K}_i} \left( 0, \ 1 - \sum_{j: d_{ij} < D_k^k} \bar{y}_j \right) \quad i \in \mathcal{N}$$

**Proof.** We can rewrite the constraints of  $(SP_i(\bar{y}))$  for each  $i \in \mathbb{N}$  as follows:

• 
$$z_i^1 \ge 1 - \sum_{j:d_{ij} = D_i^1} \bar{y}_j$$
;

• 
$$z_i^2 \ge z_i^1 - \sum_{j:d_{ij}=D_i^2} \bar{y}_j \ge 1 - \sum_{j:d_{ij}=D_i^1} \bar{y}_j - \sum_{j:d_{ij}=D_i^2} \bar{y}_j = 1 - \sum_{j:d_{ij} \le D_i^2} \bar{y}_j$$
;

• ...

• 
$$z_i^k \ge z_i^{k-1} - \sum_{j:d_{ij} = D_i^k} \bar{y}_j \ge 1 - \sum_{j:d_{ij} = D_i^{k-1}} \bar{y}_j - \sum_{j:d_{ij} = D_i^k} \bar{y}_j = 1 - \sum_{j:d_{ij} \le D_i^k} \bar{y}_j$$
.

Since we minimize an objective function with non-negative coefficients, the  $\bar{z}_i^k$  variables are as small as possible in an optimal solution. Thus, setting  $\bar{z}_i^k$  to the value max  $(0, 1 - \sum_{j:d_{ij} \leq D_i^k} \bar{y}_j)$  leads to a feasible and optimal solution.

From Lemma 3.3.1 we observe that the optimal values of variables  $z_i^k$  in  $(SP_i(\bar{y}))$  are decreasing when k increases. In order to obtain a dual solution, we identify the last strictly positive term of this sequence.

**Definition 3.3.1.** Given a solution  $\bar{y}$  of the master problem (MP) or of its LP-relaxation. Let  $\tilde{k}_i$  be the following index,

$$\tilde{k}_i = \begin{cases} 0 & \text{if } \sum_{j:d_{ij} = D_i^1} \bar{y}_j \ge 1 \\ \max\{k \in \mathcal{K}_i: 1 - \sum_{j:d_{ij} \le D_i^k} \bar{y}_j > 0\} & \text{otherwise} \end{cases}$$
  $i \in \mathcal{N}$ 

Note that, if  $\bar{y}$  is binary, then the assignment distance of client i for the solution  $\bar{y}$  is  $D_i^{\tilde{k}_i+1}$ .

**Lemma 3.3.2.** Given a solution  $\bar{y}$  of the master problem (MP) or of its LP-relaxation and the corresponding indices  $\tilde{k}_i$ , the optimal value of  $SP_i(\bar{y})$  for  $i \in \mathbb{N}$  is:

$$OPT(SP_{i}(\bar{y})) = \begin{cases} D_{i}^{1} & \text{if } \tilde{k}_{i} = 0\\ \\ D_{i}^{\tilde{k}_{i}+1} - \sum_{j:d_{ij} \leq D_{i}^{\tilde{k}_{i}}} (D_{i}^{\tilde{k}_{i}+1} - d_{ij})\bar{y}_{j} & \text{otherwise} \end{cases}$$
(3.17)

**Proof.** If  $\tilde{k}_i = 0$ , then using Lemma 3.3.1 and Definition 3.3.1, then all the values  $\bar{z}_i^k$  are equal to 0 and  $OPT(SP_i(\bar{y})) = 0$ . Otherwise, when  $\tilde{k}_i \geq 1$ , we have the following:

$$\begin{split} OPT(SP_i(\bar{y})) &= D_i^1 + \sum_{k=1}^{\tilde{k}_i} (D_i^{k+1} - D_i^k) (1 - \sum_{j:d_{ij} \leq D_i^k} \bar{y}_j) \\ &= D_i^1 + D_i^{\tilde{k}_i+1} (1 - \sum_{j:d_{ij} \leq D_i^{\tilde{k}_i}} \bar{y}_j) - D_i^1 (1 - \sum_{j:d_{ij} \leq D_i^1} \bar{y}_j) + \\ &\sum_{k=2}^{\tilde{k}_i} D_i^k ((1 - \sum_{j:d_{ij} \leq D_i^{k-1}} \bar{y}_j) - (1 - \sum_{j:d_{ij} \leq D_i^k} \bar{y}_j)) \\ &= D_i^{\tilde{k}_i+1} (1 - \sum_{j:d_{ij} \leq D_i^{\tilde{k}_i}} \bar{y}_j) + \sum_{k=1}^{\tilde{k}_i} \sum_{j:d_{ij} = D_i^k} d_{ij} \bar{y}_j \\ &= D_i^{\tilde{k}_i+1} - \sum_{j:d_{ij} \leq D_i^{\tilde{k}_i}} (D_i^{\tilde{k}_i+1} - d_{ij}) \bar{y}_j \end{split}$$

Note that, if  $\bar{y}$  is binary, then the allocation distance of client  $i \in \mathbb{N}$  in the feasible solution  $\bar{y}$  is  $D_i^{\tilde{k}_i+1}$ . Given the indices  $\tilde{k}_i$ , the optimal value of  $SP_i(\bar{y})$  for  $i \in \mathbb{N}$  is:

**Proposition 3.3.1.** Given a solution  $\bar{y}$  of the master problem (MP) or of its LP-relaxation and the corresponding indices  $\tilde{k}_i$ . The following solution  $\bar{v}_i$  is optimal for  $DSP_i(\bar{y})$ :

$$\bar{v}_{i}^{k} = \begin{cases} D_{i}^{\tilde{k}_{i}+1} - D_{i}^{k}, & if \ k \leq \tilde{k}_{i} \\ 0, & otherwise \end{cases}$$
  $i \in \mathcal{N} \ k \in \mathcal{K}_{i}$ 

**Proof.** From the theorem of complementary slackness, for  $i \in \mathbb{N}$  we have:

$$\bar{v}_i^k - \bar{v}_i^{k+1} = D_i^{k+1} - D_i^k \qquad k \le \tilde{k}_i \tag{3.18}$$

because for  $k \leq \tilde{k}_i$ , the primal variables values  $\bar{z}_i^k$  are strictly positive. Moreover, if we sum Equations (3.18) from k' = k to  $k' = \tilde{k}_i$ , we obtain

$$\bar{v}_i^k = v_i^{\tilde{k}_i + 1} + (D_i^{\tilde{k}_i + 1} - D_i^k) \qquad k \le \tilde{k}_i \tag{3.19}$$

We build a feasible solution of  $(DSP_i(\bar{y}))$  by setting  $\bar{v}_i^k = 0$  for  $k > \tilde{k}_i$  and  $\bar{v}_i^k = (D_i^{\tilde{k}_i+1} - D_i^k)$  for  $k \leq \tilde{k}_i$ . The objective value  $\mathcal{V}(\bar{v})$  of this solution is:

$$\begin{split} \mathcal{V}(\bar{v}) &= D_i^1 + (D_i^{\tilde{k}_i+1} - D_i^1)(1 - \sum_{j:d_{ij} = D_i^1} \bar{y}_j) - \sum_{k=2}^{\tilde{k}_i} (D_i^{\tilde{k}_i+1} - D_i^k) \sum_{j:d_{ij} = D_i^k} \bar{y}_j \\ &= D_i^{\tilde{k}_i+1} - \sum_{k=1}^{\tilde{k}_i} (D_i^{\tilde{k}_i+1} - D_i^k) \sum_{j:d_{ij} = D_i^k} \bar{y}_j \\ &= D_i^{\tilde{k}_i+1} - \sum_{k=1}^{\tilde{k}_i} \sum_{j:d_{ij} = D_i^k} (D_i^{k+1} - D_i^k) \bar{y}_j \\ &= D_i^{\tilde{k}_i+1} - \sum_{j:d_{ij} \leq D_i^{\tilde{k}_i}} (D_i^{\tilde{k}_i+1} - d_{ij}) \bar{y}_j = OPT(SP_i(\bar{y})) \end{split}$$

Hence, this dual solution is feasible and it has the same objective value as the optimal value of the primal solution. Thus, this solution  $\bar{v}$  is optimal for  $(DSP_i(\bar{y}))$ .

Corollary 1 The Benders cuts (3.16) can be written as follows:

$$\begin{cases} \theta_i \ge D_i^1 & \text{if } \tilde{k}_i = 0 \\ \\ \theta_i \ge D_i^{\tilde{k}_i + 1} - \sum_{j: d_{ij} \le D_i^{\tilde{k}_i}} (D_i^{\tilde{k}_i + 1} - d_{ij}) y_j & \text{otherwise} \end{cases}$$

$$(3.20)$$

We observe that these inequalities are the same as those obtained in Cornuejols et al. (1980) and Magnanti and Wong (1981) for (PMP) on formulation (F1). This was quite unexpected, since it was used the formulation (F3), even though the master problems are the same in the two decompositions, the sub-problems are different. These same inequalities were also presented in Fischetti et al. (2017) for the (UFL) on a similar formulation to (F1).

## 3.3.3 Efficient separation algorithm

Corollary 3.16 highlights that the Benders cuts can be obtained in polynomial time by computing  $\tilde{k}_i$ . We use Algorithm 2 to separate Constraints (3.20). For each client  $i \in \mathbb{N}$ , it is first computed  $\tilde{k}_i$  and  $OPT(SP_i(\bar{y}))$  from the current (MP) solution  $(\bar{y}, \bar{\theta})$  (Steps 3 and 4) thus updating the upper bound UB of (MP) (Step 5). Then, if the value of the allocation distance in the current (MP) solution is underestimated (Step 6), the corresponding Benders cuts (3.20) are directly built (Step 7).

```
Algorithm 2: Separation algorithm
  input:
       • Instance data (\mathcal{N}, \mathcal{M}, \mathcal{K}_i, \text{ distances } D_i^0, ..., D_i^{K_i} \text{ and } d_{ij} \text{ for each } i \in \mathcal{N}, j \in \mathcal{M})
       • Current (MP) solution (\bar{y}, \bar{\theta})
  output:
       • Upper bound of (MP).
1 UB \leftarrow 0
2 for i \in \mathbb{N} do
       Compute \tilde{k}_i with Algorithm 3
       Compute OPT(SP_i(\bar{y})) through Lemma 3.3.2
       UB \leftarrow UB + OPT(SP_i(\bar{y}))
5
       if \bar{\theta}_i < OPT(SP_i(\bar{y})) then
6
            Add the corresponding cut (3.20) to (MP)
8 return UB
```

The memory management of the distances between the clients and the sites can be challenging for large-scale instances. For example, in the work of Cornuejols et al. (1980); Magnanti and Wong (1981); Fischetti et al. (2017), the increasingly ordered distances  $\{d_{ij}\}_{j\in\mathbb{M}}$  of each client  $i\in\mathbb{N}$  are considered as an input.

In this approach, the complexity of Algorithm 2 is determined by the computation of index  $\tilde{k}_i$ . It can be computed in O(M) by Algorithm 3. This algorithm takes as an input a vector  $S_i \in \mathcal{M}^M$  such that  $S_{ir}$  is the  $r^{th}$  closest site to client  $i \in \mathcal{N}$ . Hence,  $d_{iS_{ir}}$  is the distance between i and its  $r^{th}$  closest site. Afterwards, given index  $\tilde{k}_i$ , Steps 4 and 5 of Algorithm 2 can be computed in O(M) and O(1), respectively. Then, considering the N clients, a complexity in O(NM) is obtained for Algorithm 2. As in García et al. (2011), the distances  $\{d_{ij}\}_{j\in\mathcal{M}}$  of each client  $i \in \mathcal{N}$  are calculated as they are needed.

Consequently, the  $N \times M$  matrix S is built only once in a preprocessing step in O(NMlog(M)) using the QuickSort algorithm. The computation time of this matrix may be longer than the runtime of the solution method depending on the size of the instances. For example, for instances with 5000, 13000, 27000, 85000 clients and sites, the computer described below in Section 3.4 builds the matrix on average in 5, 25, 90 and 1100 seconds, respectively. Furthermore, to reduce the memory requirements for storing this matrix S, we consider the fact that a client will never be allocated to one of its furthest p sites. Therefore, the size of the matrix S is reduced to  $N \times (M - p)$ .

```
Algorithm 3: Computing \tilde{k}_i
```

#### input:

- Instance data  $(N, M, K_i, S \text{ matrix}, \text{ and distances } d_{ij} \text{ for } i \in N, j \in M)$
- Current (MP) solution  $\bar{y}$
- $i \in \mathcal{N}$

#### output:

• The index  $\tilde{k}_i$  associated to  $\bar{y}$ 

```
\begin{array}{lll} \mathbf{1} & \tilde{k}_i \leftarrow 0 \\ \mathbf{2} & r \leftarrow 1 \\ \mathbf{3} & val \leftarrow 1 - \bar{y}_{\mathcal{S}_{ir}} \\ \mathbf{4} & \mathbf{while} & val > 0 & and & r < M & \mathbf{do} \\ \mathbf{5} & & \mathbf{if} & d_{i(\mathcal{S}_{i(r+1)})} > d_{i\mathcal{S}_{ir}} & \mathbf{then} \\ \mathbf{6} & & & \tilde{k}_i \leftarrow \tilde{k}_i + 1 \\ \mathbf{7} & & r \leftarrow (r+1) \end{array}
```

 $\mathbf{8} \quad \boxed{val \leftarrow val - \bar{y}_{S_{ir}}}$ 

## 9 return $\tilde{k}_i$

## 3.3.4 Benders reformulation

The Benders cuts (3.20) lead to the following formulation for (PMP):

$$(F4) \begin{cases} \min & \sum_{i \in \mathbb{N}} \theta_i \\ \text{s.t.} & \sum_{j \in \mathbb{M}} y_j = p \\ & \theta_i \ge D_i^1 & i \in \mathbb{N} \\ & \theta_i \ge D_i^{k+1} - \sum_{j: d_{ij} \le D_i^k} (D_i^{k+1} - d_{ij}) y_j & i \in \mathbb{N}, \ k \in \{1, ..., K_i - 1\} \\ & y_j \in \{0, 1\} & j \in \mathbb{M} \end{cases}$$
(3.21)

Constraints (3.22) ensure that each variable  $\theta_i$  is larger than  $D_i^{k+1}$  unless a site is opened at a smaller distance than  $D_i^k$  from i. This formulation (F4) has (N+M) variables which is less than (F2) and (F3) but it has the same number of constraints. Nevertheless, the constraint matrix is roughly as dense as (F2) and it has the same continuous relaxation value.

Table 3.1 presents the results of four formulations of the (PMP) on five instances from OR-Library described in Section 3.4.1. A time limit of 600 seconds is considered. For each formulation the relative optimality gap (gap) and the runtime in seconds (t[s]) are presented.

	INSTAN	CE		F1		F	`2	F	3	F	4
name	N = M	p	OPT	gap	t[s]	gap	t[s]	gap	t[s]	gap	t[s]
pmed26	600	5	9917	0%	228	0%	40	0%	8	0%	57
pmed31	700	5	10086	0%	282	0%	36	0%	7	0%	58
pmed35	800	5	10400	0%	527	0%	104	0%	9	0%	95
pmed38	900	5	11060	74,1%	600	0%	75	0%	19	0%	115
pmed39	900	5	11069	10,7%	600	0%	66	0%	19	0%	105
pmed40	900	5	12305	0%	579	0%	60	0%	10	0%	104

Table 3.1: Comparison between different (PMP) formulations with a time limit of 600 seconds.

Results in Table 3.1 confirm the expected performance between formulations (F1), (F2) and (F3) already described in Section 3.2.1. Moreover, (F4) takes more time than (F2) and (F3).

### 3.3.5 Decomposition algorithm implementation

To improve the performance of the Benders decomposition, a two-phase algorithm is implemented. Let  $(\overline{MP})$  be the master problem without the integrity constraints. The Benders decomposition is first solved for  $(\overline{MP})$   $(Phase\ 1)$ . Then, the integrity constraints are added to the obtained master problem to solve it through a branch-and-cut algorithm  $(Phase\ 2)$ .

## Phase 1: Solving the linear relaxation of the master problem

Phase 1 is summarized in Algorithm 4. The current master problem  $\overline{MP}$  is solved at Step 4 through a linear programming solver and provides a candidate solution  $(\bar{y}, \bar{\theta})$  while the sub-problems are solved at Steps 2 and 6 using Algorithm 2. To enhance the performance this phase includes the following improvements:

• Initial solution: Providing a good candidate solution to the initial  $(\overline{MP})$  can significantly reduce the number of iterations. Consequently, as García et al. (2011), a first solution is computed using the PopStar heuristic (Resende and Werneck (2004)) which, to the best of our knowledge, is the best heuristic for the (PMP). PopStar is a hybrid heuristic that

combines elements of several metaheuristics. It uses a multi-start method in which a solution is built at each iteration as in a GRASP algorithm. It is followed by an intensification strategy, with a tabu search and a scatter search. And in a post-optimization phase, they use the concept of multiple generations, a characteristic of genetic algorithms. The solution  $y^h$  provided by this heuristic and its objective value  $UB^h$  are inputs of Algorithm 4. The latter is used to initialize  $UB^1$  at Step 1.

• Rounding heuristic: Since in Phase 1 most of the solutions provided by  $(\overline{MP})$  are fractional, it is used a primal heuristic to try to improve the upper bound of the problem. At each iteration, the sites associated to the p largest values of  $\bar{y}$  are opened (Steps 7 to 11 in Algorithm 4).

The objective value of  $(\overline{MP})$  and the sub-problem optimal value OPT(SP) allow us to update the optimality bounds on the value of the linear relaxation of the problem. In each iteration the rounding heuristic tries the improve  $UB^1$ . The iterative algorithm is terminated when no more violated Benders cuts are found for the current solution  $\overline{y}$  and hence the value of the linear relaxation of the problem is obtained.

## **Algorithm 4:** Phase 1 - Solving $(\overline{MP})$

## input:

- Instance data  $(N,\,M,\,p$  , Distances  $D_i^0,...,D_i^{K_i}$  and  $d_{ij}$  with  $i\in\mathbb{N},\,j\in\mathbb{M})$
- Heuristic (PMP) solution  $y^h$  with value  $UB^h$

#### output

• Lower bound  $LB^1$  and a feasible integer solution  $y^1$  with value  $UB^1$ 

```
(y^1, UB^1) \leftarrow (y^h, UB^h)
```

**2** Use Algorithm 1 to generate violated Benders cuts associated with  $y^h$  to  $(\overline{MP})$ 

3 while violated cut has been found do

```
(\bar{y}, \bar{\theta}) \leftarrow \text{Solve } (\overline{MP})
 4
         LB^1 \leftarrow \sum_{i=1}^{N} \overline{\theta}_i
 \mathbf{5}
          Use Algorithm 1 to generate violated Benders cuts associated with \bar{y} to (\overline{MP})
 6
          if \bar{y} is fractional then
 7
                (y^r, UB^r) \leftarrow \text{Get a rounded heuristic solution from } \bar{y}
 8
               if UB^r < UB^1 then
 9
                     UB^1 \leftarrow UB^r
10
                     y^1 \leftarrow y^r
11
```

12 return  $LB^{1}, y^{1}, UB^{1}$ 

## Phase 2: Solving the master problem with branch-and-Benders-cut approach

Once the continuous relaxation of (MP) is solved by Phase 1, the integrity constraints on variables y are added and a branch-and-cut algorithm is used to solve the problem. The sub-problems are solved at each node which provides an integer solution in order to generate Benders cuts. The solution of the sub-problems is performed through callbacks which is a feature provided by mixed integer programming solvers. In order to enhance the performance of Phase 2, the following improvements are implemented:

- Constraint reduction: At the end of Phase 1, most of the generated Benders cuts are not saturated by the current fractional solution. Most of them are removed to reduce the problem size. The cuts of a client i ∈ N are related to indexes k̄<sub>i</sub> obtained at different iterations. Let k̄ be the highest of these indexes associated with a saturated constraint. All constraints of client i ∈ N which associated index is higher than k̄ are removed. This reduction performs better than removing all unsaturated constraints.
- Reduced cost fixing: At the end of Phase 1, given the bounds  $LB^1$  and  $UB^1$ , it is possible to perform an analysis of the reduced costs  $\overline{rc}$  of the last fractional solution  $\overline{y}$  provided by Algorithm 4. For any site  $j \in \mathcal{M}$  such that  $LB^1 + \overline{rc}_j > UB^1$ ,  $y_j$  can be set to 0. Similarly, for any site  $j \in \mathcal{M}$  such that  $LB^1 \overline{rc}_j > UB^1$ ,  $y_j$  can be fixed to 1. It is computationally observed that that these rules are efficient in instances where p is small, i.e., when the ratio p/M is less than 20%. At higher values of p, there may exist many equivalent solutions. Therefore, opening or closing a site often does not have a strong impact on the objective.

# 3.4 Computational study

In this section, the results of the Benders decomposition method with those of the state-of-the-art exact methods described in Section 3.2.2 are compared.

## 3.4.1 Benchmark instances

We study the same instances used in García et al. (2011) that is the p-median instances from OR-Library (Beasley (1990)) and TSP-Library (Reinelt (1991)). In all these instances, the sites are at the same location as the clients and thus N = M. The set of OR-Library contains instances with 100 to 900 clients, and the value of p is between 5 and 500. The set of TSP-Library selected contains between 1304 and 238025 clients. Following previous works such as García et al. (2011),

all client points are given as two-dimensional coordinates, and the Euclidean distance rounded down to the nearest integer is used as distance.

Another set of symmetric instances that satisfy triangle inequality are the BIRCH instances, usually solved by heuristics algorithms (see e.g Hansen et al. (2009); Avella et al. (2012); Irawan et al. (2014)). These instances consist of p clusters of two-dimensional data points generated in a square. We consider instances with sizes from 10000 to 20000 points and from 25000 to 89600 points for two types of instances, named Type I and Type III. These instances were kindly provided by the authors of Avella et al. (2012). For the comparison, we consider the results presented in Avella et al. (2012), in which it is proposed an aggregation heuristic. This heuristic is denoted as AvellaHeu. The results presented in Irawan and Salhi (2015b) are considered for large BIRCH instances, in which is proposed a hybrid heuristic combining aggregation and variable neighborhood search. This heuristic is denoted as IrawanHeu.

It is also considered the RW instances originally proposed by Resende and Werneck (2004) with the PopStar heuristic. They correspond to completely random distance matrices. The distance between each site and each client is an integer value taken uniformly. Moreover, the distance between client i and site j is not necessarily equal to the distance between site j and client i. Four different values of N = M are considered: 100, 250, 500, and 1000.

Finally, it is included in the experimentation the ODM instances which were introduced by Briant and Naddef (2004) and are used in Avella et al. (2007) with a branch-and-cut-and-price algorithm. This algorithm is denoted as AvellaB&C. These instances correspond to the optimal diversity management problem which can be treated as a p-median problem in which certain allocations between clients and sites are not allowed. For this problem there exist instances with N equal to 1284, 3773, and 5335. It was already observed by Avella et al. (2007) that instances with N equal to 1284 and 5335 are easy to solve. Therefore, it is only considered the instances with the value of N = 3773.

## 3.4.2 Technical specifications

Our study was carried out on an Intel XEON W-2145 processor 3,7 GHz, with 16 threads, but only 1 was used, and 256 GB of RAM. IBM ILOG CPLEX 20.1 was used as branch-and-cut framework. The described separation algorithm is applied in the GenericCallback of CPLEX, which gets called whenever a feasible integer solution is found. The absolute tolerance to the best integer objective (EpGap) has been set to  $10^{-10}$ , and the tolerance to the best remaining node, also called absolute MIP gap (EpAGap), to 0.9999.

Considering that the Benders decomposition can easily find feasible solutions, the MIP emphasis switch has been set to BestBound in order to prove the optimality as fast as possible. The branch-up-first parameter BRDIR has been set to 1, since this tends to produce branching trees with fewer nodes. It used a time limit of 10 hours for Phase 2, indicated by TL in the tables when this is reached.

It was possible to run the Zebra and PopStar methods on our computer. Zebra code was provided by the authors of García et al. (2011) and PopStar code is available online<sup>1</sup>. On the other hand, it is not reported an updated time for the heuristic algorithms: AvellaB&C was originally carried out on a Compaq EVO W4000 Personal Computer with Pentium IV-1.8 GHz processor with 1 GB of RAM using the LP solver IBM ILOG CPLEX 8.0 with a time limit of 100 hours per instance (indicated by TL2 in the corresponding table), AvellaHeu was carried out on an Intel Core 2 Quad CPU 2.6 GHz workstation with 4 GB of RAM with a single core, and IrawanHeu was carried out on a PC Intel Core i5 CPU 650@ 3.20 GHz of processor with 4 GB of RAM. In order to compare more objectively the computation times of the proposed method with the ones of these approaches, we consider the benchmark score of each computer from the geekbench website<sup>2</sup>. To obtain a solution time for these three methods closer to the one that would have been obtained if it had executed them, one can multiply the time reported in their articles by the ratio between the score of the used computer and the score of the computer on which they were obtained (i.e., 3 for AvellaHeu, 2.5 for IrawanHeu, and 6 for AvellaB&C).

## 3.4.3 Performance analysis

The results for the different instances are presented below. The information in the tables is organized as follows:

- Instance data
  - name: name of the instance.
  - -N=M: size of the instance (number of clients equal to the number of sites).
  - -p: number of sites to open.
  - OPT/BKN: optimal value of the instance (in **bold**) if it is known or the best-known solution value obtained given the time limit, otherwise. If the value is <u>underlined</u>, it means that it is the first time the instance is solved to optimality or that the best-known value was improved.

<sup>&</sup>lt;sup>1</sup>http://mauricio.resende.info/popstar/

<sup>&</sup>lt;sup>2</sup>https://browser.geekbench.com

- Our Phase 1 results:
  - $-LB^{1}$ : lower bound of the (PMP) obtained at the end of Phase 1.
  - $-UB^{1}$ : upper bound of the (PMP) obtained at the end of Phase 1.
  - $-t^{1}[s]$ : CPU time in seconds required to complete Phase 1.
- Our Phase 1 + Phase 2 results:
  - gap: relative optimality gap between the lower and upper bound obtained in Phase 2.
  - iter: number of total iterations required for the Benders decomposition, i.e., the number of times a fractional solution or an integer solution was separated in Phase 1 and Phase 2, respectively.
  - nodes: number of the explored nodes of the branch-and-cut.
  - $-t^{tot}[s]$ : the total CPU time in seconds required to exactly solve the instance.
- Zebra, AvellaHeu, IrawanHeu, PopStar, and AvellaB&C results:
  - gap /  $UB^h$ : relative optimality gap when available or the solution value obtained at the end of the corresponding method.
  - t[s]: total CPU time time in seconds required to complete the algorithms of García et al. (2011), Avella et al. (2012), Irawan and Salhi (2015b), Resende and Werneck (2004) or Avella et al. (2007) respectively. A diamond (♠) means that the computer ran out of memory while solving the problem.
- Average total time
  - the average total time by the proposed method and Zebra is presented in the corresponding tables. This average is calculated considering only the instances where both methods solve the instances to optimality.

#### OR-Library and TSP-Library instances

The results on OR-Library are presented in Table 3.2 and on TSP-Library instances in Tables 3.3, 3.4, 3.5 and 3.6 for small, medium, large, and huge instances, respectively. Similarly to Zebra, the optimal value of all the OR-Library instances is reached in few seconds. For the TSP instances, the proposed method reaches the optimal solution in most instances. Very good  $LB^1$  and  $UB^1$  bounds are quickly found at the end of Phase 1.

In Tables 3.3 and 3.4, it is possible to observe that 10 small and medium instances are not solved optimally by Zebra due to a lack of memory or for reaching the time limit. However, the proposed method does not face any memory problem and only 2 small and 2 medium instances reach the time limit of 10 hours with an optimality gap lower than 0, 1%.

	INSTAN	NCE		P	HASE 1		PH	IASE 1	. + 2	Ze	bra
name	N = M	p	OPT/ BKN	$LB^1$	$UB^1$	$t^1[s]$	gap	iter	$t^{tot}[s]$	gap	t[s]
pmed26	600	5	9917	9854	9917	0,14	0%	15	1,12	0%	5,58
pmed27	600	10	8306	8302	8307	$0,\!18$	0%	19	0,63	0%	0,91
pmed28	600	60	4498	4498	4498	$0,\!12$	0%	7	$0,\!16$	0%	$0,\!12$
pmed29	600	120	3033	3033	3033	0,08	0%	8	0,11	0%	0,05
pmed30	600	200	1989	1989	1989	0,04	0%	9	0,04	0%	0,04
pmed31	700	5	10086	10026	10086	$0,\!16$	0%	13	0,93	0%	$4,\!23$
pmed32	700	10	$\boldsymbol{9297}$	9293	9297	$0,\!27$	0%	9	0,91	0%	1,29
pmed33	700	70	4700	4700	4700	$0,\!18$	0%	8	$0,\!24$	0%	$0,\!17$
pmed34	700	140	3013	3013	3013	0,08	0%	7	0,08	0%	0,07
pmed35	800	5	10400	10302	10400	$0,\!17$	0%	9	1,24	0%	5,32
pmed36	800	10	$\boldsymbol{9934}$	9834	9934	$0,\!25$	0%	18	27,2	0%	26,7
pmed37	800	80	5057	5057	5057	0,22	0%	6	0,29	0%	0,15
pmed38	900	5	11060	10948	11060	0,23	0%	15	4,42	0%	10,1
pmed38	900	10	9431	9362	9431	0,31	0%	20	4,17	0%	10,3
pmed38	900	20	7839	7832	7839	$0,\!32$	0%	11	1,03	0%	2,87
pmed38	900	50	$\bf 5892$	5889	5892	$0,\!26$	0%	11	0,86	0%	1,19
pmed38	900	100	4450	4450	4450	$0,\!22$	0%	8	0,31	0%	$0,\!15$
pmed38	900	200	2905	2905	2905	0,09	0%	8	0,09	0%	0,08
pmed38	900	300	1972	1972	1972	0,07	0%	8	0,07	0%	0,06
pmed38	900	400	1305	1305	1305	0,07	0%	10	0,07	0%	0,06
pmed38	900	500	836	836	836	0,05	0%	8	0,08	0%	0,05
pmed39	900	5	11069	10938	11069	0,29	0%	22	3,66	0%	8,61
pmed39	900	10	$\boldsymbol{9423}$	9365	9423	0,31	0%	18	$6,\!27$	0%	8,01
pmed39	900	20	$\boldsymbol{7894}$	7894	7894	$0,\!34$	0%	9	$0,\!52$	0%	0,72
pmed39	900	50	<b>5941</b>	5937	5941	$0,\!33$	0%	12	0,95	0%	1,21
pmed39	900	100	4461	4461	4462	$0,\!24$	0%	9	0,33	0%	$0,\!36$
pmed39	900	200	2918	2918	2918	0,09	0%	7	$0,\!14$	0%	0,08
pmed39	900	300	1968	1968	1968	0,07	0%	7	0,11	0%	0,06
pmed39	900	400	1303	1303	1303	0,08	0%	10	0,08	0%	0,06
pmed39	900	500	$\bf 821$	821	821	0,05	0%	8	0,08	0%	0,05
pmed40	900	5	12305	12246	12305	0,27	0%	11	1,41	0%	3,87
pmed40	900	10	10491	10439	10491	$0,\!33$	0%	27	2,77	0%	$5,\!54$
pmed40	900	20	8717	8711	8717	$0,\!39$	0%	13	$1,\!27$	0%	2,39
pmed40	900	50	$\boldsymbol{6518}$	6505	6518	$0,\!33$	0%	11	2,94	0%	$4,\!15$
pmed40	900	90	$\bf 5128$	5128	5128	$0,\!23$	0%	8	$0,\!23$	0%	$0,\!24$
pmed40	900	200	$\bf 3132$	3132	3132	0,11	0%	8	0,11	0%	0,09
pmed40	900	300	2106	2106	2106	0,09	0%	11	0,09	0%	0,07
pmed40	900	400	1398	1398	1398	0,06	0%	9	0,06	0%	0,06
pmed40	900	500	900	900	900	0,04	0%	7	0,07	0%	0,05
-				Aver	age total	l time			1,67		2,69

Table 3.2: Results on ORLIB instances for the proposed method and Zebra on our computer

	INSTA	NCE		P	HASE 1			PHA	SE 1 + 2		Zel	bra
name	N = M	p	OPT/BKN	$LB^1$	$UB^1$	$t^1[s]$	gap	iter	nodes	$t^{tot}[s]$	gap	t[s]
rl1304	1304	5	3099073	3099073	3099073	2,70	0%	9	0	2,8	0%	1233
		10	2134295	2131788	2134295	2,90	0%	12	160	15,4	0%	1060
		20	1412108	1412108	1412108	2,25	0%	8	0	$^{2,3}$	0%	61
		50	795012	795012	795012	1,46	0%	9	0	1,5	0%	8,3
		100	491639	491507	491788	0,90	0%	19	37	$^{2,4}$	0%	3,6
		200	268573	268573	268573	$0,\!35$	0%	11	0	0,5	0%	0,9
		300	177326	177318	177339	0,31	0%	12	0	0,5	0%	0,5
		400	128332	128332	128332	0,23	0%	10	0	0,2	0%	0,1
		500	97024	97018	97034	$0,\!27$	0%	14	0	0,4	0%	0,2
fl1400	1400	5	174877	174877	174877	0,82	0%	7	0	0,9	0%	245
		10	100601	100601	100601	0,40	0%	6	0	0,4	0%	72
		20	57191	57191	57191	$0,\!38$	0%	8	0	0,4		10
		50	28486	28486	28486	$0,\!36$	0%	8	0	0,4	0%	$^{2,5}$
		100	15962	15961	15962	0,82	0%	12	5	$^{2,1}$	0%	5,0
		200	8806	8793	8815	0,66	0%	20	570	26,9	0%	305
		300	6109	6092	6157	0,76	0%	28	12599	385		$\operatorname{TL}$
		400	4648	4636	4659	$0,\!56$	0%	51	6716041	32655		TL
		500	3764	3756	3773	$0,\!53$	0,09%	44	4987858	$\mathrm{TL}$	8%	TL
u1432	1432	5	1210126	1210126	1210126	1,65	0%	7	0	1,8	0%	324
		10	849759	849759	849759	3,47	0%	7	0	$^{3,5}$		71
		20	588766	588720	588767	$3,\!86$	0%	12	3	5,8		18
		50	362072	361724	362072	4,28	0%	25	1493	161,0		128
		100	243793	243758	243850	1,86	0%	12	0	3,0	0%	7,3
		200	159887	159867	160084	0,72	0%	13	8	2,0		1,9
		300	123689	123674	123876	0,63	0%	15	0	1,0		$^{2,2}$
		400	103979	103411	104102	0,91	0,11%	29	5806518	$\mathrm{TL}$		TL
		500	93200	93200	93200	0,16	0%	8	0	0,3	0%	0,1
vm1748	1748	5	4479421	4479421	4479421	2,36	0%	7	0	2,5	0%	4955
		10	2983645	2983048	2983645	4,67	0%	14	11	10,9		1364
		20	1899680	1899588	1899681	4,76	0%	15	5	9,5	0%	309
		50	1004331	1004325	1004339	2,23	0%	12	0	2,8	0%	21
		100	636515	636418	636541	1,57	0%	15	3	$^{3,2}$	0%	13
		200	390350	390350	390350	0,79	0%	11	0	0,8	0%	1,6
		300	286039	286037	286080	0,63	0%	13	0	1,0	0%	1,0
		400	221526	221523	221545	$0,\!53$	0%	13	0	0,8	0%	1,0
		500	176986	176977	177103	0,54	0%	14	0	0,8	0%   0%   0%   0%   0%   0%   0%   0%	0,5
				Av	erage total	l time				9		320

Table 3.3: Results on small TSP instances for the proposed method and Zebra on our computer. TL=36000 seconds. The average total time is calculated with the instances in which both methods solve the instances to optimality.

	N											
10109	N = M	p	OPT/BKN	$LB^1$	$UB^1$	$t^1[s]$	gap	iter	nodes	$t^{tot}[s]$	gap	t[s]
d2103	2103	5	1005136	1005136	1005136	4	0%	8	0	4	0%	4268
		10	687321	687264	687321	8	0%	11	7	12	0%	1085
		20	482926	482798	482926	9	0%	12	71	18	0%	448
		50	302219	301592	302219	18	0,04%	34	149711	$\mathrm{TL}$	0%	7203
		100	194664	194408	194994	17	0%	39	95993	10363	0%	16022
		200	117753	117736	117778	2	0%	16	3	5	0%	5
		300	90471	90424	90510	2	0%	21	0	3	0%	29
		400	75324	75291	75425	1	0%	19	2	4	0%	6209
		500	64006	63952	64315	1	0%	27	477	8	0%	2568
pcb3038	3038	5	1777835	1777665	1777835	29	0%	12	13	55	0%	TL
		10	1211704	1211704	1211704	18	0%	8	0	18	0%	19526
		20	839494	839233	839499	50	0%	18	188	146	0%	7329
		50	506339	506205	506339	24	0%	12	194	85	0%	1134
		100	351500	351404	351648	28	0%	22	390	96	0%	346
		150	280128	280058	280423	16	0%	24	640	269	0%	148
		200	237399	237328	237578	11	0%	13	734	84	0%	130
		300	186833	186793	186906	6	0%	19	73	17	0%	60
		400	156276	156268	156307	3	0%	10	0	6	0%	22
		500	134798	134774	134866	2	0%	17	0	4	0%	17
fl3795	3795	5	1052627	1052627	1052627	14	0%	7	0	14	$\infty$	<b>♦</b>
		10	520940	520940	520940	8	0%	8	0	8	0%	4410
		20	319722	319722	319722	6	0%	11	0	6	0%	2671
		50	150940	150940	150940	5	0%	13	0	5	0%	193
		100	88299	88299	88299	6	0%	12	0	6	0%	45
		150	65868	65840	65904	14	0%	52	1833	221	0%	1825
		200	$\bf 53928$	53913	54013	11	0%	68	46730	2633	0%	2501
		300	39586	39578	39661	6	0%	47	127800	2548	0%	3061
		400	31354	31348	31472	5	0%	57	14566	559	0%	527
		500	25976	25976	25976	6	0%	15	0	6	0%	2
rl5934	5934	10	9792218	9786688	9792218	405	0%	17	329	1864	$\infty$	<b>♦</b>
		20	6716215	6713214	6716228	437	0%	27	1381	14725	$\infty$	•
		50	4029999	4026936	4029999	362	0,03%	32	8068	$\mathrm{TL}$	0%	TL
		200	1805530	1805030	1807763	67	0%	27	1353	967	0%	3816
		300	1392419	1392304	1392709	38	0%	15	25	58	0%	235
		400	1143940	1143649	1145342	20	0%	33	1809	303	0%	1110
		500	972799	972741	973712	17	0%	20	117	44	0%	70
		600	847301	847233	847769	12	0%	16	0	18	0%	77
		700	751131	751054	751569	7	0%	15	0	14	0%	88
		800	675958	675884	676248	7	0%	20	175	21	0%	58
		900	612629	612574	612879	7	0%	17	35	14	0%	33
		1000	558167	558088	558311	7	0%	28	603	45	0%	731
		1100	511192	511138	511453	7	0%	22	43	15	0%	20
		1200	469747	469712	469943	8	0%	18	0	11	0%	11
		1300	433060	433015	433300	7	0%	19	5	12	0%	27
		1400	401370	401356	401597	7	0%	15	0	9	0%	6
		1500	373566	373566	373566	7	0%	17	0	7	0%	2
				Av	erage total	l time				467		2022

Table 3.4: Results on medium TSP instances for the proposed method and Zebra on our computer. TL=36000 seconds. ♦ means that the computer ran out of memory. The average total time is calculated with the instances in which both methods solve the instances to optimality.

Regarding the large and huge instances in Tables 3.5 and 3.6, 57 of the 68 instances are solved, whereas Zebra only solves 16 instances due to a lack of memory. For the huge instances, the rounding heuristic step of Phase 1, the reduced cost fixing step, and the constraint reduction step of Phase 2 are not used as they take too much time. Nevertheless, the rounding heuristic is used once at the end of Phase 1 to update  $UB^1$ . Moreover, for the huge instances, a randomly generated solution is used instead of PopStar which takes a long time. For the first time the optimal values for 7 instances with N = M = 115455 and 10 instances with N = M = 238025 are provided.

	INST	TANCE		F	PHASE 1			PHAS.	E 1 + 2		Ze	ebra
name	N = M	p	OPT/BKN	$LB^1$	$UB^1$	$t^1[s]$	gap	iter	nodes	$t^{tot}[s]$	gap	t[s]
usa13509	13509	10	398561730	398561600	398561730	288	0%	10	0	755	$\infty$	<b>♦</b>
		25	234600221	234600221	234600221	455	0%	10	0	455	$\infty$	<b>♦</b>
		50	157819849	157815657	157819849	431	0%	11	45	646	$\infty$	<b>♦</b>
		100	108002205	107983102	108002411	523	0%	23	605	4043	$\infty$	<b>♦</b>
		200	74220726	74213328	74229411	426	0%	25	969	2269	$\infty$	•
		300	$\overline{59340915}$	59334913	59346783	473	0%	23	984	1744	0%	18760
		400	50538905	50533013	50575463	319	0%	24	874	2556	0%	23677
		500	44469860	44463038	44499566	278	0%	36	2883	3945	0%	25105
		600	39952138	39944049	39991088	295	0%	34	49175	23712	0%	$\mathrm{TL}$
		700	$\overline{36469603}$	36463603	36512930	202	0%	24	6060	2551	0%	$\mathrm{TL}$
		800	$\overline{33635127}$	33631192	33672848	210	0%	21	796	1215	0%	6007
		900	31275114	31269089	31299760	182	0%	31	27272	11851	0%	$\mathrm{TL}$
		1000	$\overline{29268216}$	29262339	29309009	154	0%	31	942	1382	0%	$\mathrm{TL}$
		2000	18230856	18229432	18238229	47	0%	21	202	125	0%	584
		3000	13098935	13097929	13101469	49	0%	28	9	72	0%	1674
		4000	9905715	9905071	9910848	37	0%	17	0	50	0%	166
		5000	7608605	7608242	7611958	45	0%	22	0	61	0%	86
sw24978	24978	10	22670073	22670073	22670073	1037	0%	12	0	1037	$  \infty$	<b>♦</b>
		25	14085626	14085352	14085626	6651	0%	11	15	9447	$\infty$	<b>♦</b>
		50	9652817	9652817	9652817	4136	0%	10	0	4136	$\infty$	<b>♦</b>
		75	7766486	7765106	7766486	6310	0,010%	12	457	$\mathrm{TL}$	$\infty$	<b>♦</b>
		100	6660424	6657806	6660424	9634	0,031%	14	228		$\infty$	<b>♦</b>
		250	4034554	4034055	4036558	2413	0,003%	14	699		$\infty$	<b>♦</b>
		500	2747215	2746498	2751695	1866	0,015%	20	2621	$\mathrm{TL}$	$\infty$	<b>♦</b>
		1000	$\underline{1841723}$	1841613	1844801	621	0%	23	1061	3814	1	30796
		2000	1197278	1197231	1198464	208	0%	17	132	476	1	$\mathrm{TL}$
		3000	911361	911308	911988	145	0%	17	16	344	0%	3614
		4000	737645	737602	738045	92	0%	15	0	190	0%	$\operatorname{TL}$
		5000	617637	617593	618096	76	0%	18	0	127	0%	$\operatorname{TL}$
		6000	527336	527307	527716	72	0%	17	0	112	0%	5188
		7000	$\overline{455716}$	455696	456074	63	0%	16	0	99	0%	3973
		8000	397217	397153	397540	44	0%	20	0	97	0%	$\mathrm{TL}$
		9000	347376	347322	347621	44	0%	20	13	92	0%	$\mathrm{TL}$
		10000	305998	305932	306094	33	0%	17	0	60	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	TL
		8000     397217     397153     397540     44     0%     20     0     97     0%       9000     347376     347322     347621     44     0%     20     13     92     0%							9969			

Table 3.5: Results on large TSP instances for the proposed method and Zebra on our computer. TL=36000 seconds. ♦ means that the computer ran out of memory. The average total time is calculated with the instances in which both methods solve the instances to optimality

	INST	ANCE		P	PHASE 1		I	PHASE	51 + 2		Zel	bra
name	N = M	p	OPT/BKN	$LB^1$	$UB^1$	$t^1[s]$	gap	iter	nodes	$t^{tot}[s]$	gap	t[s]
ch71009	71009	10000	4274662	4273680	4424131	6326	0,006%	36	18585	TL	$\infty$	•
		20000	$2\overline{377760}$	2377409	2419539	681	0%	40	474	3581	$\infty$	•
		30000	$\overline{1464151}$	1464015	1473517	431	0%	27	0	819	$\infty$	•
		40000	879336	879272	881997	220	0%	17	0	465	$\infty$	•
		50000	$\overline{463553}$	463544	463904	133	0%	24	0	258	0%	653
		60000	167565	167558	167789	49	0%	31	0	135	0%	331
pla85900	85900	10000	166853134	166627292	182428500	2841	0,12%	30	2113	TL	$\infty$	4
		20000	$\overline{109007210}$	107246411	120645337	3975	1,58%	27	618	$\operatorname{TL}$	$\infty$	•
		30000	86944862	86944715	87547287	1411	0,0002%	84	28033	$\operatorname{TL}$	$\infty$	•
		40000	$6\overline{9944715}$	69944715	69965668	1006	0%	12	0	1006	$\infty$	•
		50000	52944715	52944715	52945623	921	0%	12	0	921	$\infty$	•
		60000	35944715	35944715	35945105	858	0%	11	0	858	$\infty$	•
		70000	18977475	18977475	18977475	73	0%	13	0	73	0%	122
		80000	$\underline{4512752}$	4512752	4512752	12	0%	20	0	13	0%	97
usa115475	115474	20000	5287343	5286659	5383798	3366	0,001%	36	11102	TL	$\infty$	•
		30000	3815620	3815143	3861590	1494	0%	41	589	11581	$\infty$	•
		40000	2876909	2876603	2904492	1353	0%	32	459	4431	$\infty$	•
		50000	2189144	2188903	2200969	1122	0%	28	480	3189	$\infty$	•
		60000	$\overline{1651400}$	1651234	1657118	795	0%	25	0	1588	$\infty$	•
		70000	1214299	1214177	1217251	612	0%	17	0	1045	$\infty$	•
		80000	851481	851422	852851	435	0%	24	0	788	$\infty$	•
		90000	548097	548076	548560	270	0%	18	0	544	$\infty$	4
ara238025	238025	10000	1354335	1345698	1446100	5197	0,64%	19	0	TL	$\infty$	•
		20000	857553	857453	878372	5582	0,004%	42	696	$\operatorname{TL}$	$\infty$	•
		30000	630969	630872	643171	5123	0%	33	663	33687	$\infty$	•
		40000	494842	494804	498378	4135	0%	18	0	10028	$\infty$	•
		50000	401835	401795	404218	2675	0%	19	0	8327	$\infty$	•
		60000	334279	334236	335807	2969	0%	17	0	7240	$\infty$	•
		70000	283627	283592	286065	3058	0%	28	509	19298	$\infty$	•
		80000	244233	243936	248742	2578	0%	36	378	14615	$\infty$	•
		90000	214233	213936	219673	1548	0%	27	507	28391	$\infty$	•
		100000	$\underline{184233}$	184069	188556	1973	0%	44	613	18473	$\infty$	•
		150000	88025	88025	88334	1532	0%	27	0	6057	$\infty$	•
		200000	38025	38025	38025	319	0%	11	0	319	$\infty$	•
					Average tota	l time				120		300

Table 3.6: Results on huge TSP instances for the proposed method and Zebra on our computer. TL=36000 seconds. ♦ means that the computer ran out of memory. The average total time is calculated with the instances in which both methods solve the instances to optimality

## **BIRCH** instances

The results on BIRCH instances are summarized in Tables 3.7 and 3.8. Almost all of these instances were solved in the first phase either by finding an integer solution directly or by the rounding heuristic. Consequently, optimal values are quickly obtained for all these instances. Even when multiplying the solution time of AvellaHeu and IrawanHeu by their benchmark ratio (2.5 and 3, respectively), the proposed approach remains the best for most instances.

	INSTA	NCE		P	HASE 1			PHA	SE 1 + 3	2	AvellaH	leu
name	N = M	p	OPT/ BKN	$LB^1$	$UB^1$	$t^1[s]$	gap	iter	nodes	$t^{tot}[s]$	$UB^h$	t[s]
ds1x1	10000	100	12428,5	12428,5	12428,5	9	0%	6	0	9	12428,5	47
ds1x2	15000	100	$\overline{18639,3}$	18639,3	18639,3	29	0%	7	0	29	18639,3	101
ds1x3	20000	100	$\overline{24840,3}$	24840,3	24840,3	38	0%	7	0	38	24840,3	210
ds1x4	9600	64	$\overline{11934,8}$	11934,8	11934,8	13	0%	6	0	13	11934,8	56
ds1x5	12800	64	15863,8	15863,8	15863,8	25	0%	7	0	25	15863,8	84
ds1x6	16000	64	20004,5	20004,5	20004,5	31	0%	6	0	31	20004,6	129
ds1x7	19200	64	24018,3	24018,3	24018,3	55	0%	6	0	55	24018,3	219
ds1x8	10000	25	12455,7	12455,7	12455,7	28	0%	6	0	28	12455,7	82
ds1x9	12500	25	15597,1	15597,1	15597,1	43	0%	6	0	43	15597,1	115
ds1x0	15000	25	18949,3	18949,3	18949,3	67	0%	7	0	67	18949,3	175
ds1xA	17500	25	$\overline{21937,4}$	21937,4	21937,4	116	0%	6	0	116	21937,4	241
ds1xB	20000	25	25096,8	25096,8	25096,8	108	0%	6	0	108	25096,8	365
ds3x1	10000	100	9624,8	9624,8	9624,8	16	0%	9	0	16	9624,8	60
ds3x2	15000	100	$\overline{15898,2}$	15895,9	15899,1	39	0%	10	88	142	15904,1	121
ds3x3	20000	100	19976,2	19974,6	19977,6	97	0%	10	13	260	19989,0	222
ds3x4	9600	64	8225,6	8224,1	8225,7	24	0%	12	5	65	8225,6	57
ds3x5	12800	64	10210,4	10210,4	10210,4	36	0%	10	0	36	10210,4	98
ds3x6	16000	64	13335,4	13335,4	13335,4	62	0%	10	0	62	13340,5	170
ds3x7	19200	64	15207,6	15207,1	15207,6	176	0%	18	0	400	15207,6	229
ds3x8	10000	25	7203,4	7203,4	7203,4	61	0%	11	0	61	7203,4	94
ds3x9	12500	25	8576,1	8576,1	8576,1	68	0%	7	0	68	8576,1	144
ds3x0	15000	25	9513,6	9513,6	9513,6	135	0%	13	0	136	9513,6	192
ds3xA	17500	25	12535,7	12535,7	12535,7	224	0%	16	0	224	12535,7	250
ds3xB	20000	25	13022,2	13022,2	13022,2	244	0%	11	0	244	13052,8	364

Table 3.7: Results on BIRCH instances for the proposed method and the results of AvellaHeu reported in Avella et al. (2012).

	INSTA	ANCE	Ε	P	PHASE 1			PHA	SE 1 + 1	2	IrawanH	Ieu
name	N = M	p	OPT/ BKN	$LB^1$	$UB^1$	$t^1[s]$	gap	iter	nodes	$t^{tot}[s]$	$UB^h$	t[s]
ds1n01	25000	25	31229,4	31229,4	31229,4	153	0%	7	0	153	31282,6	447
ds1n02	36000	36	$\overline{45115,6}$	45115,6	45115,6	311	0%	7	0	311	45115,6	780
ds1n03	49000	49	$\overline{61384,1}$	61384,1	61384,1	388	0%	7	0	388	61569,7	1216
ds1n04	64000	64	$\overline{80053,9}$	80053,9	80053,9	675	0%	7	0	675	80377,4	2258
ds1n05	30000	25	$\overline{37563,6}$	37563,6	37563,6	305	0%	7	0	305	37617,1	559
ds1n06	43200	36	$\overline{54191,4}$	54191,4	54191,4	320	0%	7	0	320	54305,8	1003
ds1n07	58800	49	$\overline{73626,8}$	73626,8	73626,8	683	0%	7	0	683	73854,7	1691
ds1n08	76800	64	$\overline{96039,4}$	96039,4	96039,4	949	0%	7	0	949	96393,4	2834
ds1n09	35000	25	$\overline{43902,\!1}$	43902,1	43902,1	385	0%	7	0	386	42972,1	758
ds1n10	50400	36	$\overline{63169,2}$	63169,2	63169,2	533	0%	7	0	533	63329,2	1472
ds1n11	68600	49	85833,5	85833,5	85833,5	910	0%	8	0	910	86082,0	2441
ds1n12	89600	64	112059,2	112059,2	112059,2	1332	0%	7	0	1332	112485,2	4501
ds3n01	25000	25	17696,2	17696,2	17696,2	112	0%	6	0	112	17718,6	527
ds3n02	36000	36	$\overline{27423,0}$	27423,0	27423,0	237	0%	7	0	237	27476,1	913
ds3n03	49000	49	$\overline{44149,0}$	44149,0	44149,0	294	0%	10	0	295	44282,5	1760
ds3n04	64000	64	$\overline{58832,6}$	58832,6	58832,6	807	0%	11	0	807	58991,5	2624
ds3n05	30000	25	$\overline{21829,9}$	21829,9	21829,9	258	0%	7	0	258	21865,1	832
ds3n06	43200	36	$\overline{32339,4}$	32339,4	32339,4	337	0%	9	0	337	32391,6	1873
ds3n07	58800	49	$\overline{50857,9}$	50857,9	50857,9	831	0%	12	0	831	50857,9	2692
ds3n08	76800	64	$\overline{66561,4}$	66561,0	66655,7	1490	0%	17	9	4587	66944,7	4393
ds3n09	35000	25	$\overline{24810,9}$	24810,9	24810,9	869	0%	10	0	869	24833,7	972
ds3n10	50400	36	$\overline{38102,6}$	38102,6	38102,6	504	0%	8	0	504	38162,3	2297
ds3n11	68600	49	$\overline{61850,6}$	61850,6	61850,6	1065	0%	14	0	1065	62007,4	2556
ds3n12	89600	64	78777,0	78777,0	78777,0	1548	0%	19	0	1548	79245,3	5779

Table 3.8: Results on large BIRCH instances for the proposed method and the results of IrawanHeu reported in Irawan and Salhi (2015b)

## **RW** instances

The results on RW instances are summarized in Table 3.9. Even small RW instances can be very difficult to solve as previously observed by Elloumi and Plateau (2010). This would be mainly due to the fact that the instances are not Euclidean. Furthermore, the total number of distances K is closer to  $N \times M$ , leading to more variables and constraints in Formulations (F2) and (F3). For large values of p, the proposed decomposition can quickly solve the instances to optimality. These instances were not considered by either Avella et al. (2007) or García et al. (2011). Moreover, the code of Zebra cannot handle non-symmetric instances. Consequently, it is only reported the computation time and value  $UB^h$  of the solution computed by the heuristic PopStar.

	INSTANC	E		F	PHASE 1	L		PHA	SE 1 + 2		PopS	tar
$\phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$	N = M	p	OPT	$LB^1$	$UB^1$	$t^1[s]$	gap	iter	nodes	$t^{tot}[s]$	$UB^h$	t[s]
rw100_10	100	10	530	475	530	0,02	0%%	46	4817	6,82	530	0,05
$rw100\_20$	100	20	277	274	277	0,01	0%	9	0	$0,\!20$	277	0,03
$rw100\_30$	100	30	213	213	213	0,01	0%	9	0	0,01	213	0,02
$rw100\_40$	100	40	187	187	187	0,01	0%	7	0	0,01	187	0,03
rw100_50	100	50	172	172	172	0,01	0%	7	0	0,01	172	0,02
$rw250\_10$	250	10	3691	2811	3698	0,26	0%	71	4072666	31099	3698	$0,\!31$
$rw250\_25$	250	25	$\underline{1360}$	1216	1364	$0,\!14$	0,4%	64	5003894	$\mathrm{TL}$	1364	$0,\!34$
$rw250\_50$	250	50	713	699	713	0,07	0%	23	2050	7,31	713	$0,\!15$
$rw250\_75$	250	75	523	523	523	0,02	0%	11	0	0,02	524	0,09
$rw250\_100$	250	100	444	444	444	0,02	0%	9	0	0,02	444	0,08
rw250_125	250	125	411	411	411	0,02	0%	8	0	0,02	411	0,07
$rw500\_10$	500	10	16108	11012	16144	1,35	21,5%	81	211046	$\mathrm{TL}$	16144	2,53
$rw500\_25$	500	25	5683	4403	5716	0,85	16,3%	73	506777	$\mathrm{TL}$	5716	1,80
$rw500\_50$	500	50	2627	2321	2627	$0,\!52$	6,5%	44	1290135	$\mathrm{TL}$	2627	1,03
$rw500\_75$	500	75	1757	1672	1757	$0,\!36$	1,1%	31	2436992	$\operatorname{TL}$	1757	0,84
$rw500\_100$	500	100	1379	1353	1382	$0,\!25$	0%	45	209745	1482	1382	0,47
$rw500\_150$	500	150	1024	1024	1024	0,05	0%	8	0	0,05	1024	0,30
rw500_250	500	250	833	833	833	0,03	0%	9	0	0,03	833	0,25
$rw1000\_10$	1000	10	68136	44697	68136	10,35	36,2%	61	19577	$\mathrm{TL}$	68136	8,65
$rw1000\_25$	1000	25	24964	17387	25042	$6,\!22$	34,1%	77	32697	$\mathrm{TL}$	25042	7,60
$rw1000\_50$	1000	50	11328	8760	11328	$5,\!18$	23,2%	65	94037	$\operatorname{TL}$	11328	7,09
$rw1000\_75$	1000	75	7207	5998	7223	4,20	16,2%	70	151511	$\operatorname{TL}$	7223	$3,\!15$
$rw1000\_100$	1000	100	5233	4631	5233	$3,\!22$	9,7%	42	285579	$\mathrm{TL}$	5233	$4,\!45$
$rw1000\_200$	1000	200	2710	2664	2710	0,94	0,5%	31	1310025	$\operatorname{TL}$	2710	$3,\!27$
$rw1000\_300$	1000	300	2018	2017	2018	$0,\!20$	0%	12	0	$0,\!28$	2018	1,99
$rw1000\_400$	1000	400	1734	1734	1734	0,08	0%	9	0	0,09	1734	1,68
rw1000_500	1000	500	1614	1614	1614	0,07	0%	8	0	0,08	1614	1,35

Table 3.9: Results on RW instances for the proposed exact method and PopStar heuristic in our computer. TL=36000 seconds.

#### **ODM** instances

The results on ODM instances are summarized in Table 3.10. To solve these instances, N constraints have to be added to ensure that each client is allocated to one of its non-forbidden neighbors. This generates a more complex master problem to solve. The rounding heuristic could not be used directly with these instances, so in order to save computation time, it was not used. Obtaining a solution for these instances is hard since PopStar does not support their format and since random solutions may not be feasible due to the sparsity of the graphs. Consequently, to obtain an initial solution, its corresponding formulation (F3) by CPLEX is solved and stopped it once it has found 3 feasible solutions. This approach empirically proved to be a good compromise between computation time and optimality gap. It was not possible to be able to use Zebra for these instances. All these instances were solved to optimality. Our results remains the best on all instances even after multiplying AvellaB&C solution times by its benchmark ratio of value 6.

	INST	ANC	CE	I	PHASE 1			PHAS	SE 1 + 2		Avell	aB&C
$\overline{name}$	N = M	p	OPT	$LB^1$	$UB^1$	$t^1[s]$	gap	iter	nodes	$t^{tot}[s]$	gap	t[s]
BD3773	3773	5	726954998,4	715785543,5	748669824,0	6	0%	123	59	58	0%	1540
		6	685812258,0	673317265,9	720632505,6	10	0%	318	221	158	0%	41551
		7	651930471,0	636565701,5	727428978,0	11	0%	1165	627	589	0%	216851
		8	620886605,4	606599816,1	1157543276,4	20	0%	2520	1153	1434	1,7%	329053
		9	595955799,0	581022150,3	649313415,0	18	0%	4028	1981	2385	$2,\!6\%$	TL2
		10	574634206,8	559096162,3	633383307,0	24	0%	8229	4848	4372	2,8%	TL2
		11	554972029,2	539810124,3	603741870,0	29	0%	10139	5940	5832	2,9%	TL2
		12	536700087,0	522614063,7	605415767,4	30	0%	13951	5898	8083	3,1%	TL2
		13	521375065,2	507136693,1	581851884,6	31	0%	22500	9471	12581	$3,\!2\%$	TL2
		14	507756740,4	493051932,7	550267457,4	35	0%	52705	30275	31651	3,1%	TL2

Table 3.10: Results on ODM instances for the proposed method and the results of AvellaB&C reported in Avella et al. (2007). TL2=360000 seconds.

## 3.4.4 Adaptation for the Uncapacitaded Facility Location problem

Given the closeness of the (PMP) and the (UFL), the two-phase decomposition algorithm with the approach proposed in Fischetti et al. (2017) for the (UFL) were compared. They solve the problem in a branch-and-cut approach in which they search for violated Benders cuts for both the integer solutions and the fractional solutions of the linear relaxations with a ad-hoc algorithm. This approach is also known as branch-and-Benders-cut. They also consider some stabilization techniques and heuristics for the cut loop at the root and at the branching nodes. Their method is denoted as BBC.

We consider the same set of KG instances from UFLLIB<sup>3</sup> to compare the performance on the linear formulation. These instances can be divided into three groups, with  $N = M \in \{250, 500, 750\}$ . Within each KG group, there are two classes of instances, symmetric and asymmetric ones, denoted by "gs" and "ga", respectively. Additionally, each class contains three sub-classes, "a", "b," and "c," representing different cost settings: in subclass a, allocation costs are an order of magnitude higher than the facility opening costs; in subclass b, these costs are of the same order; and in subclass c, facility opening costs are an order of magnitude higher than the allocation costs.

The computational study in Fischetti et al. (2017) was conducted on a cluster of identical machines each consisting of an Intel Xeon E3-1220V2 CPU running at 3.10 GHz, with 16 GB of RAM each. They reported the wall-clock times and referred to four-thread runs with a time limit of 2 hours per instance (indicated by TL3 in the corresponding table).

#### KG Instances

The results on KG instances are summarized in 3.11. To solve these instances, the master problem needs to be modified to consider the open cost of sites and remove the constraint of limiting the number of open sites to p. This generates a harder master problem to solve. Let  $c_j$  be the cost of to open the site  $j \in \mathcal{M}$ .

$$(MP_{UFL}) \begin{cases} \min & \sum_{i \in \mathbb{N}} \theta_i + \sum_{j \in \mathbb{M}} c_j y_j \\ \\ \text{s.t.} & \sum_{j \in \mathbb{M}} y_j = p \\ \\ \theta_i \text{ satisfies } BD_i & i \in \mathbb{N} \\ \\ y_j \in \{0, 1\} & j \in \mathbb{M} \end{cases}$$

The heuristic used in Phase 1 must also be modified, since PopStar does not take into account site opening costs and the p parameter is not available. A greedy heuristic is considered to obtain the initial solution. As a rounding heuristic, all the sites which  $\overline{y}_j > 0.4$  for  $j \in \mathcal{M}$  are set to 1.

The obtained results are consistent with those presented in Fischetti et al. (2017) since within the 2-hour limit it is also not possible to optimally solve the considered instances. Fischetti et al. (2017) do not report lower bounds on the optimal value. It is observed here that the final gap is relatively small, as its maximum value is 1.7%. However, Fischetti et al. (2017) have a better upper bound for all instances which is probably due to the stabilization technique and its primal heuristic used at each node.

<sup>&</sup>lt;sup>3</sup>https://resources.mpi-inf.mpg.de/departments/d1/projects/benchmarks/UflLib/index.html

$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		NSTANCI	Ξ		PHASE	2 1			PHAS	SE 1 + 2		BBC	<del></del>
ga500a-2         500         511255         510472, 513356         1,9         510965         0,9%         78         26464         TI.3         510810         TI.3         51080         51080         5000         537850         533385,6         619389         1,6         534462         0,40%         66         101621         TI.3         53000-1         500         537850         532831,6         619389         1,6         538487         0,60%         84         87311         TI.3         537962         132817         670227         1,5         538385         0,5%         90         86797         TI.3         537925         TI.3         537926         1133         537925         TI.3         537925         532841,9         670227         1,5         538385         0,5%         90         86797         TI.3         537925         532	name	N = M	BKN	$LB^1$	$UB^1$	$t^1[s]$	$UB^2$	gap	iter	nodes	$t^{tot}[s]$	$UB^h$	t[s]
g5000-2         500         511255         514727.2         514397         1.8         511057         0.097         78         26464         T1.3         510310         T1.3         510301         T1.3         510810         T1.3         510810         T1.3         510810         T1.3         510081         T1.3         510081         T1.3         510081         T1.3         511081         T1.3         511082         1.6         58452         0.0986         63         360649         T1.3         511080         T1.3         511083         1.6         58452         0.0986         66         16921         T1.3         511080         7.3         58500-1         500         537950         532735.7         616928         1.6         58457         0.0986         87311         T1.3         537962         T1.3         53000-1         500         537862         532841,9         670237         1.5         538385         0.8         90         86797         T1.3         537925         T1.3         537925         532841,9         670237         1.5         538385         0.88         90         86797         T1.3         537925         T1.3         511179         510487         7.2         511348         71.3         537925<	ga500a-1	500	511383	510589,0	514040	2,0	511474	0,11%	65	227655	TL3	511383	TL3
g5000.3         500         510810         510380, 510382, 6         512694         1.7         51082         0.08%         35         36969         T.13         51000         T.3           g500u-5         500         511239         510487,7         51475         2.0         511425         0.11%         74         237491         T.13         511039         T.13           g500u-5         500         538860         533836,6         646288         1.6         538457         0.08%         84         23711         T.13         538906         T.3           g500u-5         500         537924         532841,9         607237         1.5         538360         0.08797         T.13         537921         T.13           g500u-5         500         537925         532841,9         607237         1.5         533600         0.4%         71         124594         T.13         537925         T.13         537925         332841         T.13         537926         1.13         537926         332800         T.1         537926         0.4%         71         124594         T.13         537925         332812         3.4         511342         0.4%         71         71         71         71	_	500	511255		514397		511367	0,11%	69	217453	TL3	511255	TL3
ga500a-4         500         51100s         5103826, 510487, 513475         2.0         511425         0.1487         74         237491         T1.3         511039         T1.3           ga500b-1         500         531839         510487, 7         2.0         511425         0.1487         0.4         237491         T1.3         512039         T1.3           ga500b-2         500         537850         533386, 6         516282         1.6         538457         0.0688         4         87311         T1.3         537850         T1.3           ga500b-1         500         537825         532841, 9         670237         1.5         538385         0.587         77         76078         T1.3         537924         T1.3           ga500b-1         500         511178         510406, 9         513772         3.4         511314         0.08         9         233059         T1.3         537925         T1.3           gs500a-1         500         511173         510369, 6         513787         2.2         511278         0.1178         511175         7113         511177         71.3         511173         511173         511173         511373         51179         71.3         511173         51117	_	500	510810		513356		510965	0,09%	78	264644	TL3	510810	TL3
g5000.5         500         511239         510487.7         513475         2.0         511425         0.11%         74         237491         T.13         511239         T.13           g5000.1-2         500         537850         533385.6         619389         1.6         538457         0.00%         81         87311         T.13         537805         T.13           g5000.1-3         500         537924         532375.7         626127         1.7         538264         0.03%         77         76708         TL3         537925         TL3           g5000.1-3         500         537482         532968.8         597360         1.5         533856         0.88%         90         66797         TL3         537925         TL3           g5000.1-1         500         511183         10404.9         513472         3.4         511140         0.11%         82         135050         TL3         511118         TL3           g5000.3         500         511173         510406.9         513787         2.3         511287         0.11%         66         159787         TL3         511112         TL3         513787         2.3         511287         0.11%         66         159787	ga500a-4	500	511008		512694		511082		35	369649	TL3	511008	TL3
gx5001-1         500         538060         533338.6         548628         1.6         538457         0.60%         61         11921         IZJ         353805         TL3         ga5001-3         500         537854         5327857         626127         1.7         538264         0.60%         81         87311         TL3         537952         TL3         357924         12.3         537968         7.8         357968         1.3         357924         12.3         357952         TL3         357952         TL3         357952         TL3         357952         TL3         357952         TL3         357952         TL3         357852         TL3         3571852         TL3         3511287         0.14%         TL3         11758         TL3         5111129         TL3         5111129         TL3         5111129         TL3         513763         3530861         659716         513763         3330961         659721	_												
ga5001-2         500         537850         533087.6         619389         1.6         534867         0.00%         84         87311         TL3         537924         TL3           ga5001-3         500         537925         5327317         7262127         1.7         538264         0.63%         77         76708         TL3         537924         TL3           ga5001-4         500         537482         5323819         670237         1.5         538385         0.38%         90         86797         TL3         537924         TL3           gs500a-1         500         511188         510499,7         514467         514006         1.9         511342         0.11%         85         23059         TL3         511112         131311         1.10         8         22 3059         TL3         511112         131111         11132         1.11         11112         11112         131334         0.11%         85         141758         TL3         511112         131314         51112         0.11831         11112         131314         0.11%         85         141758         7413         1112         131314         0.11%         85         14174         83481         131111         131314	_	500	538060		545628		538452		66	119621	TL3	538060	TL3
gs500b-4         500         537925         532841,9         67037         1,5         538365         0,5%         90         86707         TL3         537925         TL3           gs500a-1         500         511188         510409,9         513472         3,4         511344         0,10%         82         233059         TL3         511188         TL3           gs500a-2         500         511179         510448,7         514006         1,9         511354         0,11%         82         165089         TL3         511179         TL3           gs500a-3         500         511173         510360,6         513777         2,3         511287         0,11%         82         141758         TL3         5111179         TL3           gs500b-1         500         511293         510494,5         513990         2,0         511532         0,13%         83         145791         TL3         511129         TL3           gs500b-5         500         537845         523829.2         667890         1,7         538452         0,63%         91         76097         TL3         537342         TL3           gs500b-5         500         537845         523832,2         669016         <	ga500b-2	500	537850		619389		538457	0,60%	84	87311	TL3	537850	TL3
gs500b-5         500         537482         532968.8         597360         1,5         537662         0,44%         71         124594         TL3         537482         TL3           gs500a-1         500         511188         510409.9         513472         3,4         511314         0,10%         95         233059         TL3         511189         TL3           gs500a-3         500         511117         510369.6         513779         2,3         511287         0,11%         82         165689         TL3         5111179         TL3           gs500a-5         500         511137         510369.6         513779         2,2         511287         0,11%         66         159787         TL3         511117         TL3           gs500b-1         5100         537763         533096.1         662841         1,4         538418         0,57%         76         84363         TL3         537763         TL3           gs500b-3         500         537845         532832.2         678921         1,4         538418         0,57%         76         81363         TL3         5377373         TL3           gs500b-3         5367742         532717.2         664753         1,5	ga500b-3	500	537924		626127		538264	0,63%	77	76708		537924	TL3
gs500a-1         500         511188         510409.9         513472         3.4         511314         0,10%         95         233059         TL3         511188         TL3           gs500a-3         500         511179         510448,7         514006         1,9         511354         0,11%         82         165089         TL3         511179         TL3           gs500a-4         500         5111175         510369,6         513787         2,3         511287         0,11%         66         159787         TL3         511112         TL3           gs500b-1         500         513931         530366,7         669721         1,4         538418         0,57%         68         833         145791         TL3         511293         TL3         53763         151133         TL3         53763         TL3         537163         71123         537313         TL3         53763         TL3         537173         7123         53753         TL3         537173         7123         537543         TL3         53763	ga500b-4	500	537925	532841,9	670237	1,5	538385	0,58%	90	86797	TL3	537925	TL3
gs500a-2         500         511179         510448,7         514006         1,9         511354         0,11%         82         165089         TI.3         5111179         TI.3         gs500a-4         500         5111137         510321,4         513779         2,3         511278         0,11%         66         159787         TI.3         5111137         TI.3         gs500a-5         500         511123         510494,5         513890         2,0         511523         0,13%         83         145791         TI.3         511123         TI.3         gs500b-2         500         537763         533930,6         662841         1,4         538418         0,57%         76         84363         TI.3         537733         TI.3         \$57505         537763         533930,6         662841         1,4         53846         0,57%         76         84363         TI.3         537854         532832,2         67890         1,7         538457         0,66%         97         74407         TI.3         537854         TI.3         537762         532872,2         537082,2         669016         1,6         538618         0,5%         80         83721         TI.3         538727         532717         7676670         9,2         763973 <td>ga500b-5</td> <td>500</td> <td>537482</td> <td>532968,8</td> <td>597360</td> <td>1,5</td> <td>537662</td> <td>0,44%</td> <td>71</td> <td>124594</td> <td>TL3</td> <td>537482</td> <td>TL3</td>	ga500b-5	500	537482	532968,8	597360	1,5	537662	0,44%	71	124594	TL3	537482	TL3
gs500a-3         500         511112         510321,4         513779         2,3         511287         0,12%         85         141758         TL3         511112         TL3           gs500a-5         500         511137         510369,6         513787         2,2         511278         0,11%         66         159787         TL3         511137         TL3           gs500b-1         500         537331         533026,7         659721         1,4         538418         0,57%         76         84363         TL3         537763         TL3           gs500b-3         500         537763         533096,1         662841         1,4         538416         0,65%         67         711368         TL3         537763         TL3           gs500b-3         500         537742         532717.2         664753         1,5         538422         0,66%         97         74407         TL3         537742         TL3           gs500b-5         500         538742         533082,2         669016         1,6         5387618         0,59%         80         86721         TL3         538270         TL3           ga750a-1         750         763636         762645,5         766609	gs500a-1	500	511188	510409,9	513472	$^{3,4}$	511314	0,10%	95	233059	TL3	511188	TL3
gs500a-3         500         511112         510321,4         513779         2,3         511287         0,12%         85         141758         TIJ3         511117         TL3           gs500a-5         500         511293         510494,5         513990         2,0         511532         0,13%         83         145791         TL3         5111293         TL3           gs500b-1         500         537731         533026,1         66921         1,4         538418         0,57%         76         84363         TL3         537763         TL3           gs500b-3         500         537763         533096,1         662841         1,4         538416         0,65%         91         76097         TL3         537784         TL3           gs500b-3         500         537742         532717.2         664753         1,5         538422         0,66%         97         74407         TL3         537784         TL3           gs500b-5         500         538742         532717.2         664753         1,6         538789         0,66%         97         74407         TL3         537854         TL3           gs750a-1         750         76328         762461,5         766600 <t< td=""><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	_												
gs500a-5         500         511137         510369,6         513787         2,2         511278         0,11%         66         159787         TL3         511137         TL3           gs500b-1         500         537931         533026,7         659721         1,4         538418         0,57%         76         84363         TL3         517931         TL3           gs500b-2         500         537763         533096,1         662841         1,4         538418         0,57%         76         84363         TL3         537931         TL3           gs500b-5         500         537854         5328322         67890         1,7         538457         0,63%         91         76097         TL3         537854         TL3           gs500b-5         500         538270         53098,2         669016         1,6         538618         0,59%         80         83721         TL3         537742         TL3           ga750a-1         750         763528         762464,5         766600         5,8         763869         0,14%         79         43302         TL3         76328         TL3           ga750a-1         750         763745         762738,5         76783,5         76	_	500	511112		513779		511287		85	141758	TL3	511112	TL3
gs500b-1         500         511293         510494,5         513990         2,0         511532         0,13%         83         145791         TL3         511293         TL3           gs500b-2         500         537763         533096,1         662841         1,4         538160         0,51%         67         113638         TL3         537763         TL3           gs500b-3         500         537854         532832,2         678990         1,7         538457         0,63%         91         76097         TL3         537762         TL3           gs500b-5         500         538770         533098,2         666916         1,6         538618         0,59%         80         83721         TL3         538770         TL3           ga750a-1         750         763528         762464,5         766604         5,8         763869         0,15%         93         350507         TL3         738278         TL3           ga750a-2         750         762633         762502,2         767067         9,2         763930         0,15%         93         350507         TL3         738268         TL3           ga750a-3         750         763697         762738,5         767839	_												
gs500b-1         500         537931         53026,7         669721         1,4         538418         0,57%         76         84363         TL3         537931         TL3           gs500b-3         500         537763         533096,1         662841         1,4         538160         0,51%         67         113689         TL3         5377854         TL3         gs500b-3         500         537742         532717,2         664753         1,5         538422         0,66%         97         74407         TL3         5377542         TL3         gs500b-5         500         538270         533098,2         669016         1,6         538618         0,59%         80         83721         TL3         537782         TL3         gs500b-3         760         762653         762565,2         766640         5,8         763860         0,15%         89         46602         TL3         763658         TC6653         TC5250,2         767067         9,2         763930         0,14%         79         43302         TL3         763678         TL3         363750-5         763697         762568,5         766808         6,2         763930         0,14%         79         43302         TL3         763945         743677         76	_						511532						
gs500b-2         500         537763         533096,1         662841         1,4         538160         0,51%         67         113638         TL3         537763         TL3           gs500b-3         500         537854         532832,2         678990         1,7         538457         0,63%         91         76097         TL3         537854         TL3           gs500b-5         500         538270         533098,2         669016         1,6         538618         0,59%         80         83721         TL3         538270         TL3           ga750a-1         750         763528         762464,5         766540         5,8         763869         0,15%         89         46602         TL3         763528         TL3           ga750a-1         750         763567         762568,5         766608         6.2         763930         0,14%         79         43002         TL3         763697         TC3         762568,5         766808         6.2         763930         0,14%         79         43002         TL3         763947         TL3         363750-7         TL3         763786         TL3         363750-7         762768         762687,0         767969         7,3         764159	_			533026,7			538418					1	
gs500b-3         500         537854         532832,2         678990         1,7         538457         0,63%         91         76097         TL3         537854         TL3         gs500b-5         500         537742         532717,2         664753         1,5         538422         0,66%         97         74407         TL3         537742         TL3         gs750a-1         750         76328         762464,5         766540         5,8         763869         0,15%         93         50507         TL3         538270         TL3         763528         TL3         ga750a-2         750         762653         762520,2         767067         9,2         763933         0,15%         89         46602         TL3         763528         TL3         ga750a-5         763697         762568,5         766608         6,2         763930         0,14%         79         43302         TL3         763695         TL3         ga750a-5         750         763845         762768,5         767696         6,2         763930         0,14%         79         43302         TL3         763945         TL3         ga750a-5         750         763786         762687,7         767969         7,3         76106         75         70417         TL3<												1	
gs500b-4         500         537742         532717.2         664753         1,5         538422         0,66%         97         74407         TL3         537742         TL3           gs500b-5         500         538270         533098,2         669016         1,6         538618         0,59%         80         83721         TL3         538270         TL3           ga750a-1         750         763528         762464,5         766540         5,8         763869         0,15%         93         50507         TL3         763528         TL3           ga750a-2         750         763687         76258,5         766608         6.2         763930         0,14%         79         43302         TL3         763687         TL3           ga750a-5         750         763867         762738,5         767839         6.6         764240         0,16%         77         36036         TL3         763845         TL3           ga750b-1         750         796454         790121,9         897053         4.6         796049         0,62%         82         25485         TL3         76386         TL3           ga750b-3         750         796130         789641,3         93611,4         9	_												
gs500b-5         500         538270         533098,2         669016         1,6         538618         0,59%         80         83721         TL3         538270         TL3           ga750a-1         750         763528         762464,5         766540         5,8         763869         0,15%         93         50507         TL3         763528         TL3           ga750a-3         750         762653         762508,5         766068         6,2         763930         0,14%         79         4302         TL3         763697         TL3           ga750a-4         750         763945         762738,5         766789         6,6         764459         0,16%         77         36036         TL3         763945         TL3           ga750b-1         750         796454         790121,9         897053         4,6         797090         0,62%         66         26275         TL3         763786         TL3           ga750b-1         750         796437         780618,5         929140         4,6         796498         0,62%         82         25485         TL3         796454         TL3           ga750b-1         750         796387         789613,1         926574         4	_												
ga750a-1         750         763528         762464,5         766540         5,8         763869         0,15%         93         50507         TL3         763528         TL3           ga750a-2         750         762653         762520,2         767067         9,2         763930         0,15%         89         46602         TL3         762653         TL3           ga750a-3         750         763697         762568,5         766608         6,2         763930         0,14%         79         43302         TL3         763697         TL3           ga750a-5         750         763786         762637,0         767096         7,3         764159         0,16%         75         40176         TL3         763785         TL3           ga750b-1         750         796454         790121,9         897053         4,6         797090         0,62%         66         26275         TL3         796454         TL3           ga750b-2         750         799633         789512,4         938670         4,5         796498         0,62%         82         25485         TL3         799635         TL3           ga750b-3         750         796387         7896474         1,9         9965	_											1	
ga750a-2         750         762653         762520,2         767067         9,2         763973         0,15%         89         46602         TL3         762653         TL3           ga750a-3         750         763997         762568,5         766608         6,2         763930         0,14%         79         43302         TL3         763697         TL3           ga750a-5         750         763786         762637,0         767096         7,3         764159         0,16%         75         40176         TL3         763786         TL3           ga750b-1         750         796454         790121,9         897053         4,6         797090         0,62%         66         26275         TL3         796454         TL3           ga750b-2         750         79503         789618,5         929140         4,6         797090         0,62%         82         25485         TL3         799635         TL3           ga750b-3         750         796130         789618,5         929140         4,6         796498         0,63%         82         23485         TL3         796359         TL3           ga750b-3         750         796387         7896471         1018182         2						•							
ga750a-3         750         763697         762568,5         766608         6,2         763930         0,14%         79         43302         TL3         763697         TL3         ga750a-4         750         763945         762738,5         767839         6,6         764240         0,16%         77         36036         TL3         763945         TL3         276376         767696         7,3         764159         0,16%         75         40176         TL3         763786         TL3         7896145         TL3         7896145         TL3         7896147         L1         28750b-2         750         796130         789618,5         929140         4,6         796498         0,62%         82         25485         TL3         796359         TL3         ga750b-4         750         796130         789647,3         930851         4,7         797935         0,66%         89         23036         TL3         796549         TL3         ga750b-1	_			· '									
ga750a-4         750         763945         762738,5         767839         6,6         764240         0,16%         77         36036         TL3         763945         TL3           ga750a-5         750         763786         762637,0         767096         7,3         764159         0,16%         75         40176         TL3         763786         TL3           ga750b-1         750         796454         790121,9         897053         4,6         797090         0,62%         66         26275         TL3         796454         TL3           ga750b-2         750         795963         789512,4         938670         4,5         796498         0,62%         82         25485         TL3         795963         TL3           ga750b-3         750         796130         789647,1         926574         4,7         797935         0,69%         90         22494         TL3         79013         TL3         36750-5         750         796387         789647,3         930851         4,0         796934         0,66%         89         23036         TL3         796549         TL3           ga750c-1         750         9902026         875647,1         1017899         2,8 <t< td=""><td>0</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	0												
ga750a-5         750         763786         762637,0         767096         7,3         764159         0,16%         75         40176         TL3         763786         TL3           ga750b-1         750         796454         790121,9         897053         4,6         797090         0,62%         66         26275         TL3         796454         TL3           ga750b-2         750         795963         789512,4         938670         4,5         796488         0,62%         82         25485         TL3         795963         TL3           ga750b-3         750         796130         789618,5         929140         4,6         796640         0,63%         79         23499         TL3         796359         TL3           ga750b-5         750         796387         789647,3         930851         4,0         796934         0,66%         89         23036         TL3         796549         TL3           ga750c-1         750         902026         875624,7         1018182         2,2         903298         1,59%         87         23967         TL3         902026         TL3           ga750c-1         750         900010         874108,9         1012861 <t< td=""><td>0</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	0												
ga750b-1         750         796454         790121,9         897053         4,6         797090         0,62%         66         26275         TL3         796454         TL3           ga750b-2         750         795963         789512,4         938670         4,5         796498         0,62%         82         25485         TL3         795963         TL3           ga750b-3         750         796130         789618,5         929140         4,6         796400         0,63%         79         23499         TL3         796359         TL3           ga750b-4         750         797013         790345,1         926574         4,7         797935         0,69%         90         22494         TL3         797013         TL3           ga750c-1         750         902026         875624,7         1018182         2,2         903292         1,59%         87         23967         TL3         9902026         TL3           ga750c-2         750         899651         873946,7         1017899         2,8         902368         1,70%         84         22481         TL3         899255         TL3           ga750c-3         750         900010         874108,9         1012861	_											1	
ga750b-2         750         795963         789512,4         938670         4,5         796498         0,62%         82         25485         TL3         795963         TL3           ga750b-3         750         796130         789618,5         929140         4,6         796640         0,63%         79         23499         TL3         796359         TL3           ga750b-4         750         797013         790345,1         926574         4,7         797935         0,69%         90         22494         TL3         797013         TL3           ga750c-5         750         796387         789647,3         930851         4,0         796934         0,66%         89         23036         TL3         796549         TL3           ga750c-2         750         899651         873946,7         101882         2,2         903292         1,59%         87         23967         TL3         902026         TL3           ga750c-2         750         899610         873046,7         1017899         2,8         902368         1,70%         84         22481         TL3         899215         TL3           ga750c-3         750         900010         874108,9         102864 <td< td=""><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	_												
ga750b-3         750         796130         789618,5         929140         4,6         796640         0,63%         79         23499         TL3         796359         TL3           ga750b-4         750         797013         790345,1         926574         4,7         797935         0,69%         90         22494         TL3         797013         TL3           ga750b-5         750         796387         789647,3         930851         4,0         796934         0,66%         89         23036         TL3         796549         TL3           ga750c-2         750         899651         873946,7         1017899         2,8         902368         1,70%         84         22481         TL3         899651         TL3           ga750c-3         750         900010         874108,9         1012861         3,1         902099         1,66%         82         24265         TL3         899651         TL3           ga750c-4         750         900004         875565,9         1028964         2,4         901809         1,42%         76         23248         TL3         900144         TL3           ga750c-5         750         899235         873191,5         1028543	_							,					
ga750b-4         750         797013         790345,1         926574         4,7         797935         0,69%         90         22494         TL3         797013         TL3           ga750b-5         750         796387         789647,3         930851         4,0         796934         0,66%         89         23036         TL3         796549         TL3           ga750c-1         750         902026         875624,7         1018182         2,2         903292         1,59%         87         23967         TL3         90206         TL3           ga750c-2         750         899651         873946,7         1017899         2,8         902368         1,70%         84         22481         TL3         899651         TL3           ga750c-3         750         900010         874108,9         1012861         3,1         902099         1,66%         82         24265         TL3         900019         TL3           ga750c-5         750         90044         875565,9         1028964         2,4         901809         1,42%         76         23248         TL3         900019         TL3           ga750a-1         750         763671         762564,9         767232 <t< td=""><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td></t<>	_											1	
ga750b-5         750         796387         789647,3         930851         4,0         796934         0,66%         89         23036         TL3         796549         TL3           ga750c-1         750         902026         875624,7         1018182         2,2         903292         1,59%         87         23967         TL3         902026         TL3           ga750c-2         750         899651         873946,7         1017899         2,8         902368         1,70%         84         22481         TL3         899651         TL3           ga750c-3         750         900010         874108,9         1012861         3,1         902099         1,66%         82         24265         TL3         900019         TL3           ga750c-4         750         900044         875565,9         1028964         2,4         901809         1,42%         76         23248         TL3         900044         TL3           ga750c-5         750         899235         873191,5         1028543         2,6         900541         1,55%         87         24812         TL3         890041         TL3           ga750a-1         750         763671         762564,9         767232	_											1	
ga750c-1         750         902026         875624,7         1018182         2,2         903292         1,59%         87         23967         TL3         902026         TL3           ga750c-2         750         899651         873946,7         1017899         2,8         902368         1,70%         84         22481         TL3         899651         TL3           ga750c-3         750         900010         874108,9         1012861         3,1         902099         1,66%         82         24265         TL3         900019         TL3           ga750c-5         750         900044         875565,9         1028964         2,4         901809         1,42%         76         23248         TL3         900044         TL3           ga750c-5         750         899235         873191,5         1028543         2,6         900541         1,55%         87         24812         TL3         890235         TL3           gs750a-1         750         763671         762564,9         767232         6,5         763925         0,14%         84         43430         TL3         763671         TL3           gs750a-2         750         763548         762588,1         7665529,4													
ga750c-2         750         899651         873946,7         1017899         2,8         902368         1,70%         84         22481         TL3         899651         TL3           ga750c-3         750         900010         874108,9         1012861         3,1         902099         1,66%         82         24265         TL3         900019         TL3           ga750c-4         750         900044         875565,9         1028964         2,4         901809         1,42%         76         23248         TL3         900044         TL3           ga750c-5         750         899235         873191,5         1028543         2,6         900541         1,55%         87         24812         TL3         899235         TL3           gs750a-1         750         763671         762564,9         767232         6,5         763925         0,14%         84         43430         TL3         763671         TL3           gs750a-3         750         763548         762529,4         766414         6,1         763666         0,11%         90         57546         TL3         763727         TL3         gs750a-3         750         763887         762788,3         766768         7,5	_												
ga750c-3         750         900010         874108,9         1012861         3,1         902099         1,66%         82         24265         TL3         900019         TL3           ga750c-4         750         900044         875565,9         1028964         2,4         901809         1,42%         76         23248         TL3         900044         TL3           ga750c-5         750         899235         873191,5         1028543         2,6         900541         1,55%         87         24812         TL3         899235         TL3           gs750a-1         750         763671         762564,9         767232         6,5         763925         0,14%         84         43430         TL3         763671         TL3           gs750a-2         750         763548         762529,4         766414         6,1         763666         0,11%         90         57546         TL3         763548         TL3           gs750a-3         750         763727         762568,1         765552         6,6         764031         0,16%         82         41309         TL3         763727         TL3           gs750a-4         750         763614         762528,9         766741         <	_												
ga750c-4         750         900044         875565,9         1028964         2,4         901809         1,42%         76         23248         TL3         900044         TL3           ga750c-5         750         899235         873191,5         1028543         2,6         900541         1,55%         87         24812         TL3         899235         TL3           gs750a-1         750         763671         762564,9         767232         6,5         763925         0,14%         84         43430         TL3         763671         TL3           gs750a-2         750         763548         762529,4         766414         6,1         763666         0,11%         90         57546         TL3         763548         TL3           gs750a-3         750         763727         762568,1         765552         6,6         764031         0,16%         82         41309         TL3         763727         TL3           gs750a-4         750         763614         762528,9         766741         6,4         763947         0,15%         81         36651         TL3         763614         TL3           gs750a-5         750         763614         762528,9         766741 <t< td=""><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>l .</td><td></td></t<>	_											l .	
ga750c-5         750         899235         873191,5         1028543         2,6         900541         1,55%         87         24812         TL3         899235         TL3           gs750a-1         750         763671         762564,9         767232         6,5         763925         0,14%         84         43430         TL3         763671         TL3           gs750a-2         750         763548         762529,4         766414         6,1         763666         0,11%         90         57546         TL3         763548         TL3           gs750a-3         750         763727         762568,1         765552         6,6         764031         0,16%         82         41309         TL3         763727         TL3           gs750a-4         750         763614         76258,3         766768         7,5         764208         0,15%         81         36651         TL3         763922         TL3           gs750a-5         750         763614         76258,9         766741         6,4         763947         0,15%         81         36651         TL3         763614         TL3           gs750b-1         750         796170         789669,9         895766         4	0			/									
gs750a-2         750         763548         762529,4         766414         6,1         763666         0,11%         90         57546         TL3         763548         TL3           gs750a-3         750         763727         762568,1         765552         6,6         764031         0,16%         82         41309         TL3         763727         TL3           gs750a-4         750         763887         762788,3         766768         7,5         764208         0,15%         81         36651         TL3         763922         TL3           gs750a-5         750         763614         762528,9         766741         6,4         763947         0,15%         92         44013         TL3         763614         TL3         797329         TL3         797329         TL3         797329         TL3         797329         TL3         796170 <td>_</td> <td></td>	_												
g8750a-3         750         763727         762568,1         765552         6,6         764031         0,16%         82         41309         TL3         763727         TL3           g8750a-4         750         763887         762788,3         766768         7,5         764208         0,15%         81         36651         TL3         763922         TL3           g8750a-5         750         763614         762528,9         766741         6,4         763947         0,15%         92         44013         TL3         763614         TL3           g8750b-1         750         797026         790349,4         994689         4,7         797713         0,68%         82         20525         TL3         797329         TL3           g8750b-2         750         796170         789669,9         895766         4,1         796843         0,66%         80         26652         TL3         796170         TL3           g8750b-3         750         796589         789935,6         996019         4,5         797357         0,69%         84         22153         TL3         796589         TL3           g8750b-3         750         796365         789902,8         930041	gs750a-1	750	763671	762564,9	767232	6,5	763925	0,14%	84	43430	TL3	763671	TL3
gs750a-4         750         763887         762788,3         766768         7,5         764208         0,15%         81         36651         TL3         763922         TL3           gs750a-5         750         763614         762528,9         766741         6,4         763947         0,15%         92         44013         TL3         763614         TL3           gs750b-1         750         797026         790349,4         994689         4,7         797713         0,68%         82         20525         TL3         797329         TL3           gs750b-2         750         796170         789669,9         895766         4,1         796843         0,66%         80         26652         TL3         796170         TL3           gs750b-3         750         796589         789935,6         996019         4,5         797357         0,69%         84         22153         TL3         796589         TL3           gs750b-4         750         796734         790080,8         997279         4,2         797176         0,65%         69         26574         TL3         797020         TL3           gs750c-1         750         790363         875363,9         1020684 <td< td=""><td>gs750a-2</td><td>750</td><td>763548</td><td>762529,4</td><td>766414</td><td>6,1</td><td>763666</td><td>0,11%</td><td>90</td><td>57546</td><td>TL3</td><td>763548</td><td>TL3</td></td<>	gs750a-2	750	763548	762529,4	766414	6,1	763666	0,11%	90	57546	TL3	763548	TL3
gs750a-4         750         763887         762788,3         766768         7,5         764208         0,15%         81         36651         TL3         763922         TL3           gs750a-5         750         763614         762528,9         766741         6,4         763947         0,15%         92         44013         TL3         763614         TL3           gs750b-1         750         797026         790349,4         994689         4,7         797713         0,68%         82         20525         TL3         797329         TL3           gs750b-2         750         796170         789669,9         895766         4,1         796843         0,66%         80         26652         TL3         796170         TL3           gs750b-3         750         796589         789935,6         996019         4,5         797357         0,69%         84         22153         TL3         796589         TL3           gs750b-4         750         796734         790080,8         997279         4,2         797176         0,65%         69         26574         TL3         797020         TL3           gs750c-1         750         790363         875363,9         1020684 <td< td=""><td>gs750a-3</td><td>750</td><td>763727</td><td>762568,1</td><td>765552</td><td>6,6</td><td>764031</td><td>0,16%</td><td>82</td><td>41309</td><td>TL3</td><td>763727</td><td>TL3</td></td<>	gs750a-3	750	763727	762568,1	765552	6,6	764031	0,16%	82	41309	TL3	763727	TL3
gs750a-5         750         763614         762528,9         766741         6,4         763947         0,15%         92         44013         TL3         763614         TL3           gs750b-1         750         797026         790349,4         994689         4,7         797713         0,68%         82         20525         TL3         797329         TL3           gs750b-2         750         796170         789669,9         895766         4,1         796843         0,66%         80         26652         TL3         796170         TL3           gs750b-3         750         796589         789935,6         996019         4,5         797357         0,69%         84         22153         TL3         796589         TL3           gs750b-4         750         796734         790080,8         997279         4,2         797176         0,65%         69         26574         TL3         796365         TL3           gs750b-5         750         796365         789902,8         930041         4,6         797026         0,63%         63         23510         TL3         796365         TL3           gs750c-1         750         90363         875363,9         1020684	gs750a-4	750	763887	1	766768		764208	0,15%	81	36651	TL3	763922	TL3
gs750b-1         750         797026         790349,4         994689         4,7         797713         0,68%         82         20525         TL3         797329         TL3           gs750b-2         750         796170         789669,9         895766         4,1         796843         0,66%         80         26652         TL3         796170         TL3           gs750b-3         750         796589         789935,6         996019         4,5         797357         0,69%         84         22153         TL3         796589         TL3           gs750b-4         750         796734         790080,8         997279         4,2         797176         0,65%         69         26574         TL3         797020         TL3           gs750b-5         750         796365         789902,8         930041         4,6         797026         0,63%         63         23510         TL3         796365         TL3           gs750c-1         750         900363         875363,9         1020684         2,9         903801         1,64%         80         22196         TL3         900363         TL3           gs750c-2         750         897886         874186,6         1004896 <t< td=""><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>44013</td><td></td><td>763614</td><td>TL3</td></t<>	_									44013		763614	TL3
gs750b-2         750         796170         789669,9         895766         4,1         796843         0,66%         80         26652         TL3         796170         TL3           gs750b-3         750         796589         789935,6         996019         4,5         797357         0,69%         84         22153         TL3         796589         TL3           gs750b-4         750         796734         790080,8         997279         4,2         797176         0,65%         69         26574         TL3         797020         TL3           gs750b-5         750         796365         789902,8         930041         4,6         797026         0,63%         63         23510         TL3         796365         TL3           gs750c-1         750         900363         875363,9         1020684         2,9         903801         1,64%         80         22196         TL3         900363         TL3           gs750c-2         750         897886         874186,6         1004896         2,5         900668         1,49%         70         27230         TL3         897886         TL3           gs750c-3         750         901656         874762,5         1019498         <	_											1	
gs750b-3         750         796589         789935,6         996019         4,5         797357         0,69%         84         22153         TL3         796589         TL3           gs750b-4         750         796734         790080,8         997279         4,2         797176         0,65%         69         26574         TL3         797020         TL3           gs750b-5         750         796365         789902,8         930041         4,6         797026         0,63%         63         23510         TL3         796365         TL3           gs750c-1         750         900363         875363,9         1020684         2,9         903801         1,64%         80         22196         TL3         900363         TL3           gs750c-2         750         897886         874186,6         1004896         2,5         900668         1,49%         70         27230         TL3         897886         TL3           gs750c-3         750         901656         874762,5         1019498         2,5         902767         1,61%         89         21335         TL3         901656         TL3           gs750c-4         750         901239         875410,6         1007402	_												
gs750b-4         750         796734         790080,8         997279         4,2         797176         0,65%         69         26574         TL3         797020         TL3           gs750b-5         750         796365         789902,8         930041         4,6         797026         0,63%         63         23510         TL3         796365         TL3           gs750c-1         750         900363         875363,9         1020684         2,9         903801         1,64%         80         22196         TL3         900363         TL3           gs750c-2         750         897886         874186,6         1004896         2,5         900668         1,49%         70         27230         TL3         897886         TL3           gs750c-3         750         901656         874762,5         1019498         2,5         902767         1,61%         89         21335         TL3         901656         TL3           gs750c-4         750         901239         875410,6         1007402         2,6         902591         1,61%         81         24195         TL3         901239         TL3	_				996019							1	
gs750b-5         750         796365         789902,8         930041         4,6         797026         0,63%         63         23510         TL3         796365         TL3           gs750c-1         750         900363         875363,9         1020684         2,9         903801         1,64%         80         22196         TL3         900363         TL3           gs750c-2         750         897886         874186,6         1004896         2,5         900668         1,49%         70         27230         TL3         897886         TL3           gs750c-3         750         901656         874762,5         1019498         2,5         902767         1,61%         89         21335         TL3         901656         TL3           gs750c-4         750         901239         875410,6         1007402         2,6         902591         1,61%         81         24195         TL3         901239         TL3				· '									
gs750c-1       750       900363       875363,9       1020684       2,9       903801       1,64%       80       22196       TL3       900363       TL3         gs750c-2       750       897886       874186,6       1004896       2,5       900668       1,49%       70       27230       TL3       897886       TL3         gs750c-3       750       901656       874762,5       1019498       2,5       902767       1,61%       89       21335       TL3       901656       TL3         gs750c-4       750       901239       875410,6       1007402       2,6       902591       1,61%       81       24195       TL3       901239       TL3	_												
gs750c-2     750     897886     874186,6     1004896     2,5     900668     1,49%     70     27230     TL3     897886     TL3       gs750c-3     750     901656     874762,5     1019498     2,5     902767     1,61%     89     21335     TL3     901656     TL3       gs750c-4     750     901239     875410,6     1007402     2,6     902591     1,61%     81     24195     TL3     901239     TL3	_						903801			22196			
gs750c-3 750 901656 874762,5 1019498 2,5 902767 1,61% 89 21335 TL3 901656 TL3 gs750c-4 750 901239 875410,6 1007402 2,6 902591 1,61% 81 24195 TL3 901239 TL3	_												TL3
gs750c-4 750 901239 875410,6 1007402 2,6 902591 1,61% 81 24195 TL3 901239 TL3	_											1	
	_												
	_												

Table 3.11: Results on KG instances for the proposed method and the results of BBC reported in Fischetti et al. (2017) TL3=72000 seconds.

## 3.5 Conclusions

A Benders decomposition is performed on the most efficient formulation of the p-median problem. The efficiency of the proposed decomposition comes from a fast algorithm for the solution of the sub-problems in conjunction with improvements in a two-phase solution implementation. In the first phase, the integrity constraints are relaxed and in the second phase, the problem is solved in an efficient branch-and-cut approach.

The proposed approach outperforms other state-of-the-art methods. For the first time, instances are solved having up to 89600 and 238025 clients and sites from the BIRCH and TSP libraries, respectively. The proposed decomposition algorithm is tested on other p-median instances: RW instances which do not satisfy triangle inequality and ODM instances in which there are allocations that are not allowed between certain clients and sites. For the RW instances, it was possible to solve instances of up to 1000 clients with a large value of p. For ODM instances with 3773 clients, previously unsolved instances were solved within 10 hours. The proposed approach was also adapted to test it on the difficult KG instances of the (UFL) problem obtaining relatively small optimality gaps.

One of the perspectives of this research is to exploit these results on other families of location problems. It is also expected to use other branching strategies that allow a greater efficiency during the development of the *branch-and-cut* algorithm.

# Chapter 4

# New Benders decomposition and Clustering based algorithm for the p-Center Problem

## 4.1 Introduction

The *p-center problem* (*PCP*) is also a fundamental problem in location science Laporte et al. (2019b). It consists of choosing the *p* locations to minimize the maximum distance from a client to its nearest facility. The *p* open facilities are called *centers*. Formally the problem is defined as follows. We consider a set of *N* clients, a set of *M* potential facilities to open, and their corresponding index set  $\mathbb{N} = \{1, ..., N\}$  and  $\mathbb{M} = \{1, ..., M\}$ . Let  $d_{ij}$  be the distance between client *i* and center *j*, and *p* be an integer. The objective is to find a set  $S \subseteq \mathbb{M}$  such that  $|S| \leq p$  and the value  $z = \max_{i=1,...,N} (\min_{j \in S} d_{ij})$  is minimized. This distance *z* is called the *radius*. Figure 4.1 illustrates a comparison of (*PCP*) solutions for different values of *p* considering the same symmetric instance used in the introduction (Chapter 1). Note how the corresponding radius, shown in red, decreases as *p* increases.

The p-center problem in operations research is applied in various contexts, including facility location, emergency service planning, telecommunications network design, healthcare planning, and supply chain management. It allows to decide the best places for centers, such as warehouses or hospitals, to minimize distances or response times (Qalık et al. (2019a)).

There are a variety of exact and approximate methods for this classical problem and its variants. In recent years, important advances have been made in the solution of large-scale instances. To the best of our knowledge, the best methods are those of Contardo et al. (2019) and Gaar and




Figure 4.1: Comparison of optimal PCP solutions for a symmetric instance of 40 nodes.

Sinnl (2022). The first initially considers a subset of clients, solves the (PCP) associated to this subset, and adds new clients until an optimal solution is obtained. The second method is based on a specialized branch-and-cut procedure for a Benders decomposition. Both methods can solve very large-scale instances.

## Contribution

Firstly, we explore two new Benders decompositions for the (PCP). Secondly, we introduce an exact algorithm based on a clustering process. Finally, the results on benchmark instances and the state-of-the-art exact methods for the (PCP) are presented.

The rest of the chapter is organized as follows: Section 4.2 presents the literature review of the (PCP). In Section 4.3, we present a comparison of performances of the main MILP formulations. In Section 4.4 and Section 4.5 two new Benders decomposition of the same (PCP) formulation are studied. Section 4.6 presents our new exact solution method based on a clustering of the clients. The results of the computational study are presented in Section 4.7. Finally, some conclusions together with research perspectives are drawn in Section 4.8.

## 4.2 Literature review

The p-center problem was introduced by Hakimi (1965), who presented and solved the absolute 1-center problem on a graph. In the absolute p-center problem, the centers can be located either on the edges or the vertices of the graph. Later, Minieka (1970) extended the problem to the case p > 1 and proposed a method to restrict the continuous set of candidate centers to a discrete set of points, without losing optimality. Since then, the problem was commonly referred to as the vertex p-center problem or directly as the p-center problem. Several formulations, solution methods, and variants of this problem have been presented. We refer to Çalık et al. (2019b) for a more exhaustive review of applications and solution methods for the p-center problem. The following is a summary of the main MILP formulations and the state-of-the-art exact solution methods.

## 4.2.1 Mathematical formulations

The problem can be formulated with a binary variable  $y_j$  for each j center which is 1 if the j center is opened, 0 otherwise; and another binary variable  $x_{ij}$  of assignment which is 1 if the i client is assigned to the j center, 0 otherwise.

$$(F0) \begin{cases} \min \max_{i=1,\dots,N} & \sum_{j\in\mathcal{M}} d_{ij}x_{ij} \\ \text{s.t.} & \sum_{j\in\mathcal{M}} y_j = p \\ & \sum_{j\in\mathcal{M}} x_{ij} = 1 \\ & x_{ij} \leq y_j \\ & x_{ij} \leq y_j \end{cases} \qquad i \in \mathcal{N}, j \in \mathcal{M} \qquad (4.4)$$

$$x_{ij}, y_j \in \{0,1\} \qquad i \in \mathcal{N}, j \in \mathcal{M} \qquad (4.5)$$

Constraint (4.2) limits the number of open centers to p. Constraints (4.3) ensures that each client is assigned to only one center and Constraints (4.4) ensures that no client is assigned to a center that is not open.

The formulation proposed in Daskin (1996) is considered as the classical formulation, which treats the objective min-max function by introducing a new real variable z representing the maximum distance between a client and its nearest center, the radius.

$$(F1) \begin{cases} \min & z \\ \text{s.t.} & \sum_{j \in \mathcal{M}} y_j = p \\ & \sum_{j \in \mathcal{M}} x_{ij} = 1 \\ & x_{ij} \leq y_j \\ & \sum_{j \in \mathcal{M}} d_{ij} x_{ij} \leq z \\ & i \in \mathcal{N} \end{cases} \qquad (4.6)$$

$$\sum_{j \in \mathcal{M}} x_{ij} \leq y_j \qquad i \in \mathcal{N}, j \in \mathcal{M} \qquad (4.9)$$

$$\sum_{j \in \mathcal{M}} d_{ij} x_{ij} \leq z \qquad i \in \mathcal{N} \qquad (4.10)$$

$$x_{ij}, y_j \in \{0, 1\} \qquad i \in \mathcal{N}, j \in \mathcal{M} \qquad (4.11)$$

$$z \in \mathbb{R} \qquad (4.12)$$

Constraints (4.7), (4.8), and (4.9) come from the first model. Then the objective function is reformulated and Constraints (4.10) are added to indicate that the distances between each client and its nearest center are less than the radius.

Elloumi et al. (2004) proposed an alternative formulation which orders all distinct values of the distances between each pair of clients and centers. Let  $D^0 < D^1 < ... < D^K$  be the distinct values of  $d_{ij}$  for all  $i \in \mathbb{N}$  and  $j \in \mathbb{M}$ . Let  $\mathcal{K} = \{0, 1, ..., K\}$  be the respective distance index set. The radius variable z and the allocation variables x are replaced by variables  $z^k$  with  $k \in \mathcal{K}$  equal to 1 if and only if the radius is greater than or equal to  $D^k$ . The *initial* formulation they obtain is as follows:

$$(F2_{init}) \begin{cases} \min & D^0 + \sum_{k \in \mathcal{K}} (D^k - D^{k-1}) z^k \\ \text{s.t.} & \sum_{j \in \mathcal{M}} y_j = p \\ z^k + \sum_{j: d_{ij} < D^k} y_j \ge 1 & i \in \mathcal{N}, k \in \mathcal{K} \end{cases}$$

$$(4.13)$$

$$(4.14)$$

$$y_j \in \{0, 1\} \qquad j \in \mathcal{M} \qquad (4.15)$$

$$z^k \in \{0, 1\} \qquad k \in \mathcal{K} \qquad (4.17)$$

Constraint (4.14) limit the number of open centers to p. Constraints (4.15) indicates that a client is covered by a center at a distance less than  $D^k$ , or that the radius is greater than or equal to  $D^k$ . Thus, if  $z^k = 1$ ,  $(D^k - D^{k-1})$  is then added in Objective (4.13).

Both formulations are polynomial in size but have different structures. The classical model has  $(N+1) \times M$  binary variables, a continuous variable, and  $N \times (M+2) + 1$  constraints. (F2) has (M+K) binary variables and  $(K \times N + 2)$  constraints. In the worst case where K is close to

 $(N \times M)$ , the two problems have almost the same number of variables, but  $(F2_{init})$  has about N times as many constraints. Elloumi et al. (2004) show that  $(F2_{init})$  provides a continuous relaxation bound that dominates that of (F1).

Later, Ales and Elloumi (2018) present a formulation that improves the resolution performance of the previous formulation  $(F2_{init})$ . They add the following family of valid inequalities:

$$z^k \ge z^{k+1} \qquad k \in \{1, ..., K-1\}$$

and they also identify the following sub-set of indices:

$$\mathcal{K}_i = \{k \in \mathcal{K} : \exists j \in \mathcal{M} \text{ such that } d_{ij} = D^k\} \qquad i \in \mathcal{N}$$

Consequently, they propose the following formulation:

$$(F2) \begin{cases} \min & D^{0} + \sum_{k \in \mathcal{K}_{i}} (D^{k} - D^{k-1}) z^{k} \\ \text{s.t.} & z^{k} + \sum_{j:d_{ij} < D^{k}} y_{j} \geq 1 \\ & z^{k} \geq z^{k+1} \\ & \sum_{j \in \mathcal{M}} y_{j} = p \\ & y_{j} \in \{0, 1\} \\ & z^{k} \in \{0, 1\} \end{cases} \qquad k \in \{1, 2, \dots, K-1\}$$

$$(4.18)$$

$$(4.19)$$

$$(4.19)$$

$$(4.19)$$

Constraints (4.19) allow to remove a significant number of Constraints (4.15). Constraints (4.18) represent the subset of (4.15) that are not redundant. Indeed, when there is no site j such that  $d_{ij} = D^k$ , Constraint (4.15) for i and k is dominated by Constraint (4.15) for i and k+1 and can therefore be omitted. It is proved in Ales and Elloumi (2018) that even if (F2) is much lighter than  $(F2_{init})$ , it has the same continuous relaxation bound.

Ales and Elloumi (2018) also presented another compact formulation, which contains less variables and constraints than (F2). They replace the K binary variables  $z_k$  with a unique integer variable r which represents the index of the optimal radius:

(4.27)

(F3) 
$$\begin{cases} \min & r \\ \text{s.t.} & r \geq k - k \sum_{j:d_{ij} < D^k} y_j & i \in \mathbb{N}, k \in \mathcal{K}_i \\ & \sum_{j \in \mathbb{M}} y_j = p \\ & y_j \in \{0, 1\} & j \in \mathbb{M} \\ & r \geq 0 \end{cases}$$

Constraints (4.21) play a similar role to that of Constraints (4.18). This formulation (F3) provides a weaker linear relaxation than the previous formulations.

Calik and Tansel (2013) introduce two mathematical formulations. Here we consider the tightest one and denote it as (F4). They consider the same binary variables  $y_j$  of (F1) and a binary variable  $u^k$  for all  $k \in \mathcal{K} \cup \{0\}$  which is equal to 1 if and only if the optimal radius is equal to  $D^k$ . Thus, exactly one of these new binary variables is equal to one. The solutions of these formulations can be mapped to those of  $(F2_{init})$  by setting  $u^0 = 1 - z^1$ ,  $u^k = z^k - z^{k+1}$ , and  $z^k = 1 - \sum_{k=0}^K u^k$ .

$$\begin{cases}
\min & \sum_{k \in \mathcal{K}} D^k u^k \\
\text{s.t.} & \sum_{j \in \mathcal{M}: d_{ij} \le D^k} y_j \ge \sum_{q=1}^k u^q & i \in \mathcal{N}, k \in \mathcal{K} \\
& \sum_{j \in \mathcal{M}: d_{ij} \le D^k} y_j \ge \sum_{q=1}^k u^q & i \in \mathcal{N}, k \in \mathcal{K} \\
& \sum_{j \in \mathcal{M}} u^k = 1 & (4.24) \\
& \sum_{j \in \mathcal{M}} y_j = p & (4.25) \\
& y_j \in \{0, 1\} & j \in \mathcal{M} & (4.26)
\end{cases}$$

Finally, Gaar and Sinnl (2022) recently presented a formulation obtained from a Benders decomposition of (F1) which is closely related to a formulation of the *uncapacitated facility* location problem (UFL) from Cornuejols et al. (1980) and Magnanti and Wong (1981). This formulation of (UFL) also considers binary variables x from (F1) and a single continuous variable  $\theta$  to represent the radius which is minimized in the objective.

$$(F5) \begin{cases} \min & \theta \\ \text{s.t.} & \sum_{j \in \mathcal{M}} y_j = p \\ & \theta \ge d_{ij} - \sum_{j': d_{ij'} < d_{ij}} (d_{ij} - d_{ij'}) y_{j'} & i \in \mathcal{N}, j \in \mathcal{M} \\ & y_j \in \{0, 1\} & j \in \mathcal{M} \\ & \theta \in \mathbb{R} \end{cases}$$

$$(4.28)$$

Constraints (4.29) ensure that the radius is at least the distance to the nearest center for each demand node. These constraints can be seen as a reinforcement of the Constraints (4.21) in (F3).

## 4.2.2 Solutions methods

Several heuristic and exact methods have been proposed for (PCP). In this research we are interested in the exact solution methods. We refer to the survey Garcia-Diaz et al. (2019) for approximation algorithms and heuristics. The following is a summary of the main exact solution methods since the introduction of (PCP).

The first exact solution method was presented in Minieka (1970), it is proposed an iterative algorithm in which at each step, a set cover problem is solved to determine if there exists a solution of radius at most equal to a distance in  $D = \{D^0, D^1, ..., D^K\}$ . Garfinkel et al. (1977) introduce an heuristic as initial solution and a binary search for the remaining distances in D. T. Ilhan (2002) adopt the approach of Minieka (1970) proposing a first phase to obtain the bounds and thus to reduce the size of D to the second stage with the set cover problems.

Later, Al-Khedhairi (2005) improve the second stage with a sequential search in order to reduce the number of iterations. Caruso et al. (2003) have proposed exact and heuristic algorithms based on the idea of strong and weak dominance rules. Daskin (1996) adopted the same binary search idea, but solved maximum coverage problems instead of set cover problems. Elloumi et al. (2004) proposes some modifications to the algorithm of Daskin (1996) calculating a continuous solution of the set-cover problems at each iteration instead of one optimal solution based in their proposed formulation ( $F2_{init}$ ). R. Chen (1987) and Chen and Chen (2009) presented iterative algorithms based on relaxation that consider only subsets of clients. If the greatest dissimilarity between a client that is not in the subset and its nearest open center in the solution of the relaxed problem is less than or equal to the value of the solution, then this solution is also feasible (and therefore optimal) for the original instance. If this is not the case, the subset is updated by adding a constant number of clients.

More recently, Calik and Tansel (2013) developed a search that solves a restricted model containing only two blocks of coverage constraints based in their proposed formulation (F4). Contardo et al. (2019) have proposed to solve the problem considering only a sub-set of clients and updating this set when it is needed. It also considers an improved binary search with the set cover problems. Finally, Gaar and Sinnl (2022) proposed a scalable method based on a specialized branch-and-cut procedure for the Benders decomposition on (F1).

Several variants of the PCP have been introduced and investigated in the literature, such as the incorporation of capacities, demands or uncertainty in the parameters. We refer to Çalık et al. (2019a) for more details. Since the most efficient methods use decomposition algorithms that take advantage of lower bounds. For this, in Sections 4.4 and 4.5, we focus on 2 new Benders decompositions and, in Section 4.6, we present a very efficient algorithm based on client clustering.

# 4.3 Performance comparison of the MILP formulations

In this section we compare the efficiency of the direct solution of the five formulations presented in Section 4.2.1 by a standard MILP solver. For this, we use the default setting of CPLEX 20.1 with a time limit of 2 hours. We solve the 40 symmetric ORLIB instances (Beasley (1990)) of 100 to 900 nodes. The optimal values and their the corresponding CPU times are presented in Table 4.1.

We observe that (F1) is the only formulation that cannot solve all instances reaching the time limit. (F4) is the fastest formulation in average followed by (F2) and (F5). Nevertheless, the best results are almost always obtained either by (F2) or (F4).

However, the performance of the formulations can be influenced by the different parameters of the MILP solver, among these an important one is the pre-solve parameter. In Table 4.2 we present the results obtained on the same instances but without CPLEX pre-solve and with a time limit of 30 minutes. (F2) is now the only formulation able to solve all the instances. (F4) is the second best which only reaches the time limit for 5 instances. These performance differences are mainly due to the fact that the pre-solve can eliminate many redundant constraints.

	Instanc	ce				t[s]		
$\overline{name}$	N = M	p	OPT	F1	F2	F3	F4	F5
pmed01	100	5	127	13	3	10	25	15
pmed02	100	10	98	8	<b>2</b>	16	25	15
pmed03	100	10	93	7	3	18	26	19
pmed04	100	20	74	4	<b>2</b>	194	25	20
pmed05	100	33	48	2	<b>2</b>	11	21	16
pmed06	200	5	84	106	18	68	64	61
pmed07	200	10	64	81	20	56	64	65
pmed08	200	20	55	51	11	421	83	108
pmed09	200	40	37	27	21	72	73	108
pmed10	200	67	20	12	12	57	49	60
pmed11	300	5	59	282	19	134	61	45
pmed12	300	10	51	248	25	117	75	142
pmed13	300	30	36	218	104	513	97	217
pmed14	300	60	26	127	101	429	117	390
pmed15	300	100	18	54	<b>55</b>	127	82	139
pmed16	400	5	47	875	<b>17</b>	194	63	141
pmed17	400	10	39	4652	113	298	64	224
pmed18	400	40	28	965	688	3601	<b>243</b>	445
pmed19	400	80	18	679	<b>255</b>	780	173	292
$\underline{\text{pmed20}}$	400	133	13	165	44	194	29	238
pmed21	500	5	40	3001	<b>29</b>	65	69	68
pmed22	500	10	38	TL	381	770	106	775
pmed23	500	50	22	2729	456	1768	310	759
pmed24	500	100	15	1538	322	906	130	384
pmed25	500	167	11	574	70	378	<b>54</b>	687
pmed26	600	5	38	10426	514	105	508	333
pmed27	600	10	32	TL	41	1140	86	138
pmed28	600	60	18	10298	550	2906	129	883
pmed29	600	120	13	5195	134	1373	545	602
$\underline{\underline{\text{pmed30}}}$	600	200	9	1234	87	544	60	426
pmed31	700	5	30	TL	34	93	78	180
pmed32	700	10	29	$\mathrm{TL}$	1007	4285	1514	1600
pmed33	700	70	15	TL	1086	3894	397	857
pmed34	700	140	11	8794	<b>761</b>	1026	171	818
pmed35	800	5	30	$ ule{TL}$	2116	262	129	201
pmed36	800	10	27	TL	4243	4889	1875	314
pmed37	800	80	15	$\mathrm{TL}$	1681	3922	1595	3251
pmed38	900	5	29	TL	89	1235	183	609
pmed39	900	10	23	$\mathrm{TL}$	1932	$\bf 521$	1687	1932
$\underline{\text{pmed40}}$	900	90	13	TL	1419	6397	1570	2341
	Averag	ge		-	462	1095	316	498

Table 4.1: Performance comparison of (PCP) formulations. TL=7200s.

Instance				${ m t[s]}$				
name	n=m	p	OPT	F1	F2	F3	F4	F5
pmed01	100	5	127	35	8	TL2	86	821
pmed02	100	10	98	29	5	TL2	70	TL2
pmed03	100	10	93	35	4	TL2	146	1677
pmed04	100	20	74	6	7	TL2	82	TL2
pmed05	100	33	48	4	5	TL2	50	TL2
pmed06	200	5	84	172	44	TL2	209	TL2
pmed07	200	10	64	1017	25	TL2	85	TL2
pmed08	200	20	55	1082	32	TL2	262	TL2
pmed09	200	40	37	568	48	TL2	285	TL2
$\underline{\text{pmed10}}$	200	67	20	13	20	TL2	96	TL2
pmed11	300	5	59	TL2	30	TL2	99	TL2
pmed12	300	10	51	TL2	72	TL2	260	TL2
pmed13	300	30	36	TL2	$\bf 124$	TL2	474	TL2
pmed14	300	60	26	TL2	101	TL2	406	TL2
pmed15	300	100	18	TL2	74	TL2	215	TL2
pmed16	400	5	47	711	27	TL2	108	TL2
pmed17	400	10	39	TL2	<b>76</b>	TL2	588	TL2
pmed18	400	40	28	TL2	163	TL2	469	TL2
pmed19	400	80	18	TL2	160	TL2	589	TL2
pmed20	400	133	13	TL2	109	TL2	214	TL2
pmed21	500	5	40	TL2	<b>73</b>	TL2	122	TL2
pmed22	500	10	38	TL2	596	TL2	<b>574</b>	TL2
pmed23	500	50	22	TL2	379	TL2	1731	TL2
pmed24	500	100	15	TL2	358	TL2	1650	TL2
pmed25	500	167	11	TL2	164	TL2	208	TL2
pmed26	600	5	38	TL2	132	TL2	213	TL2
pmed27	600	10	32	TL2	974	TL2	<b>212</b>	TL2
pmed28	600	60	18	TL2	1045	TL2	TL2	TL2
pmed29	600	120	13	TL2	177	TL2	370	TL2
$\underline{\text{pmed30}}$	600	200	9	TL2	283	TL2	255	TL2
pmed31	700	5	30	TL2	<b>64</b>	TL2	177	TL2
pmed32	700	10	29	TL2	1013	TL2	TL2	TL2
pmed33	700	70	15	TL2	1443	TL2	TL2	TL2
pmed34	700	140	11	TL2	563	TL2	998	TL2
pmed35	800	5	30	TL2	82	TL2	148	TL2
pmed36	800	10	27	TL2	335	TL2	905	TL2
pmed37	800	80	15	TL2	1806	TL2	TL2	TL2
pmed38	900	5	29	TL2	86	TL2	220	TL2
pmed39	900	10	23	TL2	260	TL2	696	TL2
$\underline{\text{pmed40}}$	900	90	13	TL2	1610	TL2	TL2	TL2
Average				-	314	-	-	-

Table 4.2: Performance comparison of (PCP) formulations without pre-solve. TL2=1800s.

# 4.4 First Benders decomposition on formulation (F2)

Since decomposition algorithms are the state-of-the-art methods for solving the p-center problem and the formulation (F2) has been shown to be efficient in the previous section, we focus on the Benders decomposition of (F2). More details and references to the general Benders decomposition method are presented in the Section 2.2.1.

It is possible to perform two decompositions of Benders depending on which set of the two sets of variables from (F2) are relaxed. In this Section 4.4 variables y are relaxed while in Section 4.5, we relax variables z. The following formulation corresponds to (F2) when the variables y are relaxed:

$$(F2_1) \begin{cases} \min & D^0 + \sum_{k \in \mathcal{K}} \left(D^k - D^{k-1}\right) z^k \\ \text{s.t.} & z^k + \sum_{j: d_{ij} < D^k} y_j \geq 1 & i \in \mathcal{N}, k \in \mathcal{K}_i \\ \\ z^k \geq z^{k+1} & k \in \{1, 2, \dots, K-1\} \\ \\ \sum_{j \in \mathcal{M}} y_j = p & \\ \\ y_j \geq 0 & j \in \mathcal{M} \\ \\ z^k \in \{0, 1\} & k \in \mathcal{K} \end{cases}$$

Consequently, the master problem associated with the variables  $\boldsymbol{z}^k$  is:

$$(MP_1) \begin{cases} \min & D^0 + \sum_{k \in \mathcal{K}} (D^k - D^{k-1}) z^k \\ \text{s.t.} & z^k \ge z^{k+1} & k \in \{1, ..., K-1\} \\ \theta \text{ satisfies } BD \\ z^k \in \{0, 1\} & k \in \mathcal{K} \end{cases}$$

$$(4.30)$$

where BD is the set of corresponding Benders cuts. This set is initially empty and grows through the iterations.

The sub-problem associated with a feasible solution  $\bar{z}^k$  of  $(MP_1)$  is:

$$(SP_1) \begin{cases} \min & 0 \\ \text{s.t.} & \sum_{j \in \mathcal{M}} y_j = p \\ & \sum_{j:d_{ij} < D^k} y_j \ge (1 - \bar{z}^k) & i \in \mathcal{N}, \ k \in \mathcal{K}_i \\ & y_j \ge 0 & j \in \mathcal{M} \end{cases}$$

$$(4.31)$$

Consequently, the associated dual sub-problem is defined by:

$$(DSP_1) \begin{cases} \max & \sum_{i \in \mathbb{N}} \sum_{k \in \mathcal{K}_i} v_i^k (1 - \bar{z}^k) + c * p \\ \sum_{i \in \mathbb{N}} \sum_{k \in \mathcal{K}_i: d_{ij} < D^k} v_i^k + c \le 0 & j \in \mathbb{M} \end{cases}$$

$$v_i^k \ge 0 \qquad i \in \mathbb{N}, \ k \in \mathcal{K}_i$$

$$c \in \mathbb{R}$$

$$(4.32)$$

If  $(DSP_1)$  is feasible, with a solution  $(\bar{v}, \bar{c})$ , the following optimality cut is obtained:

$$\sum_{i \in \mathcal{N}} \sum_{k \in \mathcal{K}_i} \bar{v}_i^k (1 - z^k) + \bar{c} * p \le \theta$$

$$\tag{4.34}$$

If  $(DSP_1)$  is unbounded, with an extreme ray  $(\bar{v}, \bar{c})$ , we can add to the  $(MP_1)$  the following feasibility cut:

$$\sum_{i \in \mathcal{N}} \sum_{k \in \mathcal{K}_i} \bar{v}_i^k (1 - z^k) + \bar{c} * p \le 0$$

$$\tag{4.35}$$

This decomposition provides a lower bound that corresponds to the solution of (F2) or  $(F2_{init})$  in which the integrity of the y variables is removed. This lower bound is the a well-know tight lower bound of the p-center problem. It was introduced in Elloumi et al. (2004) and named  $LB^*$ .

## 4.4.1 Improved sub-problem formulation

The feasibility of  $(SP_1)$  depends on whether it is possible to find a solution in which the number of open sites is equal to p. It is then possible to remove the cardinality constraints on the number of sites and check afterwards if the number of sites required is equal to p or not. This leads to the following sub-problem:

$$(SP'_1) \begin{cases} \min & \sum_{j \in \mathcal{M}} y_j \\ \text{s.t.} & \sum_{j: d_{ij} < D^k} y_j \ge (1 - \bar{z}^k) \\ & y_j \ge 0 \end{cases} \qquad i \in \mathcal{N}, \ k \in \mathcal{K}_i \qquad (v_i^k)$$

The corresponding dual sub-problem is defined by:

$$(DSP'_1) \begin{cases} \max & \sum_{i \in \mathbb{N}} \sum_{k \in \mathcal{K}_i} v_i^k (1 - \bar{z}^k) \\ \text{s.t.} & \sum_{i \in \mathbb{N}} \sum_{k \in \mathcal{K}_i : d_{ij} < D^k} v_i^k \le 1 \\ v_i^k \ge 0 & i \in \mathbb{N}, \ k \in \mathcal{K}_i \end{cases}$$

$$(4.36)$$

The advantage of this reformulation is that the variable c is not required anymore. Consequently, the sub-problem is feasible for any solution of the master problem. Nevertheless, the objective value of the primal or dual sub-problem must be equal to p to be a feasible solution of the original problem. If this condition is not satisfied, we can then add the following cut to the master problem:

$$\sum_{i \in \mathcal{N}} \sum_{k \in \mathcal{K}_i} \bar{v}_i^k (1 - z^k) \le p \tag{4.38}$$

We can solve (DSP1') more quickly thanks to the following proposition.

**Proposition 4.4.1.** There exists an optimal solution  $\bar{v}$  of the sub-problem (DSP1') with at most one  $k \in \mathcal{K}_i$  such that  $\bar{v}_i^k > 0$  for all  $i \in \mathcal{N}$ .

### **Proof**:

Given  $i \in \mathbb{N}$  and  $k \in \mathcal{K}$ , if  $(1 - \bar{z}^k) \leq 0$  and  $k \in \mathcal{K}_i$ , then there exists necessarily an optimal solution of (DSP1') in which  $\bar{v}_i^k = 0$ . Similarly, in an optimal solution solution  $v_i^k > 0$  implies  $(1 - \bar{z}^k) > 0$  which is possible only if  $\bar{z}^k = 0$ .

Let us assume that there exists an optimal solution  $\bar{v}$ , such that  $\bar{v}_i^{k_1} > 0$  and  $\bar{v}_i^{k_2} > 0$ , with  $k_1 < k_2$ . Then, there exists  $j_1$  and  $j_2$ , such that exists  $d_{ij_1} = D^{k_1}$ ,  $d_{ij_2} = D^{k_2}$  and  $d_{ij_1} < d_{ij_2}$ .

Note that if variable  $v_i^{k_1}$  appears in a given constraint of (DSP1'), so does  $v_i^{k_2}$  with the same coefficients. Since they have the same coefficient in the objective, it is possible to build a solution  $v^*$  equal to  $\bar{v}$  except that  $v_i^{*k_1} = \bar{v}_i^{k_1} + \bar{v}_i^{k_2}$  and  $v_i^{*k_2} = 0$ . Thus,  $v^*$  satisfies Constraints (4.37) and it has the same optimal objective value. This process can be repeated until for each index i, at most one variable  $v_i^k$  is greater than 0.

Proposition 4.4.1 allows us to obtain an optimal solution of (DSP1') by solving a sub-problem with fewer variables where for each client  $i \in \mathbb{N}$  a single variable  $v_i^k$  is considered, where k is the smallest distance index  $k \in \mathcal{K}$  such that  $\bar{z}^k = 0$ :

$$(DSP_1^*) \begin{cases} \max & \sum_{i \in \mathbb{N}} v_{i\underline{k}} \\ \text{s.t.} & \sum_{i \in \mathbb{N}: d_{ij} < D^{\underline{k}}} v_{i\underline{k}} \le 1 & j \in \mathbb{M} \end{cases}$$

$$v_{i\underline{k}} \ge 0 \qquad i \in \mathbb{N}$$

$$(4.39)$$

with  $\underline{k} = \min\{k \in \mathcal{K} : \overline{z}^k = 0\}$  for all  $i \in \mathcal{N}$ . Note  $(DSP_1^*)$  is the maximal stable set problem in the graph where the nodes are the clients and an edge links two clients that can be covered by the same site at a distance lower than  $D^k$ .

Consequently, the Benders cut associated with the optimal solution of (DSP1')  $\overline{v}_i^k$  can be rewritten as follows:

$$\sum_{i \in \mathcal{N}} \bar{v}_i^k (1 - z^k) \le p \tag{4.41}$$

# 4.4.2 Efficient master problem resolution algorithm

Usually, at each step of the Benders algorithm, the master problem and a sub-problem need to be solved.  $(MP_1)$  is an easy problem to solve since it is a minimization problem with positive coefficients in the objective, therefore the variables take the value 0 unless there is a constraint that does not allow it. Thus, the optimal solution is the smallest distance allowed by the cut added in the last iteration. Note that the cut (4.41) can be written as follows:

$$\sum_{i \in \mathcal{N}} \bar{v}_i^{\underline{k}} z^{\underline{k}} \ge \sum_{i \in \mathcal{N}} \bar{v}_i^{\underline{k}} - p$$

Consequently, given Constraints (4.30), the optimal solution of (DPS1') can be computed by successively setting the value of  $z^k = 1$  from the smallest index k that appear in the cut until the inequality is satisfied. Moreover, this decomposition can be implemented as a linear search of the distance  $D^k$  until a feasible solution is found. Indeed distance  $D^0$  is initially returned and at each iteration k, distance  $D^k$  is obtained until the optimal radius is reached. In the next section we will show the relation of this to a classical solving algorithm of using a binary search.

### 4.4.3 Binary search algorithm

As mentioned in the literature review, the well-known method to solve the p-center problem is using the relation with the set cover problem associated to a given distance  $D^k$ . It is possible to determine if the radius of a (PCP) is at most  $D^k$  by solving a Set Cover Problem (SCP) (Toregas et al. (1971)). The associated (SCP) is formulated as follows:

$$\left(SCP_{(D^k)}\right) \begin{cases} \min & \sum_{j \in \mathcal{M}} y_j \\ \text{s.t.} & \sum_{j: d_{ij} \leq D^k} y_j \geq 1 \\ & y_j \in \{0, 1\} \end{cases} \qquad i \in \mathcal{N}$$

The radius of (PCP) is at most  $D^k$  if and only if the solution value of (SCP) is at most p. The smallest distance  $D^k$  that needs at most p centers is the optimal solution of the corresponding (PCP). To find the minimum distance  $D^k$ , a binary search is used so that at most  $log_2(K+1)$  set

cover problems need to be solved. Elloumi et al. (2004) proposes a two-step solution, in which first the variables  $y_j$  are relaxed and together with heuristics to obtain good lower and upper bounds, and thus reduce reduce the number of distances for solution in integer variables in the second stage.

```
Algorithm 5: General binary search algorithm
    input: (PCP) instance data (\mathcal{N}, \mathcal{M}, p, D^1, ..., D^K)
    output: An optimal solution with centers y^* of cardinality p and radius \theta^*
 1 l \leftarrow 1, r \leftarrow K
 2 while l < r do
        h \leftarrow \lfloor (l+r)/2 \rfloor
        \theta \leftarrow D^h
 4
        y \leftarrow SCP(D^h)
                                      // Solving the corresponding set cover problem
        if |y| > p then
 6
            l \leftarrow h+1
 7
        else
 8
 9
            (\theta^*, y^*) \leftarrow (\theta, y)
11 return (\theta^*, y^*)
```

We observe experimentally that this first Benders decomposition on (F2) is slower than this general binary search method with the set cover sub-problems. The performance of this implementation may be improved in the future by using specialized techniques in the solution of maximal stable set problems, for example. In the following section we detail a second Benders decomposition in which variables  $z^k$  are relaxed in the sub-problems instead of variables  $y_i$ .

### Second Benders decomposition on formulation (F2)4.5

In this section we present the second Benders decomposition on formulation (F2). Gaar and Sinnl (2022) consider a Benders decomposition of (F1) which leads to formulation (F5). We show that (F5) is also related to this decomposition. We first relax variables  $z^k$  in (F2).

$$(F2_2) \begin{cases} \min & D^0 + \sum_{k \in \mathcal{K}} (D^k - D^{k-1}) z^k \\ \text{s.t.} & z^k + \sum_{j: d_{ij} < D^k} y_j \geq 1 \\ & z^k \geq z^{k+1} \\ & \sum_{j \in \mathcal{M}} y_j = p \\ & y_j \in \{0, 1\} \\ & z^k \geq 0 \end{cases} \qquad k \in \mathcal{K}$$
 er problem associated with variables  $y_j$  is:

The master problem associated with variables  $y_i$  is:

$$(MP_2) \begin{cases} \min & \theta \\ \text{s.t.} & \sum_{j \in \mathbb{M}} y_j = p \\ & y_j \in \{0, 1\} \end{cases}$$
  $j \in \mathbb{M}$ 

Given a solution  $\bar{y}$  of  $(MP_2)$ , the sub-problem is defined by:

$$(SP_2) \begin{cases} \min & D^0 + \sum_{k \in \mathcal{K}} (D^k - D^{k-1}) z^k \\ \text{s.t.} & z^k - z^{k+1} \ge 0 \\ & z^k \ge 1 - \sum_{j: d_{ij} < D^k} \bar{y}_j \\ & z^k \ge 0 \end{cases} \qquad k \in \{1, ..., K - 1\} \qquad (b_k) \qquad (4.42)$$

and its associated dual problem is:

$$(DSP_2) \begin{cases} \max & D^0 + \sum_{i \in N} \sum_{k \in \mathcal{K}_i} v_i^k (1 - \sum_{j:d_{ij} < D^k} \bar{y}_j) \\ \text{s.t.} & b_1 + \sum_{i \in N: 1 \in \mathcal{K}_i} v_i^1 \le D^1 - D^0 \\ b_k - b_{k-1} + \sum_{i \in N: k \in \mathcal{K}_i} v_i^k \le D^k - D^{k-1} \\ -b_{K-1} + \sum_{i \in N: K \in \mathcal{K}_i} v_i^K \le D^K - D^{K-1} \\ b_k \ge 0 \\ k \ge 0 \\ v_i^k \ge 0 \end{cases} \qquad k = 1$$

$$(4.45)$$

$$(4.46)$$

$$(4.47)$$

The optimality cut associated with an optimal solution  $\bar{v}_i^k$  of  $(DSP_2)$  is:

$$\theta \ge D_0 + \sum_{i \in N} \sum_{k \in \mathcal{K}_i} \bar{v}_i^k (1 - \sum_{j: d_{ij} < D^k} y_j)$$
 (4.48)

The resolution of this Benders decomposition gives us the optimal solution of (F2), since the integrity of variables  $z^k$  are ensured by that of variables  $y_i$ .

### 4.5.1 Efficient sub-problem resolution algorithm

We show that the sub-problem of this decomposition can be solved quickly.

**Lemma 4.5.1.** Given a solution  $\bar{y}$  of the master problem  $(MP_2)$  or of its LP-relaxation, the following solution  $\bar{z}$  is feasible for  $(SP_2)$ :

$$\bar{z}^k = \max\left(0, \max_{i \in \mathcal{N}} \left(1 - \sum_{j: d_{ij} < D^k} \bar{y}_j\right)\right) \qquad k \in \mathcal{K}$$

$$(4.49)$$

**Proof.** All  $\mathcal{K}_i$  indices are included in  $\mathcal{K}$  for at least one client, and it holds that

$$(1 - \sum_{j:d_{ij} < D^k} \bar{y}_j) \ge (1 - \sum_{j:d_{ij} < D^{k+1}} \bar{y}_j)$$
  $k \in \{1, ..., K-1\}$ 

Therefore, the solution  $\bar{z}$  satisfies Constraints (4.42) and (4.43) of (SP1).

Note that in this solution, the value of variables  $\bar{z}^k$  are not increasing when k increases. In order to obtain a complementary dual solution, we will see that it is relevant to identify the last strictly positive term of this sequence.

**Definition 4.5.1.** Given a solution  $\bar{y}$  of the master problem  $(MP_2)$  or of its LP-relaxation, let  $\tilde{k}$  be the following index:

$$\tilde{k} = \max \left\{ k \in \mathcal{K} : \left( \max_{i \in \mathcal{N}} \left( 1 - \sum_{j: d_{ij} < D^k} \bar{y}_j \right) \right) > 0 \right\}$$

$$(4.50)$$

Note that, if  $\bar{y}$  is binary, then distance  $D^{\tilde{k}}$  corresponds to the radius of the feasible solution  $\bar{y}$ . For each index  $k \leq \tilde{k}$ , we are also interested in identifying a client that limits the reduction of  $\bar{z}^k$ . **Definition 4.5.2.** Given a solution  $\bar{y}$  of the master problem  $(MP_2)$  or of its LP-relaxation and the associated index  $\tilde{k}$ , for each  $k \in \{1, ..., \tilde{k}\}$ , we define  $i_{(k)}^*$  as:

$$i_{(k)}^* \in \underset{i \in \mathbb{N}}{\arg\max} (1 - \sum_{j: d_{ij} < D^k} \bar{y}_j)$$
 (4.51)

Client  $i_{(k)}^*$  is a client that will be covered at least at the distance  $D^k$  given solution  $\bar{y}$ . Considering these definitions, we can express the optimal value of solution  $\bar{z}$ 

**Lemma 4.5.2.** Given a solution  $\bar{y}$  of the master problem  $(MP_2)$  or of its LP-relaxation, and a corresponding client  $i_{(k)}^*$  for  $k \in \{1, ..., \tilde{k}\}$ , the objective value of solution  $\bar{z}$  is:

$$\theta_{(\bar{y})}^{SP_2} = D^{\tilde{k}} - \sum_{k=1}^{\tilde{k}} (D^k - D^{k-1}) \sum_{j:d_{i_{k}^*}, j < D^k} \bar{y}_j$$
(4.52)

**Proof.** For  $k > \tilde{k}$ , we have that  $\bar{z}^k = 0$  and  $\bar{z}^k > 0$  for  $k \leq \tilde{k}$ . Consequently, the objective value of  $\bar{z}$  can be written as:

$$\begin{split} \theta_{(\bar{y})}^{SP_2} &= D^0 \; + \sum_{k \in \mathcal{K}} (D^k - D^{k-1}) \Big( \max \Big( 0, \; \max_{i \in \mathcal{N}} \big( 1 - \sum_{j: d_{ij} < D^k} \bar{y}_j \big) \Big) \\ &= D^0 \; + \sum_{k=1}^{\tilde{k}} (D^k - D^{k-1}) \Big( \max_{i \in \mathcal{N}} \big( 1 - \sum_{j: d_{ij} < D^k} \bar{y}_j \big) \Big) \\ &= D^0 \; + \sum_{k=1}^{\tilde{k}} (D^k - D^{k-1}) \big( 1 - \sum_{j: d_{i_{(k)}^*} j < D^k} \bar{y}_j \big) \\ &= D^{\tilde{k}} - \sum_{k=1}^{\tilde{k}} (D^k - D^{k-1}) \sum_{j: d_{i_{(k)}^*} j < D^k} \bar{y}_j \end{split}$$

The following proposition allows us to define an optimal solution of (DSP2).

**Proposition 4.5.1.** Given a solution  $\bar{y}$  of the master problem  $(MP_2)$  or of its LP-relaxation, and its corresponding indices  $i_{(k)}^*$  for  $k \in \{1, ..., \tilde{k}\}$ , the solution  $\bar{z}$  is optimal for  $(SP_2)$  and the following solution  $(\bar{v}, \bar{b})$  is optimal for  $(DSP_2)$  for  $k \in \mathcal{K}$ :

$$\bar{b}_k = 0 \qquad \bar{v}_i^k = \begin{cases} D^k - D^{k-1} & \text{if } k \leq \tilde{k} \text{ and } i = i_{(k)}^* \\ 0 & \text{otherwise} \end{cases}$$

**Proof.** By definition of  $\tilde{k}$ , client  $i_{(k)}^*$  exists for each  $k \leq \tilde{k}$ . It is thus easy to check that the solution  $(\bar{v}, \bar{b})$  is feasible. The objective value of this solution is:

$$\begin{split} D^0 + \sum_{i \in N} \sum_{k \in \mathcal{K}_i} \bar{v}_i^k (1 - \sum_{j: d_{ij} < D^k} \bar{y}_j) = & D^0 + \sum_{i \in N} \sum_{k=1}^{\tilde{k}} \bar{v}_i^k (1 - \sum_{j: d_{ij} < D^k} \bar{y}_j) \\ = & D^0 + \sum_{k=1}^{\tilde{k}} (D^k - D^{k-1}) (1 - \sum_{j: d_{i_{(k)}^*j} < D^k} \bar{y}_j) \\ = & D^{\tilde{k}} - \sum_{k=1}^{\tilde{k}} (D^k - D^{k-1}) \sum_{j: d_{i_{(k)}^*j} < D^k} \bar{y}_j \\ = & \theta_{(\tilde{y})}^{SP_2} \end{split}$$

Hence, this dual solution is feasible and it has the same objective value as the primal solution  $\bar{z}$ . Therefore, the solutions  $\bar{z}$  and  $(\bar{v}, \bar{b})$  are optimal for  $(SP_2)$  and  $(DSP_2)$ , respectively.

Corollary 1. The Benders cuts (4.48) can be written as follows:

$$\theta \ge D^{\tilde{k}} - \sum_{k=1}^{\tilde{k}} (D^k - D^{k-1}) \left( \sum_{j: d_{i_k^*} > j < D^k} y_j \right)$$
(4.53)

where  $\tilde{k}$  and  $i_{(k)}^*$  are defined by Definitions 4.5.1 and 4.5.2. Note that the coefficients of these cuts are integers even if the master problem is solved in continuous variables.

# 4.5.2 Representation of the cuts

Note that for a given  $k \leq \tilde{k}$  different clients can be chosen as  $i_{(k)}^*$ . Moreover, if i can be chosen as  $i_{(k)}^*$ , it can also be chosen as  $i_{(k-1)}^*$ , for all  $k \in \{2, ..., \tilde{k}\}$ , if  $\bar{y}$  is integer. This allows us to define the following corollary.

Corollary 2. If it is considered the case where  $i_{(k)}^* = i_{(\tilde{k})}^*$  for each  $k \leq \tilde{k}$ , the cuts (4.53) can be rewritten as follows.

$$\theta \ge D^{\tilde{k}} - \sum_{k=1}^{k} (D^{\tilde{k}} - D^{k}) \left( \sum_{j:d_{i_{(\tilde{k})}^{j}} = D^{k}} y_{j} \right)$$

$$\theta \ge D^{\tilde{k}} - \sum_{j:d_{i_{(\tilde{k})}^{j}} < D^{\tilde{k}}} (D^{\tilde{k}} - d_{i_{(\tilde{k})}^{j}}) y_{j}$$

$$(4.54)$$

The cuts (4.54) indicate that the radius is at least  $D^{\tilde{k}}$  unless a site j such that  $d_{i_{\tilde{k}}^*,j} < D^{\tilde{k}}$  is opened, since client  $i_{(\tilde{k})}^*$  is the one inducing this current maximal allocation distance. In that case, the allocation distance of client  $i_{(\tilde{k})}^*$  could be reduced to  $d_{i_{(\tilde{k})}^*,j}$ .

Moreover, the cuts (4.54) are included in the formulation (F5), introduced in Gaar and Sinnl (2022) for the (PCP). To see this relation directly, we write as (F5') the (PCP) formulation obtained with cuts (4.54).

(F5') 
$$\begin{cases} \min & \theta \\ \text{s.t.} & \theta \ge D^k - \sum_{j:d_{ij} < D^k} (D^k - d_{ij}) y_j & i \in \mathbb{N}, k \in \mathcal{K}_i \\ & \sum_{j \in \mathbb{M}} y_j = p \\ & y_j \in \{0, 1\} & j \in \mathbb{M} \end{cases}$$
(4.55)

It is important to note that formulation (F5') has the same linear relaxation value as (F1). Moreover, if in our Benders decomposition we relax the master problem and separate only the cuts (4.54), this same lower bound from (F1) would be obtained. However, if the cuts (4.53) are separated, we obtain the linear relaxation bound of (F2), which is better than (F1) (Elloumi et al. (2004); Ales and Elloumi (2018)).

In order to illustrate the differences between the approaches to generating the cuts, let us consider the following instance of 6 clients and sites:

$$d_{ij} = \begin{pmatrix} 526 & 202 & 399 & 699 & 383 & 629 \\ 156 & 397 & 743 & 748 & 292 & 652 \\ 741 & 465 & 55 & 427 & 446 & 396 \\ 966 & 913 & 656 & 280 & 681 & 322 \\ 350 & 213 & 688 & 915 & 448 & 828 \\ 1003 & 761 & 264 & 361 & 678 & 404 \end{pmatrix}$$

$$(4.56)$$

All distances are different, therefore we have the following 36 distinct distance values:

$$\begin{aligned} \{D^k\} = & \{55, 156, 202, 213, 264, 280, 292, 322, 350, 361, 383, 396, \\ & 397, 399, 404, 427, 446, 448, 465, 526, 629, 652, 656, 678, \\ & 681, 688, 699, 741, 743, 748, 761, 828, 913, 915, 966, 1003 \} \end{aligned}$$

For p = 3 this instance has an optimal value of  $D^{12} = 397$ , a linear relaxation value of  $D^5 = 280$  and 319.666 (close to  $D^7$ ) from formulations (F1) and (F2), respectively.

If we use our Benders decomposition with cuts (4.53), we obtain the following 7 cuts

1. 
$$i_{(k \in \{0, \dots, 2\})}^* = 1, \ i_{(k \in \{3, \dots, \tilde{k} = 22\})}^* = 4:$$
  $\theta + 376y_4 + 334y_6 \ge 656$ 
2.  $i_{(k \in \{0, \dots, 2\})}^* = 1, \ i_{(k \in \{3, \dots, \tilde{k} = 12\})}^* = 2:$   $\theta + 195y_1 + 105y_5 \ge 397$ 
3.  $i_{(k \in \{0, \dots, \tilde{k} = 19\})}^* = 1:$   $\theta + 324y_2 + 127y_3 + 143y_5 \ge 526$ 
4.  $i_{(k \in \{0, \dots, 2\})}^* = 1, \ i_{(k \in \{3, \dots, \tilde{k} = 15\})}^* = 3:$   $\theta + 225y_3 + 31y_6 \ge 427$ 
5.  $i_{(k \in \{0, \dots, 10\})}^* = 1, \ i_{(k \in \{11, \dots, \tilde{k} = 17\})}^* = 5:$   $\theta + 65y_1 + 246y_2 \ge 448$ 
6.  $i_{(k \in \{0, \dots, 10\})}^* = 1, \ i_{(k \in \{12, \dots, \tilde{k} = 14\})}^* = 6:$   $\theta + 181y_2 + 21y_3 + 8y_4 \ge 404$ 
7.  $i_{(k \in \{0, \dots, 2\})}^* = 1, \ i_{(k \in \{3, \dots, 11\})}^* = 3, \ i_{(k \in \{12, \dots, \tilde{k} = 14\})}^* = 6:$   $\theta + 202y_3 + 8y_4 \ge 404$ 

If we now use cuts (4.54), we obtain the following 6 cuts:

1. 
$$i_{(k \in \{0,...,\tilde{k}=22\})}^* = 4$$
:  $\theta + 376y_4 + 334y_6 \ge 656$ 
2.  $i_{(k \in \{0,...,\tilde{k}=12\})}^* = 2$ :  $\theta + 241y_1 + 105y_5 \ge 397$ 
3.  $i_{(k \in \{0,...,\tilde{k}=19\})}^* = 1$ :  $\theta + 324y_2 + 127y_3 + 143y_5 \ge 526$ 
4.  $i_{(k \in \{0,...,\tilde{k}=15\})}^* = 3$ :  $\theta + 372y_3 + 31y_6 \ge 427$ 
5.  $i_{(k \in \{0,...,\tilde{k}=17\})}^* = 5$ :  $\theta + 98y_1 + 235y_2 \ge 448$ 
6.  $i_{(k \in \{0,...,\tilde{k}=17\})}^* = 6$ :  $\theta + 140y_3 + 43y_4 \ge 404$ 

We can note the difference in the coefficients in most the constraints. For example, at iteration 5  $\bar{y} = (0, 0, 1, 1, 1, 0)$ , i.e., the sites 3, 4 and 5 are opened. For this solution the radius is  $D^{16} = 448$ . For the first approach, the cut (4.53) considers  $i_{(k)}^* = 1$  for  $0 \le k \le 10$  and  $i_{(k)}^* = 5$  for  $11 \le k \le 17$ . Meanwhile, for the cut (4.54) we consider  $i_{(k)}^* = i_{(\tilde{k}=17)}^* = 5$  for all  $k \le \tilde{k}$ , which leads to different linear relaxation values for the master problem.

In this example, due to the choices of  $i_{(k)}^*$  for all  $k \leq \tilde{k}$  at each iteration, the Benders decomposition based on cuts (4.53) leads to more iterations that the one based on cuts (4.54). However, since cuts (4.54) are included in (4.53), there necessarily exist choices of  $i_{(k)}^*$  that enable to obtain the same number of iterations (and potentially fewer). Moreover, (4.53) are included in Constraints (4.55) of formulation (F5'). However, note that the cuts (4.53) depend on a feasible solution  $\bar{y}$ , which is not the case of the constraints in (F5').

Now, if we relax the integrity of y in the master problem, we obtain 15 cuts (4.53) and 8 cuts (4.54). For example, in the corresponding second iteration both consider the fractional solution  $\bar{y} = (0.1617, 1.0, 0.0, 1.0, 0.0, 0.8383)$ , i.e., to open (fractionally) sites 1, 2, 4, and 6. The first cut (4.53) is:

$$\theta + y_1 + 224y_3 + y_5 + 30y_6 \ge 427$$

With a sub-problem solution value of 401.6886, this cut considers:

$$i_{(k)}^* = \begin{cases} 1 & 0 \le k \le 2\\ 3 & 3 \le k \le 11\\ 2 & k = 12\\ 3 & 13 \le k \le 15 \end{cases}$$

While if only  $i_{(\tilde{k}=15)}^*=3$  is considered, the following cut (4.54) is obtained

$$\theta + 372y_3 + 31y_6 \ge 427$$

with a sub-problem solution value of 401.0120. Although more cuts are needed for the first approach, an objective value of 319.666 is obtained while in the second one we obtain a value of 280. These values correspond to the relaxation bound of (F2) and (F1), respectively. The following section shows how to strengthen these different cuts.

### 4.5.3 Lifting procedure

In the PCP, if a lower bound LB of the optimal radius is known, all distances that are lower than LB can be replaced by LB. This is presented and exploited in the lifting procedure proposed by Gaar and Sinnl (2022). Consequently, formulation (F5') can be strengthened as follows.

$$(\overline{F5'}) \begin{cases} \min & \theta \\ \text{s.t.} & \theta \ge D^k - \sum_{j:d_{ij} < D^k} (D^k - \max\{d_{ij}, LB\}) y_j & i \in \mathbb{N}, k \in \mathbb{K} : D^k > LB \quad (4.57) \end{cases}$$

$$\frac{\partial}{\partial y_j} = p$$

$$y_j \in \{0, 1\} \qquad j \in \mathbb{M}$$

Gaar and Sinnl (2022) update the lower bound LB with the value of the master problem solution at each iteration of the cut separation step in a branch-and-cut approach. We can also use this procedure to strengthen our Benders cuts (4.53) as follows:

$$\theta \ge D^{\tilde{k}} - \sum_{k=1}^{\tilde{k}} (\max\{D^k, LB\} - \max\{D^{k-1}, LB\}) (\sum_{j: d_{i_k, j}^* < \max\{D^k, LB\}} y_j)$$
(4.59)

Similarly, the lifted version of cut (4.54) is:

$$\theta \ge D^{\tilde{k}} - \sum_{j:d_{i_{(\tilde{k})}^*} < D^{\tilde{k}}} (D^{\tilde{k}} - \max\{d_{i_{(\tilde{k})}^*j}, LB\}) \bar{y}_j \tag{4.60}$$

In order to illustrate the impact of the lifting on the Benders decomposition, we now consider them in a Benders decomposition with an integer y on instance (4.56) with strengthened cuts (4.59)we obtain:

$$\begin{array}{llll} 1. & i^*_{(k \in \{0, \dots, 2\})} = 1, \ i^*_{(k \in \{3, \dots, \tilde{k} = 22\})} = 4, & LB = 0: & \theta + 376y(3) + 334y(5) \geq 656 \\ 2. & i^*_{(k \in \{0, \dots, 2\})} = 1, \ i^*_{(k \in \{3, \dots, \tilde{k} = 12\})} = 2, & LB = D^0 = 55: & \theta + 195y(0) + 105y(4) \geq 397 \\ 3. & i^*_{(k \in \{2, \dots, \tilde{k} = 19\})} = 1, & LB = D^2 = 202: & \theta + 324y(1) + 127y(2) + 143y(4) \geq 526 \\ 4. & i^*_{(k \in \{5, \dots, \tilde{k} = 15\})} = 3, & LB = D^5 = 280: & \theta + 147y(2) + 31y(5) \geq 427 \\ 5. & i^*_{(k \in \{6, \dots, 10\})} = 1, \ i^*_{(k \in \{11, \dots, \tilde{k} = 17\})} = 5, & LB = D^6 = 292: & \theta + 65y(0) + 156y(1) \geq 448 \\ 6. & i^*_{(k \in \{11, \dots, \tilde{k} = 14\})} = 6, & LB = D^{11} = 396: & \theta + 8y(2) + 8y(3) \geq 404 \end{array}$$

with the strengthened cuts (4.60) are:

the strengthened cuts (4.60) are: 
$$1. \qquad i^*_{(k \in \{0, \dots, \tilde{k} = 22\})} = 4, \qquad LB = 0: \qquad \qquad \theta + 376y(3) + 334y(5) \geq 656$$

$$2. \qquad i^*_{(k \in \{0, \dots, \tilde{k} = 12\})} = 2, \qquad LB = D^0 = 55: \qquad \qquad \theta + 241y(0) + 105y(4) \geq 397$$

$$3. \qquad i^*_{(k \in \{1, \dots, \tilde{k} = 19\})} = 1, \qquad LB = D^1 = 156: \qquad \theta + 324y(1) + 127y(2) + 143y(4) \geq 526$$

$$4. \qquad i^*_{(k \in \{5, \dots, \tilde{k} = 15\})} = 3, \qquad LB = D^5 = 280: \qquad \qquad \theta + 147y(2) + 31y(5) \geq 427$$

$$5. \qquad i^*_{(k \in \{6, \dots, \tilde{k} = 17\})} = 5, \qquad LB = D^6 = 292: \qquad \qquad \theta + 98y(0) + 156y(1) \geq 448$$

$$6. \qquad i^*_{(k \in \{11, \dots, \tilde{k} = 14\})} = 6, \qquad LB = D^{11} = 396: \qquad \qquad \theta + 8y(2) + 8y(3) \geq 404$$

We see how the LB value increases to 396 in both cases. This value corresponds to  $LB^*$  introduced in Elloumi et al. (2004) and also presented in Gaar and Sinnl (2022) as the best known lower bound for the (PCP). Note that as LB increases, the coefficients of the variables  $y_j$  in the cuts decrease. The strengthening of cuts (4.53) enables to reduce by one the number of iterations.

This lifting procedure can also be used for fractional solutions, the values of 361 and 350 are obtained as relaxations bound of the master problem for both approaches instead of 319,666 and 280, respectively. In general, this procedure considerably reduces the number of iterations and thus the total computation time.

### Separation algorithms 4.5.4

In this section we present our algorithms to obtain the different Benders cuts introduced previously. Algorithm 6 presents our separation algorithm for the strengthened cuts (4.59) and Algorithm 7 for the strengthened cuts (4.60). Moreover, Algorithm 8 presents how to separate one strengthened Benders cut (4.60) for each client  $i \in N$ .

In Algorithm 6, for each value of k from the distance index  $k^{LB}$  of the lower bound LB = $D^{(k^{LB})}$ , the value  $\beta_k = \max_{i \in \mathbb{N}} \left(1 - \sum_{j:d_{ij} < D^k} \bar{y}_j\right)$  and an associated client  $i_{(k)}^*$  are calculated (Steps 3 to 8). Then, we sequentially compute the sub-problem objective value  $\theta^{(SP)}$  and construct the corresponding Benders cut  $\theta \ge w(y)$  (Steps 9 to 17). If the cut is violated by the solution of the master problem (i.e.,  $\theta^{(SP)} > LB$ ), then the cut is added to the (MP) (Step 18 to 19).

# **Algorithm 6:** Separation algorithm for a lifted single cut (4.59)

# input:

- Instance data  $(N, \mathcal{M}, \mathcal{K}, \text{ distances } D^0, ..., D^K \text{ and } d_{ij} \text{ for each } i \in \{1...N\}, j \in \{1...M\})$
- Current (MP) solution  $\bar{y}$  and a lower bound  $(LB, k^{LB})$

output: •  $\tilde{k}$  index and the sub-problem objective value  $\theta^{(SP)}$  $\theta^{(SP)} \leftarrow LB$ 2 for  $k \in \{k^{LB}+1,...,\mathcal{K}\}$  do // Compute  $i_{(k)}^*$  and the  $\beta_k = \max_{i \in \mathbb{N}} \left(1 - \sum_{j:d_{ij} < D^k} \bar{y}_j\right)$  $\beta_k \leftarrow 0$  $\beta_{ik} \leftarrow 1 - \sum_{j:d_{ij} < D^k} \overline{y}_j$   $\mathbf{if} \ \beta_{ik} > \beta_k \ \mathbf{then}$   $\beta_k \leftarrow \beta_{ik}$   $i_{(k)}^* \leftarrow i$ 6 7 8 if  $\beta_k > 0$  then 9 // Compute  $\theta^{(SP)}$  and generate the cut  $\theta \geq w(y)$ **10**  $v_i^k \leftarrow \max\{D^k, LB\} - \max\{D^{k-1}, LB\}$  $\theta^{(SP)} \leftarrow \theta^{(SP)} + \beta_k v_i^k$ 11 12 for  $j \in \mathcal{M}$  do **13** 14 **15** else 16 break 18 if  $\theta^{(SP)} > LB$  then Add  $\theta \geq D^{\tilde{k}} - w(y)$  to (MP) 20 return  $(\tilde{k}, \theta^{(SP)})$ 

In Algorithm 7, for each client  $i \in \mathcal{N}$  we compute the value  $\beta_{ik} = \max\left(0, \left(1 - \sum_{j:d_{ij} < D^k} \bar{y}_j\right)\right)$  for  $k \in \mathcal{K}$  calculating the client allocation distance  $\theta_i$  (Step 3 to 10). It is then updated the sub-problem objective value  $\theta^{(SP)}$  and the client  $i_{\tilde{k}}^*$  (Steps 11 to 13). If the cut is violated by the solution of the master problem, then the Benders cut associated to  $i_{\tilde{k}}^*$  is added to the (MP) (Step 14 to 15).

## **Algorithm 7:** Separation algorithm for a lifted single cut (4.60).

### input:

- Instance data  $(N, \mathcal{M}, \mathcal{K}, \text{ distances } D^0, ..., D^K \text{ and } d_{ij} \text{ for each } i \in \{1...N\}, j \in \{1...M\})$
- Current (MP) solution  $\bar{y}$  and a lower bound  $(LB, k^{LB})$

# output:

•  $\tilde{k}$  index, client  $i_{(\tilde{k})}^*$  index and the sub-problem objective value  $\theta^{(SP)}$ ,

```
\theta^{(SP)} \leftarrow LB
   2 for i \in \mathbb{N} do
   3
                \theta_i \leftarrow LB
                \beta_{ik} \leftarrow 1 \\ k = k^{LB}
   4
                while \beta_{ik} > 0 do
                         k \leftarrow k+1
   7
                  \beta_{ik} \leftarrow \beta_{ik} - \sum_{j:d_{ij} = D^{k-1}} \bar{y}_j
\theta_i \leftarrow \theta_i + (D^k - D^{k-1}) \max(0, \beta_{ik})
\tilde{k} \leftarrow k
   8
10
                if \theta_i > \theta^{(SP)} then \theta^{(SP)} \leftarrow \theta_i
11
12
                    i^*_{\tilde{k}} \leftarrow i
13
14 if \theta^{(SP)} > LB then
                Add \theta \ge D^{\tilde{k}} - \sum_{j:d_{i_{(\tilde{k})}^*,j} < D^{\tilde{k}}} (D^{\tilde{k}} - \max\{d_{i_{(\tilde{k})}^*j}, LB\}) y_j \text{ to (MP)}
16 return (\tilde{k}, \theta^{(SP)})
```

Algorithm 8, is similar to Algorithm 7, for each client  $i \in \mathbb{N}$  we compute the value  $\beta_{ik} = \max\left(0, \left(1 - \sum_{j:d_{ij} < D^k} \bar{y}_j\right)\right)$  for  $k \in \mathcal{K}$  (Steps 3 to 12). Nevertheless, we evaluate directly if the client allocation distance  $\theta_i$  is greater than LB. If it is the case, the corresponding Benders cut for the client i is added to the master problem and the sub-problem objective value  $\theta^{(SP)}$  is updated (Steps 14 to 16).

# **Algorithm 8:** Separation algorithm with multi-cut approach for the lifted cuts (4.60).

- Instance data  $(N, M, K, \text{ distances } D^0, ..., D^K \text{ and } d_{ij} \text{ for each } i \in \{1...N\}, j \in \{1...M\})$
- Current (MP) solution  $\bar{y}$  and a lower bound  $(LB, k^{LB})$

output: •  $\tilde{k}$  index and the sub-problem objective value  $\theta^{(SP)}$  $\theta^{(SP)} \leftarrow 0$ 2 for  $i \in \mathbb{N}$  do  $\theta_i \leftarrow LB$  $\beta_{ik} \leftarrow 1$ 4  $k=k^{LB}$ while  $\beta_{ik} > 0$  do 6  $k \leftarrow k+1$ 7  $\beta_{ik} \leftarrow \beta_{ik} - \sum_{j:d_{ij} = D^{k-1}} \bar{y}_j$  $\theta_i \leftarrow \theta_i + (D^k - D^{k-1}) \max(0, \beta_{ik})$ 9 if  $(\beta_{ik} > 0)$  then  $\begin{bmatrix}
\theta_i \leftarrow \theta_i + (D^k - D^{k-1})\beta_{ik} \\
\tilde{k} \leftarrow k
\end{bmatrix}$ **10** 11 12if  $\theta_i > LB$  then **13** Add  $\theta \ge D^{\tilde{k}} - \sum_{j:d_{ij} < D^{\tilde{k}}} (D^{\tilde{k}} - \max\{d_{ij}, LB\}) y_j$  to (MP) **14** if  $\theta_i > \theta^{(SP)}$  then **15**  $\theta^{(SP)} \leftarrow \theta_i$ 16

17 return  $(\tilde{k}, \theta^{(SP)})$ 


# 4.6 Clustering decomposition algorithm

We now propose a new exact solution method that takes advantage of the specific characteristics of the (PCP). As exploited by both Contardo et al. (2019) and Gaar and Sinnl (2022), the (PCP) can be solved by considering a subset of clients, and increasing this subset until the optimality is reached.

# 4.6.1 Clustering Procedure

The main idea of our clustering procedure is to efficiently solve the (PCP) by considering only the representatives of a set of the clusters of a partition of the clients. Once a solution of (PCP) is obtained, we check if it is optimal for the initial set of clients  $i \in \mathbb{N}$ . If not, the number of clusters considered is increased. To that end, we remove relevant clients from the clusters, each of them becoming a new cluster of size one.

Figure 4.2a shows the instance of 40 nodes considered in Chapter 1 with a partition of the clients of 8 clusters in which the representatives are marked as stars. Applying our algorithm, clients are sequentially removed from these clusters until the partition in Figure 4.2b is obtained. Consequently, only considering the associated representatives is sufficient to obtain the optimal solution presented in Figure 4.2c.



More formally, let  $\mathcal{C} = \{C_1, ..., C_T\}$  be the partition of the clients into T clusters and let  $r_t$  be the representative of cluster  $C_t$ . Let  $y_{\mathcal{C}}$  be the set of sites opened in an optimal solution of the (PCP) on the set of representatives  $I = \{r_t\}_{t=1}^T$  and let  $v_{\mathcal{C}}$  be its objective value. Indeed, for each solution of a (PCP), a lower and an upper bound can be identified. The value  $v_{\mathcal{C}}$  is a lower bound of the original problem since considering a subset of clients can only reduce the objective value. Moreover, the solution  $y_r$  can be evaluated on all the clients  $i \in \mathcal{N}$ , thus providing an upper bound.

To significantly reduce the computation time, we extend the notion of *dominated sites* introduced in Church (1984).

**Definition 4.6.1.** A site  $j_1 \in \mathbb{M}$  is dominated by another site  $j_2 \in \mathbb{M}$  if  $d_{ij_1} > d_{ij_2}$  for all clients  $i \in I \subset \mathbb{N}$ .

**Proposition 4.6.1.** There necessarily exists an optimal solution in which the opened sites are all non dominated.

**Proof.** If a site  $j_1$  dominated by  $j_2$  is opened, then  $j_1$  can be replaced by  $j_2$  without deteriorating the value of the solution.

Algorithm 9 outlines the general structure of our algorithm. To obtain an initial set of clusters (Step 1), we consider the well-known clustgering heuristic K-means. It aims to minimize the sum of squared distances between data points and their designated cluster centers. The algorithm begins by randomly placing cluster centers, then assigning data points based on their proximity to these centers. After that, the centers are recalculated according to the assigned points, and the process is repeated until the stabilization of centers is achieved. The algorithm is run from different initializations and the best solution obtained is kept. K-means requires specifying the number of clusters beforehand. We consider p + 2 as the value of K.

For each cluster  $C_t$ , the client whose coordinates are the closest to the barycenter of all clients in the cluster is selected as the representative  $r_t$ . The advantage of this approach is that we do not need to compute the distances between all clients and all sites which would be prohibitive for large instances. Instead, we only compute the distances between the cluster representatives and the sites (Steps 2 and 3), and then identify the non-dominated sites (Step 4).

To improve the efficiency of the algorithm, we consider a two stage implementation. In the first stage, the linear relaxation of (PCP) is solved (Steps 8 to 12) while in the second stage we solve the integer (PCP). More precisely, in the first stage, a fractional solution  $y_c$  with an objective value of LB is obtained (Step 8). From  $y_c$ , we obtain an integer solution  $y_i$  by opening the sites associated with the p highest components of  $y_c$  (Step 9). To obtain more interesting integer

solutions, we apply the local search heuristic from Contardo et al. (2019) to solution  $y_i$  (Step 10 and 13). This enables to find a set of solutions S that cover within the same radius LB more non-representative clients and can potentially improve the upper bound UB. For each solution in S, we then try to identify non-representative clients whose allocation distance is greater than UB to create new clusters (Steps 11 and 14). This procedure for updating the clusters is summarized in Algorithm 10.

# **Algorithm 9:** Clustering decomposition algorithm for (PCP)

### input:

- Instance data  $(N, M, K, \text{ distances } d_{ij} \text{ for each } i \in \{1...N\}, j \in \{1...M\})$
- A lower bound LB and an upper bound UB

### output:

- An optimal (PCP) solution  $y_{UB}$  and its value UB
- 1 Create the initial clusters  $\mathcal{C} = \{C_1, ..., C_T\}$  and a set  $I = \{r_t\}_{t=1}^T$  of representatives of the clusters
- **2** Compute the distances  $d_{r_t j}$  between all representatives  $r_t \in I$  and all the sites  $j \in \mathcal{M}$
- **3** Compute the ordered distances  $D^0, ..., D^{K_{\mathcal{C}}}$  between representatives I and all sites in M
- 4 Identify the set  $\overline{J}$  of non-dominated sites for the representatives I

```
5 (LB, UB) \leftarrow (-\infty, +\infty)
```

6 while LB < UB do

```
while the size of |C| increases do
               (y_c, LB) \leftarrow SolveContinousPCP(I, \overline{J})
                                                                                                                           // First stage
 8
               (y_i, \theta) \leftarrow getFeasibleSolution(y_c)
               S \leftarrow findAlternativeSolutions(y_i, \theta)
10
               (\mathfrak{C}, I, \overline{J}, UB) \leftarrow updateClusters(\mathfrak{C}, I, \overline{J}, \theta, S, UB)
11
          (y_i, \theta, LB) \leftarrow SolveIntegerPCP(I, \overline{J})
                                                                                                                        // Second stage
12
          S \leftarrow findAlternativeSolutions(y_i, \theta)
13
          (\mathfrak{C}, I, \overline{J}, UB) \leftarrow updateClusters(\mathfrak{C}, I, \overline{J}, \theta, S, UB)
14
```

15 return  $y_{UB}, UB$ 

The clients in each cluster  $C_t$  are divided into four quadrants depending on whether they are located above, under, on the left or on the right of their representative  $r_t$ . For each solution  $y_s \in S$  and each quadrant we remove from the cluster the client furthest from  $r_t$  that is not covered at distance UB by  $y_s$ . The use of quadrants enables to both limit the number of new clusters created and to add ones which positions are as diverse as possible. At this step, the optimal radius over all clients  $i \in N$  is also computed and the distances and non-dominated sites are updated.

```
Algorithm 10: updateClusters(C, I, \overline{J}, \theta, S, UB)
```

```
1 for y_s \in S do
        for C_t \in \mathcal{C} do
            for quadrants of C_t do
 3
                for i \in C_t in decreasing order of distance to r_t do
 4
                    \mathbf{5}
                                 // Only 1 client removed form the cluster per quadrant
 7
        \overline{\theta}_s \leftarrow \text{radius of solution } y_s \text{ over all clients } i \in \mathcal{N}
        if \overline{\theta}_s < UB then
         UB \leftarrow \overline{\theta}_s
10
11 if UB has been updated then
       Update the distances d_{r_t j}, D^0, ..., D^{K_C}, and the non-dominated sites \overline{J}.
12
```

# 4.6.2 Solving the corresponding (PCP)

Algorithm 9 requires the solution of continuous and integer (PCP) (Steps 8 and 12) associated with the set of representatives I and non-dominated sites  $\overline{J}$ . In the computational experiments (Section 4.7), we have considered two approaches. The first one is based on our Benders decomposition presented in Section 4.5. The second one is based on a binary search of an associated set cover problem from Elloumi et al. (2004) and Contardo et al. (2019) previously described in Section 4.4.3. This latter approach also inspired the two stages of our Algorithm 9 and is also considered in Contardo et al. (2019).

# 4.6.3 Rounding the distances

The solution time of the (PCP) generally significantly depends on K, the number of distinct distances between the clients and the sites. To improve the performances, we propose the iterative Algorithm 11 in which the distances are rounded down less and less coarsely until an optimal solution is obtained.

## Algorithm 11: solveByModuloClusters()

### input:

- Instance data  $(N, M, K, \text{ distances } d_{ij} \text{ for each } i \in \{1...N\}, j \in \{1...M\})$
- A lower bound LB and an upper bound UB

## output:

- An optimal (PCP) solution y and its value UB
- 1  $\mathcal{C} \leftarrow$  Partition of the clients
- 2  $\alpha \leftarrow$  Average number of digits in the distances between sites and representatives
- 3 while  $\alpha \geq 0$  do
- (LB, y, C) ← Use Algorithm 9 to solve the (PCP) in which each distance d<sub>ij</sub> is replaced by 10<sup>α</sup> [ d<sub>ij</sub> / 10<sup>α</sup> ] and C is used as the initial partition
   θ ← Radius of solution y without rounding the distances
   UB ← min(UB, θ)
- $b \cup D \leftarrow \min(UD)$
- 7  $\alpha \leftarrow \alpha 1$

s return (y, UB)

Note that since all the distances are rounded down at Step 4, the value LB obtained constitute a lower bound on the optimal solution. Moreover, the evaluation of the solution on all clients with the original distances provides an upper bound of at most  $LB + 10^{\alpha}$  (Steps 5 and 6). This enables to further reduce the number of distinct distances considered at the next iteration of Step 4.

Finally, since the clients removed from their cluster at a given iteration are likely to be relevant for the subsequent iterations we only cluster the clients once at the beginning of Algorithm 11. The same partition C is then both used as the initial partition and updated within Algorithm 9 (Step 4).

# 4.7 Computational experiments

In this section we present the experimental results of the Benders decomposition and of the Clustering based algorithm. Our study was carried out on an Intel XEON W-2145 processor 3,7 GHz, with 16 threads, but only 1 was used, and 256 GB of RAM. IBM ILOG CPLEX 20.1 was used as MILP solver for all the methods. Particularly, the Benders decomposition method presented in Section 4.5 was implemented in C++ while the clustering and rounding methods presented in Section 4.6 were implemented in Julia.

# 4.7.1 Second Benders decomposition performance

As the *p*-median problem in Section 3.3.5, a two-phase Benders decomposition has been considered. In the first one, the master problem is relaxed, and in the second one, the integrity of variables of the master problem are restored and it is solved in a *branch-and-cut* framework.

To illustrate the impact of the different Benders cuts, we have noted each of the separation approaches as follows:

- sck: separation of a single cut involving different  $i_{(k)}^*$  indexes depending on k (i.e., use of Algorithm 6 with the non-lifted inequalities (4.53)).
- sckL: separation of a lifted single cut involving different  $i_{(k)}^*$  indexes depending on k (i.e., use of Algorithm 6 with the lifted inequalities (4.59)).
- $sc\tilde{k}$ : separation of a single cut involving only the index  $i^*_{(\tilde{k})}$  (i.e., use of Algorithm 7 with the non-lifted inequalities (4.54)).
- $sc\tilde{k}L$ : separation of a lifted single cut involving only the index  $i*_{(\tilde{k})}$  (i.e., use of Algorithm 7 with the lifted inequalities (4.60)).
- $mc\tilde{k}$ : separation of a cut involving an index  $i^*_{(\tilde{k})}$  for each client  $i \in \mathbb{N}$  (i.e., use of Algorithm 8 with the non-lifted inequalities (4.54).
- $mc\tilde{k}L$ : separation of a lifted cut involving an index  $i^*_{(\tilde{k})}$  for each client  $i \in \mathcal{N}$  (i.e., use of Algorithm 8 with the lifted inequalities (4.60)).

Table 4.3 presents the results obtained in five ORLIB instances. For both phases, we present the optimality gap at the end of the phase to the best feasible solution (gap), the number of iterations (iters), the number of cuts added (cuts) and the cpu time (t[s]). For the first phase, we present the obtained lower bound found (LB), while for the second phase we present the upper bound (UB). A time limit (TL3) of 500 seconds has been considered. The last column shows the total cpu time of both phases.

Firstly, we can note the great effect of the lifting procedure of Gaar and Sinnl (2022) adapted to our Benders decomposition, which allows to increase the lower bounds in the first phase, thus reducing the iterations and cuts on both phases in most instances for the three approaches. Although Algorithm 6 leads to higher LB, it is less efficient in terms of computational time. This approach without the lifting cannot solve to optimality the instances within the time limit. The same applied to Algorithm 7 even though it is better in most instances. In contrast, the multi-cut approach of Algorithm 8 is much faster than the others without the lifting, although it has the worst relaxations value lb in the first phase. Although this multi-cut implementation does not present the best total time, this approach in Gaar and Sinnl (2022) can be much faster for the same instances. Consequently, implementation improvements are required in Algorithm 6 in order to take better advantage of the strength of its relaxation equal to that of (F2) as opposed to the other which relaxation is equal to that of (F1), as discussed in the Section 4.5.2.

I	nstance		Algorithm	Phase 1						Phase 2						
name	N = M	p		LB	gap	iters	cuts	t[s]	UB	gap	iters	cuts	t[s]	time[s]		
pmed03	100	10	sck	81	34%	1260	1260	19,96	96	8%	73	73	TL3	TL3		
			$sc\tilde{k}$	62	63%	99	99	0,26	93	0%	6973	6973	5,70	5,96		
			$mc ilde{k}$	62	95%	7	247	0,02	93	0%	40	1065	2,41	2,43		
			sckL	93	2%	651	651	5,07	93	0%	1	1	0,12	5,19		
			$sc\tilde{k}L$	86	20%	109	109	0,12	93	0%	62	62	0,43	0,54		
			$mc\tilde{k}L$	46	168%	2	90	0,01	93	0%	32	588	0,60	0,61		
pmed06	200	5	sck	75	22%	669	669	11,20	84	2%	90	90	TL3	TL3		
			$sc\tilde{k}$	63	45%	71	71	0,21	84	0%	5670	5670	16,14	16,36		
			$mc ilde{k}$	63	53%	5	324	0,03	84	0%	5	285	1,16	1,19		
			sckL	82	7%	161	161	0,40	84	0%	2	2	7,07	7,47		
			$sc\tilde{k}L$	79	15%	72	72	0,07	84	0%	11	11	0,34	0,41		
			$mc\tilde{k}L$	56	72%	2	195	0,02	84	0%	30	529	1,13	1,15		
pmed11	300	5	sck	53	15%	379	379	4,75	59	2%	105	105	TL3	TL3		
			$sc\tilde{k}$	46	33%	47	47	0,12	59	0%	5074	5074	$6,\!45$	6,56		
			$mc\tilde{k}$	46	44%	5	412	0,04	59	0%	8	690	1,68	1,72		
			sckL	58	3%	101	101	0,20	59	0%	3	3	0,60	0,80		
			$sc\tilde{k}L$	56	7%	60	60	0,05	59	0%	121	121	0,23	0,28		
			$mc\tilde{k}L$	41	62%	2	295	0,02	59	0%	16	246	1,76	1,79		
$\operatorname{pmed}22$	500	10	sck	34	23%	1004	1004	39,93	39	10%	89	89	TL3	TL3		
			$sc\tilde{k}$	29	44%	111	111	$0,\!56$	39	12%	3530	3530	TL3	TL3		
			$mc ilde{k}$	29	53%	4	675	0,06	39	7%	44	2513	TL3	TL3		
			sckL	37	5%	399	399	$10,\!15$	38	0%	16	16	128,09	138,24		
			$sc\tilde{k}L$	35	17%	102	102	0,18	38	0%	89	89	$27,\!55$	27,73		
			$mc\tilde{k}L$	26	66%	2	490	0,03	38	0%	29	664	31,81	31,84		
$\rm pmed 26$	600	5	$ sck_{\tilde{\epsilon}} $	34	14%	334	334	5,83	38	4%	15	15	TL3	TL3		
			$sc\tilde{k}_{\tilde{z}}$	30	36%	60	60	0,23	38	0%	3296	3296	$113,\!42$	113,65		
			$mc\tilde{k}$	30	42%	4	704	0,09	38	0%	15	835	246,68	246,77		
			$ sck_{\tilde{L}}L $	37	3%	112	112	0,32	38	0%	6	6	9,49	9,81		
			$sc\tilde{k}L$	36	6%	54	54	0,08	38	0%	168	168	$0,\!52$	0,60		
			$mc\tilde{k}L$	28	56%	2	595	0,07	38	0%	16	179	7,71	7,78		

Table 4.3: Results on ORLIB instance of the performance between Benders decompositions according to the cut separation approach. TL3=500s.

# 4.7.2 Clustering performance

Different methods can be considered to solve the (PCP) encountered in our clustering method presented in Algorithm 10. The binary search algorithm from Elloumi et al. (2004), while not being the most efficient to solve large (PCP) problems by itself, appeared to be the most efficient within our clustering approach. Indeed, this approach provided better results than when our clustering algorithms was combined with the branch-and-cut algorithm from Gaar and Sinnl (2022). Consequently, in the following, all the (PCP) problems of our clustering approach are solved using the binary search algorithm.

To enables a fair comparison, we were able to run the methods from Gaar and Sinnl (2022) and Contardo et al. (2019) with CPLEX on the same computer than our clustering algorithm. In particular, the code of Gaar and Sinnl (2022) was provided to us as an executable program with a defined time limit of 1800 seconds (TL4). Therefore, we have set the same time limit for the two other methods. The results are summarized in the Tables 4.4 and 4.5. We present the lower bound (LB), the value (UB) of the best solution found (in **bold** if it is optimal), the relative gap between these bound (gap) and the cpu-time in seconds (t[s]).

Our method outperforms Gaar and Sinnl (2022) and Contardo et al. (2019) on most TSP instances in Table 4.4, only Gaar and Sinnl (2022) have better solution times for small values of p. On the other hand, Contardo et al. (2019) outperform Gaar and Sinnl (2022) in certain instances, as already presented Gaar and Sinnl (2022). For large TSP instances in Table 4.5, both methods can be faster than us for small values of p. However, when the time limit is reached, better optimality gaps are obtained in most instances. We believe that with a longer time limit, our method could obtain better results. The scalability of our method is based on the iterative rounding of the distances with the modulo function, which in the first iterations could generate larger optimality gap in some instances.

Instance			UB			LB			gap				
-name	p	Clus.	Gaar	Cont.	Clus.	Gaar	Cont.	Clus.	Gaar	Cont.	Clus.	$\frac{t[s]}{\text{Gaar}}$	Cont.
fl1400	2	1193	1193	1193	1193	1193	1193	0%	0%	0%	0,1	0,1	5,7
	3	909	909	909	909	909	909	0%	0%	0%	0,1	0,1	0,5
	5	662	<b>662</b>	<b>662</b>	662	662	662	0%	0%	0%	0,1	0,1	0,6
	10	389	389	389	389	389	389	0%	0%	0%	0,1	0,1	0,8
	15	312	312	312	312	312	312	0%	0%	0%	0,2	0,1	0,9
	20	246	<b>246</b>	<b>246</b>	246	246	246	0%	0%	0%	0,2	0,2	1,5
	50	87	87	87	87	87	87	0%	0%	0%	0,4	0,3	3,7
u1817	2	1061	1061	1061	1061	1061	1061	0%	0%	0%	0,2	0,1	1,2
	3	895	895	895	895	895	895	0%	0%	0%	0,2	0,1	0,6
	5	715	715	715	715	715	715	0%	0%	0%	0,2	0,7	2,8
	10	458	458	458	458	458	458	0%	0%	0%	4	20	19
	15	359	359	359	359	359	359	0%	0%	0%	13	837	110
	20	309	310	309	309	306	309	0% 0%	1%	0%	92	TL4 $TL4$	916
	50	185	198	203	185	180	180		10%	13%	1001		TL4
d2103	2	1787	1787	1787	1787	1787	1787	0%	0%	0%	0,4	0,1	0,9
	3	1420	1420	1420	1420	1420	1420	0%	0%	0%	0,2	0,1	1,3
	5	1032	1032	1032	1032	1032	1032	0%	0%	0%	0,2	0,3	1,6
	10 15	668 532	<b>668</b> 532	$\begin{array}{c} 668 \\ 532 \end{array}$	668 532	$\frac{668}{528}$	$668 \\ 532$	0% 0%	$0\% \\ 1\%$	$0\% \\ 0\%$	$\begin{array}{c c} & 1 \\ & 12 \end{array}$	$\frac{4}{\text{TL4}}$	8 54
	20	434	434	$\frac{332}{434}$	434	434	434	0%	0%	0%	15	20	50
	50	254	257	277	254	243	243	0%	6%	14%	556	TL4	TL4
fl3795	2	1147	1147	1147	1147	1147	1147	0%	0%	0%	0,1	0,1	0,5
110790	3	938	938	938	938	938	938	0%	0%	0%	0,1	0,1 $0,2$	0,3 $0,7$
	5	587	587	587	587	587	587	0%	0%	0%	0,3	0,2 $0,4$	1,0
	10	413	413	413	413	413	413	0%	0%	0%	0,5	0,4	$^{1,0}_{2,5}$
	15	312	312	312	312	312	312	0%	0%	0%	0,6	0,5	3,6
	20	269	269	269	269	269	269	0%	0%	0%	0,9	1,5	7,1
	50	101	101	101	101	101	101	0%	0%	0%	3	4	37
usa13509	2	175750	175750	175750	175750	175750	175750	0%	0%	0%	1	1	8
45413330	3	134489	134489	134489	134489	134489	134489	0%	0%	0%	2	1	3
	5	103671	103671	103671	103671	103671	103671	0%	0%	0%	3	4	14
	10	67075	67075	67075	67075	67075	67075	0%	0%	0%	26	185	133
	15	52178	58306	56372	52178	51484	52095	0%	13%	8%	165	TL4	TL4
	20	44994	55373	55375	44500	43724	43506	1%	27%	27%	TL4	TL4	TL4
	50	30000	35363	29770	20000	25424	24282	50%	39%	23%	TL4	TL4	TL4
sw24978	2	4960	4960	4960	4960	4960	4960	0%	0%	0%	4	1	4
	3	4120	4120	4120	4120	4120	4120	0%	0%	0%	5	2	4
	5	3022	3022	3022	3022	3022	3022	0%	0%	0%	6	6	13
	10	2061	2061	2061	2061	2061	2061	0%	0%	0%	19	50	96
	15	1637	1747	1637	1637	1629	1637	0%	7%	0%	250	TL4	655
	20	1421	1683	1471	1421	1406	1409	0%	20%	4%	1134,8	TL4	TL4
	50	998	1114	1026	800	812	767	25%	37%	34%	TL4	TL4	-TL4
$\mathrm{ch}71009$	2	19988	19988	19988	19988	19988	19988	0%	0%	0%	29	3	6
	3	13292	13292	13292	13292	13292	13292	0%	0%	0%	27	8	17
	5	10944	10944	10944	10944	10944	10944	0%	0%	0%	42	110	100
	10	7183	7183	7183	7183	7183	7183	0%	0%	0%	176	1180	744
	15	5699	6099	6091	5650	5592	5588	1%	9%	9%	TL4	TL4	TL4
	20	5000	6016	5223	4000	4678	4613	25%	29%	13%	TL4	TL4	TL4
	50	3000	3740	3936	2000	2653	2441	50%	41%	61%	TL4	TL4	-TL4

Table 4.4: Results in TSP instances of the performance between the algorithms based on the clustering approach. TL4=1800s.

Instanc	e		UB			LB			gap		t[s]		
$\overline{name}$	p	Clus.	Gaar	Cont.	Clus.	Gaar	Cont.	Clus.	Gaar	Cont.	Clus.	Gaar	Cont.
pla85900	2	436008	436008	436008	436008	436008	436008	0%	0%	0%	41,3	11,7	40,9
•	3	399677	399677	399677	399677	399677	399677	0%	0%	0%	56,8	67,0	267,7
	5	269544	269544	287961	269544	269544	268308	0%	0%	7%	123	631	$\dot{\text{TL4}}$
	10	180496	201814	197009	180496	177841	173506	0%	13%	14%	622	TL4	TL4
	15	160000	178702	179921	140000	138323	132202	14%	29%	36%	TL4	TL4	TL4
	20	130000	163483	150621	120000	116355	109026	8%	41%	38%	TL4	TL4	TL4
sra104815	2	908	908	908	908	908	908	0%	0%	0%	37	8	24
	3	688	688	688	688	688	688	0%	0%	0%	48	15	46
	5	508	508	508	508	508	508	0%	0%	0%	64	61	143
	10	354	410	384	354	349	352	0%	17%	9%	575	TL4	TL4
	15	277	351	312	277	274	274	0%	29%	14%	1645	TL4	TL4
	20	240	293	272	230	229	225	4%	28%	21%	TL4	TL4	TL4
	50	160	178	164	130	131	120	23%	36%	37%	TL4	TL4	TL4
usa115475	2	17745	17745	17745	17745	17745	17745	0%	0%	0%	74	6	16
	3	13530	13530	13530	13530	13530	13530	0%	0%	0%	82	10	29
	5	10414	10414	10414	10414	10414	10414	0%	0%	0%	172	125	301
	10	6736	6811	6824	6736	6726	6735	0%	1%	1%	459	TL4	TL4
	15	5600	6363	5681	5200	5140	5044	8%	24%	13%	TL4	TL4	TL4
	20	4998	5639	5223	4000	4275	4058	25%	32%	29%	TL4	TL4	TL4
ara238025	2	1484	1484	1484	1484	1484	1484	0%	0%	0%	187	23	52
	3	1166	1166	1166	1166	1166	1166	0%	0%	0%	193	31	72
	5	855	855	$\bf 855$	855	855	855	0%	0%	0%	443	178	378
	10	552	561	569	552	550	549	0%	2%	4%	1491	1843	1835
	15	499	508	474	410	435	423	22%	17%	12%	TL4	TL4	TL4
	20	400	479	450	300	360	348	33%	33%	29%	TL4	TL4	TL4
lra498378	2	5888	5888	5888	5888	5888	5888	0%	0%	0%	1099	104	195
	3	4995	4995	<b>4995</b>	4995	4995	4995	0%	0%	0%	847	171	234
	5	3259	3259	3259	3259	3259	3259	0%	0%	0%	1439	317	785
	10	2299	2315	2362	2200	2199	2119	5%	5%	11%	TL4	TL4	TL4
	15	1998	2078	2076	1000	1682	1592	100%	24%	30%	TL4	TL4	TL4
	20	1500	1714	1761	1400	1353	1216	7%	27%	45%	TL4	TL4	TL4
$\rm lrb744710$	2	1950	1930	1930	1900	1930	1930	3%	0%	0%	TL4	<b>78</b>	80
	3	1702	1702	1702	1702	1702	1702	0%	0%	0%	1780	189	298
	5	1199	1170	1175	1100	1170	1168	9%	0%	1%	TL4	1790	TL4
	10	800	916	980	700	760	741	14%	21%	32%	TL4	TL4	TL4
	15	700	697	762	600	602	558	17%	14%	37%	TL4	TL4	TL4
	20	600	638	647	500	493	451	20%	29%	43%	TL4	TL4	TL4

Table 4.5: Results in large TSP instances of the performance between the algorithms based on the clustering approach. TL4=1800s.

97 4.8. Conclusions

# 4.8 Conclusions

The five main (PCP) formulations lead to performances that can vary greatly depending on the solver parameters, such as the presolve. Among them, formulations (F4) and (F2) appear to be the most efficient. However, (F2) performs better than (F4) when the presolve is deactivated, as it has fewer redundant constraints.

Two Benders decompositions have been studied for formulation (F2) depending on the set of variables to be relaxed. When the decision variables associated with the location of the facilities are relaxed, we obtain the set cover problem as primal sub-problems and the maximal stable set problem as dual sub-problems. This highlights a close relationship with the binary search, one of the classical exact solution methods of (PCP), in which set cover sub-problems are also considered. Since the master problem is easy to solve, the Benders decomposition can be seen as a linear search on the distances. Indeed, for each evaluated distance, we check if there is a feasible solution of p sites and we go the next distance at the next iteration. However, this implementation has no better results than the classical binary search with set cover problems. On the other hand, when the variables associated with the allocation of the clients to the open facilities are relaxed, the sub-problem is easy to solve. We show that the decomposition on (F2) allows to have new Benders cuts that are stronger that the previously known ones. We also highlight the relation with the Benders decomposition from formulation (F1) in Gaar and Sinnl (2022). All approaches have been tested, and although our Benders decomposition from (F2) allows us to obtain better linear relaxation bounds, with our current implementation, it takes more computation time than the multi-cut approach from (F1) already implemented on Gaar and Sinnl (2022).

Finally, an exact method based on a clustering of the clients has been proposed. It solves the (PCP) iteratively for a set of representatives of the clients that is updated when necessary. A first stage of the relaxed (PCP) problem is considered followed by a second stage to solve the integer (PCP). Moreover, to reduce the number of distinct distances values, we also consider an exact iterative distance rounding procedure. All these implementation improvements lead to competitive results with state-of-the-art methods of Gaar and Sinnl (2022) and Contardo et al. (2019) on TSP instances.

The main perspective of the Benders Decomposition of (PCP) on (F2) is to improve our implementation to take advantage of the strength of the new cuts in terms of lower bound in contrast to multi-cut approach. Meanwhile, the very good results of the Clustering algorithm suggest that it can be applied to other discrete location problems or other types of instances. Likewise, to achieve a good implementation that combines both approaches.

# Chapter 5

# MILP formulations and exact algorithms for the robust two-stage p-center problem

# 5.1 Introduction

The p-center problem (PCP) under uncertainty is well studied in the literature (Çalık et al. (2019b)). This problem arises when parameters, such as demands or distances between the demand nodes and the available sites, vary across time or when their exact value is uncertain. In robust optimization uncertainty is generally represented by parameters which can take any value in an uncertainty set. Each realization of the uncertainty set is called a *scenario*. The most classical sets are the box, the ellipsoidal and the budgeted uncertainty sets (see e.g., Ben-Tal et al. (2009); Bertsimas and Sim (2004); Du and Zhou (2018); Paul and Wang (2019)).

A classical objective function in robust optimization is the regret one have for initial decision once the uncertainty is revealed. Figure 5.1 illustrates how the optimal solution of a can change with the values of its parameters. In this example, we consider a p-center problem in which each client has an uncertain demand. The demand value is represented by the size of the circles. Figure 5.1a represents the value of the initial parameters and the corresponding optimal solution which consists in opening sites 1 and 2. Once the uncertainty is revealed, the parameters take the value represented in Figure 5.1b. We can see that this modifies the optimal solution which is now to open sites 2 and 3. In this context, the regret corresponds to the difference between the objective values of the two solutions when the parameters take the values represented in Figure 5.1b.

99 5.1. Introduction




Figure 5.1: Example of the regret of optimal (RPCP) solutions before and after uncertainty

The incorporation of uncertainty in (PCP) has important applications in emergency logistics problems, where a prompt response to the urgent need for relief is required in affected areas immediately following a disaster (such as earthquakes, tsunamis, landslides, among others). The consequences of these disasters make it challenging to precisely estimate the demand for relief materials or the travel times between relief centers and affected locations (Sheu (2007)).

Two approaches can be considered depending on whether the demand node allocations to the centers are made before (see e.g, Averbakh and Berman (1997), Lu (2013)) or after (see e.g, Du et al. (2020); Demange et al. (2020)) the uncertainty is revealed. The first case corresponds to single-stage problems while the second case leads to two-stage problems in which the demand node allocations are recourse variables. In this context, most of the works have been focused on the investigation of integer programming modeling and heuristic resolution approaches (see e.g., Baron et al. (2011); Hasani and Mokhtari (2018); Paul and Wang (2015); Trivedi and Singh (2017, 2019)).

# Contribution

To the best of our knowledge this work is the first one to study the exact solution of the two-stage robust weighted vertex p-center problem  $(RPCP_2)$ , with p > 1, in which the uncertainty on the node demands and distances are modeled by box uncertainty sets. We present the robust reformulation of this problem based on five MILP formulations of the (PCP) from the literature.

We prove that a finite subset of scenarios from the infinite box uncertainty set can be considered without losing optimality. We use this result to propose a column-and-constraint generation algorithm (C&CG) and a branch-and-cut algorithm (B&C) for the exact solution of  $(RPCP_2)$ . We highlight how these algorithms can be adapted to the single-stage problem  $(RPCP_1)$ . Finally, we show their efficiency on randomly generated instances. To illustrate the usefulness of the proposal, we consider the case study presented in Lu (2013) which is based on an earthquake that hit central Taiwan in 1999.

The rest of the chapter is organized as follows: Section 5.2 presents the literature review of the deterministic and robust versions of the (PCP). Section 5.3 describes the robust two-stage problem  $(RPCP_2)$ , proves how to reduce the number of considered scenarios, and introduces the five MILP formulations as well as the (C&CG) and (B&C) algorithms. Section 5.4 presents the computational results. Finally, conclusions and research perspectives are draw in Section 5.6.

# 5.2 Literature review

The p-center problem was introduced by Hakimi (1965), who presented and solved the absolute 1-center problem on a graph. In the absolute p-center problem, the centers can be located either on the edges or the vertices of the graph. Later, Minieka (1970) extended the problem to the case p > 1 and proposed a method to restrict the continuous set of candidate centers to a discrete set of points, without losing optimality. Since then, the problem was commonly referred to as the vertex p-center problem or directly as the p-center problem. Several formulations, solution methods, and variants of this problem have been presented. A comprehensive review of the applications and solution methods of the p-center problem can be found in Q-center Q-center problem. This section focuses on the deterministic p-center problem formulations and then on its robust counterparts.

### 5.2.1 MILP formulations of the deterministic weighted p-center

Let  $\mathcal{M}$  be the set of available sites, and  $\mathcal{N}$  be the set of demand nodes. We denote here as  $t_{ij}$  the distance (or travel time) between any possible pair of demand node  $i \in \mathcal{N}$  and site  $j \in \mathcal{M}$ . Each demand node  $i \in \mathcal{N}$  faces a demand  $d_i$  and must be allocated to a single center j.

All the deterministic formulations of the p-center problem have already been presented in Section 4.2.1. These are the classic formulation (F1) of Daskin (1996) with the (x, y) variables, the alternative one  $(F2_{init})$  of Elloumi et al. (2004) with (y, z) variables, the improvement of this last one (F2) and the compact one (F3) with (y, r) variables both introduced in Ales and Elloumi (2018), formulation (F4) presented Calik and Tansel (2013) with the (y, u) variables,

and formulation (F5) of Gaar and Sinnl (2022) with  $(y, \theta)$  variables. To model the weighted vertex p-center, the original parameter of distances  $d_{ij}$  in these formulations can be replaced here by the product of demand  $d_i$  and distance  $t_{ij}$ .

As also mentioned in Section 4.2.1, (F4) is the fastest formulation in average closely followed by (F2). Nevertheless, as will be seen in Section 5.4 that the best formulations for the deterministic problem are not necessarily the best for the robust problem.

### 5.2.2 Uncertainty representation and solution methods

The location of facilities is a long-term decision which takes into account parameters such as demands or distances between demand nodes and facilities. Since these parameters are likely to vary, several models have been developed to study facility location problems under uncertainty. Stochastic optimization and robust optimization are the two main approaches to address uncertainty. The Section 2.3 presents a general introduction and references to optimization under uncertainty. Snyder (2006) and Laporte et al. (2019a) present a review of the literature on stochastic and robust facility location problems.

In robust optimization, box, budgeted, ellipsoidal and discrete uncertainty sets are commonly considered (see e.g. Ben-Tal et al. (2009); Baron et al. (2011); Du and Zhou (2018); Paul and Wang (2019, 2015); Snyder (2006)). Since most robust facility location problems are generally harder to solve than their deterministic counterparts, heuristic approaches have taken precedence over exact solution methods (Laporte et al. (2019a)). Most robust facility location problems based on discrete uncertainty sets deal with generalizations of the *p*-median problem, focusing exclusively on analytical results or approximated polynomial-time algorithms (see e.g. Serra and Marianov (1998); Hasani and Mokhtari (2018)).

The presence or absence of recourse variables, the variables which are fixed once the uncertainty is revealed, has a great influence on the mathematical formulation of the problem. A single-stage problem can be considered when there is no recourse variables while a two-stage is required otherwise. Two-stage models are usually very difficult to solve (Ben-Tal et al. (2009)). When the second stage problem is a linear program, Benders decomposition method can be used to seek optimal solutions (Bertsimas et al. (2013); Rahmaniani et al. (2017)).

Zeng and Zhao (2013) develop another exact solution method, the (C&CG) generation algorithm (also called row-and-column or scenario generation), which has performed better on different problems including facility location problems (see e.g. An et al. (2014); Chan et al. (2018)).

Several robust variants of (PCP) with either a single stage or two stages have been considered.

For example, Averbakh and Berman (1997) consider the weighted p-center problem on a transportation network with uncertain node weights. They minimize the regret of the worst-case scenario and show that the problem can be solved through a number of particular weighted p-center problems. Averbakh and Berman (2000), consider a box uncertainty set for the weighted 1-center problem on a network with uncertainty node weights and edge lengths. Each uncertain parameter is assumed to be random with an unknown distribution. They present a polynomial algorithm to find the robust solution for the problem on a tree. Lu and Sheu (2013) consider the single-stage weighted vertex p-center with uncertain edge lengths using box uncertainty sets. They consider the single-stage robust problem  $(RPCP_1)$ , prove that it is sufficient to consider a discrete subset of scenarios, and propose a simulated annealing heuristic to solve the problem, then in Lu (2013) they extend this research to the weighted vertex p-center with uncertain nodal weights and edge lengths using also box uncertainty sets. Du and Zhou (2018) apply a single-stage approach to a p-center problem based on a multiple allocation strategy, i.e, they allowed the allocation of a client to several sites, and three types of symmetric uncertainty sets over units costs: box uncertainty, ellipsoidal uncertainty, and cardinality-constrained uncertainty, where a symmetric interval is defined as an interval where the lower and upper bounds are equidistant from the center. Du et al. (2020) propose a two-stage robust model for a reliable facility location problem, i.e., when some facilities can be disrupted and the demand nodes can be reallocated to another available facility. They consider uncertain demand and cost, and propose three solution methods: a linear reformulation, a Benders dual cutting planes method, and a column-and-constraint generation method. Demange et al. (2020) introduce the robust p-center problem under pressure motivated by the context of locating shelters for evacuation in case of wildfires, where the uncertainty is in the available network connections. They present a MILP formulation and a decomposition scheme to solve it.

	Allocation level		Decision level		Number of centers		Uncertainty			Messure of robustness		Solution approach	
Article	Single	Multiple	Single-stage	Two-stage	p=1	p > 1	Distance	Demand	Centers	Regret	Worst Case Value	Heuristic	Exact
Averbakh and Berman (1997)	x		x			x		x		x			x
Averbakh and Berman (2000)	x		x		x		x	x		x			x
Lu and Sheu (2013)	x		x			x	x			x		x	
Lu (2013)	x		x			x	x	x		x		x	
Du and Zhou (2018)		x	x			x	x			x			х
Du et al. (2020)	x			x		х			x	x		[	x
Demange et al. (2020)	x		x			x			x		x		х
This proposal	x			x		x	x	x		x			х

Table 5.1: A summary of related work

Other robust facility location problems have been studied in the literature, mostly considering uncertainty in customer demand and/or facility disruption. Their solution methods are carried out by dualization techniques or column-and-constraint generation algorithms (Nikoofal and Sadjadi

(2010); An et al. (2014); Cheng et al. (2021)). A detailed literature review is presented in Snyder (2006)

This research focuses on the exact solution of the two stage weighted vertex p-center problem  $(RPCP_2)$ , with p > 1, with uncertainty in both nodal weights and edge lengths, as shown in the last row of Table 5.1. It also shown how these algorithms can be adapted to solve  $(RPCP_1)$  exactly.

# 5.3 Robust weighted vertex p-center problem

It is first defined the  $(RPCP_2)$ . It is then proved that it is sufficient to consider a subset of the infinite scenarios in the box uncertainty set to obtain an optimal solution of the problem. Finally, the (C&CG) and (B&C) algorithms for the exact solution of both  $(RPCP_2)$  and  $(RPCP_1)$  are presented.

### 5.3.1 Problem definition

Following Lu (2013), we consider that the node demands and distances can take any value in a box uncertainty set. More precisely, the demand  $d_i$  of demand node  $i \in \mathbb{N}$  is assumed to be in  $[d_i^-, d_i^+]$  where  $0 \le d_i^- \le d_i^+$ , while the distance  $t_{ij}$  between station  $i \in \mathbb{N}$  and site  $j \in \mathbb{M}$  takes its value in  $[t_{ij}^-, t_{ij}^+]$  where  $0 \le t_{ij}^- \le t_{ij}^+$ .

Let  $W \subset \mathbb{R}^{N+M\times N}$  be the Cartesian product of intervals  $[d_i^-, d_i^+]$  and  $[t_{ij}^-, t_{ij}^+]$  for each  $i \in \mathbb{N}$  and  $j \in \mathbb{M}$ . Let  $\Omega = \{y \in \{0,1\}^M \mid \sum_{j \in \mathbb{M}} y_j = p\}$  be the set of vectors representing p located facilities and let  $J_y = \{j \in \mathbb{M} \mid y_j = 1\}$  be the set of located facilities for vector  $y \in \Omega$ . For a given scenario  $w \in \mathbb{W}$  let  $d_i^w$  and  $t_{ij}^w$  respectively be the demand of node  $i \in \mathbb{N}$  and the distance between demand node i and site  $j \in \mathbb{M}$  in scenario w.

In  $(RPCP_2)$ , the demand nodes are allocated after the uncertainty is revealed. This corresponds to a two-stage approach in which the location of centers is fixed at the first stage and the demand node allocations are the recourse decisions of the second stage. Consequently, the optimal radius associated with  $x \in \Omega$  when scenario  $w \in \mathcal{W}$  occurs is:

$$Z(w,y) = \max_{i \in \mathcal{N}} \left\{ \min_{j \in J_u} d_i^w t_{ij}^w \right\}$$
 (5.1)

which represents an optimal allocation of demand nodes in scenario w when sites  $J_y$  are located. Let  $y^*(w) \in \Omega$  be a vector such that the location of  $J_{y^*(w)}$  leads to an optimal radius for the deterministic p-center problem in which the uncertain data takes value  $w \in \mathcal{W}$ . It is defined the robust deviation of  $y \in \Omega$  for scenario w as:

$$DEV(w,y) = Z(w,y) - Z(w,y^*(w))$$
(5.2)

It is a non-negative value corresponding to the increase in radius incurred when locating centers  $J_y$  rather than  $J_{y^*(w)}$  in scenario w. The following lemma allows us to characterize situations where the deviation is zero.

**Lemma 5.3.1.** Let  $y \in \Omega$  and let w be a scenario. Let  $(i,j) \in \mathbb{N} \times J_y$  be such that  $Z(w,y) = d_i^w t_{ij}^w$ , i.e., (i,j) allow to reach the optimal radius Z(w,y). Let  $\overline{j} = \underset{j \in J_{y^*(w)}}{\arg \min} t_{ij}^w$ , i.e., node i is optimally assigned to site  $\overline{j}$  when sites set  $J_{y^*(w)}$  of solution  $y^*(w)$  are opened. It holds that if  $\overline{j} \in J_y$  then DEV(w,y) = 0.

**Proof**  $DEV(w,y) \geq 0$  by definition. Suppose DEV(w,y) > 0 i.e.  $Z(w,y) > Z(w,y^*(w))$ . As i is assigned to  $\bar{j}$  for solution  $y^*(w)$ ,  $Z(w,y^*(w)) \geq d_i^w t_{i\bar{j}}^w$ . Therefore,  $Z(w,y) = d_i^w t_{i\bar{j}}^w > d_i^w t_{i\bar{j}}^w$  and then  $t_{ij}^w > t_{i\bar{j}}^w$ . This contradicts the fact that  $t_{ij}^w \leq t_{i\bar{j}}^w$  that follows from  $\bar{j} \in J_y$ .

The robustness cost of solution  $y \in \Omega$  corresponds to the maximal possible robust deviation if sites  $J_y$  are located:

$$RC(y) = \max_{w \in \mathcal{W}} DEV(w, y) \tag{5.3}$$

It is denoted by worst-case scenario a scenario which solves (5.3). The  $(RPCP_2)$  aims to minimize the regret in the worst-case scenario for all feasible solution  $y \in \Omega$ :

$$(RPCP_2): \min_{y \in \Omega} RC(y) \tag{5.4}$$

It now shown that it is not necessary to consider the whole uncertainty set W to optimally solve  $(RPCP_2)$ .

### 5.3.2 Reducing the number of scenarios

Since a box-uncertainty set contains an infinite number of scenarios for a given solution  $y \in \Omega$ , the evaluation of the robustness cost (5.3) is a major challenge when solving  $(RPCP_2)$ . Following Lu (2013), it is proved that it is sufficient to consider N scenarios per solution  $y \in \Omega$  to optimally solve  $(RPCP_2)$ , i.e.,  $N \cdot \binom{M}{p}$  scenarios, instead of the  $p^N \cdot N \cdot \binom{M}{p}$  scenarios considered in Lu (2013).

**Definition 5.3.1.** Let  $y \in \Omega$  be a feasible solution and let  $\bar{i} \in \mathbb{N}$  be any demand node. It is defined  $w_{\bar{i}}(y)$  as the following scenario:

$$\bullet \quad \quad d_{i}^{\omega_{\overline{i}}(y)} = \left\{ \begin{array}{ll} d_{i}^{+} & if \ i = \overline{i} \\ d_{i}^{-} & otherwise \end{array} \right.$$

• 
$$t_{ij}^{\omega_{\overline{i}}(y)} = \begin{cases} t_{ij}^{+} & \text{if } i = \overline{i} \text{ and } y_{j} = 1 \\ t_{ij}^{-} & \text{otherwise} \end{cases}$$

Hence, in scenario  $w_{\bar{i}}(y)$ , node  $\bar{i}$  is at its maximal demand value while the other nodes are at their minimal demand value. Also, the traveling time of any node-site pair is set to its minimal value except for node  $\bar{i}$  for which they are maximal. We prove in the following that at least one of the scenarios in  $\{w_i(y)\}_{i\in\mathbb{N}}$  leads to a maximal deviation for  $y\in\Omega$ .

**Theorem 5.3.1.** Let  $y \in \Omega$  be a first-stage solution of  $(RPCP_2)$ . There exists  $i \in \mathbb{N}$  such that  $w_i(y)$  is an optimal solution for RC(y).

**Proof:** Let  $w^0 \in \mathcal{W}$  be an optimal solution to RC(y) (i.e.,  $RC(y) = DEV(w^0, y)$ ). It is now built a sequence of three other optimal scenarios  $w^1$ ,  $w^2$ ,  $w^3$  and is proved that  $w^3$  is equal to  $w_i(y)$  for some  $i \in \mathcal{N}$ .

Let us consider, for any  $k \in \{0,1,2,3\}$ , the (node, site) pair  $(i_k,j_k) \in \mathcal{N} \times J_y$  such that  $Z(w^k,y) = d_{i_k}^{w^k} t_{i_k j_k}^{w^k}$  (i.e.,  $(i_k,j_k)$  allow to reach the optimal radius  $Z(w^k,y)$ ).

# Scenario $w^1$

Let  $w^1$  be a scenario identical to  $w^0$  except for  $d_{i_0}^{w^1}$  which is equal to  $d_{i_0}^+$ . This amounts to multiplying any weighted travel time from  $i_0$  by the same constant  $\frac{d_{i_0}^+}{d_{i_0}^{w^0}}$ . This ensures that an optimal radius in  $w^1$  is still obtained for  $(i_0, j_0)$  and that one can set  $(i_1, j_1) = (i_0, j_0)$ . It is below proved that the deviation of  $w^1$  is not lower than that of  $w^0$ .

$$DEV(w^{1}, y) - DEV(w^{0}, y) = Z(w^{1}, y) - Z(w^{0}, y) - \left[Z(w^{1}, y^{*}(w^{1})) - Z(w^{0}, y^{*}(w^{0}))\right]$$
 (5.5)

It holds that:

$$Z(w^{1}, y) - Z(w^{0}, y) = d_{i_{1}}^{w^{1}} t_{i_{1}j_{1}}^{w^{1}} - d_{i_{0}}^{w^{0}} t_{i_{0}j_{0}}^{w^{0}} = d_{i_{0}}^{+} t_{i_{0}j_{0}}^{w^{0}} - d_{i_{0}}^{w^{0}} t_{i_{0}j_{0}}^{w^{0}} = (d_{i_{0}}^{+} - d_{i_{0}}^{w^{0}}) t_{i_{0}j_{0}}^{w^{0}}$$

$$(5.6)$$

Now, let  $\tilde{j} = \underset{j \in J_{y^*(w^0)}}{\operatorname{arg\,min}} t_{i_0 j}^{w^0}$ , i.e., node  $i_0$  is optimally assigned to site  $\tilde{j}$  when sites set  $J_{y^*(w^0)}$  of

solution  $y^*(w^0)$  are opened. The aim is to prove the following inequality:

$$Z(w^{1}, y^{*}(w^{1})) - Z(w^{0}, y^{*}(w^{0})) \le (d_{i_{0}}^{+} - d_{i_{0}}^{w^{0}}) t_{i_{0}\tilde{j}}^{w^{0}}$$

$$(5.7)$$

First,  $Z(w^1, y^*(w^1)) \leq Z(w^1, y^*(w^0))$  holds from the definition of  $y^*(w)$ . Second, let us consider solution  $y^*(w^0)$  and its opened sites set  $J_{y^*(w^0)}$ . In scenario  $w^0$ , node  $i_0$  is assigned to site  $\tilde{j}$  at distance  $d_{i_0}^{w^0} t_{i_0 \tilde{j}}^{w^0}$ . In scenario  $w^1$ , node  $i_0$  is optimally assigned to the same site  $\tilde{j}$ , at distance  $d_{i_0}^+ t_{i_0 \tilde{j}}^{w^0}$ . All the other nodes are assigned in the same way in  $w^0$  and in  $w^1$ . Therefore, Inequality (5.7) is satisfied.

From (5.5), (5.6), and (5.7) it is deduced the following inequality:

$$DEV(w^{1}, y) - DEV(w^{0}, y) \ge (d_{i_{0}}^{+} - d_{i_{0}}^{w^{0}})(t_{i_{0}j_{0}}^{w^{0}} - t_{i_{0}\tilde{j}}^{w^{0}})$$
(5.8)

It remains to prove that  $t^{w^0}_{i_0j_0}-t^{w^0}_{i_0\tilde{j}}\geq 0$ . It comes from the definition of  $\tilde{j}$  and Z that  $d^{w^0}_{i_0}t^{w^0}_{i_0\tilde{j}}\leq Z(w^0,y^*(w^0))$ . It also comes from the definition of  $y^*(w)$  that  $Z(w^0,y^*(w^0))\leq Z(w^0,y)=d^{w^0}_{i_0}t^{w^0}_{i_0j_0}$ . Consequently,  $DEV(w^1,y)$  is at least as large as  $DEV(w^0,y)$ , and scenario  $w^1$  is optimal for RC(y).

### $Scenario w^2$

Let  $w^2$  be a scenario identical to  $w^1$  except for  $t_{i_1j}^{w^1}$  which is equal to  $t_{i_1j}^+$  for all  $j \in J_y$ . This ensures that an optimal radius in  $w^2$  is still obtained for  $(i_1, j_1)$  and that one can set  $(i_2, j_2) = (i_1, j_1)$  since  $i_1$  was already leading to the largest weighted travel time in  $w^1$  and some of its travel times have been increased in  $w^2$ . Let  $\overline{j} = \underset{j \in J_{y^*(w^1)}}{\arg \min} t_{i_1j}^{w^1}$ , i.e., node  $i_1$  is optimally assigned to site  $\overline{j}$  when sites set  $J_{y^*(w^1)}$  of solution  $y^*(w^1)$  are opened. It is discussed two cases:

- Case 1:  $\overline{j} \in J_y$ , i.e., site  $\overline{j}$  is open in y. In this case, it is possible to deduce from Lemma 5.3.1 that  $DEV(w^1, y) = 0$ . As  $w^1$  is an optimal scenario for RC(y), it is possible to deduce that  $DEV(w^2, y) \leq 0$  and, as deviations are non-negative,  $DEV(w^2, y) = 0$ . Scenario  $w^2$  is also optimal.
- Case 2:  $\bar{j} \notin J_y$ . Here, solution  $y^*(w^1)$  is also optimal for scenario  $w^2$  since node  $i_1$  is assigned to  $\bar{j} \notin J_x$  when sites  $J_{y^*(w^1)}$  are located, and since the only difference between  $w^1$  and  $w^2$  is an increase of the travel time between  $i_1$  and the sites in  $J_y$ . Consequently,  $Z(w^1, y^*(w^1)) = Z(w^2, y^*(w^2))$ . Moreover, the increase of travel times leads to  $Z(w^2, y) \ge Z(w^1, y)$  which ensures that  $DEV(w^2, y) \ge DEV(w^1, y)$ . Therefore, scenario  $w^2$  is optimal for RC(y).

# $Scenario w^3$

Let  $w^3$  be a scenario identical to  $w^2$  except for  $d_i^{w^3}$  which is equal to  $d_i^-$  for all  $i \in \mathbb{N} \setminus \{i_2\}$  and  $t_{ij}^{w^3}$  which is equal to  $t_{ij}^-$  for all  $i \in \mathbb{N} \setminus \{i_2\}$  and  $j \in \mathbb{M}$ . This ensures that it is posible to have  $(i_3, j_3) = (i_2, j_2)$  since the demand and travel times of  $i_2$  are not modified and the others are reduced. This also ensures that  $Z(w^3, y) = Z(w^2, y)$  and that  $Z(w^3, y^*(w^3))$  is not greater than  $Z(w^2, y^*(w^2))$ . Consequently,  $DEV(w^3, y)$  is not lower than  $DEV(w^2, y)$  which proves that  $w_{i_3}(y)$  is an optimal scenario.

Finally, since  $i_3 = i_2 = i_1 = i_0$ , it is possible to sum up the changes that were progressively made on  $w^0$  to reach  $w^3$ , and observe that  $w^3$  is precisely  $w_{i_0}(y)$ . Therefore, scenario  $w_{i_0}(y)$  is optimal for RC(y).

Since  $\Omega$  is finite, Theorem 5.3.1 enables to only consider a finite set of scenarios  $\overline{W} = \{w_i(y) \mid y \in \Omega, i \in \mathbb{N}\}$  without losing the optimality:

$$(RPCP_2): \min_{x \in \Omega} \left\{ \max_{w \in \overline{\mathbb{W}}} DEV(w, y) \right\}$$
 (5.9)

# 5.3.3 MILP formulations of the robust weighted vertex p-center problem

It is presented how the five formulations presented in Section (5.2.1) can be adapted to solve  $(RPCP_2)$ . Let  $Z_w^*$  be the optimal value of the (PCP) problem when the uncertain parameters take value  $w \in \overline{W}$  (i.e.,  $Z_w^* = Z(w, y^*(w))$ ). Note that in the following formulations, the value of  $Z_w^*$  is assumed to be known for all  $w \in \overline{W}$ . Section 5.3.6 present how these values can be computed efficiently in the proposed algorithm when required.

The robust formulation based on (F1) uses one set of allocation variables  $x_{ij}^w$  for each scenario  $w \in \overline{W}$  to allow different demand node allocations depending on the scenario:

$$(RF1) \begin{cases} \min & RC \\ \text{s.t.} & RC \ge \sum_{j \in \mathcal{M}} d_i^w t_{ij}^w x_{ij}^w - Z_w^* & i \in \mathcal{N}, \ w \in \overline{\mathcal{W}} \\ \sum_{j \in \mathcal{M}} x_{ij}^w = 1 & i \in \mathcal{N}, \ w \in \overline{\mathcal{W}} \\ x_{ij}^w \le y_j & i \in \mathcal{N}, \ j \in \mathcal{M}, \ w \in \overline{\mathcal{W}} \\ \sum_{j \in \mathcal{M}} y_j = p & j \in \mathcal{M} \\ x_{ij}^w \in \{0, 1\} & j \in \mathcal{M}, \ w \in \overline{\mathcal{W}} \end{cases}$$
(5.10)

Constraints (5.11) set a lower bound on the value of the robustness cost (RC) for each scenario. Objective (5.10) provides a solution with the lowest maximal deviation. This formulation contains an exponential number of variables and constraints as the size of  $\overline{W}$  is proportional to  $|\Omega|$ .

Now, to adapt the other formulations to  $(RPCP_2)$ , let  $K^w$  be the number of different values  $\{d_i^w t_{ij}^w\}_{i\in\mathbb{N},j\in\mathbb{M}}$  and let  $\mathcal{K}^w$  be the set of indices  $\{1,\ldots,K^w\}$  for each scenario  $w\in\overline{W}$ . We need also to sort these values in increasing order and obtain a set of distinct distances  $D_w^k$  for  $k\in\mathcal{K}^w$ . We can also identify the following sub-set of indices for each scenario  $w\in W$  and each client  $i\in\mathbb{N}$ :

$$\mathcal{K}^w_i = \{k \in \mathcal{K}^w : \exists \, j \in \mathcal{M} \text{ such that } d_{ij} = D^k_w \}$$

Consequently, regarding formulation (F2), considering a set of variables of radius  $z_w^k$ , we obtain:

$$(RF2) \begin{cases} \min & RC \\ \text{s.t.} & RC \ge D_w^1 + \sum_{k=2}^{K^w} \left(D_w^k - D_w^{k-1}\right) z_w^k - Z_w^* & w \in \overline{\mathbb{W}} \\ z_w^k + \sum_{j:d_i^w t_{ij}^w < D_w^k} y_j \ge 1 & w \in \overline{\mathbb{W}}, \ i \in \mathbb{N}, \ k \in \mathcal{K}_i^w \quad (5.16) \\ z_w^k \ge z_w^{k+1} & w \in \overline{\mathbb{W}}, \ k \in \mathcal{K}^w \setminus \{K^w\} \quad (5.17) \\ \sum_{j \in \mathbb{M}} y_j = p \\ y_j \in \{0, 1\} & j \in \mathbb{M} \\ z_w^k \in \{0, 1\} & w \in \overline{\mathbb{W}}, \ k \in \mathcal{K}^w \quad (5.18) \end{cases}$$

Formulation (F3) does not directly provide the value R of the optimal radius but its index r instead, such that  $D^r = R$ . This raises a problem when considering the adaptation of (F3) to the solution of  $(RPCP_2)$  as a given index does not necessarily correspond to the same distance in different scenarios. Consequently, (F3) is first modified so that it provides a distance rather than its index. Constraints (4.23) are replaced by:

$$R \ge D^k (1 - \sum_{j: d_i t_{ij} < D^k} y_j) \qquad \forall i \in \mathcal{N}, k \in \mathcal{K}_i$$
 (5.19)

It is possible to obtain now a reformulation of  $(RPCP_2)$  based on (F3):

$$(RF3) \begin{cases} \min & RC \\ \text{s.t.} & RC \ge D_w^k (1 - \sum_{j: d_i^w t_{ij}^w < D_w^k} y_j) - Z_w^* & w \in \overline{\mathcal{W}}, i \in \mathcal{N}, k \in \mathcal{K}_i^w \\ & \sum_{j \in \mathcal{M}} y_j = p \\ & y_j \in \{0, 1\} & j \in \mathcal{M} \end{cases}$$
 (5.20)

Similarly to (RF2), with the same set of distinct distances  $D_w^k$ , it is possible to adapt (F4) to  $(RPCP_2)$ .

$$(RF4) \begin{cases} \min & RC \\ \text{s.t.} & RC \ge \sum_{k \in \mathcal{K}^w} D_w^k u_w^k - Z_w^* & w \in \overline{\mathbb{W}} \\ \sum_{j:d_i^w t_{ij}^w \le D_w^k} y_j \ge \sum_{q=1}^k u_w^q & w \in \overline{\mathbb{W}}, \ i \in \mathbb{N}, \ k \in \mathcal{K}^w \\ \sum_{k \in \mathcal{K}^w} u_w^k = 1 & w \in \overline{\mathbb{W}} \\ \sum_{j \in \mathbb{M}} y_j = p \\ y_j \in \{0, 1\} & j \in \mathbb{M} \\ u_w^k \in \{0, 1\} & w \in \overline{\mathbb{W}}, \ k \in \mathcal{K}^w \end{cases}$$

$$(5.21)$$

Finally, it is also possible to directly adapt (F5) to  $(RPCP_2)$ .

$$(RF5) \begin{cases} \min & RC \\ \text{s.t.} & RC \ge d_i^w t_{ij}^w - \sum_{j': d_i^w t_{ij'}^w < d_i^w t_{ij}^w} (d_i^w t_{ij}^w - d_i^w t_{ij'}^w) y_{j'} - Z_w^*, \quad w \in \overline{\mathbb{W}}, \ i \in \mathbb{N}, \ j \in \mathbb{M} \ \\ & \sum_{j \in \mathbb{M}} y_j = p \\ & y_j \in \{0, 1\} \\ & RC \ge 0 \end{cases}$$
  $j \in \mathbb{M}$ 

Note that both (RF3) and (RF5) do not require an exponential number of variables, which is a significant advantage compared to (RF1), (RF2), and (RF4). However, the five reformulations have an exponential number of constraints.

## 5.3.4 Column-and-constraint generation algorithm

To solve these robust MILP formulations, it is proposed the column-and-constraint generation algorithm (C&CG) represented in Algorithm 12 in which  $(\overline{RF})$  can be any of the proposed five robust formulations (RF1), (RF2), (RF3), (RF4), or (RF5) with  $\overline{W}$  initially empty. At each iteration, we generate a solution (y,RC) which satisfies all the scenarios currently in  $\overline{W}$  by solving  $(\overline{RF})$  (Step 3). If the solution does not satisfy one of the scenarios  $\{w_i(y)\}_{i\in\mathbb{N}}$  (Step 10), the most violated scenario is added to  $\overline{W}$  (Step 14). When no violated scenario is found, an optimal solution is returned. The value of the optimal radius considering a scenario  $w_i(y)$  can be calculated by solving a deterministic (PCP) (Step 7). Note that the radius associated with a feasible solution y in a scenario  $w_i$  can be obtained quickly as it only requires to determine the distance between each demand node and its closest center in  $J_y$  (Step 8).

## Algorithm 12: column-and-constraint generation algorithm

#### input:

- Instance data  $(\mathcal{N}, \mathcal{M}, p, [d_i^-, d_i^+] \text{ and } [t_{ij}^-, t_{ij}^+] \text{ for each } i \in \mathcal{N} \text{ and } j \in \mathcal{M}).$
- A robust formulation  $(\overline{RF})$  for the (PCP).

#### output:

• An optimal solution y of  $(\overline{RF})$  and its robustness cost RC.

```
1 RC \leftarrow 0, \overline{W} \leftarrow \emptyset, isOptimal \leftarrow false
 2 while isOptimal = false do
            (y, RC) \leftarrow \text{solve } (\overline{RF}) \text{ with scenarios } \overline{W}
 3
            isOptimal \leftarrow true
  4
           \overline{w} \leftarrow \emptyset
  5
            for i \in \mathcal{N} do
  6
                  Z^* \leftarrow optimal radius of the deterministic (PCP) for scenario w_i(y)
  7
                  Z \leftarrow \text{radius for } y \text{ in scenario } w_i(y)
  8
                  DEV \leftarrow Z - Z^*
  9
                  if DEV > RC then
10
                        isOptimal \leftarrow false

RC \leftarrow DEV

\overline{w} \leftarrow w_i(y)
11
12
13
           \overline{\mathcal{W}} \leftarrow \overline{\mathcal{W}} \cup \{\overline{w}\}\
14
```

15 return y and RC

# 5.3.5 Branch-and-cut algorithm

The main advantage of (RF3), and (RF5) over (RF1), (RF2), and (RF4) is that no new variable is required when a scenario is added to  $\overline{W}$ . Consequently, using (RF3) or (RF5), it possible to define a branch-and-cut algorithm (B&C) which checks, at each node of the search tree, if each obtained integer solution (y,RC) satisfies all the scenarios  $\{w_i(y)\}_{i\in\mathbb{N}}$ . If it does not, the corresponding violated inequalities is generated and the solution is ignored by the solver. This can be performed through callbacks which is a feature provided by mixed integer programming solvers. Consequently, Steps 4-14 of Algorithm 12 are performed within a callback. This modification allows us to only generate a single search tree instead of solving  $(\overline{RF})$  from scratch at each iteration of the while loop.

## 5.3.6 Solving the deterministic p-center problems

One of the most time consuming steps in these two algorithms is solving the deterministic (PCP) associated with the current feasible solution  $x \in \Omega$  and scenario  $w_i(y)$  in order to obtain  $Z_{w_i(y)}^*$  for each  $i \in \mathcal{N}$  (Step 7 in Algorithm 12). Any of the formulations presented in Section 5.2.1 could be considered to solve these deterministic problems. However, to improve the performances, the two following improvements are considered.

#### Reducing the number of deterministic problems solved

For a given  $i \in \mathbb{N}$ , if it is known in advance that a solution y satisfies scenario  $w_i(y)$  (i.e., that  $Z(w_i(y), y) - Z_{w_i(y)}^* \leq RC$ ), the solution of the associated deterministic (PCP) can be avoided. In particular, this is the case if it is known a lower bound  $Z_{lb}^{*i}$  on  $Z_{w_i(y)}^*$  such that  $Z(w_i(y), y) - Z_{lb}^{*i} \leq RC$ . Indeed, in that case  $Z(w_i(y), y) - Z_{w_i(y)}^* \leq Z(w_i(y), y) - Z_{lb}^{*i} \leq RC$  holds. Now, let us consider the scenarios defined as follows.

**Definition 5.3.2.** Let  $\bar{i} \in \mathbb{N}$ . It is defined  $w_{lb}^{\bar{i}}$  as the following scenario:

• 
$$d_i^{w_{ib}^{\overline{i}}} = \begin{cases} d_i^+ & \text{if } i = \overline{i} \\ d_i^- & \text{otherwise} \end{cases}$$

$$\bullet \qquad t_{ij}^{w_{lb}^{\overline{i}}} = t_{ij}^{-} \qquad \forall j \in \mathfrak{M}$$

The following lemma shows that the optimal value of the deterministic (PCP) associated to  $w_{lb}^i$  provides a lower bound on  $Z_{w_i(y)}^*$ .

**Lemma 5.3.2.** For any  $i \in \mathbb{N}$  and  $y \in \Omega$ ,  $Z_{w_{ih}}^* \leq Z_{w_i(y)}^*$ .

#### **Proof:**

It is known that  $Z_{w_{lb}^i}^* \leq Z(w_{lb}^i, y^*(w_i(y)))$ . Moreover, since the only difference between scenarios  $w_i(y)$  and  $w_{lb}^i$  is a reduction of travel times  $Z(w_{lb}^i, y^*(w_i(y))) \leq Z_{w_i(y)}^*$ .

Note that scenarios  $\{w_{lb}^i\}_{i\in\mathbb{N}}$  do not depend on any feasible solution  $x\in\Omega$  and therefore the N corresponding lower bounds can all be computed in a pre-processing step. This improvement enables a significant reduction of the solution time.

#### Binary search

Solving deterministic (PCP) through MILP solvers is not the most efficient approach. As mentioned in the previous Chapter 4, the best methods are those of Contardo et al. (2019) and Gaar and Sinnl (2022). The former initially considers a subset of clients, solves the (PCP) associated to this subset, and adds new clients until an optimal solution is obtained. The latter method is based on a branch-and-cut algorithm, considering Benders cuts strengthened with a lifting procedure, and a specialized separation scheme. Both methods can solve very large-scale instances. However, these methods are sophisticated enough to do our own implementation. In order to reach a good compromise between performance and ease of implementation, the deterministic (PCP) is solved through a binary search algorithm well known in the literature (Toregas et al. (1971); Elloumi et al. (2004)) which we have already presented in the Section 4.6.2.

#### 5.3.7 Adaptation to the single-stage problem

The (C&CG) and (B&C) algorithms previously presented can be adapted to solve the single-stage problem  $(RPCP_1)$  using (RF1). For this purpose, it is only considered one single set of allocation variables  $x_{ij}$  which ensures that the demand node allocations are the same regardless of the scenario. These adaptations are not possible for the (C&CG) and (B&C) algorithms based on the others formulations. Indeed, in these formulations it is not possible to ensure that the demand node allocations are the same in all scenarios. Only considering one set of variables  $z_k$  in (RF2) or  $u_k$  in (RF4) would only ensure that the distance index of the radius is the same in each scenario, not that the demand node allocations are. For the algorithms based on (RF3) or (RF5) the adaptation seems even less possible as these formulation do not contain scenario variables and as the demand node allocations are determined implicitly in the corresponding constrains. Note that for  $(RPCP_1)$  the finite set of scenarios that a solution must satisfy to ensure its optimality

is different from  $\{w_i(y)\}_{i\in\mathbb{N}}$  as proved in Theorem 1 of Lu (2013).

# 5.4 Computational study

To evaluate the efficiency of the proposed (C&CG) and (B&C) algorithms, a case study presented in Lu (2013) and randomly generated instances are studied. It was not possible to make a direct comparison with Lu (2013), because the solution values presented in Lu (2013) are not consistent with the ones obtained by the proposed exact solution approach. This is detailed in Section 5.5. This study was carried out on an Intel(R) Xeon(R) Gold 6144 processor 3,5 GHz, with 32 threads, but only 1 was used, and 378 GB of RAM. IBM ILOG CPLEX 20.1 was used as solver. For the (B&C) algorithm, it used the GenericCallback of CPLEX, which gets called whenever a feasible integer solution is found. The absolute tolerance to the best integer objective (EpGap) is set to  $10^{-10}$ . All times presented in the tables are CPU times in seconds. All theses instances files are available online<sup>1</sup>.

### 5.4.1 Case Study

Lu (2013) presents a case study on the location of urgent relief distribution centers (URDCs) in a relief supply distribution network responding to the massive earthquake which hit central Taiwan on September 21, 1999. Specifically, relief supplies were collected from six unaffected counties transported to two URDCs, and then delivered to the 51 relief stations in the 11 townships. Five other candidate sites for URDCs were considered. They divided the number of survivors by the number of relief stations of each township to estimate the relief demand faced by each relief station. They use the data collected in previous research for the travel time between a URDC and a relief station.

Following Lu (2013), we consider a distance uncertainty box  $[t_{ij}; t_{ij}(1 + \alpha_1)]$ , and the demand uncertainty box  $[d_i(1-\alpha_2); d_i(1+\alpha_2)]$  with  $\alpha_1 \in \{0, 5, 1, 5, 2, 5\}$  and  $\alpha_2 \in \{0.2, 0.4, 0.6\}$ . Thus, we consider the 9 combinations of parameter values  $\alpha_1$  and  $\alpha_2$  considering 51 demand nodes, 7 possible sites, and the selection of 2 centers. Table 5.2 shows the results obtained when solving  $(RPCP_2)$  by applying the proposed algorithms to the case study.

One can observe in Table 5.2 that the optimal value of  $(RPCP_2)$  increases with  $\alpha_1$  and  $\alpha_2$ . The fastest algorithm is (C&CG) using the (RF3) and (RF5) formulations, closely followed by the two (B&C). Unlike the deterministic problem, (RF2) and (RF4) are not the most efficient.

<sup>&</sup>lt;sup>1</sup>https://osf.io/87u6f/

			Insta	nce				Ιt	teration	ns						Γime [s]			
$\overline{N}$	1.1				RC			C&CG			В8	ζС			C&CC	1 T		В&	zC
1 <b>V</b>	M	p	$\alpha_1$	$\alpha_2$	nc	RF1	RF2	RF3	RF4	RF5	RF3	RF5	RF1	RF2	RF3	RF4	RF5	RF3	RF5
51	7	2	0,5	0,2	495000	5	5	5	5	5	5	5	1,0	1,0	0,9	10,0	0,9	1,2	1,2
51	7	2	0,5	0,4	838500	6	6	6	6	6	10	6	1,1	1,0	1,0	14,1	0,9	$^{1,2}$	1,1
51	7	2	0,5	0,6	1159200	7	6	6	6	6	6	6	1,3	1,0	0,8	11,7	0,9	1,1	1,1
51	7	2	1,5	0,2	1238400	14	16	16	15	16	16	15	5,7	4,3	1,9	153,5	1,9	1,9	1,9
51	7	2	1,5	0,4	1705800	16	15	15	14	16	16	15	8,0	3,0	1,8	109,1	1,8	1,9	1,8
51	7	2	1,5	0,6	2150400	16	15	15	14	15	14	15	7,2	2,8	1,7	100,3	1,6	1,8	1,8
51	7	2	2,5	0,2	1981800	18	19	22	19	21	18	18	11,6	5,4	2,5	238,9	2,5	2,2	2,2
51	7	2	$^{2,5}$	0,4	2573100	19	19	21	19	20	18	19	12,4	4,7	$^{2,3}$	209,9	$^{2,2}$	$^{2,2}$	$^{2,2}$
51	7	2	$^{2,5}$	0,6	3141600	20	19	19	19	19	19	19	13,4	4,3	$^{2,1}$	181,7	$^{2,1}$	$^{2,1}$	$^{2,1}$
			Aver	age		13	13	14	13	14	14	13	6,9	3,0	1,6	114,3	1,6	1,7	1,7

Table 5.2: Results of C&CG and B&C algorithms for the  $(RPCP_2)$  on the case study instances.

Moreover, (RF4) requires many more variables and constraints than the other formulations, resulting in a much longer solving time per iteration of the (C&CG) algorithm.

It also observed that the robust solution of all these instances also is the deterministic solution which consists of opening sites 3 and 4. This may be due to the fact that the bounds of the uncertainty boxes are all increased in the same proportion for all the nodes. To avoid this, random intervals for all uncertain parameters are considered in the following.

#### 5.4.2 Randomly generated instances

Following Lu (2013), two dimensional coordinates were uniformly drawn from  $[0, 100] \times [40; 60]$  for the two set of demand nodes and available sites. The distances  $t_{ij}$  between demand nodes and sites were set to the nearest integer of their Euclidean distance. The demand  $d_i$  of each demand node  $i \in \mathbb{N}$  was uniformly drawn from the interval [1000; 2000]. Nevertheless, it is not considered the same uncertainty sets as in Lu (2013). For all  $i \in \mathbb{N}$  and  $j \in \mathbb{M}$ ,  $t_{ij}$  and  $d_i$  can take any value in  $[t_{ij}; t_{ij}(1+\alpha_1^{ij})]$  and  $[d_i(1-\alpha_2^i); d_i(1+\alpha_2^i)]$ . Three cases are considered depending on whether  $\alpha_1^{ij}$  and  $\alpha_2^i$  are randomly generated in [0,1,0,3], [0,4,0,6], or [0,7,0,9].

Firstly, 18 instances are generated for  $(RPCP_2)$  with the following parameters:  $N = M \in \{15, 25, 40\}$ , and  $p = \{2, 3\}$ . The results obtained for these instances are presented in Tables 5.3, and 5.4 respectively. The last columns represent the robust solution and the deterministic solutions. Since both problems may have several optimal solutions, it is included in the tables the solutions that are the most frequent among those of the seven methods considered. For these instances, a time-limit of 600 seconds (TL2) is considered.

Similarly to Table 5.2, both RC and the solving time increase with  $\alpha_1$  and  $\alpha_2$  in this first set of instances. (RF3) and (RF5) are also the fastest (C&CG) algorithms. This could be explained by the fact that the addition of a scenario does not lead to the addition of any variable. The (B&C)

algorithms are much faster even though they perform more iterations. The better performances of (RF5) with the (B&C) algorithm is due to its smaller number of iterations.

It is observed that the box uncertainty sets with random bounds lead to robust solutions which are different from the deterministic one, in contrast to the case study. Note that the CPU time increases with p. Indeed, none of the (C&CG) algorithms is able to solve all the instances for p=3. This could be explained by the number of feasible solutions which is proportional to  $\binom{M}{p}$ .

			Instance				It	teration	ıs					ŗ	Γime [s]				Ro	bust	Non	ninal
N	M	р	$(\alpha_1, \alpha_2)$	RC			C&CG			В8	kС			C&CG			В	kС		ition		ition
	111	Р	$(\alpha_1, \alpha_2)$	100	RF1	RF2	RF3	RF4	RF5	RF3	RF5	RF1	RF2	RF3	RF4	RF5	RF3	RF5				
15	15	2	[0,1, 0,3]	45870	5	8	6	5	5	8	8	0,5	1,4	0,4	8,7	0,4	0,4	0,5	10	14		
15	15	2	[0,4, 0,6]	136587	17	16	15	14	17	21	19	6,1	$^{3,2}$	0,6	31,1	0,7	0,5	$^{0,5}$	11	14	11	14
15	15	2	[0,7, 0,9]	228429	34	28	33	33	33	37	35	26,4	$^{3,4}$	1,3	144,5	2,0	1,6	1,1	11	14		
25	25	2	[0,1, 0,3]	40205	8	8	8	8	8	16	12	3,1	6,6	1,0	184,9	1,0	1,2	1,1	21	22		
25	25	2	[0,4, 0,6]	142096	21	20	21	16	22	32	30	41,6	33,3	3,0	TL	3,7	$^{2,1}$	1,7	7	22	13	21
25	25	2	[0,7, 0,9]	228195	36	34	38	20	38	47	35	230,9	14,5	$^{4,5}$	$\mathrm{TL}$	5,3	$^{2,2}$	1,9	13	15		
40	40	2	[0,1, 0,3]	54082	12	12	13	3	11	19	14	51,4	58,8	4,1	$\mathrm{TL}$	7,4	8,0	6,9	10	26		
40	40	2	[0,4, 0,6]	143310	23	23	34	3	33	45	36	TL	TL	94,5	TL	63,0	18,0	14,7	25	26	8	26
40	40	2	[0,7, 0,9]	283119	30	56	89	6	96	122	108	$\mathrm{TL}$	$\mathrm{TL}$	67,6	$\mathrm{TL}$	91,2	17,6	15,4	23	32		
			Average				29		29	39	33			19,7		19,4	5,7	4,9				

Table 5.3: Results of C&CG and B&C algorithms on randomly generated  $(RPCP_2)$  instances with  $N=M\in\{15,25,40\}$  and p=2. TL2=600s.

			Instance				It	eration	ıs						Time [s]				R	obus	t	No.	omin	ıal
N	M		(0. 0.)	RC			C&CG			В	kС			C&CG			В	kС		olutio			olutio	
1 V	M	p	$(\alpha_1, \alpha_2)$	nc	RF1	RF2	RF3	RF4	RF5	RF3	RF5	RF1	RF2	RF3	RF4	RF5	RF3	RF5						
15	15	3	[0,1, 0,3]	56689	8	7	8	8	8	10	11	0,7	0,7	0,4	15,5	0,5	0,4	0,4	1	6	8			
15	15	3	[0,4, 0,6]	97360	16	15	16	15	17	24	16	3,6	5,1	0,8	59,7	1,0	0,7	$^{0,5}$	1	6	12	1	6	12
15	15	3	[0,7, 0,9]	166252	33	36	35	37	36	44	43	19,6	14,4	1,5	200,3	2,0	1,0	1,0	1	6	12			
25	25	3	[0,1, 0,3]	40950	12	8	7	7	10	16	8	6,7	4,7	0,9	157,3	1,7	1,1	0,7	2	12	14			
25	25	3	[0,4,0,6]	84827	16	16	18	13	18	45	21	18,6	27,3	6,3	TL	5,5	3,2	2,0	2	14	50	3	7	25
25	25	3	[0,7, 0,9]	165978	50	51	54	20	57	66	64	305,8	94,8	14,6	TL	17,9	$^{3,9}$	4,1	6	7	17			
40	40	3	[0,1, 0,3]	48123	18	17	15	3	18	40	33	213,1	TL	20,6	TL	22,7	9,4	8,5	25	26	40			
40	40	3	[0,4,0,6]	125024	23	19	54	4	52	197	103	TL	TL	389,7	TL	161,7	26,9	18,1	18	25	35	8	26	40
40	40	3	[0,7, 0,9]	236529	33	44	152	6	132	537	589	TL	TL	$\mathrm{TL}$	TL	TL	71,2	74,9	25	29	40			
			Average							109	99						13,1	12,2						

Table 5.4: Results of C&CG and B&C algorithms on randomly generated  $(RPCP_2)$  instances with  $N=M\in\{15,25,40\}$  and p=3. TL2=600s.

Since the limit of the (C&CG) algorithms is reached, the following will focus on the (B&C) algorithms. It is now considered a time limit of 9000 seconds and instances with the following parameters:  $N = M \in \{60, 80, 100\}$ , and  $p = \{2, 3, 4, 5\}$ . The results are presented in Tables 5.5, 5.6, 5.7, and 5.8.

Both algorithms were able to solve most instances. However, due to memory limitations, the optimal solution is not obtained for all instances with 80 and 100 nodes in particular for those with the largest uncertainty sets. The results of the two formulations are similar, with (RF3) performing better on average for  $p = \{3, 4, 5\}$ , and worse for p = 2. Their solving time is still closely related to the number of iterations even if for a few instances, (RF3) performs more iterations but is faster.

		I	nstance			В	&С				oust ition			ninal
N	M	p	$(\alpha_1, \alpha_2)$	RC	Itera RF3	tions RF5	Tim RF3	e [s] RF5	R	F3	R	F5	Solu	ition
60	60	2	[0,1, 0,3]	45075	31	15	16	9	9	32	9	32		
60	60	2	[0,4, 0,6]	112704	81	38	37	<b>21</b>	31	32	31	32	4	32
60	60	2	[0,7, 0,9]	216104	176	73	66	<b>37</b>	32	45	32	45		
80	80	2	[0,1, 0,3]	37245	21	18	25	26	2	61	2	61		
80	80	2	[0,4, 0,6]	147825	117	62	113	74	27	61	27	61	54	61
80	80	2	[0,7, 0,9]	243722	338	296	251	275	25	27	25	27		
100	100	2	$[0,1,\ 0,3]$	53119	55	26	109	66	33	65	65	84		
100	100	2	[0,4, 0,6]	146640	183	154	265	<b>241</b>	9	64	33	64	33	64
100	100	2	[0,7, 0,9]	246597	460	497	630	716	64	84	64	84		
		A	Average		162	131	168	163						

Table 5.5: Results of B&C algorithm on randomly generated  $(RPCP_2)$  instances with  $N=M\in\{60,80,100\}$  and p=2.

		I	nstance			В	&C					oust ition			N	omina	al
$\overline{N}$	M	p	$(\alpha_1, \alpha_2)$	RC	Itera RF3	tions RF5	Tim RF3	ne [s] RF5		RF3			RF5		So	olutio	n
60	60	3	[0,1, 0,3]	45430	92	79	29	27	24	32	36	24	32	56			
60	60	3	[0,4, 0,6]	117659	354	310	127	127	10	42	44	10	33	38	2	32	48
60	60	3	[0,7, 0,9]	209352	1015	1024	444	507	20	31	42	14	31	42			
80	80	3	[0,1, 0,3]	33439	55	48	83	95	32	41	58	32	41	58			
80	80	3	[0,4, 0,6]	128900	386	332	399	336	32	63	74	32	63	74	9	71	73
80	80	3	[0,7, 0,9]	206001	980	1033	1295	1647	10	58	61	10	58	61			
100	100	3	[0,1, 0,3]	35780	52	58	122	175	12	76	84	12	76	84	10	00	
100	100	3	[0,4, 0,6]	124704	498	323	1403	1192	19	88	89	12	19	88	12	32	83
		I	Average		429	401	488	513									

Table 5.6: Results of B&C algorithm on randomly generated  $(RPCP_2)$  instances with  $N=M\in\{60,80,100\}$  and p=3.

		I	nstance			В	&C						oust ition						ninal	
$\overline{N}$	M	p	$(\alpha_1, \alpha_2)$	RC	Itera RF3	tions RF5	Tim RF3	e [s] RF5		R	F3			R	F5			Sol	ution	-
60	60	4	[0,1, 0,3]	36737	50	42	44	36	3	8	18	55	2	8	18	55				
60	60	4	[0,4, 0,6]	99544	326	293	379	408	2	8	26	32	2	26	32	35	2	8	32	43
60	60	4	[0,7, 0,9]	171749	1684	1519	2918	3371	26	32	48	53	12	26	48	53				
80	80	4	[0,1, 0,3]	31788	92	58	482	325	3	32	58	69	21	32	58	60	1		20	
80	80	4	[0,4, 0,6]	108312	736	633	2152	3259	1	32	48	55	17	32	39	55	1	3	32	58
100	100	4	[0,1, 0,3]	32841	203	142	941	1816	12	14	35	44	12	14	35	73	1	4	12	35
	Average				515	448	1153	1536												

Table 5.7: Results of B&C algorithm on randomly generated  $(RPCP_2)$  instances with  $N=M\in\{60,80,100\}$  and p=4.

		I	nstance			В	&C							bust ition							omin		
N	M	p	$(\alpha_1, \alpha_2)$	RC / BKV	Itera RF3	tions RF5	Tim RF3	e [s] RF5			RF	3				RF	5			S	olutio	on	
60 60 60	60 60 60	5 5 5	[0,1, 0,3] [0,4, 0,6] [0,7, 0,9]	29709 86466 138852	52 386 888	28 185 1323	51 970 <b>5596</b>	<b>31</b> <b>774</b> 6461	2 2 2	8 8 8	12 18 21	18 28 38	37 38 39	$\begin{array}{ c c c } 3 \\ 2 \\ 2 \end{array}$	8 8 21	18 28 38	18 28 38	37 38 39	2	8	12	18	40
80 80	80 80	5 5	[0,1, 0,3] [0,4, 0,6]	29259 99449	147 643	129 547	3086 TL3	<b>2366</b> TL3	1 2	44 11	48 42	58 47	59 73	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	44 11	58 47	58 31	59 73	11	15	16	18	40
100	100	5	$[0,1,\ 0,3]$	31,107	142	133	803	6066	13	14	90	95	100	13	14	95	95	100	3	12	14	50	85
	Average				372	395	2011	2747															

Table 5.8: Results of B&C algorithm on randomly generated  $(RPCP_2)$  instances with  $N=M\in\{60,80,100\}$  and p=5. TL3=9000s.

## 5.4.3 ORLIB instances

We consider the deterministic ORLIB instances (Beasley (1990)), which are symmetrical instances, since the set of clients is also the set of candidate sites. In these instances the travel times  $t_{ij}$  are provided. To create (RPCP2) instances, demand values in [1,100] were randomly generated and for the travel times the same box uncertainty set than in the previous section were considered, with  $\alpha_i$  and  $\alpha_{ij}$  randomly generated in [0,1,0,9] and such that  $\alpha_{ij} = \alpha_{ji}$  for  $i \in \mathbb{N}$  and  $j \in \mathbb{M}$ . The results are presented in Tables 5.9, 5.10, and 5.11. For these instances, a time-limit of 9000 seconds (TL3) was considered.

Starting from p=2, it is possible to see that the solving time increases rapidly with p. Particularly, instance pmed3 is only solved for p=2 and instance pmed1 could not be solved for p=4 due to memory issues. As for the random instances, the formulations have similar performances which depend strongly on the number of iterations. It was not possible to solve larger ORLIB instances with  $N \geq 200$  due to memory limitations.

	Ir	ıstaı	nce			В	&C			Rob Solu				ninal
Name	N = M	p	$(\alpha_1, \alpha_2)$	RC	Itera RF3	tions RF5	Tim RF3	e [s] RF5	R	F3	R	F5	Solu	ition
pmed1	100	2	[0,1, 0,9]	14706	392	494	511	663	8	57	8	57	60	95
pmed2	100	2	[0,1, 0,9]	16138	595	626	672	738	23	64	23	64	7	21
pmed3	100	2	[0,1, 0,9]	25443	717	633	825	<b>758</b>	15	88	15	88	89	99
pmed4	100	2	[0,1, 0,9]	19293	761	778	1070	1134	32	100	32	99	2	98
pmed5	100	2	[0,1, 0,9]	13336	267	186	274	193	52	68	52	68	15	52
	A	vera	age		546	543	670	697						

Table 5.9: Results of B&C algorithm on adapted ORLIB instances for the  $(RPCP_2)$  with N=M=100 and p=2.

	Ir	ısta	nce			В	&C					oust ition			l	omin	
Name	N = M	p	$(\alpha_1, \alpha_2)$	RC	Itera RF3	tions RF5	Tim RF3	e [s] RF5		RF3			RF5			olutio	n
pmed1	100	3	[0,1, 0,9]	14094	675	587	2876	2188	9	42	94	9	42	64	9	13	94
pmed2	100	3	[0,1, 0,9]	17718	567	615	1137	1245	35	65	88	35	68	88	2	9	22
pmed4	100	3	[0,1, 0,9]	15423	395	459	1303	1413	32	88	99	32	51	99	1	69	87
pmed5	100	3	[0,1, 0,9]	12228	601	536	1348	1346	51	68	97	51	68	97	7	32	46
	A	vera	age		560	549	1666	1548									

Table 5.10: Results of B&C algorithm on adapted ORLIB instances for the  $(RPCP_2)$  with N=M=100 and p=3.

	Iı	nsta	nce			В	&C					Rol Solu	oust tion					Nom		
name	N = M	p	$(\alpha_1, \alpha_2)$	RC	Itera RF3	tions RF5	Tim RF3	e [s] RF5		R	F3			Rl	F5			Solut	tion	
pmed2	100	4	[0,1, 0,9]	12600	1032	1134	3457	4980	23	58	77	97	23	58	76	97	2	8	22	40
pmed4	100	4	[0,1, 0,9]	13812	507	648	6299	4463	7	26	52	99	7	26	52	99	8	23	51	55
pmed5	100	4	[0,1, 0,9]	11650	1150	-	5563	-	60	71	90	97	-	-	-	-	23	51	69	97

Table 5.11: Results of B&C algorithm on adapted ORLIB instances for the  $(RPCP_2)$  with N=M=100 and p=4. TL3=9000s.

# 5.5 Comparison of results with Lu (2013)

It was not possible to compare the performances of proposed exact algorithms and the one of the heuristic in Lu (2013) as its results do not seem to be correct. It is proved that several robustness costs obtained with this heuristic and reported in Lu (2013) are undervalued.

Since the problem  $(RPCP_1)$  is considered, the demand node allocations are fixed before the uncertainty is revealed. Consequently, unlike  $(RPCP_2)$ , allocation variables y are necessary to compute the radius and the robustness cost of a solution. Given a feasible solution (x,y), let  $t_i^w$  be the distance (or travel time) in scenario  $w \in W$  between a demand node  $i \in \mathbb{N}$  and its allocated center (i.e.,  $t_i^w = t_{ij}^w$  with  $j \in \mathbb{M}$  the only center such that  $y_{ij} = 1$ ). In this single-stage problem, the radius of solution (x,y) is  $\max_{i \in \mathbb{N}} d_i^w t_i^w$  and its robustness cost is  $RC(x,y) = \max_{w \in \mathbb{W}} \left\{ \max_{i \in \mathbb{N}} d_i^w t_i^w - Z_w^* \right\}$ , where  $Z_w^*$  is the optimal solution of the deterministic p-center problem in which the uncertain parameters take value w.

A difficulty to evaluate the robustness costs reported in Lu (2013) is that for each solution only one demand node allocation is provided. Let us consider the instance described in Section 5.4.1 in which p=2,  $\alpha_1=0,5$ , and  $\alpha_2=0,2$  and let  $(x^h,y^h)$  be its associated solution in Lu (2013). The only information available on  $(x^h,y^h)$  is that centers 1 and 2 are located  $(x_1^h=x_2^h=1)$  and that demand node 21 is allocated to center 1  $(y_{21,1}^h=1)$ . Nevertheless, this is sufficient to obtain a lower bound on the robustness cost as for any scenario  $w \in \mathcal{W}$  and any demand node  $i \in \mathcal{N}$ , the

expression  $d_i^w t_i^w - Z_w^*$  constitutes a lower bound of  $RC(x^h, y^h)$ . Let us consider a scenario  $w_{21}$  in which the demand of node 21 is  $d_{21}^w = d_{21}^+ = 34800$  and its distance to center 1 is  $t_{21,1}^w = t_{21,1}^+ = 41$ . The optimal radius  $Z_{w_{21}}^* = 495600$  is obtained by solving a deterministic p-center problem. Consequently, a lower bound on the robustness cost of value  $34800 \times 41 - 495600 = 931200$  is obtained, which is higher than the value 93619 reported in Lu (2013).

Table 5.12 present similar results on nine instances. The third column contains the robustness costs reported in Lu (2013) which are almost all undervalued. Indeed, they are significantly lower than their associated lower bounds presented in Column 4. Column 5 contains the robustness cost of optimal solutions obtained by the proposed (B&C) algorithm adapted to  $(RPCP_1)$  (see Section 5.3.7). Note that the branch-and-cut always returns a solution which robustness cost is always lower than the lower bound of the heuristic solution.

		D 1		
Inet	ance	Robi	ustness cost	
11150	ance	Heuristic solution from	Lu (2013)	Optimal solution
$\alpha_1$	$\alpha_2$	Results from Lu (2013)	Accordin	g to this article
0,5	0,2	= 93619	$\geq 931200$	=495000
0,5	0,4	= 587837	$\geq 1292900$	=838500
0,5	0,6	= 1477709	$\geq 1906600$	= 1159200
1,5	0,2	= 940858	$\geq 1870800$	= 1238400
1,5	0,4	= 1859069	$\geq 2389100$	= 1705800
1,5	0,6	= 2934605	$\geq 3362600$	=2150400
$^{2,5}$	0,2	= 1883309	$\geq 2810400$	= 1981800
$^{2,5}$	0,4	= 3400291	$\geq 4029900$	=2573100
$^{2,5}$	0,6	=4356480	$\geq 4129600$	=3141600

Table 5.12: Comparison of the robustness cost of solutions obtained by the heuristic presented in Lu (2013) and optimal solutions obtained by the branch-and-cut algorithm adapted for  $(RPCP_1)$ .

# 5.6 Conclusions

The solution of a robust weighted vertex p-center problem is studied, considering uncertain nodal weights demand and edge lengths using box uncertainty sets. Two variants of this problem are possible depending on whether the demand node allocations to the centers are made after the uncertainty is revealed  $(RPCP_2)$  or not  $(RPCP_1)$ .

Similarly to  $(RPCP_1)$ , it is proved that for  $(RPCP_2)$  a finite subset of scenarios from the box uncertainty set can be considered without losing optimality. This result is used to propose five robust reformulations based on different MILP formulations of the vertex p-center problem. To optimally solve these reformulations, a column-and-constraint generation algorithm and a branch-and-cut algorithm are introduced. Moreover, it is identified a lower bound on the optimal value of the deterministic p-center problem associated with the identified finite subset of scenarios. This result is used to significantly reduce the solving time of proposed algorithms. Finally, it is highlighted how proposed methods can be adapted to optimally solve  $(RPCP_1)$ .

It is presented a numerical study to compare the performances of the algorithms on a case study, on randomly generated instances, and on a few instances from ORLIB. It was possible to solve optimally the 68 considered instances. The *column-and-constraint generation* algorithm based on formulation (RF3) and (RF5) is more efficient than the one based on (RF1), (RF2) and (RF4). This is because adding a scenario does not require the addition of any variable. This formulation enables the implementation of a *branch-and-cut* algorithm which significantly reduces the solving time.

In future work, analysis of larger instances with other random box uncertainty sets could be considered. To further improve the performances of the branch-and-cut algorithm, alternative branching strategies could be evaluated and integrality cuts (UserCuts) could be dynamically generated. The algorithms could also be improved by solving the deterministic (PCP) at each iteration with some other exact method such as that of Contardo et al. (2019) or Gaar and Sinnl (2022).

# Chapter 6

# Conclusion

This chapter presents some discussion on the main results of this thesis. Furthermore, some perspectives that motivate future work and new research directions are presented.

## 6.1 Conclusions

Discrete location problems have been well studied in the literature, nevertheless there are still many studies that seek to improve or propose new solution methods. Furthermore, although there is a great development of approximation methods, there are still great challenges for the exact solution of large-scale problems. We have studied the p-center problem (PCP) and p-median problem (PMP) which are fundamental problems in location science and therefore have many applications in Operations Research. In these problems, the number p of installations to be located is known in advance, and no opening costs are considered. We have focused on how their corresponding MILP formulations impact their solution methods.

We have studied Benders decomposition for both p-center and p-median problems, which, along with efficient cut separation algorithms and other enhancements, constitutes the current state of the art in exact solution methods for large-scale instances. Specifically, for (PMP) we have been able to solve instances for more than 238000 sites and clients and different types of instances. Improving the results of the best approach of García et al. (2011). For (PCP) we also studied the Benders decomposition and found a class of new Benders cuts. These cuts can be viewed as a generalization for the already known ones. Although our implementation cannot outperform the work of Gaar and Sinnl (2022) in terms of execution time, it gives good results in terms of linear relaxation bounds. On the other hand, our proposed algorithm based on the clustering

procedure can outperform the best methods of Gaar and Sinnl (2022) and Contardo et al. (2019) for large values of p. We have been able to solve instances for more than 744000 sites and clients. The good performance of this algorithm is based on several improvements such as the two-stage implementation, the efficient cluster update by identifying good lower and upper bound, and an exact iterative distance rounding procedure.

We have also studied the incorporation of uncertainty into the (PCP) problem in order to study some realistic problems. We were the first to consider uncertainty in distances and client demands simultaneously for the robust two-stage problem. Uncertainty intervals have been considered for each parameter. Our research has produced five new robust reformulations considering a finite set of scenarios that minimize the maximal regret in relation to the worst-case scenario. Furthermore, we propose the use of lower bounds on the worst-case scenario that allow our exact algorithms to solve instances efficiently.

# 6.2 Perspectives

Regarding the (PMP), there are different implementation improvements to consider. We have considered only separating cuts for integer solutions in the branch-and-cut, an implementation that also separate on fractional solutions can also be considered. Also, using other branching strategies during the search tree.

In relation to (PCP), it is shown that there are different approaches within the same principal resolution method. The in-depth study of the new cuts may bring new theoretical and implementation results. Moreover, the techniques of client aggregation, dominated facilities and distance rounding have allowed us to have the best resolution performance, therefore we believe that each of these can be improved and used in other location problems.

We think that our work on the robust (PCP) problem can be the basis of several improvements as well as for other variants of the (PCP), and other uncertainty intervals or other objective functions of the robust problem. Although we show the advantages of two formulations over the other three, we believe that each may have its own specific advantages to be studied. Also, incorporating other techniques in our branch-and-cut should be able to further improve the performance to solve instances of a larger size.

123 Bibliography

# **Bibliography**

Al-Khedhairi, A., S. (2005). Enhancements to two exact algorithms for solving the vertex P-center problem. *Journal of Mathematical Modelling and Algorithms Volume*, 4:129–147.

- Ales, Z. and Elloumi, S. (2018). Compact milp formulations for the p-center problem. In *International Symposium on Combinatorial Optimization*, pages 14–25. Springer.
- An, Y., Zeng, B., Zhang, Y., and Zhao, L. (2014). Reliable p-median facility location problem: two-stage robust models and algorithms. *Transportation Research Part B: Methodological*, 64:54–72.
- Avella, P., Boccia, M., Salerno, S., and Vasilyev, I. (2012). An aggregation heuristic for large scale p-median problem. *Computers & Operations Research*, 39(7):1625–1632.
- Avella, P., Sassano, A., and Vasil'ev, I. (2007). Computational study of large-scale p-median problems. *Mathematical Programming*, 109(1):89–114.
- Averbakh, I. and Berman, O. (1997). Minimax regret p-center location on a network with demand uncertainty. *Location Science*, 5(4):247–254.
- Averbakh, I. and Berman, O. (2000). Algorithms for the robust 1-center problem on a tree. European Journal of Operational Research, 123(2):292–302.
- Baron, O., Milner, J., and Naseraldin, H. (2011). Facility location: A robust optimization approach. *Production and Operations Management*, 20.
- Basu, S., Sharma, M., and Ghosh, P. S. (2015). Metaheuristic applications on discrete facility location problems: a survey. *OPSEARCH*, 52(3):530–561.
- Beasley, J. E. (1990). Or-library: Distributing test problems by electronic mail. *The Journal of the Operational Research Society*, 41(11):1069–1072.
- Ben-Tal, A., Ghaoui, L., and Nemirovski, A. (2009). *Robust Optimization*. Princeton Series in Applied Mathematics. Princeton University Press.
- Benders, J. F. (1962). Partitioning procedures for solving mixed-variables programming problems.

  Numerische Mathematik, 4(1):238–252.
- Bertsimas, D., Litvinov, E., Sun, X. A., Zhao, J., and Zheng, T. (2013). Adaptive robust optimization for the security constrained unit commitment problem. *IEEE Transactions on Power Systems*, 28(1):52–63.
- Bertsimas, D. and Sim, M. (2004). The price of robustness. Operations Research, 52(1):35–53.
- Briant, O. and Naddef, D. (2004). The optimal diversity management problem. *Operations* research, 52(4):515–526.
- Çalık, H., Labbé, M., and Yaman, H. (2019a). p-Center Problems, pages 51–65. Springer International Publishing, Cham.

- Çalık, H., Labbé, M., and Yaman, H. (2019b). p-center problems. In *Location science*, pages 51–65. Springer.
- Calik, H. and Tansel, B. C. (2013). Double bound method for solving the p-center location problem. Computers and Operations Research, 40(12):2991–2999.
- Caruso, C., Colorni, A., and Aloi, L. (2003). Dominant, an algorithm for the p-center problem. European Journal of Operational Research, 149(1):53–64.
- Chan, T. C. Y., Shen, Z.-J. M., and Siddiq, A. (2018). Robust defibrillator deployment under cardiac arrest location uncertainty via row-and-column generation. *Operations Research*, 66(2):358–379.
- Chen, D. and Chen, R. (2009). New relaxation-based algorithms for the optimal solution of the continuous and discrete p-center problems. *Computers and Operations Research*, 36(5):1646–1655.
- Cheng, C., Adulyasak, Y., and Rousseau, L.-M. (2021). Robust facility location under demand uncertainty and facility disruptions. *Omega*, 103:102429.
- Church, R. L. (1984). Symposium on location problems: In memory of leon cooper. *Journal of Regional Science*, 24(2):185–201.
- Contardo, C., Iori, M., and Kramer, R. (2019). A scalable exact algorithm for the vertex p-center problem. *Computers and Operations Research*, 103:211–220.
- Cordeau, J.-F., Furini, F., and Ljubić, I. (2019). Benders decomposition for very large scale partial set covering and maximal covering location problems. *European Journal of Operational Research*, 275(3):882 896.
- Cornuejols, G., Nemhauser, G. L., and Wolsey, L. A. (1980). A canonical representation of simple plant location problems and its applications. *SIAM Journal on Algebraic Discrete Methods*, 1(3):261–272.
- Daskin, M. (1996). Network and discrete location: Models, algorithms and applications. *Journal of the Operational Research Society*, 48.
- Demange, M., Gabrel, V., Haddad, M. A., and Murat, C. (2020). A robust p-center problem under pressure to locate shelters in wildfire context. *EURO Journal on Computational Optimization*, 8:103–139.
- Du, B. and Zhou, H. (2018). A robust optimization approach to the multiple allocation p-center facility location problem. *Symmetry*, 10(11):588.
- Du, B., Zhou, H., and Leus, R. (2020). A two-stage robust model for a reliable p-center facility location problem. *Applied Mathematical Modelling*, 77:99–114.
- Duran-Mateluna, C., Ales, Z., and Elloumi, S. (2023a). An efficient benders decomposition for the p-median problem. *European Journal of Operational Research*, 308(1):84–96.

125 Bibliography

Duran-Mateluna, C., Ales, Z., Elloumi, S., and Jorquera-Bravo, N. (2023b). Robust MILP formulations for the two-stage weighted vertex p-center problem. *Computers & Operations Research*, 159:106334.

- Elloumi, S. (2010). A tighter formulation of the p-median problem. *Journal of Combinatorial Optimization*, 19(1):69–83.
- Elloumi, S., Labbé, M., and Pochet, Y. (2004). A New Formulation and Resolution Method for the p-Center Problem. *INFORMS Journal on Computing*, 16(1):84–94.
- Elloumi, S. and Plateau, A. (2010). A computational study for the p-median problem. *Electronic Notes in Discrete Mathematics*, 36:455–462.
- Fischetti, M., Ljubic, I., and Sinnl, M. (2017). Redesigning benders decomposition for large-scale facility location. *Management Science*, 63(7):2146–2162.
- Gaar, E. and Sinnl, M. (2022). A scaleable projection-based branch-and-cut algorithm for the p-center problem. *European Journal of Operational Research*.
- Galvão, R. D. (1980). A dual-bounded algorithm for the p-median problem. *Operations Research*, 28(5):1112–1121.
- García, S., Labbé, M., and Marín, A. (2011). Solving large p-median problems with a radius formulation. *INFORMS Journal on Computing*, 23(4):546–556.
- Garcia-Diaz, J., Menchaca-Mendez, R., Menchaca-Mendez, R., Pomares Hernández, S., Pérez-Sansalvador, J. C., and Lakouari, N. (2019). Approximation algorithms for the vertex k-center problem: Survey and experimental evaluation. *IEEE Access*, 7:109228–109245.
- Garfinkel, R. S., Neebe, A. W., and Rao, M. R. (1977). The m-Center Problem: Minimax Facility Location. *Management Science*, 23(10):1133–1142.
- Hakimi, S. (1964). Optimum locations of switching centers and the absolute centers and medians of a graph. *Operations Research*, 12:450–459.
- Hakimi, S. L. (1965). Optimum distribution of switching centers in a communication network and some related graph theoretic problems. *Operations research*, 13(3):462–475.
- Hansen, P., Brimberg, J., Urošević, D., and Mladenović, N. (2009). Solving large p-median clustering problems by primal–dual variable neighborhood search. *Data Mining and Knowledge Discovery*, 19(3):351–375.
- Hasani, A. and Mokhtari, H. (2018). Redesign strategies of a comprehensive robust relief network for disaster management. *Socio-Economic Planning Sciences*, 64:92–102.
- Irawan, C. and Salhi, S. (2015a). Aggregation and non aggregation techniques for large facility location problems: A survey. *Yugoslav Journal of Operations Research*, 25:1–1.
- Irawan, C. A. and Salhi, S. (2015b). Solving large p-median problems by a multistage hybrid approach using demand points aggregation and variable neighbourhood search. *Journal of*

- Global Optimization, 63(3):537-554.
- Irawan, C. A., Salhi, S., and Scaparra, M. P. (2014). An adaptive multiphase approach for large unconditional and conditional p-median problems. European Journal of Operational Research, 237(2):590–605.
- Kariv, O. and Hakimi, S. L. (1979). An algorithmic approach to network location problems. ii: The p-medians. SIAM Journal on Applied Mathematics, 37(3):539–560.
- Klastorin, T. D. (1985). The p-Median Problem for Cluster Analysis: A Comparative Test Using the Mixture Model Approach. *Management Science*, 31(1):84–95.
- Laporte, G., Nickel, S., and da Gama, F. (2019a). Facility Location Under Uncertainty, pages 185–213. Springer International Publishing, Cham.
- Laporte, G., Nickel, S., and Saldanha-da Gama, F. (2019b). Location Science (2nd ed). Springer International Publishing.
- Lu, C.-C. (2013). Robust weighted vertex p-center model considering uncertain data:

  An application to emergency management. European Journal of Operational Research,
  230(1):113–121.
- Lu, C.-C. and Sheu, J.-B. (2013). Robust vertex p-center model for locating urgent relief distribution centers. *Computers & Operations Research*, 40(8):2128–2137.
- Magnanti, T. L. and Wong, R. T. (1981). Accelerating benders decomposition: Algorithmic enhancement and model selection criteria. *Operations Research*, 29(3):464–484.
- Marín and Pelegrín, M. (2019). *The p-Median Problem*, pages 25–50. Springer International Publishing.
- Minieka, E. (1970). The m-center problem. SIAM Review, 12(1):138–139.
- Mladenović, N., Brimberg, J., Hansen, P., and Moreno-Pérez, J. A. (2007). The p-median problem: A survey of metaheuristic approaches. *European Journal of Operational Research*.
- Mu, W. and Tong, D. (2020). On solving large p-median problems. Environment and Planning B: Urban Analytics and City Science, 47(6):981–996.
- Nikoofal, M. E. and Sadjadi, S. J. (2010). A robust optimization model for p-median problem with uncertain edge lengths. *The International Journal of Advanced Manufacturing Technology*, 50:391–397.
- Park, H.-S. and Jun, C.-H. (2009). A simple and fast algorithm for K-medoids clustering. *Expert Systems with Applications*, 36(2, Part 2):3336–3341.
- Paul, J. A. and Wang, X. J. (2015). Robust optimization for united states department of agriculture food aid bid allocations. Transportation Research Part E: Logistics and Transportation Review, 82:129–146.
- Paul, J. A. and Wang, X. J. (2019). Robust location-allocation network design for earthquake

127 Bibliography

- preparedness. Transportation research part B: methodological, 119:139–155.
- R. Chen, G. H. (1987). Relaxation method for the solution of the minimax location-allocation problem in euclidean space. av. Res. Logist., 34:775–788.
- Rahmaniani, R., Crainic, T. G., Gendreau, M., and Rei, W. (2017). The benders decomposition algorithm: A literature review. *European Journal of Operational Research*, 259(3):801 817.
- Reese, J. (2006). Solution methods for the p-median problem: An annotated bibliography. Networks, 48(3):125–142.
- Reinelt, G. (1991). TSPLIB—A Traveling Salesman Problem Library. ORSA Journal on Computing, 3(4):376–384.
- Resende, M. G. C. and Werneck, R. F. (2004). A Hybrid Heuristic for the p-Median Problem. Journal of Heuristics, 10(1):59–88.
- ReVelle, C. S. and Eiselt, H. A. (2005). Location analysis: A synthesis and survey. *European Journal of Operational Research*, 165(1):1–19.
- ReVelle, C. S. and Swain, R. W. (1970). Central facilities location. *Geographical Analysis*, 2(1):30–42.
- Serra, D. and Marianov, V. (1998). The p-median problem in a changing network: the case of barcelona. *Location Science*, 6(1-4):383–394.
- Sheu, J.-B. (2007). An emergency logistics distribution approach for quick response to urgent relief demand in disasters. *Transportation Research Part E: Logistics and Transportation Review*, 43(6):687–709.
- Snyder, L. V. (2006). Facility location under uncertainty: a review. *IIE transactions*, 38(7):547–564.
- T. Ilhan, F.A. Özsoy, M. P. (2002). An efficient exact algorithm for the vertex p-center problem and computational experiments for different set covering subproblems. *Technical Report*.
- Takedomi, S., Ishigaki, T., Hanatsuka, Y., and Mori, T. (2022). Facility location optimization with pMP modeling incorporating waiting time prediction function for emergency road services.

  Computers & Industrial Engineering, 164:107859.
- Toregas, C., Swain, R., ReVelle, C., and Bergman, L. (1971). The location of emergency service facilities. *Operations research*, 19(6):1363–1373.
- Trivedi, A. and Singh, A. (2017). A hybrid multi-objective decision model for emergency shelter location-relocation projects using fuzzy analytic hierarchy process and goal programming approach. *International Journal of Project Management*, 35(5):827–840.
- Trivedi, A. and Singh, A. (2019). Shelter planning for uncertain seismic hazards using multicriteria decision approach: a case of nepal earthquake. *Journal of Multi-Criteria Decision Analysis*, 26(3-4):99–111.

- Ushakov, A. V. and Vasilyev, I. (2021). Near-optimal large-scale k-medoids clustering. Information Sciences, 545:344–362.
- Voevodski, K. (2021). Large Scale K-Median Clustering for Stable Clustering Instances. In Banerjee, A. and Fukumizu, K., editors, *Proceedings of The 24th International Conference on Artificial Intelligence and Statistics*, volume 130 of *Proceedings of Machine Learning Research*, pages 2890–2898. PMLR.
- Zeng, B. and Zhao, L. (2013). Solving two-stage robust optimization problems using a column-and-constraint generation method. *Operations Research Letters*, 41(5):457–461.



Titre: Méthodes de solutions exactes pour les problèmes de localisation discrète de p-installations à grande échelle. **Mots clés**: Recherche opérationnelle, optimisation combinatoire, optimisation robuste, localisation discrète, p-centre, p-médiane

Résumé: Cette thèse porte sur la solution exacte des problèmes NP-difficiles du p-median et du p-centre, des problèmes d'optimisation combinatoire qui deviennent rapidement difficiles à résoudre lorsque la taille de Ces problèmes de localisation l'instance augmente. discrète consistent à ouvrir un nombre défini p d'installations, puis à leur affecter un ensemble de clients selon une fonction objectif à minimiser. d'abord, nous étudions le problème du p-median qui cherche à minimiser la somme des distances entre les clients et les installations ouvertes auxquelles ils sont affectés. Nous développons un algorithme basé sur la décomposition de Benders qui surpasse les méthodes exactes de l'état de l'art. L'algorithme considère une approche en deux étapes et ainsi qu'un algorithme efficace pour la séparation des coupes de Benders. Cette méthode est évaluée sur plus de 230 instances de benchmark avec jusqu'à 238025 clients et sites. De nombreuses instances sont résolues à l'optimalité pour la première fois ou ont leur meilleure solution connue améliorée. Deuxièmement, nous explorons le problème du p-centre qui cherche à minimiser la plus grande distance entre un client et l'installation ouverte qui en est la plus proche. Nous comparons d'abord les cinq principales formulations MILP de la littérature. Nous étudions la décomposition

de Benders et nous proposons également un algorithme exact basé sur une procédure de partionnement des clients reposant sur la structure du problème. Nous avons pu résoudre des instances avec jusqu'à 744710 clients et sites. Toutes les méthodes proposées sont comparées à l'état de l'art dans des instances de benchmark. Les résultats obtenus sont analysés, mettant en évidence les avantages et les inconvénients de chaque méthode. Enfin, nous étudions un problème robuste du p-centre en deux étapes avec une incertitude sur les demandes et les distances des nœuds. Nous introduisons la reformulation robuste du problème basée sur les cinq principales formulations déterministes MILP de la littérature. Nous prouvons que seul un sous-ensemble fini de scénarios de l'ensemble d'incertitude infini peut être pris en compte sans perdre l'optimalité. Nous proposons également un algorithme de génération de colonnes et de contraintes et ainsi qu'un algorithme de branch-and-cut pour résoudre efficacement ce problème. Nous montrons comment ces algorithmes peuvent également être adaptés pour résoudre le problème robuste d'une seule étape. Les différentes formulations proposées sont testées sur des instances générées aléatoirement et sur un cas d'étude de la littérature.

**Title**: Exact solution methods for large-scale discrete p-facility location problems. **Key words**: Operations research, combinatorial optimisation, robust optimisation, discrete location, p-centre, p-median.

**Abstract:** This thesis focuses on the exact solution of the NP-hard problems p-median and p-center, combinatorial optimization problems that quickly become difficult to solve as the instance size increases. These discrete location problems involve opening a defined number p of facilities and then allocating to them a set of clients according to an objective function to be minimized. First, we study the p-median problem, which seeks to minimize the sum of distances between clients and the open facilities to which they are allocated. develop an algorithm based on Benders decomposition that outperforms state-of-the-art exact methods. algorithm considers a two-stage approach and an efficient algorithm for separating Benders cuts. The method has been evaluated on over 230 benchmark instances with up to 238025 clients and sites. Many instances are solved to optimality for the first time or have their best known solution improved. Secondly, we explore the p-center problem, which seeks to minimize the largest distance between a client and its nearest open facility. We first compare the five main MILP formulations in the

literature. We study the Benders decomposition and also propose an exact algorithm based on a client clustering procedure based on the structure of the problem. All the proposed methods are compared with the state-of-the-art on benchmark instances. We have been able to solve instances with up to 744710 clients and sites. results obtained are analyzed, highlighting the advantages and disadvantages of each method. Finally, we study a robust two-stage p-center problem with uncertainty on node demands and distances. We introduce the robust reformulation of the problem based on the five main deterministic MILP formulations in the literature. We prove that only a finite subset of scenarios from the infinite uncertainty set can be considered without losing optimality. We also propose a column and constraint generation algorithm and a branch-and-cut algorithm to efficiently solve this problem. We show how these algorithms can also be adapted to solve the robust single-stage problem. The different proposed formulations are tested on randomly generated instances and on a case study drawn from the literature.

## Institut Polytechnique de Paris

SOLATECHATIONE STATE