



Introduction

In this document, The backend Service, the Workflow using n8n, the management of the form and the Lobbes CRM will be explained in detail

Backend Service:

We start beginning the challenge by Running our backend service, that was made in Django

```
.venv) C:\Users\crist\Desktop\EmpresaLobees\BackendLobees>python manage.py runserver
Watching for file changes with StatReloader
performing system checks...

System check identified some issues:


WARNINGS:
?: (staticfiles.W004) The directory 'C:\Users\crist\Desktop\EmpresaLobees\BackendLobees\assets' in the STATICFILES_DIRS setting does not exist.
?: (staticfiles.W004) The directory 'static' in the STATICFILES_DIRS setting does not exist.

System check identified 2 issues (0 silenced).
March 25, 2026 - 10:19:55
Django version 4.0.1, using settings 'Formularios.settings'
Starting development server at http://127.0.0.1:8000/
Quit the server with CTRL-BREAK.


WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.
For more information on production servers see: https://docs.djangoproject.com/en/4.0/howto/deployment/
```

The backend Service has the following structure:


As we can see bellow, the forms are inside the Django project in the directory templates,




We have also the Django administration Panel




In N8N we have three different workflows, The first one is used to create the Tasks in Django models, that were previously created in the Lobbes CRM,




The second one is used to manage the responses of the first form, that the lead has filled previously in the form 1,



The third one is used to manage the responses of the first form, that the lead has filled previously in the form 2 ,



The fourth one is used to manage the responses of the first form, that the lead has filled previously in the form 3,



Workflow Explanation

In Lobbes site administration, as we can see in this screenshot we have some tasks created, all of this tasks, have a parent Task, In my case I'm gonna use the Parent task **Send Forms** and the following three child tasks; Send form 1, Send form2, Send form 3, using the email lead **cristianalg740@gmail.com**

LOBEES

LOBEES 2.0

Hello Cristian Lalangu

Automation Config

Automation Events

Scheduled Automation Templates

Scheduled Automation Tasks

Dashboard / Scheduled Automation Tasks / Child Tasks


Show Parent Tasks

Filter


Actions	ID	Parent Task	Task Title	Execution Type	Lead	Schedule Date	Schedule Time	Status	Mode
...	2666	Send Forms	Form1	Proactive	Marco Italian marco@gmail.com Peplio	2026-03-19	—	Pending	Cristi
...	2541	Send forms	Send Form 3	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobbes Test	2026-03-19	—	Pending	Cristi
...	2540	Send forms	Send Form 2	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobbes Test	2026-03-19	—	Pending	Cristi
...	2539	Send forms	Send form 1	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobbes Test	2026-03-19	—	Pending	Cristi
...	2538	Send forms	Send Form 3	Proactive	Jimena martin jimena@gmail.com JefeAlmacen	2026-03-19	—	Pending	Cristi
...	2537	Send forms	Send Form 2	Proactive	Jimena martin jimena@gmail.com	2026-03-19	—	Pending	Cristi

Rows per page 10 11-20 of 21


Next step is run the n8n workflow, the one that manages the tasks, We start with a node that allows us to run this workflow manually




Here we filter all tasks by its email, which is “cristianalg740@gmail.com”





Add tasks Django





Here we can see in our Panel, the three tasks that has been created, each one for every step form, and different Id,




Then we need to call The api of Llobes that allows us to reset the status of all tasks to 0, we do these because when we want to run the workflow again, the task status cannot start with the value **completed**



Form1 initialize automatization , here we make a request, POST to the api of Llobes that enables us to create a LOG with de description of **Automatization inicialized**, but in order to do that we must send to the API as a body parameter the Task ID




We do again the callback to get the tasks, with the title Form 1, and the my email cristianalg740@gmail.com



When we get that tasks, the next step is make another Log to Crm, with the description value of form 1 sent To the lead

Task	Task Title	Execution Type	Lead	Schedule Date	Schedule Time	Status	Moderator	Created Date
Send Form 1	Form1	Proactive	marco@gmail.com Pepito	2026-03-19	—	Pending	Cristian Lalangui	18:13:07
Send Form 3	Send Form 3	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobees Test	2026-03-19	—	Pending	Cristian Lalangui	19/3/2026 10:03:06
Send Form 2	Send Form 2	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobees Test	2026-03-19	—	Pending	Cristian Lalangui	19/3/2026 10:03:06
Send form 1	Send form 1	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobees Test	2026-03-19	—	In Progress	Cristian Lalangui	19/3/2026 10:03:06
Send Form 3	Send Form 3	Proactive	Jimena martin jimnea@gmail.com jefeAimacen	2026-03-19	—	Pending	Cristian Lalangui	19/3/2026 10:03:06
Send Form 2	Send Form 2	Proactive	Jimena martin jimnea@gmail.com jefeAimacen	2026-03-19	—	Pending	Cristian Lalangui	19/3/2026 10:03:06

The second Workflow that is a webhook that manages the responses of the first form, activates, when the lead submits its answers in the first formulary



This is a Screenshot of the first formulary, and its answers:

Meeting Setup

Are you still interested in the meeting?

Yes

Would you like to reschedule?

Yes

Preferred date


06/03/2026 09:04

Save

When the responses are submitted the webhook activates by itself, and returns the responses

```
Item
{
  "headers": {
    "connection": "upgrade",
    "host": "n8n.mpforall.com",
    "content-length": "188",
    "user-agent": "python-requests/2.32.5",
    "accept-encoding": "gzip, deflate",
    "accept": "*/*",
    "content-type": "application/json"
  },
  "params": {
  },
  "query": {
  },
  "body": {
    "form_step": "1",
    "lead_id": "69b93da3f95395af7d66ae68",
    "task_id": "69bbbbc4e424e2c2632e78",
    "response": {
      "interest": "yes",
      "reschedule": "yes",
      "preferred_date": "2026-03-18T22:09"
    }
  },
  "webhookUrl": "http://localhost:5678/webhook-test/confirm-form",
  "executionMode": "test"
}
```


In my cases, I decided to use a node that filters the responses by **interest**, if the interest is equal to **yes**,



If that happens, the status of the task With the title Send form 1 will be marked to **Completed**

☐	2539	Send forms	Send form 1	Proactive	Cristian Actualizado cristianalg74@gmail.com Lobees Test	2026-03-19	—	Completed	Cristian Lalangui
--------------------------	------	------------	-------------	------------------------	--	------------	---	------------------------	-------------------

We also send the responses of the form in logs, In order to do that I saved the response in a node type “Edit fields”



And then used the api, to add a taskLog, passing the corresponding parameters


Form 1 completed " N° form : 1 Interest : yes Reschedule : yes Preferred date : 2026-03-06T09:04

Next step is now changing the status of the task, and passing the information to Django, in order to send the second Formulary, we must change the status to Form 1 completed in Django


After we change the status of the task 2 with the title Send Form 2, from **Pending to InProgress**

end forms	Send Form 2	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobeas Test	2026-03-19	—	In Progress	Cristian Lalangui	19/3/2026 10:03:06
end forms	Send form 1	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobeas Test	2026-03-19	—	Completed	Cristian Lalangui	19/3/2026 10:03:06

But to that we had to call the api, of my backend service **getAllTasks**, and filter the response by title and Email, in this case the title is **Send Form2**



The Second Workflow that is a webhook that manages the responses of the first form, activates, when the lead submits its answers in the first formulary



This is a Screenshot of the first formulary, and its answers:

The screenshot shows a 'Meeting Confirmation' form overlay on a background of a blue sky with white clouds. The form contains the following fields: a title 'Meeting Confirmation', a question 'Does this proposed time work for you?' with a dropdown menu showing 'Yes', a question 'Select a preferred time' with a dropdown menu showing 'Afternoon', a 'Comments:' section with a text input field containing 'hello', and a blue 'Save' button at the bottom.


When the responses are submitted the webhook activates by itself, and returns the responses

```

OUTPUT
Schema Table JSON
1 item
{
  "headers": {
    "connection": "upgrade",
    "host": "nln.soforall.com",
    "content-length": "183",
    "user-agent": "python-requests/2.32.5",
    "accept-encoding": "gzip, deflate",
    "accept": "*//*",
    "content-type": "application/json"
  },
  "params": {
  },
  "query": {
  },
  "body": {
    "form_step": "2",
    "lead_id": "60b03da3f95395af7d66ae0d",
    "task_id": "60b0bbcae424e2c2632e78",
    "response": {
      "proposedTime": "yes",
      "preferredTime": "afternoon",
      "comments": "hello"
    }
  },
  "webhookUrl": "http://localhost:5678/webhook-test/confirm-form2",
  "executionMode": "test"
}

```


In my cases, I decided to use a node that filters the responses by **proposed time** , if the proposed time is equal to **yes**,



If that happens, the status of the task With the title Send form 2 will be marked to **Completed**

...	☐	2540	Send forms	Send Form 2	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobees Test	2026-03-19	—	Completed	Cristie
...	☐	2539	Send forms	Send form 1	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobees Test	2026-03-19	—	Completed	Cristie

We also send the responses of the form in logs, In order to do that I saved the response in a node type “Edit fields”



And then used the api, to add a taskLog, passing the corresponding parameters

 Cristian Lalangui 19T09:03:06.925000Z/03/2026 Ohr


Form 2 completed " N° form : 2 proposedTime : yes preferredTime : afternooncomments : hello

Next step is now changing the status of the task, and passing the information to Django, in order to send the third Formulary,we must change the status to Form 2 completed in Django


After we change the status of the task 2 with the title Send Form 3 , from **Pending** to **InProgress**

...	☐	2541	 Send forms	Send Form 3	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobeas Test	2026-03-19	—	In Progress	Crist
...	☐	2540	 Send forms	Send Form 2	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobeas Test	2026-03-19	—	Completed	Crist
...	☐	2539	 Send forms	Send form 1	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobeas Test	2026-03-19	—	Completed	Crist

But to that we had to call the api, of my backend service **getAllTasks**, and filter the response by title and Email, in this case the title is **Send Form 3**



The Third Workflow that is a webhook that manages the responses of the first form, activates, when the lead submits its answers in the first second



This is a Screenshot of the first formulary, and its answers:


When the responses are submitted the webhook activates by itself, and returns the responses

```

OUTPUT
1 item
[
  {
    "headers": {
      "connection": "upgrade",
      "host": "n8n.mpforall.com",
      "content-length": "281",
      "user-agent": "python-requests/2.32.5",
      "accept-encoding": "gzip, deflate",
      "accept": "*/*",
      "content-type": "application/json"
    },
    "params": {
    },
    "query": {
    },
    "body": {
      "form_step": "3 ",
      "lead_id": "69b93da3f95395af7d66ae68",
      "task_id": "69bbbbc4e424e2c2632e78",
      "response": {
        "confirmation": "confirm",
        "preferredChannel": "email",
        "notes": "Hello Ines\r\n "
      }
    },
    "webhookUrl": "http://localhost:5678/webhook-test/confirm-form3",
    "executionMode": "test"
  }
]

```


In my cases, I decided to use a node that filters the responses by **confirmation** , if the proposed time is equal to **confirm** ,



If that happens, the status of the task With the title Send form 3 will be marked to **Completed**

***	☐	2541	Send forms	Send Form 3	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobeas Test	2026-03-19	—	Completed	Crist
***	☐	2540	Send forms	Send Form 2	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobeas Test	2026-03-19	—	Completed	Crist
***	☐	2539	Send forms	Send form 1	Proactive	Cristian Actualizado cristianalg740@gmail.com Lobeas Test	2026-03-19	—	Completed	Crist

We also send the responses of the form in logs, In order to do that I saved the response in a node type “Edit fields”



And then used the api, to add a taskLog, passing the corresponding parameters

 Cristian Lalangui 19T09:03:06.949000Z/03/2026 Ohr

Form 3 completed " N° form : 3 confirmation : confirm preferredChannels : email notes : - i like potatoes