

Topics

- Signing Native Mobile Apps
 - iOS apps
 - Android
- Native Platforms
 - Generate the app
 - iOS configuration or Android configuration
 - Download generated app
 - Install and test
 - Test the app
 - Download OutSystems Now
 - Test app with OutSystems Now



Signing iOS Apps

- Must enroll in a Developer Program (sign up fee)
 - Apple Developer Program
 - Apple Enterprise Developer Program
- Access resources needed to build apps
 - Certificate
 - Provisioning profile (individual or team)
 - Different profiles for development & production (Ad hoc, In house, App store)
 - Affects build output and distribution
- Different build and distribution types
 - Builds: Debug, Release
 - Distribution: Unofficial, Test flight, App Store



Signing Android Apps


- Resources needed to build app
 - Keystore
 - Holds certificate information
- An organization should sign apps with same certificate
 - Changing certificate implies the build is a different app
 - Expired certificate means new app
- Builds and distribution types
 - o Builds: Debug, Release
 - Distribution is open





Application Details


Specific tab for Native Platforms






Native Platforms tab

- Configure iOS App
- Configure Android App
- Test in OutSystems Now






Configure iOS App - Development






Configure Android App - Development






Configure Android App - Release






Download Generated App








Test with OutSystems Now





Scan QR Code with OutSystems Now





Summary

- Signing Native Mobile Apps
 - iOS apps
 - Android
- Native Platforms
 - Generate the app
 - iOS configuration or Android configuration
 - Download generated app
 - Install and test
 - Test the app
 - Download OutSystems Now
 - Test app with OutSystems Now



