

Original File	Output of diff -u	Final File
Α	file.txt	A B
В	+++updated.txt B	A B \$ C # % E
С	+\$	E F
D	C -D	
E	+#	
F	+%	
	Е	

## Git command review

For each action, type the name of the corresponding Git command.

- Compare two commits, printing each line that is present in one commit but not the other.

   Sit diff.
- Make a copy of an entire Git repository, including the history, onto your own computer.

  git clone
- Temporarily reset all files in a repository to their state at the time of a specific commit.
- Show the commits made in a repository, starting with the most recent.

  git log

#### 5.

commit 7be5a12f1567866b0d77ccdf2055d1a33831da78
Date: Fri Jul 11 12:56:26 2014 -0300

Add sound for the wing.

commit 06d72e1f95f046002ec46f41cf71957227111141
Date: Wed Jul 9 23:42:55 2014 -0300

Add mute button.

commit 3d4d45b246aad6a1cd0afaf7cfae26966110727e
Date: Mon Jul 7 17:35:47 2014 -0300

Fix leaderboard button

For this git log output, check all the commits you would expect to contain code for a mute button.

commit 7be5a12f1567866b0d77ccdf2055d1a33831da78 (the top commit listed)

commit 06d72e1f95f046002ec46f41cf71957227111141 (the middle commit listed)


commit 3d4d45b246aad6a1cd0afaf7cfae26966110727e (the bottom commit listed)


commit 7be5a12f1567866b0d77ccdf2055d1a33831da78 Date: Fri Jul 11 12:56:26 2014 -0300
Add sound for the wing.
commit 06d72e1f95f046002ec46f41cf71957227111141  Date: Wed Jul 9 23:42:55 2014 -0300
Add mute button.
commit 3d4d45b246aad6a1cd0afaf7cfae26966110727e Date: Mon Jul 7 17:35:47 2014 -0300
Fix leaderboard button
Select the command for which the mute button code lines would be shown as additions.
○ git diff 7be5a1 06d72e
☐ git diff 06d72e 7be5a1
$^{\bigcirc}$ git diff 06d72e 3d4d45
git diff 3d4d45 06d72e


# Behavior of git checkout


Select when each statement would be true.


	Never true	Sometimes true	Always true
Checking out an earlier commit will change the state of at least one file.	0	•	0
Checking out an earlier commit will change the state of more than one file.	0	•	0
Checking out an earlier commit will change the state of every file in the repository.	0	•	0
After checking out a commit, the state of all the files in the repository will be from the same point in time.	0	0	•



























# Where was your commit present?

Right before you ran git <code>push</code>, where do you think your commit adding a new recipe was present? Similarly, now that you have run git <code>push</code>, where do you think this commit is present? Check all that apply, and remember that it's possible for a commit to be present in a repository both before and after running git <code>push</code>.

	Right before running git push	Right after running git push
In your local repository (visible via git log)	<b>2</b>	✓
On your fork (visible via the commit history on GitHub)	0	
On Larry's repository (visible via the commit history on GitHub)	0	



Check if merging b into a would be a fast-forward

