



Test Plan Execution Report

Test Project: National QA 06

Test Plan: test plan

Test Suite: Cristian Muresan - Myprotein

Printed by TestLink on 03/04/2021

2012 © TestLink Community

Test Suite : Cristian Muresan - Myprotein

Test Suite : Functional - Test Cases

Test Suite : Homepage

Test Case naqa6-1142: Onclick functionality

Summary:

Test if the tabs located on homepage are redirecting the user to the expected page when clicked.

Exploratory testing was applied.

#:	Step actions:	Expected Results:	Execution Status:
1	On homepage click on any of the tabs.	The user is redirected to the expected page.	Passed

Execution type:	Manual
Estimated exec. duration (min):	
Priority:	Medium

Execution Details	
Build	Naq6
Tester	cristian.muresan
Execution Result:	Passed
Execution Mode:	Manual
Execution duration (min):	

Test Suite : Settings

Test Case naqa6-367: Settings - Change the settings			
<u>Summary:</u>			
Test that changing the language, country and currency is possible.			
<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>	<u>Execution Status:</u>
1	On the top of the page click on "Setarile dvs." (the field with the flag).	A menu pops up.	Passed
2	Click on the "Livrare catre" drop down country list and select a country.	The country is selected.	Passed
3	Click on "Regiune si limba" drop down menu and select one of them.	The selection is done successfully.	Passed
4	Click on "Moneda" and select the available currency.	The currency is selected.	Passed
5	Click on "Salveaza" button.	The country, language and currency are updated succesfully.	Passed
<u>Execution type:</u>	Manual		
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u>	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>	Passed		
<u>Execution Mode:</u>	Manual		
<u>Execution duration (min):</u>			

Test Suite : Account

Test Suite : Sign Up

Test Case naqa6-355: Sign up with FacebookSummary:

Test that an account can be created using the Facebook account.

#:	Step actions:	Expected Results:	Execution Status:
1	On homepage hover over the "Cont" field.	A drop-down menu is displayed.	Passed
2	Click on "Incepe aici" button.		Passed
3	Select "Sign in with Facebook" button.	The user is logged in to the account.	Passed

Execution type: Manual

Estimated exec. duration (min):

Priority: Medium

Execution Details

Build	Naq6	
Tester	cristian.muresan	
<u>Execution Result:</u>	Passed	
<u>Execution Mode:</u>	Manual	
<u>Execution duration (min):</u>		

Test Case naqa6-356: Sign up with GoogleSummary:

Test that an account can be created using the Google account.

#:	Step actions:	Expected Results:	Execution Status:
1	On main page hover over "Cont" field.	A drop-down menu is displayed.	Passed
2	Click on "Incepe aici" button.		Passed
3	Select "Sign in with Google" button.	The user is signed in to the account.	Passed

Execution type: Manual

Estimated exec. duration (min):

Priority: Medium

Execution Details

Build	Naq6	
Tester	cristian.muresan	
<u>Execution Result:</u>	Passed	
<u>Execution Mode:</u>	Manual	
<u>Execution duration (min):</u>		

Test Case naqa6-357: Sign up using a valid email addressSummary:

Test that an account can be created when a valid email address is used.

#:	Step actions:	Expected Results:	Execution Status:
1	On main page hover over the "Cont" field.	A drop-down menu is displayed.	Passed
2	Select "Incepe aici" button.		Passed
3	Fill up the "Or create an email account:" form, using valid data then press the "Continuare" button.	The user is signed in and redirected to the homepage.	Passed

Execution type: Manual

Estimated exec. duration (min):

Priority: Medium

Execution Details

Build	Naq6	
Tester	cristian.muresan	
<u>Execution Result:</u>	Passed	
<u>Execution Mode:</u>	Manual	
<u>Execution duration (min):</u>		

Test Case naqa6-746: Sign up using only one character as a "Nume si Prenume"Summary:

Test that an account can be created by using only one character for "Nume si Prenume".

#:	Step actions:	Expected Results:	Execution Status:
1	Hover over the "Cont" link.	A drop down menu popps up.	Passed
2	Click on "Incepe aici".		Passed
3	Fill up the "Or create an email account" with valid data, but in "Nume si Prenume" insert only one character (alphanumerical or special) then press the "Continuare" button.	The account is not created and the user gets an error message, reading: "The name is to short".	Failed
<u>Execution type:</u> Manual			
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u> Medium			
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>	Failed		
<u>Execution Mode:</u>	Manual		
<u>Execution duration (min):</u>			
<u>Execution notes</u>	The account is created even if there is only one character entered in the "Nume si Prenume" field. Bug ID 0031599.		

Test Case naqa6-747: Password to short / longSummary:

Test if an account can be created using a password length less then 6 or more then 52 characters.

#:	Step actions:	Expected Results:	Execution Status:
1	Hover over the "Cont" link.	A drop down menu popps up.	Passed
2	Click on "Incepe aici".		Passed
3	Fill up the "Or create an email account:" fields using valid data and enter a password made of less then six or more then fifty two characters.	Every time the user gets an error message.	Passed
<u>Execution type:</u> Manual			
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u> Medium			
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>	Passed		
<u>Execution Mode:</u>	Manual		
<u>Execution duration (min):</u>			

Test Case naqa6-748: Invalid email address formatSummary:

Test if an account can be created using an invalid format for the email address.

#:	Step actions:	Expected Results:	Execution Status:
1	Hover over the "Cont" link.	A drop down menu popps up.	Passed
2	Click on "Incepe aici" button.		Passed
3	Enter wrong email address format in the "Or create an account:" then fill up the rest of the fields with valid data and press "Continuare" button.	The user gets an error, dispalying that the "incorect email address or password"	Passed
<u>Execution type:</u> Manual			
<u>Estimated exec. duration (min):</u>			

<u>Priority:</u>	Medium
Execution Details	
Build	Naq6
Tester	cristian.muresan
<u>Execution Result:</u>	Passed
<u>Execution Mode:</u>	Manual
<u>Execution duration (min):</u>	

Test Case naqa6-1162: Sign in using an invalid email address

Summary:

Test that the user can't login with an invalid email address.

<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>	<u>Execution Status:</u>
1	Hover over the "Cos".	A drop down menu is listed.	Passed
2	Click on "Autenticare" button.	The user is redirected to "Autenticare client" page.	Passed
3	Enter an invalid email address and a valid password the press the "Conectare" button.	The user gets an error message "Adresa de email sau parola sunt incorecte".	Passed

Execution type: Manual

Estimated exec. duration (min):

Priority: Medium

Execution Details	
Build	Naq6
Tester	cristian.muresan
<u>Execution Result:</u>	Passed
<u>Execution Mode:</u>	Manual
<u>Execution duration (min):</u>	

Test Case naqa6-1163: Sign in using an invalid password

Summary:

Test if the user can register if an invalid password is used.

<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>	<u>Execution Status:</u>
1	Hover over the "Cos".	A drop down menu is listed.	Passed
2	Click on "Autenticare" button.	The user is redirected to the the "Autenticare client" page.	Passed
3	Enter a valid email address and a wrong password then press conectare button.	The user gets an error message "Adresa de email sau parola sunt incorecte".	Passed

Execution type: Manual

Estimated exec. duration (min):

Priority: Medium

Execution Details	
Build	Naq6
Tester	cristian.muresan
<u>Execution Result:</u>	Passed
<u>Execution Mode:</u>	Manual
<u>Execution duration (min):</u>	

Test Case naqa6-989: Add product to the Wishlist

Summary:

Test that products can be added to the Wishlist.

<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>	<u>Execution Status:</u>
1	Choose a product and click on the "heart shape"	The product is added to the	Passed

	logo.	Wishlist.	
<u>Execution type:</u>	Manual		
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u>	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>	Passed		
<u>Execution Mode:</u>	Manual		
<u>Execution duration (min):</u>			

Test Case naqa6-1143: Remove product from the WishlistSummary:

Test if a product can be removed from the Wishlist.

<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>	<u>Execution Status:</u>
1	Hover over the "Cos" field and click on the Wishlist.	The user is redirected to the Wishlist page.	Passed
2	Click on the "X" sign located on the product's image.	The product is removed successfully.	Passed
<u>Execution type:</u>	Manual		
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u>	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>	Passed		
<u>Execution Mode:</u>	Manual		
<u>Execution duration (min):</u>			

Test Case naqa6-358: Sign inSummary:

Test if the user can sign into the account.

<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>	<u>Execution Status:</u>
1	On homepage hover over the "Cont" field	A drop-down menu is displayed.	Passed
2	Select the "Autentificare" button by clicking on it.		Passed
3	Insert the email address and password in the fields then press "Conectare".	The user is signed into the account.	Passed
<u>Execution type:</u>	Manual		
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u>	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>	Passed		
<u>Execution Mode:</u>	Manual		
<u>Execution duration (min):</u>			

Test Case naqa6-359: Sign outSummary:

Test if a user can sign out from the account.

#:	Step actions:	Expected Results:	Execution Status:
1	On homepage hover over the "Cont" field.	A drop-down menu is dispalyed.	Passed
2	Click on "Log out" button.	The user is signed out from the account.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-361: Order historySummary:

Test if the user can acces the Order history page.

#:	Step actions:	Expected Results:	Execution Status:
1	On homepage hover over the "Cont" field.	A drop-down menu is displayed.	Passed
2	Click on "Comenzile mele" field.	The user is redirected to the "Informatii privind comanda" page.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-362: My referralsSummary:

Test if the user can access "My referrals".

#:	Step actions:	Expected Results:	Execution Status:
1	On main page hover over the "Cont" field.	A drop-down menu is displayed.	Passed
2	Select "Recomanda-ne" field.	The user is redirected to "my referrals" page.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Suite : Search Bar**Test Case naqa6-365: Search for a product**

Summary:

Test that text can be inputed in the search bar.

#:	Step actions:	Expected Results:	Execution Status:
1	Type a name of a product in the Search Bar located in the header of the page then press the "Enter" button.	A page with products related to the data entered in the Search bar is opened.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-577: Blank search barSummary:

Test what is happening when the search bar is empty and the "enter" button is pressed.

#:	Step actions:	Expected Results:	Execution Status:
1	In the header of the page click on the search bar then press enter.	The search result is "Please enter a name or an item".	Failed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Failed		
Execution Mode:	Manual		
Execution duration (min):			
Execution notes	Bug id 0031574 logged in Mantis.		

Test Case naqa6-578: Special characterSummary:

Test the result of a search when a special character is used.

#:	Step actions:	Expected Results:	Execution Status:
1	In the header of the page enter a special character in the search bar.	The user gets a message "Ne pare rau, nu am putut sa gasim nici un rezultat pentru "@" ". 	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Suite : Category

Test Case naqa6-369: Hover over the category fieldsSummary:

Test if the categories respond when a user hovers over them.

Exploratory testing was applied.

#:	Step actions:	Expected Results:	Execution Status:
1	In the header of the page hover over the "Nutritie" field.	A drop-down menu is listed.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-370: Click on the category fieldsSummary:

Test if the category fields are opening when they are being clicked on.

#:	Step actions:	Expected Results:	Execution Status:
1	On top of the page click on "Nutritie".	A page with subcategories of "Nutritie" is opened.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Suite : Products**Test Case naqa6-584: Filter the products**Summary:

Test that the filters are available and functional.

#:	Step actions:	Expected Results:	Execution Status:
1	On the search bar located in the header of the page, introduce the name of the product interested in.	A drop-down list is displayed. Select one of the products or press "enter".	Passed
2	Apply any of the listed filters to make the search experience easier: <ul style="list-style-type: none">• Categorie produs• Cantitate• Aroma• Pret• Average reviews• Dieta	The page is loaded automatically and products are displayed based on the applied filters.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		

Tester	cristian.muresan
<u>Execution Result:</u>	Passed
<u>Execution Mode:</u>	Manual
<u>Execution duration (min):</u>	

Test Case naqa6-582: List | Sort by: Price (Ascending)Summary:

Test that the products are sorted in ascending price order.

#:	Step actions:	Expected Results:	Execution Status:
1	On homepage hover over the "Nutritie" field.	A drop-down list with subctegories is displayed.	Passed
2	Choose "Proteine" from the list by clicking on it.		Passed
3	At the top of the displayed items click on drop down menu.		Passed
4	Choose "Pret: Mic la Mare" by clicking on it.	The items on the page are rearranged in ascending price order.	Passed

Execution type: Manual

Estimated exec. duration (min):

Priority: Medium

Execution Details

Build	Naq6
Tester	cristian.muresan
<u>Execution Result:</u>	Passed
<u>Execution Mode:</u>	Manual
<u>Execution duration (min):</u>	

Test Case naqa6-583: List | Sort by: Price (Descending)Summary:

Test that the products are sorted in descending price order.

#:	Step actions:	Expected Results:	Execution Status:
1	On main page hover over "Nutritie" field	A drop-down list with the subcategories is displayed.	Passed
2	Select "Proteine" by clicking on it.		Passed
3	At the top of the displayed items click on the drop-down menu.		Passed
4	Select "Pret: Mare la Mic" field.	The items on the page are rearranged in descending price order.	Passed

Execution type: Manual

Estimated exec. duration (min):

Priority: Medium

Execution Details

Build	Naq6
Tester	cristian.muresan
<u>Execution Result:</u>	Passed
<u>Execution Mode:</u>	Manual
<u>Execution duration (min):</u>	

Test Case naqa6-585: List | Sort by: PopularitySummary:

Test that the products are sorted by popularity.

#:	Step actions:	Expected Results:	Execution Status:
----	---------------	-------------------	-------------------

1	Type the name of the product in the search bar located in the header of the page.	A drop-down list is displayed.	Passed
2	Choose one of the listed products or press "enter".	The page with the searched products is opened.	Passed
3	At the top of the displayed products click on the drop-down menu and select "Populariate".	The page is reloaded and the products are displayed based on popularity.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-586: List | Sort by: Alphabetical orderSummary:

Test that the products are displayed in alphabetical order.

#:	Step actions:	Expected Results:	Execution Status:
1	Type the name of the product in the search bar located in the header of the page.	A drop-down list is dispalyed.	Passed
2	Select any of the products or press enter.	The page with the searched products is opened.	Passed
3	At the top of the displayed products click on the drop-down menu and select "Nume - Alfabetic".	The page is reloaded automatically and the products are dispalyed in alphabetical order.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-587: List | Sort by: New releaseSummary:

Test that the products are sorted based on the release date.

#:	Step actions:	Expected Results:	Execution Status:
1	Type the name of a product in the search bar located in the header of the page.	A drop-down list with the products is displayed.	Passed
2	Select one of the listed products or press "enter".	A page with the searched products is opened.	Passed
3	At the top of the displayed products click on the drop-down menu and select "Cele mai noi produse".	The page is automatically reloaded and the latest added products are displayed.	Passed
<u>Execution type:</u>		Manual	
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u>		Medium	
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>		Passed	
<u>Execution Mode:</u>		Manual	

<u>Execution duration (min):</u>	
----------------------------------	--

Test Case naqa6-588: List | Sort by: DiscountsSummary:

Test that the products are displayed based on the discount.

#:	Step actions:	Expected Results:	Execution Status:
1	Type the name of a product in the search bar located at the top of the page.	A drop-down list with the products searched for is displayed.	Passed
2	Select a product from the list or press "enter".	A page with the searched product is opened.	Passed
3	At the top of the displayed products click on the drop-down menu and select "% reduceri".	The page is automatically reloaded and the products on sale are displayed.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-589: List | Sort by: RelevantSummary:

Test that products are displayed by default using the relevant order.

#:	Step actions:	Expected Results:	Execution Status:
1	Type the name of a product in the search bar located in the header of the page.	A drop-down list with the searched product is listed	Passed
2	Select any of the listed products or press "enter".	A page with the searched products is opened and the items on the page are displayed in relevant order by default.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Suite : Add to Cart**Test Case naqa6-557: Add product**Summary:

Test if a product can be added to the shopping cart.

#:	Step actions:	Expected Results:	Execution Status:
1	Select any product.	A page with the chosen product is opened.	Passed
2	Select the desired "Aroma" and "Quantity" and click on "Cumpara acum" button.	The product is added to the cart.	Passed
<u>Execution type:</u>	Manual		

<u>Estimated exec. duration (min):</u>	
<u>Priority:</u>	Medium
Execution Details	
Build	Naq6
Tester	cristian.muresan
<u>Execution Result:</u>	Passed
<u>Execution Mode:</u>	Manual
<u>Execution duration (min):</u>	

Test Case naqa6-742: Maximum number of products added to cart at once.Summary:

Test how many products can be added to the cart at once.

#:	Step actions:	Expected Results:	Execution Status:	
1	Click on any product from the list.		Passed	
2	Increase the quantity up to 100 products using the "plus" sign.	The counter stops at 99 and the user gets a "stop" sign.	Passed	
Execution type:	Manual			
Estimated exec. duration (min):				
Priority:	Medium			
Execution Details				
Build	Naq6			
Tester	cristian.muresan			
Execution Result:	Passed			
Execution Mode:	Manual			
Execution duration (min):				

Test Case naqa6-744: Minimum number of items added to cartSummary:

Test what happens when a user clicks on "minus" sign multiple times

#:	Step actions:	Expected Results:	Execution Status:
1	Click on any product from the list.	The number of item set by default is 1.	Passed
2	Increase the quantity up to 3 items.		Passed
3	Decrease the quantity by clicking multiple times on the "minus" sign.	The counter stops at 1.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-745: Unusual number of items added to the cartSummary:

Test the page's response when the user enters unusual values for the quantity ("1.5", "0", "-2").

<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>	<u>Execution Status:</u>
1	Click on any item from the list.		Passed

2	In the quantity field type ("1.5" or "0" Or "-2") then press the "Cumpara acum" button.		The user gets an error message "Numar invalid".	Failed
<u>Execution type:</u>	Manual			
<u>Estimated exec. duration (min):</u>				
<u>Priority:</u>	Medium			
Execution Details				
Build	Naq6			
Tester	cristian.muresan			
<u>Execution Result:</u>	Failed			
<u>Execution Mode:</u>	Manual			
<u>Execution duration (min):</u>				
Execution notes	Bug id 0031852 logged in Mantis.			

Test Case naqa6-1159: Identical Items - several timesSummary:

Test if you can add the same product several times.

#:	Step actions:	Expected Results:	Execution Status:
1	Select a product.	The product is displayed.	Passed
2	Change the quantity value from 1 to 7 then press the "Cumpara acum" button.	The quantity and the price are updated accordingly and the items are added to the cart.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Suite : Shopping Cart**Test Case naqa6-558: Remove product**Summary:

Test if a product can be removed from the cart.

#:	Step actions:	Expected Results:	Execution Status:
1	Click on "Cos".	A page with the listed item/s in the cart is opened.	Passed
2	Click on the "X" sign located next to the "Pret" column.	The product is removed from the cart and the quantity and the total price is updated accordingly.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-590: Increment / decrement the quantitySummary:

Test if the quantity in the cart can be modified.

#:	Step actions:	Expected Results:	Execution Status:
1	In the header of the page click on "Cos".	The shopping cart page is opened and the products added in it are displayed.	Passed
2	Click on the "+" or on "-" sign to increment or decrement the quantity of the products in the cart.	The quantity and the price are updated accordingly every time the user presses the "+" or "-" sign.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-364: Quick view of the empty cart

Summary:

Test if the cart can be viewed when is empty.

#:	Step actions:	Expected Results:	Execution Status:
1	On homepage hover over the "Cos" field.	A drop-down list saying "Nu exista produse in cos" is displayed.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-363: Quick view of the items in the cart

Summary:

Test if the items in the cart can be viewed.

#:	Step actions:	Expected Results:	Execution Status:
1	On homepage hover over the "Cos" field.	A drop-down list with the items in the cart is displayed.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-591: Checkout

Summary:

Test if the user can check out.

#:	Step actions:	Expected Results:	Execution Status:
1	Click on "Fa comanda in siguranta acum" button located in the shopping cart.	The user is redirected to the checkout page.	
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-1117: Back to product

Summary:

Test if the user can go back to the page where the product is located.

#:	Step actions:	Expected Results:	Execution Status:
1	Click on "Cos" field.	A page with the item/s in the cart is opened.	Passed
2	Click on any of the products from the cart.	The user is redirected to the page where the item is located.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-1118: Promo code

Summary:

Test if the price is updated accordingly when the promo code is entered.

#:	Step actions:	Expected Results:	Execution Status:
1	Click on "Cos" field.	The page with the items in the cart is opened.	Passed
2	Type the promo code in the "Foloseste odul de reducere" field then press the "Foloseste codul" button.	The total price value of the cart is updated accordingly.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-1119: Invalid promo code

Summary:

Test if the price value of the cart is changing when an invalid promo code is entered.

#:	Step actions:	Expected Results:	Execution Status:
1	Click on the "Cos" field.	The page with items in the cart is opened.	Passed
2	Enter an invalid promo code in the "Foloseste codul de reducere" field then press the "Foloseste codul" button.	The user gets an error message " Codul de reducere introdus nu este valabil sau nu poate fi aplicat la conținutul coșului tău " and the value of the cart doesn't change.	Passed
<u>Execution type:</u> Manual			
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u> Medium			
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>	Passed		
<u>Execution Mode:</u>	Manual		
<u>Execution duration (min):</u>			

Test Case naqa6-1120: Continue shopping

Summary:

Test if the "Continua cumparaturile" button is functional.

#:	Step actions:	Expected Results:	Execution Status:
1	Click on "Continua cumparaturile" button located in the cart.	The user is redirected to the homepage.	Passed
<u>Execution type:</u> Manual			
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u> Medium			
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>	Passed		
<u>Execution Mode:</u>	Manual		
<u>Execution duration (min):</u>			

Test Suite : Checkout

Test Case naqa6-741: Check out with empty cart

Summary:

Test if the user can check out when the cart is empty.

#:	Step actions:	Expected Results:	Execution Status:
1	Click on "Cos" field.	The user gets a message "Momentan, nu exista produse in cos.". A button "Continua cumparaturile" is available.	Passed
<u>Execution type:</u> Manual			
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u> Medium			
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>	Passed		
<u>Execution Mode:</u>	Manual		
<u>Execution duration (min):</u>			

Test Case naqa6-1123: Checkout using an existing accountSummary:

Test if the user can check out using an existing account.

#:	Step actions:	Expected Results:	Execution Status:
1	Click on the "Cos" field.	The page with the product/s in the cart is opened.	Passed
2	Click on "Fa comanda in siguranta acum" button.	The checkout page is opened and the contact information is already filled in with the user's details.	Passed
3	Click on "Trimite comanda" button.	The user finalizes the checkout process with success. The order is confirmed via email.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-1124: Checkout as a guestSummary:

Test if an order can be placed as a guest.

#:	Step actions:	Expected Results:	Execution Status:
1	Click on "Cos" field.	A page with product/s in the cart is opened.	Passed
2	Click on "Fa comanda acum" button.	The user is directed to a page where one of three checkout methods must be choosed.	Passed
3	Type a valid email address in the "Adresa de email" textbox and click the "Fa comanda ca vizitator" button.	The user is redirected to the checkout page.	Passed
4	Fill up the form with valid data and press "Trimite comanda" button.	The user finalizes the checkout process with success. A confirmation email is received.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-1125: Checkout using a new accountSummary:

Test if the user can place an order using a new account.

#:	Step actions:	Expected Results:	Execution Status:
1	Click on "Cos" field.	A page with product/s in the cart is opened.	Passed
2	Click on "Fa comanda in siguranta acum" button.	The user is directed to a page where one of the three methods of checkout must be choosed.	Passed
3	Click on "Inregistrare" button.	A page with three different registration methods is opened: <ul style="list-style-type: none"> • via Facebook • via Google • via form 	Passed

4	Choose any of them and press "Continuare" button.	The user is redirected to a page with a registration form.	Passed
5	Fill up the form and then press "Trimite comanda" button.	The user finalizes the checkout process with success. A confirmation email is received.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Suite : Shipping

Test Case naqa6-992: Free Shipping

Summary:

Test that the shipping is free when the value of the products in the cart exceeds 324 RON.

#:	Step actions:	Expected Results:	Execution Status:
1	Add products to the cart until the value of the cart reaches 325 RON then click on "Fa comanda in siguranta acum" button.	The user has the option to apply for free shipping.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-1122: Shipping fee

Summary:

Test the shipping fee based on the value of the cart.

#:	Step actions:	Expected Results:	Execution Status:
1	Add product/s to the shopping cart.	The user has the option to apply for any of the shipping methods.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Suite : Footer

Test Case naqa6-573: Trustpilot link

Summary:

Test if the linked can be accessed and if it is relevant to the title.

#:	Step actions:	Expected Results:	Execution Status:
1	In the lower part of the page click on "Trustpilot" field.	A page with reviews regardind the Myprotein.ro page is opened.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-574: Informed-sport link

Summary:

Test if the linked can be accessed and if it is relevant to the title.

#:	Step actions:	Expected Results:	Execution Status:
1	In the lower part of the page click on "Informed-Sport" field.	A page with advertisment and rewards is opened.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-616: The Sunday Times Fast Track 100 link

Summary:

Test if the linked can be accessed and if it is relevant to the title.

#:	Step actions:	Expected Results:	Execution Status:
1	Go at the footer of the page and click on "The Sunday Times Fast Track 100" link.	The user is redirected to the "The Sunday Times Fast Track 100" page.	Failed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Failed		
Execution Mode:	Manual		
Execution duration (min):			
Execution notes	Bug logged in Mantis Bug Tracker with the id: 0031575.		

Test Case naqa6-617: Official Supplier link

Summary:

Test if the linked can be accessed and if it is relevant to the title.

#:	Step actions:	Expected Results:	Execution Status:
1	Go at the footer of the page and click on "Official Supplier" link.	The user is redirected to the "Official Supplier" page.	Failed
<u>Execution type:</u>	Manual		
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u>	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>	Failed		
<u>Execution Mode:</u>	Manual		
<u>Execution duration (min):</u>			
Execution notes	Bug logged in Mantis Bug Tracker with the ID: 0031576.		

Test Case naqa6-575: Subscribe buttonSummary:

Test if the linked can be accessed and if it is relevant to the title.

<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>	<u>Execution Status:</u>
1	In the footer of the page click on "Aboneaza-te" button.	A page with an email address field and send button is opened.	Passed
<u>Execution type:</u>	Manual		
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u>	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
<u>Execution Result:</u>	Passed		
<u>Execution Mode:</u>	Manual		
<u>Execution duration (min):</u>			

Test Case naqa6-576: Connect with us - social mediaSummary:

Test if the linked can be accessed and if it is relevant to the title.

#:	Step actions:	Expected Results:	Execution Status:
1	In the footer of the page click on any of the social media icons (Facebook, Twitter, Youtube, Instagram) bellow the "Conecteaza-te cu noi" field.	A page is opened in a new tab. The user is sent to the page based on the clicked icon.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-613: "Myprotein" drop-down country listSummary:

Test if the drop-down country list is displayed.

#:	Step actions:	Expected Results:	Execution Status:
1	Go at the footer of the page and click on "Myprotein" drop down list.	A list with the countries is displayed.	Passed
2	Choose a different country.	The Myprotein.ro page is reloaded and the language is changed.	Passed
Execution type: Manual			
Estimated exec. duration (min):			
Priority: Medium			
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result: Passed			
Execution Mode: Manual			
Execution duration (min):			

Test Case naqa6-1141: Links in the footer of the pageSummary:

Test if the links available in the footer of the page are redirecting the user to the expected page.

#:	Step actions:	Expected Results:	Execution Status:
1	In the footer of the page click on any of the available links.	The user is redirected to the expected page.	Passed
Execution type: Manual			
Estimated exec. duration (min):			
Priority: Medium			
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result: Passed			
Execution Mode: Manual			
Execution duration (min):			

Test Case naqa6-614: UI ElementsSummary:

Check if the elements are visible.

#:	Step actions:	Expected Results:	Execution Status:
1	Go to the footer of the page.	The registration licence and payment methods are displayed.	Passed
Execution type: Manual			
Estimated exec. duration (min):			
Priority: Medium			
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result: Passed			
Execution Mode: Manual			
Execution duration (min):			

Test Suite : Non Functional - Test Cases

Test Case naqa6-749: Cross browser testing

Summary:

Test how the page is responding when different browsers are used.

#:	Step actions:	Expected Results:	Execution Status:
1	Open Myprotein.ro using at first Google Chrome version 88.0.4324.96 and then using Safari 11.1.2.	The Myprotein.ro webpage is running without any problems or differences of UI on both browsers.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-1157: Myprotein on mobile

Summary:

Test if myprotein is available on mobile devices.

#:	Step actions:	Expected Results:	Execution Status:
1	Open Myprotein on Iphone SE(iOS 14.4).	The webpage opens and running.	Passed
2	Open myprotein on Xiaomi Redmi Note 10 (Android 10QKQ1).	The wen page opens and running.	Passed
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Build	Naq6		
Tester	cristian.muresan		
Execution Result:	Passed		
Execution Mode:	Manual		
Execution duration (min):			

Test Case naqa6-1165: Localization testing - using NordVPN

Summary:

Test that the "Myprotein" website is opening and and displays specific language menu depending on the country selected.

#:	Step actions:	Expected Results:	Execution Status:
1	Load the "Myprotein" website.	The "Myprotein" website opens and runs accordingly when the localization is modified.	Passed
<u>Execution type:</u>		Manual	
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u>		Medium	

Execution Details		
Build	Naq6	
Tester	cristian.muresan	
<u>Execution Result:</u>	Passed	
<u>Execution Mode:</u>	Manual	
<u>Execution duration (min):</u>		

Test Case naqa6-1208: Load testingSummary:

Test that 2000 users are on the "Myprotein" website at the same time and the system runs without any lags.

#:	Step actions:	Expected Results:	Execution Status:
1	2000 users are exploring the website at the same moment.	The system is not impacted by the high number of users.	
Execution type:	Manual		
Estimated exec. duration (min):			
Priority:	Medium		
Execution Details			
Execution Result	Not Run		

Test Case naqa6-1209: Stress testing on Search barSummary:

Test that the system operates when 5000 users search for the same item at the same moment using the search bar.

<u>#:</u>	<u>Step actions:</u>	<u>Expected Results:</u>	<u>Execution Status:</u>
1	5000 users input the name "Vitamins" in the search bar and press the "Enter" button at the same time.	The system is displays the result for all the users.	
<u>Execution type:</u>	Manual		
<u>Estimated exec. duration (min):</u>			
<u>Priority:</u>	Medium		
Execution Details			
Execution Result	Not Run		

Test Case naqa6-1224: Testing the response time for APIsSummary:

Test that the response time for APIs is less then 200 ms.

API testing performed using Postman.

<u>Execution type:</u>	Manual
<u>Estimated exec. duration (min):</u>	
<u>Priority:</u>	Medium
Execution Details	
<u>Execution Result</u>	Not Run