


Cristina Manjon Lacalle

Despliegue de aplicaciones web

24 de septiembre del 2020




UD1-Tarea1

Documentación instalación Xampp portable

Descarga

<http://www.apachefriends.org/en/xampp-windows.html>

Entramos en el enlace y nos descargamos el ejecutable de xampp para windows





The screenshot shows the Apache Friends website's download page. The browser address bar displays 'apachefriends.org/download.html'. The website has a dark blue navigation bar with links: Apache Friends, Download, Add-ons, Hosting, Community, About, and a search icon. Below the navigation bar, the word 'Download' is prominently displayed in a large, bold, black font. Underneath, a paragraph states: 'XAMPP is an easy to install Apache distribution containing MariaDB, PHP, and Perl. Just download and start the installer. It's that easy.'


Below the text is a section titled 'XAMPP for Windows 7.2.33, 7.3.22 & 7.4.10' with a Windows logo icon. It contains a table with download information for three versions:

Version	Checksum	Size
7.2.33 / PHP 7.2.33	What's Included? md5 sha1	Download (64 bit) 154 Mb
7.3.22 / PHP 7.3.22	What's Included? md5 sha1	Download (64 bit) 155 Mb
7.4.10 / PHP 7.4.10	What's Included? md5 sha1	Download (64 bit) 156 Mb

Below the table are links for 'Requirements', 'Add-ons', and 'More Downloads »'. A note at the bottom states: 'Windows XP or 2003 are not supported. You can download a compatible version of XAMPP for these platforms [here](#).'

Iniciamos la instalación





¿En qué directorio se encuentra el fichero de configuración de Apache?

C:\xampp\apache\conf\

¿Nombre del fichero de configuración?

httpd.conf

En dicho fichero, existe la directiva DocumentRoot, ¿qué valor tiene? ¿Qué significa?


Las páginas webs que se publican a través del servidor web Apache se encuentran alojadas en una carpeta del mismo equipo. La ruta a dicha carpeta debe aparecer en el archivo de configuración usando la directiva DocumentRoot.


Personalizar la página de inicio con un archivo PHP, con index.php.

Mostrar dicha página desde cualquier navegador

1. Desde el panel de control de XAMPP en la parte del servidor Apache da click en Config. Se desplegará una lista de archivos. De esta lista, elige el archivo httpd.conf
2. Una vez dentro del archivo, busca la siguiente línea: DocumentRoot "C:/xampp/htdocs". Una vez localizada ponle un # en el inicio. Esto significa que estas comentando la línea para que sea ignorada por el servidor.
3. La directiva DocumentRoot indica en que carpeta el servidor buscará el archivo index.php para iniciar. Así que pon una nueva línea indicando en que directorio quieres iniciar. DocumentRoot

"C:/xampp/hdocs/MiPagina". Una vez hecho esto buscará en dicho directorio el archivo index.php para iniciar.






```
httpd: Bloc de notas
Archivo  Edición  Formato  Ver  Ayuda
#
DocumentRoot "C:/xampp/htdocs/MiPagina"
<Directory "C:/xampp/htdocs/MiPagina">
#
# Possible values for the Options directive are "None", "All",
# or any combination of:
#   Indexes Includes FollowSymLinks SymLinksifOwnerMatch ExecCGI MultiViews
#
# Note that "MultiViews" must be named *explicitly* --- "Options All"
# doesn't give it to you.
#
# The Options directive is both complicated and important. Please see
# http://httpd.apache.org/docs/2.4/mod/core.html#options
# for more information.
#
Options Indexes FollowSymLinks Includes ExecCGI

#
# AllowOverride controls what directives may be placed in .htaccess files.
# It can be "All", "None", or any combination of the keywords:
#   AllowOverride FileInfo AuthConfig Limit
#
AllowOverride All

#
# Controls who can get stuff from this server.
#
Require all granted
Allow from all

Ln 1, Col 1    100%  Windows (CRLF)  UTF-8
```

Metemos la carpeta con la página de inicio que queremos



Y ponemos en el navegador la dirección de host



Hola Mundo

