# Practica – Uso de Git y GitHub

# Fundamentos de Git I

1. Instala Git

```
$ git --version
git version 2.45.2.windows.1
```

## 2. Configuración de Git


```
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Users/USUARIO/Desktop/Repos/mingw64/etc/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
core.editor="C:\Users\USUARIO\AppData\Local\Programs\Microsoft VS Code\bin\code" --wait
user.name=CristinaPicazo
user.email=cristina.picazo.merlos@gmail.com
user.username=CristinaPicazo
credential.helper=wincred
```

#### 3.g git status

```
On branch master
Untracked files:
    (use "git add <file>..." to include in what will be committed)
        peliculas.txt

nothing added to commit but untracked files present (use "git add" to track)
```

#### 3.1 Cambios en el directorio



```
On branch master

Changes not staged for commit:

(use "git add/rm <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

deleted: comidas.txt

modified: peliculas.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

# 3.n git status

```
On branch master
Changes to be committed:
    (use "git restore --staged <file>..." to unstage)
        deleted: comidas.txt
        modified: peliculas.txt
```

#### 3.q git status

#### 3.s git status

#### 3.u Histórico de cambios


```
* commit efdfe0b51fc0328512cf1dd0ca486162f751eda3 (HEAD -> master)
 Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
         Mon Oct 14 22:43:09 2024 +0200
     creado archivo ignore
* commit 762e625255022f1dba7487170b643a01bd2615c5
 Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
 Date: Mon Oct 14 21:42:11 2024 +0200
     borrado comidas y anadido en peliculas
* commit e0bec22b277f2ef20526958e898d492742e78ce1
 Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
         Mon Oct 14 21:35:51 2024 +0200
 Date:
     anadido peliculas y comidas
* commit 6ecde2d893352ff3fb57b1b893a161b0dae33fa6
 Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
         Mon Oct 14 21:29:33 2024 +0200
     anadidos 2 libros
* commit 34550856504a8deb7e9f25afaffb80807ecac713
  Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
         Mon Oct 14 21:27:35 2024 +0200
     primeros 3 libros
```

# Fundamentos de Git II

# 1.g git log --graph --all

```
* commit 6517dc070d88622b4033fc9b4f555b42a6024a56 (HEAD -> test)
| Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
| Date: Tue Oct 15 10:58:12 2024 +0200
| anadido actrices
| * commit 2cc4385d6a44f58a4502c31064aea5afdecb6460 (origin/master, master)
| Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
| Date: Mon Oct 14 22:50:27 2024 +0200
```

# 1.i Incorporación cambios a rama test



```
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R1> git checkout master Switched to branch 'master'
Your branch is up to date with 'origin/master'.
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R1> git merge test Updating 2cc4385..6517dc0
Fast-forward
actrices.txt | 3 +++
1 file changed, 3 insertions(+)
create mode 100644 actrices.txt
```

#### 1.n git log --graph --all

#### Cristina Picazo Merlos

```
commit 177b4c0bb36f2bf883ddb50a8fc28f5c39b4db34 (HEAD -> test2)
 Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
 Date: Tue Oct 15 11:14:19 2024 +0200
     anadida actriz
 * commit d5e9bf5a7d1859a24c721c0c45bc8cfefaec2a4c (master)
   Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
   Date: Tue Oct 15 11:09:23 2024 +0200
       nueva actriz
* commit 6517dc070d88622b4033fc9b4f555b42a6024a56 (test)
 Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
 Date: Tue Oct 15 10:58:12 2024 +0200
     anadido actrices
* commit 2cc4385d6a44f58a4502c31064aea5afdecb6460 (origin/master)
 Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
 Date: Mon Oct 14 22:50:27 2024 +0200
     anadidos actores
```

#### 1.o Conflicto

```
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R1> git merge test2
Auto-merging actrices.txt

CONFLICT (content): Merge conflict in actrices.txt
Automatic merge failed; fix conflicts and then commit the result.

PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R1> git status
On branch master

Your branch is ahead of 'origin/master' by 2 commits.

(use "git push" to publish your local commits)

You have unmerged paths.

(fix conflicts and run "git commit")

(use "git merge --abort" to abort the merge)

Unmerged paths:

(use "git add <file>..." to mark resolution)

both modified: actrices.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

```
1 Margot Robbie
2 Jennifer Lawrence
3 Emma Watson
Accept Current Change | Accept Incoming Change | Accept Both Changes | Compare Changes
4 <<<<< HEAD (Current Change)
5 Demi Moore
6 ======
7 Rosario Dawson
8 >>>>>> test2 (Incoming Change)
```

3.q

```
commit 5332ddf1c8be5da1b344aff9d443ff112c54c55e (HEAD -> master)
   Merge: d5e9bf5 177b4c0
   Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
          Tue Oct 15 11:22:29 2024 +0200
       conflicto ramas con actrices
   commit 177b4c0bb36f2bf883ddb50a8fc28f5c39b4db34 (test2)
   Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
          Tue Oct 15 11:14:19 2024 +0200
       anadida actriz
   commit d5e9bf5a7d1859a24c721c0c45bc8cfefaec2a4c
   Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
   Date: Tue Oct 15 11:09:23 2024 +0200
       nueva actriz
 commit 6517dc070d88622b4033fc9b4f555b42a6024a56 (test)
 Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
 Date: Tue Oct 15 10:58:12 2024 +0200
     anadido actrices
* commit 2cc4385d6a44f58a4502c31064aea5afdecb6460 (origin/master)
 Author: CristinaPicazo <cristina.picazo.merlos@gmail.com>
 Date: Mon Oct 14 22:50:27 2024 +0200
     anadidos actores
```

#### Clonado S2R2-remoto

```
USUARIO@DESKTOP-AKFURIP MINGW64 /e/DAW/# 2 DAW 24-25/DWEC Desarrollo Web en Entorno Cliente/T1/S2R2
$ git clone https://github.com/CristinaPicazo/S2R2-remoto.git
Cloning into 'SZR2-remoto'...
remote: Enumerating objects: 22, done.
remote: Counting objects: 100% (22/22), done.
remote: Compressing objects: 100% (18/18), done.
remote: Total 22 (delta 2), reused 22 (delta 2), pack-reused 0 (from 0)
Receiving objects: 100% (22/22), 12.15 KiB | 888.00 KiB/s, done.
Resolving deltas: 100% (2/2), done.
```

## 3.c push a remoto

```
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R2\S2R2-remoto> git push Enumerating objects: 4, done.

Counting objects: 100% (4/4), done.

Delta compression using up to 4 threads

Compressing objects: 100% (3/3), done.

Writing objects: 100% (3/3), 343 bytes | 343.00 KiB/s, done.

Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)

remote: Resolving deltas: 100% (1/1), completed with 1 local object.

To https://github.com/CristinaPicazo/S2R2-remoto.git

6696ceb..222ecf6 master -> master
```

# 3.g Push de remoto

#### Cristina Picazo Merlos

```
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R2\S2R2-remoto> git push fatal: The current branch version1 has no upstream branch.

To push the current branch and set the remote as upstream, use

git push --set-upstream origin version1

To have this happen automatically for branches without a tracking upstream, see 'push.autoSetupRemote' in 'git help config'.

PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R2\S2R2-remoto> git push --set-upstream origin version1 Enumerating objects: 5, done.

Counting objects: 100% (5/5), done.

Delta compression using up to 4 threads

Compressing objects: 100% (3/3), done.

Writing objects: 100% (3/3), 348 bytes | 348.00 KiB/s, done.

Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)

remote: Resolving deltas: 100% (1/1), completed with 1 local object.

remote:

remote: Create a pull request for 'version1' on GitHub by visiting:

remote: https://github.com/CristinaPicazo/SzR2-remoto/pull/new/version1

remote:

To https://github.com/CristinaPicazo/SzR2-remoto.git

* [new branch] version1 -> version1

branch 'version1' set up to track 'origin/version1'.
```

#### 4.a Mostrar contenido

```
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R3\S2R2-remoto> type directores.txt Stanley Kubrick
Christopher Nolan
Steven Spielberg
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R3\S2R2-remoto> git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
```

#### 4.c Mostrar contenido

```
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R3\S2R2-remoto> type directores.txt
Stanley Kubrick
Christopher Nolan
Steven Spielberg
Terence Fisher
Martin Scorsese
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R3\S2R2-remoto> git status
On branch version1
Your branch is up to date with 'origin/version1'.

nothing to commit, working tree clean
```

#### 4.f Master a servidor

```
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R3\S2R2-remoto> git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R3\S2R2-remoto> git push
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/CristinaPicazo/S2R2-remoto.git
  222ecf6..d82f7f9 master -> master
```

#### 5.a Obtener cambios sin fusionar

```
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R2\S2R2-remoto> git status
On branch version1
Your branch is up to date with 'origin/version1'.

nothing to commit, working tree clean
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R2\S2R2-remoto> git fetch
From https://github.com/CristinaPicazo/S2R2-remoto
222ecf6..d82f7f9 master -> origin/master
```

```
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R2\S2R2-remoto> type directores.txt
Stanley Kubrick
Christopher Nolan
Steven Spielberg
Terence Fisher
Martin Scorsese
```

#### 5.b Actualizar master

```
Switched to branch 'master'
Your branch is behind 'origin/master' by 1 commit, and can be fast-forwarded.
(use "git pull" to update your local branch)
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R2\S2R2-remoto> type directores.txt
Stanley Kubrick
Christopher Nolan
Steven Spielberg
```

```
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R2\S2R2-remoto> git pull
Updating 222ecf6..d82f7f9
Fast-forward
directores.txt | 4 +++-
1 file changed, 3 insertions(+), 1 deletion(-)
PS E:\DAW\# 2 DAW 24-25\DWEC Desarrollo Web en Entorno Cliente\T1\S2R2\S2R2-remoto> type directores.txt
Stanley Kubrick
Christopher Nolan
Steven Spielberg
Terence Fisher
Martin Scorsese
```

# GitHub

4.e Comandos para quitar issues

```
>> git add discos.txt
>> git commit -m "Añadir 3 discos close #3"

git add discos.txt
git commit -m "Añadir 3 discos close #3"

git add peliculas.txt
git commit -m "ñadir 3 películas close #2"

git push
```