

Documentation for the use of the *tikzcivil* package

Cristóbal Tapia
`crtapia@gmail.com`

April 16, 2014

Contents

1	Drawing for the Structural Analysis	2
1.1	Dynamic	2
1.1.1	\MassWithSpring command	2
1.1.2	\Frame command	3
2	Dibujos relacionados con la mecánica de suelos	5

Chapter 1

Drawing for the Structural Analysis

1.1 Dynamic

1.1.1 \MassWithSpring command

This command draws a typical mass-spring system. It supports also an optional damper and displacement. The basic behavior of this command is shown in fig. 1.1.




Figure 1.1: Mass-Spring system

```
1 \begin{tikzpicture}[scale=1]
2   \MassWithSpring[]
3 \end{tikzpicture}
```

More interesting behaviours can be achieved using the optional key values, as shown in fig .




Figure 1.2: More complex mass-spring system

```

1 \begin{tikzpicture}[scale=1]
2   \MassWithSpring[displacement = 2em, with damper = true]
3   \MassWithSpring[displacement = -1em, with wall = false, position
4     = {10.5em,0em}]
5   \MassWithSpring[displacement = 3em, with wall = false, position =
6     {18.0em,0em}]
7 \end{tikzpicture}

```

1.1.2 \Frame command

Thus command draws a frame with its mass concentrated above. It is a very common model to describe later a multi-story building in 2D. This command has many options, useful to change the displacement, position, use of supports, damper, among others. In the fig. 1.3 can be seen the normal output of the command without any options.





Figure 1.3: Using the \Frame command with defaults options.

```
1 \begin{tikzpicture}[scale=1]
2   \Frame[]
3 \end{tikzpicture}
```



Dibujo izquierdo

```
1 \begin{tikzpicture}[scale=0.6]
2   \Frame[position = {0em,0em}]
3   \Frame[position = {0em,10em}, with support = false]
4   \Frame[position = {0em,20em}, with support = false]
5 \end{tikzpicture}
```

Dibujo derecho

```
1 \begin{tikzpicture}[scale=0.6]
2   \Frame[position = {0em,0em}, displacement = 0.15em]
3   \Frame[position = {0.15em,10em}, with support = false,
4     displacement = 1.35em]
5   \Frame[position = {1.5em,20em}, with support = false,
6     displacement = 3.4em]
7 \end{tikzpicture}
```

Chapter 2

Dibujos relacionados con la mecánica de suelos

