




DIAGONAL = $50' - 4\frac{1}{4}"$

SYMBOLS
S.I.F. = SIDE IN FORM
B.I.F. = BOTTOM IN FORM
T.I.F. = TOP IN FORM

 FM = FORM FINISH

MINI-V		JVI-MINI-V (J FINISH)	2	EA
CI-63	3/4" DIA. x 3 1/2" CI-6334312P COIL INSERT	2	EA	
NU-TIE	7" NU-TIE	42	EA	
PC-10	PL 3/4" x 4" x 0'-7" w/ (2) #4 X 1'-6" BAR & STEEL CHANNEL	3	EA	
P002	#4 x 2'-0" BENT BAR THREADED ONE END w/ STANDARD COUPLER	4	EA	
P017	PL 3/8" x 3" x 0'-8" w/ (2) #5 x 2'-0"	8	EA	
P020	PL 3/8" x 12" x 1'-0" w/ (4) 5/8" DIA. x 4 1/8" HCA	2	EA	
P300	PL 3/8" x 3" x 0'-8" w/ (2) #5 x 1'-10"	2	EA	
QLFIP1217G	12T SAND PANEL ANCHOR	8	EA	
MARK	DESCRIPTION	QTY.	UOM	

#30102	#3 REBAR X 1'-2" LONG	38	EA
#31108	#3 REBAR X 11'-8" LONG	62	EA
#38B02	#3 BENT BAR X 5'-8" LONG	1	EA
#50300	#5 REBAR X 3'-0" LONG	8	EA
#51108	#5 REBAR X 11'-8" LONG	4	EA
#51704	#5 REBAR X 17'-4" LONG	4	EA
#6BB01	#6 BENT BAR X 4'-6" LONG	14	EA
#6BB02	#6 BENT BAR X 4'-6" LONG	2	EA
MARK		QTY.	UOM


#70006	#7 REBAR X 0'-6" LONG	16	EA
1/2 STRAND	1/2 DIAMETER STRAND X 48'-11" LONG 30.9 KIPS	10	EA
MARK	DESCRIPTION		

CONCRETE MIX		
MIX	CY	B/F
NEP-SP	5.73	B
NEP-15	5.11	F
FC (28 DAYS) 6,000 PSI		
FC (SHPPING) 4,000 PSI		
FC (RELEASE) 3,500 PSI		

PIECES REQ'D: 1	
WEIGHT: 43900 LB	
DESIGN: IWP1.00	
FC FOUND ON E-DRAWING: E-3.06	

REL.	DESCRIPTION	DATE	BY
1	FOR PRODUCTION	9/15/2021	BM

DRAWN:	CHECKED:	ENGR:	PLOTTED:
OSJ	BM	LMB	09/07/2021





92 REESE ROAD
MILLVILLE, NJ 08332
OFFICE: 866-699-2557 FAX: 856-765-9087
www.northeastprecast.com

PROJECT: HRP HUDSON BUILDING 1		
JOB NO. 20-NE0881	PIECE MARK: W067	SHEET NO. 1 of 3



NOTES:
1. ALL REBAR IS TO BE 1" CLR. UNO
2. ALL DIMENSIONS ARE TO CENTERLINE UNO

SYMBOLS
S.I.F. = SIDE IN FORM
B.I.F. = BOTTOM IN FORM
T.I.F. = TOP IN FORM



NOTES:

1. ALL REBAR IS TO BE 1" CLR. UNO
2. ALL DIMENSIONS ARE TO CENTERLINE UNO

SYMBOLS

S.I.F. = SIDE IN FORM

B.I.F. = BOTTOM IN FORM

T.I.F. = TOP IN FORM

REL.	DESCRIPTION	DATE	BY
1	FOR PRODUCTION	9/15/2021	BM

DRAWN: OSJ	CHECKED: BM	ENGR: LMB	PLOTTED: 09/07/2021
---------------	----------------	--------------	---------------------

NORTHEAST PRECAST

92 REESE ROAD
MILLVILLE, NJ 08332
OFFICE: 866-699-2557 FAX: 856-765-9087
www.northeastprecast.com

PROJECT: HRP HUDSON BUILDING 1		
JOB NO. 20-NE0881	PIECE MARK W067	SHEET NO. 3 of 3

JOB NO. 20-NE0881	PIECE MARK W067	SHEET NO. 3 of 3
----------------------	--------------------	---------------------

W067

of 3