





FORM VIEW


DIAGONAL = 18'-6 2/3" / 16



SECTION VIEW

PRODUCTION NOTE:
UPPER #30901 TIED
BELOW STRAND @ P040

PRODUCTION NOTE:
THIS PANEL IS SOLID.



SECTION VIEW

- NOTES:
1. ALL REBAR IS TO BE 1" CLR. UNO
 2. ALL DIMENSIONS ARE TO CENTERLINE UNO
 3. SPLIT STRONGBACK C.Y. 50/50 FACE MIX/ BACK MIX
 4. PLACE REBAR 2" FROM EDGE OF ROUGH OPENINGS

- SYMBOLS
- S.I.F. = SIDE IN FORM
 - B.I.F. = BOTTOM IN FORM
 - T.I.F. = TOP IN FORM
 - E.O.P. = EDGE OF PLATE
 - ST = STEEL TROWEL
 - FM = FORM FINISH

CONTROL NO.:

093

STEALTH 100 FLANGE CONNECTOR				2	EA
CI-63	3/4" DIA. x 3 1/2" CI-6334312P COIL INSERT	2	EA		
P008	PL 3/8" x 8" x 8" w/ (4) 1/2" DIA. x 2 5/8" HCA & (2) #3 BENT REBAR	3	EA		
P040	PL 3/4" x 4" x 7" w/ (2) #4 X 1'-6" BAR	2	EA		
QL589SPG	8T QUIKLIFT TECH ERECTION ANCH. w/ SHEAR PL (GALV.)	4	EA		
MARK	DESCRIPTION	QTY.	UOM		

#30200		12	EA
#30206		1	EA
#30210		12	EA
#30301		1	EA
#30304		1	EA
#30311		1	EA
#30901		20	EA
#50300		8	EA
#50901		4	EA
MARK		QTY.	UOM

#51406		4	EA
#51509		2	EA
#6BB302		2	EA
#6BB306		2	EA
1/2 STRAND	1/2 DIAMETER STRAND 28.90 KIPS	8	EA
MARK	DESCRIPTION		


CONCRETE MIX		
MIX	CY	B/F
725N	-	B
700A	2.71	F
F _c (28 DAYS)		
6,000 PSI		
F _c (SHIPPING)		
4,000 PSI		
F _{cd} (RELEASE)		
3,500 PSI		

PIECES REQD:	1
WEIGHT:	11000 LB
DESIGN:	WP2.00

REL.	DESCRIPTION	DATE	BY
1	FOR PRODUCTION	7/09/2025	HH

DRAWN:	CHECKED:	ENGR:	PLOTTED:
SAB	BRS	ECL	07/03/2025


PROJECT: TNTR CLUBHOUSE		
JOB NO.	PIECE MARK	SHEET NO.
24-NE1087	W093	1 of 2



REVEAL DRAWING

SHOP NOTE:
NO REVEAL

Foam Blockout 3



121

- NOTES:
1. ALL REBAR IS TO BE 1" CLR. UNO
 2. ALL DIMENSIONS ARE TO CENTERLINE UNO
 3. SPLIT STRONGBACK C.Y. 50/50 FACE MIX/ BACK MIX
 4. PLACE REBAR 2" FROM EDGE OF ROUGH OPENINGS

SYMBOLS
 S.I.F. = SIDE IN FORM
 B.I.F. = BOTTOM IN FORM
 T.I.F. = TOP IN FORM
 E.O.P. = EDGE OF PLATE
 ST = STEEL TROWEL
 FM = FORM FINISH

REL.	DESCRIPTION	DATE	BY
1	FOR PRODUCTION	7/09/2025	HH

DRAWN: SAB	CHECKED: BRS	ENGR: ECL	PLOTTED: 07/03/2025
------------	--------------	-----------	---------------------

NORTHEAST PRECAST
 4081 S. Lincoln Ave., Vineland, NJ 08361
 OFFICE: 856-699-2557 FAX: 856-765-9087
 www.northeastprecast.com

PROJECT:	TNTR CLUBHOUSE
JOB NO.	24-NE1087
PIECE MARK:	W093
SHEET NO.	2 of 2