

Working with the Common Data Service

Lab Time: 60 minutes

Lab Folder: C:\Student\Modules\07_CommonDataService\Lab


Lab Overview: In this lab, you will begin by using the PowerApps admin center to create a new PowerApps environment which is provisioned with a new CDS for Apps database. After creating the CDS for Apps database, you will inspect the set of standard entities and then you will create a canvas app to add, view and update contacts within the CDS. After that, you will use the new PowerApps preview support to create a model-driven app which is also designed to add, view and update contact data within the CDS database.

Lab Prerequisite: This lab assumes you completed lab 1 where you created a PowerApps plan 2 subscription and assigned a PowerApps plan 2 license to the primary Office 365 user account you have been using. If you have not already configured your Office 365 account with a PowerApps plan 2 license, you complete all of exercise 2 of lab 1 before you begin working on this lab.


Exercise 1: Create a New PowerApps Environment with a CDS Database

In this exercise, you will create a new PowerApps environment with a new CDS database. After that, you will begin the provisioning process to create a Power Apps portal.


1. Make sure you have a **PowerApps Plan 2** license.
 - a) In the browser, navigate the PowerApps Maker portal at <https://make.powerapps.com>.




- b) Drop down the menu with the gear icon in the upper right of the page and select the **Plan(s)** command.




- c) You should be able to verify that you have Plan 2.




2. Create a new PowerApps environment with a Common data Service database.
 - a) Drop down the menu with the gear icon in the upper right of the page and select the **Admin center** command.



- b) In the **Power Platform Admin center**, click the **Environments** link in the left navigation.




- c) Click the **+ New** button to create a new environment.



- d) In the **New environment** pane on the right, enter a Name of **My Dev Environment**.



- e) Leave the environment **Type** setting with its default value of **Production**.
f) Make sure you enable the option **Create a database for this environment**.
g) Once you have filled out the **New environment** pane, click **Next**.



- h) Leave all the default settings on the **Add database** pane as shown in the following screenshot and click **Save**.

Add database

Language *
Default language for user interfaces in this environment
English

Currency *
Reports will use this currency
USD (US\$)

Enable Dynamics 365 apps
In addition to Power Apps. [Learn more](#)
☐ No
 Currently, Dynamics 365 apps can only be enabled for your default region. [Learn more](#)

Deploy sample apps and data
☐ No

Security group
Restrict environment access to people in this security group. Otherwise, everyone can access. [Learn more](#)

Save **Cancel**

- i) You should now see the new environment in the tenant **Environments** list with a **State** of **PreparingInstance**.

New environment My Dev Environment is getting prepared. It can be used once active.

Environments

Environment	Type	State	Region	Created on ↓
My Dev Environment	Production	PreparingInstance	United States	11/30/2019 4:02 PM
Critical Path Training Labs (default)	...	Default	United States	11/23/2019 10:47 PM


- j) Refresh the **Environments** list every 30 seconds or so until you see that the **State** has turned to **Ready**.

New environment My Dev Environment has been successfully created.


Environments

Environment	Type	State	Region
My Dev Environment	...	Ready	United States
Critical Path Training Labs (default)	...	Ready	United States


3. Move the Power Apps maker portal over to work with your new PowerApps environment.
 - a) Return to the PowerApps Maker portal at <https://make.powerapps.com>.
 - b) Refresh the page at <https://make.powerapps.com> by pressing {F5}.
 - c) Click the **Environment** menu at the top right of the page to drop down the environment selector menu.



- d) Switch over to the new environment you just created named **My Dev Environment**.




- e) You should be able to confirm that the current environment has been switched over to **My Dev Environment**.



It is not yet time for you to begin work with a Power Apps portal. However, it takes a long time to create a Power Apps portal. Therefore, you are going to begin the process to create a Power Apps portal now so it will be ready later on in a future lab exercise.

4. Create a PowerApps portal in your new PowerApps environment.
 - a) Click on the **Portal from blank (preview)** tile to create a new PowerApps portal.



You can only create one Power Apps portal per environment. If you want to create multiple portals, you will have to create a separate Power Apps environment for each one.

- b) In the **Portal from blank (preview)** dialog, enter a portal tile such as **My Portal Lab**.
- c) Enter a value for the portal **Address**. You might need to try several times if you pick an address that is already taken.

Name *

My First Portal

Address * ⓘ

cpt1119 .powerappsportals.com

✓ cpt1119.powerappsportals.com

- d) Once you have entered a **Name** and **Address** for your portal, click **Create** to begin the portal provisioning process.

Portal from blank

ⓘ We'd need to install certain prerequisites. If you'd like to quickly try portals, use an environment with portal package already installed or create a new one using this link. [Create new environment](#)

Name *

My First Portal

Address * ⓘ

cpt1119 .powerappsportals.com

✓ cpt1119.powerappsportals.com

Language

English

Create a website to share data with external and internal users. This template comes with sample pages to get you quickly started. [Learn more](#)

By clicking on Create, you agree to the [Terms and Conditions](#) and the [Terms of Service](#).

[Privacy Statement](#)

Create **Cancel**

- e) You should now see a notification indicating that portal provisioning is now in process.

Environment
My Dev Environment

Portal provisioning in progress

Your portal My First Portal is currently being provisioned and this can take time. You'll be notified via Notifications pane once it is provisioned.

5. Inspect the apps in **My Dev Environment**.

- a) Click the **Apps** link in the left navigation to see the list of apps for **My Dev Environment**.
- b) You should see the portal app in a greyed-out site which indicates that the portal is being provisioned.
- c) Provisioning a Power Apps portal will also eventually create another model-driven app named **Portal Management**.


Apps in My Dev Environment				
	Name	Modified	Owner	Type
	My First Portal	...		Portal
	Portal Management	7 min ago	Ted Pattison	Model-driven

It will take quite a bit of time before your portal is ready to use and edit. The entire provisioning process for a new Power Apps portal can take from 30 to 60 minutes or even longer. You will now create a canvas app and model-driven app that are not related to this portal. However, you have started the Power Apps portal provisioning process so the portal will be later when it's time to work on it.


Exercise 2: Inspect Standard Entities in the Common Data Service

In this exercise, you will inspect some of the standard entities that are built into the CDS database.


1. Inspect the standard entities in the Common data Service.
 - a) Navigate to the PowerApps home page at <https://make.PowerApps.com>.
 - b) Make sure the current environment is the environment named **My Dev Environment** that you created in exercise 1.




- c) Click on the **Entities** link in the **Data** section of the left navigation and examine the entities that are displayed.




- d) Locate the view menu for the **Entities** page in the upper, right corner which should initially be set to **Default**.



- e) Drop down the view menu and select **Group** and **All** to display all entities separated into groups.



- f) You should now see all the standard entities are organized in groups.




- g) Expand the **Master** group and you should see this group contains two important entities named **Account** and **Contact**.

Master (2)			
Account	...	Standard	Master
Contact	...	Standard	Master

2. Take a closer look at the **Contact** entity.


- a) Click on the link for the **Contact** entity.



- b) Examine the Fields list to see what fields are included with the **Contact** entity.

Entities > Contact			
Fields Relationships Business rules Views Forms Dashboards Charts Keys Data			
Display name ↑ ↓		Name ↓	Data type ↓
Address 1	...	address1_composite	Multilin...
Address 1: Address Type	...	address1_addresstypecode	Option ...
Address 1: City	...	address1_city	Text
Address 1: Country/Region	...	address1_country	Text
Address 1: County	...	address1_county	Text


- c) Click the **Data** tab to verify that the **Contact** entity currently contains no data.




Exercise 3: Create a Canvas App to Manage Contact Entity Data

In this exercise, you will create a canvas app to manage **Contact** entity data.


1. Create the new Canvas app using PowerApps Studio.
 - a) In the PowerApps portal at <https://web.powerapps.com>, make sure you are running in the **Dev Env** environment.
 - b) Click the **Apps** link in the left navigation. The Apps list should be empty at this point.
 - c) Click the **+ Create an app > Canvas** menu command to begin the process of creating a new canvas app.




- d) On the **Create an app page**, locate the **Common Data Service** tile and click the **Phone layout** button inside it.




- e) When prompted to create a new Common Data Service connection, click the **Create** button to continue.




- f) In the **Choose a table** section on the **Connections** page, select the **Contacts** table.




- g) Once you have selected the **Contacts** table, click the **Connect** button.




- h) At this point, PowerApps will take 20-30 seconds to create the new PowerApps project.




- i) When PowerApps has finished creating the new canvas app project, you should see the app project has been created with a browse screen, a view detail screen and an edit screen as shown in the following screenshot.




- j) Select **BrowseScreen1** in the left navigation. Click **View** and then click **Data sources** in the ribbon to display the **Data** pane.




- k) With the **Data** pane showing, select the **BrowseGallery1** control in the left navigation.




- l) The Data pane should now display the **Layout** and fields used by the gallery control.



- m) Update the Layout for the gallery to **Title**.
- n) Configure the **Title3** gallery control to bind to the CDS field named **fullname** as shown in the following screenshot.




- o) With the **Data** pane showing, use the left navigation to select **DetailForm1** in **DetailScreen1**




- p) The **Data** pane should now display a **Fields** list showed the fields included on **DetailForm1**.
- q) Reorganize the fields in the Fields list to display the following fields in this particular order.
- i) **Contact**
 - ii) **Full Name**
 - iii) **Mobile Phone**
 - iv) **Email**
 - v) **Birthday**
 - vi) **Status**


- r) The **Fields** list for **DetailForm1** should match the **Fields** list shown in the following screenshot.



- s) With the **Data** pane showing, use the left navigation to select **EditForm1** in **EditScreen1**




- t) The **Data** pane should now display a **Fields** list showed the fields included on **EditForm1**.
- u) Reorganize the fields in the **Fields** list for **EditForm1** to include the following fields in this particular order.
- i) **Last Name**
 - ii) **First name**
 - iii) **Email**
 - iv) **Mobile Phone**
 - v) **Birthday**
- v) The **Fields** list for **EditForm1** should match the **Fields** list shown in the following screenshot.




You have now completed building the new app and now it's time to test it out.

2. Test it out the application by running it and adding a new contact.


- a) Select the startup screen named **BrowseScreen1** in the left navigation and then click the **Play** button to run the app.




- b) When the app starts and display the startup browse screen, click the + button to create a new contact.



- c) Enter sample data for a new contact like the data shown in the following screenshot and then click the Checkmark button to save your changes and create a new contact.




- d) Once the new contact is created, the app should redirect you back to the browse screen which displays the new contact.



- e) Follow the same steps to create and save a second contact in the CDS for Apps database.

- f) When you are done, you should now see two new contacts in the browse screen.



3. Test the details screen.


- a) Click the > button for one of the new contacts to navigate to the app's detail screen.



- b) On the detail screen, you should see the details for a specific contact.


Note that the **Contact** field contains a GUID that serves as the ID (*i.e. primary key*) for the contact record. Generating a new GUID and assigning it to the **Contact** column is handled behind the scenes by the Common Data Service whenever a new contact is created.

- c) Quit the running app by clicking the **x** button in the upper right corner of the page to return to your app in PowerApps Studio.




4. Save your work by saving the app in the cloud.

- a) In PowerApps Studio, click the **File** menu.




- b) Click on the **App settings** link in the left navigation and enter an **App name** of **CDS Contacts**.


- c) Select an **Icon** and a **Background color** of your liking.




- d) Click the **Save** link in the left navigation and then click the **Save** button in the bottom right corner of the **Save as** page.



- e) The Save page should now display a message indicating that *All changes are saved*.



5. Inspect the Data view of the **Contact** entity.
- Return to the PowerApps portal and click the Data > Entities
 - Locate and click the **Contact** entity.
 - Click the **Data** link at the first right to see your new contacts.




You have now created a classic-style app in PowerApps which is now known as a Canvas app. Next, you will create a second app using the new model-driven app support. While model-driven apps are still in preview, it will give you a good sense of the difference between canvas apps and model-driven apps.


Exercise 4: Create a Model-driven App to Manage Contact Entity Data

In this exercise, you will create a new model-driven app using the new preview support in PowerApps Studio.


- Create the new Canvas app using PowerApps Studio.
 - In the PowerApps portal at <https://web.powerapps.com>, make sure you are running in the **Dev Env** environment.
 - Click the **Apps** link in the left navigation.
 - Click the **+ Create an app > Model-driven** menu command to begin the process of creating a new model-driven app.



- d) On the **Create a New App** page, enter a **Name** of **Contact Model App** and then click the **Done** button.




2. You should now see the new model-drive app in the new preview **App Designer** as shown in the following screenshot.




Note that the app is not ready to run because there is a red error indicator above the app's site map component. You must make some changes to the site map before you can run this model-driven app.


3. Configure the model-driven app's site map.
- a) Click on the button with the arrow on the left side of the Site Map to open the site map in the Site Map Designer.




- b) You should now see the site map for your app open in the **Site Map Designer**.




- c) In the Site Map Designer, hover the mouse over **New Area** and click the pen icon to move the area into edit mode.




- d) Change the text caption for the area from **New Area** to **My Contacts App**.




- e) Hover the mouse over the group named **New Group** and click the pen icon to move the group into edit mode.




- f) Change the text caption of the group from **New Group** to **Manage Contacts**.



- g) Hover the mouse over the subarea named **New Subarea** and click the pen icon to move the subarea into edit mode.




- h) Change the text caption of the subarea from **New Subarea** to **Contacts**.




- i) Select the **Contacts** subarea with the mouse and then inspect the **Properties** pane on the right side of the browser window. You will see a few red messages indicating that you must make some changes before the site map will work correctly.




- j) In the **Properties** pane for the **Contacts** subarea, set the **Type** property to **Entity** and then set **Entity** property to **Contact**.
k) Click the **Save** button at the top of the **Properties** pane to save your changes to the app's site map.




- l) After you have saved the site map, click the **Publish** button to publish the site map.




- m) After publishing, you should see a message indicating the site map has been published. Click the **Save and Close** button to close the **Site Map Designer** and navigate back to the **App Designer**.




- n) You should now see the App Designer and the red error indicators that were displayed in the site map earlier should be gone.




- o) Save the new app by clicking the **Save** button.



- p) After saving the app, click the **Publish** button to make it available for running and testing.




- q) Click the **Save and Close** button to close the **App Designer**.




4. Run the model-driven app to test it out.


- You should be able to see your new app named **Contact Model App** in the list of **Model driven apps in Dev Env**.
- Select the app named **Contact Model App** and then click the **Play** button from the toolbar above.




- When the app starts, you should see it displays a view named **My Active Contacts**.




- Note the top navigation menu displays the name of your area (i.e. **Contact Model App**) and your subarea (i.e. **Contacts**).




- Click the Site Map menu with the 3 horizontal lines in the left navigation to examine the app's site map




- You should now see the site map with your area, group and subarea.




- g) If you expand the Contacts subarea, you should see the contacts that you have added to the CDS database.




- h) Click on the view menu to the right of **My Active Contacts** to change the view.




- i) When you drop down the view menu, you should see all the views that are include with the standard **Contact** entity.



- j) Using the view menu, change the view from **My Active Contacts** to **All Contacts**.




- k) In the **All Contacts** view, click on one of the **Full Name** of one of the contacts you created.




- l) You should now see the default form used for the **Contact** entity. Note that you can edit the contact in this view. There is no save command because any edit you make is saved automatically.

The screenshot shows the 'CONTACT' form for 'Fred Sanford'. The form is titled 'CONTACT INFORMATION' and includes fields for First Name (Fred), Middle Name (---), Last Name (Sanford), Job Title (---), Account Name (---), and Email (Fred@SanfordSalvage.com). To the right of the form is a 'Timeline' section with a '+ ...' button and a text input field 'Enter a note...'. Below the input field, it says 'No records to show.' The top right corner shows the owner 'Ted Pattison'.

- m) Use the top navigation click **Contacts** to move from the form showing one contact back to the My Active Contacts view.



- n) Create a new contact by clicking the **+ New** button in the toolbar.



- o) You should now see the empty **New Contact** form which allows you to enter the data for a new contact.

The screenshot shows the 'New Contact' form in Dynamics 365. The form is titled 'CONTACT INFORMATION' and includes fields for First Name, Middle Name, Last Name, Job Title, and Email. To the right of the form is a 'Timeline' section with a message: 'This record hasn't been created yet. To view this record, save it to your timeline.' The top right corner shows the owner 'Ted Pattison'.

p) Enter sample data for another contact and then click the **Save & Close** button.


q) You should see that the new contact has been added to the My Active Contacts view.

Full Name	Email
Frank Columbo	FrankC@CrimeStoppers.com
Fred Sanford	Fred@SanfordSalvage.com
Tony Baretta	tonyb@taltales.com


Exercise 5: Import the Product Management Solution

In this exercise, you will import the **Product Management** solution as an unmanaged solution. The **Product Management** solution contains a custom **Product** entity and a model-driven app named **Product Management**, which will make it possible to create and manage product data which will be displayed in your Power Apps portal.

1. Import the **Product Management** solution into **My Dev Environment**.
 - a) Make sure the current environment is the environment named **My Dev Environment** that you created in exercise 3.
 - b) Click the **Solutions** link in the left navigation and then click the **Import** button on the toolbar.




- c) You should now see the **Select Solution Package** dialog. Click the **Choose File** button.




- d) Select the file from inside your **Student** folder at the following path and then click **Open**.


C:\Student\Modules\07_CommonDataService\Lab\ProductManagement.zip




- e) Once the file name of **ProductManagement.zip** appears next to the **Choose File** button, click **Next**.




- f) Review the information on the **Solution Information** dialog and then click **Import** to import the solution.




- g) Wait while the solution package is imported.




- h) After the solution has been imported, click **Publish All Customizations**.



- i) After you have published all customization, click **Close** to close the **Importing Solution** dialog.



- j) After import the **Product Management** solution, locate it in the **Solutions** list for your environment and click on it.



k) You should be able to see that the **Product Management** solution contains the **Product** entity and three other components.

Solutions > Product Management

Display name ▾	Name	Type ▾	Managed externally?
Product	cptlabs_product	Entity	
Product Category	cptlabs_productcategory	Option Set	
Product Manager	cptlabs_ProductManager	Client Extension	
Product Manager	cptlabs_ProductManager	Model-driven App	

l) Double click on the **Product** entity to see its definition.

Solutions > Product Management

Display name ▾	Name
Product	cptlabs_product
Product Category	cptlabs_productcategory

m) You should see the **Fields** for the **Product** entity.

n) Drop down the filter menu on the right and set the filter to **Custom** to only display fields that are custom fields.

Solutions > Product Management > Product

Fields Relationships Business rules Views Forms Dashboards Charts Keys Data

Display name ↑ ▾	Name ▾	Data type ▾	Type ▾	Custom
Created By	createdby	Lookup	Standard	<input checked="" type="checkbox"/>
Created By (Delegate)	createdonbeh...	Lookup	Standard	<input checked="" type="checkbox"/>
Created On	createdon	Date an...	Standard	<input checked="" type="checkbox"/>

Default ▾

- List
- All
- Managed
- Custom
- Default

o) You should now see the custom fields that make up the **Product** entity.

Solutions > Product Management > **Product**

Fields	Relationships	Business rules	Views	Forms	Dashboards	Charts	Keys	Data
Display name ↑	Name	Data type						
Currency	...	transactioncurrencyid						Lookup
Exchange Rate	...	exchangerate						Decimal Number
List Price	...	cptlabs_listprice						Currency
List Price (Base)	...	cptlabs_listprice_base						Currency
Product Category	...	cptlabs_productcategory						Option Set
Product Code	...	cptlabs_productcode						Text
Product Description	...	cptlabs_productdescription						Text Area
Product Image URL	...	cptlabs_productimageurl						URL
Product Name	...	cptlabs_productname						Text

- p) On the breadcrumb menu, select **Product Management** to move back to the **Product Management** solution.

Solutions > Product Management < **Product**

Fields	Relationships	Business rules	Views	Forms	Dashboards	Charts	Keys	Data
Display name ↑	Name							
Currency	...	transactioncurrencyid						

- q) Click on the **Product Category** option set to see the possible values for the **Product Category** column.

Solutions > Product Management

Display name	Name	Type
Product	...	cptlabs_product Entity
Product Category	...	cptlabs_productcategory Option Set

- r) You should see the **Product Category** option set values are **Action Figures**, **Arts and Crafts** and **Remote Control**.

Power Apps

Solutions > Product Management

Display name	Name	Type
Product	...	cptlabs_product Entity
Product Category	...	cptlabs_productcategory Option Set
Product Manager	...	cptlabs_ProductManage Client Extension
Product Manager	...	cptlabs_ProductManage Model-driven

Product Category

Display name *

Product Category

Name *

cptlabs_ productcategory

View more

Items (3)

Action Figures


Arts and Crafts

Remote Control


Add new item

2. Create a dataflow named **Import Products** to import product data into the Product entity recordset.


- a) Expand the **Data** node in the left navigation.




b) Inside the **Data** node, click **Dataflows**.




c) Click **+ New Dataflow**.




d) In the **New Dataflow** dialog, enter a name of **Import Products** and then click **Create**.




e) On the **Choose data source** page, click the **Database** tab.




f) Click on **SQL Server database**.




- g) Enter **salesforce.database.windows.net** for the **Server** setting.
- h) Enter **CRM** for the **Database** setting.




- i) Leave the **Authentication kind** setting with the default value of **Basic**.
- j) Enter a **Username** of **CptStudent**.
- k) Enter a **Password** of **pass@word1**.
- l) Click **Next**.




- m) When prompted to **Choose data**, select the **Products** table.




n) Click the **Transform data** button in the lower right corner of the screen.




o) Click **Next**.



p) On the **Map entities** screen, select **Load to existing entity** and drop down the **Destination entity** menu.




q) Select a **Destination entity** setting of **cptlabs_Product**.




Source column	Destination field
(none)	cptlabs_ListPrice
(none)	cptlabs_listprice_Base
(none)	cptlabs_ProductCategory
(none)	cptlabs_ProductCode
(none)	cptlabs_ProductDescription

- r) Select the setting **Delete rows that no longer exist in the query output**.




- s) In the **Field mapping** pane, map all fields as shown in the following screenshot and then click **Next**.




Source column	Destination field
ListPrice	cptlabs_ListPrice
(none)	cptlabs_listprice_Base
ProductCategory	cptlabs_ProductCategory
ProductCode	cptlabs_ProductCode
Description	cptlabs_ProductDescription
ProductImageUrl	cptlabs_ProductImageUrl
ProductName	cptlabs_ProductName
(none)	EntityImage
(none)	ExchangeRate

- t) In the **Refresh setting** dialog, select **Refresh manually** and then click **Create**.



- u) You should see a Load Progress dialog that indicates the load has completed.



v) You should now see the **Import Products** dataflow in the **Dataflows** list.

+ New dataflow			
Dataflows			
Name	Type	Last Refresh	Next Refresh
Import Products	Standard	N/A	N/A


w) Note that you can drop down the ellipse menu and run the **Refresh** command to run the dataflow and refresh the data.

Name	Type	Last Refresh	Next Refresh	
Import Products	Standard	N/A	N/A	...

Edit
Rename
Refresh
Edit refresh settings

3. Run the model-driven app named Product Manager to view and enter product data.

- a) Click the **Apps** link in the left navigation.
- b) Click **Product Manager** to launch this model-driven app.



c) You should now see a view which displays all products.

PowerApps > Product Manager > Product Management > Products			
<div> Show Chart + New Delete Refresh Email a Link Flow Run Report Excel Templates </div>			
Active Products			
Product Code	Product Name	Product Category	
WP0001	Batman Action Figure	Action Figures	
WP0002	Captain America Action Figure	Action Figures	
WP0003	GI Joe Action Figure	Action Figures	
WP0004	Green Hulk Action Figure	Action Figures	

d) Double click on the top product named Batman Action Figure to display the form for this record.

Active Products ▾	
✓ Product Code	↑ Product Name
WP0001	Batman Action Figure
WP0002	Captain America Action Figure

- e) You can now see the values for each field in this **Product** record

BA

Batman Action Figure
Product

General

Related

Product Name	* Batman Action Figure
Product Category	Action Figures
List Price	\$14.950
Product Description	A super hero who sometimes plays the role of a dark knight.
Product Image URL	http://classresources.blob.core.windows.net/images/WP0001.jpg
Owner	* Stu Dent

- f) Click the globe icon to the right of the **Product Image URL** to display that URL in browser tab.

Product Image URL	http://classresources.blob.core.windows.net/images/WP0001.jpg	
-------------------	---	--

- g) You should see the image for this product in a new browser tab. Close this browser tab once you have seen the picture.



4. Create a new Product record.

- a) Click the **+ New** button to display the **New Product** form.

PowerApps ▾

Product Manager

Product Management >

Products >

Batman Action Figure

Home

Recent

BA

Batman Action Figure
Product

- b) The **New Product** form should match the following screenshot.

New Product

General

Product Code * ---

Product Name * ---

Product Category ---

List Price ---

Product Description ---

Product Image URL ---

Owner * Stu Dent

- c) Fill in the **New Product** form with the following data.
- i) **Product Code:** WP0032
 - ii) **Product Name:** Personal Commuter Chopper
 - iii) **Product Category:** Remote Control
 - iv) **List Price:** \$99.95
 - v) **Product Description:** A partially-tested remote control device that can actually carry real people.
 - vi) **Product Image URL:** <http://classresources.blob.core.windows.net/images/WP0032.jpg>
- d) When your form matches the following screenshot, click the **Save** button to save your changes.

General **Related**

Product Code * WP0032

Product Name * Personal Commuter Chopper

Product Category Remote Control

List Price \$99.950

Product Description A partially-tested remote control device that can actually carry real people.

Product Image URL <http://classresources.blob.core.windows.net/images/WP0032.jpg>

Owner * Stu Dent

Active | Save

- e) Return to the Active Products list and verify you can see the new record.

PowerApps Product Manager Product Management > Products

Show Chart Edit Activate Deactivate Delete Assign Share Email a Link

Active Products Search for records

Product Code	Product Name	Product Category	List Price
WP0028	Red Barron von Richthofen	Remote Control	\$32.950
WP0029	Flying Squirrel	Remote Control	\$69.950
WP0030	FOX News Chopper	Remote Control	\$29.950
WP0031	Seal Team 6 Helicopter	Remote Control	\$59.950
WP0032	Personal Commuter Chopper	Remote Control	\$99.950

Congratulations. You have just created and tested a simple model-drive app. You have now reach the end of this lab.