Developing Custom Web Services using Web API 2



- Understanding API Controllers and Call Routing
- Creating RESTful Web Services
- Custom Routing Schemes and Attribute Routing
- Developing OData Controller
- Cross-Origin Resource Sharing (CORS)



Introducing WebAPI

- Framework and tooling for building RESTful services
- Part of ASP.NET MVC
 - Uses Controller and Routing paradigm
- Tooling, wizards, scaffolding
 - Simplified creation of REST and OData services
 - Simplified use of Entity Framework to wrap database operations
- Can be a stand-alone service or part of an app
 - When added to an app, you perform additional manual modifications to Global.asax



Controllers

Controllers inherit from ApiController

```
public class ValuesController : ApiController
```

By default methods are mapped to HTTP verbs

```
public IEnumerable<string> Get() {}
public string Get(int id) {}
public void Post([FromBody]string value){}
public void Put(int id, [FromBody]string value){}
public void Delete(int id){}
```



Routing

Routes are controlled through maps

```
config.Routes.MapHttpRoute(
   name: "DefaultApi",
   routeTemplate: "api/{controller}/{id}",
   defaults: new { id = RouteParameter.Optional }
);
```

- Router makes decisions if information is missing
 - Similar to MVC
- By default methods are mapped to HTTP verbs



Responding

Content Negotiation is automatic

```
accept: "application/json"accept: "application/xml"
```

Return IQueryable to support query syntax

```
public IQueryable<string> Get()
{
    var d = new List<string>() {"a", "b" };
    return d.AsQueryable();
}
```

Return HttpResponseMessage for headers and status

```
public HttpResponseMessage Get(int id)
{
   return Request.CreateResponse<string>(HttpStatusCode.OK, data[id - 1]);
}
```



- ✓ Introducing WebAPI
- Calling API Controllers from MVC Apps
- Creating a RESTful Service
- Creating an OData Service
- Using Cross-Origin Resource Sharing



Scenarios to Consider

- Additional API Controllers NOT Required
 - You don't require JavaScript access to the data
 - App has direct EF access to database anyway
- Additional API Controllers MAY be Required
 - You require JavaScript access to the data
 - Data source cannot be accessed directly using EF
 - Want to support clients outside of the App



Calling with Managed Code

```
public ActionResult Index()
   StringBuilder url = new StringBuilder();
   url.Append(Request.Url.Scheme)
        .Append("://")
        .Append(Request.Url.Host)
        .Append(":")
        .Append(Request.Url.Port)
        .Append("/api/values");
   HttpWebRequest apiRequest = (HttpWebRequest)HttpWebRequest.Create(url.ToString());
    apiRequest.Credentials = CredentialCache.DefaultCredentials;
    apiRequest.Method = "GET";
    apiRequest.Accept = "application/xml";
   HttpWebResponse apiResponse = (HttpWebResponse)apiRequest.GetResponse();
   XDocument responseDoc = XDocument.Load(apiResponse.GetResponseStream());
   XNamespace ns = "http://schemas.microsoft.com/2003/10/Serialization/Arrays";
   List<string> values = (from v in responseDoc.Descendants(ns + "string")
                           select v.Value ).ToList();
   ViewBag.Values = values;
   return View();
```

Calling with JavaScript

```
(function () {
    "use strict";
    jQuery(function () {
        jQuery.ajax({
            url: "../api/values",
            type: "GET",
            headers: {
                "accept": "application/json",
            },
            success: function (data, status, jqXHR) {
                alert(data[0]);
            },
            error: function (jqXHR, status, message) {
                alert(JSON.stringify(jqXHR));
        });
    });
}());
```






- ✓ Introducing WebAPI
- Calling API Controllers from MVC Apps
- Creating a RESTful Service
- Creating an OData Service
- Using Cross-Origin Resource Sharing



Creating a Stand-Alone RESTful Service







- ✓ Introducing WebAPI
- Calling API Controllers from MVC Apps
- ✓ Creating a RESTful Service
- Creating an OData Service
- Using Cross-Origin Resource Sharing



OData Query Options

- \$select
- \$filter
- \$orderby
- \$top
- \$skip
- \$expand



Controllers

Controllers inherit from ODataController

```
public class ContactsController : ODataController
```

- Methods are mapped to HTTP verbs just like ApiController
- Content Negotiation is automatic
- IQueryable generated by default



Routing


Routes are controlled through maps

```
ODataConventionModelBuilder builder = new ODataConventionModelBuilder();
builder.EntitySet<Contact>("Contacts");
builder.EntitySet<Company>("Companies");
config.Routes.MapODataRoute("odata", "odata", builder.GetEdmModel());
```

- Router makes decisions if information is missing
- By default methods are mapped to HTTP verbs



Adding an OData Controller







- ✓ Introducing WebAPI
- Calling API Controllers from MVC Apps
- ✓ Creating a RESTful Service
- ✓ Creating an OData Service
- Using Cross-Origin Resource Sharing



Cross-Origin Resource Sharing

- Allows JavaScript to make a call across domains
- Superior to JSONP, which only supports GET
- Supported in current versions of all major browsers
- Browser and resource exchange headers
 - Origin header from browser contains origin requesting
 - Access-Control-Allow-Origin header returned from resource if call is allowed
- Enabling in WebAPI2
 - Install Microsoft ASP.NET WebAPI2 CORS NuGet Package
 - Enable CORS in WebApiConfig
 - Use [EnableCors] attribute in controllers





Summary

- ✓ Introducing WebAPI
- Calling API Controllers from MVC Apps
- ✓ Creating a RESTful Service
- ✓ Creating an OData Service
- ✓ Using Cross-Origin Resource Sharing

