

Designing Interactive Reports in Power BI Desktop



Agenda

- Designing Interactive Reports
- Conditional Formatting
- Importing Custom Visuals
- Working with Bookmarks and Drillthrough
- Styling Reports using Themes
- Publishing Reports



Creating Reports

- Power BI Desktop project contains one report
 - Report within project can contain multiple pages
 - Report pages contains visuals
- Reports can be created using filters
 - You can add visual level filters
 - You can add page level filters
 - You can add drillthrough filters
 - You can add report level filters



Built-in Visualization Types

- Table and Matrix
- Bar charts and Column charts
- Pie charts and Doughnut chart
- Line chart and Area chart
- Scatter chart and Combo charts
- Card and Multi-row Card
- Treemap
- Ribbon chart
- Waterfall chart
- Funnel chart
- Gauge
- Map and Filled Map
- Slicer
- R script visual
- Shape map (in preview)




Example Visual 1: Funnel

- Visualizes distribution across categories as percentage of top value




Example Visual 2: Waterfall

- Visualizes series-based data with positive and negative values




Example Visual 3: Gauge Visual

- Visualizes how measured value is tracking against goal or budget



Report Designer Modes and Panes



- **Show Gridlines** mode adds visual guides to report
- **Snap Objects to Grid** mode helps with object placement
- **Lock Objects** mode used to prevent accidental moving
- **Bookmarks Pane** used to create and manage bookmarks
- **Selection Pane** used to select, order, hide & show visuals
- **Sync slicers** pane used for advanced slicer control
- **Field Properties** used to add field description



Lock Objects Mode

- Prevents accident movement of report objects
 - Locks Objects setting is not saved at project level



Field Properties Pane

- Allows data model author to add field description





- Data model consumer can see description as tooltip in fields list



Selection Pane

- Provides control over object on a page
 - You can control whether visual is visible or hidden
 - You can change ordering to control what is on top



Designing Reports with Interactive Filtering

- Slicers
 - Provide report consumers with intuitive filtering
- Visual Highlighting
 - Filtering applied when user clicks on a visual data element
- Drilldown Mode
 - Allows report consumer to drill into field hierarchy
e.g. Sales Region > State > City > Zipcode
- Drillthrough Pages
 - Allows report consumer to navigate to drillthrough page



Slicer with Text Field

- Slicer support List and Dropdown modes
 - Slicer create in List mode by default
 - Slicer switched to dropdown mode to conserve vertical space

State Name

- ☐ Alabama
- ☐ Arizona
- ☒ California
- ☐ Colorado
- ☐ Connecticut
- ☐ Florida
- ☐ Georgia
- ☐ Louisiana
- ☐ New Mexico
- ☐ New York
- ☐ North Carolina
- ☐ Ohio
- ☐ Oregon
- ☐ Pennsylvania
- ☐ Rhode Island

State Name

- ☐ Alabama
- ☐ Arizona
- ☒ California
- ☐ Colorado

List
Dropdown

State Name

California



Horizontal Responsive Slicers

- Slicer **Orientation** can be set to **Horizontal**
 - Horizontal slicer supports **Responsive** mode
 - Makes it possible to show many slicer choices at once
 - provides best filtering experience for mobile devices



Slicers with Date Fields

- Slicers with Date fields provide 7 different modes
 - Between, Before and After provide sliders and date pickers



The image shows a date slicer interface. On the left is a vertical menu with seven options: 'Between' (highlighted), 'Before', 'After', 'List', 'Dropdown', and 'Relative'. To the right is a box titled 'First Purchase Date'. Inside this box, there are two date input fields containing '4/1/2012' and '10/1/2012'. Below these fields is a horizontal slider with two circular handles positioned at the dates shown in the input fields.

- Relative mode filter based on current date (e.g. last 30 days)




The image shows a date slicer interface in relative mode. It is a box titled 'First Purchase Date'. Inside, there are three input fields: the first contains 'Last' with a dropdown arrow, the second contains '30', and the third contains 'Days' with a dropdown arrow. Below these fields, there is a calendar icon followed by the date range '3/31/2018 - 4/29/2018'.



Slicer Sync

- Slicer visual & filtering can be synchronized across pages




User Interaction with Slicers & Highlighting

- Provides user with interactive filtering control




Edit Highlight Interactions Across Visuals

- Click **Edit interactions** button on **Format** tab of ribbon




- Select a visual and then configure interactions with other visuals



User Interaction using Drill Actions

- Drill Actions supported when using hierarchies
 - You must enable drilldown mode in visual



Agenda

- ✓ Designing Interactive Reports
- Creating the Top 5 Products List
 - Working with Bookmarks and Drillthrough
 - Using Report Themes
 - Importing Custom Visuals
 - Designing Reports for Mobile Devices
 - Publishing Power BI Reports



Ranking Products By Sales using RANKX

- DAX provides RANKX function for ranking
 - Can be used to track top 5 products by sales revenue

```
Product Rank =  
RANKX(  
    ALL(Products),  
    CALCULATE( SUM(Sales[SalesAmount]) )  
)
```

- You can sort and filter on output of RANKX function

Product Rank ▲	Product	Sales Revenue
1	Flying Squirrel	\$3,828,783
2	Twitter Follower Action Figure	\$3,508,806
3	Godzilla Action Figure	\$2,970,735
4	Personal Commuter Chopper	\$2,613,193
5	Red Stomper Bully	\$2,538,233

Product Rank ▲

is less than or equal to...

Show items when the value:

is less than or equal to ▼

5

☒ And ☐ Or


▼

Apply filter



Problems with the Filter Context

- RANKX function is affected by filter context
 - Sometimes you get the results you are expecting



The screenshot shows a filter pane on the left with the 'Year' filter set to 2012. The main table displays the top 5 products by sales revenue for that year.

Product Rank	Product	Sales Revenue
1	Easel with Supply Trays	\$538,161
2	Etch A Sketch	\$243,512
3	Godzilla Action Figure	\$194,552
4	Red Stomper Bully	\$158,825
5	Crate o' Crayons	\$111,093

- Sometimes you might get unexpected results



The screenshot shows a filter pane on the left with 'Year' set to 2012 and 'Category' set to Action Figures. The main table displays the top 3 products by sales revenue within that category and year.

Product Rank	Product	Sales Revenue
2	Twitter Follower Action Figure	\$3,508,806
3	Godzilla Action Figure	\$2,970,735



Writing Context Aware DAX Code

- When using RANKX...
 - It's recommended to call **HASONEVALUE** function
 - When calling ALL function, pass one or more columns

```
Product Rank =  
IF(  
    HASONEVALUE(Products[Product]),  
    RANKX(  
        ALL( Products[Subcategory], Products[Product] ),  
        CALCULATE( SUM(Sales[SalesAmount]) )  
    )  
)
```

- Ranking function now evaluates product ranking for specific Category










The screenshot shows a Power BI interface. On the left is a filter pane with two sections: 'Year' and 'Category'. Under 'Year', there are checkboxes for 2012, 2013, 2014, and 2015. Under 'Category', there are checkboxes for 'Action Figures' (which is selected with a black square), 'Arts and Crafts', and 'Remote Control Vehicles'. On the right is a table with three columns: 'Product Rank', 'Product', and 'Sales Revenue'. The table contains five rows of data, representing the top 5 ranked products in the 'Action Figures' category.

Product Rank	Product	Sales Revenue
1	Twitter Follower Action Figure	\$3,508,806
2	Godzilla Action Figure	\$2,970,735
3	Captain America Action Figure	\$855,607
4	Spiderman Action Figure	\$698,614
5	Perry the Platypus Action Figure	\$654,110



More Ranking Evaluation Problems

- Adding new column to table creates new problem
 - Ranking run separately for each separate Product Image
 - Every product has unique Product Image and is given rank of 1

Product Rank	Product	Product Image	Sales Revenue
1	Batman Action Figure		\$40,395
1	Black Power Ranger Action Figure		\$4,223
1	Captain America Action Figure		\$125,110
1	Crate o' Crayons		\$322,711
1	Crayloa Crayon Set		\$12,868
1	Easel with Supply Trays		\$928,620
1	Etch A Sketch		\$293,175




Getting It Right






- Call to RANKX must be modified again
 - You must specify which columns to factor into ranking

```
Product Rank =  
IF(  
    HASONEVALUE(Products[Product]),  
    RANKX(  
        ALL( Products[Subcategory], Products[Product], Products[Product Image] ),  
        CALCULATE( SUM(Sales[SalesAmount]) )  
    )  
)
```

- Context-aware DAX code corrects problems with visual



A screenshot of a Power BI table visual displaying a ranked list of products. The table has four columns: 'Product Rank' (with a sort arrow), 'Product', 'Product Image', and 'Sales Revenue'. The data is sorted by rank, showing the top five products. Each row includes a small image of the product.

Product Rank	Product	Product Image	Sales Revenue
1	Flying Squirrel		\$3,828,783
2	Twitter Follower Action Figure		\$3,508,806
3	Godzilla Action Figure		\$2,970,735
4	Personal Commuter Chopper		\$2,613,193
5	Red Stomper Bully		\$2,538,233



Agenda

- ✓ Designing Interactive Reports
- ✓ Creating the Top 5 Products List
- Working with Bookmarks and Drillthrough
 - Using Report Themes
 - Importing Custom Visuals
 - Publishing Power BI Reports





What are Bookmarks

- Snapshot of recorded settings which can include...
 - Current page
 - Filters
 - Slicers
 - Visual sort order
 - Drill location
 - Visibility
 - Spotlighting
- Bookmarks provide the foundation for story telling
 - Bookmarks are supported in reports only
 - Bookmarks are **NOT** supported in dashboards






Bookmarks Pane

- Provide ability to create and manage bookmarks



Bookmarks as a Slide Show

- Bookmarks can be viewed as slide show
 - Start slide show by clicking View button
 - Consumer can step through one bookmark at a time




Bookmark 1 of 17

US Sales Summary




Creating a Button

- Buttons can be added to report pages to apply a bookmark
 - Button can be create with icon and/or text





Button Action Used to Apply Bookmark

- Button action can apply a bookmark
 - Button responds to standard click in Power BI Service
 - Button requires CONTROL + click in Power BI Desktop



Bookmarks Types

- Bookmarks can capture or ignore certain types of data
 - Data (filtering and slicers)
 - Display (visible or hidden)
 - Current Page (page navigation)





DEMO

Working with Bookmarks and Drillthrough

Agenda

- ✓ Designing Interactive Reports
- ✓ Creating the Top 5 Products List
- ✓ Working with Bookmarks and Drillthrough
- Using Report Themes
 - Importing Custom Visuals
 - Designing Reports for Mobile Devices
 - Publishing Power BI Reports



Report Themes

- Report can be styled using report theme
 - Provides consistency across reports for styling and branding
 - Report theme defined using JavaScript Object Notation (JSON)
 - Today report themes must be defined using JSON editor
 - Microsoft plans to release WYSIWYG theme designer later in 2018

```
CPT Demo Report Theme.json  -P X
{
  "name": "CPT Demo Report Theme",
  "background": "#fff8dd",
  "foreground": "#9F1B30",
  "tableAccent": "#fbc737",
  "dataColors": [ "#9F1B30", "#D16B2C", "#FEBF0F", "#fdae61", "#abdda4", "#66c2a5",
    "#3288bd", "#5e4fa2", "#bbbbbb", "#999999", "#666666", "#333333" ],
  "visualStyles": {
    "*": {
      "*": {
        "*": [ {
          "fontSize": 8,
          "fontFamily": "Cambria Math",
          "color": {
            "solid": {
              "color": "#000000"
            }
          }
        }
      ]
    }
  }
}
```





DEMO

Working with Report Themes


Agenda

- ✓ Designing Interactive Reports
- ✓ Creating the Top 5 Products List
- ✓ Working with Bookmarks and Drillthrough
- ✓ Using Report Themes
- Importing Custom Visuals
 - Designing Reports for Mobile Devices
 - Publishing Power BI Reports



Custom Visuals for Power BI

- Power BI Framework for Visuals is Extensible
 - Developers can extend Power BI with Custom Visuals
 - Microsoft Hosts gallery of custom visuals
 - Gallery located at <https://appsource.microsoft.com>



Histogram

- Custom Visual Example 1




Hierarchy Slicer

■ Custom Visual Example 2




Importing a Custom Visual

- Import custom visual into Power BI Desktop project
 - Execute **Import > Power BI Custom Visual** menu command



- After import, Custom Visual appears in **Visualizations** list




Agenda

- ✓ Designing Interactive Reports
- ✓ Creating the Top 5 Products List
- ✓ Working with Bookmarks and Drillthrough
- ✓ Importing Custom Visuals
- Designing Reports for Mobile Devices
- Publishing Power BI Reports




Designing Reports for Mobile Devices

- Many reports will not render properly on mobile devices
 - Phone Layout used to create separate version for mobile devices



Designing a Phone Layout

- Phone layout view allows you to select specific visuals
 - Only include report visuals that render correctly on mobile devices
 - You position visuals according to form factor of mobile device




Agenda

- ✓ Designing Interactive Reports
- ✓ Creating the Top 5 Products List
- ✓ Working with Bookmarks and Drillthrough
- ✓ Importing Custom Visuals
- ✓ Designing Reports for Mobile Devices
- Publishing Power BI Reports




Publishing a Power BI Desktop Project

- Power BI Desktop provides **Publish** command
 - Used to publish project to Power BI service



- Requires logging into your Office 365 account




- Published articles added to a specific workspace



Examining What's Been Published

- What does project publishing add to workspace?
 - One dataset with same name as project
 - One report with same name as project




Dataset Configuration

- You can configure Dataset after its been published
 - Configure data source credentials
 - Configure refresh schedule
 - Configure Row-level Security




Publish to Web

- **Publish to Web** command available on reports
 - Not supported for reports and datasets which implement RLS



- **Publish to Web** command used to generate embed codes



Generating Embed Codes

- Used to provide anonymous access to report
 - Provide link which can be posted, emailed or texted
 - Provides **iFrame** HTML element for embedding in public web site

Success! ✕

Link you can send in email

<https://app.powerbi.com/view?r=eyJrIjojYTM3YjlkNzctNWY5My00YTUyLl>

Html you can paste into your blog or website

`<iframe width="933" height="700" src="https://app.powerbi.com/view?r=eyJrIjojYTM3YjlkNzctNWY5My00YTUyLl" />`

Size

Close





DEMO

Using the Publish to Web and Publish to SharePoint Features

Summary

- ✓ Designing Interactive Reports
- ✓ Creating the Top 5 Products List
- ✓ Working with Bookmarks and Drillthrough
- ✓ Importing Custom Visuals
- ✓ Designing Reports for Mobile Devices
- ✓ Publishing Power BI Reports

