

Developing with the Power BI Service API

Setup Time: 60 minutes

Lab Folder: C:\Student\Modules\07_PowerBIServiceApi\Lab

Overview: In this lab, you will log into an Azure AD user account that has been created for you in an Azure AD tenant shared by all students which has a domain name of **powerbimvps.onmicrosoft.com**. Once you have logged into the Power BI service and started your 60 Power BI Pro trial, you will be able to upload PBIX files into your personal workspace and you can begin designing dashboard and reports in the browser. The lab will also step you through downloading and installing Power BI Desktop as well as publishing a Power BI Desktop project to the Power BI service. You create a new app workspace and populate it with a dataset, a report and a dashboard. In the final exercises, you will program against the Power BI Service API.

Exercise 1: Log into your User Account and Access the Power BI Service

In this exercise, you will log into an Azure Active Directory account that has been created for you to work inside the Power BI environment to complete the lab exercises for this workshop. The account you will use has been created in an Azure AD tenancy with a domain of **powerbimvps.onmicrosoft.com**. Once you log in, you will be prompted to accept a Power BI Pro trial for 60 days able to access the Power BI service. Once you accept the 60 day trial, you will be able to access your personal workspace and begin creating datasets, reports and dashboards.

1. Make sure you have obtained the following information from the instructor about your user account:


- user account name (e.g. **CriticalPathUser42.powerbimvps.onMicrosoft.com**)
- Password: **Pass@word1**

2. Log into the Power BI service using your new user account.


- Open a browser such as Chrome, Edge or Internet Explorer.
- Navigate to the following URL:

<https://app.powerbi.com>


- When prompted to sign in, enter the user account name that has been provided to you and a password of **Pass@word1**. Click the **Sign in** button to begin the initial log in sequence.




- When prompted to update your password, enter a new password that you can remember for the entire day of this workshop ;)




- e) You should now be prompted with a Power BI Sign in page. Click **Sign in**.




- f) Next click the **Start** button.




- g) Skip by the next page which asks if you want to invite more people.



- h) When you see the **Welcome to Power BI** dialog as shown in the following screenshot, click the **Yes, start trial!** Button.




- i) You should now be signed into Power BI and running within your personal workspace.




Exercise 2: Upload a PBIX File to Your Personal Workspace

Now that you are signed in as a Power BI Pro user, you can begin working with Power BI to create new datasets, reports and dashboards. In this exercise, you will import a PBIX project file into your personal workspace to create a new dataset and report.


3. At this point, you should be at the **Welcome to Power BI** page where you were at the end of the previous exercise.
4. Import a PBIX project file into your personal workspace.
 - a) Click in the **Get** button in the **Files** tile under the **Import or Connect to Data** section header.




- b) On the next page you should see several tiles which indicate your choices for the location of the file you would like to connect to or import. Click on the tile with the caption **Local File** so you can import a PBIX file from inside your student folder.




- c) When prompted with the **Open** dialog, select the PBIX file named **C:\Student\PBIX\Wingtip Sales Analysis.pbix** and then click **Open**.




- d) It will take the Power BI services a few seconds to complete the upload.




5. When the PBIX import process completes, inspect what content has added to your personal workspace.
- a) You should be able to see that the Power BI service has created a new dashboard with the same name as the PBIX file which in this case is **Wingtip Sales Analysis.pbix**. Click the **Delete** icon to delete this dashboard.




- b) Navigate to the **Datasets** view and verify you can see a new dataset named **Wingtip Sales Analysis**.



- c) Navigate to **Reports** view and verify you can see a new report named **Wingtip Sales Analysis**. Click on the report to open it.




- d) When the report opens, take a minute and inspect each of the pages in the report.




6. Create a new dashboard named **Wingtip Sales Analysis**.


- a) Return to the page named **Sales Revenue Growth**.
b) Hover the mouse over the top right corner of the line chart visual and click the thumbtack to pin the visual to a dashboard.




- c) In the **Pin to dashboard** dialog, select **New dashboard** and give it a name of **Wingtip Sales Analysis**. Click the **Pin** button to create a new dashboard and add a new tile based on the line chart visual.




- d) The Power BI service will display a notification when the dashboard and tile have been created.




- e) Navigate to the new dashboard which should appear as the one shown in the following screenshot.



- f) Resize the dashboard tile to make it wider.



- g) Return to the report and pin another 3-4 visuals to fill the dashboard up with a few more tiles. Try to make your dashboard look like the one shown below.




Don't spend too much time trying to make the dashboard look pretty. At this point, it's just important that you know how to create a dashboard and fill it with tiles created from report visuals.


Exercise 3: Publish a Project with Power BI Desktop

In this lab exercise you will open and publish a PBIX project using Power BI Desktop. Keep in mind that neither this lab nor this workshop has been designed to teach you much about the details involved with designing queries and building data models with Power BI Desktop. It's assumed that you already have these skills or you will learn how to design datasets and reports with Power BI Desktop outside of this workshop. The purpose of this lab exercise is for you to see how the publish datasets and reports created with Power BI Desktop into workspaces running in the Power BI service.


7. Launch Power BI Desktop if it's not already running.
8. Open the PBIX project file named **Northwind Retro.pbix**.
 - a) Select the **File > Open** command.




- b) In the **Open** dialog, navigate to the folder at **C:\Student\PBIX** and double-click **Northwind Retro.pbix**.




9. Review the contents of the **Northwind Retro** project.
 - a) When the **Northwind Retro.pbix** project opens, Power BI Desktop displays it in Report view.




- b) Inspect all the pages in the report by navigating using the tabbed page navigation at the bottom of the report.
- c) Locate the **Fields** list on the right-hand side of Report view in the main Power BI Desktop window.
- d) You should see four tables named **Sales**, **Calendar**, **Customers** and **Products**.




- e) Expand each of the tables in the **Fields** list to see what fields are inside each table.



- f) Switch the project into **Data view** and inspect the data in each of the four tables.




- g) Switch the project into **Relationship view** to get a high-level picture of the project's data model.




Now it's time to look at the queries in the project that were used to import the base tables into the project's data model.


- h) On the **Home** tab in the ribbon, select the **Edit Queries** command to open the Query Editor window.




- i) In the Query Editor window, examine the queries listed in the **Queries** list on the left.



- j) Select the **Close and Apply** command in the ribbon to close the **Query Editor** window.




- k) If you have made any changes to the project, click the **Save** button above the ribbon to save your work.




10. Publish the **Northwind Retro** project to your personal workspace in the Power BI service.


- a) On the **Home** tab in the ribbon, click the **Publish** button.



- b) When prompted to sign in, enter the name of your Power BI user account and click the **Sign in** button.



- c) Power BI when prompted, enter your password and click **Sign in**.




- d) Wait until you see the notification indicating that the project has been published successfully.

11. Examine what's been added to your personal workspace in the Power BI service.


- a) Return to the Power BI Service in the browser and verify a new dataset has been created.



- b) Navigate to the Reports list and click on the report named **Northwind Retro** to open it.



- c) Take a moment to interact with the report in the browser.




Now you have seen several different techniques for adding content into a Power BI workspace. In the next exercise, you will create a app workspace and then populate it with content. As you will see, adding datasets, reports and dashboards to an app workspace is very similar to adding content to a personal workspace. The big difference is that app workspaces have advantages over personal workspaces such as support for team-based development and app distribution as well as Power BI Premium support for making embedded reports accessible to non-licensed users.

Exercise 4: Create a New App Workspace to Build a Custom Solution

In this exercise, you will create a new app workspace. After that, you will populate the workspace with datasets, reports and a dashboard just as you did in your personal workspace.

12. Create a new app workspace.


- a) Expand the Workspaces menu in the left navigation and select the **Create app workspace** command.




Note that all the students in this workshop are working within the same Power BI tenants. That means everybody must create a app workspace with a unique name. Therefore, you will be asked to use your own name when creating a new app workspace. As long as know two students have the exact same name, nobody should run into naming conflicts.

- b) Enter your name into the **Name your workspace** textbox.
- c) Add your user account as a workspace member with **Admin** permissions.
- d) Click **Save** to create the new app workspace.


- e) Power BI should create the new app workspace and navigate you to its welcome page as shown in the following screenshot.




- f) If you expand the **Workspaces** menu in the left navigation, you can see it provides the Ability to move between your personal workspace and any available app workspace.




- g) Navigate you're your personal workspace.
 - h) Now, navigate back to your new App Workspace.
13. Add content to your new app workspace.
- a) On the Welcome page of the app workspace, click the **Get** button in the **Files** section.




- b) On the next page you should see several tiles which indicate your choices for the location of the file you would like to connect to or import. Click on the tile with the caption **Local File** and import **Northwind Retro.pbix** from inside your student folder.




- c) Repeat the previous step to import the other PBIX project file named **Wingtip Sales Analysis.pbix**.
d) You should be able to verify that your app workspace now contains two datasets.




- e) Delete any dashboard that was created when you imported the two PBIX project files.



- f) Switch to **Reports** view and open the report named **Wingtip Sales Analysis**.



- g) Just as you did back in lab exercise 3, create a new dashboard named **Wingtip Sales Analysis** by pinning visuals from the report named **Wingtip Sales Analysis**.



- h) Add several titles to the dashboard until it resembles the dashboard shown in the following screenshot.




Exercise 5: Register a New Application with Azure Active Directory


In this exercise, you will register a new application with Azure AD and you will configure the application's required permissions to access the Power BI Service API.

14. Log into the Azure Portal

- In the browser, navigate to the Azure portal at <https://portal.azure.com>.
- When you are prompted to log in, provide the credentials to log in with your Office 365 user account name.
- If you are prompted to start a tour of Microsoft Azure, click **Maybe later**.




- Once you are logged into the Azure portal, check the email address in the login menu in the upper right to make sure you are logged in the Azure portal with the correct identity.




15. Register a new Azure application.


- In the left navigation, scroll down and click on the link for **Azure Active Directory**.



b) Click the link for **App registration**.



c) Click **New application registration**.



d) In the Create dialog...

- i) Add a **Name of My Azure App**.
- ii) Set the **Application type** to **Native**.
- iii) Set the **Redirect URI** to <http://localhost/app1234>.
- iv) Click the **Create** button to create the new application.

Create

*

Name

My Azure App

✓

Application type

Native

▼

*

Redirect URI

http://localhost/app1234

✓

Create

e) Once should now see the new application.

+ New application registration

☰ Endpoints

✕ Troubleshoot

To view and manage your registrations for converged applications, please visit the [Microsoft Application Console](#).

Search by name or AppID

My apps

▼

DISPLAY NAME	APPLICATION TYPE	APPLICATION ID
<div>➡ MA</div> My Azure App	Native	79104967-3752-4645-98c4-b0360b..

16. Copy the GUID for the Application ID.

a) Click on the link for the new application named **My Azure App** to get to the details page.

My Azure App

Registered app

⚙ Settings


✎ Manifest

🗑 Delete


Display name	Application ID
My Azure App	79104967-3752-4645-98c4-b0360b7bb1dc
Application type	Object ID
Native	c79eb882-178f-4a33-b38a-2ac2f085a33d
Home page	Managed application in local directory
--	My Azure App

⌆


b) Copy the Application ID to the Windows clipboard.




- c) Launch Notepad and paste the Application ID into a new document. Also add the value of the Redirect URI.




- d) Click on the **Settings** link to configure application settings,




- e) Click **Required permissions**.




- f) Click the **Add** button on the **Required permissions** blade.




g) Click the **Select an API** option in the **Add API** access blade.




h) In the **Select an API** blade, click **Power BI Service**.




- i) In the **Enable Access** blade, click the top checkbox for **DELEGATED PERMISSIONS** to select all the permissions.
- j) Once you have selected all the permissions, click the **Select** button at the bottom of the blade.



k) Click the **Done** button at the bottom of the **Add API Access** blade.



l) At this point, you should be able to verify that the Power BI Service has been added to the **Required permissions** list.




You are now done registering your application with Azure AD.


Exercise 6: Create a New C# Console Application

In this exercise, you will create a simple C# Console application to call into the Power BI Service API.


1. Create a new C# Console application in Visual Studio.
 - a) Launch Visual Studio.
 - b) Create a new project by running the **File > New Project** command.
 - c) Select a project type of Console App from the Visual C# project templates.
 - d) Give the project a name of **HelloPowerBiApi** and click OK.




- e) You should now have a new project named **HelloPowerBiApi**.




2. Add NuGet package to the project.
 - a) Right-click the top-level node for the **HelloPowerBiApi** project and select **Manage NuGet Packages....**




- b) Click the Browse tab and type ADAL into the search box.
- c) Locate the package **Microsoft.IdentityModel.Clients.ActiveDirectory**. This is the Active Directory Authentication library.




- d) Select and install **Microsoft.IdentityModel.Clients.ActiveDirectory**.




- e) When prompted about the licensing agreement, click **I Agree**.
- f) Search for Power BI and then find and install the **Microsoft.PowerBI.Api**.



- g) When prompted about the licensing agreement, click **I Agree**.
- 3. Update all NuGet packages.
 - a) Navigate to the **Update** tab and update any packages that have updates available.



- b) Close the window for the NuGet Package Manager.
4. Add code to the project
- Using Windows Explorer, locate the file named **PowerBiStarter.cs.txt** located in the Student folder at the following path.
 - Open the file named **PowerBiStarter.cs.txt** in Notepad and copy its contents into the Window clipboard.
 - Return to the **HelloPowerBiApi** project in Visual Studio.
 - Open the source file named **program.cs**.
 - Delete all the code inside **program.cs** and replace it with the content you copied into the Windows clipboard.
 - You should now have the basic code for a simple application which access the Power BI Service API.



5. Update the code with your Application ID and Redirect URI.
- Locate the section of the code with the static properties named **clientId** and **redirectUrl**.


```
static string clientId = "ID_OF_AZURE_APPLICATION";
static string redirectUrl = "REPLY_URL_OF_AZURE_APPLICATION";
```

- Replace these values with the values you copied into Notepad earlier.


```
static string clientId = "79104967-3752-4645-98c4-b0360b7bb1dc";
static string redirectUrl = "http://localhost/app1234";
```

- Save your changes to **program.cs**.
6. Run the application to call to the Power BI Service API.

- a) Press the {F5} key to begin a debugging session.
- b) When prompted to sign in, log in using your Power BI account and credentials.



- c) When prompted with the following screen, click **Accept**.



- d) The application should call into the Power BI Service API and retrieve data about the contents of your personal workspace.

```
C:\> Select C:\Windows\system32\cmd.exe

Datasets:
- Bookmarks Slideshow [bf6f01dd-0915-40ab-9664-9da050094b0d]
- Lab01 [bd42ad1f-1a5a-433a-a7db-dcf752503cfb]

Reports:
- Bookmarks Slideshow [606ee47a-bceb-496f-937e-846c4f366734]
- Lab01 [eaa5fbac-c501-49b5-8b65-d02927e14e0b]

Dashboards:
- Teds DB [e790d5b1-d2c5-47bb-9220-71a5ed99588a]

Press any key to continue . . .
```

Congratulations. You have now successfully called into the Power BI Service API.