

Designing Interactive Reports in Power BI Desktop



Agenda

- Working with the Report Designer
 - Designing Interactive Reports using Slicers
 - Using Conditional Formatting
 - Designing Reports using Bookmarks
 - Importing Custom Visuals
 - Using Custom Report Themes
 - Publishing Power BI Reports
 - Creating Reports from Shared Datasets




Creating Reports

- Power BI Desktop project contains one report
 - Report within project can contain multiple pages
 - Report pages contains visuals
- Reports can be created using filters
 - You can add visual level filters
 - You can add page level filters
 - You can add drillthrough filters
 - You can add report level filters



Built-in Visualization Types

- Bar charts and Column charts
- Line chart and Area chart
- Scatter chart and Combo charts
- Ribbon chart
- Waterfall chart
- Funnel chart
- Pie charts and Doughnut chart
- Treemap
- Map, Filled Map and Shape map
- Gauge
- Card and Multi-row Card
- Slicer
- Table and Matrix
- R script visual
- Python script visual
- Key influencers
- Decomposition Tree
- Q&A
- PowerApps for Power BI




Example Visual 1: Funnel

- Visualizes distribution across categories as percentage of top value




Example Visual 2: Waterfall

- Visualizes series-based data with positive and negative values




Example Visual 3: Gauge Visual

- Visualizes how measured value is tracking against goal or budget



Report Designer Modes and Panes




- **Show Gridlines** mode adds visual guides to report
- **Snap Objects to Grid** mode helps with object placement
- **Lock Objects** mode used to prevent accidental moving
- **Bookmarks Pane** used to create and manage bookmarks
- **Selection Pane** used to select, order, hide & show visuals
- **Sync slicers** pane used for advanced slicer control
- **Field Properties** used to add field description



Lock Objects Mode

- Prevents accident movement of report objects
 - Locks Objects setting is not saved at project level





The screenshot shows the Power BI Desktop interface. The 'View' ribbon is active, and the 'Lock Objects' checkbox is checked. A white arrow points to this checkbox. The interface also displays a table of sales revenue by state, a bar chart, and a map of the United States.

State Name	Sales Revenue
California	\$5,255,912
Texas	\$3,894,374
Florida	\$2,592,242
Oregon	\$1,849,877
Washington	\$1,785,527
Arizona	\$1,515,935
Georgia	\$1,490,282
North Carolina	\$1,479,238
New York	\$1,265,458
Colorado	\$1,089,855
Virginia	\$1,004,225
New Mexico	\$843,054
Pennsylvania	\$792,634




Selection Pane

- Provides control over object on a page
 - You can control whether visual is visible or hidden
 - You can change ordering to control what is on top



Field Properties Pane

- Allows data model author to add table and field description
- Using the Fields Properties pane
 1. Navigate to Model view
 2. Select a table or field
 3. Edit property values



Agenda

- ✓ Working with the Report Designer
- Designing Interactive Reports using Slicers
 - Using Conditional Formatting
 - Designing Reports using Bookmarks
 - Importing Custom Visuals
 - Using Custom Report Themes
 - Publishing Power BI Reports
 - Creating Reports from Shared Datasets



Designing Reports with Interactive Filtering

- Slicers
 - Provide report consumers with intuitive filtering
- Visual Highlighting
 - Filtering applied when user clicks on a visual data element
- Drilldown Mode
 - Allows report consumer to drill into field hierarchy
e.g. Sales Region > State > City > Zipcode
- Drillthrough Pages
 - Allows report consumer to navigate to drillthrough page



Slicer with Text Field

- Slicer support List and Dropdown modes
 - Slicer create in List mode by default
 - Slicer switched to dropdown mode to conserve vertical space

State Name

- ☐ Alabama
- ☐ Arizona
- ☒ California
- ☐ Colorado
- ☐ Connecticut
- ☐ Florida
- ☐ Georgia
- ☐ Louisiana
- ☐ New Mexico
- ☐ New York
- ☐ North Carolina
- ☐ Ohio
- ☐ Oregon
- ☐ Pennsylvania
- ☐ Rhode Island

State Name

- ☐ Alabama
- ☐ Arizona
- ☒ California
- ☐ Colorado

List
Dropdown



State Name

California



Horizontal Responsive Slicers

- Slicer **Orientation** can be set to **Horizontal**
 - Horizontal slicer supports **Responsive** mode
 - Makes it possible to show many slicer choices at once
 - provides best filtering experience for mobile devices




Slicers with Date Fields

- Slicers with Date fields provide 7 different modes
 - Between, Before and After provide sliders and date pickers



The image shows a date slicer interface. On the left is a vertical menu with seven options: 'Between' (highlighted), 'Before', 'After', 'List', 'Dropdown', and 'Relative'. To the right of the menu is a box titled 'First Purchase Date'. Inside this box, there are two date input fields: the first contains '4/1/2012' and the second contains '10/1/2012'. Below these fields is a horizontal slider with two circular handles positioned at the dates shown in the input fields.

- Relative mode filter based on current date (e.g. last 30 days)



The image shows a date slicer interface in relative mode. It is a box titled 'First Purchase Date'. Inside, there are three input fields: the first is a dropdown menu with 'Last' selected, the second is a text box containing '30', and the third is a dropdown menu with 'Days' selected. Below these fields, there is a calendar icon followed by the date range '3/31/2018 - 4/29/2018'.



Slicer Sync

- Slicer visual & filtering can be synchronized across pages


The screenshot displays the Microsoft Power BI desktop application interface. The 'View' ribbon is active, showing options for 'Show Gridlines', 'Snap Objects to Grid', 'Lock Objects', 'Bookmarks Pane', 'Selection Pane', and 'Sync slicers'. The 'Sync slicers' checkbox is checked. Below the ribbon, a 'Sales Region' slicer is visible, showing three categories: 'Western Region' (selected), 'Central Region', and 'Eastern Region'. On the right side, the 'SYNC SLICERS' task pane is open, displaying a table with columns for 'Page name', a filter icon, and an eye icon. The table lists three pages: 'Sales by Geography', 'Sales by Time Period', and 'Sales Revenue Growth'. The 'Sales by Geography' page is selected, and all three pages have their filter icons checked.

Page name	Filter	Visibility
Sales by Geography	✓	✓
Sales by Time Period	✓	✗
Sales Revenue Growth	✓	✗




Edit Highlight Interactions Across Visuals

- Click **Edit interactions** button on **Format** tab of ribbon




- Select a visual and then configure interactions with other visuals



User Interaction using Drill Actions

- Drill Actions supported when using hierarchies
 - You must enable drilldown mode in visual





DEMO

Creating Drillthrough Pages

Agenda

- ✓ Working with the Report Designer
- ✓ Designing Interactive Reports using Slicers
- Using Conditional Formatting
 - Designing Reports using Bookmarks
 - Importing Custom Visuals
 - Using Custom Report Themes
 - Publishing Power BI Reports
 - Creating Reports from Shared Datasets





DEMO

Using Conditional Formatting

Agenda

- ✓ Working with the Report Designer
- ✓ Designing Interactive Reports using Slicers
- ✓ Using Conditional Formatting
- Designing Reports using Bookmarks
 - Importing Custom Visuals
 - Using Custom Report Themes
 - Publishing Power BI Reports
 - Creating Reports from Shared Datasets





What are Bookmarks

- Snapshot of recorded settings which can include...
 - Current page
 - Filters
 - Slicers
 - Visual sort order
 - Drill location
 - Visibility
 - Spotlighting
- Bookmarks provide the foundation for story telling
 - Bookmarks are supported in reports only
 - Bookmarks are **NOT** supported in dashboards






Bookmarks Pane

- Provide ability to create and manage bookmarks



Bookmarks as a Slide Show

- Bookmarks can be viewed as slide show
 - Start slide show by clicking View button
 - Consumer can step through one bookmark at a time




Bookmark 1 of 17

US Sales Summary




Creating a Button

- Buttons can be added to report pages to apply a bookmark
 - Button can be create with icon and/or text





Button Action Used to Apply Bookmark

- Button action can apply a bookmark
 - Button responds to standard click in Power BI Service
 - Button requires CONTROL + click in Power BI Desktop



Bookmarks Types

- Bookmarks can capture or ignore certain types of data
 - Data (filtering and slicers)
 - Display (visible or hidden)
 - Current Page (page navigation)





DEMO

Designing Reports using Bookmarks


Agenda

- ✓ Working with the Report Designer
- ✓ Designing Interactive Reports using Slicers
- ✓ Using Conditional Formatting
- ✓ Designing Reports using Bookmarks
- Importing Custom Visuals
 - Using Custom Report Themes
 - Publishing Power BI Reports
 - Creating Reports from Shared Datasets




Custom Visuals for Power BI

- Power BI Framework for Visuals is Extensible
 - Developers can extend Power BI with Custom Visuals
 - Microsoft Hosts gallery of custom visuals
 - Gallery located at <https://appsource.microsoft.com>



Histogram

- Custom Visual Example 1




Hierarchy Slicer

■ Custom Visual Example 2




Importing a Custom Visual

- Import custom visual into Power BI Desktop project
 - Execute **Import > Power BI Custom Visual** menu command



- After import, Custom Visual appears in **Visualizations** list



Agenda

- ✓ Working with the Report Designer
- ✓ Designing Interactive Reports using Slicers
- ✓ Using Conditional Formatting
- ✓ Designing Reports using Bookmarks
- ✓ Importing Custom Visuals
- Using Custom Report Themes
 - Publishing Power BI Reports
 - Creating Reports from Shared Datasets



Report Themes

- Report can be styled using report theme
 - Provides consistency across reports for styling and branding
 - Report theme defined using JavaScript Object Notation (JSON)
 - Today report themes must be defined using JSON editor
 - Microsoft plans to release WYSIWYG theme designer later in 2018

```
CPT Demo Report Theme.json  -P X
{
  "name": "CPT Demo Report Theme",
  "background": "#fff8dd",
  "foreground": "#9F1B30",
  "tableAccent": "#fbc737",
  "dataColors": [ "#9F1B30", "#D16B2C", "#FEBF0F", "#fdae61", "#abdda4", "#66c2a5",
    "#3288bd", "#5e4fa2", "#bbbbbb", "#999999", "#666666", "#333333" ],
  "visualStyles": {
    "*": {
      "*": {
        "*": [ {
          "fontSize": 8,
          "fontFamily": "Cambria Math",
          "color": {
            "solid": {
              "color": "#000000"
            }
          }
        }
      ]
    }
  }
}
```





DEMO

Working with Report Themes


Agenda

- ✓ Working with the Report Designer
- ✓ Designing Interactive Reports using Slicers
- ✓ Using Conditional Formatting
- ✓ Designing Reports using Bookmarks
- ✓ Importing Custom Visuals
- ✓ Using Custom Report Themes
- Publishing Power BI Reports
- Creating Reports from Shared Datasets




Designing Reports for Mobile Devices

- Many reports will not render properly on mobile devices
 - Phone Layout used to create separate version for mobile devices




Designing a Phone Layout

- Phone layout view allows you to select specific visuals
 - Only include report visuals that render correctly on mobile devices
 - You position visuals according to form factor of mobile device





Publishing a Power BI Desktop Project

- Power BI Desktop provides **Publish** command
 - Used to publish project to Power BI service



- Requires logging into your Office 365 account




- Published articles added to a specific workspace




Publish to Web

- **Publish to Web** command available on reports
 - Not supported for reports and datasets which implement RLS



- **Publish to Web** command used to generate embed codes



Generating Embed Codes

- Used to provide anonymous access to report
 - Provide link which can be posted, emailed or texted
 - Provides **iFrame** HTML element for embedding in public web site

Success!

Link you can send in email

<https://app.powerbi.com/view?r=eyJrIjojYTM3YjlkNzctNWY5My00YTUyLl>

Html you can paste into your blog or website


`<iframe width="933" height="700" src="https://app.powerbi.com/view?r=eyJrIjojYTM3YjlkNzctNWY5My00YTUyLl" />`

Size

933 x 700 px

▼

Close



The background of the slide is a close-up, low-angle shot of a server rack. The rack is filled with numerous server units, each featuring a grid of small, glowing blue lights. The perspective is looking up the length of the rack, creating a sense of depth and scale. The overall color palette is dominated by deep blues and bright cyan from the lights.

DEMO

Using the Publish to Web and Publish to SharePoint Features


Agenda

- ✓ Working with the Report Designer
- ✓ Designing Interactive Reports using Slicers
- ✓ Using Conditional Formatting
- ✓ Designing Reports using Bookmarks
- ✓ Importing Custom Visuals
- ✓ Using Custom Report Themes
- ✓ Publishing Power BI Reports
- Creating Reports from Shared Datasets



Creating Reports using Shared Datasets

- Datasets can be shared across workspaces
 - Makes it possible to separate datasets from reports
 - One team can build and publish datasets
 - Other teams can build reports on those datasets





DEMO

Creating a Power BI Report using a Shared Datasets

Summary

- ✓ Working with the Report Designer
- ✓ Designing Interactive Reports using Slicers
- ✓ Using Conditional Formatting
- ✓ Designing Reports using Bookmarks
- ✓ Importing Custom Visuals
- ✓ Using Custom Report Themes
- ✓ Publishing Power BI Reports
- ✓ Creating Reports from Shared Datasets

